

**DGT-Aff011/3/2023-O/o DIR (TC)**  
**Government of India**  
**Ministry of Skill Development and Entrepreneurship**  
**Directorate General of Training**

Employment Exchange Building,  
 1st floor, Pusa, New Delhi,  
**Date: 15.06.2023**

To,

**The Commissioner,**  
 Office of Employment and Training  
 Siddhartha Nagar, Benz Circle, Vijayawada,  
 Andhra Pradesh - 520008

**Sub: De-affiliation Order of Shri Venkateswara Pvt. ITI, Dhone – (PR28000048).**

Sir / Madam,

State Directorate of Employment and Training of Andhra Pradesh vide its letter M/2020/2021 dated 10.03.2022 has issued a Show Cause Notice (SCN) to Shri Venkateswara Pvt. ITI, Dhone, as ITI is running in Vijya Theater against the permitted building without sufficient staff and collecting abnormal fee towards practicals. ITI was asked to submit a reply to the SCN but State Directorate Andhra Pradesh has not received any reply from the Shri Venkateswara Pvt. ITI, Dhone.

ITI was then inspected by State Directorate Andhra Pradesh on date 29-03-2022 but it is found that, ITI is functioning without sufficient infrastructure and currently accommodated in an incomplete building without permission. State Skill Development and Entrepreneurship Committee (SSDEC) Andhra Pradesh in meeting held on 29.06.2022 has recommended de-affiliation of Shri Venkateswara Pvt. ITI, Dhone.

This matter was discussed in 9<sup>th</sup> meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 16.05.2023 to 19.05.2023 and based on the SSDEC's recommendation, SCAA has recommended de-affiliation of all trade and units of Shri Venkateswara Pvt. ITI, Dhone w.e.f. session 2023-24, same has been approved by the competent authority. The details are given in below:

| ITI Name and MIS code  | Trade/units   | Reason for de-affiliation   | SCAA Remarks                    |
|--|---|---|---------------------------------|
| Shri Venkateswara Private ITI, Dhone, Dhore, Dist.- Nandyal, Andhra Pradesh (PR28000048) | Electrician – 4(2+2)<br>Draughtsman (Civil) – 2(1+1)<br>Fitter – 5(3+2)<br>MMV – 2(1+1) | ITI is functioning without sufficient infrastructure and currently accommodated in an incomplete building without permission. | Recommended for De-affiliation. |

Institute and State Directorate shall ensure that all the trainees who were already enrolled in previous sessions, complete the training duration and no fresh trainees are admitted.

Yours faithfully

(Ujjwal Biswas)

**उज्ज्वल बिस्वास / UJJWAL BISWAS**  
 निदेशक / Director  
 परिशिक्षण प्रसन्ननिदेशालय / Directorate General of Training  
 कौशल विकास एवं उद्यमशीलता मंत्रालय  
 Ministry of Skill Development and Entrepreneurship  
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

Copy To: -

1. Sr. PPS to DG/AS, DGT.
2. PPS to DDG, Affiliation.
3. The Regional Director, RDSDE Vijaywada,
4. The Principal, Shri Venkateswara Private ITI, Dhone, Dhore, Dist.- Nandyal, Andhra Pradesh.
5. The officer dealing with NCVT MIS Portal to upload this order on NCVT MIS Portal & update the data as recommended by SCAA.

**अमरिंदर सिंह**  
 (Amrit Pal Singh)  
 Joint Director -TC