# DGT-Aff011(51)/3/2023-O/o DIR (TC) Directorate General of Training Ministry of Skill Development and Entrepreneurship Government of India

\*\*\*

Employment Exchange Building, 1st floor, Pusa Campus, New Delhi -110012

Dated: 21.07.2023

To

# 1. The State Directors,

(Andhra Pradesh, Arunachal Pradesh, Assam, Bihar, Chandigarh, Chhattisgarh, Daman & Diu and Dadra & Nagar Haveli, Goa, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Odisha, Punjab, Rajasthan, Tamil Nadu, Telangana, Uttar Pradesh, Uttarakhand and West Bengal)

# 2. The Regional Directors, RDSDEs

(Andhra Pradesh, Arunachal Pradesh, Assam, Bihar, Chandigarh, Chhattisgarh, Daman & Diu and Dadra & Nagar Haveli, Goa, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Odisha, Punjab, Rajasthan, Tamil Nadu, Telangana, Uttar Pradesh, Uttarakhand, West Bengal)

Subject: Minutes of 10<sup>th</sup> Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" held on 16.06.2023 to 23.06.2023- regarding.

Sir/Madam.

Please find enclosed approved Minutes of 10<sup>th</sup> Meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 16.06.2023 to 23.06.2023. However, implementation orders agenda item wise will be issued in due course of time.

Further, the compliance reports if any, must be sent to Director, TC only on below mentioned e- mail id with subject tag line- Compliance of 10<sup>th</sup> SCAA Meeting <State Name> <ITI Name> Mail ID: tc-affiliation@dgt.gov.in .

This issue with approval of competent authority, DGT.

Yours faithfully,

Copy to:

1. Sr PPS to Chairman of SCAA-DGT.

2. Sr PPS to DDG (Affiliation).

3. NCVT MIS Portal in charge, DGT HQ New Delhi, with request to upload MOM on NCVT MIS Portal.

(Pooja Verma) Assistant Director, TC

GOVERN BETWEEN DITEMPTS BISWAS OF THE PROPERTY OF THE PROPERTY

# DGT-Aff011/3/2023-O/o DIR (TC) Directorate General of Training Ministry of Skill Development and Entrepreneurship Government of India Employment Exchange Building, PUSA Campus, New Delhi-110012

# Minutes 10th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" dated 16.06.2023 to 23.06.2023

Following DGT Officers were present during the meeting:

- 1. Smt. Sandhya Salwan, DDG, DGT, Chairperson of SCAA
- 2. Sh. Ujjwal Biswas, Director, TC, DGT Member
- 3. Sh. Amrit Pal Singh, Joint Director, TC-Section, DGT
- 4. Sh. Raju Kannam, Deputy Director, TC-Section, DGT
- 5. Ms. Pooja Verma -Assistant Director, TC-Section, DGT
- 6. Sh. Shramev Sharma Assistant Director, TC-Section, DGT
- 7. Sh. Rajesh Kumar- Assistant Director, TC-Section, DGT
- 8. Smt. Kanika Kalhan Training Officer, TC-Section, DGT

Following Officers from RDSDEs and State Directorate attended the meeting (through VC):

S. No.	State	Name of RDSDE Officials	Name of State Officials
1,	Andhra Pradesh	Sh. P.Mouli, Dy. Director	Sh. Balasubhramanyam, JD and Sh. Satyanarayana, DD
2.	Assam	Sh. Mathivanan, Director	Smt. Mousami Sen, Joint Director of State Directorate
3.	Bihar	Sh. Bijit Singha, Director	Sh. Yogendra Prasad, Assistant Director
4.	Chandigarh	Smt. Swati Sethi, Director	Sh. Arun Kumar Gupta, Principal, Govt.ITI, Chandigarh
			Smt. Anju Verma, research consultant, DET Chandigarh
5.	Chhattisgarh	Sh. Rajnish Jha, Dy.Director	Sh. R.B Tiwari, Dy.Director, controller of exam
6.	Goa	Sh. C.S. Murthy, Director	Sh. SS Gaonker, Deputy Director, Training, State
			Directorate
7.	Gujarat	Sh. J. P Meena, Director	Sh. H.K Kavadia, Technical Officer
8.	Haryana	Smt. Swati Sethi, Director	Sh. Sanjeev Sharma, Additional Director



9.	Himachal Pradesh	Shri Ravi Kumar Chilukoti, Director Sh. Mohinder Lal, Assistant Director, RDSDE	Sh. Sanjay Gupta, Deputy Director, DET Himachal Pradesh			
10.	Jharkhand	Sh. N.R Aravindan, Director	Sh. Yogendra Prasad, Assistant Director			
11.	Karnataka	Sh. B.N. Sridhar, Director	Dr. Nagendra, Director			
12.	Kerala	Sh. H.C Goyal, Director	Sh. Sivasankaran K P, Additional Director of Training, Industrial Training Department			
13.	Madhya Pradesh	Sh. J. P. Meena, Director	Sh. Thakur, Joint Director			
14.	Maharashtra	Sh. C.S. Murthy, Director	Sh. D. A. Dalvi, Director			
15.	Odisha	Sh. Bijit Singha, Director	Sh. Ajay Panda, Dy. Director			
16.	Punjab	Smt. Swati Sethi, Director	Sh. Manoj Gupta, Joint Director			
17.	Rajasthan	Sh. A.S. Parihar , Dy.Director	Sh. A.K Anand, Director			
18.	Tamil Nadu	Sh. B.V.S. Seshachari, Director	Sh. Ravi Chandran, Additional Director			
19.	Telangana	Sh. Vidyanand ,Joint Director	Sh. S.K Nagesh, Joint Director, DET			
20.	Uttar Pradesh	Sh. J.D. Masilamani , Director	Sh. Rajendra Prasad, Joint Director			
21.	Uttarakhand	Shri Ravi Kumar Chilukoti, Director	Sh. Pankaj Kumar, Deputy Director			
22.	West Bengal	Sh. N.R. Aravindan, Director	Shri Prasenjit Bose, Assistant Director, DET			

At the outset, Smt. Sandhya Salwan, DDG, DGT and Chairperson of SCAA, welcomed all the committee members and participants. Thereafter Shri Ujjwal Biswas, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations and agenda wise decisions taken by the Chair, are placed below.



## Agenda 1: Action Taken report of 9th SCAA meeting held on dated 16.05.2023 to 19.05.2023.

Minutes of Meeting and affiliation orders of 9th SCAA meeting held on 16.05.2023 to 19.05.2023 have been issued.

## Agenda 2: New Accreditation/ Affiliation proposals for existing and new ITIs from 12 States.

A total of 107 New Accreditation/ Affiliation proposals for existing and new ITIs from 12 States have been received, out of which 63 are from existing ITIs (21 Govt. ITIs and 42 Pvt. ITIs) for addition of trades/units and 44 are from new Govt. & Pvt. ITIs (01 Govt. ITI and 43 Pvt. ITIs). (List attached at annexure – 1)

Table 1: Total applications received State wise

SI.	State	Existin	ng	Nev	V	Total
No.		Government	Private	Government	Private	
1	Andhra Pradesh	0	1	0	0	1
2	Assam	0	0	0	4	4
3	Bihar	0	8	0	5	13
4	Gujarat	1	1	0	4	6
5	Haryana	0	1	0	0	1
6	Himachal Pradesh	0	6	0	2	8
7	Jharkhand	0	1	0	4	5
8	Karnataka	0	2	0	0	2
9	Kerala	0	0	0	1	1
10	Maharashtra	20	11	1	9	41
11	Uttar Pradesh	0	8	0	14	22
12	West Bengal	0	3	0	0	3
Grand Total		21	42	1	43	107

#### **SCAA Remarks:**

The remarks by SCAA for above each case is attached as: Annexure-I.



# Agenda 3: Compliance cases

The following proposals were placed in the meeting of 1<sup>st</sup> SCAA held on dated 5.4.2022 and 6.4.2022 to meeting of 9<sup>th</sup> SCAA held on dated 16.05.2023 to 19.05.2023. Due to certain deficiencies mentioned in the MoM against these ITIs, RDSDEs /State Directorates were asked to submit the compliance report. Accordingly, the compliance reports received from State Directorates and RDSDEs were placed below for deliberation and discussion of the committee. The final recommendation and remark of SCAA is given below against each case:

S.	Name of	ITI name	Type of				10 <sup>th</sup> SCAA remarks
N	State		applicatio	Sought for	Case	by State	
0			n	affiliation			
		[11]	IV	V	VI	VII	VIII
1.	Haryana	Shri Vishwkarma pvt.ITI,	Existing	1. Basic	9 <sup>th</sup> SCAA	State send	Recommended for
		private industrial training		Cosmetology	State Directorate	compliance report	
		institute, sirsa,		- 2(1+1)	send email dated	on 2.06.2023 and	1. Basic
				2. HSI - 2(1+1)	22.03.2023 and	submitted	Cosmetolog
		MIS CODE: PU06000253			submitted BCC	1. BCC verified by	
					and CITS	State Additional	2. HSI - 2(1+1)
		Grading: 7.5			undertaking	Director	<b>.</b>
						2. Undertaking for	State and RDSDE
					Remarks:	CITS instructors	to ensure the
1							availability of CITS
					State Director to		instructor before
					verify following		start of the session
					documents:		
					1. BCC as per		
					norms		
					2. Details of CITS		
					Instructors.		
					Thereafter, State		
					Director will		
					verify BCC as per		
					local building		





					bye-laws & instructor details and submit the signed & stamped report to DGT within 07 days.  After that case will be placed in the next SCAA.	eg e
2	Haryana	Shri Krishna Pvt ITI, Budani Rewari 1906031565	New	1. COPA-2 (1+1) 2.Electrician-2 (1+1) 3. Fitter-2 (1+1) 4. Health sanitary Inspector-2 (1+1)	9th SCAA State Director to verify following documents:  1. BCC as per norms 2. To ensure the availability of power load as per DGT norms for each trade. 3. Details of CITS Instructors.  Thereafter, State Director will verify BCC as per local building bye-laws & instructor details and submit the signed & stamped report to DGT within 15 days from issue of this MoM  After that case will be placed in the next SCAA.	Director TC informed the committee that the applicant ITI had requested rectification of all deficiencies by him and had informed the State about it.  SCAA suggested that the State should expedite the process and send the report to DGT within 7 days from the issuance of this MoM
3	Punjab	Modern Private I Village. Lakho Ke Behram,Tehsil Guru Har Sahai, District Ferozepur – 152023	Existing	Electrician - 6(3+3)	7th SCAA RDSDE Punjab sent joint inspection and mentioned that committee ITI	Not Recommended due to less grading





		MIS CODE: PR03000317 Grading: 3.10					has not complied with following deficiencies at the time of the second time inspection:  1. Parking area is too low and water can clog there during rain, the Canteen area is less than required.  Canteen does not have wash basin for cleaning utensils  2. UPS not installed in IT lab.  Hence committee has not recommend this ITI	the parking area deficiencies is done by raising the height of parking area 2. Canteen area extended by construction of shed outside the kitchen installed in the kitchen.  3. Wash basin has been installed in the	
4	Karnataka	Govt. ITI, (GU29000397)	Hospete	Existing	2.	Fitter (1+1) Electrician (1+1)	8 <sup>th</sup> SCAA remarks This proposal received from 2nd SSDEC meeting Karnataka.		SCAA Recommended the change of address as given below:  New Address Govt ITI Jambunatha Halli



					State Directorate informed that it is not shifting case, ITI is at the same location but name of the district is changed from Bellary to Vijayanagara. State Director to send the clarification within 5 working days from issue of this MoM.	new district Vijayanagara and submitted that  Old address: Govt ITI Jambunatha Halli road Hosapete District: Ballari  New Address: Govt ITI Jambunatha Halli road, Hosapete District : Vijayanagara	District : Vijayanagara :  SCAA also Recommended the following trades: 1. Fitter (1+1) 2. Electrician (1+1)
5	Telangan a	SRINIVASA ITI H.NO: 6-3-9/1, MARIPEDA(BANGLOW), DISTRICT. MAHABUBABAD, PIN: 506315. TMPSP026	New	<ol> <li>Electrician         4(2+2)</li> <li>Fitter 2(1+1)</li> <li>Health         Sanitary         Inspector         2(1+1)</li> <li>Smartphone         Technician         Cum         App         Tester 2(1+1)</li> </ol>	9th SCAA remarks:  1. SCAA observed that the BCC to be verified by State Directorate as per Building byelaws of the State and submit the signed & stamped report along with recommendation to DGT.	State sent email and submitted BCC and CITS undertaking	State Directorate verified the BCC and undertaking given by ITI for CITS instructors  SCAA Recommended the following trades:  1. Electrician 4(2+2) 2. Fitter 2(1+1) 3. Health Sanitary Inspector 2(1+1)







					2. Detail of CITS instructors for each trade also to be verified and submit to DGT within 07 days from issue of this MoM.  After receipt of report from State Directorate, case will be placed in the SCAA.		4. Smartphone Technician Cum App Tester 2(1+1)  State and RDSDE to ensure the availability of CITS instructor before start of the session
6	Telangan	Rajiv Gandhi Industrial Training Centre, Sofi Nagar Nirmal-504106 PR36000067 Grading - 8.5	Existing	Computer Operator and Programming Assistant (COPA) 2(1+1)		2. Undertaking by ITI management for that all instructors will	State Directorate verified the BCC and undertaking given by ITI for CITS instructors.  SCAA Recommended the following trades: 1.COPA 2(1+1)  State and RDSDE to ensure the availability of CITS instructor before start of the session





					Thereafter the case will be placed in the next SCAA.	
7	Telangan	Sri Rama Private ITI, Huzurabad PU36000092 Shifting case	Existing	Existing trades:  1. Electrician- 8(4+4)  2. Fitter-2(1+1)  3. Mechanic Diesel-2(1+1)	TC section remarks Inspecting members mentioned that, this is case of shifting from Warangal Main Road to Padma Nagar Gandhi Nagar H. No. 21-149/1, Huzurabad, KarimNagar DT, Telangana 505468 Inspecting team mentioned that ITI has facilities for Electrician (4+4) and Fitter (1+1) Some deficiencies observed as given below:  1. NoC from state for shifting 2. Electricity bill as per norms 3. BCC as per norms 4. Land documents 5. Building layout as per norms 6. CITS instructor details as per norms 6. Fire safety certificate	SCAA suggested that following documents are to be verified by State Directorate:  1. NoC from state for shifting 2. Electricity bill as per norms 3. BCC as per norms 4. Land documents 5. Building layout as per norms 6.CITS instructor details as per norms 6.Fire safety certificate  Applicant ITI to submit the above documents to State Directorate within 07 days from date of issue of this MoM  Thereafter, State Directorate will verify the above documents and





						-	send the report within 05 days.  Then, proposal will be placed in next SCAA meeting.
8	Telangan	Subhodaya Pvt ITI,  New address: H,No ; 2-2-23/38/1 Ambedhkar Colony Gummudur, Mahabubabad,506101,  Mahabubabad,Telangana PR36000150 New Grading 7.2	Existing	1. Addl. Electrician - 2(1+1)	gth SCAA remarks The report received from State discussed in detail during SCAA meeting with RD, RDSDE and State Directorate.  SCAA suggested that the State Directorate will physically verify the following details of this ITI:  1. Available power load as per DGT norms. 2.land owner residence is there in premises 3. No proper toilet for trainees 4.Space availability for	and submitted that 1. Land owner given undertaking that all 3 connections are used by ITI 2. Land owner has given undertaking that house construction is given to ITI owner 3. Toilets are available 4. Sewing technology space available 144 sqm for (2+2) units	Recommended the following trades: Addl. Electrician -

P

Page **12** of **260** 

9	Tolongon	Al-Sana Ind	dustrial Existing	1. Electrician -	sewing technology.  State may submit the signed & stamped report to DGT within 15 days from issue of this MoM  After that case will be placed in the next SCAA.	State sent email	Not Recommended
9	Telangan	1	Centre, (Category 3) Shifting case		The report received from State discussed in detail during SCAA meeting with RD, RDSDE and State Directorate.  SCAA suggested that the State Directorate will physically verify the following details of this ITI:  Availability of land and area of classrooms, drawing hall,	and submitted that area of classrooms, drawing hall, Principal room, Office, First aid room, library is available as per norms however total land available	due to following



					Principal room, Office, First aid room, library as per norms along with photographs.  State may submit the signed & stamped report to DGT within 15 days from issue of this MoM  After that case will be placed in the next SCAA.		
10	Telangan	Old Address: Shiva Joythi ITC Shastri Nagar H.No. 1-3 MNCL Road, Nirmal – 504106.  New Address: Shiva Jyothi Private Industrial Training Institute, Nirmal, Shivajyothi ITC Manjulapur, Mdl: Nirmal Dist: Nirmal TELANGANA-504106.  PR36000194  Existing trade	Existing (shifting)	Electrician 8(4+4) Dress Making 2(1+1)	gth SCAA remarks: SCAA informed that State Directorate will submit: 1. The duly verified NOC for shifting for this ITI. 2. BCC to be verified as per Building bye- laws of the State. 3. Documents regarding shortage of	and submitted that  1. It is to submit that Shiva Jyothi Private ITI Nirmal has not shifted. This is functioning as an integrated for this ITI building in 2 parts with in 1 KM of radius of	SCAA Recommended for shifting with existing trades only





		HIS (3+3)				power load and Electricity bill.  4. Land area available.  5. Detail of CITS instructors for each trade.  State Directorate to submit the signed & stamped report along with recommendation to DGT within 7 days from the issue of this MoM.  Thereafter the case will be placed in the next SCAA.	<ol><li>Instructor details</li></ol>	ीं क
11	Uttar Pradesh	Shri Ram Singh Niranjan Erar, Jalaun, 1809025696	New	2.	Electrician – 6(2+2+2)  Fitter – 6(2+2+2)  COPA – 3(1+1+1)  Fashion & Technology – 3(1+1+1)	9th SCAA Remarks- The electricity bill is not in the name of ITI. The applicant ITI has to remove this deficiency	State send email and submitted meter sealing report on the name of ITI	SCAA Recommended the ITI for the following trades:  1. Electrician – 4(2+2) 2. Fitter – 4(2+2) 3. COPA – 2(1+1)





					07 days from issue of this MoM. Thereafter, State Director will verify and submit the signed & stamped report to DGT within 07 days. After that case will be placed in the next SCAA.		4. Fashion & Technology – 2(1+1)
12	Uttar Pradesh	C B S College of Polytechnic, Poiya, Pili- Pokhar, Agra TMPOLD310 MSTI	New	<ol> <li>Computer         Operator         and         Programming         Assistant         (COPA)-2         (1+1)</li> <li>Electrician -2         (1+1)</li> <li>Fitter-2 (1+1)</li> <li>Welder-2         (1+1)</li> </ol>	5th SCAA Meeting  SCAA final Remarks- State Directorate to submit the report of NOC for the ITI lying in the unserved area to DGT within 07 days from issue of this MoM.		SCAA Recommended the ITI for the following trades:  1. Electrician - 2 (1+1)  2. Fitter-2 (1+1)  3. Welder-2 (1+1)
13	Uttar Pradesh	Pandit Beeri Singh Private Industrial Training Institute, Bhanpura,	Existing	1. Electrician-3 (1+1+1) 2. Health Sanitary Inspector-3 (1+1+1)	5th SCAA SCAA final Remarks- ITI needs to submit the	State sent email and submitted  1. BCC  2. Fire safety	State Directorate verified the BCC, fire safety and details of CITS instructors.

Page **16** of **260** 

		Rajakhera Road			following details	3.Attached CITS	SCAA
		Shamshabad Agra-			to State	instructor details of	Recommended the
		283125			Directorate	Electrician trades	ITI for following
					within 07 days	and	trades:
		PR09002015			from issue of this	Recommended for	1. Electrician
		11103002010			MoM-	Electrician (1+1)	(1+1)
		Grading 7.6			1. BCC	HSI (1+1)	2. HSI (1+1)
		Grading 7.6			documents as	1101 (1+1)	2. 1101 (1+1)
					per norms.	1	
					2. Fire safety		
					certificate as per		1
					norms.		l l
					3. Undertaking to		1
					appoint CITS		l)
					instructors		
					before the start		
					of session 2022.		950
					State		
					Directorate will		ľ
					verify above		
					reports and		1
					send		
					recommendatio		
					n of all the		
					trades/units		5
					within 07 days		
					from issue of		
					this MoM, State		
					directorate and		
14	Uttar	Bohre Natthi Lal Mudgal	New	1. COPA- 3		State send email	
	Pradesh	Private I.T.I Private		(1+1+1)	5 <sup>th</sup> SCAA	and submitted	
		Industrial Training		2. Electrician- 3	Remarks-	BCC and	and details of CITS
		Institute,		(1+1+1)	ITI needs to		instructors.
				, ,	submit  the	CITS instructor	



		Khediya Iradat Nagar		3. Fitter- 3	following details	engagement and 2	SCAA
		Agra -283112		(1+1+1)	to State	CITS instructors	Recommended the
				4. Health	Directorate within	details submitted	ITI for following
		TMP9118PR1582369959		Sanitary	07 days from		trades:
				Inspector- 3	issue of this		1. COPA- 2 (1+1)
				(1+1+1)	MoM-		2. Electrician- 2
		1		( , , , ,	1. BCC		(1+1)
					documents as		3. Fitter- 2 (1+1)
					per norms.		4. Health Sanitary
					2. Undertaking to		Inspector- 2 (1+1)
					appoint CITS		, , ,
					instructors before		State and RDSDE
					the start of		to ensure the
					session 2022.		availability of CITS
					State Directorate		instructor before
					will verify above		start of the session.
					reports and send		
					recommendation		
					of all the		
					trades/units		
					within 07 days		
					from issue of this		
					МоМ.		
15	West	Bill Edgar Memorial	Existing	Electrician	9th SCAA	State Directorate	State Directorate
	Bengal	Vocational Training		2(2+0+0)	<u>Meeting</u>	sent email on	verified the BCC,
	ľ	Centre VILL BADRA,				dated; 19/05/2023	and undertaking for
		P.O JUNBEDIA, DIST				and submitted	CITS instructors
1		BANKURA. PIN-722 155,			SCAA final		given by ITI
		PH: 03242-258791			Remarks-	1. BCC given	
					SCAA observed	by Nirmaan	SCAA
		PU19000087			the following	sahayak	Recommended the
					deficiencies:	Gram	ITI for following
		Grading- 8.50				Panchayat	trades:
		10	ľ		1. BCC not as	2. Undertakin	
					per norms.	g given by	





					Details of CITS Instructor,	ITI to engage	1. Electrician 2(2+0)
					ITI will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify all above documents and submit the signed & stamped report along with recommendation to DGT within 07 days. After that case will be placed in	CITS Instructor	State and RDSDE to ensure the availability of CITS instructor before start of the session
16	West Bengal	RISHRA MULTI SKILL TRAINING INSTITUTE HOOGHLY Simla Satghara Road, P.O- Pravasnagar, P.S- Rishra, Dist- Hooghly, W.B- 712104	New (MSTI)	Electrician 2(1+1) Fitter 2(1+1)	the next SCAA.  9th SCAA  Meeting  ICVC Remarks- Agree, Fitter 1+1 and Electrician 1+1 recommend for affiliation.	State Directorate sent email on dated; 19/05/2023 and submitted  1. NOC given by state is attached	deficiencies : 1. BCC is not as per norms



TMD40242DLI4C472222	<u> </u>	talaal	mak magnificated	MCTI configuration
TMP19312PU164733326		municipal	not mentioned	
0		authority.	about unserved	
		TC Section	block	BCC as per norms
		Remarks-	2. BCC given by	to State Directorate.
		No BCC	architecture is	
			attached	State Directorate
		SCAA final		will submit the
		Remarks-		following details
		State Directorate	[	within 7 days from
		informed ITI is		
		1		date of issue of this
		under the MSTI	1	MoM
		Category.		1. BCC as per
			1	norms and verified
		SCAA observed	1	by State
		the following		2. NOC for MSTI
		deficiencies:		laying in unserved
			1	block
		1. BCC not as		Thereafter this case
		per norms.		will be placed in
		2. NOC from		next SCAA.
				HEXI SCAA.
		State for MSTI.		
		Applicant will		
		Applicant will		
		rectify all the	1	1
		above		1
		deficiencies and		1
		submit the detail		
		to State		
		Directorate		
		within 07 days		
		from issue of this		
		MoM.		
		Thereafter, State		
		Director will		
		verify all above		



					documents and submit the signed & stamped report along with recommendation to DGT within 07 days. After that case will be placed in the next SCAA.		er 0€5
17	West Bengal	Atulia Private ITI SADAR PARA, JESSURE, PO, HABRA 24 PARAGANAS NORTH- 743233  PR19000115  Grading- 8.70	Existing	1. Health Sanitary Inspector 2(1+1)  2. Advanced CNC Machining 2(1+1)	installed. 3. Drawing Hall	2. Purchase bill of Bio-metric is	meeting,  Accordingly State Directorate and



					issue of this MoM.  Thereafter, State Director will verify all above documents and conduct joint inspection along with RDSDE and submit report (in annexure III) within 15 days.  After that case will be placed in the next SCAA.		
18	Jharkhan d	SANMAT, MANOHARPUR PRIVATE INDUSTRIAL TRAINING INSTITUTE, WEST SINGHBHUM VILLAGE- RAIKERA, POST OFFICE- RAIKERA, POLICE STATION- MANOHARPUR WEST SINGHBHUM-833104  TMP20343PR158176475 7	New	Fitter 4(2+2) Electrician 4(2+2) COPA 2(1+1) Cutting & Sewing (VI & OD) 2(1+1)	and given to third	instructor details of Fitter 2(1+1) Electrician 4(2+2) COPA 2(1+1) and	





					Thereafter, State Director will submit the duly signed & stamped report along with recommendation to DGT within 07 days.  After that case will be placed in the next SCAA.		) and inform RD, RDSDE. Thereafter RD, RDSDE will verify the details of CITS instructor of sewing technology trade and submit to DGT within 05 days from issue of this MoM
19	Jharkhan d	JAHB (JHARKHAND ACADEMY OF HEALTH & BEAUTY) PVT. ITI RANCHI VILL - DAHU, PO+ PS- ORMANJHI DIS- RANCHI 835219 JHARKHAND, RANCHI- 835219 TMP20339PR164698346 1	New	Electrician 4(2+2) Radiology Technician 2(1+1) Physiotherap y Technician 2(1+1) Health Sanitary Inspector 2(1+1) Hair & Skin Care (VI) 2(1+1)	However, following deficiencies are observed by	submitted 1. BCC as per norms 2. Drawing hall area is 50.292 m2 i.e. as per norms Building plan attached 3. CITS instructors details of Electrician trade is attached and for other trades instructor are there	Technician 2(1+1) Health Sanitary Inspector 2(1+1) Cosmetology



Page **23** of **260** 

Y!		Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.	start of the session 2023
		Thereafter, State Director will submit the duly signed & stamped report along with recommendation to DGT within 07 days	
		After that case will be placed in the next SCAA.	

No.



**Agenda 4: De-affiliation Cases:** De-affiliation matters (including Self-Surrender of trade/units and miscellaneous matters related to de-affiliation) in respect of following ITIs are proposed to be discussed in the meeting.

Agenda 4.1: SCAA Remarks on De -affiliation cases are given below:

S.No.	Name, Address and MIS code of	Trade units	Brief	SCAA Remarks
	ITI			
1	11	HI	IV	V
1.	Dwarka Pvt ITI; Vill-Dwarka, Post-Dandma, Bhiwani, Haryana; PR06000284	<ol> <li>Computer Hardware &amp; Network Maintenance— 2 (1+1)</li> <li>Electrician – 2 (1+1)</li> <li>Fitter – 2 (1+1)</li> <li>Health Sanitary Inspector— 2 (1+1)</li> </ol>	<ol> <li>ITI has filled a Writ Petition (12220/2021) in High Court of Delhi challenging the de-affiliation order dated 24.11.2020.</li> <li>As per direction of Hon'ble Court the joint inspection of ITI conducted and deficiencies observed in the report submitted by RDSDE, Haryana.</li> <li>SCN was issued to ITI and reply received from ITI.</li> </ol>	SCAA observed that reply received from ITI against SCN issued, to be shared with RD, RDSDE.  RD, RDSDE to place the matter in SSDEC meeting of concerned State for further action as per SOP of de-affiliation.
2.	R.R. Private ITI;  Mahwa Road, Machadi, Teh. Rajgarh, Distt. Alwar-301408, Rajasthan;  PR08000839	<ol> <li>Electrician – 2 (1+1).</li> <li>Fitter - 2 (1+1).</li> <li>Mechanic Diesel - 2 (1+1).</li> <li>Welder -2 (1+1).</li> </ol>	SSDEC has Recommended de- affiliation of this ITI due to deficiencies found during joint inspection.	SCAA Recommended the de-affiliation of this ITI as per SSDEC decision.
3.	Annupurna Private ITI;	Electrician – 6 (2+2+2)	SSDEC Recommended affiliation of Electrician – 6 (2+2+2)	SCAA Recommended the following trade:



	Balaji Nagar, Village Mawanda, Tehsil Neem Ka Thana, Distt. Sikar – 332711, Rajasthan;			Electrician – 4 (2+2) as per decision of SSDEC. However, for 2 units of third shift, ITI to sign MoU which needs to be Recommended by SSDEC.
4.	PR08000339  Modern Private ITI;  Nani, Jaipur Bikaner By Pass Road, Dist. Sikar Rajasthan;  PR08000206	Electrician – 6 (2+2+2)	SSDEC has Recommended de- affiliation of this ITI as institute found locked on the day of inspection.	SCAA Recommended the de-affiliation of this ITI as per SSDEC decision.
5.	Gurukul Private ITI;  Aklera, Dist. Jhalawar, Rajasthan;  PR08000370	Electrician – 3(1+1+1)	SSDEC has Recommended de- affiliation of this ITI.	ITI already de-affiliated in 8th SCAA and de-affiliation order issued.
6.	YGN Private ITI;  Near Anatpura Circle Bhamashah Mandi Road, Dist. Kota, Rajasthan - 324005;	Electrician – 3(1+1+1)	SSDEC has Recommended de- affiliation of this ITI as institute found closed on the day of inspection.	SCAA Recommended the de-affiliation of this ITI as per SSDEC decision.



	PU08000727			
7.	Maharana Pratap Private ITI; Panchayat Samittee, Bhopalsagar (Chittaurgarh) - 312204; PR08000907	<ol> <li>Computer Operator and Programming Assistant - 2 (1+1).</li> <li>Fitter - 2 (1+1).</li> <li>Mechanic Diesel - 2 (1+1).</li> </ol>	SSDEC has Recommended de- affiliation of this ITI as institute found closed on the day of inspection.	SCAA Recommended the de-affiliation of this ITI as per SSDEC decision.
8.	Deepak Private ITI;  Mandawar, Mahwa Road, Thodi Ka Baas, Dausa-321609;  PR08000116	<ol> <li>Electrician - 4(2+2)</li> <li>Fitter - 2(1+1)</li> <li>Mechanic Diesel - 2(1+1)</li> </ol>	SSDEC has Recommended affiliation of only trades given below: Electrician - 4(2+2) Fitter - 2(1+1)	SCAA Recommended the following trade:  Recommended for affiliation of Electrician - 4(2+2) Fitter - 2(1+1) and de-affiliation of Mechanic Diesel - 2(1+1)
9.	Gyan Ganga Private ITI; Ambuja Cement Balupura, Dist. Pali; PR08001631	1. Mechanic Diesel - 3 (1+1+1) 2. Health Sanitary Ins 2 (1+1) 3. Cosmetology - 2 (1+1) 4. Electrician 02 (1+1)	Affiliation of Mechanic Diesel - 3	As per SSDEC recommendations, Recommended for affiliation of  Mechanic Diesel - 2 (1+1) and  Self-surrender of  i. Health Sanitary Ins. – 2 (1+1)  ii. Hair & Skin Care – 2 (1+1)  iii. Electrician 02 (1+1)  For 1 unit of third shift in Mechanic Diesel trade, ITI to sign MoU with relevant industry which needs to be Recommended by SSDEC.



10.	Vishvakarma Private ITI; Near Govt. ITI, Malpura Road, Dudu (Jaipur) 303008; PR08000136	Electrician- 4 (2+2)	SSDEC has Recommended de- affiliation of this ITI due to institute found closed on the day of inspection.	SCAA Recommended the de-affiliation of this ITI as per SSDEC decision.
11.	Ch.Amar Singh Pvt ITI; Meerut, UP	Electrician - 4 (2+2)	<ol> <li>ITI has filled a court case (WP 7438/2020) with a prayer to "quash order dated 08.11.2019 and grant the affiliation of the Petitioner in respect of Electrician Trade for academic session 2020-21".</li> <li>As per Hon'ble Court direction reply of SCN considered by DGT and joint verification conducted.</li> <li>Joint verification report is received from RDSDE, ITI removed all the deficiencies.</li> </ol>	SCAA Recommended for following trade: Electrician - 4 (2+2) from session 2023 onwards.
12.	New Sanskriti Private ITI; Kundravi Sirathu Kaushambi, U.P; PR09001443	1. Fitter- 4 (2+1+1) 2. Electrician -4 (2+1+1)	1. As per Hon'ble Court direction to take decision on reply submitted by ITI.  2. RD, RDSDE verified the reply submitted by ITI and found the following deficiencies:  i. BCC provided by ITI is from Architect, it should be from Structural engineer.  ii. Electrical panels are damaged.	ITI will rectify all the deficiencies mentioned in column IV and submit the detail to State Directorate & RD, RDSDE within 15 days from issue of this MoM.  Thereafter, State Directorate & RD, RDSDE will verify the all documents as per norms and submit the signed & stamped report to DGT within 07 days.  After receipt of report, case will be placed in the next SCAA.

Page **28** of **260** 

			connected to the electrical supply from the electrical panel in the electrician trade workshop.  iv. An insulation mat is not available in the electrician's workshop.  v. Some machines are not installed properly on the foundation.  vi. Lathe machines are not fitted properly on the foundation.  vii. Sufficient Ceiling fans are not available in FITTER Workshop.  viii. None of the instructors are CITS qualified.
13.	Gorakhpur Private ITI; Awadheshnagar, Sheshpurwa, Mohripur, Gorakhpur, UP; PU09001936	Electrician – 6 (2+2+2)	<ol> <li>As per Hon'ble Court direction to take decision on reply submitted by ITI on de-affiliation order.</li> <li>Accordingly, Joint inspection conducted by State Directorate &amp; RD, RDSDE and found the following deficiencies:         <ol> <li>In Electrician lab, machines were found but were not in working condition.</li> <li>No class room was found, also Computer lab was found closed.</li> <li>At the location of the ITI, no ITI board was found instead</li> </ol> </li> <li>ITI will rectify all the deficiencies mentioned in column IV and submit the detail to concerned State Directorate &amp; RD, RDSDE within 15 days from issue of this MoM.</li> <li>Thereafter, State Directorate &amp; RD, RDSDE will verify the all documents as per norms and submit the signed &amp; stamped report to DGT within 07 days.</li> </ol> <li>After receipt of report, case will be placed in the next SCAA.</li>



			board of Savitri National Public was found.  iv. ITI manager has given society registration certificate of Ram Kali Devi Bal Govind Basgaon Sikhsan Samiti, for which validity was upto 22.07.2018.  v. No staff was present also no documents related to staff were shown.  vi. Meter sealing report not produced, electricity bill produced was of October 2018.  vii. Building Completion Certificate was not produced during inspection.	
14.	Yogendranath Private ITI; Ballia, UP; PR09001241	1. Fitter- 3 (1+1+1) 2. Electrician -3 (1+1+1)	<ol> <li>Deficiencies were found during surprise inspection, SCN was issued to the ITI.</li> <li>Following are the deficiencies found during surprise inspection i. ITI is in very poor condition and not following as per NCVT norm.</li> <li>No documents were provided for electricity bill to inspecting member. Electricity meter was not in working condition.</li> <li>Classroom and workshop are not as per layout plan/map. Workshops Machinery and</li> </ol>	SCAA Recommended that the reply given by ITI against SCN to be forward to RD, RDSDE. RD, RDSDE to place the same in SSDEC meeting for further action as per SOP of de-affiliation.





tools were not operation from
long time.
iv. Trainees and Teachers
record was not provided to the
inspecting team.
v. Principle, trainees and other
staff were not available during
inspection. No documentary
proof was available for salary
payment to the trainers.
vi. Boundary wall was not found
for ITI. Many
tools/equipment's and
machineries were not found in
the workshop.
vii. Workshop and other
classroom are not being used
for long period of time.
Classroom is being used for
other purpose.
viii. The Library Room is being
used for any other purpose
Reply to SCN received from ITI
but this reply was not found
satisfactory.
4. A second SCN was issued, to
which ITI has replied on
01.02.2023.

V

E

Agenda 4.2: Self-Surrender of trade/units cases are given below:

S. No.	Name & Address of ITI / MIS Code	Trade / Units to be surrendered	SSDEC recommendations (if any)	SCAA remarks
1	ll ll	III	IV	V
1.	SR Pvt ITI; Vill-alawal, Post-Sonkh, Distt-Mathura, UP; PR09001111	1. Electrician - 4 (2+2) 2. Fitter - 4 (2+2)	•	Concerned State Directorate may send proposal through SSDEC
2.	Murli Singh Yadav Memorial Private Industrial Training Institute; Karni Coach, Udairamsar Bikaner, Rajasthan; PR08001344	<ol> <li>Electrician -12 (6+6)</li> <li>Wireman - 2 (1+1)</li> </ol>	•	Concerned State Directorate may send proposal through SSDEC
3.	Government Industrial Training Institute for Women, Ambattur; GR33000252	<ol> <li>Leather Goods Maker – 2         (1+1)</li> <li>Mechanic Industrial Electronics – 2(1+1)</li> </ol>	Recommended for self- surrender	Self-surrender trades/units are accepted.
4.	Government Industrial Training Institute, Ambattur; GR33000051	<ol> <li>Mechanic Cum Operator Electronics         Communication System – 2(1+1)</li> <li>Mechanic Computer Hardware – 2 (1+1)</li> <li>Carpenter – 3 (2+1)</li> <li>Mason – 1 (0+1)</li> </ol>	Recommended for self- surrender	Self-surrender trades/units are accepted.
5.	Government Industrial Training Institute for Women, Guindy; GR33000070	1. Fashion Design & Technology – 2 (1+1) 2. Sewing Technology – 2 (1+1)	Recommended for self- surrender	Self-surrender trades/units are accepted.





6.	Sri Andal Private ITI, 13, South Street Thiruvizandur, Dist. – Nagapattinam, Tamil Nadu – 609001  MIS Code - PR33000329	<ol> <li>Electrician – 2(1+1)</li> <li>MMV – 2(1+1)</li> </ol>	Recommended for self- surrender	Self-surrender of ITI is accepted.
7,	The Best Private ITI, 59, Gandhi Road, Alangudi, Dist. – Pudukkottai, Tamil Nadu – 622301  MIS Code - PR33000351	<ol> <li>Electrician – 1(1+0)</li> <li>Secretarial Practice (English) – 1(1+0)</li> </ol>	Recommended for self- surrender	Self-surrender of ITI is accepted.
8.	The Select Private ITI, 14, Masq Street Keeranur, Dist. – Pudukkottai, Tamil Nadu – 622502  MIS Code - PR33000352	Fitter – 1(1+0)  Mechanic Diesel – 1(1+0)	Recommended for self- surrender	Self-surrender of ITI is accepted.
9.	Sri Meenakshi Sundareswarar Private ITI, 137, Meenakshipuram Street, Arimalam, Dist. – Pudukkottai, Tamil Nadu – 622201 MIS Code - PR33000319	Fitter – 2(1+1)	Recommended for self- surrender	Self-surrender of ITI is accepted.
10.	Ideal Private ITI, Near Durairasapuram Naanaagudi, Dist. – Pudukkottai, Tamil Nadu – 614618	Plumber – 2(1+1)	Recommended for self- surrender	Self-surrender of ITI is accepted.



	MIS Code - PR33000463			
11,	Manickavasagar Private ITI, Pandipattiram, Avudayar Koil Post., Dist. – Pudukkottai, Tamil Nadu – 614618  MIS Code - PR33000512	Mechanic Diesel – 2(1+1)	Recommended for self- surrender	Self-surrender of ITI is accepted.
12.	Lakshmi Private ITI,	<ol> <li>Electrician – 2(1+1)</li> <li>Fitter – 2(1+1)</li> <li>MMV – 2(1+1)</li> </ol>	Recommended for self- surrender	Self-surrender of ITI is accepted.
13.	Rahmaniya Private ITI, Utharakosamangai Road, Mudukulathur, Dist. – Ramanathapuram, Tamil Nadu – 623704  MIS Code - PR33000335		Recommended for self- surrender	Self-surrender of ITI is accepted.
14.	Cor Jesu Novet Private ITI, Boothapadi, Dist. – Erode, Tamil Nadu – 638311 MIS Code - PR33000533	1. Electrician – 2(1+1) 2. ICTSM – 2(1+1) 3. MMV – 2(1+1) 4. Welder – 1(1+0)	Recommended for self- surrender	Self-surrender of ITI is accepted.
15.	Andavar Private ITI, 67-1 Vadugar Street, mohanur, Dist NAMAKKAL, Tamil Nadu – 637015	Electrician – 2(1+1)  MMV – 2(1+1)	Recommended for self- surrender	Self-surrender of ITI is accepted.





	MIS Code - PR33000464			
16.	C M S Private ITI, Silverdel, Coonoor, Dist THE NILGIRIS, Tamil Nadu – 643101 MIS Code - PU33000145	<ol> <li>Instrument Mechanic – 2(1+1)</li> <li>Mechanic Radio &amp; T.V. – 2(1+1)</li> </ol>	Recommended for self- surrender	Self-surrender of ITI is accepted.
17,	R V Guruswamy Private ITI, Kurichi Kottai,udumal Pet, Dist TIRUPPUR, Tamil Nadu – 642112 MIS Code - PR33000546	Wireman – 2(1+1)	Recommended for self- surrender	Self-surrender of ITI is accepted.
18.	Sharp Private ITI, Sf-283, Sitra Road, Kalapatti, Dist. – Coimbatore, Tamil Nadu – 641035 MIS Code - PR33000217	<ol> <li>Electrician – 4(2+2)</li> <li>MMV – 2(1+1)</li> <li>Wireman – 2(1+1)</li> <li>Fitter – 2(1+1)</li> </ol>	Recommended for self- surrender	Self-surrender of ITI is accepted.
19.	Valluvar Guide Tech Private ITI, Karur Main Road, Solar Pudur, Dist. – ERODE, Tamil Nadu – 638002 MIS Code - PR33000083		Recommended for self- surrender	Self-surrender of ITI is accepted.
20.	Nehru College Of Aeronautics & Applied Science Private ITI, Kuniamuthur, Dist. – Coimbatore, Tamil Nadu – 641008	, ,	Recommended for self- surrender	Self-surrender of ITI is accepted.



	MIS Code - PR33000109			
21.	Plantation Workers Private ITI, Mount Pleasant, Coonoor, Dist The Nilgiris, Tamil Nadu – 643102 MIS Code - PU33000518	Sewing Technology- 1 (1+0)	Recommended for self- surrender	Self-surrender of ITI is accepted.
22.	Bathrakali Amman Private ITI, Kunnathur MIS Code – PU33000521	Electrician - (1+1)	Recommended for self- surrender	Self-surrender of ITI is accepted.
23.	Annai Fathima Private ITI, 112, Palani Road, Kolinjivadi Post, Dharapuram, Dist. – Tiruppur, Tamil Nadu – 638673 MIS Code - PR33000219	, ,	Recommended for self- surrender	Self-surrender of ITI is accepted.
24.	Sree kumaran Private ITI, Rajapalayam PR33000604	Electrician – 2(1+1) Fitter – 2(1+1)	Recommended for self- surrender	Self-surrender of ITI is accepted.
25.	Sri Padmanaba Private ITI,  2, Nadar Nanthavanam Street, Thiruthangal, Sivakasi, Dist. – VIRUDHUNAGAR, Tamil Nadu – 626130  MIS Code - PR33000223	4. Mechanic (Refrigeration and Air-Conditioning) –	Recommended for self- surrender	Self-surrender of ITI is accepted.
26.	Sri Saratha Private ITI.	Electrician - 2 (1+1)	Recommended for self-	Self-surrender of ITI is accepted.



	Dist SALEM,		surrender	
		Mechanic (Motor Vehicle) - 2		
	MIS Code - PR33000380	(1+1)		
		Mason (Building Constructor) -		
		(1+0)		
27.	CIPET, Khorda,	ICTSM - 4(2+2)	Recommended for se	lf- SCAA agreed for Self-surrender of
	Bhubaneswar		surrender	trades/units.
		Welder – 2(1+1)		
	PR21000336			

**Agenda 4.3: Complaint matters**: TC section has received some complaints against ITIs, same were discussed with concerned State Directorates and RDSDEs, SCAA remarks are given below in column IV.

S.No.	Name and MIS code of ITI	State	SCAA Remark
1	II	111	IV
1	Shiv Shakti PVT ITI; M.S. Road Barkhandi ke pas kailaras Morena ; PR23000698	Madhya Pradesh	TC section will share details of the complaint matter of this ITI with concerned State Directorate and RDSDE. State Directorate and RDSDE will examine the matter and send the report to DGT through SSDEC.
2.	Maha Lakshmi Private ITI; Vijay Nagar, Hanuman Nagar, Kankankabagh; PR10000404	Bihar	State Directorate will verify the land documents of this ITI with respect to the complaint received and send the report to DGT within 15 days.
3.	Maa Sharda Smarak Pvt ITI; Mau; PR09001341	Uttar Pradesh	Concerned State Directorate will verify land documents with respect to the complaint received and send report to DGT within 15 days.
4.	Kamla Nehru Pvt ITI;	Jharkhand	RD, RDSDE to put matter the regarding the complaint and deficiencies found during inspection



Page **37** of **260** 

	At. Dhuna Burur, P.O. Bansa, P.S. Chouka, Saraikela Kharsawan; PR20000155		in respect of this ITI in the SSDEC meeting of concerned State and proceed further as per SOP of de-affiliation.
5.	S. V. D. College of Pvt. ITI, Mainpuri UP; PR09901413	Uttar Pradesh	Concerned State and RDSDE will examine the matter with respect to the complaint received. TC section will share the complaints received with concerned State and RDSDE.
6.	Disha Pvt. ITI; Chhindwara; PR23000963	Madhya Pradesh	TC section will share details of the matter related to complaint against the society of this ITI with concerned State Directorate and RDSDE.  State Directorate and RDSDE will examine the matter and send the report to DGT through SSDEC.
7.	Baba Ke Pvt ITI, Moga, Punjab (BKP ITI, PR03000388)	Punjab	TC section will share details of the irregularity in this ITI as per complaint received with concerned State Directorate and RDSDE.  State Directorate will examine the matter and send the report to DGT within 15 days.



#### 4.4: Miscellaneous matters related to de-affiliation:

### 4.4.1: Shifting matter of two ITIs of Uttarakhand:

- i. Shifting matter of Acumen Private ITI (PU05000150) and Suryadev, Paramedical Private ITI (PR05000151) was discussed. RDSDE Uttarakhand informed that both the ITIs have shifted their premises without prior/proper required approvals from State Directorate /DGT as per the laid down norms.
- ii. SCN were issued to both the it is, to which both the ITIs have replied.
- iii. Vide letter 11.04.2023, State DTE Uttarakhand has informed ITIs that
  - a. They have changed their location without adhering to the relevant rules and provisions.
  - b. ITI has been granted permission to apply for shifting with restriction that they will apply on NIMI portal and will complete the training activities of currently admitted trainees.
  - c. Further ITI will not be allowed to admit trainees for session 2023 till affiliation is granted at new location as per DGT guideline.

**SCAA remarks:** Both the ITIs, Acumen Private ITI (PU05000150) & Suryadev, Paramedical Private ITI, (PR05000151) Recommended for de-affiliation w.e.f session 2023. Also, ITI can apply for affiliation at new location as per latest norms on online affiliation portal whenever affiliation applications will be invited.

## 4.4.2: Fake Bank guarantee matters of UP State:

Matter was discussed with State Directorate of UP, as DGT received many representations from ITIs. State Directorate has informed during the meeting that decision on Fake bank guarantee cases will be taken after the vigilance proceedings by State Government on this matter is completed. SCAA agreed on the same.

- **4.4.3: VRB Pvt ITI, Chhattisgarh (PR22000147)**: Vide letter dated 19.04.2023, State Directorate of Chhattisgarh has Recommended deaffiliation of VRB Pvt ITI as ITI has shifted without permission of the State Directorate an DGT.
  - i. ITI has applied for addition of Electrician trade 4 (2+2) units. During inspection it was found that ITI has shifted to new location with the approval of DGT and concerned State Directorate.
  - ii. Matter of this ITI was discussed in 5th SCAA meeting held on 16.08.2022 and was not Recommended as during inspection it was found that ITI has shifted to new location with the approval of DGT and concerned State Directorate.

SCAA remarks: Matter was discussed with concerned State Directorate and RDSDE and committee came to conclusion that ITI to be de-affiliated at old location. ITI can apply for affiliation at new location as per latest norms on online affiliation portal whenever affiliation

(1

application will be invited.

4.4.4: Matter related to 4 ITIs whose de-affiliation orders were not issued but were not de-affiliated on NCVT MIS portal.

Matter was discussed in the meetings with concerned State Directorates and State Directorates have confirmed that there are no courts orders for these ITIs, and these ITIs should be de-affiliated on NCVT MIS portal as per de-affiliation order issued.

SCAA remarks: Committee agreed with the comments of concerned State Directorates, ITI to be de-affiliated on NCVT MIS portal as per de-affiliation order issued. Details of these ITIs are given below:

S.No.	Name and MIS code of ITI	State	Date of de-affiliation order issued	SCAA remarks
Ĭ.	Shivalik Pvt ITI; PR03000145	Punjab	18.06.2019	ITI to be de-affiliated on NCVT MIS portal
íi.	Maa Vimlesh Devi Pvt ITI; PR09001986	Uttar Pradesh	28.01.2021	as per de-affiliation order issued.
iii.	Sri Giriraj Dhawan Pvt ITI; PR09001601	Uttar Pradesh	28.01.2021	
iv.	V.N.P Pvt ITI; PR09001655	Uttar Pradesh	28.01.2021	

4.4.5 Complaint against Keshri Devi Memorial Pvt ITI, Dhanbad, Jharkhand (PR20000258): DGT has received complaint against Keshri Devi Memorial Pvt ITI, same was forwarded to RDSDE Jharkhand. RDSDE Jharkhand has informed the Committee that inspection was conducted for this ITI by RDSDE officers and report is sent to DGT. Findings of the above-mentioned report were discussed with concerned State Directorate and RDSDE.

SCAA Remarks: RDSDE to initiate de-affiliation proceedings against the ITI as per the Standard Operating Procedure of De-affiliation.



Agenda 5: Actionable points of minutes of SSDEC meetings of Gujarat, Maharashtra, Rajasthan, Punjab, Tamil Nadu and Chandigarh

The following Minutes of SSDEC meeting of Gujarat, Maharashtra, Rajasthan, Punjab Tamil Nadu and Chandigarh is received by DGT. Agendas of Minutes of SSDEC meetings for these States were discussed in detail and State-wise actionable points pertaining to DGT are given below:

SI. No.	Name of State	Date of SSDEC meeting	Agenda/Recommendation of SSDEC Meetings	SCAA remarks
ı	11	111	IV	V
1.	Rajasthan	3 <sup>rd</sup> meeting dated 10.01.2023	SSDEC <b>Not Recommended</b> the shifting of following 02 ITIs due to inter district shifting (ref: 3 <sup>rd</sup> SSDEC Meeting)  I. Shree Charbhuja Pvt. ITI Post Angal Tehsil Sarmathura, Dholpur - PR08000736  II. BRCM Pvt. ITI, Nangal Rajawatan Tehsil Nagalrajawatan, Dausa- PU08001481	SCAA agreed with the decision of SSDEC as per column IV.  Details are given Annexure -II





SI. No.	Name of State	Date of SSDEC meeting	Agenda/Recommendation of SSDEC Meetings	SCAA remarks
1	11	III	IV	V
2.	Punjab	2 <sup>nd</sup> Meeting dated 20.2.2023	SSDEC Recommended upgrading, 32 units of 19 trades in following 9 Govt. ITI's, from SCVT to NCVT:  I. Govt. I.T.I. (W), Ferozepur GU03000003  II. Govt. Industrial School, Hoshiarpur GU30000344  III. Govt. I.T.I. (W), Rajpura GR03000107  IV. Govt. I.T.I. (W), Samana GR03000262  V. Govt. I.T.I., Otalan GR03000040  VI. Govt. I.T.I. (S.C.), Mansa GR03000078  VII. Govt. I.T.I. (W), Zira GU03000077  VIII. Govt. I.T.I., Ferozepur GU03000004  IX. Govt. Art & Craft Teacher Training Institute, Nabha- New ITI under NCVT	SCAA agreed with the decision of SSDEC as per column IV.  Details are given Annexure- III
3.	Tamil Nadu	2 <sup>nd</sup> Meeting dated 10.04.2023	1.SSDEC Recommended addition of trade/units in following 2 Govt ITI as per details given below:  i. Govt ITI Ambattur- for Addl. Electronic Mechanic (0+1) and Addl. Electrician (1+0) ii. Govt ITI (W)Ambattur- for Addl. COPA (1+0)  2.SSDEC also Recommended the SCVT to NCVT conversion in following 2 Govt ITI:  i. Govt ITI Ambattur GR33000051 for -Electrician (1+1), Food and Beverage Service Assistant (1+1), Interior Design and decoration (1+1)	SCAA agreed with the decision of SSDEC as per column IV  Details are given in Annexure- IV





SI. No.	Name of State	Date of SSDEC meeting	Agenda/Recommendation of SSDEC Meetings	SCAA remarks
30	II	III	ii. Govt ITI Andimadam GR33000566 for - Tool &`Die Maker (Press Tools jigs & fixture) (1+1)	V
4.	Chandigarh	2 <sup>nd</sup> Meeting dated 25.5.2023	SSDEC Recommended addition of trades/units in Govt. ITI Sector 28 C, Chandigarh GU04000002 as per details given below:  i. Draughtsman Civil- 02(1+1) ii. Geo Informatics Assistant- 01(1+0)	SCAA agreed with the decision of the SSDEC as per details given below:  Recommended for Govt. ITI Sector 28 C, Chandigarh -GU04000002 for following trades:  1.Draughtsman Civil- 02(1+1)  2.Geo Informatics Assistant-01(1+0)
5	Gujarat	3 <sup>rd</sup> SSDEC dated 8.05.2023	SSDEC has sent recommendation for the affiliation proposal of 26 Govt/Pvt ITIs, summary as given below  i. 04 ITIs already got affiliation  ii. 17 ITIs -Recommended by SSDEC  iii. 02 ITIs partially Recommended by SSDEC  iv. 03 ITIs not Recommended by SSDEC	SCAA agreed with the decision of the SSDEC and remarks of SCAA is given in Annexure- V





SI.	Name of	Date of	Agenda/Recommendation of SSDEC Meetings	SCAA remarks
No.	State	SSDEC		
		meeting		
1	li .	111	IV	V
6	Maharashtra	3 <sup>rd</sup> SSDEC dated 18.05.2023	SSDEC Maharashtra sent its recommendation for 11 New Pvt ITIs	Remarks of SCAA is given in Annexure- VI
			SSDEC sent its recommendation for 39 existing Govt. & Pvt. ITIs for addition of Trades/Units	2. Remarks of SCAA is given in Annexure- VII
			SSDEC sent its proposal for DST conversion in 25 Govt & Pvt ITI	3.Remarks of SCAA is given in Annexure- VIII
			4. SSDEC sent its recommendation for Govt ITI Umred for Welder Trade from COE to DST MIS Code: GR27000131	4. SCAA agreed with the decision of SSDEC and Recommended the conversion of Trade Welder (1+0) in Govt ITI Umred under DST mode
			5. Starting of trade ASEF (1+1) in Govt ITI Nasik and Pune - DGT has already issued affiliation order dated 21.06.2023, placed for ratification	5. Affiliation order dated 21.06.2023, is ratified by SCAA
			has already issued affiliation order dated 21.06.2023, placed for	1



SI. No.	Name of State	Date of SSDEC meeting	Agenda/Recommendation of SSDEC Meetings	SCAA remarks
1	11	III	IV	V
7.	Odisha	3rd Meeting dated 28.06.2023	1. SSDEC sent recommendation for the affiliation of following 12 New Govt. ITIs:  I. Govt. ITI, Kaptipada, Mayurblianj II. Govt. ITI, Rua, Puri III. Govt. ITI, Bijepur Bargarh IV. Govt. ITI,Karanjia, Mayurbhonj V. Govt. ITI Rajkanika Kendrapara VI. Govt. ITI Rajkanika Kendrapara VII. Govt. ITI Bhanjanagar, Ganjam VIII. Govt. ITI Patnagarh, Bolangir IX. Govt. ITI, Balugaon, Khurda X. Govt. ITI, Bansapal, Keonjhar XII. Govt. ITI, Bansapal, Keonjhar XII. Govt. ITI Dhartnagarh, Kalahandi  2. SSDEC sent its recommendation for shifting of 02 Nos of existing Govt. ITIs:  i. Govt. ITI. Boudh (MIS Code GU21000496) ii. Madhusudan Govt. ITI Cuttack MIS Code: GU21000500	1. SCAA agreed with the decision of the SSDEC as per column IV Details are given in Annexure-IX  2. SCAA agreed with the decision of the SSDEC as per column IV and details are given in Annexure-X
			SSDEC Odisha sent its recommendation for affiliation/de- affiliation for 24 Govt ITIs and 01 Pvt ITI	SCAA agreed with the decision of the SSDEC and details are given in Annexure-XI



SI. No.	Name of State	Date of SSDEC meeting	Agenda/Recommendation of SSDEC Meetings	SCAA remarks
1	II	111	IV	V
			SSDEC Recommended the conversion of Multi-Skilled Centres of Excellence (COE) to CTS Trades in 06 Govt ITIs	4. SCAA agreed with the decision of the SSDEC and details are given in Annexure-XII
			5. SSDEC Recommended the reactivation of Trade/Units in Rourkela Institute of Technology ITC, Kalunga, Rourkela, Sundergarh PR21000542 which were de-activated due to 100% seats lying vacant in two consecutive years and Recommended the admission from session 2023-24 for following trades  i. Fitter- 4(2+2) ii. Electrician 4(2+2).	5. SCAA agreed with the decision of the SSDEC and Recommended the reactivation of Trade/Units in Rourkela Institute of Technology for following trades  i. Fitter- 4(2+2)  ii. Electrician 4(2+2).
			Action taken by SSDEC on 2 Pvt ITI based on the compliant received :     i. Rengali Pvt. ITI	SCAA agreed with the decision of the SSDEC and details are given in Annexure-XIII



SI. No.	Name of State	Date of SSDEC meeting	Agenda/Recommendation of SSDEC Meetings	SCAA remarks
1	II	III	IV	V
			ii. Ideal ITC	7. SCAA agreed with the decision of the SSDEC
			7. SSDEC sent recommendation for Rambaba Pvt. ITI. Nemalo, Nishintkoili, Cuttack-754293 PR21000495 regarding shifting matter and Recommended for continuance of affiliation Fitter 4(2+2) Electrician 4(2+2) Recommended for De-affiliation Fitter 2(0+0+2) Electrician 2(0+0+2)	8. SCAA agreed with the decision of the SSDEC and
			8. SSDEC sent recommendation for DST conversion in 03 Govt ITIs:  i. Govt. ITI, Balasore ii. Govt ITI Berhampur iii. Govt. ITI, Barbil	details are given in Annexure-XIV
			9. SSDEC sent its recommendation for Affiliation of RPA/Drone Pilot trades in 13 Govt ITIs	<ol> <li>As informed by Director CD, the trade RPA/Drone Pilot has been renamed to <i>Drone</i> <i>Pilot (Junior)</i>.</li> <li>Accordingly SCAA agreed for affiliation in these 13 Govt ITIs</li> </ol>



Page **47** of **260** 

SI. No.	Name of State	Date of SSDEC meeting	Agenda/Recommendation of SSDEC Meetings	SCAA remarks
1	II	111	IV	V
				however as informed by Director CD name of trade to be changed later to Drone Pilot (Junior) .Details are given in Annexure - XV

Real Property of the Control of the



# Agenda 6: Court Case Matter

Agenda 6.1 : Court Case Matter

Sr No	Name of State	ITI name and details	Trade/unit sought for affiliation	Facts of the case	SCAA remarks
1.	Bihar	Sudist Narayan Thakur Private ITI PR10001260	Electrician-8 (4+4) Surveyor-2 (1+1).	The inspecting team has Recommended for Electrician - 4 (2+2) and Surveyor- 2 (1+1) in the report and there were certain deficiencies were mentioned at the MoM of 3 <sup>rd</sup> SCAA meeting held on 24.06.2022.  To comply the direction of Court in CWP 10759/2022, ITI was given opportunity to remove the deficiencies of CITS instructors of the surveyor trade and other mentioned at above said MoM.  Compliance report received from RDSDE, Bihar on 21.06.2023 stating that applicant ITI has produced the 02 CITS qualified documents of the Surveyor trade.	Matter discussed during SCAA meeting.  And Recommended for as per ICVC recommendation – Electrician - 4 (2+2) and Surveyor- 2 (1+1)
2.	Bihar	Radiant Pvt ITI old premises located at 'Sarha, District Chapra,	Additional Electrician -10(5+5)	The joint inspection team has Recommended the	The matter was discussed in meeting and Recommended



3.	Bihar	Bihar' and new premises located at 'Bheldi, District Saran, Bihar'  PR10000557  New grading -5.2  Ramashish Prasad Pvt ITI	Additional Fitter 2(1+1)  Electrician-8 (4+4)	shifting of ITI along with addition of trades/units. Further, the shifting of ITI and additional trade/units, was not Recommended vide DGT order dated 19.10.2022. Being aggrieved with this ITI has move the writ petition and to comply the direction given vide court order In WPC 15570/2022 the case of ITI was reconsidered in 10th SCAA meeting.	for shifting with additional trades- Electrician -10(5+5) Fitter 2(1+1)
3.	ыпаг	PR10001075 New Grading: 6.4	Electrician-8 (4+4)	To comply the Court direction in the connected matter of WPC 11154/2022 order dated 20.02.2023, the petitioner case was reconsidered and DGT issued direction to State and RDSDE to conduct joint inspection.  Joint inspection report is yet to be received.	SCAA meeting.  State Directorate has informed that joint inspection is to be rescheduled due to administrative reason.  State and RDSDE to carry out the joint inspection and
4.	Bihar	Brij Pvt ITI PR10000912	Elect -8(4+4+0)	To comply the Court direction in the connected matter of WPC 13652/2021 order dated 20.02.2023, the petitioner case was reconsidered and DGT issued direction to State and	Matter discussed during SCAA meeting.  State Directorate has informed that joint inspection is to be rescheduled due to



				RDSDE to conduct joint inspection.	State and RDSDE to carry out the joint inspection and submit duly signed and stamped report to DGT within 15 days from date of issue of this MoM
5.	Bihar	Anand Pvt. ITI PR10000905	Electrician -8(4+4)	To comply the Court direction in the connected matter of WPC 10875/2022 order dated 20.02.2023, the petitioner case was reconsidered and DGT issued direction to State and RDSDE to conduct joint inspection.	Matter discussed during SCAA meeting.  State Directorate has informed that joint inspection is to be rescheduled due to administrative reason.  State and RDSDE to carry out the joint inspection and submit duly signed and stamped report to DGT within 15 days from date of issue of this MoM
6.	Bihar	Manorama ITI, KATIHAR, GRAM PANCHAYAT MARANGI RAJ SAHEBNAGAR, Bihar-854103 TMP10201PR1581253440	Electrician-2(1+1) Fitter-2(1+1) COPA-2(1+1) Plumber-2(1+1)	The Hon'ble court in the matter of WPC 4878/2020 of this ITI along with connected matter of WPC 4386/2020 has passed the direction dated 07.04.2021 for state directorate to call for required documents and then to conduct inspection of ITIs. The application of ITI is pending at DA stage level-2 in NIMI porta.	State directorate Bihar to process and decide the application of ITI in compliance to court order.
7.	Bihar	Ramashray Pvt ITI	Electrician-4(2+2) Fitter-4(2+2)	In compliance to the Hon'ble court direction in WPC	



		Plot No 129/470, Halta, PS-Chainpur, Dist-Kaimur, Bihar-821106	Mech diesel-2(1+1)	12233/2022 to reconsider the application of ITI, the ITI has been intimated on 05.06.2023 to keep ready the infrastructure for inspection of ITI.	the joint inspection and RD RDSDE submit the report within 30 days from the issue of this MoM
8.	Bihar	MAA SANTOSHI PVT. Hussainganj Block, Hussainganj, Bihar TMP408 MSTI	Electrician-4(2+2)	The ITI case was rejected in 5th SCAA meeting held on 16.08.2022 due to certain deficiencies given below-  1. Less in electric load but sufficient for Recommended trade electrician 4 (2+2) units (Required-5.2 KW)  2. BCC Not available as per norms, no approved plan certificate given by Circle officer  3. NOC for MSTI lying in unserved area is not provided  4. NCIC qualification of some instructors is not available  5. MSTI need to start at least one short term course  In compliance to the Hon'ble court direction in WPC 14570/2022 to reconsider the application of ITI.	· · · · · · · · · · · · · · · · · · ·





				ITI has submitted its reply about rectification of the	
				deficiencies.	
9.	Chhattisgarh	Gracious College Pvt I.T.I Limited, Raipur PR22000134 New grading is 8.9	Computer Operator and Programming Assistant (COPA)-4 (2+2)	To comply the direction given by Court in 2347/2022, joint verification carried out and report is submitted by RDSDE. The following remarks were given by joint verification team:  i. Overall layout plan approved by along with detailed drawing of ITI portion of Building attached. The building has Gracious nursing college, Gracious Pharmacy College, Gracious College and Gracious Private ITI in different blocks ii. 03 Instructor — Electrician Trade, 01 Instructor — Copa Trade With CITS certification were present on the day of visit details provided iii. Copy of payment proof provided iv. Computer with UPS	SCAA Recommended the ITI for following trade units: Computer Operator and Programming Assistant (COPA)-4 (2+2)
				were installed.	
10.	Madhya Pradesh	Mata seeta devi pvt ITI PU23000919	Stenographer Hindi – 3(1+1+1)	To comply the Court direction in the connected matter of	





				WPC 13682/2021 order	i. Earthing not
		-	Electrician—	dated 20.02.2023, the	proper in
			3(1+1+1)	petitioner case was	Electrician trade
				reconsidered and DGT	ii. Payment of staff
				issued direction to State and	is not through
				RDSDE to conduct joint	bank
				inspection.	iii. In fitter (existing)
				RDSDE submitted the joint	equipment &
				inspection report and made	machinery not as
				following observation	per revised
				i. Earthing not proper	syllabus
				in Electrician trade	iv. Only one CITS
				ii. Payment of staff is	instructors
				not through bank iii. In fitter (existing)	available
				equipment &	avaliable
				machinery not as per	Applicant will rectify all the
				revised syllabus	above deficiencies and
				iv. Only one CITS	submit the detail to RD,
				instructors available	RDSDE within 10 days from
				mod dotoro di dilabio	issue of this MoM.
					Thereafter, RD, RDSDE will
					verify above all documents
					and submit the signed &
					stamped report to DGT
					within 07 days.
					Action managing of non-on-
					After receipt of report from
					RD, RDSDE, case will be
11.	Uttar	Mandeep Pvt ITI	Electrician	The ITI was put up in 1st	placed in the next SCAA.  The matter was discussed in
119	Pradesh	PU09900402	6(2+2+2)	The ITI was put up in 1st SCAA meeting held on	the meeting and
	Tadesii	New Grading -6.90	0(2.2.2)	04.04.2022 and Not	Recommended for-
		Trom Grading -0.00	Fitter – 3(1+1+1)	Recommended due to	1000mmended 101-
			(1.1.1)	various deficiencies.	Electrician -4(2+2)
			l	Tarrous domororous.	LIOURIOIGIT I(L.L)





				Paged upon the	11
				Based upon the representation, as a special	Fitter – 2(1+1)
				case, re inspection was	1 idei – 2(111)
				carried out on dt. 30.07.	
				2022.The report of the	
				inspection was placed before	
				5th SCAA meeting held on	
				16th to 18th August 2022 and	
				after removal of all other	1
				deficiencies, the ITI was	
				further Not Recommended	
				due to less grading only in 5 <sup>th</sup>	
				SCAA meeting.	
				Being aggrieved with above	
				decision the ITI filed the writ	
				petition and further to comply	
				the Court direction in the	
	1			connected matter of WPC	
	l l			13566/2022 order dated	
				20.02.2023, the petitioner	
				case was reconsidered by	
				DGT.	
12.	Uttar	NGI P∨t ITI	Fitter -4(2+2)	To comply the Court direction	Matter discussed during
	Pradesh	PU09001683	Physiotherapy	in the connected matter of	SCAA meeting
			Technician- 2(1+1)	WPC 13682/2021 order	Joint Inspection report is
				dated 20.02.2023, the	waited from State.
			Electrician-4(2+2)	petitioner case was	State and RDSDE to carry
				reconsidered and DGT	out the joint inspection and
			HSI-2(1+1)	issued direction to State and	submit duly signed and
				RDSDE to conduct joint	stamped report to DGT
			MMV-2(1+1)	inspection.	within 15 days from date of
					issue of this MoM



13.	Uttar Pradesh	Rammurat Barsra, District Gazipur, UP-233232 A16002571	Electrician- 3(1+1+1) Fitter-6(2+2+2)	In compliance to the Hon'ble court direction in WPC 4331/2021 to reconsider the application of ITI, the ITI has been intimated on 29.03.2023 to keep ready the infrastructure for inspection of ITI.	RDSDE and State directorate UP to conduct the joint inspection of ITI and RD RDSDE submit the report within 30 days from issue of this MoM.
14.	Uttar Pradesh	Shambhu Narayan Private ITI, Vill post- Harahari Dist Gazipur-233226, UP 1809017048		In compliance to the Hon'ble court direction in WPC 1094/2021 to reconsider the application of ITI, the ITI has been intimated on 29.03.2023 to keep ready the infrastructure for inspection of ITI.	RDSDE and State directorate UP to conduct the joint inspection of ITI and RD RDSDE submit the report within 30 days from issue of this MoM.
15.	Uttar Pradesh	Tapobhoomi Pvt ITI, Himmatpur Naipai Firozabad- 283203 PR09000528	Electrician - 8 (2+2+4)	The ITI case was already considered in 2nd SCAA meeting held on 29.04.2022 and in 3rd SCAA meeting held on 24.06.2022 and it was decided to carryout joint inspection of the petitioner institute. Accordingly, the joint inspecting team was nominated to carry out inspection on the date 25.07.2022 but the ITI denies the inspection on the said date.  Further, to comply the court direction in 8341/2023, joint inspection is to conducted and ITI was intimated on 13.06.2023 for the same.	RDSDE and State directorate UP to conduct the joint inspection of ITI and RD RDSDE submit the report within 30 days from issue of this MoM.





16.	Uttar	APJ Kalam Private ITI	Electrician -	Inspection of this ITI was	SCAA Recommended the
	Pradesh	PR09900400	9(3+3+3)	conducted to comply with	ITI for following trades:
		New Grading 7.4	Fitter -3(1+1+1)	hon'ble High Court in court	
		_		case 10917/2022 dated	Electrician-6 (3+3)
				20.02.2023.	
					Fitter-Not Recommended
				State send report on	due to shortage of power,
				12.06.2023 and submitted	machine tool and
				that :	equipment.
				Inspection conducted on	
				19.05.2023	
				2. The inspecting team has	
				Recommended ITI for	
				Electrician 3+3	
				3. NR the Fitter (1+1+1) Tool	
				equipment not available	
17.	Uttar	Shree Ram Pvt ITI, Teliya	Trade unit sought	This case placed in 5th SCAA	SCAA discussed the matter
	Pradesh	Kalan, Bhagalpur, Deoria-	for affiliation	5th SCAA remarks:	and decided that-
		274604	COPA-1(0+0+1)	ITI needs to submit the	
		Code 1809024027	Electrician-	following details to State	State directorate, to send the
			6(2+2+2)	Directorate within 07 days	compliance report within 7
			Fitter-3(1+1+1)	from issue of this MoM-	days to comply the direction
			Mechanic diesel-	1. BCC documents as per	given by Hon'ble High Court
			2(1+1+0)	norms.	order and also to give the
				2. Undertaking to appoint	clarification about the trade
				CITS instructors before start	units sought by ITI and
1				of session 2022.	further clear
				01-1-01-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	recommendation of all the
				State Directorate will verify	trade/units.
				above reports and send	
				recommendation of all the	
				trades/units within 07 days	
				from issue of this MoM.	





18.	Uttar Pradesh	Shri Motilal Richhariya Private Iti, Vill- Kua Gaon,	Electrician- 6(2+2+2)	Since the Compliance report from State was not received.  Further to comply the Hon'ble court direction in WP 3772-2023, the Hon'ble court has issued the direction to decide the case of ITI.ITI has submitted the compliance report about rectification of the deficiencies but the verified report is not received from state directorate.  Further in COPA trade only 01 unit is Recommended by inspecting team but the shift is not mentioned.  To comply the Court direction in the connected matter of	SCAA Recommended the ITI for following trades:
		Post- Kurencha, Tahsil- Mauranipur, Jhansi- Up- 284204 (PU09900625) New grading-6.8		WPC 12898/2021 order dated 20.02.2023, the petitioner case was reconsidered and DGT issued direction to State and RDSDE to conduct joint inspection.  Joint Inspection conducted on 19.05.2023 and inspecting team has Recommended for Electrician -4(2+2)	Electrician -4(2+2)





19.	Uttar Pradesh	Ram Kishor Private ITI, Imamgarh, Mahul, Azamgarh UP-223225 1809017918	Electrician- 3(1+1+1) Fitter-3(1+1+1) COPA-3(1+1+1) Swing Technology- 3(1+1+1)	To comply the Court direction in W.P.(C) 1058/2021, DGT issued direction to State and RDSDE to conduct joint inspection. The Institute has given a letter dated. 27.05.23 to RDSDE stating that, they are not ready for Inspection and requested 2-month time for readiness.	SCAA agreed to give 02 months' time as per request of ITI
20.	Uttar Pradesh	SUDHA PRADEEP PRIVATE Industrial Training Institute, Wazidpur, Sikandra Rao, Dist. Hathrus, UttarPradesh- 204215	Electrician- 6(2+2+2) Fitter-3(1+1+1) HSI-3(1+1+1) Cosmetology- 3(1+1+1)	The applicant ITI case was re considered in 2nd SCAA meeting held on 29.04.2022 with SCAA remarks-"ITI needs remove the deficiencies within 1 month and inform to the RDSDE. State Directorate will verify and submit the report to Director – TC, DGT."  Further to comply the direction given in WPC 6979/2021, DGT issued direction to State and RDSDE to conduct joint inspection of the ITI.  RDSDE informed that the ITI has refused for the affiliation vide ITI letter dated 16.05.2023	Since the ITI has refused for the affiliation, SCAA agreed and Not Recommended for the affiliation of trade/units sought by ITI.





21.	Uttar Pradesh	Gulab Anjani Choudhri ITC, Plot No 321,Kui,Tehsil:Campier Ganj Rawatganj, GORAKHPUR-273001, U.P. (PR09000158) Gulab Anjani New grading-3.2	Electrician- 6(2+2+2) Fitter-6(2+2+2)	To comply the Court direction in the connected matter of WPC 11079/2022 order dated 20.02.2023, the petitioner case was reconsidered and DGT issued direction to State and RDSDE to conduct joint inspection.  State directorate informed that the ITI has refused for the affiliation vide ITI letter dated 08.05.2023.	Since the ITI has refused for the affiliation, SCAA agreed and Not Recommended for the affiliation of trade/units sought by ITI.
22.	Uttar Pradesh	Ram Milan Ram Sunder Private ITI, Ravipur Bahaudeenpur Tehsil: Akbarpur, District: Ambedkar Nagar, Uttar Pradesh-224124 TMP9140PR1581692901	Electrician- 3(1+1+1) Fitter-3(1+1+1)	To comply the Court direction in W.P.(C) 8643/2019, DGT issued direction to State and RDSDE to conduct joint inspection.  RDSDE has informed that ITI has requested for seeking time for joint inspection.	SCAA agreed to give time extension for inspection as per request of ITI.
23.	Uttar Pradesh	Maa Saraswati Pvt ITI Bhaluani Deoria, Bhaluani Deoria, UP TMPOLD312	Electrican Power Distribution 4(2+2)  Early Childhood educator – 4(2+2)	The case was Not Recommended in 1st SCAA held on 04.04.2022 due to certain deficiencies. To comply the Court direction in the connected matter of WPC 11602/2022 order dated 19.04.2023, the ITI case was reconsidered and DGT issued direction to State	RDSDE and State directorate UP to conduct the joint inspection of applicant ITI and Sate directorate to submit the report along with NoC for this MSTI within 30 days from issue of this MoM.





				and RDSDE to conduct joint inspection.	
24.	Uttar Pradesh	Maa Bhagawati Private ITI Khailar VILL & POST KHAILAR JHANSI 284120 Uttar Pradesh PR09000726 Grading 4.7	Electrician 12 (4+4+4)	Vide WP 12128/2021, hon'ble High Court has given direction to reconsider this case.  This Affiliation case was placed in 9th SCAA meeting and remarks of SCAA was  ITI needs to remove the deficiencies as mentioned in minutes of 9th SCAA and inform State Directorate.  After that State Directorate will physically verify all the deficiencies and send the duly signed and stamped report to DGT within 15 days from issue of this MoM.  After that case will be placed in the next SCAA.	As per remarks of 9 <sup>th</sup> SCAA, State Directorate to expedite the matter and submit the report within 10 days from date of issue of this MoM.





### Agenda 6.2 Ratification of Office Memorandum issued in court cases:

#### 6.2.1 Takshila Pvt ITI, Himachal Pradesh PR02000211:

In compliance to Hon'ble Court's order dated 07.12.2022 in WP 8339 of 2022 DGT issued OM RDSDE-C-18011/04/2022/Vig dated 13.12.2022 and granted affiliation in Electrician -1(0+0+1) trade in 3<sup>rd</sup> shift unit in DST mode from session 2022.

SCAA Remarks: The said OM is ratified in the meeting.

## 6.2.2 Apex Institute of Industrial Technology (ITC), Odisha:

In compliance to the Hon'ble High Court's order dated 07.01.2022 in WPC 743/2010, DGT has issued an OM DGT-HC030/1/2022/O/o Dir TC dated 03.03.2023 stating that DGT has already taken the decision on the recommendation made by DTET Odisha dated 16.11.2009; and no action is pending in this regard.

SCAA Remarks: The said OM is ratified in the meeting.

## Agenda 6.3 Various matter pending in the cases of fake bank guarantee at Uttar Pradesh:

Sr no	Petitioner ITI	Case Number	Name of Court	Subject Matter (in brief)
1.	BABU CHANDRAPAL PRIVATE I.T.I.	7076/2022	Allahabad High Court at Lucknow	Performance bank guarantee case
2.	Deepan Private ITI, Dihu Bhaga Balia	7462/2022	Allahabad High Court at Lucknow	Performance bank guarantee case
3.	Kunwarji Lal Private Training Instiute Manikpur	6880/2022	Allahabad High Court at Lucknow	Performance bank guarantee case
4.	RISHABH DEV PRIVATE I.T.I.	7082/2022	Allahabad High Court at Lucknow	Performance bank guarantee case



Page **62** of **260** 

**SCAA remarks:** Matter was discussed with State Directorate of UP, as DGT received many representations from ITIs. State Directorate has informed during the meeting that decision on Fake bank guarantee cases will be taken after the vigilance proceedings by State Government on this matter is completed. SCAA agreed on the same.

## Agenda 7. Miscellaneous Cases

## Agenda 7.1 Uttarakhand State -Merger of 04 Govt small ITIs in nearby large ITI

SSDEC Uttarakhand vide its meeting dated 6.3.2023 has submitted a proposal for merger of 04 Govt small ITIs in nearby large ITI. SSDEC informed that previously, 04 small ITIs were operating within the same premises or at a short distance in (Women Kashipur, Women Haldwani, Lowar Bazar Srinagar and Baurari) their merger has been done with the larger government ITI. Now SSDEC has proposed that the trades running at small ITIs to display under the larger ITI's MIS code, as per the details given below:

S. No.	Name and detail of ITI that have been merged due to being operated in the same campus or in close proximity.	Trade and Units affiliated under NCVT in ITIs mentioned in column II	The details of ITIs in which the trade unit mentioned in column III is to be merge
	ll	III	IV
1	Govt. Industrial Training Institute Baurari- GU05000066	Cosmetology – 02 Unit COPA – 02 Unit Sewing Technology – 01 Unit	Govt. Industrial Training Institute New Tehri- GU05000073
2	Govt. Industrial Training Institute Lowar Bazar Srinagar-GU05000063	Plumber – 01 Unit Sewing Technology – 01 Unit Stenographer & Secretarial Assistant (Hindi) – 02 Unit	Govt. Industrial Training Institute Srinagar - GU05000067
3	Govt. Industrial Training Institute Women Kashipur - GU05000096	Cosmetology – 01 Unit Fashion Design & Technology – 01 Unit Sewing Technology – 01 Unit Stenographer & Secretarial Assistant (Hindi) – 01 Unit	Govt. Industrial Training Institute Boy's Kashipur - GU05000072
4	Govt. Industrial Training Institute Women Haldwani -GU05000094	Electronic Mechanic – 01 Unit COPA – 02 Unit Sewing Technology – 01 Unit	Govt. Industrial Training Institute Boy's Haldwani - GU05000070



Page **63** of **260** 

Stenographer & Secretarial Assistant (	indi)

SCAA remarks: SCAA Recommended as proposed by SSDEC

## Agenda 7.2 Haryana State- Affiliation matter of Yadhuvansh, Baba Anant, RMR and CR Pvt ITIs

State Directorate has sent request vide letter dated 12.04.2023 & 08.05.2023 regarding schedule the inspection of the Yadhuvansh Pvt. ITI, Baba Anant Pvt ITI and CR Pvt ITI. As per the status of NIMI portal Yadhuvansh Pvt. ITI, Baba Anant Pvt ITI and CR Pvt ITI are pending at State Directorate level for desktop scrutiny and RMR Pvt ITI has not applied on NIMI portal.

#### SCAA remarks:

For Yadhuvansh Pvt ITI, Baba Anant Pvt ITI and CR Pvt ITI, State to expedite the desktop assessment as these applications are pending at State Directorate level.

For RMR Pvt ITI, NIMI to inform the status of this application to State Directorate Haryana and Director TC within 07 days

## Agenda 7.3 Affiliation matter of Telangana State

## Agenda 7.3.1. Affiliation matter of 07 Govt ITIs under STRIVE scheme for addition of New Age Trade.

State Directorate vide its letter dated 22.06.2023 has requested to grant in principle approval for addition of New Age courses as per the details given below, this matter will be ratified in their SSDEC meeting.

S. No.	Name of the Govt. ITI	Trade now proposed to be affiliated	
1	Govt. ITI Nizamabad	IOT Smart Health care	
2.	Govt. ITI Mancherial	Solar Technician	
3.	Govt. ITI Musheerabad	Solar Technician	
4.	Govt. ITI Khammam	Solar Technician	
5.	Govt. ITI Karimnagar	IOT Smart Agriculture	
6.	Govt. ITI Alwal	Solar Technician	
7.	Govt. ITI Aleru	IOT Smart city	

SCAA remarks: In principle approval is granted to aforesaid 07 ITIs for addition of trade units as per details given above. However, State Directorate is requested to ratify the same in their SSDEC meeting



#### Agenda 7.3.2 Affiliation matter of Gawtham Pvt. ITI, Industrial Estate Warangal MIS Code: PU36000189

This affiliation case was placed in 9<sup>th</sup> SCAA and SCAA suggested that State Directorate will provide the complete justification about issuing NOC and send the recommendation through SSDEC within 15 days from the issue of this MoM. Letter from State is received on dated 22.06.2023 for in principle approval of this ITI and this matter will be ratified in their SSDEC meeting

**SCAA remarks:** In principle approval is given to Gawtham Pvt. ITI, Industrial Estate Warangal MIS Code: PU36000189 for shifting. However, State Directorate is requested to ratify the same in their SSDEC meeting

Old address: Industrial Estate Warangal, D. No. 15-1-350 Shad 2/4 Industrial Estate, Warangal - 506007

New Address: Plot No F 13, INO Estate, Mulugu Road, Warangal-506007

#### Agenda 7.4: Affiliation matter of Uttar Pradesh State

## Agenda 7.4.1: Uttar Pradesh- Affiliation matter of Ch Nepal Singh Pvt ITI Saharanpur, Saharanpur TMP9177PR1582009438

This ITI was placed in 6<sup>th</sup> SCAA and Not Recommended due to deficiencies as mentioned in MoM of 6<sup>th</sup> SCAA meeting. ITI has given representation to reconsider its case

SCAA remarks: State and RDSDE to conduct joint inspection and submit report to DGT within 15 days

## Agenda 7.4.2: Affiliation of Govt. ITOT, Aliganj, Lucknow (NCVT MIS Code - CG09000005).

The matter was discussed in 10th SCAA on dated 20.06.2023. The SCAA committee has recommended the affiliation for the following trades/units:-

- 1. Computer software application- Addl. 2(1+1)
- 2. Cosmetology Addl. 2(1+1)
- 3. Sewing Technology Addl. 2(1+1)

## Agenda 7.5: Andhra Pradesh

Agenda 7.5.1 Affiliation matter of Affiliation matters of Govt. ITIs at Nandyal,

(D)

Page **65** of **260** 

SSDEC Andhra Pradesh has sent recommendation for **Govt. ITIs at Nandyal** in its 2<sup>nd</sup> meeting. Now, State has requested to grant welder (1+1) also to this ITI and has sent revised recommendation by all members of SSDEC

SCAA remarks: SCAA agreed for affiliation of welder (1+1) in Govt. ITIs at Nandyal

### Agenda 7.5.2: Activation of ITI status along with the trades/units in NCVTMIS Portal for 02 Pvt ITIs

SSDEC Recommended the reactivation of 02 Pvt ITIs

- (i) Indian Pvt ITI (MIS Code PU28000522)
- (ii) Asian ITI (MIS Code PU28000522)

This was placed in 8<sup>th</sup> SCAA as per recommendation received from SSDEC and State Directorate was asked to reexamine the case. State Director informed this case is reexamined and verified all the available records pertaining to the said Two Pvt ITIs and as per the available records. State Directorate has Recommended to activate the status of affiliation in NCVTMIS portal along with trades and units of two Pvt ITIs i.e Asian Pvt.ITI, Guntur & Indian Pvt.ITI, Gunturit, as recommended by SSDEC

SCAA remarks: SCAA agreed for the same

Agenda 7.6: Punjab State

Agenda 7.6.1 DST proposal of 26 Govt ITIs

State has sent request for approval of DST units in 26 Govt ITI . details given in Annexure -XVI

SCAA remarks: SCAA Recommended the DST affiliation of 26 Govt ITIs , recommendation are given in Annexure- XVI

Agenda 7.6.2: CTS to CITS conversion in 09 Govt ITIs

State has sent request for conversion of CTS trades into CITS trades in 10 Govt ITIs, details given in Annexure- XVII

SCAA remarks: SCAA Recommended the CTS to CITS conversion in 10 Govt ITIs details given in Annexure- XVII



## Agenda 7.7 DST proposal from Goa

State Directorate has sent proposal DST proposal for Govt ITI Mapusa GR30000007 for MMV trade as per the details given below:

Name of the ITI	MIS Code	Name of the Industry	Name of the Trade for DST	No. Of units	Shift
		M/S Chowgule Industries Pvt Ltd	MMV	1	2nd Shift
Mapusa Govt ITI	GR30000007	M/s. Moreshwar Trading Company Private Limited (Sharayu Automobiles)	MMV	1	2nd Shift
		M/s. Gemini Motors	MMV	1	2nd Shift

SCAA remarks: SCAA Recommended the DST proposal for Govt ITI Mapusa GR30000007 as given above .

**Agenda 7.8 Rajasthan State-** State Directorate sent letters regarding the representation of the Vijay Atul Pvt ITI, Allied Pvt ITI, Shree dev Pvt ITI, Kiran Pvt ITI, placed in 8th SCAA Vijay Atul Pvt ITI, Allied Pvt ITI, Shree dev Pvt ITI, Muskan Pvt ITI, Kiran Pvt ITI regarding reconsideration of these ITIs. The matter discussed during 10<sup>th</sup> SCAA meeting in detail

SCAA remarks. SCAA agreed as per the decision taken in 8th SCAA

Agenda 7.9- Affiliation matter of MVM Pvt. ITI N. Voddahalli , Alangur Road, Padmaghatta Post , Kappalmadagu, Panchayat, Mulbagal Taluk, Kolar Dist- 563132, Karnataka, NCVT MIS Code ( PU29000586) .

The matter was discussed in 10th SCAA on dated 22.06.2023. The SCAA agreed on the affiliation for the following trades/units:-

- 1. Fitter 4(2+2)
- 2. Electrician 4(2+2)

Total recommended trades:-Fitter - 4(2+2) Electrician - 4(2+2)





#### Agenda 7.10- Name change of "M.P. Birla Foundation Industrial Training Centre, Udyog Vihar, Rewa (PR23000015).

With reference to agenda no. 6.1 of 9th SCAA MoM an email received from ITI on 16.6.2023, the case has been discussed in detail in 10<sup>th</sup> SCAA. SCAA recommended that TC section would forward all the received information from ITI to RD, RDSDE to examine the matter and submit the report to TC section.

#### Additional Agenda 8 (with the permission of chair): SSDEC Arunachal Pradesh and SSDEC UT of DNH & DD

#### Additional Agenda 8.1 SSDEC Arunachal Pradesh

SSDEC Arunachal Pradesh has sent recommendation vide its 2<sup>nd</sup> SSDEC 7.06.2023 for addition of 02 trades in Govt. Model ITI Yupia, details given below:

- i. Welder (Fabrication & Fitting) (1+1) units
- ii. Computer Hardware & Network Maintenance (1+1) units

Remarks of SCAA: SCAA Recommended the addition of trades Welder (Fabrication & Fitting) - (1+1) & Computer Hardware & Network Maintenance (1+1) in Govt. Model ITI Yupia.

## Additional Agenda 8.2 SSDEC DNH & DD

SSDEC DNH & DD in its 4th SSDEC held on 30.06.2023 Recommended the addition of trade/units in 02 Govt ITIs as per the details given below. Remarks are SCAA as given below:

S. No.	ITI name and address	MIS Code	Type of ITI(Govt/Pvt )	Trade/Unit sought for affiliation	Remarks by SSDEC	SCAA remarks
-----------	----------------------	----------	---------------------------	---	---------------------	--------------



342	1	Govt.Industrial Training Institute, M.G Road, Ringanwada, Nani Daman,Daman - 396210	GR25000001	Existing	Drone Technician 2(1+1+0)	Recommended for Drone Technician 2(1+1+0)	SCAA Recommended Drone Technician 2(1+1+0)
	2	Government Industrial Training Institute, Near Ghoghla Check Post, Ghoghla -Diu- 362540	GR25000002	Existing	Marine Engine Fitter 1(1+0+0)	Recommended for Marine Engine Fitter 1(1+0+0)	SCAA Recommended Marine Engine Fitter 1(1+0+0)





## Annexure-I

# 1. State Name: Andhra Pradesh

SI. No.	ITI Name /Address/ MIS Code / Grading	Existing / New / MSTI	Trades/units sought for affiliation	Remarks by Inspection cum Verification Committee (ICVC)	Observation of TC- Section	Remarks by SCAA Meeting
!	11	111	IV	V	VI	VII
1	BHAVANI PRIVATE ITI SRIKAKULAM Bhavani Private ITI, Main Road, Kanchili, Dist, Srikakulam Andhra Pradesh 532290 PR28000395 Grading - 8	Existing	Electrician - 2(1+1)	Agree, Institute is having infrastructure at satisfactory level as per norms and recommend for Electrician 2(1+1) additional units	Biometric machine is not available.     Instructor CITS certificate 06 nos. available. (Electrician - 4 & Fitter - 2)	SCAA Recommended for following trade: Electrician - 2(1+1)





# 2. State Name: Assam

I Samaguri Nagaon Pvt. ITI, Assam  TMP18297PR1648017143  TMP18297PR1648017143  Electrician 2(1+1+0) Fitter 4(2+2+0) Plumber 2(1+1+0) Secretarial Assistant (English) 2(1+1+0)  Assistant (English) 2(1+1+0)  Electrician 2(1+1+0) The ITI is running under PPP mode in which 1st part is VISION KAUSHAL FOUNDATION and 2nd Party is State Directorate of Assam.  3) Lease agreement is for 3 years with effect from 14/10/2020. However, the ITI is running under PPP mode scheme for 10 years. As per NCVT Report 4) Agree, The ITI is running in PPP mode. The lease agreement	Remarks by SCAA Meeting
Assam  2(1+1+0) Fitter 4(2+2+0) Plumber 2(1+1+0) Stenographer Secretarial Assistant (English) 2(1+1+0)  2(1+1+0)  Stenographer Secretarial Assistant (English) 2(1+1+0)  2(1+1+0)  Extension of lease agreement minimum 3 years from 14/10/2023.  2) The ITI is running under PPP mode in which 1st part is VISION KAUSHAL FOUNDATION and 2nd Party is State Directorate of Assam.  3) Lease agreement is for 3 years with effect from 14/10/2020. However, the ITI is running under PPP mode scheme for 10 years. As per NCVT Report 4) Agree, The ITI is running in PPP mode. The lease agreement	VII
is expiring on 13/10/2023.The recommendation is subject to renewal of the agreement for minimum 3 years to satisfy the affiliation norms.  5) Teachers Records: Yes, No CITS certified instructor. However, the institute submitted undertaking to train the instructors in RPL mode.  6) Threats info: Yes, Located in	





2	GYANAM Pvt. ITI	New	Mechanic Diesel	1 - Available land area for	1 - Land lease is not	SCAA
	IDHEMAJI		4(2+2+0)	workshops and classrooms,	Government	Recommended for
	Truck Terminus, Dhemaji		Electrician	Tools & Equipment's &	registered.	following trades:
	Tiniali, P.O.P.S & Dist.		4(2+2+0)	instructor is suitable to start		
	Dhemaji - 787110, Assam.		Fitter 4(2+2+0)	training of one unit only in one		Mechanic Diesel -
			COPA 2(1+1+0)	shift for Electrician,		4(2+2)
21	TMP18284PR1646896334			Fitter, Mechanic Diesel Engine		Electrician - 4(2+2)
				& COPA trade.		Fitter - 4(2+2)
				2 - No CITS trained instructor is		COPA - 2(1+1)
1				available in the institute.		
				3 - Recommended for affiliation		
			20	for the following trades: 1.		
				Electrician - (1+1) 2.		
				Fitter - (1+1) 3. Mechanic		
				Diesel Engine - (1+1) 4. COPA -		
				(1+1)		
3	Gyan Bharati Private ITI	New	Fitter 3(1+1+1)	Recommended for affiliation for:	New ITI.	The matter was
	Sivasagar, Railung Chetia		Mechanic Diesel	1. Electrician- (2+2+0)	1) BCC signed by	discussed in SCAA
	Gaon, P.O Hahchara		6(2+2+2)	2. Mechanic Diesel- (2+2+0)	Architect. The O/o	and following
	Kujibali, DistSivasagar,		Electrician	3. Fitter- (1+1+0)	The Chairman	deficiencies
	Assam		6(2+2+2)	4. Stenographer & Secretarial	_	observed:
	785701		Stenographer	Assistant(English)-(1+1+0)	Development	
	TMD4000000004040407		Secretarial	1)Land lease has been taken for		1. BCC not as per
	TMP18300PR1646046127		Assistant (English)	20 years following the NCVET	issued letter, the said	norms.
			3(1+1+1)	norms.	plot does not fall	2. Detail of CITS
				2)Building Completion Certificate	within the Sivasagar	instructors for all
				issued by the competent authority	Master plan area	trades.
				is available.	which was published	عمله مامنیسم الثیر اکا
				3) Machinery, tools & equipment's	vide Govt.	ITI will provide the
				bills with their payment records are available as per norms.	2) Instructors CITS	BCC and submit the instructor details to
				4) Biometric system for staff &	certificate not	State Directorate
				Students attendance is available.	uploaded.	within 07 days from
*				5) Most of the machineries	upicaueu.	issue of this MoM.
				of Most of the Machilleties		133UC OI IIIIS MOM.



				installed & are in working condition. 6) Amenities are available.	3) Total Power required is 22.31 KW.	Thereafter, State Director will verify BCC as per local building bye-laws & instructor details and submit the signed & stamped report to DGT within 07 days.  After receipt of report from State Directorate, case will be placed in the next SCAA.
4	LEDO Pvt. ITI, Tinsukia, Assam TMP18302PR1647759922	New	Electrician 4(2+2+0) Fitter 4(2+2+0) Mechanic Diesel 2(1+1+0) COPA 2(1+1+0) Welder 2(1+1+0)	1. Lease agreement between the Future valley technologies and services LLP and Directorate of Employment and Craftsman Training was from the period of 19/10/20 to further 3 years. (up to 18.10.2023).  2. For the trade of COPA computers required. so original bill with e-way bill of computers are not available.  3. Fire Safety certificate is not available.  4. Total connected load is 40kwatt. Declaration  5. Staff attendance biometric is	report not available. 2) As the ITI is under PPP mode so that land is on lease with Directorate of Employment and Craftsman Training, Assam from the period of 19/10/20 to further 3 years i.e. Land lease valid up to 18.10.2023.Further extension Land lease document not uploaded & is not as per norms. 3) BCC certificate not uploaded is not as per	SCAA observed that only NCVT member present during the inspection of ITI.



	not present.	4) Instructors CITS	
	·	certificate not	SCAA
	8. First Aid, Ladies & Gents Toilet,	uploaded.	Recommended that
	Parking, Water facilities are	5) Welder & COPA	RD, RDSDE should
25	available.	Lab video / Photos	arrange joint
	As per Industry representative	not uploaded by	inspection (SCVT
	inspection report is as given	members but all lab	and NCVT members
	below.	photos are uploaded	etc.) of this ITI and
	Dis Agree, Partial affiliation may		
	be accorded subject to production		
	of land document pertaining to		issue of this MoM.
	extension of leased period. As per		
	NCVT Inspection report.		After receipt of report
	Not Recommended		from RD, RDSDE,
			proposal will be
			placed in the next
			SCAA.

## 3. State Name: Bihar

SI.	ITI Name /Address/ MIS	Existing			Observation of TC-Section	
No.	Code / Grading	/ New / MSTI	for affiliation	cum Verification Committee (ICVC)		Meeting
	II .	III	IV	V	VI	VII
1	Barun Private ITI,	Existing	Electrician -16(8+8)	1. Physical inspection	1. The land is on lease for	
70		LXISTING	Electrician - 10(6+6)	, ,	L .	
	Barun Block More, G T				the period of 30 years w.e.f.,	
	Road, Aurangabad-			SCVT members on	16.03.2023.	following trade: -
	824112 AURANGABAD			24.12.2022.	2. The electric power	
80	824112			2. All CITS trained	required is 33.02kW and the	Electrician - 14(7+7)
				instructors appointed	connected load is 34kW,	as per availability of
	PR10000674			details are uploaded.	which is sufficient.	electric load in ITI.



	Grading - 7.8			Executive engineer, BCD and approved layout plan are available details are uploaded. 4. YES 3 phase electricity connection available,	(50+80*50/160) and available space is 89.32 sq. m.  7. The electric load required is 33.02kW, if seeking Electrician-14(7+7) units and that of is 38.2kW, if seeking Electrician-16(8+8) units and connected load is 34kW.  8. The workshop, class room facilities are available for Electrician-14(7+7) units only as per Lay out plan /drawing and inspection team members also Recommended for	₩: ₩
2	DR R D Y PRIVATE ITI At-Near Nh-82 Gaya- Nawada Road, Near Kaeya, P.S- Gaya-823003	Existing	Electrician-16(8+8+0)	Agree , 6+6 addition units in electrician Recommended	<ul><li>1) Electrical load shortage</li><li>by 20.2 KW.</li><li>2) Institute have applied for</li></ul>	deficiencies:
	PU10000885			1) Land lease applicable from 3.2.16 for 27 years 2) Copy of lease, approved		less than required.



				lay out plan and BCC of	& IT lab photos are not	not available.
	Grading - 5.3			Executive engineer BCD	uploaded in the application.	
2				available and uploaded on		
				the app		Applicant will rectify
				3) Existing load is 13 KW		all the above
				institute have applied for		deficiencies and
				load extension to 28 KW		submit the detail to
				4) Machineries bills and		State Directorate
				digital payment proofs are		within 07 days from
				uploaded		issue of this MoM.
				5)Tools and equipment		
				available in the labs		Thereafter, State
				installed and working		Director will verify all
				condition		above documents
				Electrician new workshop		and submit the
				developed for 6+6		signed & stamped
				additional units 6) All CITS trained		report to DGT within
				6) All CITS trained instructors appointed		07 days.
				details uploaded on the		After receipt of
				app.		report from State
25				7) Biometric machine		Directorate, case
				available for staff		will be placed in the
				attendance.		next SCAA.
				8) IT Lab , Drawing Lab &		110/11/00/07/01
				Safety available as per		
				norms		
3	Kalindra Private ITI,	Existing	Fitter 4(2+2)	Affiliation is	1). Kalindra Pvt. ITI	I. SCAA observed
	Ratanchak New Tola,		` ,	Recommended in	Gopalkanj Bihar	that ITI applied for
	Hathwa, Gopalganj			Electrician Trade as	Trades/units sought for	Fitter 4(2+2) but
20	GOPALGANJ-841436			sought.	affiliation in the trade of	ICVC
				NCVT- Inspection report		Recommended
	PR10000714			mentioned as given		
				below:-	Electrician Trade as per	Hence State
	Grading - 5.8			Agree , Recommended for	Annexure - III.	Director will verify



				grant of affiliation as	2) Building Plan not	
				applied.		sought for affiliation.
				1) The Institute has	report. However, the Building plan available in	II. SCAA also
				1) The Institute has developed separate Toilets		
				, Drinking Water ,	lab and the area drawn is by	building plan is not
				Functioning Workshops,		available.
				Drawing Hall , IT Lab etc.		available.
		J		2) Land lease available		ITI will rectify all the
				from 04.01.2022 valid for	ı <i>'</i>	above deficiencies
				29 years	l	and submit the
				3) BCC from Executive	l ' l	detail to State
				Engineer, Gopalganj	, ,	Directorate within
				4) Connected Load 18 KW		07 days from issue
				ly.		of this MoM.
				5) Machineries bills		
				available.		State Directorate
				6) Staff biometric		will submit the
			ļ ,	attendance available.		signed & stamped
						report to DGT within
						07 days.
						A.64
						After receipt of
						report from State
ſ						Directorate, case
						will be placed in the next SCAA.
1	Nirmeli Dut ITI	Evicting	Electrician 8(4+4)	1) ICVC Members Agree,	Electrician 4(2+2) Additional	SCAA.
4	Nirmali Pvt ITI Piprahi, Balgav	Existing		the applicant has applied		Recommended the
	MADHUBANI-847108			for the trade Electrician 8(		following trade: -
	WADI IODANI-047 100			4+4) as additional units but	adidii by 13 v 3 ividii bold.	
	PR10000878			only 4(2+2) additional unit		Electrician 4(2+2)
				in electrician recommend		as per availability of
	Grading - 6.9			for affiliation.		electric load in ITI.
	2.339			2) The machines are in		



a X				working conditions in only two workshop for 2+2 unit each but in third workshop machines are not functional.  3) The record uploaded in r/o Electric load is two connection of 6kw and 12 kw available total load of 18kw.		
5	Prabha Govind Private ITI Shambhunagar, Station Road, P.O. Bramahpur BUXAR-BIHAR PR10000517 Grading - 7	Existing	Electrician 10(5+5)	1-The Tools and equipment are available for additional electrician 2+2 units only, in addition to existing trades. The Equipment are installed and functioning details uploaded.  2 - Electrician trade additional 2+2 units are Recommended for affiliation	Buxar, Bihar.  2 - Electricity power load as per norms required 27.82 KW but Available 19 KW, hence Shortage of 8.82 KW.  3 - Electrical trade required total 7 Labs but only 4 Labs are available, hence	SCAA Recommended the following trade: -  Electrician 4(2+2) as per availability of electric load in ITI and tools & equipment's and workshop.
6	MAA SARSWATI Private Industrial Training Institute, ARWAL TMP10611PR1580228554	New MSTI	Electrician 4(2+2)	be verified.	2 - NOC letter is not available. 3 - 04 CITS Instructor of	SCAA observed the following deficiencies:  1. NOC from State Directorate not submitted for



				Recommended for the MSTI.		opening MSTI in unserved block. 2. Short term course not being proposed.
				-		ITI will Submit NOC for MSTI issued by State Directorate and proposed short term course to State Directorate within 07 days from issue of this MoM.
					*.	State Directorate will submit the signed & stamped documents to DGT within 07 days.
						After receipt of documents from State Directorate, case will be placed in the next SCAA.
7	RAM SHARAN ROY Private Industrial Training Institute, VAISHALI,At- Panapur-Makkanpur, PO- Jandaha, Dist- Vaishali- 844505 TMP10224PR1582717351	New	Electrician 18(6+6+6) Fitter 6(2+2+2) Surveyor 3(1+1+1) Fire Technology and Industrial 3(1+1+1) Safety Management	1- Electrical connection 2 KW extended to 30 KV which is sufficient for uni applied 2 - Tools and equipme available, installed ar functioning in all trade 3 - The details of availab man power have been uploaded on the app als	Industrial Safety Management trade the following equipment are not showing in the purchase list. Fire Tender (one for the Institute) & Rescue Van (one for the Institute).  2 -09 CITS Instructors are	SCAA observed the following deficiencies:  1. For the sought trade Fire Technology & Industrial safety



8		.29	the undertaking from management for engaging 100% CITS trained staff before the start of session is uploaded. 4 - Electrician (6+6), Fitter (2+2), Surveyor(1+1) and Fire Technology and Industrial Safety Management(1+1) units are Recommended for affiliation.	available. (Electrician= 07 & Fitter = 02)	equipment's i.e Fire Tender & Rescue Van not available. 2. The Instructors are not available for the trade Fire Technology & Industrial safety Management and CITS trained instructors not available for surveyor trade.  Applicant will rectify all the above deficiencies and submit the detail to RD, RDSDE within
,					07 days from issue of this MoM.  Thereafter, RD, RDSDE will verify all above documents and submit the signed & stamped documents to DGT within 07 days.  After receipt of report from RD, RDSDE, case will



						be placed in the next SCAA.
8	SALIM MEMIRIAL Private Industrial Training Institute, PASHCHIM CHAMPARAN PARSA, PO- MARJADAWA, PS-PURSHOTAMPUR 845306  TMP10211PR1580700063	New MSTI	Electrician 4(2+2) Fitter 4(2+2) Surveyor 2(1+1) COPA 2(1+1)	app	Land is on lease for 30 years w.e.f. 09/10/2019. In the deed document it is found that under the kasara no 20, different plot nos. 608, 617, 457, 618, 604 and 604 for the extents of 10, 09, 25, 45, 04 and 57 decimals were taken lease. 2. BCC is signed by Executive Engineer, Wester Champaram. 3. The connected load is 15kW and required electric power as per the norms is 20.72kW. Less electric load. 4. Parsa village is available in the list of villages of uncovered areas in the district of Pachim Champaran at Local	and proposed short term course to State Directorate within 07 days from issue of this MoM.  State Directorate will submit the signed & stamped documents to DGT within 07 days.  After receipt of documents from State Directorate, case will be placed



	T				0.1 (1.1	
					6. Inspection team members	
					Recommended for two	Y .
1					trades, Electrican-4(2+2)	N N
					units and Fitter 4(2+2) units	
					only, no comment /	
					recommendations written for	
					the remaining sought two	
					trades COPA and Surveyor.	
9	GYANTI DEVI Private ITI,	New	Electrician 4(2+2)	1. Physical inspection	1. Land of 2455.1 sq. m on	ITI is already
	GOPALGANJ, MG Nagar,	MSTI	Fitter 4(2+2)	carried out on 12.11.22 by	lease in the name of the	affiliated as per
	Block-Phulwariya,				Trust for 30 years from	affiliation order No
	Gopalganj				11/02/2016 to 11/02/2046.	DGT-
	841436, Bihar.			2. 100% CITS trained		Aff011(14)/4/2023 -
				instructors' available		O/o Dir-TC dated
	TMP10197PR1580280533			details uploaded on the		14.03.2023 issued
	100020000			app	3. Sanctioned power load is	by DGT.
				3. Lease, approved lay out		by 501.
				plan and BCC available		
				and uploaded on the app,		
					issued by state directorate is	
				served block have been		
				uploaded for this MSTI		
				4. Yes 3 phase connection		
				is available details	(Electrician 04 & Fitter 04)	
				uploaded on the app		
8				5. Tools and equipment for		
				Fitter & Electrician trade		
				available, installed and		
				functioning details		
				uploaded on the app		
				6. Institute have developed		
				very good infrastructure,		
				class room, workshops, IT		
				lab, Drawing hall,		
				Playground, Parking,		





10	Maa Usha Devi Private ITI, Hisua, Near Hisua Block Office Nawada- 895623 PR10000676 Grading - 7.6	Existing	Electrician-8(4+4+0) Fitter-2(1+1+0)	and built up area (g+1) 683.85 sqm. 2 - CITS trained instructors appointed details available. 3 - Copy of lease, approved lay out plan and BCC available. 4 - YES 3 phase connection is available. 5 - Tools and equipment are available. 6 - Institute have developed separate toilets, drinking water.	2 - Land Lease is name of the trust for 21 years, with effect from 03/11/2020 to 04/11/2041. 3 - BCC issued by Executive Engineer, Building Division, Nvadha, Bihar. 4 - As per norms required 19.11 KW, available 20 KW. 5 - CITS certificate of	SCAA Recommended for following trades: - Electrician 8(4+4) Fitter 2(1+1)
				9 - Recommended affiliation for Electrician additional units (4+4 )and Fitter (1+1 units).		(©
11	MAA SHARDA PRIVATE INDUSTRIAL TRAINING	Existing	Electrician 8(4+4+0)	1 - Electrical bill: Yes, Details as well as	1 - Electricity bill not available & Required 22.62	1



	INSTITUTE PRIVATE INDUSTRIAL TRAINING INSTITUTE, AURANGABAD AT-GAWASPUR, PO- PIRU, PS-HASPURA, AURANGABAD, BIHAR 824120 PR10000789 Grading - 7.5			documents uploaded 2 - Machinery Installation Info & Machinery Working Status: Yes, Available. 3 - Agree, additional 3+3 electrician trade Recommended for affiliation	KW.  2 - Electrician workshop as per required 06 nos., but available 05 nos. & shortage of 01 workshop.  3 - 07 CITS Instructors are available (Electrician- 05 Nos. & Fitter- 02 Nos.)	and following deficiencies observed :  1. Shortage of Number of Electrician workshop. 2. Non-availability of DG - Set. 3. Electricity bill is not available.
*						RD, RDSDE will verify the above deficiencies and submit the signed & stamped report to DGT within 07 days from issuing of this MoM.
Œ		ec				After receipt of report from RD, case will be placed in the next SCAA.
12	Unique Pvt. ITI, Aliganj, Jamui, Bihar TMP 376 MSTI New	New (MSTI)	Electrician 4(2+2+0) Fitter 4(2+2+0) Surveyor 4(2+2+0)	1 - No, ITI does not exist. 2 - Disagree, ITI does not exist.	ITI does not exist.     Application & Annexure III not available.	Applicant institute does not exist at the given address as informed by ICVC. Hence application rejected.
13	Vatika Pvt.ITI, Jakhraj Sithan, Husainabad road ,	Existing	Electrician 8(4+4+0) Fitter 4(2+2+0)	Machinery bills available.     Machinery in working	Shortage of Electrical load = 14.84 KW, Required Electrical load as per norms	



Sheikhpura- 811105,	condition.	is - 34.84 KW	deficiencies
Bihar	3) Biometric machine available.	2) BCC is issued by Architect is not valid as per	observed:
PR10000029	4) Amenities available.	norms.	1.Shortage . of
Out the second	5) Fire and electrical safety		
Grading - 6.9	available Agree, Extension for		per norms. 2.BCC is issued by
	electrician trade 4(2+2)	not available.	Architect which is not as per norms.
			Building plan not available.
			ITI will rectify all the
			above deficiencies and submit the detail to State
			Directorate within
			07 days from issue of this MoM.
			Thereafter, State
			Director will verify all above documents
			and submit the signed & stamped
			report to DGT within
			07 days.
			After receipt of
			report from State Directorate, case
			will be placed in the SCAA.



# 4. State Name: Gujarat

SI. No	ITI Name /Address/ MIS Code / Grading	Existin g / New / MSTI	Trades/units sought for affiliation	Remarks by Inspection cum Verification Committee (ICVC)	Observation of TC- Section	Remarks by SCAA Meeting
	11	Ш	IV	V	VI	VII
1	Maharshi Dayanand College Of Industrial Training Institute, Pvt. ITI, Patan, Gujarat- 384245 PR24008174 Grading - 0.1	Existing	Prima facie it appears the above said ITI, sought Health Sanitary Inspector-3(1+1+1), Basic cosmetology 3(1+1+1) and surveyor 3(1+1+1) however the ITI has applied in the application as mentioned below: - Health Sanitary Inspector-60(20+20+20) Basic Cosmetology-60(20+20+20) Surveryor-48(16+16+16)	1) Only Principal is appointed as Zero admission in current session 2022-23. No instructors are appointed for COPA, because of zero admission. 2) Other activities are being	1) BCC is not in format. 2) Biometric machine for Student is not install. 3) IT Lab Not Available (campus having IT, which is also existing, other courses running in the campus). 4) Drawing Hall Not Available (no engineering trades are affiliated).).	SCAA observed that there is no admission in affiliated COPA trade in ITI from the last two years.  State Directorate to verify why there is no admission in ITI and inform the further action to be taken.



MAHESANA c/o. gangaba b.ed collage near Gaytri mandir At & Post Bechraji TA:- Bechraji Dist:- Mahesana-384210  TMP24451PR16472582 52  Old Age Care 2(1+1) Radiology Technician 2(1+1) COPA 2(1+1)  Student Records: No, New ITI So not available. 3) Agree, as per Report submitted.  Thereafter, Director will verify as per local by bye-laws & instead for student use not uploaded. 2) Drawing hall photo not uploaded. 2) Drawing hall photo not uploaded. 1. BCC not as norms.  ITI will provide the and submit instructor detail State Directorate 07 days from iss this MoM.  Thereafter, Director will verify as per local by bye-laws & instead of student use not uploaded. 2) Drawing hall photo not uploaded. 2) Drawing hall photo not uploaded. 2) Drawing hall photo not uploaded. 3) Agree, as per Report submitted. 51 BCC not as norms.  Thereafter, Director will verify as per local by bye-laws & instead as the report to DGT with days.  Thereafter, Director of DGT with days.  Further Director.					available		
OF MEDICAL SCIENCE MAHESANA c/o, gangaba b. ed collage near Gaytri mandir At & Post Bechraji TA:- Bechraji Dist:- Mahesana-384210  TMP24451PR16472582  TMP24451PR16472582  TMP24451PR16472582  TMP24451PR16472582							
Gujarat State Director- TC will state the report with	2	OF MEDICAL SCIENCE MAHESANA c/o. gangaba b.ed collage near Gaytri mandir At & Post Bechraji TA:-Bechraji Dist:-Mahesana-384210	New	Inspector 2(1+1) Old Age Care 2(1+1) Radiology Technician 2(1+1)	1) Letter attached for some equipment's needs required the permission from the Radiologist concern.  As per ICVC 1) Student Attendance: No, NA 2) Student Records: No, New ITI So not available. 3) Agree, as per Report	Attendance Machine installed for student use not uploaded.  2) Drawing hall photo	discussed in SCAA and following deficiencies observed:  1. BCC not as per norms.  ITI will provide the BCC and submit the instructor details to State Directorate within 07 days from issue of this MoM.  Thereafter, State Director will verify BCC as per local building bye-laws & instructor details and submit the signed & stamped report to DGT within 07 days.  Further Director- CD, along with RD, RDSDE, State Director of

P

						authority is required for
						purchasing the tools &
						equipment's of
						Radiology Technician trade.
						trade.
						After receipt of report
						from State Directorate
						& Director - CD, DGT,
						case will be placed in
i: x						the next SCAA.
3	R.J. INTERNATION	New	Health Sanitary	1) SCVT and NCVT	1) There is no meter in	The matter was
	COLLEGE MAHESANA		Inspector 6(3+3+0)	member have	the name of ITI but ITI	discussed in SCAA and
	Near kaleshwari Temple		Physiotherapy	Recommended affiliation	has applied to	following deficiencies
	opp. khodiyar		Technician 2(1+1+0)	for	Electricity Department	observed:
	Temple,dediyasan		Early Childhood	(1)Health	to change the name.	
	384002,Dist.MAHESANA		Educator 2 (1+1+0)	Sanitary Inspector	2) The photo of the	1.BCC is to be verified
	,Gujarat		COPA 2(1+1+0)	(3+3+0) = 06	biometric machine has	by State Directorate.
					not been uploaded.	
28	TMP24451PU16478501			(2)Physiotherapy	3) No separate IT lab in	Electricity bill is not as
	39			Technician $(1+1+0) = 02$	the institute.	per norms.
				(3)Early		3. Separate IT lab is
				Childhood Educator		required as per norms.
				(1+1+0) =02 (4)COPA		4. Separate entrance of ITI is required as per
				(4)COPA (1+1+0)= 02		norms.
				2) Staff Appointment Info		5. Building plan is not
				:The Principal is appointed		available.
				by Trust and the tentative		
8				selection list of trade		Applicant will rectify all
				instructor is ready at		the above deficiencies
				Institute level and		and submit the detail to
				appointed after getting		State Directorate within
				affiliation.		15 days from issue of
				3)Available as per norms,		this MoM.



				The Name Change on		
				Electricity Bill is submitted		Thereafter, State
		1		by Trust to UGVCL		Director will verify BCC
				4) Applied for All Non-		as per local building
				Engineering trades and		bye-laws & others
		1		there is no separate IT Lab.		above all documents
			1	5) The International Day		and submit the signed &
						stamped report to DGT
				School is running in same		
				campus in different wing.		within 07 days.
	ľ			As per ICVC		A 51-11
				1) Drawing Hall : No, As		After receipt of report
				selected trade no drawing		from State Directorate,
				hall in institute. Applied for		case will be placed in
				All Non- Engineering		the next SCAA.
				trades.		
				2) Staff Attendance: Yes,		· ·
				BAS implemented at		
1				institute level. Photo not		
				Uploaded		
		1		3) Student Attendance: No,		
				Not Applicable as Fresh		
				Affiliation Application. After	1	
1		1	ľi	affiliation they will		
				implement the BAS.		
4	GOVT. INDUSTRIAL	Existing	1) Attendant Operator	1 - TOOLS, EQUIPMENTS	1 - Required electricity	Not Recommended by
	TRAINING INSTITUTE,		(Chemical Plant) -		power Load 676.98 KW	SSDEC during its 3rd
	BILIMORA, Gujarat		2(1+1+0)	available as per norms		meeting. SCAA agreed
	NAVSARI-396321		2) Fitter- 4(4+0+0)		not clear.	for the same.
		i i	3) Electrician-	physical attendance	2 - Staff data not	
	GU24000402		2(1+1+0)	records are uploaded and	available.	
	332.333.32			biometric attendance is not		
	Grading - 8.4			in use		
	2.229			3 -Student Attendance Bio-		
				metric - No, only physical		
				attendance as per Gujrat		je-
				accordance do por Odjiac	1/	



				government. 4 - All the third shifts		
				affiliated units are being conducted in first and		
				second shift only and no IT lab was there, capacity of		
				the ITI is more than 3500.		
				5 - Team Interacted :		
				Remarks by Inspection		
				Team : No, For Electrician total 15		
				units are running in two		
				shifts and 07 workshops		
				are available.		
				6- Fitter total 14 units are running in two shifts and 05		
				workshops are available.		
				7 - As per Annexure III		
				report - no Trades/Units		
				are Recommended for Affiliation.		
5	AASHARA INSTITUTE	New	Health Sanitary	1 - No, Institute head is not	Inspection was not	Not Recommended as
	OF MEDICAL SCIENCE		Inspector 2(1+1+0)	available for inspection &		the institute was closed
	MAHESANA		Radiology Technician	Institute is closed.	was closed on the day	and inspection was not
	AASHARA HOUSE NEAR RAILWAY		2(1+1+0) Old Age Care 2	2 - As there was no cooperation/response from	of inspection.	carried out.
18	CROSSING KADI-		(1+1+0)	institute side, inspection		
	KARANANAGAR ROAD		COPA 2(1+1+0)	was not carried out and		
	OPP. SIDHARAJ			Affiliation is not		
	SOCIETY, KADI 382715			Recommended.		
	TMP24451PU16476896					
L	89					



6 SHAGUN INSTITUTE OF New Hospital Housekeeping Recommended for 1) Total Pow	
	d shortage discussed in SCAA and
	ound as per following deficiencies
DWARKA Inspector 2(1+1)   Health Sanitary Inspector   norms.	observed:
	Occupancy
PORBANDAR ROAD, Environment 2(1+1) Health, Safety and certificate is	s different in   1.Shortage of Electricity
NEAR GANGA-JAMUNA Old Age Care 2(1+1)   Environment trade   Application	form & load.
HOTEL, JAM- 2(1+1+0) Inspection	report. 2. Shortage of Health
KHAMBHALIA, DIST. Old Age Care trade 3) As per p	plan Health Safety and
	Environment Environment lab area.
	.52 Sq. and 3. BCC is not as per
	nexure -III, norms.
	mentioned 4. CITS instructors'
	norms 1000   details.
3) Present 6KW power is Sq. is requir	1
sanctioned but as per	Applicant will rectify all
norms 13KW power is	the above deficiencies
required.	and submit the detail to
4) Machinery bills available.	State Directorate within
5) As it is a new ITI Total	07 days from issue of
Appointment instructors are	this MoM.
	unis iviolvi.
13 (one NTC/NAC) ,	They offer Ctate
supporting staff: 05.	Thereafter, State
As on inspection date 13	Director will verify BCC
staff members including	as per local building
instructor and supporting	bye-laws & others
staff were reported.	above all documents
6) Safety measure Non-	and submit the signed &
submission of safety	stamped report to DGT
certificate from competent	within 07 days.
authority.	
7) Bio metric attendance	After receipt of report
machine is available but	from State Directorate,
attendance used to take	case will be placed in
manually.	the SCAA.



### 5. State Name: Haryana

SI. No.	ITI Name /Address/ MIS Code / Grading	Existing / New / MSTI	Trades/units sought for affiliation	Remarks by Inspection cum Verification Committee (ICVC)	Observation of TC- Section	Remarks by SCAA Meeting
	11	III	IV	V	VI	VII
1	AR MEMORIAL PVT ITI	Existing	Basic	1 - The total area of the	1 - Change of address &	SCAA observed the
	Raniia Sirsa		Cosmetology -	institute is less than the	Location - Old address &	following deficiencies:
	Near Dav School,		2(1+1+0)	prescribed as per norms.	Location -Rania Tehsil,	
	Sultanpuria Road, Rania			2- The roof of the workshop is	Rania,	1.BCC is not as per
	Sirsa Haryana			found to available of Asbestos	District - Sirsa, Haryana	norms.
	125076			sheets, which is not as per	pin code -125076 &	2. The total area of the
				norms.	Latitude 29.5227,	Institute is less than the
	PU06000322			3 - BCC not available as per		prescribed as per
	a			norms.	New address & Location -	norms.
38	Grading – 7			4 - 3 phase power supply	Near DAV school,	3. NOC is required from
				found available. Total	sultanpuria road, Rania	state Director for
	Old address &			connected load-19 KW,	Sirsa,	Shifting of ITI.
	Location -Rania Tehsil, Rania,	l I		required load- 13.65 KW. 5 - No record of instructors,	Haryana pin code - 125076.& Latitude :	workshop is found to
	District - Sirsa, Haryana			Principal found available	30.7160082 , Longitude	available of Asbestos
	pin code -125076 &			6 - No licensed software found	:76.7139416.	sheets, which is not as
	Latitude 29.5227,			available for COPA and IT lab.	.70.7100410.	per norms.
	Longitude: 74.8298.			7 - NO drawing boards were	2 - BCC is not in proper	5. Drawing Hall
				found available in drawing	format.	infrastructure is not as
85	New address &			hall. Only room has been	3 - Electrical sanctioned	per norms.
	Location - Near DAV			designated as drawing hall.		6. No licensed software
	school, sultanpuria road,			8 - No Library set found	The total electric load	found available for
1	Rania Sirsa,			available. Only room has been	required = 21.70 KW.	COPA & IT lab and
	Haryana pin code -			designated as library.	4 - New units sought for	COPA Lab computer
	125076.& Latitude :			9 - COPA Lab computer	affiliation Basic	systems configuration
	30.7160082 , Longitude			systems configuration not as		
	:76.7139416.			per norms.	mentioned in annexure III	list. Detail of CITS
				10 - NOT Recommended for	& Inspection report.	instructors for each
8				Affiliation. Electrician- 2(1+1),		trade.







	Wirer	man- 2(1+1), PA-2 (1+1).	ITI will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.
			State Directorate will submit the signed & stamped report to DGT within 07 days.
			After receipt of report from State Directorate, case will be placed in the next SCAA.



### 6. State Name: Himachal Pradesh

SI. No.	ITI Name /Address/ MIS Code / Grading	Existing / New / MSTI	Trades/units sought for affiliation	Remarks by Inspection cum Verification Committee (ICVC)	Observation of TC- Section	Remarks by SCAA Meeting
1 *	ll l	III	IV	V	VI	VII
1	Doon Private ITI Barotiwala-Baddi Society Complex (Above Jogindra Bank), Main Bazar Barotiwala Tehsil. Baddi SOLAN-174103 PR02000099 Grading - 6.2	Existing	Fitter 2(1+1+0) COPA 2(1+1+0) Sewing Technology 2(1+1+0)	1) Recommended Fitter (1+1=2 Units), Computer Operator and Programming. Assistant (COPA) (1+1=2 Units), Sewing Technology (1+1=2 Units).	4.5 Kw. 2) Furniture not available in Drawing Hall 3) IT Lab is not	NCVT member present during the inspection of ITI.  Since the SCVT member was not present during inspection. Hence proposal was not considered.



2	Maa Santoshi Private Industrial Training Institute Luharwin, Tehsil Ghumarwin BILASPUR-174021 PR02000070 Grading - 7.7	Existing	Electrician 3(1+1+1)	Recommended, Electrician trade 1+1 =2 Units Only. As per ICVC Staff Attendance: No, Register only. (Bio-metric not Install) Student Attendance: No, Register only. (Bio-metric not Install)		
						ITI will rectify all the above deficiencies and submit the details to RD, RDSDE within 10 days from issue of this MoM.
						RD, RDSDE should arrange joint inspection in coordination with State Director and send the report within 07 days.
						After receipt of report from RD, RDSDE case will be placed in the next SCAA.
3	OPTECH VIDYA Pvt. ITI, AMB. Address-Above City heart Hotel Amb.,UNA ,Himachal pradesh,Pincode- 177203. PR02000077	Existing	The ITI has applied in category-4 ( i.e-Change of Site Location).	1) The Optech Vidya Pvt. ITI Amb has applied for change of location to Optech Vidya pvt.ITI Takarla Mode PO Churru Teh Amb Distt. una - 177211 The inspection recommends the chage of	1) BCC not in format. 2) Attendance record for staff and students is being maintained manually. 3) The ITI has applied in category-4 (i.e Change of Site Location).	SCAA observed that this is a shifting case of ITI. However, ITI has to submit the following documents to the State Directorate within 07 days from the issue of this MoM:
	Grading - 6.8			location of the institution	New Location (As	1. NOC from State



**Old Location-** Latitude: 31.6757

Longitude: 76.1180

**New Location-** Latitude: 31.6765034, Longitude: 76.1177013

for all previous affiliated trade and units & shifts 2) The Two-story building is situated on Road side and Land building &space for old ITI is available as per norms. playground, parking, drinking water ,library , first aid room, pantry is available in the ITI. The gender wise toilets for staff and trainees are available in the institution. 3) three phase power connection having with 14.96 KW load is available in the institute. The Electric meter in the Name smt Anita Rani president Opetech Vidya Education society available. The 7.5 Kw Electric Generator is installed in the institute for alternate power back up. 4) The training record and, trainer record need to be maintained properly 5) The institute is already with DGT vide affiliation order no DGE&T 6/8/12/2007 -TC. Three trades namely Electrician (

mentioned by NCVT Member) Latitude: 31.6765034

Longitude: 76.1177013
Old Location (As mentioned in MIS
Portal) - Latitude: 31.6757

Longitude: 76.1180

Directorate for shifting.

2. BCC as per state building - bye -laws.

3. Electricity bill in the name of ITI / society.

Thereafter, State Director will verify all above documents. After that RD, RDSDE should arrange joint inspection in coordination with State Director to verify the shifting and infrastructure as per norms and send the report within 07 days.

After receipt of report from State Directorate, proposal will be placed in the next SCAA.





				1+1+1), Mech Electronic ( 1+1+1) and Sewing Technology (1) are affiliated having 109 trainee enrolled in the ITI. The institution may be granted permission to change the location with affiliation of all previous trade units & shifts. As per ICVC 1) Yes, Manual staff attendance register is available2) Yes, Manual Student Attendance register is available. 3) Agree, ok 4) Agree, agree for change of place for affiliation.	
4	Pranjli Pvt. ITI Patta, Ghumarwin, Distt Bilaspur Village Patta, P.O, Naswal, Tehsil Ghumarwin, BILASPUR-174021 PR02000182 Grading - 7.6	Existing	Stenographer Secretarial Assistant (English) 2(1+1+0)	1 - Infrastructure i.e classrooms (Theory and Practical), Required Manpower, Tools & Equipment's, Machinery, Safety measures, Toilets, play grounds, Parking, various amenities, and as required are available as per the norms. 2 - Recommended, Stenographer Secretarial Assistant (English) 2(1+1) Units Only.	following trades:

(D)

5	NEW VIVEKANAND PVT	New	Electrician	1 - Power supply	1 - BCC issued by	Not Recommended due to
	ITI UNA		3(1+1+1)	sanctioned/installed was	Licensed Architect &	deficiencies mentioned in
	VILLAGE CHANDPUR,		Fitter 2(1+1)	Ok w.r.t.	Pradhan, Gram	the column no. V & VI.
	TEHSIL PALKWAH DISTT		COPA 2(1+1)	requirements/records.	Panchayt, Chandupur,	
	UNA		Solar Technician		Vikash khand, Haroli jila	
	177220		(Electrical) 2(1+1)	was not found connected	Una. Not as per norms.	
				to the mains.		
	TMP226PR1646715254		-	2 - In Electrician	not available.	
				Lab/Workshop		
				loose/improper wiring		
	¥			leading to various		
				Machineries has been		
				noticed, it requires proper		
				Electrical wiring with		
				provision of Individual		
				Industrial Sockets.		
				3. In Fitter trade, Hydraulic		
				System machinery		
				installed had leakages		
				and require attention.		
				4. Solar Technical		
				Lab/Workshop require		
				proper layout of		
				machineries/Inventories.		
				5.COPA Lab Computer		
				Hardware specifications		
				not as per revised/latest		
				syllabi, power back up was		
	2			not there, Licensed		
				application software were		
				not there. Furniture		
				required for computer lab		
				set_up_was_not_proper.		
				6 - Tools and Equipment's		
				pertaining to the trade(s)		





ſ		of Electrician, Fitter, Solar		
		lab Technician (Electrical)		
		have been found to be Ok	1	1
		with some attention to		
		minor deficiencies		
		noticed.		
		7. COPA trade was not		
		found up to mark.		
		8- No, Drawing Boards		
		and stools are not as per		
	1	requirements, however	1	
		area is ok.		
		9 - IT Lab Availability Yes,		
		Power back up missing,		
		Printer and scanner, white		
		board missing.		*
		10 - Amenities are not ok,		
		requires more attention,		
		still underdeveloped.		
		11 - Other Activities in		
		same Campus: Yes,		
		Library is not furnished,		
		store room is not		
		furnished, all weather		
		pucca road to the institute		36
		missing.		
		12. Ramp for physically		
		disabled missing,		
		13 - Sign Board of the		
		Institute at the main		
		entrance was not installed		
		properly and no proper		
		main gate entrance has		
		been found. It requires		(4
		further attention for		



6	NEW DOGRA PVT. ITI BILASPUR Village Mehan P.O.	Existing	Electrician 3(1+1+1) Solar Technician	improvisation.  14 - Safety Measures: No, More Fire extinguish/buckets required.  15 - May be provisionally considered for Electrician (1+1), Solar Lab Technician-Electrical)-  1+1, Fitter (1+1) subject to compliance to minor deficiencies noticed. However, COPA trade has not been Recommended as major concerns are there w.r.t. deficiencies noticed.  SCVT Member Inspection report is as given below: Agree, agreed.	not available. 1) Land lease document	SCVT member present
(4.	Chandpur Tehsil Sadar Distt. Bilaspur H.P 174004 174004 pr02000176 Grading - 4.9		(Electrical) 3(1+1+1)	Machinery working status video uploaded.     Machinery bills uploaded.     BCC uploaded.     Safety measure and amenities available.	notarized not registered, is not as per norms.  2) Electrical Load shortage -17.55KW, is not as per norms.  3) BCC is issued by Executive Engineer PWD, Bilaspur dt 21.02.2023 and this certificate is valid for a period of one year from	Since the NCVT member was not present during inspection. Hence proposal was not considered.  State Director and RD, RDSDE to ensure in future that both NCVT and SCVT members should be present during the
					its issuance date. 4) Instructors CITS certificate not enclosed. 5) Land lease document not uploaded by SCVT	RD, RDSDE should

Com

					Member. 6) Biometric machine not uploaded by members.	(SCVT and NCVT members etc.) of this ITI and send the report within 10 days from issue of this MoM.  After receipt of report from RD, RDSDE, proposal will be placed in the next SCAA.
7	Shiv Hari Chadda Private ITI Harkukar (Ghumarwin) BILASPUR-174021 PR02000189 Grading - 7.1	Existing	Electrician 2(1+1+0)	Recommended, Electrician 1+1=2 Units Only 1) Infrastructure i.e Classrooms (Theory and practical ), Required Manpower, Tools & Equipment's, Machinery, Safety measures, Toiles, Play grounds, Parking, Various amenities, and as required are available as per the norms. 2) Yes available, Machinery Bill and payment. 3) Machinery Installation done. 4) Machinery Working Condition. 5) Biometric machine not available for staff & Student attendance. 6) Ground Floor Area and	2) Instructors CITS	The matter was discussed in SCAA and following deficiencies observed:



				having three Floors ( Total area is1135.56 Sqm).		After receipt of report from
				7) Safety measure available.		State Directorate, case will be placed in the next SCAA.
8	NAVNEET ITI KUNIHAR SOLAN VILLAGE BADORI P.O KUNIHAR TEH ARKI DISTT SOLAN (HP) 173207 TMP225PR1647340010	New	Stenographer Secretarial Assistant (English)- 2(1+1+0) COPA 2(1+1+0) Electrician 2(1+1+0) Solar Technician (Electrical) 2(1+1+0)	1) Land documents. BCC, Electricity bills available as per norms. 2) Machinery bills available. 3) Machinery installed and all machine in working condition. 4) Staff and student biometric machine not installed. 5) Staff appointment not done. 6) Safety measures available as per norms. 7) Amenities available as per norms. Recommended for affiliation (as per Annexure - III).	Secretary, Gram Panchat, Kothi Kunihar and Engineer. is not as per norms. 2) Staff & Instructors appointment letters and CITS certificates not uploaded.	The matter was discussed in SCAA and following deficiencies observed:  1. BCC not as per norms. 2. Building Plan is not as per norms. 3. Biometric machines not available. 4. Detail of CITS instructors for each trade.  Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.  Thereafter, State Director will verify the BCC as per local bye- laws and will also verify the other all above documents as per norms and the building plan to be jointly verified by RD, RDSDE & State Directorate and submit the signed & stamped report to DGT within 07 days.
			,			



	After receipt of report from State Directorate, case will be placed in the next SCAA.

Page **103** of **260** 

# 7. State Name: Jharkhand

SI. No.	ITI Name /Address/ MIS Code / Grading	Existing / New /	Trades/units sought for	Remarks by Inspection cum Verification	Observation of TC- Section	Remarks by SCAA Meeting
	3	MSTI	affiliation	Committee (ICVC)		9
1	ll .	111	IV	V	VI	VII
1.5	ACME ALBERT EKKA PRIVATE INDUSTRIAL TRAINING INSTITUTE, GUMLA GUMLA Albert Ekka Jari Gumla Jharkhand GUMLA-835206 TMP20331PR1648649231	New	Electrician 4(2+2) Health Sanitary Inspector 4(2+2) Smartphone Technician Cum App Tester 2(1+1) COPA 2(1+1) Sewing Technology 2(1+1)	NCVT & SCVT members agree but following deficiencies observed:  1. Equipments for Electrician trade needed maintenance.  2. Electric drill machine etc. is not available.  3. Equipment's for Health Sanitary Inspector trade equipment's like laboratory microscope were not available.  4. Major of the equipment's are available for Health Sanitary Inspector trade.  5. Some equipment's for Sewing Technology are not available at the time of inspection. The equipment's captured in photographs submitted under Point 11 of report are available.	1.BCC Issued by Aanchal adhikari 2. The ITI is in Govt building which run by TSP and leased for 10 years. 3. Revisit of ITI is proposed by ICVC Members 4. AEBAS machine for	SCAA observed that ITI has to remove the deficiencies mentioned in column V & VI within 10 days from issue of this MoM. And submit the report to State Directorate & RDSDE.  Thereafter, RD, RDSDE and State Director will conduct joint inspection and submit the report within 07 days.  After receipt of report from RD, RDSDE, case will be placed in the next SCAA.
				5.Equipments for COPA -		



	\ <b>T</b> /			Number of computers setup are sufficient. Committee may please consider comment under 3C. If not find sufficient requirements, revisit may be proposed.  6. Boundary wall needs to be constructed.  7. AEBAS machine for Staff Attendance is not available.		£
2	ACME PRIVATE INDUSTRIAL TRAINING INSTITUTE, ANGARA RANCHI RANCHI Berwari, Angara Ranchi 835103  TMP20339PR1648726372	New	Electrician 4(2+2) Health Sanitary Inspector 4(2+2) Welder (Fabrication & Fitting) 2(1+1) Plumber 2(1+1) COPA 2(1+1) Sewing Technology 2(1+1)	1. The Electrical and Plumbing workshop needs to be separated.  2. "This is re-inspection plan was on request of the director, Acme Pvt. ITI. even though expected fulfilment was not seen and tried to postpone it with the influence of Shri. Devender Singh, Deputy Director, Employment and Training, Ranchi (State Directorate)."  3.Plumber and Electrical workshops are clubbing in a single workshop which is not as per the norms. Also, no gangway was marked in the workshop.	report submitted, only Fitter and one Electrician Instructors CITS instructors are available. Others CITS instructors are not available.  3. Electricity load required as per norms is 42.70 KW, hence available electricity load	SCAA observed that ITI has to remove the deficiencies mentioned in column V & VI within 10 days from issue of this MoM. And submit the report to State Directorate & RDSDE.  Thereafter, RD, RDSDE and State Director will conduct joint inspection and submit the report within 07 days.  After receipt of report from RD, RDSDE, case will be placed in the next SCAA.



				4 In COPA Lab internet connectivity was not there.  5. The most important thing is lying electricity cable openly in the electrical workshop is dangerous for which immediate action is required.  6. There is no room for a First-Aid and the required study material for the applied trades are not available in the library room.		
3	MAHESHPUR PRIVATE INDUSTRIAL TRAINING INSTITUTE PAKUR NEAR MAHESHPUR BLOCK OFFICE MAHESHPUR, DIST-PAKUR, STATE-JHARKHAND-816106  TMP20337PR1648444289	New	Fitter 4(2+2) Electrician 4(2+2) COPA 2(1+1) Sewing Technology 2(1+1)	1.Recomended affiliation for- Fitter 4 (2+2),Electrician 4 (2+2),COPA 2 (1+1 )& Sewing Technology 2(1+1 ) 2). Maheshpur pvt. ITI is located in the leased building from state govt lease land upto 18.07.2031. 3), This is State Govt ITI building leased to Jan Jyoti Educational and charitable trust proposed to run ITI named Maheshpur Pvt ITI. 4) The Land area is 5acre and Built up area is22000 sq ft and the Lease is period for 10 yrs.	given the building to Pvt. ITI on lease to start the ITI. The Lease end date is 18 07/2031.  2. BCC issued by Anchal Adhikari is as per norms.  3) CITS certificate for	The matter was discussed in SCAA and following deficiencies observed:  1. BCC not as per norms. 2. Details of CITS instructors for all trades.  ITI will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.  Thereafter, State Director will verify all above documents and submit the signed &



### E-60675

	stamped report to DGT within 07 days.
•	After receipt of report from State Directorate, case will be placed in the SCAA.

8 BA

	4	ACME PRIVATE	New	Electrician	1 - Consumer number not	1- The Annexure III is not	SCAA observed that ITI
		INDUSTRIAL TRAINING		4(2+2+0)	mentioned in electricity bill	available.	has to remove the
		INSTITUTE, ITKHORI		Health Sanitary	and	2 - Building Plan photo	deficiencies mentioned
		CHATRA CHATRA		Inspector	meter fixing slip.	not available.	in column V & VI within
		Kewla, Itkhori, Chatra	1	4(2+2+0)	2 - Machinery Installation Info	3 - Health Sanitary	10 days from issue of this
		825408		Welder	: No- Improvements required	Inspector, Welder,	MoM. And submit the
				(Fabrication &	it is not as per	Sewing Technology &	report to State
		TMP20323PR1648734186		Fitting) 2(1+1+0)	norms.	COPA Lab photos &	Directorate & RDSDE.
				Plumber	3 - Machinery Working	videos are not available.	
				2(1+1+0)	Condition: No, Few machines	4 - Fire safety certificate	
				COPA 2(1+1+0)		photo is not uploaded.	Thereafter, RD, RDSDE
				Sewing	condition, remaining not	5 - BCC not available.	and State Director will
				Technology	working.	6 - 04 CITS Instructors	conduct joint inspection
				2(1+1+0)	4 - Amenities : Available	are available. viz-	and submit the report
					Amenities : No, CCTV not	(Electrician= 02, Plumber	within 07 days.
					available Parking area	= 02).	
					not specified.		After receipt of report
					5 - IT Lab Available but No,		from RD, RDSDE, case
					Internet connectivity.		will be placed in the next
					6 - Agree, The inspection		SCAA.
	*				team is missing		
					one member from the		
					educational institution .		
					7.Due to an insufficient		
					electrical power supply, the		
					inspection was not carried out		
					effectively.		
	2						
	5	OM PRAKASH JINDAL	Existing	Mechanic Diesel	Affiliation may be granted to	1) BCC is issued by	The matter was
		COMMUNITY COLLEGE		- 2(1+1+0)	Mechanic Diesel (1 unit)	President /Mukhiya,	discussed in SCAA and
		PVT ITI PATRATU			based on qualified trainer	Panchayat Samithi,	following deficiencies
		RAMGARH			fulfillment and workshop area	Patratu, is not as per	observed:
L		47P, Industrial Area,			norms.	norms.	





[	A A ffiliation many ba	O) The evellable	1 DCC is not as not
Patratu ,PO- Soliya, PS-	Agree, Affiliation may be		1. BCC is not as per
Patratu, District - Ramgarh	given based on Certified		
, State - Jharkhand -	trainers and workshop area		
829119	fulfillment.	required area as per	
829119	1) Building is owned by JSP	norms is 210 sq. Hence,	
	Limited. Workshop area	shortage of area is 49.63	3.Biometric machine
PR20000057	assigned to	sq. not as per norms.	was not in use after
	Mechanic Diesel is around		covid.
Grading - 7.7	150 sqm (Excluding Parking	3) Total Power required	
	area),	as per norms 38.22 KW.	ITI will rectify all the
	adjacent workshop area	·	above deficiencies and
	(lying vacant) can be added		submit the detail to State
	by institute to		Directorate within 07
	fulfill workshop area norms.		days from issue of this
	2) Two trainers appointed		MoM.
	under Mechanic Diesel		**:
	Trade. ( 1 is CITS		Thereafter, State
	trained having industrial		Director will verify BCC
	experience, other one having		as per local building bye-
	Btech		laws & instructor details
	Mechanical qualification ).		and submit the signed &
	3) Connection details- 101		stamped report to DGT
	KVA , Power factor - 93 %		within 07 days.
	Load factor=		within or days.
	6.39%.		After receipt of report
	4)Tools and Equipment bills		from State Directorate,
			case will be placed in the
	available as per norms.		next SCAA.
	5) Biometric Attendance was		HEXI SOAA.
	not in use ( due to Covid		
	norms as told		
	by Institute officials ).		
	6) Machinery installed & all in		
	working condition.		
	7) Safety measures available.		<u> </u>





*		8) Amenities available as pe	r	
		norms.		

## 8. State Name: Karnataka

SI.	ITI Name			Remarks by Inspection cum	Observation of TC-	Remarks by SCAA
No.	/Address/ MIS Code / Grading	/ New / MSTI	sought for affiliation	Verification Committee (ICVC)	Section	Meeting
	II	III	IV	V	VI	VII
*	Dr. Pandit Puttaraj Gawai ITI Gadag Old D.C Office Circle, Gadag 582101 PU29000869 Grading - 7.6	Existing	Electrician 4(1+1+2) Fitter 1(0+0+1) Mechanic Diesel 2(1+1) Health Sanitary Inspector 2(1+1)	Recommended for electrician -	Third shift to be run in DST only.	SCAA Recommended the following trades:  Electrician 2(1+1) Mechanic Diesel 2(1+1) Health Sanitary Inspector 2(1+1)  However, RD, RDSDE to ensure availability of CITS trained instructors before the start of the session 2023-24.



Page **110** of **260** 



	8. Sanctioned power is 13kw. Bills are in name of ITI Required power is Fitter (2*3.51) + Electrician (5.2) = 12.22. Available as per norms. DG set	6. Sufficient CITS qualified trainers are not there.
	9.Tools and equipment's are available as per norms for 1 unit of Electrician trade.	
	10. The trainers are not CITS qualified. But institute Principal assured that trainers will be registered under RPL before the commencement of session.	
*	11.All basic amenities of drinking water, toilets library is available as per norms 8. Recommended for Fitter (2+2) For New trade Electrician (1+1) may be Recommended based on DGT norms since ITI	



## 9. State Name: Kerala

SI. No.	ITI Name /Address/ MIS Code / Grading	Existing / New / MSTI	Trades/units sought for affiliation	Remarks by Inspection cum Verification Committee (ICVC)	Observation of TC- Section	Remarks by SCAA Meeting
	ll II	111	IV	V	VI	VII
1	Vidyamandir Private Industrial Training Institute Payyanur Private Industrial Training Institute, Kannur Vellur Po, Payyanur, Kannur, Kerala - 670307 Kerala  TMP32557PU1580730316	New	Draughtsman (Civil) 2(1+1+0) Electrician 2(1+1+0) COPA 2(1+1+0) Plumber 2(1+1+0)	1 - The Electricity bill is in the name of secretary Vidyamandir Private ITI Payyannur, it should be changed to in the name of principal.  2 - The Spaces for labs are available but it is in L-shaped practical labs and theory class also provided in the same practical lab. alterations should be made to get prescribed area for D/civil El Pl COPA.  3 - Yes, staff appointment letter and qualifications certificate and group photo uploaded.  4 - Final Review of Inspection - Remarks by Inspection Team: Agree, Agreed	State Directorate Kerala.  Total sanctioned power load = 7.98 KW + 9 KW = 16.98 KW 2 - Uploaded photo of IT lab but computers are not available. 3 - Uploaded photo of drawing hall but drawing table and chair	Applicant will rectify all the above deficiencies and submit the detail along with latest electricity bill to State Directorate within 07 days from issue of this MoM.  Thereafter, State Director will verify all above documents and submit the signed & stamped



Page **113** of **260** 

		& certificate photo	not	days.
		uploaded.		
		,		After receipt of report from State Directorate, case will be placed in the next SCAA.






## 10. State Name: Maharashtra

SI.	ITI Name /Address/	Existing /	Trades/units	Remarks by Inspection cum	Observation of TC-	Remarks by SCAA
No.	MIS Code / Grading	New / MSTI	sought for	Verification Committee	Section	Meeting
			affiliation	(ICVC)		
	ll l	111	IV	V	VI	VII
1	Old Address -Graimin	Existing	Not mentioned	Considering the inspection of	Existing (Change of the	SSDEC
	Advance Private	(change of	in application	the committee, following is	name and address)	Recommended the
	Industrial Training	the Name		Recommended: Electrician	Old Address -Graimin	proposal of shifting
	Institute Majalgaon	and Address)		(Existing) 3+3+0= 6 Units.	Advance Private Industrial	this ITI. SCAA
	Opp.Manadhane			1) Land Lease documents are in	Training Institute	Recommended the
	house,near Dr. nilekar			order. All documents are signed	Majalgaon Opp.	ITI with existing
	hospital, sam BEED-			and	Manadhane house,near	trades.
	431131			stamped by appropriate	Dr. nilekar hospital, sam	
				authorities.	BEED-431131	
	New Address GRAMIN			2) Building Completion	New Address GRAMIN	
	ADVANCE PVT. I.T.I.			Certificate available as per	ADVANCE PVT. I.T.I. 178,	
	178, Near keshavraj			Norms sign by	Near keshavraj Mangal	
	Mangal Karyalay			competent authority	Karyalay Bhatvadgav	
	Bhatvadgav Majalgaon			3) Electric Load available in	Majalgaon Dist. Beed-	¥:
	Dist. Beed-431131.			name of Gramin Advance Pvt.	431131. within block area.	
				ITI Connected	1) Pvt. ITI Existing :	
				Load 19 KW. Verify by	Electrician 6 (2+2+2) units	
	PR27000843			Inspection Committee.	but NCVT/SCVT	
				4) Machineries bills are	Members Recommended	
	Grading - 6.1			available and are in order.	Electrician 6 (3 + 3) after	
				5) Staff appointment as per	inspection.	
				norms and qualifications are	2) BCC is issued by Gram	
				also verified.	Vikas Adhikari, Gram	v.
				6) Staff attendance is marked on	Panchayat	
				biometric.	Karyalaya,Bhatvadgaon	
				7) All machines are installed	Dist:: Beed, is not as per	
				properly as per norms.	norms.	







554 354				8 ) All machines are working well. Available As Per syllabus. 9) Building areas available as per norms. Sufficient space available. 10) IT Lab is available and computers are working. 11) Drawing hall available as per norms. 12) Good number of amenities are available. 13) Fire extinguishers are present at important location.	3) Plan signed by Consulting civil engineer, Municipal council, Majalgaon and signed by Gram Vikas Adhikari, Gram panchayat. 3) As per plan drawing hall area 34.09 Sq.mts available. As per norms 50 sq.mts required (shortage-15.91 sq.mts) 4) Two class room area is as per norms but other class rooms area is 17.53 sqm. As per norms 25 sqmts required. (As per area mentioned in plan) Power Required: Electrician 6(2+2+2) - 5.2 KW Available: 19 KW.	
2	Gramin ITI, Nanded At post Ghodaj Road, Kandhar Tq. Kandhar Dist Nand NANDED- 431714 PR27000993	Existing	Copa 1(0+0+1) Electrician 20(6+6+8) Wireman 4(1+1+2) Mechanic Refrigeration and Air Conditioner 3(1+1+1) Basic	1) As Per DGT/NCVT Norms Space, Infrastructure ,tools equipment machinery are available for Recommended trade/units as per syllabus. Electrician 06+06+00 Total=12 Unit ,Wireman 01+01+00 Total=02 unit ,Mechanic Refrigeration And Air Condition (MRAC) 01+01+00 Total+02 unit Recommended in Next		SCAA Recommended the following trades: Electrician - add. 12 (6+6) units Wireman -2 (1+1) Mechanic Refrigeration And Air Condition (MRAC) - 2 (1+1)



2	Cramin Drivata ITI	Eviating	Cosmetology 3(1+1+1)	Academic Session But Basic Cosmetology Not Recommended Due to not installed tools equipment machinery Properly and Copa Trade only third shift apply by institute not allow Due to this region Not Recommended.  2) Agree, In View of above Mentioned inspection points by team committee member Recommended.		SCAA
3	Gramin Private ITI Dagadwadi Tq. Parli Dist. Beed Gramin ITI Dagadwadi Tq. Parli Dist. Beed -431515 PR27001020	Existing	Electrician 16(4+4+8) Wireman 8(2+2+4) Surveyor 2(1+1+0)	1) Considering above factors the committee Recommends Following units for affiliation as per norms: Electrician (New) 4+4+0 =8 Units Recommended Wireman (New) 2+2+0=4 Units Recommended Surveyor (New) 1+1+0= 2 Units Recommended(As per Annexure 3) 2) Agree , Committee Recommends Following: Electrician (New) 4+4+0 =8 Units Wireman (New) 2+2+0=4 Units Surveyor (New) 1+1+0= 2 Units.(As per ICVC Members)	BCC Issued by ग्रामसेवक ग्रामपंचायत कार्यालय दगडवाडी जिला बीड महाराष्ट्रा	SCAA Recommended the following trades:  Electrician - add. 6 (3+3) units Wireman -Add.4 (2+2) Surveyor (New) 2 (1+1)
4	HA.BHA.PA SOPANKAKA KELE ITI Kelewadi, Taluka, Vashi	Existing	Fitter 2(1+1) COPA 2(1+1)	CITS faculty and required staff available for all trades.     Land 2 Acre, class room	Licensed Architect. Not as	SCAA also observed following deficiencies:



y s

	Dist Osmanabad,		Electrician	space, Tools & equipment's,	2 - The building plan ( first	
112	Maharashtr-413503 PR27000986		2(1+1)	Machinery, CITS faculty, other Staff, power supply 25 Kw and amenities available as	floor) differ in Electrical lab, COPA lab & Store room in Application form	BCC is not as per norms
				per norms. Hence Recommended for totally 6 units i.e., Fitter 1+1+0,	and SCVT/ INST inspection report. NCVT Member has not uploaded	2. Building plan not available
				COPA 1+1+0 and additional units of Electrician 1+1+0	a photo. 3 - CITS certificate of trainers 02 available. (	ITI will rectify all the above deficiencies and submit the detail
194		2			Electrician= 01, Fitter = 01)	to State Directorate within 15 days from issue of this MoM.
						State Directorate will submit the signed & stamped report to DGT within 07 days.
26						After receipt of report from State Directorate, case will be placed in the next SCAA.
5	CHHATRAPATI SHIVAJI MAHARAJ PRIVATE ITI	New	Surveyor 2(1+1+0) Electrician	Agree , Inspection process completed smoothly.(As per ICVC Members )	1) BCC Issued by सरपंच ग्रामपंचायत दबपिम्प्री जिला	SCAA observed the following deficiencies:
	RATNAPIMPARI		2(1+1+0)	2) Staff Appointment : null,	जलगाव .	donoienoies.
	RATNPIMPRI GAT NO.		Fitter 2(1+1+0)	Appointment letters of staffs are	.2) Building plan signed by	1. BCC is not as per
	125 (DABAPIMPRI SHIVAR), PAROLA		Health Sanitary	available Under taking of CITS trainers attached.(As per NCVT	Architect and sarpanch	norms 2. Building plan not



	AMALNER ROAD NEAR SHIV DHAM TAL. PAROLA DIST. DHULE		Inspector 2(1+1+0)	Member ) 3) As per NCVT affiliation norms, Space, Infrastructure,	available in thair Application . 3) Building plan not	available 3. CITS instructor details not given
	425111 TMPSP002			Electricity, Tools, Equipment and Machineries are available for Electrician (1+1+0) 2 Units, Fitter (1+1+0) 2 Units, Surveyor (1+1+0) 2 Units and Sanitary Health Inspector (1+1+0) 2 Units.  Hence Recommended for Electrician (1+1+0) 2 Units, Fitter (1+1+0) 2 Units, Surveyor	uploaded by ICVC members.	ITI will rectify all the above deficiencies and submit the detail to State Directorate within 15 days from issue of this MoM.  State Directorate will submit the signed &
				(1+1+0) 2 Units and Sanitary Health Inspector (1+1+0) 2 Units.(As per Annexure 3).		stamped report to DGT within 07 days.  After receipt of report from State Directorate, case will be placed in the next SCAA.
						Matter dealt in SSDEC agenda (Annexure-VI)
6	Trimurti Industrial Training Institute Survey no. 227/2 Near KBCNMU, Opp. Hotel Govind , Paldhi Bk., Tal Dharangaon, Dist :- Jalgaon-425103	New	Draughtsman (Civil) 2(1+1+0) Electrician 2(1+1+0) Wireman	Agree , Inspection process completed smoothly (As per ICVC Members)      As per NCVT norms space, infrastructure, electricity, tools, equipment and machinery are	<ul><li>2. Building plan not available</li><li>3. Electricity Bill not as per</li></ul>	SCAA observed the following deficiencies:  1. BCC is not as per norms 2. Building plan not





	S	MPSP065		2(1+1+0) Fitter 2(1+1+0)	(1+1+0) 2 un (1+1+0) 2 un (1+1+0) 2 un (1+1+0) 2 Un Annexure  3) Yes, Appoint staffs are av taking of CIT attached.(As Member).	its, Electrician nits, Wireman its and Fitter its . (As per 3). iment letters of ailable. Under S training is per NCVT		available 3. Electricity Bill not as per norms. 4. IT lab not as per norms. 5. CITS instructor details not given  ITI will rectify all the above deficiencies and submit the detail to State Directorate within 15 days from issue of this MoM.  State Directorate will submit the signed & stamped report to DGT within 07 days.  After receipt of report from State Directorate, case will be placed in the next SCAA.
7	Tq At. Po	ramin Pvt. ITI Malakoli g.Loha Dist.Nanded .Malakoli ost.Malakoli Tq.Loha st.Nanded -431708	Existing	Electrician 16(4+4+8) Wireman 16(4+4+8) Surveyor	Space, Infrast equipment m		Exiting ITI. Recommendation trades differ in Annexure-III and Inspection report submitted by NCVT/SCVT members.	SCAA Recommended the following trades: Electrician (addl.) 6(3+3)



		1(0+0+1)	,Wireman01+01+00	Total=02	1) Elec	ctrical	power	Wireman	(addl.)
PR27000611		Copa 1(0+0+1)	unit Recommended	in Next	required	84.7	KW but	2(1+1)	
	2:		Academic	Session.	sanctioned	d load	-60 KW.		
					Shortage	of pow	er - 24.7		
Grading 5.90			As per Inspection	report	KW.				
			submitted by NCVT &	SCVT is					
			as given	below:-					
			Agree , In View o	f above					
		l l	mentioned inspection	points by					
			team committee r	members					
			Recommended.						
			1) Land Lease ag						
			available 04/02/20						
			03/02/2050 total	33					
			years						9
			2) Building co	-					
			certificate Available	as per					
			Norms.	ilabla 60					
			3) Electricity Load Ava						
			KW In Name of ITI s						
			4) As per Syllabus of tools	uipment,					
	۰		machinery	are					
			available in worksh						.20
			working condition and						
			installation	property					
			5) IT lab and Drav	wing lah					
			available.	wing lab					
			a valiable.						



you e

8		GOVT.ITI PHULAMBRI	Existing	Electronic		The Electrician and Fitter	SCAA
		Near Police Station		Mechanic	1) Recommended for Affiliation	trade has zero intake for	Recommended the
		Phulambri. Tq.		1(1+0+0)	for CTS Trade	consecutive year.	following trades:
		Phulambri. Dist.		Wireman	(1) Electronics		
		Aurangabad		1(1+0+0)	Mechanic = (1+0+0) = 1		Electronic Mechanic
		431111		Tools & Die			1(1+0)
				Maker ( Press	(2) Wireman= (1+0+0)	ļ.	Wireman 1(1+0)
	•	GR27000543		tools , Jigs &	= 1 Unit(additional)		Tools & Die Maker (
				Fixtures) -	(3) Tool & Die	1	Press tools , Jigs &
		Grading - 6.8		1(0+1+0)	Maker(Press Tools, Jigs		Fixtures) - 1(0+1)
				COPA	&Fixtures) = $(0+1+0)=1$		
				1(1+0+0)	Unit(New)		However, State
					(4) Computer Operator		Directorate to ensure
					and Programming Assistant		availability of CITS
					(COPA) = (0+0+0)= 0		trained instructors
					unit(additional) due to no		before the start of the
					provision of classroom to		session 2023-24.
					accommodate additional unit		
					trainees.		
					2) Manpower available for		
					existing 3 trades and for New		
					Trade Tool & Die Maker(Press		
					Tools, Jigs & Fixtures)		
					3) Suggestion: " classroom		
	œ		l l		should be in different area from		
					workshop"		
					As per ICVC members:		
					1) Staff Attendance : No,Staff		
					using HRMS mobile App for		
					attendance.		
					2) Student Attendance :	^	
					Yes,Student Biometric under		



				repair. Hence not being used by students. 3) Agree , Inspection completed.		
9	Govt. ITI Seloo, Wardha ,Maharashtra-442104 GR27000512 Grading - 8.3	Existing	Electrician- 2(1+1+0)	1) Tax invoice of DG set is available but DG set is not available ITI Principal regretted for delay in supply and assured to Inspection Committee that Installed DG set with photos and video will send within 3 days to RDSDE Maharashtra.  2) Sufficient Manpower, land building, Power Supply, Machineries, Tools and Equipment's available. Hence Recommended for affiliation Please.  As per ICVC Member.  1) Agree, Recommended for 02 Units of Electrician Trade Shift 1 and Shift 2.  2) Staff Appointment Info: Yes, Only 1 Instructor CITS trained others required CITS.  3) Student Attendance: Biometric not available for students but maintained manual attendance register.  4) Machinery Installation Info: Yes, available as per norms but some machinery required	HRMS app is being used for attendance of employees. The photo of the biometric machine is not available.	SCAA Recommended the following trades:  Electrician-2(1+1)  However, State Directorate to ensure availability of CITS trained instructors before the start of the session 2023-24  Matter also dealt in SSDEC agenda (Annexure-VII).
				Some machinery required	A	



Government Industrial Training Institute, Ardhapur, Dist. NANDED, State: Maharashtra Nanded Hingoli Road, Near mahada colony, Ardhapur Dist. Nanded 431704  GR27000610  Grading - 7.4  Gra					proper installation. 5) IT lab : Yes, available as per norms, IT Lab upgradation process also going on.		
	10	Training Institute, Ardhapur, Dist. NANDED, State: Maharashtra Nanded Hingoli Road , Near mahada colony ,Ardhapur Dist. Nanded 431704  GR27000610	Existing	Mechanic	individually and jointly satisfied during the day of inspection hence it is Recommended that affiliation may be granted to Electronics Mechanic Trade One unit each in shift First & Second. i.e Electronics Machanic-2(1+1+0) (As per Annexure III). 2)Tools and Equipment was available during inspection except Sr.No 77 and 94 in the syllabus of Electronics Mechanic trade. 2)AC not found installed in IT Lab. 3)Generator Set was not found during inspection. (As per Annexure III) 3) On the day of inspection it was observed that there was frequent power failure. Hence generator set should be available with the Institute for proper and smooth conduct of Training. (As per Annexure III) 4) Agree ,Recommended	were available during the inspection except for course number 77 and 94 of electronics mechanic trade.  2) AC was not installed in the IT lab during the inspection.  3) Generator set was not found during inspection in	as per due to deficiencies of tools



				Members). 5) 10Nos Computers Available with Internet connection.AC not installed / Available . (As per NCVT Report).		<b>⊗</b>
11	ITI PARBHANI (Govt.) Jintur Road, Parbhani 431401 GR27000036 Grading - 6.7	Existing	Draughtsman Mechanic 1(0+1+0) Electrician 2(0+1+1) Mechanic Diesel 2(0+1+1) Welder 1(0+1+0) Wireman 1(0+0+1) Machinist Grinder 1(0+0+1)	1) As per electric bill, the sanctioned load is 100 KW and connected load is 187 KW is available. The Total required load for existing trade is 179.57KW and for new trade is 54.8 KW. As informed by Principal, ITI submitted the demand letter to electric board for enhancing the load up to 280 KW 2) Tools and equipment are available and found working condition during the inspection. Generator is not found. 3) The building is completely deteriorated and the condition of building is not good. THE ITI building is in need of repair and renovation. 4) ITI Name board on building is not found during inspection inspection team advice to install it urgently. Power load is less than required load. Inspection team advice to enhance the power load immediately.	270.2KW 2) The Driver cum Mechanic and Surveyor trade has zero intake for consecutive year.	Not Recommended as per due to Shortage of Power load



Mys

		Principal, ITI given the consent	
		for the trades Electrician,	
		Mechanic Diesel, Wireman &	
		Machinist Grinder which are in	
		third shift to run on DST Mode	
		from session 2023-2024.	
	9:	5) Inspection team jointly and	
		individually agreed and	
		recommends the affiliation as	
		under: Draughtsman	
		Mechanical (1+1+0) 2.	
		Electrician (2+2+1) 3.	
		Mechanical Diesel (2+2+1) 4.	
		Welder (2+2+0) 5. Wireman	
		(1+1+1) 6. Machinist Grinder	
		(1+1+1) subject to fulfill the	
		condition of required power	
		load. Unit sought by ITI in	
		second shift for electrician	
		,Mechanic Diesel & Welder	
		trade are not Recommended by	
38		inspection team.	
		As per ICVC:	
		1) Own land-1,21,288.75 Sq.m	
		2) Yes, Sanction load 100KW	
		3) Attendance Mark through	
		DVET-HRMS APP by staff	
		4) Fire Safety Certificate not	
		produced	
5.0		5) Agree , Recommended 1.	
		Draughtsman Mechanical	\ \ \
		(1+1+0) 2. Electrician (2+2+1) 3.	



6				Mechanical Diesel (2+2+1) 4. Welder (2+2+0) 5. Wireman (1+1+1) 6.Machinist Grinder (1+1+1)		×
12	Govt. ITI Nanded Maharashtra  GR27000010  Grading - 7.7	Existing	Electrician- 2(0+0+2) COPA- 2(1+1+0)	1) Manpower is available for the existing Trades as per Affiliation Norms. For the New COPA trade, Additional Electrical trade after granting of affiliation, VI is recruited  2) Electrical Connection name: The Principal, Govt ITI Nanded. Consumer No. 550019000010 Meter no: 055-x1082431. Three phase - connection, Demand Load -300 KW Sanction load -315 KW (available) and required load:284.1 KW  3) Machine installation checked and installation commissioning checked all Machine are in good working condition & machinery is to be get foundation completed by next 10 days from PWD department as per ITI Principal undertaking  4) One biometric machine available. Only in Machinist trade found in biometric Process. Instructed that within next two days all trades students biometric must be	1) Shortage of Load is 231.7KW. 2) Third shift to be run in DST mode only. 3) After award of affiliation VI will be recruited for new COPA and additional Electrical trade.	Recommended the following trades:



				started.		
				5) Recommended for Affiliation		
				for CTS Trade		
its				1) COPA (New) =		
				(1+1+0) = 2 Unit		
				2) Electrician		
				(additional) = (1+1+0)= 2 Units,		
				subject to providing completion		
				of Machinery foundation work in	1	
				by PWD.		
				As per ICVC		
			1	1) Yes, App.No. 48511549 Dt.		
				25.4.23 Revised Load 300KW		
				This is HT consumer Meter fix in		
				closed Cabinet & also seal by		
				MSEB hence video are taken		
				out		
				side view.	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
				2) Agree , Recommended 1.		
				New COPA (1+1+0) 2.		
				Additional Electrician (1+1+0)		
13	Shirdi Sai Rural	Existing	Electrician		1) Two meters are	SSDEC
13	Institutes Pvt.ITI	LAISHING	2(1+1+0)	1) Workshop Having Cement	l ,	Recommended the
	,Rahata, Ahmednagar.		Mechanic	Sheets Roof Top & Only 4 Nos	names: 52Kw in the name	proposal of this ITI.
	, italiata, Allineullagai.		Diesel	Instructor Are CITS Trained.	of Secretary ITC Rahata	SCAA
	PR27000497		2(1+1+0)	Institute Website Available.	and 12Kw in the name of	Recommended for
	11(27000707		2(1110)	2) Building, Infrastructure, Tools	Director Shirdi Sai Gramin	following trades:
	Grading - 7.8			& Equipment & Machinery, Man	Sansthan.	Tollowing trades.
3	Crading 7.0			Power Available To Run The	2) Biometric machine is	Electrician (Addl.)
				Additional 2 Units In Electrician	available for the student	2(1+1+0)
				Trade 1+1+0=2 And New Units	but photo is not uploaded.	2(1.110)
				In Mechanic Diesel Trade	3) Inspection Report of	
				III MCCHaille Diesel Hade	of mapeonon fitoport of	



				1+1+0=2.Hence Recommended For Affiliation.  3) Sufficient Power Supply Having 2 Electric Meters Available To Run The Above Units.  As per ICVC  1) Yes, Two meters available connection with different name .(Two meters available connection with different name).  2) Yes, only four instructor CITS trained.  3) Agree, electrician 3 <sup>rd</sup> and 4th unit mech. diesel 1st and 2 <sup>nd</sup> unit Recommended for affiliation.	uploaded.	Mechanic Diesel (New) 2(1+1+0)  Matter also dealt in SSDEC agenda (Annexure-VII).
14	SHRI DHANESHWARI MANAV VIKAS MANDAL WALUJ PRIVATE INDUSTRIAL TRAINING INSTITUTE AURANGABAD GUT NO.51 BUDRUK WALUJ TQ. GANGAPUR DIST. AURANGABAD-431136  TMP27469PR16467241 93	New	Electrician 2(1+1+0) Wireman 2(1+1+0) COPA 2(1+1+0) GEO- INFORMATIC S ASSISTANT 2(1+10) Marketing Executive 2(1+1+0)	1) Shri Dhaneshwari Manav Vikas Mandal Waluj Private Industrial Training Institute Aurangabad is located in a rural area, all four trades are suitable for generating self-employment 2) Sufficient Technical and nontechnical staffs are available as per norms Principal -01, Instructors-10, Store Keeper -01, Clerk -01, Liberian -01, Peon -01, Security 01, Sweeper-1 are available in this institute. And Two instructors are trained in CITS.	Only 4 trades have been Recommended by ICVC members.	SSDEC Recommended the proposal of this ITI. SCAA Recommended for following trades:  1) Electrician 1+1+0 2) wireman 1+1+0 3) Geo informatics assistant 1+1+0 4) marketing executive 1+1+0 RD, RDSDE to verify



	3) The institute trust is the owner	the CITS instructors
15	of this 2.5 acre land and	details before start of
	sufficient space available in this	session 2023-24
	institute for four trades. The	
	Graama Panchaayathu has	1
	approved and certified the plan	
	layout	
	4) The institutes Internet	
	connection should ideally be	
	optical fiber in order to increase	
(5)	the speed to 100 mbps.	
	5) Requisite machinery,	
	equipment, power supply, staffs	
	and infrastructures are	
	available, therefore Electrician-	
	1+1+0=2 units, Wireman-	
	1+1+0=2 units, GEO-	
	Informatics Assistant1+1+0=2	
75	units, and Marketing Executive -	
	1+1+0=2 units have been	
	Recommended for affiliation.	
	As per ICVC	
	1) New ITI seeking affiliation so	
	the trainer records are not	
	applicable.	
	2) Agree , required equipment	
	power & infrastructure & staff is	
	available for	
	1) Electrician 1+1+0	
	2) wireman 1+1+0	
	3) Geo informatics	



				assistant 1+1+0 4) marketing executive 1+1+0 hence has		
				been Recommended.		
						8,9
15	YASHODEEP SAMAJIK VIKAS SANSTHA SARALGAON PRIVATE ITI THANE,At. Post. Saralgaon, Tal. Murbad Dist. Thane-421401 TMP27497PR16471542 18	New	Electrician 2(1+1) Wireman 2(1+1) Human Resource Executive 2(1+1) GEO- INFORMATIC S ASSISTANT 2(1+1)	1st Shift, 2nd Unit 2nd Shift (1+1+0)). Hence Recommended for the same. 2) Total constructed area is 1354.17sq.m out of which 387.70sq.m area is used for workshop and classrooms. And in remaining area store, principal cabin staff room, TCPC cell, Library, IT lab, washrooms	Building plan is not readable properly.     BCC Certificate not uploaded by NCVT member but uploaded by SCVT and INST members.	discussed in SCAA and following deficiencies are observed:  1. BCC is not as per norms. 2. Building plan is not readable. 3. Details of CITS trained instructors.  ITI will provide the BCC, building plan and submit the instructor details to State Directorate within 07 days from issue of this MoM.
				etc. are included. Institute has its own building on own land. As per ICVC		Thereafter, State Director will verify BCC as per local building bye-laws &
					A ,	building bye-laws &



				Agree , ITI inspection has been completed successfully.		instructor details and submit the signed & stamped report to DGT within 07 days.  After receipt of report from State Directorate, case will be placed in the next SCAA.
æ	Annasaheb Dange Audyogik Pradushan Kendra Astha Pvt.ITI,Sangli ,Maharashtra.Pin code- 416301.  PR27000669  Grading - 8.3	Existing	Mechanic Motor Vehichle 2(1+1+0) Dress Making 2(1+1+0) Electrician 2(1+1+0)	1 - Report from Members Total constructed area is 2972 Sq Mtr out of which 1188.5 Sq Mtr area is used for workshops and classrooms, IT lab, Drawing hall. In remaining area store, Principal room, staff room, library, washroom etc are included. Institute has its own land.  2 - Report from Members As per norms required load is 33.21kw and available load is 319 kw. 3 phase supply out of 63kw allotted to ITI.  3 - As Per NCVT affiliation norms space, infrastructure, electricity, Tools, Equipment, machineries are available for (1) Electrician trade 1st unit 1st shift, 2nd unit 2nd	1 - In the campus along with the ITI & Engineering college run. NOC is not uploaded. 2 - Mechanic Motor Vehicle & Dress Making Lab photos not uploaded. 3 - Annasaheb Dange College of Engineering & Tech. Donated Automobile Machine / Accessories to ITI in Mechanic Motor Vehicle Trade. 4 - Instructor CITS certificates not available.	Recommended the proposal of this ITI. SCAA Recommended for following trades:  Mechanic Motor Vehicle 2(1+1) Electrician 2(1+1)  RD, RDSDE to verify the CITS instructors details before start of session 2023-24.  Matter also dealt in SSDEC agenda (Annexure-VII).



				shift (1+1+0) (2) Mechanic Motor vehicle (MMV) 1st unit 1st shift, 2nd unit 2nd shift (1+1+0). Hence Recommended for the same.		
17	Dayaramji Bhoyar Pvt.ITI, Kodamendhi,Nagpur,Ma harashtra-441106  PR27000841  Grading - 0.8  Old address & Location - Dayaramji Bhoyar Pvt.ITI, Kodamendhi,District - Nagpur, Maharashtra- 441106. & Latitude: 21.3219, Longitude: 79.4755.  New address & Location - Dayaramji Bhoyar Pvt.ITI, At Mouda TH - Mouda, District - Nagpur,Maharashtra- 441104.& Latitude: 21.1498732, Longitude: 79.3944786.	Shifting case	Not mentioned new trade in application	1 - Land building premises available as per norms all the premises well maintained and good for training hence, Electrician 01+01+00=02 units and Fitter 01+01+00=02 units Recommended for affiliation.	1 - Change of address & Location - Old address & Location - Dayaramji Bhoyar Pvt. ITI, Kodamendhi, District - Nagpur, Maharashtra-441106. & Latitude : 21.3219, Longitude : 79.4755.  New address & Location - Dayaramji Bhoyar Pvt.ITI, At Mouda TH - Mouda , District - Nagpur, Maharashtra- 441104.& Latitude : 21.1498732, Longitude : 79.3944786.  2 - In the campus along with the ITI & other institute run. NOC is not uploaded.  3 - Instructor CITS certificates not available.	State Directorate inform that ITI shifted within one kilometer and SSDEC also the Recommended the same, SCAA agree and Recommended with existing trades/units.  RD, RDSDE to verify the CITS instructors details before start of session 2023-24.  Matter also dealt in SSDEC agenda (Annexure-VII).



18	Govt. Industrial Training Institute Chakur Dist Latur AT POST CHAKUR TQ. CHAKUR DIST LATUR3 413513 GR27000470 Grading - 8.3	Existing	Electronic Mechanic 1(0+1+0) COPA - 2(1+1+0)	1 - As per norms required load is 40 Kw, connected sanction is 50 Kw with 3 phase supply. Solar plant of 19 Kw is also available. 2 - As per NCVT affiliation norms Space, Infrastructure, Electricity, tools, equipment, machineries are available for 2 new COPA (1+1) and one additional unit of Electronics Mechanic. Hence Recommended for 2 new COPA (1+1) and one additional unit of Electronics Mechanic for affiliation.	1 - Instructor CITS certificate not uploaded.	SCAA Recommended the following trades:  Electronic Mechanic 1(0+1+0) COPA -2(1+1+0)  However, State Directorate to ensure availability of CITS trained instructors before the start of the session 2023-24
19	Government Industrial Training Institute, Jafrabad, Dist: Jalna Bhokardhan Road JALNA-431206 GR27000364  Grading - 8.9	Existing	Fitter 1(0+1+0)	1 - Agree , Fitter Trade One Unit in Second Shift Recommended since August 2023.	1 – Electricity Sanctioned power load 40 KW but Required 40.59 KW & shortage of 0.59 KW 2 - As per plan layout, Electrician lab as per norms 98 Sq. m. but available 53.52 Sq. m. & shortage of 44.48 Sq. m. 3 - As per plan layout, Sewing Technology lab as per norms 64 Sq. m. but available 36 Sq. m. &	Recommended the following trades:  Fitter 1(0+1)  However, State Directorate to ensure availability of CITS trained instructors before the start of the



					shortage of 28 Sq. m. 4 - Instructor CITS certificates not available.	Matter also dealt in SSDEC agenda (Annexure-VII).
20	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE KALAMB DIST. OSMANABAD TANDULWADI ROAD, KALAMB TQ. KALAMB DIST. OSMANABAD 413507 GR27000138 Grading - 8.2	Existing	Welder 1(0+1+0) Surveyor 1(0+1+0)	1 - Report from Members required power supply 48.96 kw .Available power supply 30kw. 2 - They have applied electricity board to increase the load to 50 kw from 30 kw. It should be follow up. 3 - Not found biometric machine for student. 4 - Not found accessibility facility for PWD 5 - Annexure III repot - Nil 6 - NCVT & SCVT Inspection repot - Agree , welder one unit in shift 2 and surveyor one unit in shift 2 Recommended after getting proof of power document of 48.96 kw.	power load 30 KW but Required load 77.21 KW & Shortage of load = 47.21 KW. 2 - Staff data not uploaded.	Not Recommended
21	Govt. ITI Parner, Ahmednagar ,Maharashtra-414302 GR27000360	Existing	Electronic Mechanic 1(0+1+0) Fitter- 2(1+1+0)	<ul> <li>1 - No Biometric machine for students, only physical attendance of students.</li> <li>2 - Yes biometric machine available but physical attendance.</li> <li>3 - No Fire NOC with ITI as this</li> </ul>	1 - Instructor CITS certificates 01 available ( Electrician - 01)	SCAA Recommended the following trades:  Electronic Mechanic -1(0+1) Fitter - 2(1+1)



*	Grading - 7.4			ITI is an existing ITI. 4 - Recommended for Affiliation for CTS Trade 1) Electronics Mechanics = (0+1+0) = 1 Unit (additional) 2) Fitter (New) = (1+1+0)= 2 Units, subject to providing Fire NOC.		However, State Directorate to ensure availability of CITS trained instructors before the start of the session 2023-24  Matter also dealt in SSDEC agenda (Annexure-VII).
22	Government Industrial Training Institute, Shrigonda, Dist: Ahmednagar Wadali Road AHMEDNAGAR- 413701 GR27000421 Grading - 7.5	Existing	Electrician 1(0+1+0) Fitter 1(0+1+0)	1 - Agree , For trades Electrician and Fitter additional one unit each is Recommended for affiliation in the second shift.	1 - Electricity Sanctioned power load 65 KW but Required 67.52 KW & Shortage of 2.52 KW. 2 - Instructor CITS certificates not uploaded.	following trades:



23	SANJAYSINH	Existing	Solar		1 - Electrical Connection issued	1- BCC issused by Gram	The matter was
	GAIKWAD PRIVATE		Technician	(	in the name of the ITI Principal.	panchayat Donoli Tal-	discussed in SCAA
	INDUSTRIAL		Electrical)	_	2 - 50% of Group Instructors	Shahuwadi, dist-Kolhapur.	and following
	TRAINING INSTITUTE		2(1+1+0)		should be CITS passed as per	Not available as per	deficiencies are
	DONOLI/BAMBAVADE		` ′		Affiliation Norms.	norms.	observed:
	KOLHAPUR				3 - Tools & equipments and	2 - Instructor CITS	
	AT/PO-DONOLI,TAL-				Machineries are available in	certificates not available.	1. BCC is not as per
	SHAHUWADI,DIST-				Solar Technician		norms.
	KOLHAPUR, PIN CODE-				(Electrical) Workshop as per		2. Biometric machine
	416213				NCVT-CTS- NSQF syllabus		not installed.
	416213				4- Biometric Attendance		3. Details of CITS
					Machine System(BAMS) for		trained instructors.
	PR27000631				Students is not available		
					in this PITI.		
	Grading - 8				5 - The CCTV camera system is		ITI will rectify all the
	J T T T T T T T T T T T T T T T T T T T				not available in this PITI.		above deficiencies
					6 - Playground is not available in		and submit the detail
					this PITI.		to State Directorate
					7 - Specific remarks on the		within 07 days from
					Affiliation Status according to		issue of this MoM.
					the Category		
					Recommended for Affiliation		State Directorate will
					for CTS Trade: Solar Technician		submit the signed &
					(Electrical)=(1+1+0)= 2		stamped report to
					Units(New) for FY-2023-24		DGT within 07 days.
							After receipt of report
-							from State
							Directorate, case will
							be placed in the next
							SCAA.
						1	



24	Shri Chatrapati Raje Pvt.	<u>Existing</u>	Electrician	1 - Yes, sanctioned load 30.48	1 -Staff data not available.	The matter was
	ITC		2(1+1+0)	kw. letter found regarding		discussed in SCAA
	TRIMURTI NAGAR,		Wireman	increasing load		and following
	WANGAON FATA TQ		2(1+1+0)	2kw.		deficiencies are
	BEED & DIST BEED		COPA	2 - As per Annexure III report -		observed:
	431126		2(1+1+0)	Welder trade 1+1 unit already		
			, ,	affiliated.		1. Details of CITS
	PU27000805			3 - As per NCVT, SCVT & INDT		trained instructors
				Inspection report - Agree , All		not provided.
	Grading - 4.9			machinery	l i	not provided.
	J. J			and tools and equipment's ,	\ \	ITI will submit the
				infrastructure found as per		details of CITS
				norms.		instructors to RD,
				THE THE STATE OF T		RDSDE within 07
						days from issue of
						this MoM.
						uns Iviolvi.
						RD, RDSDE will
						verify the same and
						submit the signed &
	*					stamped report to
						DGT within 07 days.
						DOT William of days.
					10	After receipt of report
						from RD, RDSDE,
						case will be placed in
						the next SCAA.
						the next SCAA.
25	PNSARODE PRIVATE	<u>New</u>	Electrician	1 - Electricity bill not in the Name	1 - Electricity bill in the	The matter was
	INDUSTRIAL		2(1+1+0)	of ITI. it has LT Three Phase	name of the secretary of	discussed in SCAA
	TRAINING INSTITUTE		Welder	supply 30kw	society.	and following
	PRIVATE INDUSTRIAL		2(1+1+0)	which is used for ITI.	2 - Instructor CITS	deficiencies are
	TRAINING INSTITUTE,		Fitter 2(1+1+0)	2 - Machinery Installed found	Certificate 01 no.	observed:



	WARDHA At Post: Sawali(Wagh), Taluka: Hinganghat. District: Wardha, State: Maharashtra. 442301 TMP27498PR15823748 42		Computer Hardware & Network Maintenance 1(1+0+0)	satisfactory in good working conditions & Found in working conditions.  3 - Agree , Agree, Recommended Electrician (1+1+0), Fitter (1+1+0), Computer Hardware Networking and Maintenance (1+1+0), Welder (1+1+0) total 4 Trade Recommended.	available.( Fitter - 01 no.)	1. Electricity bill not in the name of ITI / Society at ITI address. 2. Details of CITS trained instructors.  ITI will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.  State Directorate will submit the signed & stamped report to DGT within 07 days.  After receipt of report from State Directorate, case will be placed in the next SCAA.
26	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE (ADIVASI)ARJUNI/MOR GAON ,DIST GONDIA GOVT. ITI , ARJUNI MORGAON , TA	Existing	Wireman 1(0+1+0) Electrician 3(1+2+0)	Sufficient man power, Power Supply, land Building, Machinery, Tools & Equipment's available Hence Recommended for Affiliation Existing trade and Units.	Existing Govt ITI (Adivasi) Gondia MH 1) Electrical Load shortage = 15.99 KW, Total power required 75.69 KW. 2) BCC not uploaded. 3) Instructors CITS	SCAA Recommended the following trades: Wireman 1(0+1+0)



	ARJUNI MORGAON ,	But not Recommended the	certificates not uploaded.	
	DIST GONDIA, PIN	following trades: Electrician	4) Biometric machine not	Electrician 3(1+2) is
	CODE	New 03 units(1+2) and Wireman	uploaded.	not Recommended
	441701	New 1 unit in 2nd shift.		due to shortage of
				electricity load.
	GR27000320	1) Classrooms are inadequate		
		required work proposed by		However, State
	Grading - 7.1	Institute and Work is under		Directorate to ensure
		process Now due to lake of		availability of CITS
		space Store and Library running		trained instructors
		in Hostel premise as there are		before the start of the
		10rooms and 15 Students		session 2023-24
		admitted every year effort are		
		made for Generator repairing.		
		2) Tools and Equipment's are as		
		per norms Machinery are		
		Working Condition except DC		
		Generator Set.		
		0) 14		
		3) Manpower available for		
		Existing trades But provide		
		Instructor CTI bonafide		
		Certificate for applied New Units		
		of Electrician and Wireman		
		trades.		
		4) Shortage of Classrooms for		
		New applied Units		
177				
		5) Using HRMS App and		
		Manual attendance register for		
		Staff Attendance. Biometric		
		Machine not available.		



1 1				properly. Some Machines are not in working condition.	
			)	7)In IT Lab only computer are available no power back, no Internet, no air conditioner.	( <b>3</b> )
				8) In Drawing hall drawing table not as per Syllabus.	
				9) Fire Safety Certificate not available.	
				10) Storeroom and Library are running in hostel Vacant rooms.	,
27	GOVT.ITI AHMADPUR NANDED ROAD AHMADPUR-413515 , Dist- .LATUR,MAHARASHTR A GR27000072 Grading - 7	Existing	Electrician 1(1+0+0) Wireman 1(1+0+0) Electronic Mechanic 1(0+1+0)	As per Annexure - III report A) As per NCVT affiliation norms except electricity load all others like space, infrastructure, tools, equipment's, machineries are available for 1)Electrician (1+1+0), 2) Wireman (1+1+0), 3)Mechanic electronics(1+1+0).) B) Hence Recommended as above (As per inspection report)  1) As per norms all tools and equipment's and machineries are available in working condition in the	SCAA Recommended the following trades: Electronic Mechanic 1(0+1+0)  Electrician 1(1+0+0) and Wireman 1(1+0+0) is not Recommended due to shortage of electricity load.  However, State Directorate to ensure availability of CITS trained instructors



Page **141** of **260** 

				Institute 1)Electrician (1+1+0),2) Wireman (1+1+0), 3) Mechanic electronics(1+1+0). 2) As per norms required load is 42.55 kw and available load is 27kw. Three phase supply and Institute applied for extra load 18kw vide application no a/2022/255 dated 24/6/2022 to Maharashtra State Electricity Distribution Co. Ltd. Supporting document is uploaded 3) Sufficient Manpower is available as per norms. 4) Safety measure available.		before the start of the session 2023-24
28	Govt. ITI Dharangaon Diat, Jalgaon ,Maharashtra-425105 GR27000349 Grading - 6.9	Existing	COPA- 2(1+1+0)	COPA trade(1+1)units are Recommended.  1) Tools and equipment's for proposed trade COPA is checked and found ok.  2) Biometric machine is available with staff login but not in use as State maintain attendance in EHrms app. state Office order is attached.  3) Machineries bill documents verified and found ok.  4) Machinery in working	2) Instructors CITS certificate not uploaded.	SCAA Recommended the following trades:  COPA-2(1+1+0)  Matter also dealt in SSDEC agenda (Annexure-VII).  State Directorate to ensure the increase the power load and CITS trained



				condition. 5) Amenities available as per norms. 6) Safety measures available as per norms.		instructors before the start of the session 2023-24.
29	Govt. ITI Gangapur ,Aurangabad ,Maharashtra GR27000287 Grading - 8.2	Existing	Electrician- 1(0+1+0) Fitter-1(0+1+0)	Recommended one unit in shift 2 for the trade electrician and fitter.  1) Own land and building is completed in all respect by state PWD available as per norms. 2) Building is completed by state PWD and handed over to ITI. 3) Machinery bills available, installed and all in working condition. 4) State government has its own HRMS system of recording biometric attendance. 5) Amenities available except	Instructors CITS Certificate not uploaded.     Total power required     KW.	SCAA Recommended the following trades:  Electrician-1(0+1+0) Fitter-1(0+1+0)  Matter also dealt in SSDEC agenda (Annexure-VII).  However, State Directorate to ensure availability of CITS trained instructors before the start of the
				canteen are as per norms.		before the start of the session 2023-24
30	GOVT.INDUSTRIAL TRAINING INSTITUTE, HINGOLI, DISTT: HINGOLI MAHARASHTRA- 431513 GR27000293	Existing	Architectural Draughtsman- 1(0+1+0) COPA- 1(0+1+0)	As per NCVT Affiliation norms Space, Infrastructure, Electricity, Tools, Equipment and Machineries are Available for 1) Computer Operator and Programming Assistant(1+1+0) and 2. Architectural draughtsman	38.41 KW found as per norms ,hence, Electrical Power load is not as per norms.	Draughtsman- 1(0+1)
	G1(27000283			(1+1+0) Hence Recommended	1 /	



Page **143** of **260** 

				as Above.	certificate	Matter also dealt in
	Grading - 7.7			1) As per norms required Load	uploaded other	SSDEC agenda
				is 11.5 KW and available Load is	instructors not uploaded.	(Annexure-VII).
				22KW in 3 Phase and institute	monactore from aproducer	( iiii ioxai o vii).
	_			applied for extra load (22KW to	i i	However, State
				38KW) vide application no		Directorate to ensure
				48373543 dated 12th April 2023		availability of CITS
				to Maharashtra State Electricity		trained instructors
				Distribution Co. Ltd. supporting		before the start of the
				document uploaded.		session 2023-24
				Land documents available as		00001011
	,			per norms.		
				2) BCC available as per norms.	/	
				3) Machinery bills as per		
				available.		
. 3			ľ	4) Machinery installed and all		
				are working condition.		
				5) Biometric machine available.		
				6) Safety measure available.		
				7) Amenities are available as		
				per norms.		
31	GOVERNMENT ITI	Existing	Draughtsman	As per Annexure-III report:	Existing Govt.ITI.	SCAA
	NILANGA		Civil 1(0+1+0)	As per NCVT affiliation norms	1).Electrical power load	Recommended the
5	BIDAR ROAD NILANGA		Machinist-	Space, Infrastructure, tools,	shortage = 91.02 KW. Not	following trades:
	TQ NILANGA DIST		1(0+1+0)	Equipment's, machinery , etc	as per norms. The total	_
	LATUR		Mechanic	available except electricity for	power required is 131.22	Draughtsman Civil
	413521		Tractor	one additional unit of Wireman,	KW	1(0+1+0)
			1(0+1+0)	one additional unit of Surveyor	2) NCVT Members	Machinist- 1(0+1+0)
	GR27000143		Surveyor	and one additional unit of	recommendation trades	Mechanic Tractor
			1(0+1+0)	Machinist. Hence	differ in Annexure-III &	1(0+1+0)
	Grading - 6			Recommended for affiliation of	Inspection report.	Surveyor 1(0+1+0)
				one additional unit of Wireman,	3) Instructors CITS	Wireman 1(0+1+0)



			Wireman	one additional unit of Surveyor	certificates not uploaded.	.4
			1(0+1+0)	and one additional unit of	4) No Biometric machine	
				Machinist.	for students attendance.	State Directorate to
				As per NCVT Member		ensure the increase
				Inspection report is as given		the power load and
				below:-		CITS trained
				Agree , Recommended.		instructors before
				1) Land details document		the start of the
				checked and found correct, as		session 2023-24
				per norms.		-8
				2) BCC checked found correct,		
				as per norms.		
				3) Required load is 52 kw		
				available load is 41 kw of 3		
				phase supply. Letter given to		
				MSEDCL for 75 kw vide letter		
				No. 70 dt. 10.02.2023.		
				4) Machinery bills available.		10
				5) Machinery installed & in		~
				working condition.		
	l I			6) No Biometric Machine for		
				students attendance.		
				7) Safety measures available.		
32	Government Industrial	Existing	Electrician	New units of electrician Trade	Inspection report from	SCAA
1	Training Institute,		2(1+1+0)	i.e Shift-1Unit-1 and Shift-	NCVT01456 VC Based	Recommended the
	Rahuri, Dist:			2,Unit-1 can be given	Inspection	following trades:
-	Ahmednagar Navyug			1) Required load 26.91 KW	Existing Govt. ITI.	*
	Colony, Tandulwadi,			(Existing & New)and Available	1) Instructors CITS	Electrician 2(1+1+0)
	Station Road			connected load-37 KW as per	certificate are not	
	AHMEDNAGAR -			Electricity Bill produced.	uploaded.	Matten also destin
	413705			2) Gov ITI RAHURI has its own	2)Power required-26.91	Matter also dealt in
				land and building.	KW	SSDEC agenda



Page **145** of **260** 

	GR27000499			3) Tools & Equipment are		(Annexure-VII).
				available for Existing as well as		
	Grading - 8.9			New trades		State Directorate to
				4) Machineries are in Working		ensure the increase
12				condition.		the power load and
				5)Classroom Hall, IT Lab, other		CITS trained
				facilitates and Trade Practical		instructors before
				labs available.		the start of the
				6) All per norms Tool&		session 2023-24
				Equipment's, Machineries are		
				available and shown in working		
				condition.		
				7) Staff Biometric Machine		
				Available but not resumed using		
				after lockdown Instructed to		
				continue using staff Biometric		
				8) Student biometric not		
				available  9) Safety measures available.		
				9) Salety Measures available.		
33	GOVT. Industrial	Existing	Turner	As per Annexure-III :-	Existing Govt. ITI .	SCAA
	Training Institute Sakoli		2(1+1+0)	Cufficient management Danie	1) Total power required	Recommended the
*	at post sendurwafa ta			Sufficient manpower, Power	93.92 KW, Electrical	following trades:
	sakoli dist bhandara			Supply land and building,	power shortage = 15.1	
	441802			Machineries and tools	KW.	Turner 2(1+1+0)
				equipment available. Hence Recommended for Affiliation all	2) Biometric machine not	
	GR27000321				uploaded.	
				existing Trades and Units and Turner New 02 Units(1+1).		State Directorate to
	Grading - 9			As per NCVT inspection report		ensure the increase
				as given below:		the power load and
				Agree , Recommended for 2		CITS trained
				units after fulfilling the deficiency		instructors before
				arms after running the deliciency		



as per undertaking given by ITI	the start of the
Principal.	session 2023-24
1) Sufficient power Supply after	
getting demanded load by ITI	1
document attached Demanded	
load 78kw Required load	
73.82kw	1
2) ITI has Sufficient land and	
Building available Including	
Technical School	
under Head of office that is ITI	â.
Principal.	
3) Sufficient manpower is	
available CITS Instructor	
available for Turner trade	
4) Tools and Equipment's are as	
per norms, Machineries are in	
1.	
Working Condition. CNC Lathe  Machine received by transfer	
from Govt.ITI Bhandara	1
5) Lathe machine are less differ	
as per new Syllabus but all	
practical conducted as per ITI	
Syllabus	
6) Minor Deficiency sort out	
within one week as	
maintenance of focus lamp,	
coolant system of lathe, DC	
Generator repairing, Installation	
of CNC Lathe	
Machine, new Signboard	



				Section name plates. 7) Safety equipment fire extinguisher & fire buckets are available.		
34	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE TULJAPUR,BEHIND NAVODAYA VIDYALAYA NALDURG ROAD,TULJAPUR, Distt:- OSMANABAD ,Maharashtra- 413601 GR27000394 Grading - 7.5	Existing	Not mentioned in application	1.Suffiecient man power, Land and building, Power Supply, Machinery , Tool and Equipment's available as Per norms. Hence Recommended For Affiliation For 4 Trades -COPA- One Additional Unit, Welder -One Additional Unit ,Sheet Metal Worker - One Additional Unit ,Mechanic(Electronics)- One Additional Unit.  A) 4.1 Acre (Own Land) And Building Available As Per Norms B) Available Sufficient Power Supply As Per Norms. c) Temporary Instructor appointed for verified 4 trades (sheet metal worker, welder, COPA, electronics mechanic) . Regular staff requirement under process.  d) For staff DVET-HRMS APP used for attendance and verified e) Partially biometric used by student. advised to maintain full fledged attendance for student	MH.  1) Instructors CITS certificate not enclosed. 2) Trade/units sought for affiliation in Excel sheet not available. 3) Total power required 84.94 KW, Shortage load	SCAA Recommended for following trades:  COPA - One Additional Unit, Welder -One Additional Unit , Sheet Metal Worker - One Additional Unit , Mechanic(Electronic s)- One Additional Unit.  Matter also dealt in SSDEC agenda (Annexure-VII).  State Directorate to ensure the increase the power load and CITS trained instructors before the start of the session 2023-24



				at biometric. f) Machinery short fall in co2 gas advised to make it available. g) All class room, computer lab, copa lab, sheet metal lab, welder lab area available as per norms. For electronics mechanics lab partion removal advised.		*
35	HINDI SEVA MANDALACHE SHRI SANT GADGE BABA PVT,ITI.BHUSALAL,JAL GAON,MAHARASHTRA PR27000521 Grading - 5.8	Existing	Mechanic Refrigeration & Air Conditioner 2(1+1+0)	1) Required power is 81.4 kW, but sanctioned load is 64 kw only. 2) Required class rooms are 12, where as 09 class rooms are available. 3) faculty shortage in fitter, electrician, Turner sections are found. 4) Some machinery (like lathe machines, hydraulic pneumatic trainers in fitter, computers in electrician, licensed OS, Talley and other software in COPA and IT) are found shortage. 5) Some machinery in RAC also found shortage. 6) Only single Drawing Hall available for 10 units. 7) Hence, Not recommending affiliation for Refrigeration and Air-conditioning Technician Trade new units.	load is 64 KW but required 141.12 KW & shortage is 77.12 KW.  3) Instructors CITS certificates are not uploaded.  4) Single biometric	SCAA observed that there is a shortage of Electric load and Machinery as per DGT norms.  Hence Not Recommended.  Matter also dealt in SSDEC agenda (Annexure-VII).



			8) Land documents are staff for the trade Welder-
18			available in the name of trust. 2, Copa-1, Fitter- 4 ( but
			Land and Buildings are own by required 8), Electrician
			trust. In the campus along with (but required 8) No
			the ITI other institutes of Trust Turner faculty found.
			like 6)Total power required
			School are present. ITI having 141.12 KW.
			separate building,
			9)Building completion certificate
			issued by Architect is submitted.
			Build plan is certified by
	·-		Architect only.
			not found government bodies
			certification on building plan and
			building completion certification.
			10) Total required class rooms
			are 12 but available 9 class
		ĺ	rooms only.(six big class rooms
			with 59 sqm are available)
			11)RAC lab is established in two
			separate adjacent rooms (in
			those one converted store room
			issued) welder work shop area
			is 91 sq. mtrs but required area
			is 100 sqm.
			12)Apart from COPA lab, single
2.1			IT Lab (with 66 sqm space) is
			using for 22 units.
			13)One Drawing hall available
			for 22 units. Drawing board is
			very small in the drawing room.



				library setup shown in class		
				room.		
				14) Machinery installation no as		
				·		
				136,140,141,147,152,163,166,		**
				168,169 not available. fitter		
				lathe machines not, available.		
				only one hydraulic and		
				pneumatic trainer is available for		
				4 units. No license software.		
				15)class room required 12 but		
				available 9 RAC Lab available in		
				2 parts, welder area 91 but		
				required 100 sqm single IT Lab		15
				and drawing hall available.		
				library shown in class room.		
				16) No, computers core2duo, 2		
				gb ram, 320gb HDD. Not found		
				licensed Operating system 6 MS		
				Office licenses are available.		
	12			17)only single lab available for	Į.	
				24 units with 36 drawing tables.		
				board is small.		7.5
			<b>E</b> 1 ( · · ·	F1 ( ) 14() F1()	N 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0044
36	Govt Industrial Training	<u>New</u>	Electrician	Electrician, Wireman, Fitter and	New Govt ITI	SCAA
	Institute Palandur		2(1+1+0)	Sewing Technology trade Unit		li .
	AT POST PALANDUR		Wireman	2(1+1) is already Affiliated vide	by NCVT member only.	following trades as
	TAH DEORI DIST		2(1+1+0)	DGT letter No.DGT-	2) Electrician, Wireman,	per request of State
	GONDIA		Fitter 2(1+1+0)	Aff011(51)/10/2022 O/o Dir(TC)	Fitter and Sewing	Directorate as this is
	441702,MAHARASHTR		Sewing	dt.21.04.2022	Technology trade Unit	
	Α		Technology		2(1+1) is already Affiliated	scheme:
			2(1+1+0)	1) Shortage of the Major (near	vide DGT letter No.DGT-	(4)
			Mechanic	about 50Nos.)Tools &	Aff011(51)(10/2022 O/o	Mechanic Motor





Ψ,			Motor Vehicle	equipment was found.	Dir(TC) dt.21.04.20222	Vehicle 2(1+1+0)
1	TMPSP059		2(1+1+0)	2) Available machineries was	(As per Annexure - III ).	
				not installed.	3) Instructors CITS	State Directorate to
				3) Biometric attendance	certificate not uploaded.	ensure the increase
				machine for staff and students	4) No Biometric Machine	the power load CITS
				not found installed.	photo uploaded.	trained instructors
				4) Payment receipt of supplier	5)Total power required	before the start of the
				T&E was not produced by	23.51KW.	session 2023-24
				institute however bills was		
*				produced by institute.		
				5) Fire safety Certificate of the	ñ.	
				competent authority was not		
				produced.		
				On the basis of above findings		
				during inspection, affiliation for		
				MMV trade is not		
				Recommended.		
37	GRAMIN Private	New	Electrician -	1) Recommended, Electrician		State Directorate
	Industrial Training		24(8+8+8)	08+08+00, Wireman 02+02+00	Annexure - III not clear	inform that NOC was
	Institute, BEED		Wireman	,Mech Diesel 01+01+00	trades Recommended &	not issued by State
	At. Post. Dagadwadi Tq.		12(4+4+4)		not Recommended.	Directorate to open
	Parli V. Dist. Beed`		Welder	2) Not-Recommended -	1) In NCVT Annexure III,	this ITI. Hence
	431515		6(2+2+2)	Wireman 02+02+00 Mech	mentioned Recommended	proposal not
			COPA	Diesel 01+01+00, Fashion	Mech Diesel 01+01, also	considered.
161	TMP27470PR15808348		3(1+1+0)	Design01+01+00 ,COPA	mentioned not	
	79		Fashion	01+01+00, Welder 01+01+00	Recommended Mech	
			Design &	Due To Some Tools And	Diesel 01+01+00 &	
			Technology	Equipment not Properly	Welder 01+01+00.(	
			3(1+1+0)	Installed.	Welder sought for	
			Mechanic	3) Electrician New 08+08+00	affiliation 6( 3+3+3))	
				Recommended As Per	2) Instructors CITS	



	Diesel	Inspection Date 24 March 2023.	certificates not uploaded.	l l
	3(1+1+0)	3	3)Total power required	1
		4) Electrician 04+04+00 8	88.1 KW.	
		Recommended As Per		
		Inspection Date 22		
		December2022 In Process (But		
		Till Date Not Received Affiliation		880
		Letter) And Existing Electrician		
		04+04+00 Affiliated As Per 09		
		December 2020 Affiliation Order		
		Total		
		Infrastructure Available For		
		Electrician 16+16+00,Wireman		
		New 02+02+00		
		Recommended As Per		ŧ
		Inspection Date 24 March 2023.		
		Wireman 02+02+00		
	1	VII.CITICIT		
		Recommended As Per		
		Inspection Date 22 December		
		2022 In Process And Existing		
		Wireman 02+02+00 Affiliated As		
		Per 09 December 2020		
		Affiliation Order		97
		Total Infrastructure Available		
		For Wireman 06+06+00,Mech		
		Inspection Date 24 March 2023.		
		Existing Mech		
		Diesel 01+01+00 Affiliated As		



				Per 09 December 2020 Affiliation Order Total Infrastructure Available For Mech Diesel 02+02+00. 2)Bills available payments verified statements checked. 3)Machinery Properly maintained and Installed all in working condition 4) Safety measure available. 5),Electric bills available 88 K.W. connected load with name of Adhiksha Garmin Shikshan Prasarak Mandal.		
38	RAMRAJE PRIVATE INDUSTRIAL TRAINING INSTITUTE PARBHANI RAMNAGAR AKOLI, TAL-GANGAKHED, DIST-PARBHANI-431514  TMP27489PR16486244 68	New	Electrician 4(2+2+0) Fitter 2(1+1+0) Wireman 4(2+2+0) Solar Technician (Electrical) 2(1+1+0) Welder 2(1+1+0) Computer Hardware & Network Maintenance 2(1+1+0)	ITI was closed. Inspection team was not allowed to conduct inspection. No trades, No units are Recommended for affiliation.  1) Not available as ITI was closed. Inspection committee was not allowed to inspect the ITI.	,	SCAA observed that applicant institute close during the day of inspection.  Hence Not Recommended



39	SHRI PADMALAYA	New	Fitter 2(1+1+0)	Affiliation Recommended by	1) BCC is issued by Gram	SCAA observed that
	PRIVATE INDUSTRIAL		Electrician	team	Vikas Adhikari,Gram	there is shortage in
	TRAINING INSTITUTE		2(1+1+0)	a) Fitter Affiliation (1+1+0)=2	Panchayat is not as per	plot area as per DGT
	JALGAON		Solar	b) Electrician (1+1+0)=2	norms.	norms.
	Ap. Kasoda Tal Erandol		Technician(Ele	c) Solar Technician (Electrical)	2) Plot area 1155.35 sq.m	
	Dist. Jalgaon		ctrical)	(1+1+0)=2	available. As per norms	Hence Not
	425109	1	2(1+1+0)	d) Health Sanitary Inspector	required 4291.4 sq.m.	Recommended
			Health Sanitary	(1+1+0)=2	3) Building plan signed by	
	TMP27478PR16499607		Inspector		Architect.	*
	14		2(1+1+0)	1) Tools Equipment are	4) Instructors CITS	
				available, Machineries are	certificate are not	
				found in Working condition.	uploaded.	
		-		2) Machinery bills and payment		
				receipts available.	15.71 KW.	
				3) Appointments are given to		
				join after grant of affiliation.		
				4) Except Hostel all Amenities		
				are available.		15
40	SHRI SHIVAJIRAO	New		As per Annexure-III	1.Agree , ITI not ready for	ITI not ready for
	DESHMUKH	3	Electrician	This PVT. ITI is not ready for	Affiliation inspection on	affiliation. Hence
	INDUSTRIAL		2(1+1+0)	affiliation Inspection on	05/06/2023. vide letter	proposal not
	TRAINING INSTITUTE		Fitter 2(1+1+0)	05/06/2023, Vide Principal, PITI	dated 31/6/2023.	considered
	RED SHIRALA SANGLI		Welder	e-mail dated 01/06/2023	2.No documents are	
	AT RED, PO SHIRALA,		2(1+1+0)	received by this	uploaded.	
	DIST SANGLI 415405		COPA	Directorate(RDSDE MH,		
	415405		2(1+1+0)	Mumbai) and attached letter No.		
			Draughtsman	SSDITI/05/2023-24 dated		
	TMP27493PR16499450		Mechanical	31/05/2023. Hence Affiliation is		
	84		2(1+1+0)	not Recommended(Rejected)	OI CONTRACTOR OF THE CONTRACTO	
			Geo-	for all Trades and all units for	1	
			Informatics	this PITI.		
				As per NCVT member		



			Assistant 2(1+1+0)	Inspection Report is as given below:- Agree , ITI not ready for Affiliation inspection on 05/06/2023		
41	Government ITI Motala, At. Motala Dist Buldhana, Maharashtra - 443103 GR27000516 Grading - 8.10	Existing	Basic Cosmetology- 1(1+0+0) Information & Communicatio n Technology System Maintenance - 2(1+1+0)	1+0+0=1 unit ICTSM- 1+1+0=2 units are Recommended for	appointment letters and CITS certificates uploaded.  3) one Biometric machine	Technology System



## 11. State Name: Uttar Pradesh

SI. No	ITI Name /Address/ MIS Code / Grading	Existing / New / MSTI	Trades/units sought for affiliation	Remarks by Inspection cum Verification Committee (ICVC)	Observation of TC-Section	Remarks by SCAA Meeting
T.	11	III	IV	V	VI	VII
1	SAI NATH Private Industrial Training Institute, PRAYAGRAJ H-3 INDUSTRIAL AREA, NAINI, ALLAHABAD 211010 PR09001347 Grading - 6.1	Existing	Electrician 7(2+2+3) Fitter 1(0+0+1)	1 - Building details - 819.8 Sq Meter covered area (G+1) building available. 2. The electric bill is available and is in the name of (Owner of Land). The connection should be in name of ITI. Instructed to change consumer name. 3 Agree, Recommended Additional Electrician 4 (2+2)	Architect & Tehsildar,Karchhan , Naini, Prayagraj, UP. 2 - CITS certificate of trainers 03 available. (Electrician= 02,	The matter was discussed in SCAA and following deficiencies observed:  1. BCC is not as per norms. 2. Electric bill is not in the name of ITI or Society.  ITI will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.  Thereafter, State Director will verify the BCC as per local bye- laws and will also verify the all above documents as per norms and submit the signed & stamped report to DGT within 07 days.  After receipt of report from State Directorate, case will



Page **157** of **260** 

						be placed in the next SCAA.
2	Shri Ram Polytechnic Pvt.ITI . 4KM Mile stone Roorkee road nuzaffaenagar Uttar pr MUZAFFARNAGAR- UP - 251001 PR09901238	Existing	Electrician 13(4+4+5) Fitter 13(4+4+5) Machinist 4(1+1+2) Health Sanitary Inspector 6(2+2+2) COPA 6(2+2+2) Fashion Design and Technology 6(2+2+2)	Agree , Recommended for trades ELECTRICIAN 8(4+4), FITTER 6(3+3), MACHINIST 0(0+0), COPA 4(2+2), HSI 4(2+2) AND FDT 4(2+2)  1).Available as per norms and BCC is issued by Muzaffarnagar Development Authority. 2) Land documents attached and found ok 3) Available as per norms (Available Electric load is 160 KW). 4) Machineries bills and payment are available and payment through bank 5) Shortage area in machinist trade extension and 2(1+1) unit of FITTER Trade Extension 6) All Staff available as per norms. 7) Biometric machine and Staff attendance record available 8)Running polytechnic in the same campus NOC is	1) Building plan not uploaded by Members but plan available in their application. 2) Lab photos are not uploaded in his inspection report except welder lab in their Application 4) Pvt ITI running in Sri Ram Polytechnic	SCAA also observed the following deficiencies:  1. Electricity bill is in the name of the individual, not as per norms.  2. In building plan demarcation for ITI is not clear.  3. As per norms Shortage of area in Machinist trade extension and 2(1+1) unit of fitter trade extension are found.  ITI will rectify all the above deficiencies and submit the detail to RDSDE within 07 days from issue of this MoM.  Thereafter, RD, RDSDE will verify the all above documents as per norms and submit the signed & stamped report to DGT within 07 days.





				obtained from AICTE for ITI.  9) IT Lab available. 10) All Required Amenities are available. 11) Fire safety measure are available.		After receipt of report, case will be placed in the next SCAA.
3	D R G Private Industrial Training Institute, ALIGARH VILL DHANIPUR KURANA POST KHANDEHA DISTT ALIGARH UP PIN 202137 UTTAR PRADESH TMP9119PR1582872347	New	Electrician 6(2+2+2) Fitter 3(1+1+1) COPA 2(1+1) Mechanic Diesel 3(1+1+1)	A) As per NCVT -Member - Inspection report, Agreed for Affiliation  B) As per SCVT Member- inspection report is as given below: Recommended for affiliation electrician 2 + 2, Fitter 1+1,Copa 1+1 and Mechanic Diesel 1+1. 2) Land Documents found ok 3) Electric connection found ok 4) All machinery bills are available as per norms 3) All machinery are available as per norms 4) All staff appointment are as per norms. 5) All machinery are in working condition 6) All Amenities available	Shortage - 1.01 KW.  2) Mechanic Diesel workshop area mentioned - 131.25 sq.m and as per Plan -119.92 sqm. but required Mechanic Diesel workshop 210 Sq.m.  3) Electrician Trade CITS Instructors available others trade Instructors	The matter was discussed in SCAA and following deficiencies observed:  1. Mechanic Diesel workshop area not as per norms.  2. Details of CITS instructors for each trade.  ITI will rectify all the above deficiencies and submit the detail to RDSDE within 07 days from issue of this MoM.  Thereafter, RD, RDSDE will verify the all above documents as per norms and submit the signed & stamped report to DGT within 07 days.



				and found ok. 7)Staff Attendance Biometric yes available.		After receipt of report, case will be placed in the next SCAA.
4	MILIND Private Industrial Training Institute, SAHARANPUR Village Daulatpur, Post-Todarpur Mill, Tahsil-sadar-247001 UTTAR PRADESH  TMP9177PR1581250523	New	Electrician 6(2+2+2) Fitter 2(1+1) Health Sanitary Inspector 2(1+1) Copa 2(1+1)	Agree , The ITI has to increase the total sanctioned load in KW so that their total required Load of 16.16 KW can be achieved as per norms.  Conditionally Recommended for affiliation, subject to increase of sanctioned power load. (1). Electrician (2 + 2) (2) Fitter 1 + 1 (3) Health Sanitary Inspector 1 + 1 (4) Computer Operator and Programming Assistant (COPA) 1 + 1	Shortage of electric Load =1.21Kw found as per norms.	The matter was discussed in SCAA and following deficiencies observed:  1. Details of CITS instructors for each trade. 2. Shortage of electric load.  ITI will rectify all the above deficiencies and submit the detail to RDSDE within 07 days from issue of this MoM.  Thereafter, RD, RDSDE will verify the all above documents as per norms and submit the signed & stamped report to DGT within 07 days.  After receipt of report, case will be placed in the next SCAA.
5	RAMDEI MEMORIAL Private Industrial Training Institute, AZAMGARH VILLAGE - GANJOR, POST-	New	Electrician 4(2+2) Fitter 4(2+2) Plumber	Disagree ,not Recommended By Both ICVC Members.     Not Recommended due	,	Not Recommended due to deficiencies mentioned in the column no. V & VI.



	KARAUTI, TEHSIL-	2(1+1)	to power connection is not	2) Area for	
	MEHNAGAR, AZAMGARH-	Welder		Plumber Trade is	
	276204	2(1+1)	3) Staff were not present	not available as per	
		, ,	during the joint inspection	norms. The	
	TMP9123PR1582125560		and the original documents	available Workshop	
			of staff members were not	area for Plumber	**
			provided.	Trade is - 20 Sqm	
			3) Two instructors	and the required	
			appointed for Welder trade,	area is 80 Sqm.The	
			but one instructor does not	available	
			have experience.	classroom area for	
			4) The approved plan and	Plumber Trade is	
			original size of area of plot	20 Sqm and the	
			mismatched,	required area is 80	æ:
			5) Electrician trade	Sqm.	
		1	Workshop not available as		
			per norms. Available	3) Workshop Area	
			185.185 sqm,	for Electrician trade	
			Required as per norms	is not available as	
			98+98=196 sqm.	per norms. The	
				available workshop	
				area for Electrician	
				trade is 185.185	8
				sqm and the	
				required workshop	
				area for Electrician	
				trade is 98+98 =	
				196 sqm.	
	5440440H 00H 505 05 17	No.	Decemmended for	1) Instructors	The matter was discussed
6	RAMYASH COLLEGE OF ITI	New COPA		1 '	
	Private Industrial Training	2(1+1)		appointment letters & CITS certificates	1
	Institute, PRAYAGRAJ	Electric	` ''	12 3	
	MALAK BALAU NAWABGANJ	2(1+1)	(1+1) & COPA-2 (1+1)	are not uploaded.	



	PRAYAGRAJ		Fitter 2(1+1)		2) Plumber lab &	1.CITS Instructors not
~	229412		Plumber	1) Power available 15 KW.	'	available .
2	TMP9120PR1580288309		2(1+1)	2) Tools & Machineries bills are available. 2) Machines are installed & are running conditions. 3) Tools, Machineries and equipment available. 4) Biometric machine available. 5) Amenities are available.	machinery photos are not uploaded by NCVT & SCVT Members in their	2.BCC is not as per norms. 3.Building plan is not available  ITI will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.
						Thereafter, State Director will verify the BCC as per local bye- laws and will also verify the all above documents as per norms and submit the signed & stamped report to DGT within 07 days.  After receipt of report from State Directorate, case will be placed in the next SCAA.
7	S. R. K. Private Industrial Training Institute, MATHURA VILL- FATEHPURA, POST- BARAULI, TEHSIL-MAHAVAN, DISTT-MATHURA 281301, Uttar Pradesh	New	Electrician 6(2+2+2) Fitter 3(1+1+1) Health Sanitary Inspector	RECOMMENDED FOR AFFILAITION FOR 04 TRADES OF ELECTRICIAN:- 2 + 2 FITTER: - 1 + 1 HEALTH SANITARY INSPECTOR:- 1 + 1	vide order no. DGT- Aff011(34)/36/2022	Already affiliated as it is the matter of ratification.




			2(1+1+0)	MARKETING	18	
	TMP9167PR1579931165		Marketing	EXECUTIVE:- 1 + 0		
			Executive	1) Land documents		
			1(0+0+1)	available as per norms.		
			1(0.0.1)	2) BCC available as per		
				norms.		
				3) Electrical bills available		
				as per norms.		+1
				4) Tools, Machinery bills		
				available as per norms.		
				5) Machinery installation as		
	•			per norms.		
				6) Machinery are working		
				status.		
				7) Staff is available having		
				requisite qualification and		
				experience.		*
				8) Biometric machine		
		ľ		available for staff		
				attendance.		
		Į.		9) Amenities available		
				except hostel.		
				10) Safety measures		
				available.		
	OUDL DAM DAG DIST IT			4 0 55 1	4 4 11 11	
8	SHRI RAM DAS PVT. ITI,,	New	Electrician-	1 - Sufficient power as per		1.27.5
	Partapur, Kishni, Mainpuri,		3(1+1+1)	norms is available.		in SCAA and following
	Mainpuri,		Fitter-	2- Staff Available but CITS		deficiencies observed:
	Uttar Pradesh.		3(1+1+1)	certified instructor not		4 BOO to increase the
	4900047004		Copa-	available.	Sanctioned power	
	1809017964		3(1+1+1)	3 - Agree, manager Ramdas	I I	
				pvt. ITI applied for 04 trades	1	
				i.e. electrician, fitter, COPA,	Required = 17.21	available.



9		1	(1+1+1)	plumber. but here only 03 trades electrician, fitter, COPA are showing. plumber trade is not showing. it is also Recommended for 02 unit.		3.CITS certified Instructors not available.  Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.  Thereafter, State Director will verify the BCC as per local bye laws and also verify the above other documents and submit the signed & stamped report to DGT within 07 days.  After receipt of report from State Directorate, case will be placed in the SCAA.
9	SHRI SADANAND Private Industrial Training Institute, MAU CHAKAHIRANI, AMILA, MAU U.P 275301 UTTAR PRADESH TMP9168PR1582652348	3( El 3( CC 3( Pl	(1+1+1) lectrician (1+1+1) OPA (1+1+1) lumber (1+1+1)	1. Staff documents found Ok except COPA Trade No CITS instructor in COPA Trade. 2. INFRASTRUCTURE-Available as per norms all relevant documents and photos captured and uploaded. 3. New connection installed on 06/12/2022 load 13+3 =16 KW available as per	agreement date is 29.01.2018 and valid for 29 years.  2. As per the building plan uploaded in online application of the ITI. the total plot area mentioned in building plan is	The matter was discussed in SCAA and following deficiencies observed:  1. BCC is not as per norms.  2. Area of ITI is less, as per norms.  3. Electric bill is not available.





		norms. 4. TOOLS, EQUIPMENTS	(0.527 acres). Moreover, on	4. Details of CITS instructors.
		& MACHINERIES are	calculating plot	
		available and in working	area from the	Applicant will rectify all the above deficiencies and
		condition at the time of inspection.	drawing uploaded in the online	submit the detail to State
		5. Committee	application is	Directorate within 07 days
		Recommended for affiliation	2122.78 sq. m only.	from issue of this MoM.
		Electrician 02 Units (1+1), Fitter 02 Units (1+1),	3. BCC- A certificate of non-	Thereafter, State Director
		Plumber 02 Units (1+1),	availability of	will verify the BCC as per local by laws and also
		COPA 02 Units (1+1) `	master plan	verify all the above
			prepared for Vill-	documents and submit the
			Chak Ahirani, Teh- Ghosi, Dist- Mau	signed & stamped report to DGT within 07 days.
			issued by Tehsildar	
			* =	After receipt of report from State Directorate, case will
			4. Fire safety certificate is issued	be placed in the SCAA.
			to the ITI for 03	
			years (from 29-10-	
			2022 to 28-10- 2025) only.	
4			5. Electric power	
			required for trade	
			units in a shift is	
			17.21kW # and connected load is	
			13.5kW only, less	
			as per norms.	
			6. The total covered	
			area mentioned in	



ryste

10	SUSHILA DEVI PRIVATE I T I	New MSTI,	Electrician	1 - The affiliation may be	Annexure-III is 4330.13 sqm, mis- match with the building plan, available in the online application of ITI. certified building plan is uploaded by the inspection team is not clear. 7. One CITS qualified instructor is less.  1 - Applied for New	The matter was discussed
9	Private Industrial Training Institute, Amethi Vill and Post Trisundi Amethi-228159  TMP9640PR1582449232	Polytechnic	3(1+1+1) Fitter 3(1+1+1) Sewing Technology 3(1+1+1) Copa 3(1+1+1)	sanctioned after clearing the following discrepancies.  a) Bills are available but bank statement was not available during the Inspection time. b) Staffs are not available as per required norms and the Institute has submitted the affidavit that they will engage the required no. of staff before commencing the session. Trainers documents are not available in original during the Inspection. c) Some of the computer	Polytechnic/ MSTI. 2 - NOC letter is not available. 3 - The pin code was written incorrectly on the Building Plan so it was change & written correctly with a pen. 4 - CITS certificate	in SCAA and following deficiencies observed:  1. BCC is not as per norms  2. Building plan not available  3. COPA trade lab was not as per required specifications of the syllabus.  4. The internet facility was not available in the IT lab.



			systems found in COPA lab	The state of the s	5. Drawing Hall
			are having lower		infrastructure is not as per
			specifications and not		norms.
			satisfying the specifications		
			mentioned in the COPA		6. Electric load is less as
		)	trade syllabus. Existing		per norms.
1 1			, ,		
			tables for computers should		7. CITS Instructor not
			be replaced by proper		available as per norms.
1 1			computer tables with chairs.		8. Fire safety certificate is
1 1			d) IT lab is not having		invalid.
	Ĭ		Internet facility. System		integrity.
			configurations were very		Applicant will rectify all the
			obsolete in some of the		above deficiencies and
			Computers of IT lab.		submit the detail to State
			Existing tables for		Directorate within 15 days
			computers should be		from issue of this MoM.
			replaced by proper		
			computer tables with chairs.		Thereafter, State Director
			e) There are no proper		will verify the BCC as per
			drawing tables with required		local bye-laws and will also
			specifications in the drawing		verify the other all above
			hall. No chairs or stools		documents and submit the
			have been found. The		signed & stamped report to
			tables allotted for drawing		DGT within 07 days.
	1	7	hall should be replaced with		,
			the suitable specifications.		After receipt of report from
			f) Submitted Fire safety		State Directorate, case will
			certificate is not valid as on		be placed in the SCAA.
			the Inspection date.		- 5
			Sufficient Fire		
			extinguishers are not		
			provided.		
			provided.	1	



- Marie - Mari

				2 - The ITI is following Manual attendance and Bio Metric machine has been purchased. 3 - Recommended for 8 No. of Units. Electrician 2 (1+1), Fitter 2 (1+1), COPA 2 (1+1) & Sewing Technology 2 (1+1).		
11	OM SHREE SAI Private Industrial Training Institute, SAMBHAL GOWAN SAMBHAL ROAD BLOCK PWASA SAMBHAL U.P 244703  TMP9659PR1582566182	New MSTI	Electrician 4(2+2+0) Fitter 4(2+2+0)	1) Land details available as per norms. 2) BCC available as per norms. 3) Electrical bill available. 4) Machinery bills available. 5) Staff appointed (CITS Certificates available) as per norms. 6) Biometric machine available for staff attendance. 7) Machinery installed and all in working condition. 8) Amenities i.e Toilet, Water, canteen, parking, library, PWD available. 9) Building area found ok. 10) IT Lab available as per norms. 11) Drawing hall available as per norms. 12) Safety measure	(MSTI) NOC certificate from state Govt. not uploaded. 2) BCC signed by Architect & plan approved by Gram panchyat. 3) Library area 26.62 sqm mentioned but in Plan 102.255sqm. (40 sqm required as per norms). 4) Total power	in SCAA and following deficiencies observed:  1.NOC required from State Directorate for MSTI in unserved block. 2. BCC is not as per norms. 3. Electricity bill not available.



				available. Agree for Affiliation as per NCVT Inspection report. ( Electrician 4 (2+2) and Fitter 4 (2+2) under MSTI as per Annexure-III, physical report).		load and also verify the other documents and submit the signed & stamped report to DGT within 07 days.  After receipt of report from State Directorate, case will be placed in the SCAA.
12	Dr. B.R. Ambedkar Private ITC - Allahabad KATAHARA HANDIA ALLAHABAD-221503 PR09000979 Grading -6.9	Existing	Electrician 10(3+3+4) Fitter 2(0+0+2)	1.SCVT members remarks: Agree, as per norms everything is ok". 2. NCVT members remarks: Agree, 2+2 is also possible.	1. Land 4950 sq. m is on lease @ Rs. 12000/- per annum from 29.01.2019 to 28.01.2048.  2. Building plan is free hand sketch and is not signed by architect only, BCC issued by sub divisional magistrate, Prayagraj.  3. Recommendations of the committee is not clear. For which trade and how many units are being Recommended.	in SCAA and following deficiencies observed:  1. BCC is not as per norms. 2. Building Plan is not available.  Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.  Thereafter, State Director will verify the BCC as per local bye - laws and also



						report to DGT within 07 days.  After receipt of report from State Directorate, case will be placed in the next SCAA.
13	Annie Besant Tech.Pvt.ITI ,Doohri Pilkhua,Hapur, Uttar Pradesh  PU09900879  Grading - 5.6	Existing	Electrician 6(2+2+2) COPA 2(1+1+0)	1) Agree, Addition of new trade COPA: 2(1+1) Extension of existing trade Electrician: 4(2+2+0). 2) Society registration date is over, but applied for renewal 3) Only 6 CITS trainers are available, they have submitted a letter to fulfill the CITS trainers requirement soon. 4) Drawing Hall rooms are available, with table and chairs 5) No drawing boards are available.	run in DST only. 2) Drawing Hall is available, with table and chairs but	The matter was discussed in SCAA and following deficiencies observed:  1. BCC is not as per norms. 2. Drawing Hall infrastructure is not as per norms.  Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.  Thereafter, State Director will verify the BCC as per local bye laws and also verify the above other documents along with trades/units wise CITS instructors details and submit the signed & stamped report to DGT



						within 07 days.
				E		After receipt of report from State Directorate, case will be placed in the next SCAA.
14	MAA Kripal Devi Pvt.ITI,Chakman Ganj Sorwara, Ayodhya Faizabad, Uttar Pradesh PR09900806 Grading - 4.9	Existing	Electrician 3(1+1+1)	1) General information not available on portal. 2) Electrician trade Recommended for (1+1) unit As per ICVC 3) Agree, Recommended for Electrician trade (1+1)	available. 2) Third shift to be	The matter was discussed in SCAA and following deficiencies observed:  1. BCC is not as per norms. 2. Detail of CITS instructors for Electrician trade.  Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.  Thereafter, State Director will verify the BCC as per local bye- laws and also verify the above other documents and submit the signed & stamped report to DGT within 07 days.  After receipt of report from State Directorate, case will



July 1

						be placed in the next SCAA.
15	Sangam Excellent Pvt.ITI ,Vill-Bawara, Ghazipur, Block-Bahua, Fatehpur-212601, Bahua, Uttar Pradesh TMPOLD335 MSTI	New (MSTI)		1) Only Two Workshop available as per norms. One for Electrician and Second for Fitter. Recommended for Electrician 2(1+1) Fitter 2(1+1).  2) Agree, Recommended as per availability.  3) Student Attendance: No, new ITI.  4) Student Records: No, since it is new ITI therefore, no study Records available.	appears this is a new case (Cat-1), and also the MIS code is not generated for the above said ITI, however the ITI has applied in on NIMI portal as category -2	The matter was discussed in SCAA and following deficiencies observed:  1. NOC from State for MSTI in unserved block.  2. Short term course not being proposed.  ITI will Submit NOC for MSTI issued by State Directorate and proposed short term course to State Directorate within 07 days from issue of this MoM.  State Directorate will submit the signed & stamped documents to DGT within 07 days.  After receipt of documents from State Directorate, case will be placed in the next SCAA.
16	SHRI SONHU YADAV Private Industrial Training Institute, GHAZIPUR VILLAGE BARAHARA POST	New	Electrician 3(1+1+1) Fitter 3(1+1+1)	Recommended for trade Electrician-2 (1+1),Fitter-2 (1+1), COPA-2 (1+1) and Sewing Technology -2 (1+1)	Rammurat	The matter was discussed in SCAA and following deficiencies observed:



	TURNA TEHSIL SAIDPUR	COPA	As Per ICVC	Trust Barahara	1. BCC is not as per norms.
	DISTRICT GHAZIPUR	3(1+1+1)	1) Yes, plan approved and	turna Ghazipur.	2. Building Plan is required.
	233306, UTTAR PRADESH	sewing	photo capture and upload.	2) Third Shift to be	3. IT lab and Drawing Hall
	·	Technology	2) Agree , Recommended		infrastructure is not as per
	TMP9146PR1582470378	3(1+1+1)	for Electrician-2(1+1), Fitter-	only.	norms.
			2(1+1), COPA-2(1+1) &		
			Sewing TECHNOLOGY-		Applicant will rectify all the
			2(1+1)		above deficiencies and
			Third Shift not		submit the detail to State
			Recommended.		Directorate within 07 days
			, coommonada.		from issue of this MoM.
					TOTAL IDEAC OF THE MICHAEL
					Thereafter, State Director
					will verify the BCC as per
					local by- laws and also
					verify the above other
					documents and submit the
					signed & stamped report
					to DGT within 07 days.
1					to bot within or days.
					After receipt of report from
					State Directorate, case will
1					be placed in the next SCAA.
					SCAA.
17	Chandra Pvt ITI,	Existing Electrician -	1 - Agree, Recommended	1 - Instructor CITS	The matter was discussed
	Meeranpur,Babhanpura,	7(2+2+3)	for Electrician 2+2=4Units	certificate 6 nos.	in SCAA and following
	Tanda, Ambedkar Nagar-			available.	deficiencies Observed:
	224145			(Electrician 4 &	
				Fitter 2)	1. BCC is to be verified by
	PR09001403			·	State Directorate.
					2. Electric bill is not in the
					name of the ITI / Society.
-	<u> </u>	(	14/	() 1	!



	Grading - 7.2					3. Details of CITS instructors for Electrician
						trade.
2						Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.
						Thereafter, State Director will verify the BCC as per local bye- laws and also verify the above other documents and submit the signed & stamped report to DGT within 07 days.
						After receipt of report from State Directorate, case will be placed in the next SCAA.
18	Pandit S.D Pandey Pvt.ITI, Jagdishpur, Jamunipur, Ambedkar Nagar, Uttar Pradesh PR09001609	Existing	Electrician 3(1+1+1)	1 - Engineering Drawing Hall Space not available as per norms required as per norms 50 SQM. and available 27.45 SQM. only.) Engg. Drawing Hall space shortage	readable. 2 - CITS certificate of trainers 2 nos.	The matter was discussed in SCAA and following deficiencies observed:  1.Building Plan is not readable.
	Grading - 8.4			shortage.  2 - Available but not provided online payment		2. IT lab infrastructure is not as per norms.



				proof purchase of Machinery's/tools & Equipment's.  3 - Staff Appointment - Yes, Available, but some document not properly found.		<ul><li>3. Drawing Hall area and infrastructure is not as per norms.</li><li>4. Detail of CITS instructors for Electrician trade.</li></ul>
				4 - Staff / Student Attendance - No, only biometric machine available 5 - Disagree, not Recommended		Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.
						Thereafter, RD, RDSDE will verify IT Lab infrastructure and the area & infrastructure of Drawing Hall as per norms and also verify the above other documents and submit the signed & stamped report to DGT within 07 days.
						After receipt of report from RD, RDSDE, case will be placed in the next SCAA.
19	KAMLA PRASAD SINGH Private Industrial Training Institute, SULTANPUR BARAULA GAURA, SULTANPUR, UTTAR	New	Electrician 6(2+2+2) Fitter 2(1+1 +0) Copa 2(1+1 +	<ul> <li>1 - Yes, Machinery Bills available. Payment done online.</li> <li>2 - Yes, Machineries installed properly &amp; working</li> </ul>	1- Health Sanitary Inspector lab photos not available.	The matter was discussed in SCAA and following deficiencies observed:



	PRADESH SULTANPUR-228151 TMP9185PR1582523406	H S Ir	0) Health Sanitary nspector 2(1+1+ 0)	condition. 3 - All the instructors are not CITS certified. 4 - Final Review of Inspection: Agree, Recommended		BCC is not as per norms.  Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.
						Thereafter, State Director will verify the BCC as per local bye- laws and also verify the above documents and submit the signed & stamped report to DGT within 07 days.
				4		After receipt of report from State Directorate, case will be placed in the next SCAA.
20	MAA PAUDHARI DEVI Private Industrial Training Institute, BALLIA VILLAGE-NIYAMATPUR POST-KANSO DISTRICT-BALLIA U.P221712 TMP9126PR1581764402	6 F 6 C	Electrician 6(2+2+2) Fitter 6(2+2+2) COPA 8(1+1+1) Plumber 8(1+1+1)	1 - Machinery Working Status: Yes, all machineries found in working condition, photos and videos are captured 2 - The committee Recommended for affiliation of Electrician-(1+1+0), Fitter-(1+1+0), Plumber - (1+1+0).	Licensed Architect. Hence it is not available as per norms.  2 - Electrical sanctioned power load 17 KW, Required 20.72 KW & Shortage 3.72 KW.	The matter was discussed in SCAA and following deficiencies observed:  1. BCC is not as per norms. 2. Shortage of Electric load. 3. Details of CITS Instructors for each trade.  Applicant will rectify all the



Electrician - 02 nos, Fitter - 01 no, COPA - 01 no & Plumber - 01 no) COPA - 01 no & Plumber - 01 no) COPA - 01 no & Plumber - 01 no) Thereafter, State Director will verify the BCC as per local bye- laws and also verify the above documents and submit the signed & stamped report to DGT within 07 days.  After receipt of report from State Directorate, case will be placed in the next SCAA.  Trade/units sought for affiliation differ in Annexure - III and applied by the III.  Pu09900073 Grading - 7.9  Electrician 9(3+3+3) Sitten 3(1+1+1)(Existing), Electrician 10 SCAA and following in Annexure - III and applied by the III.  Fitter 3(1+1+1)(Existing), COPA 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW), Electrician Sitten Directorate, case will be placed in the next SCAA.  Trade/units sought for affiliation differ in Annexure - III and applied by the III.  The matter was discussed for affiliation differ in Annexure - III and applied by the III.  The pattern was discussed in SCAA and following in Annexure - III and applied by the III.  The pattern was discussed for affiliation differ in Annexure - III and applied by the III.  The pattern was discussed in SCAA and following in Annexure - III and applied by the III.  The pattern was discussed for affiliation differ in Annexure - III and applied by the III.  The pattern was discussed in SCAA.  The matter was discussed for affiliation differ in Annexure - III and applied by the III.  The pattern was discussed in SCAA.  The matter was discussed for affiliation differ in Annexure - III and applied by the III.  The pattern was discussed in SCAA.  The matter was discussed for affiliation differ in Annexure - III and applied by the III.  The pattern was discussed to DCAA.  The pattern was discussed in SCAA.  The matter was discussed in SCAA.  The pattern was discussed for affiliation differ in Annexure - III.  The pattern was discussed to DCAA.  The pattern was discussed in SCAA.  The pattern was discussed to DCAA.  The pattern						of trainers 5 nos(	above deficiencies and
Electrician Put.ITI Kutubpur, chanora, Firozabad, Uttar Pradesh-283203   Grading - 7.9   Grading - 7.9						, i	
Z1   Kiarn Pvt.ITI   Kutubpur, chanora, Firozabad, Uttar Pradesh-283203   Grading - 7.9   Gr						· 1	
Plumber - 01 no)   Plumber - 01 no)   Thereafter, State Director will verify the BCC as per local bye- laws and also verify the above documents and submit the signed & stamped report to DGT within 07 days.							- 1
Thereafter, State Director will verify the BCC as per local bye- laws and also verify the above documents and submit the signed & stamped report to DGT within 07 days.  After receipt of report from State Directorate, case will be placed in the next SCAA.  After receipt of report from State Directorate, case will be placed in the next SCAA.  After receipt of report from State Directorate, case will be placed in the next SCAA.  Trade/units sought for affiliation differ in Annexure - III and applied by the ITI.  PU09900073  Grading - 7.9  Grading - 7.9  Electrician 9(3+3+3) Fitter 3(1+1+1)(Existing), Electrician 3(1+1+1)(Existing), Fashion Design and Technology 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW), Hair & Skin Care 2(1+1)(NEW) 1) Land & Building available as per norms.  2) Man Power details available as per norms.  2) Man Power details available as per norms.  3) Machinery bills are paid through online mode.							TIOTI ISSUE OF THIS WOW.
Will verify the BCC as per local bye- laws and also verify the above documents and submit the signed & stamped report to DGT within 07 days.    After receipt of report from State Directorate, case will be placed in the next SCAA.							Thereafter State Director
Cocal bye- laws and also verify the above documents and submit the signed & stamped report to DGT within 07 days.							
Electrician							
documents and submit the signed & stamped report to DGT within 07 days.  After receipt of report from State Directorate, case will be placed in the next SCAA.  21 Kiarn Pvt.ITI , Kutubpur, chanora, Firozabad, Uttar Pradesh-283203  PU09900073  Grading - 7.9  Existing  Electrician 9(3+3+3) Fitter 3(1+1+1)(Existing), Electrician 3(1+1+1)(Existing), Electrician 3(1+1+1)(Existing), COPA 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW), Hair & Skin Care 2(1+1)(NEW), Ha					180		
Signed & stamped report to DGT within 07 days.   Signed & stamped report to DGT within 07 days.							
to DGT within 07 days.  After receipt of report from State Directorate, case will be placed in the next SCAA.  21 Kiarn Pvt.ITI , Kutubpur, chanora, Firozabad, Uttar Pradesh-283203  PU09900073  Grading - 7.9  Existing Electrician 9(3+3+3) Fitter 3(1+1+1)(Existing), Electrician 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW), Hair & Skin Care 2(1+1)(NEW), 1) Land & Building available as per norms. 2) Man Power details available as per norms. 2) Man Power details available as per norms. 3) Machinery bills are paid through online mode.  Trade/units sought for affiliation differ in Annexure - III and applied by the ITI.  Trade/units sought for affiliation differ in Annexure - III and applied by the ITI.  The matter was discussed in SCAA and following deficiencies observed:  1. IT Lab infrastructure is not as per norms.  2. Drawing Hall is not available.  3. Detail of CITS instructors for each trade.  Applicant will rectify all the above deficiencies and submit the detail to State							
After receipt of report from State Directorate, case will be placed in the next SCAA.  21 Kiarn Pvt.ITI , Kutubpur, chanora, Firozabad, Uttar Pradesh-283203 PU09900073 Grading - 7.9  Existing  Electrician 9(3+3+3) 3(1+1+1)(Existing), Electrician 3(1+1+1) Signal Fitter Electrician 3(1+1+1)(Existing), COPA 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW), Hair & Skin Care 2(1+1)(NEW), Hair & Skin Care 2(1+1)(NEW) 1) Land & Building available as per norms.  2) Man Power details available as per norms.  3) Machinery bills are paid through online mode.  After receipt of report from State Directorate, case will be placed in the next SCAA.  The matter was discussed for affiliation differ in Annexure - III and applied by the ITI.  1. IT Lab infrastructure is not as per norms.  2. Drawing Hall is not available.  3. Detail of CITS instructors for each trade.  Applicant will rectify all the above deficiencies and submit the detail to State							
Electrician 9(3+3+3)   Recommended for Fitter 3(1+1+1)(Existing), Fitter 3(							
Electrician 9(3+3+3)   Recommended for Fitter 3(1+1+1)(Existing), Fitter 3(							After receipt of report from
21 Kiarn Pvt.ITI , Kutubpur, chanora, Firozabad, Uttar Pradesh-283203  PU09900073  Grading - 7.9  Electrician 9(3+3+3) 3(1+1+1)(Existing), Electrician 3(1+1+1)(Existing), Electrician 3(1+1+1)(Existing), COPA 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW), Hair & Skin Care 2(1+1)(NEW) 1) Land & Building available as per norms. 2) Man Power details available as per norms. 2) Man Power details available as per norms. 3) Machinery bills are paid through online mode.  Electrician 3(1+1+1)(Existing), COPA 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW), Hair & Skin Care 2(1+1)(NEW) 3. Detail of CITS instructors for each trade. Applicant will rectify all the above deficiencies and submit the detail to State							
Care							
chanora, Firozabad, Uttar Pradesh-283203  PU09900073  Grading - 7.9  Grading - 7.9  Chanora, Firozabad, Uttar Pradesh-283203  9(3+3+3) Fitter 3(1+1+1)(Existing), COPA 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW), Hair & Skin Care 2(1+1)(NEW) 1) Land & Building available as per norms. 2) Man Power details available as per norms. 3) Machinery bills are paid through online mode.  g(3+3+3) Fitter 3(1+1+1)(Existing), COPA 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW) 1) Land & Building available as per norms. 3) Machinery bills are paid through online mode.  g(3+3+3) Fitter 3(1+1+1)(Existing), COPA 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW) 1) Land & Building available as per norms. 3) Detail of CITS instructors for each trade. Applicant will rectify all the above deficiencies and submit the detail to State							SCAA.
chanora, Firozabad, Uttar Pradesh-283203  PU09900073  Grading - 7.9  Grading - 7.9  Chanora, Firozabad, Uttar Pradesh-283203  9(3+3+3) Fitter 3(1+1+1)(Existing), COPA 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW), Hair & Skin Care 2(1+1)(NEW) 1) Land & Building available as per norms. 2) Man Power details available as per norms. 3) Machinery bills are paid through online mode.  g(3+3+3) Fitter 3(1+1+1)(Existing), COPA 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW) 1) Land & Building available as per norms. 3) Machinery bills are paid through online mode.  g(3+3+3) Fitter 3(1+1+1)(Existing), COPA 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW) 1) Land & Building available as per norms. 3) Detail of CITS instructors for each trade. Applicant will rectify all the above deficiencies and submit the detail to State	0.1	16 D 17 16 1 1		EL CL	December 1 for 5th	To all to site and so let	The second secon
Pradesh-283203  PU09900073  Grading - 7.9  Fitter 3(1+1+1)  Fitter 3(1+1+1)  Electrician 3(1+1+1)(Existing), COPA 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW), Hair & Skin Care 2(1+1)(NEW) 1) Land & Building available as per norms. 2) Man Power details available as per norms. 2) Man Power details available as per norms. 3) Machinery bills are paid through online mode.  Electrician 3(1+1+1) deficiencies observed: 1. IT Lab infrastructure is not as per norms. 2. Drawing Hall is not available. 3. Detail of CITS instructors for each trade. Applicant will rectify all the above deficiencies and submit the detail to State	21		Existing				
PU09900073  Grading - 7.9  3(1+1+1)  3(1+1+1)(Existing), COPA 2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW), Hair & Skin Care 2(1+1)(NEW) 1) Land & Building available as per norms. 2) Man Power details available as per norms. 2) Man Power details available as per norms. 3) Machinery bills are paid through online mode.  3(1+1+1)(Existing), COPA 2(1+1)(NEW) ITI.  1. IT Lab infrastructure is not as per norms. 2. Drawing Hall is not available. 3. Detail of CITS instructors for each trade. Applicant will rectify all the above deficiencies and submit the detail to State				, ,	, ,		
PU09900073  Grading - 7.9  Crading - 7.9  2(1+1)(NEW), Fashion Design and Technology 2(1+1)(NEW), Hair & Skin Care 2(1+1)(NEW) 1) Land & Building available as per norms. 2) Man Power details available as per norms. 2) Man Power details available as per norms. 3) Machinery bills are paid through online mode.  Applicant will rectify all the above deficiencies and submit the detail to State		Pradesn-283203					deliciencies observed.
Grading - 7.9  Design and Technology 2(1+1)(NEW), Hair & Skin Care 2(1+1)(NEW)  1) Land & Building available as per norms.  2) Man Power details available as per norms.  2) Man Power details available as per norms.  3) Machinery bills are paid through online mode.  Applicant will rectify all the above deficiencies and submit the detail to State		D1100000073		3(1+1+1)			1. IT Lab infrastructure is
Grading - 7.9  2(1+1)(NEW), Hair & Skin Care 2(1+1)(NEW) 1) Land & Building available as per norms. 2) Man Power details available as per norms. 3) Machinery bills are paid through online mode.  2. Drawing Hall is not available.  3. Detail of CITS instructors for each trade.  Applicant will rectify all the above deficiencies and submit the detail to State		P009900073			, , , , , , , , , , , , , , , , , , , ,	111.	not as per norms.
Care 2(1+1)(NEW) 1) Land & Building available as per norms. 2) Man Power details available as per norms. 3) Machinery bills are paid through online mode.  available.  3. Detail of CITS instructors for each trade.  Applicant will rectify all the above deficiencies and submit the detail to State		Crading 7.0					
1) Land & Building available as per norms. 2) Man Power details available as per norms. 3) Machinery bills are paid through online mode.  3. Detail of CITS instructors for each trade.  Applicant will rectify all the above deficiencies and submit the detail to State		Grading - 7.9					
as per norms. 2) Man Power details available as per norms. 3) Machinery bills are paid through online mode.  3. Detail of CITS instructors for each trade.  Applicant will rectify all the above deficiencies and submit the detail to State					· · · · · · · · · · · · · · · · · · ·		avaliable.
2) Man Power details available as per norms. 3) Machinery bills are paid through online mode.  instructors for each trade.  Applicant will rectify all the above deficiencies and submit the detail to State					, -		3. Detail of CITS
available as per norms.  3) Machinery bills are paid through online mode.  Applicant will rectify all the above deficiencies and submit the detail to State					· · · · · · · · · · · · · · · · · · ·		
3) Machinery bills are paid through online mode.    The process of the paid through online mode   Submit the detail to State					1 /		A P A 20
through online mode. submit the detail to State							
I I Submit the detail to State							III
							III



Page **177** of **260** 

,				installed an condition. 5) Safe available.	d are in working		Directorate within 07 days from issue of this MoM.  Thereafter, RD, RDSDE will verify the rectification of above deficiencies and submit the signed & stamped report to DGT within 07 days.
							After receipt of report from RD, RDSDE, case will be placed in the next SCAA.
22	SHREE BABA VISHWANATH SHIV PHOOL Private Industrial Training Institute , FAIZABAD Village Lutafabad,Bachhauli Post& Tehsil Bikapur Ayodhya,224204	New	Electrician 9(3+3+3) Fitter 2(1+1+0) Health Sanitary Inspector	Affiliation for Electrician Fitter HSI COPA 1+1	Recommended 4(2+2) 1+1 1+1	Building plan not proper.      Lease document not as per norms.	The matter was discussed in SCAA and following deficiencies observed:  1. Building plan not proper.
	TMP9140PR1582643661		2(1+1+0) COPA 2(1+1+0)				2. Lease document not as per norms.
				241			Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.
							Thereafter, State Director and RD, RDSDE will verify



			the above documents and ensure that no other activities like other college / institute is being run in same building and submit the signed & stamped report to DGT within 07 days.
			After receipt of report from State Directorate, case will be placed in the next SCAA.



Me

## 12. State Name: West Bengal

SI. No.	ITI Name /Address/ MIS Code / Grading	Existing / New / MSTI	Trades/units sought for affiliation	Remarks by Inspection cum Verification Committee (ICVC)	Observation of TC-Section	Remarks by SCAA Meeting
	<u>,</u>	III	IV	V	VI	VII
1	BISHOP MORROW PRIVATE ITI NADIA DL ROY ROAD, P.O KRISHNANAGAR, P.S- KOTWALI 741101, NADIA, WEST BENGAL PU19000059 Grading - 5.3	Existing	Electronic Mechanic 2(1+1+0) Smartphone Technician cum App Tester 2(1+1+0)	Agree, Agree and declared	BCC is issued by the architect.	The matter was discussed in SCAA and following deficiencies observed:  1. BCC not available as per norms.  ITI will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.  Thereafter, State Director will verify BCC as per local byelaws and submit the signed & stamped report to DGT within 07 days.  After receipt of report from State Directorate, case will be placed in the next SCAA.
2	DON BOSCO SELF EMPLOYMENT RESEARCH INSTITUTE, PVT.ITI, HOWRAH, WEST BENGAL	Existing	Draughtsman Civil- 3(1+1+1) Fitter-6(2+2+2)	1 - EB Bills available 35.32 Kw and requirement is 30.02 kW.	1 - CITS trained instructor 05 nos. available in the institute. (Tool &	SCAA Recommended for following trades: Draughtsman Civil- 2(1+1) Fitter-4(2+2)



				Available as per	Die Maker (Dies &	
	PU19000002			norms.	Moulds) 01 no.,	
	1 0 10000002			2 - Staff appointed	Draughtsman Civil	
	Grading - 6			and instructors are	02 nos & Fitter 02	
	Grading - 0			all CITS passed.	nos.)	
				3 - Machineries	1103.	
				•		1861
				physically verified		
				for working and		
				found running.		
			<b></b> (1) 2 (4) (1)	4 - Agree, Agreed.	20011	0044 5
3	ARAMBAGH, NABADIGANTA,	Existing	Electrician 2(1+1)	Agree,	BCC is issued by	
	PVT. ITI, HOOGHLY, WEST			Recommended	the architect.	BCC to be verified by State
	BENGAL			additional 1+1+0		Director as per local bye-
				for Electrician		laws.
	PU19000108			trade.		
						ITI will submit the BCC as per
	Grading - 6.4			1) Society		norms to State Directorate
				registration and		within 07 days of the issue of
				two land lease		this MoM.
				documents		
				available.		Thereafter, State Director will
				2) BCC issued by		verify BCC as per local bye-
				concerned		laws and submit the signed &
				municipality.		stamped report to DGT within
				3) Meter changed		07 days.
				due to damage by		uayo.
				flood. Available as		After receipt of report from
				per norms.		State Directorate, case will
				4) ITI applied for		be placed in the next SCAA.
				1+1 in addition to		be placed in the flext ocas.
				1+1 in electrical.		
				As per norms old		
				major		
				machineries will		
				serve the purpose		P



		for additional unit.	
		Other hand tools	
		and	
		machineries	
		physically verified	
		with bills.	
		5) Sufficient staff	
		available.	
		6) Biometric	
		machine available	
170		for staff &	
1 (	ľ	Students.	
		7) Machinery bills	
		available and	
		working condition.	
		8) Safety	
		measures	
		available.	



Annexure -II

# Annexure as referred in Agenda 5, S.no. 1(Rajasthan SSDEC)

S. No.	ITI name and address	Type of ITI (Govt/Pvt )	Old and New Address	Trade/Unit sought for affiliation	Remarks by SSDEC	SCAA remarks
1	Shree Charbhuja Pvt. ITI Post Angal Tehsil Sarmathura, Dholpur PR08000736	Private	Old Address - Shree Charbhuja Pvt. IT, K- 78(B), Chambal Industrial Area,Kota New Address - Shree Charbhuja Pvt. ITI Post Angal Tehsil Sarmathura, Dholpur PR08000736	Electrician - 10(4+4+2)Unit	Institute Not Recommended Due to Shifting of ITI to New Location from KOTA to Dhaulpur ( Inter District Tr. Case)	SCAA agreed on the decision of SSDEC
2	BRCM Pvt. ITI, Nangal Rajawatan Tehsil Nagalrajawatan, Dausa PU08001481	Private	Old Address - BRCM Pvt. ITI, Mahapura, Ajmer Road, Dist Jaipur  New Address BRCM Pvt. ITI, Nangal Rajawatan Tehsil Nagalrajawatan, Dausa PU08001481	Electrician - 12(4+4+4) Unit Fitter - 06(2+2+2) Unit	Institute Not Recommended Due to Shifting of ITI to New Location from KOTA to Dhaulpur ( Inter District Tr. Case)	SCAA agreed on the decision of SSDEC



Annexure as referred in Agenda 5, S.no. 2 (SSDEC Punjab , SCVT to NCVT conversion of 09 ITIs in Punjab State)

SI. No.	Name of Govt I	MIS Code	Existing/New	Trade for which affiliation sought	Trade/Units Recommended by Joint Affiliation Committee	Trade /Units Recommended by SSDEC	SCAA remarks
1	Govt. I.T.I. (W), Ferozepur	GU03000003	Existing	COPA (Computer Operator and Programming Assistant)	Add.1(0+1)	Add.1(0+1)	Recommended
				Sewing technology (NSQF)	Add.1(0+1)	Add.1(0+1)	Recommended
				Surface Ornamentation Techniques (Embroidery) (NSQF)	Add.1(0+1)	Add.1(0+1)	Recommended
				Basic Cosmetology	2(1+1)	2(1+1)	Recommended
2.	Govt. Industrial	GU30000344	Existing	Welder	1(1+0)	1(1+0)	Recommended
	School, Hoshiarpur			Plumber	1(1+0)	1(1+0)	Recommended
3.		GR03000107	Existing	Basic Cosmetology	2(1+1)	2(1+1)	Recommended





	Govt. I.T.I. (W),			Fashion Design Technology	2(1+1)	2(1+1)	Recommended
	Rajpura			Sewing technology	2(1+1)	2(1+1)	Recommended
4.	Govt. I.T.I. (W), Samana	GR03000262	Existing	COPA (Computer Operator and Programming Assistant)	2(1+1)	2(1+1)	Recommended
				Basic Cosmetology	2(1+1)	2(1+1)	Recommended
6.	Govt. I.T.I., Otalan	GR03000040	Existing	Mechanic Consumer Electronics Appliance	2(1+1)	2(1+1)	Recommended
7.	Govt. I.T.I. (S.C.),	GR03000078	Existing	Draughtsman (Civil)	2(1+1)	2(1+1)	Recommended
	Mansa			Surface ornamentation	2(1+1)	2(1+1)	Recommended
				COPA	2(1+1)	2(1+1)	Recommended
8.	Govt. I.T.I. (W), Zira	GU03000077	Existing	Basic Cosmetology	1(1+0)	1(1+0)	Recommended
9,	Govt. I.T.I., Ferozepur	GU03000004	Existing	Refrigeration and Air Conditioner	2(1+1)	2(1+1)	Recommended
9	Govt. Art & Craft Teacher Training	New ITI	Existing	Computer Operator and Programming Assistant	2(1+1)	2(1+1)	Recommended



Institute, Nabha	Cosmetology	2(1+1)	2(1+1)	Recommended
	Electrician	2(1+1)	2(1+1)	Recommended
	Smartphone Technician Cum App Tester	2(1+1)	2(1+1)	Recommended



#### **Annexure- IV**

### Annexure as referred in Agenda 5, S.no. 3(SSDEC Tamil Nadu)

#### 1. Addition of trade/units in 2 Govt ITI

S. No.	Name of ITI and MIS code	_	Trade unit Recommended by SSDEC	SCAA remarks
1		1 , ,	Electronic Mechanic (0+1) Electrician (1+0)	Recommended
2	Govt ITI Ambattur GR33000252 New grading 5.5	Addl <sub>e</sub> COPA (1+0)	GOPA (1+0)	Recommended

#### 2. SCVT to NCVT conversion in 2 Govt ITI

S. No.	Name of ITI and MIS code	Trade unit sought for affiliation	Trade unit Recommended by SSDEC	SCAA remarks	
	Govt ITI Ambattur GR33000051	Electrician (1+1)	Electrician (1+1)	Recommended	
	New grading 7.4	Food and Beverage Service Assistant (1+1)	Food and Beverage Service Assistant (1+1)	e Assistant (1+1)	
		Interior Design and decoration	Interior Design and decoration (1+1)		
		(1+1)			
	Govt ITI Andimadam GR33000566 New grading 9.2	Tool &`Die Maker (Press Tools jigs & fixture) (1+1)	Tool &`Die Maker (Press Tools jigs & fixture) (1+1)	Recommended	



mark &

Annexure- V

## Annexure as referred in Agenda 5, S.no. 4 (SSDEC Gujarat)

SL. No	Name Of Institute With Address	NCVT/Mis Code	Old/Ne w	TRADE for Which Affiliation Sought	Units for which Affiliation sought Instt.	Recomme nded by SSDEC	SSDEC Recommend ation/Remark s	SCAA remarks
1,	Industrial Training Institute Haru Industrial Training Institute Haru Near Government Nursary Haru Radhanpur Highway Haru Ta Haru Dist Patan 384240	GU24000111	OLD	Fashion Design And Technology	1(0+1+0)		IT IS STRIVE ITI AND ALREADY AFFILIATED FOR THIS TRADE VIDE DGT ORDER NO. DGT- 35(4)/STRIVE 2019/ NPIU, DATED 29- 06-2022	ITI already affiliated vide DGT order NO. DGT-35(4)/STRIVE (2)2019/ NPIU, DATED 29-06-2022
2,	Industrial Training Institute, (W) Idar (Women) Government)	GU24000130	OLD	Fire Technology And Industrial Safety Management	1(0+1+0)		IT IS STRIVE ITI AND ALREADY AFFILIATED FOR THIS TRADE VIDE DGT ORDER NO DGT- 35(4) /STRIVE	ITI already affiliated vide DGT order DGT- 35(4) /STRIVE 2019/NPIU, DATED 29-06-2022





							2019/NPIU, DATED 29- 09-2022	:•
3.	Industrial Training Institute Savli, ITI Savli, Opp. S.B. Polytechnic, Muval Road- 391770, Vadodara, Gujarat.	GR24000226	OLD	Sewing Technology Electrician Machinist	1(0+1+0) 2(1+1+0) 2(1+1+0)		ALREADY AFFILIATED AS PER DGT ORDER NUMBER DGT AFF011(51)/2 0/2022 O/O DIR (TC)	ITI already affiliated vide DGT order DGT AFF011(51)/18/2022 O/O DIR (TC) dated 11.07.2022
4.	Industrial Training Innstitute Mehsana, No- 204 G.I.D.C Phase-li Nr Water Tank, Modhera Cross Road Ta Dist Mehsana- 384002	GU24008040	OLD WELD ER (GMA W & GTAW)	2(1+1+0)			ALREADY AFFILIATED AS PER DGT ORDER NO DGT AFF011(51)/1 82022/O/O DIR, (TC) DATED: 11- 07-2022	ITI already affiliated vide DGT order DGT AFF011(51)/18/2022/ O/O DIR, (TC) DATED: 11-07-2022
5.	Shagun Institute Of Medical Sciences Private ITI Devbhumi Dwarka, Ramnagar, Porbandar	TMP24674PR 1648129094	New	Hospital Houskeeping Health Sanitary Inspector Health Safety And Environment	2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0)	Recommende d By SSDEC	The matter was discussed in SCAA and following deficiencies found:  1.Shortage of Electricity load.



Page **189** of **260** 

	Road Near Ganga. Jamuna Hotel, Jam Khambhalia Idst. Devbhumi Dwarka 361305			Old Age Care	2(1+1+0)	2(1+1+0)		2. Shortage of Health Safety and Environment lab area. 3. BCC is not as per norms. 4. CITS instructors details.
	30 1303							Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.
								Thereafter, State Director will verify BCC as per local building bye-laws & others above all documents and submit the signed & stamped report to DGT within 07 days.
								After receipt of report from State Directorate, case will be placed in the SCAA.
6.	I.S Desai Institute Of Medical Science	TMP24451PR 1647258252	NEW	Health Sanitary Inspector	2(1+1+0)	2(1+1+0)	Recommende d By SSDEC	The matter was discussed in SCAA and following deficiencies found:
	Mahesana, C/O Gangaba B. Ed College			Old Age Care	2(1+1+0)	2(1+1+0)		BCC not as per norms.



Near Gayrti Mandir At & Post Bechraji Ta Bechraji Dist. Mahesana, 384210	Radiology Technician  Computer Operator And Programming Assistant(Copa)	2(1+1+0)	2(1+1+0) 2(1+1+0)		ITI will provide the BCC and submit the instructor details to State Directorate within 07 days from issue of this MoM.
					Thereafter, State Director will verify BCC as per local building bye-laws & instructor details and submit the signed & stamped report to DGT within 07 days.
					Further Director- CD, along with RD, RDSDE, State Director of Gujarat State & Director- TC will submit the report within 07 days from the issue of this MoM, whether licence from concerned authority is required for purchasing the tools & equipment's of Radiology Technician trade.
				1	After receipt of report from State Directorate



Page **191** of **260** 

								& Director - CD, DGT, case will be placed in the next SCAA.
7.	Indsutral Training Institute Barwala Opp Khodiyar Mandir Ahmedabad Bhavnagar Highway Barwala Botad, Gujarat	GR24008136	OLD	Health Sanitary Inspector	2(1+1+0)	2(1+1+0)	Recommende d By SSDEC	Recommended for following trades: HEALTH SANITARY INSPECTOR 2(1+1+0) However, State Directorate to ensure the sufficient power load requirement as per DGT norms
8.	Industrial Training Institute, Dahod Government, Govt. ITI, Dahod Zalod Road Dahod 389151, Gujarat	GU24000202	OLD	Compurter Operator And Programming Assistant (Copa)  Health Sanitary Inspector	2(1+1+0)	2(1+1+0)	Recommende d By SSDEC	Recommended the following trades 1.COPA 2(1+1) 2. HSI-2(1+1)  However, State Directorate to ensure the sufficient power load requirement as per DGT norms
9.	Govt. Industrial Training Institute, ITI Deesa Village Bhoyan Taluka Deesa District Banaskantha 385535	GU24000120	OLD	Basic Cosmetology	2(1+1+0)	2(1+1+0)	Recommende d By SSDEC	Recommended the following trades 1. BASIC COSMETOLOGY 2(1+1) However, State Directorate to ensure the sufficient power



								load requirement as per DGT norms
10.	Industrial Training Institute Himatnagar Governemnt, Govt. ITI Himatnagar, Opp-66- K.V.G.E. B Substation, Idar Himatnagar Bypass, At Hansalpur, Po- Virpur, Ta- Himatnagar Dist- Sabarkantha Gujrat-383001	GU24000114	OLD	Fashion Design And Technology  Basic Cosmetology	1(1+0+0)	1(1+0+0)	Recommende d By SSDEC	Recommended the following trades:  1. FASHION DESIGN AND TECHNOLOGY 1(1+0+0)  2. BASIC COSMETOLOGY 2(1+1+0)  However, State Directorate to ensure the sufficient power load requirement as per DGT norms
11	Govt. ITI Khambha Una Road, Ta Khambha, District Amreli Gujarat, 365650 Shifting Case Old Address,Govt.	GR24008124	OLD	Compurter Operator And Programming Assistant Copa	3(1+1+1)	2(1+1+0)	Recommende d By SSDEC	Recommended for shifting  However, State Directorate to ensure the sufficient power load requirement as per DGT norms



	ITI Khambhauna Road, Ta. Khambha, District. Amreli, Gujarat365650 New Address. Govt. ITI Khambha, Una Road, Ta. Khambha, District. Amreli, Gujarat- 365650 Gr24008124							
12.	Industrial Training Institute, Talaja Government Govt. ITI Talaja Shivam Complex Gopnath Road- 364140	GU24000350	OLD	Welder	2(1+1+0)	2(1+1+0)	Recommende d By SSDEC	Recommended for following trades: WELDER 2(1+1+0)  However, State Directorate to ensure the sufficient power load requirement as per DGT norms
13.	Industiral Training Institute, Vi Aynagar (Government)	GR24000151	OLD	Computer Operator And Programming Assistant (Copa) Mechanic Diesel	2(1+1+0)	2(1+1+0) 2(1+1+0)	Recommende d By SSDEC	Recommended for following trades: 1. COPA 2(1+1) 2. MECHANIC DIESEL 2(1+1)



								However, State Directorate to ensure the sufficient power load requirement as per DGT norms
14.	Industrial Training Institute, Khedbrahma (Government)) SI Tri Kamparoad Nr Bsnr Office At Po Ta Khedbrahma 383255	GU24000103	OLD	Computer Hardware And Network Maintenance	1(0+1+0)	1(0+1+0)	Recommende d By SSDEC	Recommended for following trades: COMPUTER HARDWARE AND NETWORK MAINTENANCE 1(0+1) However, State Directorate to ensure the sufficient power load requirement as per DGT norms
15.	Indsutral Training Institute, Vadnagar Governent Indstrial Traning Institute, Vadnagar Government Near Govt. Polytechnic Vadnagar, Mahesana (ITI Selected Under Strive Project)	GR24000132	OLD	Health Sanitary Inspector	1(0+1+0)	1(0+1+0)	Recommende d By SSDEC	Recommended for following trades: HEALTH SANITARY INSPECTOR 1(0+1+0) However, State Directorate to ensure the sufficient power load requirement as per DGT norms



16.	Industrial Training Institute Bardoli At Ten	GR24000418	OLD	Ellctrician Welder	3(2+1+0)	2(1+1+0) 2(1+1+0)	Recommende d By SSDEC	Recommended for following trades:  1. ELECTRICIAN 2(1+1)
	Gam Gauchar Faliya, Ta: Bardoli, Dist: Surat, Pin							
	Code -394601							2. WELDER 2(1+1)
								However, State Directorate to ensure the sufficient power load requirement as per DGT norms
17.	Industrial Training Institute Bardoli At Ten Gam Gauchar Faliya, Ta: Bardoli, Dist: Surat, Pin Code -394601	GR24000413	Old	Turner	1(1+0+0)	1(1+0+0)	Recommende d By SSDEC	Recommended for following trades: Turner 1(1+0+0) However, State Directorate to ensure the sufficient power load requirement as per DGT norms
18.	Govt. ITI Mandvi(Surat) Near Chc Mandvi Ta- Mandvi Dist- Surat State- Gujarat- 394160	GU24000406	OLD	Attendant Operator (Chemical Plant)	2(1+1+0)	2(1+1+0)	Recommende d By SSDEC	Recommended for following trades: ATTENDANT OPERATOR (CHEMICAL PLANT) 2(1+1) However, State Directorate to ensure the sufficient power load requirement as
							LX 1	per DGT norms



19.	Industrial Training Institute, Valod (Governemnt) Govt. ITI Valod At -Po. Vaload,	GU24000420	OLD	Solar Technician (Electrical)  Health Sanitary Inspector	1(0+1+0)	1(0+1+0)	Recommende d By SSDEC	Recommended for following trades:  1. SOLAR TECHNICIAN (ELECTRICAL) 1(0+1)
	Bardoli Road, Ldgah Faliya, Ta- Valod, Tapi 394640			Basic Cosmetology	1(0+1+0)	1(0+1+0)		2. HEALTH SANITARY INSPECTOR
	Gujrat-India 394640	_		Fashion Design And Technology	1(0+1+0)	1(0+1+0)		1(0+1)
	334040			resimology				3. BASIC COSMETOLOGY 1(0+1)
								4. FASHION DESIGN AND TECHNOLOGY1(0 +1)
								However, State Directorate to ensure the sufficient power load requirement as per DGT norms
20.	R. Internations College Mahesana	TMP24451PU 1647850139	NEW	Health Sanitary Inspector	6(3+3+0)	6(3+3+0)	Recommende d By SSDEC	The matter was discussed in SCAA and following
	Near Kaleshwari			Physiotherapy Technician	2(1+1+0)	2(1+1+0)		deficiencies found:
	Temple Opp. Khodiyar Temple,			Early Childhood Deucator	2(1+1+0)	2(1+1+0)		1.BCC is to be verified by State Directorate . 2. Name mentioned
	Dediyasan 384002							on Electricity bill is not as per norms.



	¥(			Computer Operator And Programming Assistant (Copa)	2(1+1+0)	2(1+1+0)		3.Separate IT lab is required as per norms. 4. Separate entrance of ITI is required as per norms. 5. Building plan is not available.
								Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 15 days from issue of this MoM.
								Thereafter, State Director will verify BCC as per local building bye-laws & others above all documents and submit the signed & stamped report to DGT within 07 days.
								After receipt of report from State Directorate, case will be placed in the next SCAA.
21.	Maharshi Dayanand College Of Industrial	PR24008174	OLD	Health Sanitary Inspector	3(1+1+1)	2(1+1+0)	Recommende d By SSDEC	SCAA observed that there is no admission in affiliated COPA trade in ITI from the
	Training Institute, At- Baspa Ta			Basic Cosmetology	3(1+1+1)	2(1+1+0)	7	last two years.



Page **198** of **260** 

	Sami Di Patan 38245 384245 Patan Gujarat			Surveyor	3(1+1+1)	2(1+1+0)		State Directorate to verify why there is no admission in ITI and inform the further action to be taken.
22.	Industrial Training Institute Upleta, Near National Highway 27, Tool Booth Plaza, Dumiyani Ta- Upleta Dist- Rajkot, Gujarat- 360490 Shifting Case) Old Address- Govt. ITI, Upleta, Lati Plot Kolki Road Upleta New Address- Industrial Training Institute Upleta Near National Highway 27,Tool Booth Plaza ,Dumiyani Ta- Upleta Dist- Rajkot-360440	GU24000337	OLD	Computer Operator And Programming Assistant Copa  Electrician  Fitter  Wireman  Basic Cosmetology  Sewing Technology	3(2+1+0) 3(2+1+0) 3(1+1+1) 3(1+1+1) 1(0+1+0) 1(1+0+0)	3(2+1+0) 3(2+1+0) 3(1+1+1) 3(1+1+1) 1(0+1+0) NOT RECOMM ENDED	Recommende d By SSDEC Except Sewing Technology Trade	As per recommendation of SSDEC, Recommended for following trades:  1. COMPUTER OPERATOR AND PROGRAMMING ASSISTANT COPA 3(2+1+0)  2. ELECTRICIAN 3(2+1+0)  3. FITTER 2(1+1)  4. WIREMAN 2(1+1)  5. BASIC COSMETOLOGY 1(0+1+0)



23	Govt. ITI Hansot At & Post: Kharach	GR24008093	OLD	Electrician	1(1+0+0)	2(1+1+0)	Recommende d by SSDEC Except	As per recommendation of SSDEC
	Tal. Hansot, Dist: Bharuch, Pin Code: 394120			Mechanic Diesel	1(0+1+0)	NOT RECOMM ENDED	Mechanic Diesel Trade	Recommended for following trades:  1. ELECTRICIAN 2(1+1)
				Welder	1(0+1+0)	1(0+1+0)		2. WELDER 1(0+1)
				Fitter	1(0+1+0)	1(0+1+0)		` ′
								3. FITTER 1(0+1) However, State Directorate to ensure the sufficient power load requirement as
24.	Industrial Training Institute, KI Mbharia, Govt. ITI Kumbharia, At- Kumbhariya,	GR24000112	OLD	Mechanic Motor Vehicle (MMV) Sewing Technology	1(0+1+0) 2(1+1+0)	BOTH TRADES NOT RECOMM ENDED	Not Recommende d	per DGT norms  Not Recommended as per remarks of SSDEC
	Po-Ambaji- 385110							
25	Government Industrial Training	GU24000402	OLD	Attendant Operator (Chemical Plant)	2(1+1+0)	ALL TRADES NOT	Not Recommende d	Not Recommended as per remarks of SSDEC
	Institute Bilimora,			Fitter		RECOMM ENDED		
				Electrician	4(4+0+0)			
					2(1+1+0)		A P	



26.	Aashara	TMP24451PU	NEW	Health Sanitary	2(1+1+0)	ALL	Not	Not Recommended as
1	Institute Of	1647689689		Inspector		TRADES	Recommende	the institute was
	Medical					NOT	d	closed and inspection
	Science					RECOMM		was not carried out.
	Mahesana			Radiology		ENDED		1.000
	Aashara			Technician	2(1+1+0)			
	House Near		1					
	Railway			Old Age Care				
	Crossing Kadi				2(1+1+0)		-	
	Karananagar							
	Road Opp			Computer Operator				
	Sidharaj			And Programming	2(1+1+0)			
1	Society, Kadi			Assistant (Copa)				
	382715			` ' '				

State Directorate Gujarat to ensure that CITS qualified instructors are engaged before start of the session 2023-24 in all Recommended ITIs



Annexure- VI

## Annexure as referred in Agenda 5, S.no. 6 (SSDEC Maharashtra)

1. New Accreditation/ Affiliation of 11 New Pvt ITIs from Maharashtra

SL.No	ITI name and complete address	Type of ITI(Govt/Pvt)	Shift wise Trade and Units sought for affiliation	Shift wise Trade and Units Recommended by SSDEC Committee	Remarks by SSDEC (If any trade and unit is not Recommended then reason of not recommendation )	SCAA remarks
1	Manikgarh Private Industrial Training Institute Khamona, Tq. Rajura Dist. Chandrapur, Maharashtra – 442905  TMP27473PR16486482 84	Pvt	Electrician4(2+2)  Fitter 2(1+1)  Welder2(1+1)  Diesel Mechanic 2(1+1)	Electrician 4(2+2), Welder 2(1+1), Fitter 2(1+1) Diesel Mechanic 2(1+1)	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Recommended w.e.f.Aug.2023  Session Electrician 4(2+2), Welder 2(1+1), Fitter 2(1+1) & Diesel Mechanic 2(1+1)	Recommended for the following trade:  1. Electrician 4(2+2)  2. Welder 2(1+1)  3. Fitter 2(1+1)  4. Diesel Mechanic 2(1+1)
2	SAMEER PRIVATE INDUSTRIAL TRAINING INSTITUTE AT POST KATPHAL MIDC BARAMATI TALUKA BARAMATI DISTRICT	Pvt	1. Electrician 4 (2+2) 2. Fitter 2 (1+1) 3. Welder 2 (1+1) 4. Wireman 2 (1+1)	Electrician 4 (2+2) Fitter 2 (1+1) Welder 2 (1+1) Wireman 2 (1+1) COPA- 2 (1+1) Solar Technician (Electrical)- 2(1+1)	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Recommended w. of f. Aug. 2023	Recommended for the following trade:  1. Electrician 4 (2+2) 2. Fitter 2 (1+1) 3. Welder 2 (1+1) 4. Wireman 2 (1+1)



de

	PUNE, MAHARASHTRA. TMP27490PR16499242 85		5. COPA-2 (1+1) 6. Solar Technician (Electrical)- 2(1+1)		Session For Electrician 4 (2+2) Fitter 2 (1+1) Welder 2 (1+1) Wireman 2 (1+1) COPA- 2 (1+1) Solar Technician (Electrical)- 2(1+1)	5. COPA- 2 (1+1) 6. Solar Technician (Electrical)-2(1+1)
3	CHANDRALOP PRIVATE INDUSTRIAL TRAINING INSTITUTE GUT NO 52 HARSUL SAWANGI TULJAPUR SHIVAR JALGAON ROAD AURANGABAD, TMP27469PR16455488 52	FITTER 2(1+1) Electrician2(1+ 1) Welder 2(1+1) Wireman2(1+1) - Solar Technician (Electrical) 2(1+1) COPA 2(1+1)		This proposal is discussed in the meeting of SCAA dated 16.05.2023  Recommended w.e.f.Aug.2023 Session For FITTER-2(1+1) Electrician-2(1+1) Welder 2(1+1) wireman - 2(1+1) Solar Technician(Electrical )-2(1+1) COPA -2(1+1)	Recommended for following trades:  1. FITTER 2(1+1) 2. Electrician2(1+1) 3. Welder 2(1+1) 4. Wireman2(1+1) 5. Solar Technician (Electrical) 2(1+1)  RD, RDSDE to verify the CITS instructors details before start of session 2023-24	Recommended for following trades:  1. FITTER 2(1+1) 2. Electrician2(1+1) 3. Welder 2(1+1) 4. Wireman2(1+1) 5. Solar Technician (Electrical) 2(1+1)  RD, RDSDE to verify the CITS instructors details before start of session 2023-24
4	SWAMI VIVEKANAND PRIVATE INDUSTRIAL TRAINING INSTITUTE, AT JOLA POST DEVGAON RAL KAIJ DIST BEED MAHARASHTRA	Pvt	Electrician 2(1+1) Fitter 2(1+1) Draughtsman 2(1+1) Civil Solar Tech.(Electrical) 2(1+1) Cosmetology2(1+1)	Fitter-2(1+1) Draughtsman Civil-	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Recommended w.e.f.Aug.2023 Session For Electrician - 2(1+1)	



Page **203** of **260** 

	TMP27470PR16455182 71				Fitter- 2(1+1) Draughtsman Civil - 2(1+1) Solar Tech.(Electrical) - 2(1+1) Cosmetology- 2(1+1)	State Director will confirm the same and forward the details duly stamped and signed to DGT within 07 days.  After that case will be placed in the next SCAA.
5	SHRI V A SAVANT PRIVATE INDUSTRIAL TRAINING INSTITUTE NASHIK GAT NO. 61 AT POST SAYANE (BK) TAL. MALEGAON. DIST. NASHIK.  TMP27487PU16499162 11	Pvt	Fitter- 2(1+1) Electrician 2(1+1) wireman 2(1+1) Geo Informatics Asst.,Stenograph er Eng2(1+1)		This proposal is discussed in the meeting of SCAA dated 16.05.2023  Recommended w.e.f.Aug.2023 Session For Fitter- 2(1+1) Electrician -2(1+1) wireman -2(1+1) Geo Informatics -2(1+1) Asst., Stenographe r Eng -2(1+1)	1. Fitter- 2(1+1) 2. Electrician - 2(1+1) 3. wireman -2(1+1) 4. Geo Informatics - 2(1+1)
6	VISHWAKARMA PVT ITI BIDAR ROAD UDGIR LATUR Bidar Road at Shellal taluka Udgir Dist Latur, LATUR, MAHARASHTR TMP27481PR16482216 04	Pvt	Electrician, 2(1+1) wireman2(1+1) , Solar Technician (Electrical) 2(1+1) COPA 2(1+1) Technician (Smart Agriculture) 2(1+1)	Not Recommended Not Recommended	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Not Recommended Work Shop and class rooms are constructed by Industrial sheets	as per remarks of



					and Tin sheets and most of the machineries are not installed, shortage power supply.	
7	TRIMURTI INDUSTRIAL TRAINING INSTITUTE ,Survey no. 227/2 Near KBCNMU, Opp. Hotel Govind , Paldhi Bk., Tal Dharangaon, Dist :-Jalgaon,  TMPSP065	Pvt	Draughtsman (Civil) 2(1+1+0) Electrician 2(1+1+0) Wireman 2(1+1+0) Fitter 2(1+1+0)	Electrician 2 (1+1+) Fitter 2 (1+1+) Wireman 2 (1+1+)Draughtsman (Civil)-(1+1)	Recommended w.e.f.Aug.2023 Session For Electrician 2 (1+1) Fitter 2 (1+1)Wireman 2 (1+1)Draughtsman (Civil)- 2(1+1)	SCAA following deficiencies are observed:  1. BCC is not as per norms 2. Building plan not available 3. Electricity Bill not as per norms. 4. IT lab not as per norms. 5. CITS instructor details not given  ITI will rectify all the above deficiencies and submit the detail to State Directorate within 15 days from issue of this MoM.  State Directorate will submit the signed & stamped report along with recommendation to DGT within 07 days.



Page **205** of **260** 

						After receipt of report from State Directorate, case will be placed in the next
8	CHHATRAPATI SHIVAJI MAHARAJ PRIVATE ITI RATNPIMPRI GAT NO. 125 (DABAPIMPRI SHIVAR), PAROLA AMALNER ROAD NEAR SHIV DHAM TAL. PAROLA DIST Jalgaon  TMPSP002	Pvt	1)Electrician 2(1+1) 2)Fitter2(1+1) 3)Surveyor2(1+1) 4) Sanitary Health Inspector 2(1+1)	Electrician 2 (1+1+) Fitter 2 (1+1+) Surveyor 2 (1+1+) Sanitary Health Inspector	Recommended w.e.f.Aug.2023 Session For Electrician 2 (1+1+) Fitter 2 (1+1+) Surveyor 2 (1+1+) Sanitary Health Inspector	SCAA.  SCAA observed the following deficiencies:  1. BCC is not as per norms 2. Building plan not available 3. CITS instructor details not given  ITI will rectify all the above deficiencies and submit the detail to State Directorate within 15 days from issue of this MoM.  State Directorate will submit the signed & stamped report along with recommendation to DGT within 07 days.  After receipt of report from State Directorate, case will be placed in the next SCAA.



	9	YASHODEEP SAMAJIK VIKAS SANSTHA	Pvt	1.Electrician2(1+1	Electrician 2(1+1) Wireman 2(1+1)		The matter was discussed in SCAA
1		SARALGAON PRIVATE		2.Wireman 2(1+1)	Human Resource		
		ITI THANE,		3.Human	Executive 2(1+1)	1.Electrician	deficiencies are
1	- 4			Resource	GEO-	2(1+1)	observed:
1	1			Executive 2(1+1)	INFORMATICS	2.Wireman 2(1+1)	
1				4.GEO-	ASSISTANT 2(1+1)		1. BCC is not as per
ı		TMP27497		INFORMATICS		Executive 2(1+1)	norms.
1		PR1647154218		ASSISTANT		4.GEO-	2. Building plan is not
1				2(1+1)		INFORMATICS	readable. 3. Details of CITS
1						ASSISTANT 2(1+1)	trained instructors.
1						2(111)	trained instructors.
							ITI will provide the
1							BCC, building plan
1							and submit the
1							instructor details to
1							State Directorate
-				-			within 07 days from ssue of this MoM.
1							issue of this Mol.
-							Thereafter, State
-							Director will verify
							BCC as per local
							building bye-laws &
							instructor details and
							submit the signed &
							stamped report to DGT within 07 days.
							DOT WILLIIIT OF Gays.
							After receipt of report
							from State
							Directorate, case will
							be placed in the next
							SCAA.



10	RAMRAJE PRIVATE INDUSTRIAL TRAINING INSTITUTE PARBHANI  TMP27489 PR1648624468	Pvt	1.Electrician 4(2+2) 2.Fitter 2(1+1) 3.Wireman 4(2+2) 4.Solar Technician (Electrical) 2(1+1) 5.Welder 2(1+1) 6.Computer Hardware & Network Maintenance 2(1+1)	Not Recommended Not Recommended Not Recommended Not Recommended Not Recommended	Disagree ,ITI was closed. Inspection not done. No trades, No units are Recommended for affiliation.	Not Recommended as per remarks of SSDEC
11	SHRI DHANESHWARI MANAV VIKAS MANDAL WALUJ PRIVATE INDUSTRIAL TINSTITUTE AURANGABAD, GUT NO.51 BUDRUK WALUJ TQ. GANGAPUR DIST. AURANGABAD TMP27469 PR1646724193	Pvt	1.Electrician 2(1+1) 2.Wireman 2(1+1) 3.GEO- INFORMATICS ASSISTANT 2(1+1) 4.Marketing Executive 2(1+1) 5. COPA 2(1+1+0)	Electrician 2(1+1) Wireman 2(1+1) 3.GEO- INFORMATICS ASSISTANT 2(1+1) Marketing Executive 2(1+1)	Recommended w.e.f.Aug.2023 Session For 1.Electrician 2(1+1) 2.Wireman 2(1+1) 3.GEO- INFORMATICS ASSISTANT 2(1+1) 4.Marketing Executive 2(1+1)	Recommended the proposal of this ITI. SCAA Recommended for following trades:  1) Electrician 1+1+0 2) wireman 1+1+0 3) Geo informatics assistant 1+1+0 4) marketing executive 1+1+0  RD, RDSDE to verify the CITS instructors details before start of session 2023-24

State Directorate, Maharashtra to ensure that CITS qualified instructors are engaged before start of the session 2023-24 in all Recommended ITIs

(Pu)

Annexure- VII

### Annexure as referred in Agenda 5, S.no. 6 (SSDEC Maharashtra)

SSDEC Maharashtra -Affiliation proposals of existing Govt. & PVT ITIs (39) for addition of Trades/Units

SL. No.	TTI name and complete address	MIS Code (In case of Existing ITI )	Type of ITI(Govt/ Pvt )	Shift wise Trade and Units sought for affiliation Trade	Shift wise Trade and Units Recommen ded by SSDEC Committee	Remarks by SSDEC (If any trade and unit is not Recommended then reason of not recommendatio n)	SCAA remarks
1. 1	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, YEOLA A/P-Babhulgaon Patoda Road, Yeola, Tal-Yeola, NASHIK, MAHARASHTRA. Grading 6.7	GR2700040 7	GOVT	Fitter Add 2 (1+1)	Fitter Add 2 (1+1)	Recommended w.e.f.Aug.2023 Session for Fitter Add 2 (1+1)	Recommende d Fitter Add 2 (1+1)
2.	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE (ADIVASI), TALODA, DIST: NANDURBAR  Grading 8.4	GR2700031 8	GOVT	Fitter Add 2 (1+1)	Fitter Add 2 (1+1)	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Recommended w.e.f.Aug.2023 Session for Fitter Add 2 (1 + 1)	Recommende d Fitter Add 2 (1+1)



Page **209** of **260** 

3.	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, RISOD, Bhokarkheda Road Near BSNL Office, Risod, DIST: WASHIM, Grading 8.3	GR2700051 7	GOVT	Wireman- Add. 2 (1+1)	Wireman- Add. 2 (1+1)	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Recommended w.e.f.Aug.2023 Session for Wireman Add. 2 (1+1)	Recommende d Wireman- Add. 2 (1+1)
4.	GOVT.INDUSTRIAL TRAINING INSTITUTE SINNAR. Devi Mandir Road Sinnar,Tal-Sinna (Maharashtra) Sinnar Pin- 422103., NASHIK, MAHARASHTRA.	GR2700027 2	GOVT	Fitter - Add.2(1+1).	Fitter - Add.2(1+1).	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Recommended w.e.f.Aug.2022 Session for Fitter 2(1+1)	Recommend ed for Fitter 2(1+1)
5.	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE (ADIVASI),Behind B.s.n.I Office Balsad R pethdi,NASHIK,MAHARASH TRA,-422208, Grading 8.6	GR2700028 4	GOVT	Electrician- Add.2 (1+1)	Electrician- Add.2 (1+1)	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Recommended w.e.f.Aug.2023 Session for Electrician-Add.2 (1+1)	Recommend ed Electrician- Add.2 (1+1)



Page **210** of **260** 

6.	GOVERNMEN T INDUSTRIAL TRAINING INSTITUTE (ADIVASI), DEOLA, DIST: NASHIK Grading 8.4	GR2700070 1	GOVT	Mechanic Diesel- Add.1 (0+1)	Mechanic Diesel - Add.1 (0+1)	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Recommended w.e.f.Aug.2023  Session for Mechanic Diesel Add. 1 (0+1)	Recommend ed Mechanic Diesel Add. 1 (0+1)
7.	GOVERNMENT ITI SHAHADA, Govt ITI (Adivasi), Shahada, Dist: Nandurbar, NANDURBAR, MAHARASHTRA.  Grading 8.4	GR2700044 2	GOVT	Add. Fitter- 2 (1+1)	Add. Fitter-2 (1+1)	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Recommended w.e.f.Aug.2023  Session for Add. Fitter-2 (1+1)	Recommend ed for Add. Fitter-2 (1+1)
8.	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE SANGAMNER Grading 09	GR2700042 2	GOVT	Electrician- Add. 2 (1+1) Fitter -Add. 2 (1+1)	Electrician- Add. 2 (1+1) Fitter -Add. 2 (1+1)	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Recommended w.e.f.Aug.2023 Session for Electrician -2 (1+1) Fitter -2 (1+1)	Recommende d for Electrician -2 (1+1) Fitter -2 (1+1)  However , State to ensure sufficient Power load



Page **211** of **260** 

							availability as per DGT norms.
9.	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE (SCP) NASHIK Grading 8.5	GU2700054 1	GOVT	Fashion Design and Technology - Add.1 (0+1) Mechanic Motor Vehicle - Add.1 (0+1) COPA- Add.1 (0+1) Food Production (General)- Add.1 (0+1)	Fashion Design and Technology - Add.1 (0+1) Mechanic Motor Vehicle - Add.1 (0+1) COPA- Add.1 (0+1) Food Production (General)- Add.1 (0+1)	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Recommended w.e.f.Aug.2023 Session for 1. Fashion Design and Technology 1 (0+1) 2.Mechanic Motor Vehicle - 1 (0+1) 3.COPA-1 (0+1) 4.Food Production	Recommend ed for following trades: Fashion Design and Technology - Add.1 (0+1) Mechanic Motor Vehicle - Add.1 (0+1) COPA-Add.1 (0+1) Food Production (General)- Add.1 (0+1)
10.	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE NEWASA DIST- AHMEDNAGAR Grading 7.9	GR2700049 5	Govt	Electrician - Add. 1 (0+1) Wiremen - Add.1 (0+1) Welder -Add 1 (0+1)	Electrician - Add. 1 (0+1) Wiremen - Add.1 (0+1) Welder -Add 1 (0+1)	(General)-1 (0+1) This proposal is discussed in the meeting of SCAA dated 16.05.2023 Recommended w.e.f.Aug.2023 Session for Electrician -Add. 1 (0+1) Wiremen -Add.1 (0+1)	Recommend ed for following trades:  Electrician - Add. 1 (0+1) Wiremen - Add.1 (0+1) Welder -Add 1 (0+1)



						Welder -Add 1 (0+1)	
11.	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE NAVYUG COLONEY, TANDULWADI, STATION ROAD RAHURI AHMEDNAGAR, MAHARASHTRA.	GR2700049 9	Govt	Electrician 2(1+1+0)	Electrician 2(1+1+0)	Recommended w.e.f.Aug.2023 Session for Electrician 2(1+1+0)	Recommende d the following trades: Electrician 2(1+1+0)
12.	Grading 8.9 GOVERNMENT INDUSTRIAL TRAININIG INSTITUTE SHRIGONDA DIST. AHMEDNAGAR Grading 7.5	GR2700042 1	Govt	Electrician - Add. 1 (0+1) Fitter - Add. 1 (0+1)	Electrician - Add. 1 (0+1) Fitter - Add. 1 (0+1)	Recommended w.e.f.Aug.2023 Session for Electrician - Add.1 (0+1) Fitter- Add.1 (0+1)	SCAA Recommende d the following trades:  Electrician - Add.1 (0+1) Fitter- Add.1 (0+1)
13.	Government Industrial Training Institute, Jafrabad, Dist: Jalna Grading 7.5	GR2700036 4	Govt	Fitter- Add.1(0+1)	Fitter-Add.1 (0+1)	Recommended w.e.f.Aug.2023 Session for Fitter: Add.1(0+1)	SCAA Recommende d the following trades:  Fitter: Add.1(0+1)
14.	Govt. INDUSTRIAL TRAINING INSTITUTE TULJAPUR	GR2700039 4	Govt	COPA- Add.1(0+1) Welder- Add.1(0+1)	COPA- Add.1(0+1) Welder- Add.1(0+1)	Recommended w.e.f.Aug.2023 Session for COPA-	Recommend ed



Page **213** of **260** 

	Grading 7.5			Sheet metal -Add.1(0+1) Add. Electronics mechanic- 2(1+1)	Sheet metal -Add.1(0+1) Add. Electronics mechanic- 2(1+1)	Add.1(0+1) Welder- Add.1(0+1) Sheet metal - Add.1(0+1) Add. Electronics mechanic-2(1+1)	COPA- Add.1(0+1) Welder- Add.1(0+1) Sheet metal - Add.1(0+1) Add. Electronics mechanic- 1(0+1) State Directorate to ensure the increase the
15	GOVT. INDUSTRIAL TRAINING INSTITUTE HINGOLI AT.PO. LIMBALA Grading 7.7	GR2700029	Govt	1.COPA - Add.2(1+1) 2.Architectur al Draughtsma n - 2(1+1)	1.COPA - Add.2(1+1) 2.Architectur al Draughtsma n - 2(1+1)	Recommended w.e.f.Aug.2023 Session for 1.COPA - Add.2(1+1) 2.Architectural Draughtsman - 2(1+1)	power load SCAA Recommende d the following trades:  COPA-1(0+1) Architectural Draughtsman- 1(0+1)  As per ITI application on NIMI portal, trade unit sought for affiliation is Architectural



16	GOVERMENT INDUSTRIAL						1(0+1) COPA-1(0+1)
	TRANING INSTITUE,NANDED VIP ROAD, NANDED- 431602, NANDED, MAHARASHTRA.  Grading 7.7	GR2700001 0	Govt	Electrician - Add.2 (1+1)  Computer Operator and Programmin g Assistant (COPA)-2 (1+1)	Electrician - Add.2 (1+1)  Computer Operator and Programmin g Assistant (COPA)-2 (1+1)	Recommended w.e.f.Aug.2023 Session for New COPA (1+1+0) Additional Electrician 2 (1+1)	SCAA Recommende d the following trades:  Electrician- 2(1+1) COPA- 2(1+1+0)
17	GOVT.ITI DHARANGAON,CHOPDA ROAD,DHARANGAON,PIN CODE 425105,DIST.JALGAON  Grading 6.9	GR2700034 9	Govt	COPA- 2(1+1)	COPA- 2(1+1)	Recommended w.e.f.Aug.2023 Session for COPA-2(1+1)	SCAA Recommende d the following trades: COPA-2(1+1)
18	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE SELOO, DIST- WARDHA  Grading 8.3	GR2700051 2	Govt	Electrician-2 (1+1)	Electrician-2 (1+1)	Recommended w.e.f.Aug.2023 Session for Electrician 2 (1+1)	SCAA Recommende d the following trades: Electrician- 2(1+1)



Page **215** of **260** 

19	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE ,PARNER,D Alkuti Road,Parner,At Post - Parner, DistAhmednagar., AHMEDNAGAR, MAHARASHTRA. Grading 7.4	GR2700036 0	Govt	Electronics Mechanic- Add.1 (0+1) Fitter-2 (1+1)	Electronics Mechanic- Add.1 (0+1) Fitter-2 (1+1)	Recommended w.e.f.Aug.2023 Session for Electronics Mechanic Add. 1 (0+1) Fitter 2 (1+1)	Recommende d for the following trades: Electronics Mechanic Add. 1 (0+1) Fitter 2 (1+1)
20	GOVT, INDUSTRIAL TRAINING INSTITUTE, VAIJAPUR ROAD, GANGAPUR DIST AURANGABAD MAHARASHTRA PIN 431109  Grading 8.2	GR2700028 7	Govt	Electrician- Add.1(0+1) Fitter-Add. 1(0+1)	Electrician- Add.1(0+1) Fitter-Add. 1(0+1)	Recommended w.e.f.Aug.2023 Session for Electrician Add.1(0+1) Fitter - Add.1(0+1)	SCAA Recommende d the following trades:  Electrician- 1(0+1+0) Fitter- 1(0+1+0)
21	LATTHE EDUCATION SOCIETYS JAYSINGPUR INDUSTRIAL TRAINING INSTITUTE JAYSINGPUR KOLHAPUR Grading 4.2	PR2700013	Pvt	Fitter-2(1+1) Wireman- 2(1+1) Electrician- 2(1+1) Turner- 2(1+1) Proposed for Name Changing)	Fitter-2(1+1) Wireman- 2(1+1) Electrician- 2(1+1) Turner- 2(1+1) Proposed for Name Changing)	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Recommended for change the ITI name from-Latte Education Society, Sanglis Jaysing pur Industrial Training institute to Latte Education Society, Sanglis	Officer dealing with NCVT portal to expedite this matter



Page **216** of **260** 

22	JAMIA PRIVATE INDUSTRIAL TRAINING INSTITUTE, NANDURBAR, TAL: AKKALKUWA, DIST: NANDURBAR  Grading 6.4	PR2700024 7	Pvt	Fashion Design and Technology- 2 (1+1) Solar Technician- 2 (1+1)	Fashion Design and Technology- 2 (1+1) Solar Technician- 2 (1+1)	shrimati Vimal Dhanpal Zele Industrial Training institute. This proposal is discussed in the meeting of SCAA dated 16.05.2023 Recommended w.e.f.Aug.2023 Session for Fashion Design and Technology- 2 (1+1) Solar Technician- 2 (1+1)	Recommende d following Trade: Fashion Design and Technology-2 (1+1) Solar Technician- 2 (1+1)
23	KUMSS PRIVATE INDUSTRIAL TRAINING INSTITUTE PUNE  Grading 0.1	PR2700102 5	Pvt	This Pvt. ITI is not ready for Affiliation inspection on 29/08/2022 as e-mail is received from ITI vide letter No. KUMSS/ITI/21-22/118 dated 27/08/2022 and asked for an	Not Recommen ded	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Not Recommended for Institute not ready for Inspection	Not Recommende d as Institute not ready for Inspection



				extension date of physical Affiliation Inspection for one month from 29/08/2022.			
24	LOKPANCHAYAT RURAL TECHNICAL TRAINING INSTITUTES PRIVATE ITI At- Kurkundi Post- Ghargoan, Tal - Sangamner, Dist - Ahmednagar Grading 7.6	PR2700084 8	Pvt	Electrician- Add. 2 (1+1)	Electrician- Add. 2 (1+1)	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Not Recommended for 1. Land and Lease document and EB Bill is not on the ITI name. 2. BCC is not in proper format. 3.Biometric instrument is not in use.	Not Recommende d as per remarks of SSDEC
25	JAI HANUMAN PVT I.T.I. BHUSAWAL JALGAON, NH 6 BEHIND YASHODA DP, SERVAY NO 76/1, PLOT NO.4,5, BHUSAWAL DIST. JALGAON.  Grading 8.3	PR2700079 8	PVT	Electrician 2 (1+1)	Electrician 2 (1+1)	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Recommended w.e.f.Aug.2023  Session for Electricia-2 (1+1)	Compliance awaited from State as per 9 <sup>th</sup> SCAA i.e. 1. BCC not available. 2. Details of CITS instructors



26	MATOSHRI PRIVATE INDUSTRIAL TRAINING INSTITUTE NASHIK, AT BABHULGAON (SND CAMPUS) TAL YEOLA DIST NASHIK, Grading 5.2	PR2700060 7	Pvt	Fitter -1 (0+1) Electrician1 (0+1) Mechanic Diesel 1 (1+0)	Fitter -1 (0+1) Electrician1 (0+1) Mechanic Diesel 1 (1+0)	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Recommended w.e.f.Aug.2023  Session for Fitter -1 (0+1)  Electrician1 (0+1)  Mechanic Diesel 1 (1+0)	Recommende d for following trades: Fitter -1 (0+1) Electrician1 (0+1) Mechanic Diesel 1 (1+0)
27	DADASO ANANDRAO GANPAT PAWAR (PVT) INDUSTRIAL TRAINING INSTITUTE GORANE DHULE Grading NG	PR2700101 5	PVT	Electrician Add 2 (1+1)	Not Recommen ded	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Not Recommended for not available Machinery, Tools & Equipment's for Electrician new additional units	Not Recommende d as per SSDEC remarks
28	KALAWATIBAI CHAVAN PVT.INDUSTRIAL TRAINING INSTITUTE NAIGAON PRIVATE INDUSTRIAL TRAINING INSTITUTE, NANDED, Lalwandi Road At.Post.Tq.Naigaon Dist. Nanded,	PR2700097 9	Pvt	Wireman 2.(1+1) Electrician- Add.2.(1+1)	Wireman 2.(1+1) Electrician- Add.2.(1+1	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Recommended w.e.f.Aug.2023 Session for	As per recommendati on of SSDEC , SCAA recommende d Wireman 2.(1+1)



						Wireman 2.(1+1)	
29	LATE, G. S. VARADE, PRIVATE INDUSTRIAL TRAINING INSTITUTE, MUKTAINAGAR JALGAON Grading 8.4	PR2700018 7	PVT	Electrician - Add. 2 (1+1)	Not Recommen ded	This proposal is discussed in the meeting of SCAA dated 16.05.2023  Not Recommended for not sufficient power and Drawing hall are not as per norms.	Not Recommende d as per SSDEC remarks
30	GRAMIN INDUSTRIAL TRAINING INSTITUTE MALAKOLI Private Industrial Training Institute, NANDED  Grading 5.59	PR2700061	Pvt	Electrician- Add.6 (3+3 ) Wireman- Add. 2 (1+1)	Electrician - add. 6 (3+3) units Wireman -2 (1+1)	Recommended w.e.f.Aug.2023 Session for Electrician - add. 6 (3+3) units Wireman -2 (1+1)	SCAA Recommende d the following trades:  Electrician (addl.) 6(3+3) Wireman (addl.) 2(1+1)
31	GRAMIN INDUSTRIAL TRAINING INSTITUTE KANDHAR Private Industrial Training Institute, NANDED	PR2700099 3	Pvt	Electrician - Add.12 (6+6) Wireman - Add.2 (1+1) Mechanic Refrigeratio n And Air Condition	Electrician - Add.12 (6+6) Wireman - Add.2 (1+1) Mechanic Refrigeratio n And Air Condition (MRAC) -2	Recommended w.e.f.Aug.2023 Session for  Electrician - add. 12 (6+6) units Wireman -2 (1+1) Mechanic Refrigeration And	SCAA Recommende d the following trades: Electrician - add. 12 (6+6) units Wireman -2



				(MRAC) -2 (1+1) Basic Cosmo-2 (1+1) COPA- (0+0+1)	(1+1) Not Recommen ded Basic Cosmo-2 (1+1) & COPA- (0+0+1)	Air Condition (MRAC) -2 (1+1)	Mechanic Refrigeration And Air Condition (MRAC) -2 (1+1)
32	Gramin Industrial Training Institute Dagadwadi Tq. Parli Dist. Beed	PR2700102 0	Pvt	Electrician (New) - Add.8 (4+4) Wireman (New) - Add.4 (2+2) Surveyor (New) - 2 (1+1)	Electrician (New) - Add.7 (3+4) Wireman (New) - Add.4 (2+2) Surveyor (New) 2 (1+1)	Recommended w.e.f.Aug.2023 Session for  Electrician (New) -Add.7 (3+4) Wireman (New) - Add.4 (2+2) Surveyor (New) 2 (1+1) Not Recommended Electrician add. 1(1+0) Units for State NOC Not Issued	SCAA Recommende d the following trades: Electrician - add. 6 (3+3) units Wireman - Add.4 (2+2) Surveyor (New) 2 (1+1)
33	HA.BHA.PA.SOPANKAKA KELE INDUSTRIAL TRAINING INSTITUTE, AT KELEWADI TAL WASHI DIST OSMANABAD,	PR2700098 6	Pvt	Fitter -2 (1+1) COPA-2 (1+1) Electrician- Add.2 (1+1)	Fitter -2 (1+1) COPA-2 (1+1) Electrician- Add.2 (1+1)	Recommended w.e.f.Aug.2023 Session for 1) Fitter- 2 (1+1) 2) COPA- 2 (1+1) 3) Electrician - 2 (1+1)	SCAA also observed following deficiencies:  1. BCC is not as per norms 2. Building plan not available



							ITI will rectify all the above deficiencies and submit the detail to State Directorate within 15 days from issue of this MoM.  State Directorate will submit the signed & stamped report to DGT within 07 days.
							After receipt of report from State Directorate, case will be placed in the next SCAA.
34	Old Address -Graimin Advance Private Industrial Training Institute Majalgaon Opp.Manadhane house,near Dr. nilekar hospital, sam BEED-431131 New Address GRAMIN	PR2700084 3	Pvt	Electrician (Existing)-6 (3+3)	Electrician (Existing)-6 (3+3)	Recommended w.e.f.Aug.2023 Session for 1)Electrician - 6 (3+3)	SSDEC Recommende d the proposal of shifting this ITI. SCAA Recommende d the ITI with



	ADVANCE PVT. I.T.I. 178, Near keshavraj Mangal Karyalay Bhatvadgav Majalgaon Dist. Beed- 431131. Grading 6.1						existing trades.
35	Gramin Industrial Training Institute Dagadwadi Tq. Parli Dist. Beed	TMP27470 PR1580834 879	Pvt	1.Electrician -16( 8+08) 2.Wireman - 4(2+2 ) 3. Mech Diesel - 2(1+1)	Not Recommen ded Wireman - add. 2 (1+1 Not Recommen ded	Recommended w.e.f.Aug.2023 Session for Wireman - add. 4 (2+2)  Not Recommended Electrician add. 16 (8+8) & Mechanic Diesel Add.2 (1+1) Units for State NOC Not Issued.	State Directorate inform that NOC was not issued by State Directorate to open this ITI. Hence proposal not considered.
36	Annasaheb Dange Educational Campus Ashta. Tal - Walwa Dist - Sangli. P SANGLI, MAHARASHTRA. Grading 8.3	PR2700066 9	Pvt	Electrician - Add.2 (1+1) Mechanic Motor Vehicle (MMV) - 2 (1+1)	Electrician - Add.2 (1+1) Mechanic Motor Vehicle (MMV) - 2 (1+1)	Recommended w.e.f.Aug.2023 Session for Electrician - Add.2 (1+1) Mechanic Motor Vehicle (MMV) - 2 (1+1)	Recommende d for Electrician - Add. 2 (1+1) Mechanic Motor Vehicle (MMV) - 2 (1+1)  RD, RDSDE to verify the CITS instructors



Page **223** of **260** 

							details before start of session 2023- 24
37	HINDI SEVA MANDALACHE, SHRI SANT GADGE BABA PVT. INDUSTRI BHUSAWAL. JALGAON, D.L.HINDI HIGH SCHOOL CAMPUS, SHIVAJI NAGAR, BHUSAWAL., JALGAON, MAHARASHTRA.  Grading 5.8	PR2700052	Pvt	Mechanic Refrigeratio n and Air Conditioner- 2(1+1)	Not Recommen ded	Not Recommended for 1.No,computer are core2 dueo 2 gb ram 320 gb hard disk 18 inch licenses o not found only 6 ms office license available. 2.No,required power norm are not fulfilled 3.No,single drawing hall available for 22 Plus units 36 drawing table only available 4.,BCC is issued by Architect only government body approval not found	Not Recommende d as per SSDEC remarks
38	SHIRDI SAI RURAL INSTITUTES INDUSTRIAL INSTITUTE RAHATA AHMEDNAGAR	PR2700049 7	Pvt	Electrician- Add.2 (1+1) Mechanic Diesel- 2(1+1)	Electrician- Add.2 (1+1) Mechanic Diesel- 2(1+1)	Recommended w.e.f.Aug.2023 Session for Electrician : Add. 2 (1+1) Mechanic Diesel	Recommende d for Electrician : Add. 2 (1+1) Mechanic



	Grading 7.8					(New): 2 (1+1)	Diesel (New): 2 (1+1)
39	DAYARAMJI BHOYAR PRIVATE INDUSTRIAL TRAINING INSTITUTE Shifting Case	PR2700084 1	Pvt	Electrician- 2(1+1) Fitter-2(1+1)	Electrician- 2(1+1) Fitter-2(1+1)	Recommended w.e.f.Aug.2023 Session for Electrician 2(1+1) Fitter 2(1+1)	State Directorate informed that ITI shifted within one kilometre and
	Old address & Location - Dayaramji Bhoyar Pvt.ITI, Kodamendhi,District - Nagpur, Maharashtra- 441106. & Latitude: 21.3219, Longitude: 79.4755.						SSDEC also Recommende d the same, SCAA agreed and Recommende d with existing trades/units.
	New address & Location - Dayaramji Bhoyar Pvt.ITI, At Mouda TH - Mouda , District - Nagpur,Maharashtra- 441104.& Latitude : 21.1498732, Longitude : 79.3944786.						RD, RDSDE to verify the CITS instructors' details before start of session 2023- 24

State Directorate, Maharashtra to ensure that CITS qualified instructors are engaged before start of the session 2023-24 in all Recommended ITIs



Annexure- VIII

# Annexure as referred in Agenda 5, S.no. 6 (SSDEC Maharashtra)

S.NO	Name of the ITI	MIS Code	Name Of the Industry	Name of the Trade For DST		Shift	Remarks by SSDEC	SCAA remarks
1	11	111	IV	V	V	VI	VII	VIII
1	Government Industrial Training Institute, Satara, Dist: Satara	GU2700001 8	M/s. Joshi Jamapla Engineering Pvt Ltd. Addl M.I.D.C. Satara-415004	Fitter	1 Unit	2 Shift	As Institute fulfills the required criteria, It is Recommende d for the conversion of existing affilated units into DST units from session Aug.2023	
		GU2700001 8	M/s. Top Gear Transmissions Plot No.W 41 and M 71. Addl M.I.D.C. Satara-415004	Machinist Turner	1 Unit	2 Shift 2 Shift	As Institute fulfills the required criteria, It is Recommende d for the conversion of existing affiliated units into DST units from session Aug.2023	Recommende d as per remarks of SSDEC



2	Government	GR2700039	Yash Industries, D-	Turner	1 Units	2	As Institute	Recommende
	Industrial Training	5	28/2, MIDC Wai, Dist.			Shift	fulfills the	d as per
	Institute, Wai, Dist:		Satara-412803				required	remarks of
	Satara						criteria, It is	SSDEC
							Recommende	
							d for the	
							conversion of	
							existing	
							affiliated units	sac
							into DST units	
							from session	
							Aug.2023	
3	Government	GR2700006	M/s Pawar	Mech	1 Unit	1	As Institute	Recommende
	Industrial Training	3	Automobiles Pvt Ltd At	Diesel		Shift	fulfills the	d as per
	Institute,		Post jaulke,				required	remarks of
	Dindori,Umrali Road		Tal.Dindori Dist				criteria, It is	SSDEC
	Tal Dindori Dist:		Nashik				Recommende	
	Nashik-422202						d for the	
							conversion of	
							existing affiliated units	
							into DST units	
		_		_			from session	
							Aug.2023	
			M/s Neelay	Machinist	1 Unit	1	Not	As per
			Industries, Plot No c-	Electrician	1 Unit		Recommende	remarks of
			18, Nice Area,MIDC	Sheet	1 Unit	Sillin	d for Travel	
			Satpur Nashik	Metal	(Not		1	Recommende
			Catpul Nashik	Work	Recommended		More than 40	d
				VVOIK	1		Km Between	_
					′		ITI to	
						14	Company	
L						ΙΛ-	1 2 3111 2 3111	L



4	Government	GR2700042	Shri Sai Ganesh Steel	Welder	1 Unit	1st	As Institute	Recommen	ide
	Industrial Training	2	Industries			Shift	fulfills the	d as	per
	Institute,Sangamner,		Sangamner, Sr No				required	remarks	of
	At Gunjalwadi Post		47/3 Plot No 50, A-				criteria, It is	SSDEC	
	Rajapur Tal		Section, CoOp		H		Recommende		
	Sangamner Dist	l l	Industrial Estate				d for the		
	Ahmednagar	1	Sangmner, Tal				conversion of		
			Sangamner, Dist				existing	ı	
			Ahmednagar				affiliated units		
			U I				into DST units		
						1	from session		
							Aug.2023		
5	Government	GU2700005	M/s. Citizen Hotel Pvt	Food	2 Unit ( Not	1st &	As Institute	Recommen	ide
	Industrial Training	0	Ltd, 960 Juhu Beach	Productio	Recommended	2nd	fulfills the		per
	Institute, Mulund,		Juhu Tara Road,	n	1 Unit)	Shift	required	remarks	of
	Balasaheb		Santacruz(West)	(General)			criteria, It is	SSDEC	
	Thakurwadi Mithaar		Mumbai 40049				Recommende		
	Road Mulund (EAST)						d for the		
	Mumbai-400081						conversion of		
							existing		
							affiliated units		
							into DST units		
							Aug.2023 (		
							Only 1 Unit		
							Recommend		
					1		out 2 Unit )		
			I.			0	July Oliv		



6	Government	GR2700001	M/S Padamaja Motors	Mechanic	1 Unit	2nd	As Institute	Recommende
	Industrial Training	0	Gut No.105, Airport	Motor		Shift	fulfills the	d as per
	Institute,Nanded, VIP		Road, Sangvi Tal &	Vehicle			required	remarks of
	Road, Tal & Dist		Dist Nanded				criteria, It is	SSDEC
	Nanded						Recommende	
							d for the	
							conversion of	
							existing	
							affiliated units	
							into DST units	
							from session	
							Aug.2023	(300)
							(Dealership of	
							TATA Motors)	
			Superme Gold	Welder	1 Unit	2nd	As Institute	Recommende
	) i		irrigation Itd.B-4/1,			Shift	fulfills the	d as per
			MIDC Industrial Area				required	remarks of
			nanded				criteria, It is	SSDEC
							Recommende	
							d for the	
							conversion of	*5
							existing	
							affiliated units	
							into DST units	
							from session	
							Aug.2023	
7	Government	GR2700039	Prathamesh	Wireman	1 Unit	2nd	As Institute	
	Industrial Training	4	Transformers &			Shift	fulfills the	d as per
	Institute,Tuljapur		Engg.works,Plot No A-				required	remarks of
	Naldurg Road, Near		38/1,MIDC,Osmanab				criteria, It is	SSDEC ·
	Navoadya Vidyalaya,		ad				Recommende	
	Tuljapur Dist						d for the	
	Osmanabad-413601						conversion of	
							existing	
						1	affiliated units	
					A	(1)	,	



							into DST units from session Aug.2023		
8	Government Industrial Training Institute, Shirur Anantpal, Bhingoli - Nilanga Road, Dist Latur-413544	GR2700057 4	M/S Exponetial Engg.pvt.ltd, Plot No- S-7, T-Block MIDC Bhosri Pune-411026	Welder	1 Unit (Not Recommended )	2nd Shift	Not Recommend Distance between ITI & Company more Than 300 Km	remarks	oer of Not de
9	Government Industrial Training Institute,Gevrai ,At Takadgaon Road, Tal. Gevrai Dist Beed	GR2700047 1	Dhoot Transmission Pvt Ltd, 1/4 MIDC, Shendra Industrail Estate, Aurangabad	Wireman	1 Unit (Not Recommended )	2nd Shift	Not Recommende d Distance between ITI & Company more than 200 Km	remarks	oer of Not de
10	Government Industrial Training Institute, Dhanora, Near Radheshyam Baba mandir At Lekha Near Po Heti Tal Dhanora, Dist Gadchiroli	GR2700034 1	M/s Mahindra & Mahindra Limited, Farm Division, Hingna MIDC, Hingna road Tal Hingna Dist Nagpur	Painter General	2 Unit (Not Recommended )	1st & 2nd Shift	Not Recommende d Distance between ITI & Company more than 200 Km	remarks	oer of Not de



11	Govt ITI Hingna, Mahajanwadi, Wandongri, Hingna Dist- Nagpur	GR2700012 5	Mahindra and Mahindra Limited, FED Hingna Road, MIDC, Nagpur	Welder	1 Unit	1st Shift	As Institute fulfills the required criteria, It is Recommende d for the conversion of existing affiliated units into DST units	Recommende d as per remarks of SSDEC
			Aerocom Automotives Pvt. Ltd., Hingna Rd MDC Nagpur	Fitter	2 Unit	2 Shift	from session Aug.2023 As Institute fulfills the required criteria, It is Recommende d for the conversion of existing affiliated units into DST units from session	Recommende d as per remarks of SSDEC
12	Govt Industrial Training Institute , Kuhi, Mandhai Road MIDC,Area Kuhi Dist- Nagpur	GR2700044 6	M/S Apex Buildsys Ltd, Umred Dist Nagpur	Fitter	2 Unit ( Not Recommended )	1 Shift	Aug.2023  Non Recommende d Distance between ITI to Company is 35 KM	Recommende



13	Govt Industrial	GU2700007	Transrail Lighting Ltd	Welder	2 Unit		As Institute	Recommende
	Training Institute	8	Deoli, Wadha		(Not -	Shift	fulfills the	d as per
	Wardh, Hanuman	The state of the s			Recommended		required	remarks of
	Tekadi, Mhada				1 Unit of		criteria, It is	SSDEC
	Colony, Aarvi Naka,				Welder Trade)		Recommende	
	Wardha						d for the	
				Fitter	2 Unit	2nd	conversion of	"
					(Not	Shift	existing	
					Recommended		affiliated units	
	l l				1 Unit of		into DST units	
					Welder Trade)		from session	
							Aug.2023	
							(Recommend	
							Only 1 Unit Welder & 1	
							Unit Fitter)	
14	Govt Industrial	GR2700044	M/s Galaxy	Electrican	1 Unit	1st	Not	As per
'	Training Institute,	7	Transmissions Pvt Ltd	Liectricari	( Not	Shift	Recommende	
	Bhivapur Near Tas	'	Umred MIDC Nagpur		Recommended	Omit	d Distance	
	Village, MIDC				)		between ITI &	
	Area,Bhivapur Dist				'		Company	d
	Nagpur						more than 40	1
							Km	
15	Govt Industrial	GR2700013	M/s Galaxy	Wireman	1 Unit	1st	As Institute	Recommende
	Training	1	Transmissions Pvt			Shift	fulfills the	d as per
	Institute, Umred,		Ltd, Plot No.D-9				required	remarks of
	Gotekhani, Sev		Umred MIDC]				criteria, It is	SSDEC
	Road, Umred, Tq.		Nagpur				Recommende	
	Umred, Dist- Nagpur						d for the	
							conversion of	
							existing	
							affilated units	
							into DST units	
							from session	
					1		Aug.2023	



							(Recommed Only 1 Unit Wireman)	sf
				Electrican	1 Unit (Not Recommended )	1st Shift	Not Recommend as per low Worker Capacity	Recommende d
15	Govt Industrial Training Institute,Umred, Gotekhani, Sev Road, Umred, Tq. Umred, Dist- Nagpur	GR2700013 1	M/s Topworth Urja & Metals Ltd Umred Nagpur	Electrican Fitter	1 Unit 1 Unit ( Not Recommended )	1st Shift	Not - Recommende d Insufficient Turnover Details	As per remarks of SSDEC Not Recommende d
15	Govt Industrial Training Institute, Umred, Gotekhani, Sev	GR2700013 1	M/S Apex Buildsys Umred. Plot No.D-3, Umred MIDC Dist- Nagpur		1 Unit ( Not Recommended )	1st Shift	As Institute fulfills the required criteria, It is Recommende	d as per SSDEC
	Road, Umred, Tq. Umred, Dist- Nagpur			Welder	1 Unit	1st Shift	d for the conversion of existing affiliated units into DST units from session Aug.2023	•



							(Recommend only Welder Trade 1 Unit)	
15	Govt Industrial Training Institute,Umred, Gotekhani, Sev	GR2700013 1	MMP Industries Limited, Umred, Umred MIDC Nagpur	Machinist	1 Unit (Not Recommended)	1st Shift	Not Recommende d Turnover Details shown	As per remarks of SSDEC Not Recommende
	Road, Umred, Tq. Umred, Dist- Nagpur			Turner	1 Unit ( Not Recommended )	1st Shift	in Metric	d
				Fitter	1 Unit ( Not Recommended )	1st Shift		
				Electrican	1 Unit ( Not Recommended	1st Shift		
16	Govt Industrial Training Institute, Nagpur , South Ambazari Road, Shradhanandpeth, Nagpur-440022	GR2700001 1	Mahindra and Mahindra Pvt Ltd (Tractor Division) MIDC Hingna Nagpur	Painter	1 Unit	1st Shift	As Institute fulfills the required criteria, It is Recommende d for the conversion of existing affiliated units into DST units from session Aug.2023	Recommende d as per SSDEC remarks



17	Lokmangal Private	PR2700056	Lokmangal Agro	Electrician	1st Unit 1st	1		Recommende
	Industrial Training	7	Industries Limited,	Welder	Unit 1st Unit (	Shift		d as per
	Institute, Wadala, Tal:		A/p. Bibi Darphal, Ta.	Fitter	Not	1	required	SSDEC
	Solapur North, Dist:		North Solapur, Dist.		Recommended	Shift	criteria, It is	remarks
	Solapur		Solapur		)	1	Recommende	
						Shift	d for the	
							conversion of	
							existing	75
							affiliated units	
							into DST units	
							from session	
							Aug.2023	
							(Recommend	
							only	ĺ
							Electrician 1	
							Unit & Welder	
							1 Unit)	ž
18	Ujjwal Shaiksanik &	PR2700044	M/s Star Fabricators,	Fitter	2 Unit	3rd	As Institute	
	Samajik PVT	1	F-11, MIDC, Ajanta			Shift	fulfills the	
	Industrail Training		Road, Jalgoan-				required	SSDEC
	Institute,Nashirabad,		425003				criteria, It is	remarks
	Tal & Dist Jalgoan-						Recommende	
	425309						d for the	
	_						conversion of	
							existing	
			)				affiliated units	8
							into DST units	_
							from session	
							Aug.2023	



			System, F-132, I Area, Jalgoan-42	25003	Welder	1 Unit	3rd Shift	fulfills required criteria, Recom d fl convers existing affiliate into DS from s Aug.20	It is mende for the sion of d units ST units session 23	Recomme d as SSDEC remarks	per
19	Aadarsh Hi Tech PVT Industrail Training Institute,Kurhre(PN), Tal.Bhusawal Dist Jalgoan-	PR2700093	Electrical Indu Ltd, V-195,	ctrum astries MIDC road,	Electrician	1 Unit	3rd Shift	fulfills required criteria, Recom d fi convers existing affiliate into DS from si Aug.20 Recom Only Electric	It is mende for the sion of d units ST units session (23 (amend	Recomme d as SSDEC remarks	ende per

By

20	Mahajan PVT Industrail Training Institute,Pal Road Raver Tal Raver Dist Jalgoan	PR2700093 6	M/s Spectrum Electrical Industries Ltd, V-195, MIDC Area, Ajanta road, Jalgoan-425003	Fitter Electrician	1 Unit 1 Unit (Not Recommended )	3rd Shift	Not Recommende d for Company already Allotted 2 unit fitter & 1 Unit Welder another ITI & 1 Unit Electrician Recommend by another ITI	As per remarks of SSDEC Not Recommende d
21	Jijamata PVT Industrail Training Institute,Dynaeshwar Nagar,Bhende, Tal Newasa Dist Ahmednagar	PR2700009 6	M/s Dhoot Transmission Pvt Ltd, Five Star MIDC Shendra Industrail Area, Chatrapati SambhajiNagar	Electronic Mech	2 Unit (Not Recommended )	2nd Shift	Not Recommend for Instituted not Submitted Company Turnover & Employee Details	As per remarks of SSDEC Not Recommende d
22	K.J.Somaiya Pvt Industrial Training Institute, Somaiya Vidyavihar Campus, Behind Polytechnic Hostel, Vidyavihar(Est), Mumbai-400077	PR2700018 9	Veriteck Engineering Pvt Ltd, Plot No 222, EL Electronic Zone, MIDC, TTC Inds Area Mahape, Navi Mumbai-400701	Electrician	1 Unit	3rd Shift	As Institute fulfills the required criteria, It is Recommende d for the conversion of existing affiliated units into DST units from session Aug.2023	Recommende d as per SSDEC remarks



			M/s. Cadetronics 205.	Electronic	1 Unit	2nd	As Institute	Recommen	de
			Shivshakti Ind Estate	s		Shift	fulfills the		per
			Opp Damodar park	Mechanic			required	SSDEC	
			LBS Marg,				criteria, It is	remarks	
			Ghatkopar(West),				Recommende		
			Mumbai-400086				d for the		
							conversion of		
							existing		
							affiliated units		
							into DST units		
							from session		
							Aug.2023		
23	Don Bosco Pvt	PR2700013	M/s. Richard Garage,	Mechanic	1 Unit	3rd	As Institute	Recommen	- 1
	Industrial Training	9	01, Borosil Glass	Motor		Shift	fulfills the		per
	Institute,Don Bosco		Works, Military Road	Vehicle			required	SSDEC	
	Centre for		Marol Village, Andheri				criteria, It is	remarks	
	Learning,Premier Automibiles Road.		(East) Mumbai-				Recommende d for the		
			400059				d for the conversion of		- 1
	Kurla (West) Mumbai- 400 070						existing		- 1
	400 070						affiliated units		- 1
							into DST units		
					_		from session		
							Aug.2023		
24	Ahmed Abdulla Garib	PR2700052	M/s. Scientific	Welder	1 Unit	1st	As Institute	Recommen	nde
-'	Private Industrial	5	Devices (Bombay)	110.00	1 01	Shift	fulfills the	l .	per
	Training Institute,		Pvt.Ltd,office No 65				required	SSDEC	F 0.
	Almas Colony,		Hissa No.7, By-Pass				criteria, It is	remarks	
	Behind Wafa park		Junction, Kausa,				Recommende		
	Kausa, Mumbra, Dist		Mumbra Thane-				d for the		
	Thnae-400612		400612				conversion of		
							existing		
							affiliated units		
						0	into DST units		
					l	#	<b>*</b>		



						from session Aug.2023	tsen
25	Kamlabai Vaidya Pvt Industrial Training Institute, CD-2, New Nandanvan, Hasanbag Road, Nagpur	Disha Engineering, Plot No.S-24, MIDC, Higna Road, 440016	Fitter Electrician	2 Units 2 Units ( Not Recommended 1 Fitter Unit & 2 Electrician Unit)	1 & 2nd Shift	As Institute fulfills the required criteria, It is Recommende d for the conversion of existing affiliated units into DST units from session Aug.2023 Recommende d (Only Fitter -1 Unit)	Recommende d as per SSDEC remarks





Annexure-IX

SI. No.	Name of the Govt. ITIs	Trades/Units Sought for affiliation	Trades/Units Recommended by SSDEC	SCAA remarks
1	Govt. ITI, Kaptipada, Mayurbhanj	Fitter -4(2+2), Electrician-4 (2+2) Machinist-2(1+1), Solar Technician (Electrical)-2(1+1)	Fitter-4(2 +2), Electrician-4(2+2) Machinist-2(1+1), Solar Technician (Electrical)- 2(1+1)	Recommended
2	Govt. ITI, Rua, Puri	Mechanic Electric Vehicle-4(2 +2), Refrigeration & Air-Conditioning Technician-2(1+1) Plumber-4(2 +2) Sewing Technology-2(1+1)	Mechanic Electric Vehicle- 2(1+1), Refrigeration Air- Conditioning Technician- 2(1+1) Plumber-4(2+2) Sewing Technology-2(1+1)	Recommended
3	Govt. ITI, Bijepur Bargarh	Advanced CNC Machining Technician -2(1+1) Architectural Draughtsman -2(1+1) Fitter-4(2+2) Electrician-4(2+2)	Advanced CNC Machining Technician -2(1+1) Architectural Draughtsman - 2(1+1) Fitter -4(2+2) Electrician-4(2+2)	Recommended
4	Govt. ITI,Karanjia, Mayurbhonj	Dress Making -2(1+ 1) Electrician-4(2 +2) Fitter-4(2+2) Mechanic Motor Vehicle-2(1+ 1)	Dress Making -2(1+1) Electrician-4(2+2) Fitter-4 (2+2) Mechanic Motor Vehicle- 2(1+1)	Recommended



5	Govt. ITI, Rajkanika, Kendrapada  Electrician-4(2+2) Fitter-4(2+2) Refrigeration & Air -Conditioning 'Technician-2(1+1) Solar Technician (Electrical)-2(1+1)		Electrician-4 (2+2) Fitter-4(2+2) Refrigeration & Air- Conditioning Technician - 2(1+1) Solar Technician (Electrical)- 2(1+1)	Recommended
6	Govt. ITI Athamalik, Angul	Sewing Technology-2 (+1) Fitter-4(2+2) Electrician-4(2+2) Refrigeration & Air- Conditioning Technician-2(1+1)	Sewing Technology-2 (+1) Fitter-4(2 +2) Electrician -4(2+2) Refrigeration & Air- Conditioning Technician- 2(1+1)	Recommended
7.	Govt. I'TI, Bhanjanagar, Ganjam	Mechanic Motor Vehicle-2(1+ 1) Surveyor -2(1+1) Electrician-4(2+2) Mechanic Electric Vehicle-2(1+ 1)	Mechanic Motor Vehicle- 2(1+ 1) Surveyor -2(1+1) Electrician-4(2+2) Mechanic Electric Vehicle- 2(1+ 1)	Recommended
8	Govt ITI, Patnagarh, Bolangir	Fitter-2(1+ 1) Plumber-2(1+ 1) Dress Making- 2(1+1) Electrician-4(2+2)	Fitter-2(1+ 1) Plumber-2(1+ 1) Dress Making- 2(1+1) Electrician-4(2+2)	Recommended
9	Govt. ITI, Balugaon, Khurda	Fitter—4(2+2) Electrician-4(2+2) Dress Making-2(1+1) Technician Electronics System Design & Repair' 2(1+1)	Fitter-4(2+2) Electrician-4(2+2) Dress Making-2(1+ 1) Technician Electronics System Design & Repairs 2(1+1)	Recommended



10	Govt. ITI, Junagarh, Kalahandi	Fitter-4(2 +2) Electrician-4(2+2) Refrigeration & Air Conditioning Technician-2(1+1) Plumber-2(1+ 1)	Fitter-4(2 +2) Electrician-4(2+2) Refrigeration & Air Conditioning Technician- 2(1+1) Plumber-2(1+ 1)	Recommended
11	Govt. ITI, Bansapal, Keonjhar	Mechanic Electric Vehicle-2(1+1) Advanced CNC Machining Technician -2(1+1) Electrician-2(1+1) Fitter —2(1+1)	Mechanic Electric Vehicle- 2(1+1) Advanced CNC Machining Technician - 2(1+1) Electrician-2(1+1) fitter-2(1+1)	Recommended
12	Govt. ITI, Dharmagarh, Kalahandi	Electrician Power Distribution - 2(1+1) Mechanic Electric Vehicle-2(1+1) Dress Making- 2(1+ 1) Computer Hardware & Networking Maintenance -2(1+1)	Electrician Power Distribution-2(1+1) Mechanic Electric Vehicle- 2(1+1) Dress Malting-2(1+ 1) Computer Hardware & Networking Maintenance	Recommended



## Annexure-X

## Annexure as referred in Agenda 5, S. No. 7(SSDEC Odisha)

## Shifting of 02 Govt ITIs at new location

SL.	Name of the govt.	Location	Trades Units affiliated	SSDEC	SCAA remarks
No.	ITIs			Recommendation	
1.	Govt. ITI. Boudh (MIS Code GU21000496)	Old Location  Govt. ITI Boudh, At/PoBoudh Dist. Boudh-762014	<ol> <li>Electronics Mechanic 2(1+1)</li> <li>Dress Makin 1(1+0)</li> <li>Textile Wet Processing Technician 2(1+1)</li> <li>Fitter 6(2+2+2)</li> <li>Electrician 6(2+2+2)</li> <li>Sewing Technology</li> </ol>	Recommended for Shifting	Agreed on the decision of SSDEC and Recommended for Shifting
		New Location  Govt. ITI, Boudh At- Nuapali (Goudadei) P.O Khuntiapada Dist. Boudh 762026	3(1+1+1) 7. Welder- 1(1+0)		
2.	Madhusudan Govt. ITI Cuttack MIS Code: GU21000500	Old Location At. Bose Campus, P.O. SCB Medical College, Cuttack  New Location At-Gandhi Chhak PO- Choudwar Dist. Cuttack	Draughtsman Civil 2(1+1) Fitter 6(2+2+2) Electrician 6(2+2+2) Electronics Mechanic 3(1+1+1) Sewing Technology 2(2+0) Dress Making 2(1+1) Mechanic Motor Vehicle 2(1+1) Welder 2(1+1) Mechanic Auto Body Painting 2(1+1) Mechanic Auto Body Repair 2(1+1)	Recommended for Shifting	Agreed on the decision of SSDEC and Recommended for Shifting



Annexure -XI

SI. No.	MIS Code	Name of the ITI	Туре	Trades/Units Recommended for affiliation	SSDEC Remarks	SCAA remarks
1,	GR21000623	Govt. ITI Bhandaripokhari, Bhadrak	Govt.	Warehouse Technician 2(1+1)  In Plant Logistics Assistant 2(1+1) Electrician 2(1+1) Addl.	Additional units in existing trades & New trades (New Age trades)	Recommended as per SSDEC remarks
2.	GU21000610	Govt. ITI Rasanpur, Sambalpur	Govt.	Copa 2(1+1)	Additional units in existing trades	Recommended as per SSDEC remarks
3.	GR21000521	Govt. ITI purusottampur Ganjam	Govt.	MMV 2(1+1)	New trades (Strive)	Recommended as per SSDEC remarks
4.	GU21000513	Govt. ITI, Bolangir	Govt	Instrument Mechanic 2(1+1)	New trades (strive)	Recommended as per SSDEC remarks



5.	GR21000614	Govt. ITI Shergarh, Ganjam	Govt.	Sewing Technology 2(1+1)	New Trades	Recommended as per SSDEC remarks
6.	GR21000597	ITI, Mathili Malkangiri	Govt.	Copa 2(1+1)	New Trades	Recommended as per SSDEC remarks
7.	GR21000615	Govt. ITI. Bheden Bargarh	Govt.	Sewing Technology 2(1+1) Architectural Draughtsman 2(1+1)	New Trades	Recommended as per SSDEC remarks
8.	GR21000613	Govt. ITI Pottangi Koraput	Govt.	Surveyor 2(1+1) Welder 2(1+1)	New Trades	Recommended as per SSDEC remarks
9.	GU21000506	Govt. ITI Bargarh	Govt.	Dress Making 2(1+1)  MMV 2(1+1)	New trades (Strive)	Recommended as per SSDEC remarks
10.	GR21000611	Govt. ITI Raighar Newarangpur	Govt.	Dress making 2(1+1)  Copa 2(1+1)	New Trades	Recommended as per SSDEC remarks
11	GR21000605	Govt. ITI chandahandi, Nawarangpur	Govt.	Dress making 2(1+1)	New Trades	Recommended as per SSDEC remarks
12.	GR21000608	Skill development Centre Jhimidipeta Rayagada	Govt.	De-affiliation Fitter 2(1+1) Electrician 2(1+1)	De-affiliation (Surrender of trades)	Recommended as per SSDEC remarks



13.	GR21000607	Skill development cente, gumma gajapati	Govt.	De-affiliation Fitter 2(1+1)	De-affiliation (Surrender of trades)	Recommended as per SSDEC remarks
14.	GR21000609	Skill development centre korukonda, Malkagir	Govt.	De-affiliation Fitter 2(1+1)	De-affiliation (Surrender of trades)	Recommended as per SSDEC remarks
15.	GU21000500	MITI, Cuttack	Govt.	Solar Technician (Electrical) 2(1+10	New (New Age)	Recommended as per SSDEC remarks
16.	PR21000151	Ortech ITC, Balakati Khurda (Pvt.) (Phase-II Grade Point- 2.3 & Present Grade Point4.9	Pvt.	Copa 2(1+1)  Dress Making 2(1+1)  Geriatric (Old Age)  Care 2(1+1)	New	Recommended as per SSDEC remarks
17,	GU21000593	Govt. ITI Jaipur	Govt.	Copa 2(1+1)	New	Recommended as per SSDEC remarks
18.	Gu21000524	Govt. ITI Balasore	Govt.	Electrician 4(2+2)  Mechanic Electric  Vehicle 2(1+1)	Additional units  New (Strive)	Recommended as per SSDEC remarks



- John

19.	GU21000532	Govt. ITI, Chhatrapur, Ganjam	Govt	Mechanic Electric Vehicle 2(1+1)  Attendant Operator (Chemical Plant) 2(1+1)	New New (Strive)	Recommended as per SSDEC remarks
20.	GR21000521	Govt. ITI purusottapur, Ganjam	Govt.	Dress Making 2(1+1)  Solar Technician (Electrical) 2(1+1)	New (Strive)	Recommended as per SSDEC remarks
21.	GR21000504	Govt. ITI, Dhenkanal	Govt.	Solar Technician (Electrical) 2(1+1)	New (Strive)	Recommended as per SSDEC remarks
22.	GU21000525	Govt. ITI Berhampur, Ganjam	Govt.	Copa 2(1+1) Sewing technology 4(2+2)	New (Strive)	Recommended as per SSDEC remarks
23.	GU21000513	Govt. ITI, bolangir	Govt.	Solar Technician (Electrical) 2(1+1)  Copa 2(1+1)	New (Strive)	Recommended as per SSDEC remarks



Page **247** of **260** 

24	GU21000518	SIPT, Pattamundal, Kendrapara	Govt.	Mechanic Motor Vehicle 2(1+1)	New (Strive)	Recommended as per SSDEC remarks
25.		Govt. ITI Bhubaneswar, Khurda	Govt.	Dress Making 1(0+1)	Addl. (Strive)	Recommended as per SSDEC remarks



Annexure -XII

SI. No	Name of the Institute	CoE Sectors to be abolished	CoE Advanced Modules of 6 months duration to be surrendered	CTS trades of minimum 1-year duration Recommended for affiliation by SSDEC	SCAA remarks
1.	Government ITIs, Bhawani Patna (GU21000526)	Fabrication	1. CAT-01- Tig/Mig Welding: - 2(1+1) 2. FAT-03-Structural Welding: - 2(1+1) 3. Fat- 04- Pressure Vessel and Pipe Welding: -2(1+1)	1. Welder (GMAW &GTAW): -2 (I+1) 2. Welder (Pipes: - 2 (1+1) 3, Welded (Structural - 2 (1+1)	Recommended as per remarks of SSDEC
2.	Government ITI, Bhubaneswar (GU21000510)	Information Technology	1.ITAT- 01 Repair & Maintenance of Hardware of computer and Peripherals: 2(1+1) 2. ITAT-02- Computer Networking: 2(1+ 3. ITAT-03- Multimedia and Web Pages Designing: - 2(1+1)	Copa 4(2+2)  Multimedia Animation and special Effects 2(1+1)	Recommended as per remarks of SSDEC
3.	Government ITI Hirkud (Gu21000528	Process Plant Maintenance	1 PPMAM 01 Operator Chemical Plant: 2(1+1) PPMAM 02 Operation & Maintenance and steam Turbine 2(1+1)	1.Instrument Mechanic (Chemical Plant) 2(1+1) Maintenance Mechanic (Chemical Plant) 2(1+1)	Recommended as per remarks of SSDEC



			PPMAM 03 Mechanical Maintenance Process Plant 2(1+1)	3. Laboratory Assistant (Chemical Plant) 2(1+1)	
4.	Government ITI Rourkela GU21000499	Production and Manufacturing	1.PMAT01 CNC Machining 2(1+1) 2.PMAT 02- CAD/CAM 2(1+1) 3.PMAT 03 PLC and Automation 2(1+1)	1. Central Air- conditioning Plant Mechanic 2(1+1)  2. Industrial Robotics & Digital Manufacturing Technician 2(1+1)  3. Manufacturing Process Control and Automation 2(1+1)	Recommended as per remarks of SSDEC
5.	Government ITI Berhampur (GU21000525)	Automobile	AAT-1 Servicing and Overhauling of Automobiles (Petrol) 2(1+1)  AAT-2 Servicing and Overhauling of Automobiles (Diesel) 2(1+1)  AAT-4 overhauling of Fuel Injection System and steering 2(1+10	1. Mechanic Motor Vehicle 2(1+1) Add.  2. Mechanic Electric Vehicle 2(1+1)  3. Refrigeration & Air- Conditioning Technician 2(1+1)	Recommended as per remarks of SSDEC



6.	Government ITI Balasore (GU21000524)	Electrical	EAT- 01 Repair and maintenance of Domestic Appliance 2(1+1)	1. Electrician 8(4+4) Addl.	Recommended as per remarks of SSDEC
	(0021000021)	,	Eat -02 Repair and maintenance of Instrument used in electrical Engg. 2(1+1)  Eat 04 Non-conventional Power Generation Battery & Inverter 2(1+1)		R
			EAT-05 Repair and Maintence of Electrical machine and Power supply 2(1+1)		*



mode

Annexure XIII

SI. No.	NCVT MIS Code	Name of the ITI	Trades/Units already affiliated	Trades/Units Recommended for de-affiliation	Remarks of the joint inspection team	SCAA remarks
		III	IV	V	VI	VII
1	PR21000335	Rengali Pvt. ITI, Rengali Dam site Angul	Fitter 10(4+4+2) Electrician 10(4+4+2) Draftsman (Civil) 2(1+1) Draftsman (Mech) 2(1+1) Welder 2(1+1) Copa-01 Mech Motor Vehicle 2(1+1 Secretarial Practice 01 Wireman2(1+1) Stenographer & Secretarial Asst. (English) 01 Diesel Mechanic 2(1+1)	Trades/Units Recommended for de-affiliation Wireman 2(1+1) Stenographer & Secretarial Asst. English 01 Draftsman (Civil) 2(1+1) Draftsman (Mech) 2(1+1) Secretarial Practice 01 Copa 01 Mech. Motor Vehicle 2(1+1)	Tools & Equipment are not available as per NSQF Syllabus.	RD, RDSDE has informed that this ITI wants to surrender the trades given in column V. Accordingly as approved by SSDEC, SCAA has agreed for same
2.	PR21000428	Ideal ITC, Panchupandav, Kusunpur, Kendrapara	Fitter 4(2+2) Electrician 4(2+2)	Not Inspected	Inspection could not be done by the joint inspection committee as the institution	State Directorate to sent the recommendation of this ITI through SSDEC



informed that,	
they were not	
Prepared for the	
inspection	



## Annexure XIV

SI. No.	NCVT MIS Code	Name of the ITI	Туре	Trades/Units Recommended for conversion of existing trades/units under DST Mode of Training	Name of Industry	SCAA remarks
1.	GU21000524	Govt. ITI, Balasore	Govt.	Fitter-2 Units in 3 <sup>rd</sup> shift Electrician-6 Units in 3 <sup>rd</sup> shift Electronics Mechanic- 1 Units in 3 <sup>rd</sup> shift Wireman-1 Unit in 3 <sup>rd</sup> shift	MoU Signed between orissa rubber product (Pvt.) Ltd, OT Road, Balasore and principal gov. ITI, Balasore	Recommended
2.	GU21000525	Govt ITI Berhampur	Govt.	Fitter-4 Units in 3 <sup>rd</sup> shift Electrician- 4 Units in 3 <sup>rd</sup> shift	Johnosn Lifts Pvt. Ltd., Chennai 600101	Recommended
3.	Gu21000498	Govt. ITI, Barbil	Govt.	Electrician-1 Units in 3 <sup>rd</sup> shift	Rengta Mines Ltd. Plant Division, Barbil, Keonjhar 758035	Recommended



Annexure XV

Annexure as referred in Agenda 5, S. No. 7 (SSDEC Odisha)

SI. No <u>.</u>	MIS Code	Name of the ITIs	SSDEC remarks	SCAA remark
1,	GU21000527	Govt ITI Cuttack	Recommended	Recommended
2.	GR21000519	Govt.ITI. Hinjlicut	Recommended	Recommended
3.	GU21000510	Govt ITI Bhubaneswar	Recommended	Recommended
4.	GU21000531	Govt ITI Talcher	Recommended	Recommended
5.	GU21000524	Govt. ITI Balasore	Recommended	Recommended
6.	GU21000513	Govt. ITI, Bolangir	Recommended	Recommended
7,	GR21000504	Govt.ITI. Dhenkanal	Recommended	Recommended
8.	GU21000525	Govt ITI Berhampur	Recommended	Recommended
9,	GU21000511	Govt. ITI Phulbani	Recommended	Recommended
.10	GR21000502	GITI, Ambaguda	Recommended	Recommended
11	GU21000530	Govt ITI Takatpur	Recommended	Recommended
12.	GR21000497	Govt. ITI, Rayagada	Recommended	Recommended
13.	GU21000499	Govt ITI Rourkela	Recommended	Recommended



you

Annexure XVI

# Annexure as referred in Agenda 7.6.1 (Punjab State DST)

SN	Institute Name	MIS CODE	Course	Name of Industry	Shift	No. of Units	SCAA Remarks
1	Govt ITI (W) Kheowali	PU03000091	Surface Ornamentation Techniques-DST	Uniform Zone Bathinda	2	1	Recommended
2	Govt ITI (W) Kheowali	PU03000091	Fashion Design & Technology-DST	Apple Bloosom Boutique Bathinda	2	1	Recommended
3	Govt ITI (W) Morinda	GR03000011	Cosmetology DST	the celebrating unisex saloon& International Beauty Academy	3	1	Recommended
4	Govt ITI Anandpur Sahib	GR03000085	Mechanic Diesel Engine - DST	Punjab Roadway Nangal	3	1	Recommended
5	GOVT ITI BATALA	GU03000036	Refrigeration & Air Conditioning Technician - DST	MS LUXMI ELECTRONICS Batala and Mehta Electronics and Services Khajuri gate Batala	3	1	Recommended
6	GOVT ITI JASSOWAL - KULAR	GR03000104	Surface Ornamentation Techniques (EMB.) DST	ISG School of Fashion Desigening Jagraon	2	1	Recommended
7	Govt ITI Maqsudpur	GR03000233	Welder DST	Rail Tech Pvt Ltd, Kapurthala	3	1	Recommended
8	Govt ITI SC Muktsar	GU03000071	Information Communication Technology System Maintenance -DST	A.K. Panels Pvt.Ltd, Muktsar	3	1	Recommended



Page **256** of **260** 

9	Govt. I.T.I. (W) Samrala	GR03000061	Sewing Technology- DST  Vallabh Fabriks ltd.		3	1	Recommended
10	Govt. I.T.I. (W), Dera Baba Nanak	GR03000035	Sewing Technology - DST	Divansh Woolen Industries Batala	3	1	Recommended
11	Govt. I.T.I. (W), Ferozepur	GU03000003	Computer Operator and Programming Assistant - DST	ADDITIONAL DEPUTY COMMISSIONER (DEVELOPMENT) FEROZEPUR	3	1	Recommended
12	Govt. I.T.I. (W), Hoshiarpur	GU03000343	Surface M/s Angels Fashion Ornamentation Techniques (Embriodery) - DST		2	1	Recommended
13	Govt. I.T.I. (W), Kadgill, Tarantarn	GR03000112	Surface Ornamentation Techniques (Embriodery) - DST	Shivam Embroderies Amritsar	3	1	Recommended
14	Govt. I.T.I. (W), Rampura Phool	GU03000289	Surface Ornamentation Techniques (Embriodery) - DST	Apple Blossom Boutique, Bathinda	2	1	Recommended
15	Govt. I.T.I. (W), Rayya	GR03000053	Fashion Design Technology - DST	R. K. Sons Amritsar	3	1	Recommended
16	Govt. I.T.I. Fazilka	GU03000044	Mechanic Motor Vehicle (MMV)-DST	PUNJAB ROADWAYS	3	1	Recommended
17	Govt. I.T.I., Bamial	GR03000119	Mechanic Diesel Engine - DST	Punjab Rodways, Pathankot	3	1	Recommended
18	Govt. I.T.I., Jassowal Kullar	GR03000104	Computer Operator and Programming Assistant - DST	Pitama Pvt. Ltd Ludhiana	3	1	Recommended



19	Govt. I.T.I., Jassowal Kullar	GR03000104	Cosmetology - DST	In style Grooming Beauty Parlour Accedemy	3	1	Recommended
20	Govt. I.T.I., Lalru	GR03000087	Mechanic Auto Body Repair - DST	Emm Pee motors     Ltd, chandigarh 2.     Globe automobiles pvt     Itd. Ambala	3	1	Recommended
21	Govt. I.T.I., Lalru	GR03000087	Electronics Mechanic - DST	1.Hella india lighting ltd. Derabassi	3	1	Recommended
22	Govt. I.T.I., Nangal	GR03000037	Mechanic Motor Vehicle (MMV) - DST	ВВМВ	3	1	Recommended
23	Govt. I.T.I., Qadian	GU03000032	Welder (GMAW & GTAW) - DST	Steel Craft Industry , Village Kutbi Nangal , Batala	3	1	Recommended
24	Govt. I.T.I., Talwara	GU03000050	Electrician - DST	ВВМВ	3	1	Recommended
25	Govt. I.T.I., Talwara	GU03000050	Mechanic Diesel Engine - DST	ВВМВ	3	1	Recommended
26	Govt. ITI Samrala	GR03000049	Refrigeration & Air Conditioning Technician - DST	RANA MILK FOODS PVT. LTD. SAMRALA	3	1	Recommended



mass

## Annexure XVII

Annexure as referred in Agenda 7.6.2(Punjab State CTS to CITS conversion)

Sr. No.	Name of ITI with MIS Code	Name of trade(s) be surrendered	No. of Units	Name of the trade(s) proposed for CITS course	No. of Units proposed for ITOT	SCAA remarks
1	Govt. ITI Patiala GU03000013	Welder	2	Welder	2	Recommended
2	Govt. ITI Ludhina GU03000012	Electronics Mechanic	2	Electronics Mechanic	2	Recommended
3	Govt. ITI Bathinda GU03000041	Electrician	2	Electrician	2	Recommended
4	Govt. ITI Ropar GU03000045	Plumber	2	Plumber	2	Recommended
5	Govt. ITI Hoshiarpur GU03000052	Motor Mechanic Vehicle	2	Motor Mechanic Vehicle	2	Recommended
6	Govt. ITI Pathankot GR03000039	Turner	2	Turner	2	Recommended
7	Govt. ITI. Ferozpur GU03000004	Fitter	2	Fitter	2	Recommended
8	Govt. ITI (w) Patiala GU03000007	Basic Cosmetology	2	Basic Cosmetology	2	Recommended
9	Govt. ITI (w) Jalandhar GU03000080	Sewing Technology	2	Sewing Technology	2	Recommended
10			2		2	Recommended



Γ	Govt. ITI (w)	Surface	Surface	
	Amritsar	Ornamentation	Ornamentation	
	GU03000060	Technique	Technique	



Market