

DGT-Aff011(51)/3/2023-O/o DIR (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 28.07.2023

To

The State Directorate

Andhra Pradesh, Arunachal Pradesh, Assam, Bihar, Chandigarh, Chhattisgarh, Dadar Nagar Haveli, ,
Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Maharashtra, Odisha, Punjab Rajasthan,
Tamil Nadu, Telangana, Uttar Pradesh, West Bengal

Subject: Affiliation of Units/Trades of Government /Private ITIs with NCVT -regarding.

Sir/Madam,

As decided in the 10th meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 16.06.2023 to 23.06.2023, the Recommendation/Not Recommendation of trades & units for the ITIs for session w.e.f. 2023, are mentioned in the attached list. This affiliation is granted for 5 years w.e.f session 2023.

The order Recommendation/Not Recommendation, as mentioned in attached list must be read in conjunction with the 10th SCAA minutes issued on date 21.07.2023

2. The affiliation of Trade/Units stated above are further subjected to,

- (i) The DGT & State officer can inspect the ITI any time for better performance & training
- (ii) Periodic verification.
- (iii) The ITI must comply with DGT norms/guidelines issued from time to time.
- (iv) ITI must display the logo of ITI on the Display Board at the main gate.

3. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.

Yours faithfully,


28/07/23

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
नयाँ दिल्ली-12/Govt. of India, New Delhi-12

(Ujjwal Biswas)
Director, TC

Copy along with enclosures for information to:

1. Sr PPS to DG/AS DGT, New Delhi
2. Sr PPS to DDG (Affiliation), DDG(South Zone) and DDG(East Zone).
3. The officer dealing with NCVT MIS Portal - To upload and Necessary mapping in the NCVT MIS portal.
4. All RDSDE for Information


28/07/23
(Amrit Pal Singh)
Joint Director, TC



STATE Andhra Pradesh

Meeting Date: 16/06/2023 to 23/06/2023

Total - 02, (New-00, Existing-02)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|--|------------------------------------|--|------------------------------|---|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 1. | Govt ITI Nandyal MIS Code: GU28000538 | Existing (affiliate d in 9 th SCAA) | Welder | 2(1+1) | 2(1+1) | Recommended: 1. Welder-2(1+1) |
| 2. | Bhavani Private ITI SRIKAKULAM Bhavani Private ITI, Main Road, Kanchili, Dist, Srikakulam Andhra Pradesh 532290 MIS Code: PR28000395 | Existing | Electrician | 2(1+1) | 2(1+1) | Recommended: 1. Electrician - 2(1+1) |

శాసనసభ సర్కారు ఆదేశం ప్రకారం
26/7/2023

28/07/23



STATE: Assam

Meeting Date: 16/06/2023 to 23/06/2023

Total - 01, (New-01, Existing-00)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|--|--|--|--|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 1. | Gyanam Pvt. ITI Dhemaji Truck Terminus, Dhemaji Tiniali, P.O.P.S & Dist. Dhemaji - 787110, Assam TMP18284PR1646 896334 | New | Mechanic Diesel Electrician Fitter COPA | 4(2+2) 4(2+2) 4(2+2) 2(1+1) | 4(2+2) 4(2+2) 4(2+2) 2(1+1) | Recommended for: 1. Mechanic Diesel - 4(2+2) 2. Electrician - 4(2+2) 3. Fitter - 4(2+2) 4. COPA - 2(1+1) |

[Handwritten Signature]
28/7/23

[Handwritten Signature]
28/7/23



STATE Arunachal Pradesh Meeting Date: 16/06/2023 to 23/06/2023
Total - 01, (New-00, Existing-01)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|---|--|------------------------------|--|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 1. | Govt. Industrial Training Institute, Yupia MIS Code: GR12000003 | Existing | Welder (Fabrication & Fitting) & Computer Hardware Network Maintenance | 2(1+1) 2(1+1) | 2(1+1) 2(1+1) | Recommended: 1. Welder (Fabrication & Fitting) - 2(1+1) 2. Computer Hardware & Network Maintenance- 2(1+1) |

S

[Handwritten Signature]
28/7/2023

[Handwritten Signature]
28/07/23



STATE Bihar

Meeting Date: 16/06/2023 to 23/06/2023

Total - 06, (New-00, Existing-06)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|---|--|------------------------------|--|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 1. | Sudist Narayan Thakur Private ITI MIS Code PR10001260 | Existing | Electrician Surveyor | 8(4+4) 2(1+1) | 4(2+2) 2(1+1) | Recommended: 1. Electrician - 4 (2+2) 2. Surveyor- 2 (1+1) |
| 2. | Radiant Pvt ITI old premises located at 'Sarha, District Chapra, Bihar' New premises located at 'Bheldi, District Saran, Bihar' MIS Code: PR10000557 | Existing Shifting | Additional Electrician Additional Fitter | 10(5+5) 2(1+1) | 10(5+5) 2(1+1) | Recommended for shifting with additional trades- 1. Electrician - 10(5+5) 2. Fitter 2(1+1) |
| 3. | Barun Private ITI, Barun Block More, G T Road, Aurangabad-824112, Bihar MIS Code: PR10000674 | Existing | Electrician | 16(8+8) | 14(7+7) | Recommended for: 1. Electrician - 14(7+7) as per availability of electric load in ITI. |

प्रमाणित
28/07/23

[Handwritten Signature]



STATE Bihar

Meeting Date: 16/06/2023 to 23/06/2023

Total - 06, (New-00, Existing-06)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|------------------------------------|--|------------------------------|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 4. | Nirmali Pvt. ITI Piprahi, Balgav Madhubani- 847108, Bihar MIS Code: PR10000878 | Existing | Electrician | 8(4+4) | 4(2+2) | Recommended for: 1. Electrician – 4(2+2) as per availability of electric load in ITI. |
| 5. | Prabha Govind Private ITI Shambhunagar, Station Road, P.O. Bramahpur BUXAR-BIHAR MIS Code: PR10000517 | Existing | Electrician | 10(5+5) | 4(2+2) | Recommended for: 1. Electrician – 4(2+2) as per availability of electric load in ITI and tools & equipment's and workshop. |



28/07/23



STATE Bihar

Meeting Date: 16/06/2023 to 23/06/2023

Total - 06, (New-00, Existing-06)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|------------------------------------|--|------------------------------|---|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 6. | Maa Usha Devi Private ITI, Hisua, Near Hisua Block Office Nawada-895623, Bihar MIS Code: PR10000676 | Existing | Electrician Fitter | 8(4+4) 2(1+1) | 8(4+4) 2(1+1) | Recommended for: 1. Electrician – 8(4+4) 2. Fitter – 2(1+1) |

[Handwritten Signature]
28/07/2023

[Handwritten Signature]
28/07/23



STATE Chandigarh

Meeting Date: 16/06/2023 to 23/06/2023

Total - 01, (New-00, Existing-01)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|-----------------|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 1. | Govt. ITI Sector 28 C, Chandigarh MIS Code: GU04000002 | Existing | Draughtsman Civil | 2(1+1) | 2(1+1) | Recommended |
| | | | Geo Informatics Assistant | 1(1+0) | 1(1+0) | |

[Handwritten signature]
28/7/23

[Handwritten signature]
28/07/23



STATE Chhattisgarh

Meeting Date: 16/06/2023 to 23/06/2023

Total - 01, (New-00, Existing-01)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|--|--|------------------------------|---|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 1. | Gracious College Pvt I.T.I Limited, Raipur MIS Code: PR22000134 | Existing | Computer Operator and Programming Assistant (COPA) | 4(2+2) | 4(2+2) | Recommended: 1. Computer Operator and Programming Assistant (COPA)-4 (2+2) |



31/7/23
28/07/23



STATE Dadar Nagar Haveli Meeting Date: 16/06/2023 to 23/06/2023
Total - 02, (New-00, Existing-02)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|---|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 1. | Govt. Industrial Training Institute, M.G Road, Ringanwada, Nani Daman, Daman - 396210 MIS Code: GR25000001 | Existing | Drone Technician | 2(1+1+0) | 2(1+1+0) | Recommended Drone Technician 2(1+1+0) |
| 2. | Government Industrial Training Institute, Near Ghoghla Check Post, Ghoghla - Diu-362540 MIS Code: GR25000002 | Existing | Marine Engine Fitter | 1(1+0+0) | 1(1+0+0) | Recommended: 1. Marine Engine Fitter 1(1+0+0) |

अपाकिट्टु
28/07/23



STATE Gujarat

Meeting Date: 16/06/2023 to 23/06/2023

Total - 18, (New-01, Existing-17)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|---|--|------------------------------|---|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 1. | Industrial Training Institute Barwala Opp Khodiyar Mandir Ahmedabad Bhavnagar Highway Barwala Botad, Gujarat MIS Code: GR24008136 | Existing | Health Sanitary Inspector | 2(1+1+0) | 2(1+1+0) | Recommended: Health Sanitary Inspector 2(1+1) State Directorate Gujarat to ensure sufficient power load requirement as per DGT norms and CITS qualified instructors are engaged before start of the session 2023-24 in all Recommended ITIs |
| 2. | Industrial Training Institute, Dahod Government, Govt. ITI, Dahod Zalod Road Dahod 389151, Gujarat MIS Code GU24000202 | Existing | Computer Operator and Programming Assistant (COPA) Health Sanitary Inspector | 2(1+1+0) 2(1+1+0) | 2(1+1+0) 2(1+1+0) | Recommended: 1.COPA 2(1+1) 2. HSI-2(1+1) State Directorate Gujarat to ensure sufficient power load requirement as per DGT norms and CITS qualified instructors are engaged before start of the session 2023-24 in all Recommended ITIs |

अप्राप्त
28/07/23





STATE Gujarat

Meeting Date: 16/06/2023 to 23/06/2023

Total - 18, (New-01, Existing-17)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|--|--|------------------------------|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 3. | Govt. Industrial Training Institute, ITI Deesa Village Bhoyan Taluka Deesa District Banaskantha 385535 MIS Code: GU24000120 | Existing | Basic Cosmetology | 2(1+1+0) | 2(1+1+0) | Recommended: Basic Cosmetology 2(1+1) State Directorate Gujarat to ensure sufficient power load requirement as per DGT norms and CITS qualified instructors are engaged before start of the session 2023-24 in all Recommended ITIs |
| 4. | Industrial Training Institute Himatnagar Governemnt, Govt. ITI Himatnagar, Opp-66-K.V.G.E. B Substation, Idar Himatnagar Bypass, At Hansalpur, Po- Virpur, Ta- Himatnagar Dist- Sabarkantha Gujrat-383001 MIS Code: GU24000114 | Existing | Fashion Design and Technology Basic Cosmetology | 1(1+0+0) 2(1+1+0) | 1(1+0+0) 2(1+1+0) | Recommended: 1. Fashion Design and Technology - 1(1+0) 2. Basic Cosmetology - 2(1+1) State Directorate Gujarat to ensure sufficient power load requirement as per DGT norms and CITS qualified instructors are engaged before start of the session 2023-24 in all Recommended ITIs |

अप्रतिष्ठ
28/07/23



STATE Gujarat

Meeting Date: 16/06/2023 to 23/06/2023

Total - 18, (New-01, Existing-17)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|---|--|------------------------------|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 5. | Govt. ITI Khambha Una Road, Ta Khambha, District Amreli Gujarat, 365650 Shifting Case Old Address, Govt. ITI Khambhauna Road, Ta. Khambha, District. Amreli, Gujarat 365650 New Address. Govt. ITI Khambha, Una Road, Ta. Khambha, District. Amreli, Gujarat- 365650 MIS Code: GR24008124 | Existing | Computer Operator and Programming Assistant (COPA) (Existing) | 3(1+1+1) | 2(1+1+0) | Recommended for shifting State Directorate Gujarat to ensure sufficient power load requirement as per DGT norms and CITS qualified instructors are engaged before start of the session 2023-24 in all Recommended ITIs |
| 6. | Industrial Training Institute, Talaja Government Govt. ITI Talaja Shivam Complex Gopnath Road- 364140 MIS Code: GU24000350 | Existing | Welder | 2(1+1+0) | 2(1+1+0) | Recommended: Welder 2(1+1) State Directorate Gujarat to ensure sufficient power load requirement as per DGT norms and CITS qualified instructors are engaged before start of the session 2023-24 in all Recommended ITIs |

31/7/23
28/07/23



STATE Gujarat

Meeting Date: 16/06/2023 to 23/06/2023

Total - 18, (New-01, Existing-17)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|---|--|------------------------------|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 7. | Industrial Training Institute, Vi Aynagar (Government) MIS Code: GR24000151 | Existing | Computer Operator and Programming Assistant (COPA) Mechanic Diesel | 2(1+1+0) 2(1+1+0) | 2(1+1+0) 2(1+1+0) | Recommended: 1. COPA 2(1+1) 2. Mechanic Diesel 2(1+1) State Directorate Gujarat to ensure sufficient power load requirement as per DGT norms and CITS qualified instructors are engaged before start of the session 2023-24 in all Recommended ITIs |
| 8. | Industrial Training Institute, Khedbrahma (Government)) SI Tri Kamparoad Nr Bsnr Office At Po Ta Khedbrahma 383255 MIS Code: GU24000103 | Existing | Computer Hardware and Network Maintenance | 1(0+1+0) | 1(0+1+0) | Recommended: Computer Hardware and Network Maintenance- 1(0+1) State Directorate Gujarat to ensure sufficient power load requirement as per DGT norms and CITS qualified instructors are engaged before start of the session 2023-24 in all Recommended ITIs |

37/1/23
28/07/23



STATE Gujarat

Meeting Date: 16/06/2023 to 23/06/2023

Total - 18, (New-01, Existing-17)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|------------------------------------|--|------------------------------|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 9. | Industrial Training Institute, Vadnagar Government Industrial Training Institute, Vadnagar Government Near Govt. Polytechnic Vadnagar, Mahesana (ITI Selected Under Strive Project) MIS Code: GR24000132 | Existing | Health Sanitary Inspector | 1(0+1+0) | 1(0+1+0) | Recommended: Health Sanitary Inspector- 1(0+1) State Directorate Gujarat to ensure sufficient power load requirement as per DGT norms and CITS qualified instructors are engaged before start of the session 2023-24 in all Recommended ITIs |
| 10. | Industrial Training Institute Bardoli At Ten Gam Gauchar Faliya, Ta: Bardoli, Dist: Surat, Pin Code -394601 MIS Code: GR24000418 | Existing | Electrician Welder | 3(2+1+0) 2(2+0+0) | 2(1+1+0) 2(1+1+0) | Recommended: 1. Electrician 2(1+1) 2. Welder 2(1+1) State Directorate Gujarat to ensure sufficient power load requirement as per DGT norms and CITS qualified instructors are engaged before start of the session 2023-24 in all Recommended ITIs |

314/14/23
28/07/23



STATE Gujarat

Meeting Date: 16/06/2023 to 23/06/2023

Total - 18, (New-01, Existing-17)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|-------------------------------------|--|------------------------------|--|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 11. | Industrial Training Institute Bardoli At Ten Gam Gauchar Faliya, Ta: Bardoli, Dist: Surat, Pin Code -394601 MIS Code: GR24000413 | Existing | Turner | 1(1+0+0) | 1(1+0+0) | Recommended: Turner 1(1+0) State Directorate Gujarat to ensure sufficient power load requirement as per DGT norms and CITS qualified instructors are engaged before start of the session 2023-24 in all Recommended ITIs |
| 12. | Govt. ITI Mandvi(Surat) Near Chc Mandvi Ta- Mandvi Dist- Surat State- Gujarat-394160 MIS Code: GU24000406 | Existing | Attendant Operator (Chemical Plant) | 2(1+1+0) | 2(1+1+0) | Recommended: Attendant Operator (Chemical Plant)- 2(1+1) State Directorate Gujarat to ensure sufficient power load requirement as per DGT norms and CITS qualified instructors are engaged before start of the session 2023-24 in all Recommended ITIs |

अपारिष्ट
28/07/23



STATE Gujarat

Meeting Date: 16/06/2023 to 23/06/2023

Total - 18, (New-01, Existing-17)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|------------------------------------|--|------------------------------|--|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 13. | Industrial Training Institute, Valod (Government) Govt. ITI Valod At - Po. Vaload, Bardoli Road, Ldgah Faliya, Ta- Valod, Tapi 394640 Gujrat-India 394640 MIS Code: GU24000420 | Existing | Solar Technician (Electrical) | 1(0+1+0) | 1(0+1+0) | Recommended: 1. Solar Technician (Electrical)- 1(0+1) 2. Health Sanitary Inspector-1(0+1) 3. Basic Cosmetology- 1(0+1) 4. Fashion Design and Technology- 1(0+1) State Directorate Gujarat to ensure sufficient power load requirement as per DGT norms and CITS qualified instructors are engaged before start of the session 2023-24 in all Recommended ITIs |
| | | | Health Sanitary Inspector | 1(0+1+0) | 1(0+1+0) | |
| | | | Basic Cosmetology | 1(0+1+0) | 1(0+1+0) | |
| | | | Fashion Design and Technology | 1(0+1+0) | 1(0+1+0) | |

अप/रि/रि
28/07/23



STATE Gujarat

Meeting Date: 16/06/2023 to 23/06/2023

Total - 18, (New-01, Existing-17)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|--|--|------------------------------|---|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 14. | Industrial Training Institute Upleta, Near National Highway 27, Tool Booth Plaza, Dumiyani Ta-Upleta Dist- Rajkot, Gujarat-360490 Shifting Case) Old Address- Govt. ITI, Upleta, Lati Plot Kolki Road Upleta , Rajkot New Address- Industrial Training Institute Upleta Near National Highway 27, Tool Booth Plaza ,Dumiyani Ta-Upleta Dist- Rajkot-360440 MIS Code: GU24000337 | Existing | Computer Operator And Programming Assistant Copa | 3(2+1+0) | 3(2+1+0) | Recommended: 1. Computer Operator and Programming Assistant (COPA) 3(2+1+0) 2. Electrician 3(2+1+0) 3. Fitter 2(1+1) 4. Wireman2(1+1) 5. Basic Cosmetology1(0+1+0) Sewing Technology- 1(1+0) - Not Recommended: |
| | | | Electrician | 3(2+1+0) | 3(2+1+0) | |
| | | | Fitter | 3(1+1+1) | 3(1+1+1) | |
| | | | Wireman | 3(1+1+1) | 2(1+1) | |
| | | | Basic Cosmetology | 1(0+1+0) | 1(0+1+0) | |
| | Sewing Technology | 1(1+0+0) | NR | | | |



379/1/1/1
28/07/23



STATE Gujarat

Meeting Date: 16/06/2023 to 23/06/2023

Total - 18, (New-01, Existing-17)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|------------------------------------|--|------------------------------|--|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 15. | Govt. ITI Hansot At & Post: Kharach Tal. Hansot, Dist: Bharuch, Pin Code: 394120 MIS Code: GR24008093 | Existing | Electrician | 1(1+0+0) | 2(1+1+0) | Recommended: 1. Electrician 2(1+1) 2. Welder 1(0+1) 3. Fitter 1(0+1) State Directorate Gujarat to ensure sufficient power load requirement as per DGT norms and CITS qualified instructors are engaged before start of the session 2023-24 in all Recommended ITIs Mechanic Diesel- 1(0+1)- Not Recommended |
| | | | Mechanic Diesel | 1(0+1+0) | NR | |
| | | | Welder | 1(0+1+0) | 1(0+1+0) | |
| | | | Fitter | 1(0+1+0) | 1(0+1+0) | |

अपासिई
28/07/23





STATE Gujarat

Meeting Date: 16/06/2023 to 23/06/2023

Total - 18, (New-01, Existing-17)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|-------------------------------------|--|------------------------------|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 16. | Industrial Training Institute, KI Mbharia, Govt. ITI Kumbharia, At-Kumbhariya, Po-Ambaji-385110 MIS Code: GR24000112 | Existing | Mechanic Motor Vehicle (MMV) | 1(0+1+0) | NR | Not Recommended as per remarks of SSDEC |
| | | | Sewing Technology | 2(1+1+0) | NR | |
| 17 | Government Industrial Training Institute Bilimora, MIS Code: GU24000402 | Existing | Attendant Operator (Chemical Plant) | 2(1+1+0) | NR | Not Recommended as per remarks of SSDEC |
| | | | Fitter | 4(4+0+0) | NR | |
| | | | Electrician | 2(1+1+0) | NR | |

[Handwritten Signature]
अपा/दिरे
28/07/23



STATE Gujarat

Meeting Date: 16/06/2023 to 23/06/2023

Total - 18, (New-01, Existing-17)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|--|--|------------------------------|---|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 18. | Aashara Institute of Medical Science Mahesana Aashara House Near Railway Crossing Kadi Karananagar Road Opp Sidharaj Society, Kadi 382715 TMP24451PU1647 689689 | New | Health Sanitary Inspector | 2(1+1+0) | NR | Not Recommended: As the institute was closed and inspection was not carried out. |
| | | | Radiology Technician | 2(1+1+0) | NR | |
| | | | Old Age Care | 2(1+1+0) | NR | |
| | | | Computer Operator and Programming Assistant (Copa) | 2(1+1+0) | NR | |



अपारिड
28/07/23



STATE Haryana

Meeting Date: 16/06/2023 to 23/06/2023

Total - 01, (New-00, Existing-01)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|--|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 1. | Shri Vishwakarma Pvt. ITI, Private Industrial Training Institute, Sirsa, MIS CODE: PU06000253 | Existing | Basic Cosmetology HSI | 2(1+1) 2(1+1) | 2(1+1) 2(1+1) | Recommended for the following trades: 1. Basic Cosmetology - 2(1+1) 2. HSI - 2(1+1) State and RDSDE to ensure the availability of CITS instructor before start of the session |



अपारि
28/07/23

STATE: Himachal Pradesh Meeting Date: 16/06/2023 to 23/06/2023
Total - 02, (New-01, Existing-01)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|-------------------------------------|---|--|----------------------------------|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 1. | Pranji Pvt. ITI Patta, Ghumarwin, Distt Bilaspur Village Patta, P.O, Naswal, Tehsil Ghumarwin, BILASPUR-174021 MIS Code: PR02000182 | Existing | Stenographer Secretarial Assistant (English) | 2(1+1) | 2(1+1) | Recommended For: Stenographer Secretarial Assistant (English) – 2(1+1) |
| 2. | New Vivekanand Pvt ITI, Una Village Chandpur, Tehsil Palkwah, Distt - Una 177220, Himachal Pradesh TMP226PR164671 5254 | New | Electrician Fitter Solar Technician COPA | 3(1+1+1) 2(1+1) 2(1+1) 2(1+1) | NR NR NR NR | Not Recommended due to deficiencies mention in column V&VI in MoM of 10 th SCAA (page 98) |



अपारिष्ट
28/07/23



STATE: Jharkhand

Meeting Date: 16/06/2023 to 23/06/2023

Total - 01, (New-01, Existing-00)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|---|--|--|---|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 1. | JHAB (Jharkhand Academy of Health & Beauty) Pvt. Iti Ranchi Vill - Dahu, Po+ Ps- Ormanjhi Dis- Ranchi 835219 Jharkhand, Ranchi-835219 TMP20339PR1646 983461 | New | Electrician Radiology Technician Physiotherapy Technician Health Sanitary Inspector Hair & Skin Care (VI) S | 4(2+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1) | 4(2+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1) | SCAA recommended the following trades: 1. Electrician 4(2+2) 2. Radiology Technician 2(1+1) 3. Physiotherapy Technician 2(1+1) 4. Health Sanitary Inspector 2(1+1) 5. Cosmetology 2(1+1) (The Hair and Skin trade name has been changed to Cosmetology) State to ensure the CITS instructors for Cosmetology 2(1+1) too before start of the session 2023 |



31/7/23
28/07/23



STATE Karnataka

Meeting Date: 16/06/2023 to 23/06/2023

Total - 03, (New-00, Existing-03)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|---|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 1. | Govt. ITI, Hospete MIS Code: GU29000397 | Existing | Fitter Electrician | 2(1+1) 2(1+1) | 2(1+1) 2(1+1) | SCAA recommended the change of address as given below: New Address Govt ITI Jambunatha Halli road, Hosapete District Vijayanagara SCAA also recommended the following trades: 1. Fitter- 2(1+1) 2. Electrician- 2(1+1) |
| 2. | MVM Pvt. ITI at N. Voddahalli, Alangur Road, Padmaghatta Post, Kappalmadagu, Panchayat, Mulbagal Taluk, Kolar Dist- 563132, Karnataka, NCVT MIS Code (PU29000586) | Existing Shifting | Fitter Electrician | 4(2+2) 4(2+2) | 4(2+2) 4(2+2) | Total recommended trades by SCAA Fitter - 4(2+2) Electrician - 4(2+2) |

3/4/23
28/07/23



STATE Karnataka

Meeting Date: 16/06/2023 to 23/06/2023

Total - 03, (New-00, Existing-03)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 3. | Dr. Pandit Puttaraj Gawai ITI Gadag Old D.C Office Circle, Gadag 582101 MIS Code: PU29000869 | Existing | Electrician | 4(1+1+2) | 2(1+1) | SCAA Recommended the following trades: Electrician- 2(1+1) Mechanic Diesel- 2(1+1) Health Sanitary Inspector- 2(1+1) However, RD, RDSDE to ensure availability of CITS trained instructors before the start of the session 2023-24. |
| | | | Fitter | 1(0+0+1) | NR | |
| | | | Mechanic Diesel | 2(1+1) | 2(1+1) | |
| | | | Health Sanitary Inspector | 2(1+1) | 2(1+1) | |



अपशिष्ट
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|-------------------------------------|------------------------------------|--|------------------------------|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 3. | Chandralop Private Industrial Training Institute Gut No 52 Harsul Sawangi Tuljapur Shivar Jalgaon Road Aurangabad, TMP27469PR1645 548852 | New | FITTER | 2(1+1) | 2(1+1) | Recommended: 1. FITTER 2(1+1) 2. Electrician2(1+1) 3. Welder 2(1+1) 4. Wireman2(1+1) 5. Solar Technician (Electrical) 2(1+1) RD, RDSDE to verify the CITS instructors' details before start of session 2023-24 |
| | | | Electrician | 2(1+1) | 2(1+1) | |
| | | | Welder | 2(1+1) | 2(1+1) | |
| | | | Wireman | 2(1+1) | 2(1+1) | |
| | | | Solar Technician (Electrical) | 2(1+1) | 2(1+1) | |
| | | | COPA | 2(1+1) | NR | |
| 4. | Shri V A Savant Private Industrial Training Institute Nashik Gat No. 61 At Post Sayane (Bk) Tal. Malegaon. Dist. Nashik. TMP27487PU1649 916211 | New | Fitter | 2(1+1) | 2(1+1) | Recommended: 1. Fitter- 2(1+1) 2. Electrician -2(1+1) 3. Wireman -2(1+1) 4. Geo Informatics - 2(1+1) 5. Asst., Stenographer Eng. -2(1+1) |
| | | | Electrician | 2(1+1) | 2(1+1) | |
| | | | Wireman | 2(1+1) | 2(1+1) | |
| | | | Geo Informatics | 2(1+1) | 2(1+1) | |
| | | | Asst., Stenographer Eng | 2(1+1) | 2(1+1) | |

[Handwritten Signature]

31/07/23
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|---|--|------------------------------|---|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 5. | Vishwakarma Pvt ITI, Bidar Road Udgir Latur Bidar Road at Shellal Taluka Udgir Dist Latur, Maharashtra TMP27481PR1648 221604 | New | Electrician | 2(1+1) | NR | Not Recommended as per remarks of SSDEC |
| | | | wireman | 2(1+1) | NR | |
| | | | Solar Technician (Electrical) | 2(1+1) | NR | |
| | | | COPA | 2(1+1) | NR | |
| | | | Technician (Smart Agriculture) | 2(1+1) | NR | |
| 6. | Ramraje Private Industrial Training Institute Parbhani TMP27489 PR1648624468 | New | Electrician | 4(2+2) | NR | Not Recommended as per remarks of SSDEC |
| | | | Fitter | 2(1+1) | NR | |
| | | | Wireman | 4(2+2) | NR | |
| | | | Solar Technician (Electrical) | 2(1+1) | NR | |
| | | | Welder | 2(1+1) | NR | |
| | | | Computer Hardware & Network Maintenance | 2(1+1) | NR | |

31/7/23
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|-------------------------------------|------------------------------------|--|------------------------------|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 7. | Shri Dhaneshwari Manav Vikas Mandal Waluj Private Industrial TInstitute Aurangabad, Gut No.51 Budruk Waluj Tq. Gangapur Dist. Aurangabad TMP27469 PR1646724193 | New | Electrician | 2(1+1) | 2(1+1) | SSDEC recommended the proposal of this ITI. SCAA recommended for following trades: 1) Electrician 2(1+1) 2) Wireman 2(1+1) 3) Geo informatics assistant 2(1+1) 4) Marketing executive 2(1+1) COPA -Not Recommended RD, RDSDE to verify the CITS instructors' details before start of session 2023-24 |
| | | | Wireman | 2(1+1) | 2(1+1) | |
| | | | Geo-Informatics Assistant | 2(1+1) | 2(1+1) | |
| | | | Marketing Executive | 2(1+1) | 2(1+1) | |
| | | | COPA | 2(1+1) | NR | |
| 8. | Government Industrial Training Institute, Yeola A/P-Babhulgaon Patoda Road, Yeola, Tal-Yeola, Nashik, Maharashtra. MIS Code: GR27000407 | Existing | Fitter | 2(1+1) | 2(1+1) | Recommended: 1. Fitter - Add. 2 (1+1) |

31/7/23
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|-------------------------------------|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 9. | Government Industrial Training Institute (Adivasi), Taloda, Dist: Nandurbar MIS Code: GR27000318 | Existing | Fitter | 2(1+1) | 2(1+1) | Recommended: 1. Fitter - 2 (1+1) |
| 10. | GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, RISOD, Bhokarkheda Road Near BSNL Office, Risod, DIST: WASHIM, MIS Code GR27000517 | Existing | Wireman | 2(1+1) | 2(1+1) | Recommended: 1. Wireman- 2 (1+1) |



अपारिद्ध
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023
Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|-------------------------------------|------------------------------------|--|------------------------------|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 11. | Govt. Industrial Training Institute Sinnar. Devi Mandir Road Sinnar, Tal-Sinna (Maharashtra) Sinnar Pin-422103., Nashik, Maharashtra. MIS Code: GR27000272 | Existing | Fitter | 2(1+1) | 2(1+1) | Recommended: 1. Fitter 2(1+1) |
| 12. | GOVERNMENT INDUSTRIAL TRAINING INSTITUTE (ADIVASI), Behind B.s.n.l Office Balsad R peth di, NASHIK, MAHARASHTRA, -422208, MIS Code: GR27000284 | Existing | Electrician | 2(1+1) | 2(1+1) | Recommended: 1. Electrician- 2(1+1) |

31/7/23
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 13. | Government Industrial Training Institute (Adivasi), Deola, Dist: Nashik MIS Code: GR27000701 | Existing | Mechanic Diesel | 1(0+1) | 1(0+1) | Recommended: 1. Mechanic Diesel-1 (0+1) |
| 14. | GOVERNMENT ITI SHAHADA, Govt ITI (Adivasi), Shahada, Dist: Nandurbar, NANDURBAR, MAHARASHTRA. MIS Code: GR27000442 | Existing | Fitter | 2(1+1) | 2(1+1) | Recommended: 1. Fitter-2 (1+1) |

अपासिई
28/07/23





STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|-------------------------------------|------------------------------------|--|------------------------------|---|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 15. | Government Industrial Training Institute Sangamner MIS Code: GR27000422 | Existing | Electrician | 2(1+1) | 2(1+1) | Recommended: 1. Electrician -2 (1+1) 2. Fitter -2 (1+1) However, State to ensure sufficient Power load availability as per DGT norms. |
| | | | Fitter | 2(1+1) | 2(1+1) | |
| 16. | Government Industrial Training Institute (Scp) Nashik MIS Code: GU27000541 | Existing | Fashion Design and Technology | 1(0+1) | 1(0+1) | Recommended: 1. Fashion Design and Technology- 1 (0+1) 2. Mechanic Motor Vehicle - 1 (0+1) 3. COPA-1 (0+1) 4. Food Production (General)-1 (0+1) |
| | | | Mechanic Motor Vehicle | 1(0+1) | 1(0+1) | |
| | | | COPA | 1(0+1) | 1(0+1) | |
| | | | Food Production (General) | 1(0+1) | 1(0+1) | |

अप्रति
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|-------------------------------------|--|--|------------------------------------|---|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 17. | Government Industrial Training Institute Newasa Dist-Ahmednagar MIS Code: GR27000495 | Existing | Electrician Wiremen Welder | 1(0+1) 1(0+1) 1(0+1) | 1(0+1) 1(0+1) 1(0+1) | Recommended: 1. Electrician -1 (0+1) 2. Wiremen -1 (0+1) 3. Welder -1 (0+1) |
| 18. | Government Industrial Training Institute Navyug Coloney, Tandulwadi, Station Road Rahuri Ahmednagar, Maharashtra. MIS Code: GR27000499 | Existing | Electrician | 2(1+1) | 2(1+1) | Recommended: 1. Electrician 2(1+1) State Directorate to ensure the increase the power load and CITS trained instructors before the start of the session 2023-24 |



31/07/23
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|-------------------------------------|------------------------------------|--|------------------------------|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 19. | Government Industrial Training Institute Shrigonda Dist. Ahmednagar MIS Code: GR27000421 | Existing | Electrician Fitter | 1(0+1) 1(0+1) | 1(0+1) 1(0+1) | Recommended: 1. Electrician-Add.1(0+1) 2. Fitter-Add.1(0+1) |
| 20. | Government Industrial Training Institute, Jafraabad, Dist: Jalna MIS Code: GR27000364 | Existing | Fitter | 1(0+1) | 1(0+1) | Recommended: 1. Fitter- Add.1(0+1) |

31/7/23
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023
Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|---|--|--------------------------------------|--|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 21. | Govt. Industrial Training Institute Tuljapur MIS Code: GR27000394 | Existing | COPA Welder Sheet metal Electronics mechanic | 1(0+1) 1(0+1) 1(0+1) 2(1+1) | 1(0+1) 1(0+1) 1(0+1) 1(0+1) | Recommended 1. COPA-1(0+1) 2. Welder-1(0+1) 3. Sheet metal -1(0+1) 4. Electronics mechanic-1(0+1) |
| 22. | Govt. Industrial Training Institute Hingoli At.Po. Limbala MIS Code: GR27000293 | Existing | Computer Operator and Programming Assistant (COPA) Architectural Draughtsman | 1(0+1) 1(0+1) | 1(0+1) 1(0+1) | Recommended: 1. Architectural Draughtsman-1(0+1) 2. COPA-1(0+1) However, State Directorate to ensure availability of CITS trained instructors before the start of the session 2023-24 |

Handwritten signature
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|-------------------------------------|--|--|------------------------------|--|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 23. | Government Industrial Training Institute, Nanded Vip Road, Nanded-431602, Nanded, Maharashtra. MIS Code GR27000010 | Existing | Electrician | 2(1+1) | 2(1+1) | SCAA Recommended the following trades: 1. Electrician-2(1+1) 2. COPA-2(1+1) However, State Directorate to ensure availability of CITS trained instructors before the start of the session 2023-24 |
| | | | Computer Operator and Programming Assistant (COPA) | 2(1+1) | 2(1+1) | |
| 24 | GOVT. ITI DHARANGAON, CHOPDA ROAD, DHARANGAON, PIN CODE 425105, DIST. JALGAON MIS Code: GR27000349 | Existing | Computer Operator and Programming Assistant (COPA) | 2(1+1) | 2(1+1) | Recommended: 1. COPA-2(1+1) |



31/7/23
28/07/23

DGT-Aff011(51)/3/2023-O/o DIR (TC)



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|------------------------------------|--|------------------------------|---|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 25. | Government Industrial Training Institute Seloo, Dist- Wardha MIS Code GR27000512 | Existing | Electrician | 2(1+1) | 2(1+1) | Recommended: 1. Electrician-2(1+1) |
| 26. | Government Industrial Training Institute, Parner, D Alkuti Road, Parner, At Post - Parner, Dist.-Ahmednagar., Ahmednagar, Maharashtra. MIS Code: GR27000360 | Existing | Electronics Mechanic Fitter | 1(0+1) 2(1+1) | 1(0+1) 2(1+1) | Recommended: 1. Electronics Mechanic 1 (0+1) 2. Fitter 2 (1+1) However, State Directorate to ensure availability of CITS trained instructors before the start of the session 2023-24 |



31/7/23
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|-------------------------------------|---|--|------------------------------|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 27. | Govt, Industrial Training Institute, Vaijapur Road, Gangapur Dist Aurangabad Maharashtra Pin 431109 MIS Code: GR27000287 | Existing | Electrician Fitter | 1(0+1) 1(0+1) | 1(0+1) 1(0+1) | Recommended: 1. Electrician-1(0+1) 2. Fitter-1(0+1) |
| 28. | Jamia Private Industrial Training Institute, Nandurbar, Tal: Akkalkuwa, Dist: Nandurbar MIS Code: PR27000247 | Existing | Fashion Design and Technology Solar Technician | 2(1+1) 2(1+1) | 2(1+1) 2(1+1) | Recommended: 1. Fashion Design and Technology-2 (1+1) 2. Solar Technician-2 (1+1) |




अप्राप्ति
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|-------------------------------------|--|--|------------------------------|--|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 29. | Lokpanchayat Rural Technical Training Institutes Private Iiti At-Kurkundi Post-Ghargoan, Tal - Sangamner, Dist - Ahmednagar MIS Code: PR27000848 | Existing | Electrician | 2(1+1) | NR | Not Recommended as per remarks of SSDEC given in MoM of 10 th SCAA |
| 30. | Matoshri Private Industrial Training Institute Nashik, At Babhulgaon (Snd Campus) Tal Yeola Dist Nashik, MIS Code: PR27000607 | Existing | Fitter Electrician Mechanic Diesel | 1(0+1) 1(0+1) 1(1+0) | 1(0+1) 1(0+1) 1(1+0) | Recommended: 1. Fitter -1 (0+1) 2. Electrician-1 (0+1) 3. Mechanic Diesel-1 (1+0) |



अपासिंह
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|-------------------------------------|------------------------------------|--|------------------------------|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 31. | Dadaso Anandrao Ganpat Pawar (Pvt) Industrial Training Institute Gorane Dhule MIS Code: PR27001015 | Existing | Electrician | 2(1+1) | NR | Not Recommended as per remarks of SSDEC given in MoM of 10 th SCAA |
| 32. | Kalawatibai Chavan Pvt.Industrial Training Institute Naigaon Private Industrial Training Institute, Nanded, Lalwandi Road At.Post.Tq.Naigaon Dist. Nanded, MIS Code: PR27000979 | Existing | Wireman Electrician | 2(1+1) 2(1+1) | 2(1+1) NR | Recommended: Wireman 2 (1+1) Electrician Recommended -Not |

31/7/23
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023
Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 33. | Late, G. S. Varade, Private Industrial Training Institute, Muktainagar Jalgaon MIS Code: PR27000187 | Existing | Electrician | 2(1+1) | NR | Not Recommended as per remarks of SSDEC given in 10 th SCAA MoM |
| 34. | Gramin Industrial Training Institute Malakoli Private Industrial Training Institute, Nanded MIS Code: PR27000611 | Existing | Electrician Wireman | 6(3+3) 2(1+1) | 6(3+3) 2(1+1) | Recommended: 1. Electrician-6(3+3) 2. Wireman-2(1+1) |



अपासि
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023
Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|-------------------------------------|---|--|------------------------------|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 35. | Gramin Industrial Training Institute Kandhar Private Industrial Training Institute, Nanded MIS Code: PR27000993 | Existing | Electrician | 12(6+6) | 12(6+6) | Recommended: 1. Electrician- 12(6+6) 2. Wireman-2(1+1) 3. Mechanic Refrigeration and Air Conditioner- 2(1+1) |
| | | | Wireman | 2(1+1) | 2(1+1) | |
| | | | Mechanic Refrigeration and Air Condition (MRAC) | 2(1+1) | 2(1+1) | |
| | | | Basic Cosmo | 2(1+1) | NR | |
| | | | COPA | 1(0+0+1) | NR | |
| 36. | Gramin Industrial Training Institute Dagadwadi Tq. Parli Dist. Beed MIS Code: PR27001020 | Existing | Electrician | 8(4+4) | 6(3+3) | Recommended: 1. Electrician -6 (3+3) 2. Wireman-4 (2+2) 3. Surveyor -2 (1+1) |
| | | | Wireman | 4(2+2) | 4(2+2) | |
| | | | Surveyor | 2(1+1) | 2(1+1) | |

अपाकिट
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023
Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|-------------------------------------|---|--|------------------------------|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 37. | <p>Old Address - Graimin Advance Private Industrial Training Institute Majalgaon Opp.Manadhane house,near Dr. Nilekar hospital, sam BEED-431131</p> <p>New Address GRAMIN ADVANCE PVT. I.T.I. 178, Near keshavraj Mangal Karyalay Bhatvadgav Majalgaon Dist. Beed-431131.</p> <p>MIS Code: PR27000843</p> | Existing | Electrician | 6(2+2+2) | 6(2+2+2) | Recommended shifting with existing trades. |
| 38 | <p>Annasaheb Dange Educational Campus Ashta. Tal - Walwa Dist - Sangli. P SANGLI, MAHARASHTRA.</p> <p>MIS Code: PR27000669</p> | Existing | Electrician Mechanic Motor Vehicle | 2(1+1) 2(1+1) | 2(1+1) 2(1+1) | <p>Recommended:</p> <ol style="list-style-type: none"> 1. Electrician- 2 (1+1) 2. Mechanic Motor -2 (1+1) Vehicle (MMV) <p>RD, RDSDE to verify the CITS instructors' details before start of session 2023-24</p> |



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|-------------------------------------|---|--|------------------------------|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 39 | Hindi Seva Mandalache, Shri Sant Gadge Baba Pvt. Industri Bhusawal. Jalgaon, D.L.Hindi High School Campus, Shivaji Nagar, Bhusawal., Jalgaon, Maharashtra. MIS Code: PR27000521 | Existing | Mechanic Refrigeration and Air Conditioner-2(1+1) | 2(1+1) | NR | Not Recommended as per SDEC remarks in 10 th SCAA MoM |
| 40. | Shirdi Sai Rural Institutes Industrial Institute Rahata Ahmednagar MIS Code: PR27000497 | Existing | Electrician Mechanic Diesel | 2(1+1) 2(1+1) | 2(1+1) 2(1+1) | Recommended 1. Electrician 2 (1+1) 2. Mechanic Diesel: 2 (1+1) |

31/7/23
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|-------------------------------------|--|--|------------------------------|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 41. | GOVT.ITI PHULAMBRI Near Police Station Phulambri. Tq. Phulambri. Dist. Aurangabad 431111 MIS Code: GR27000543 | Existing | Electronic Mechanic | 1(1+0+0) | 1(1+0) | Recommended: 1. Electronic Mechanic 1(1+0) 2. Wireman 1(1+0) 3. Tools & Die Maker (Press tools, Jigs & Fixtures) - 1(0+1) However, State Directorate to ensure availability of CITS trained instructors before the start of the session 2023-24. |
| | | | Wireman | 1(1+0+0) | 1(1+0) | |
| | | | Tools & Die Maker (Press tools, Jigs & Fixtures) - | 1(0+1+0) | 1(0+1) | |
| | | | COPA | 1(1+0+0) | NR | |
| 42 | Government Industrial Training Institute, Ardhapur, Dist. NANDED, State: Maharashtra Nanded Hingoli Road, Near mahada colony, Ardhapur Dist. Nanded 431704 MIS Code: GR27000610 | Existing | Electronic Mechanic | 2(1+1) | NR | Not Recommended as per due to deficiencies of tools & equipment's. |



28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|-------------------------------------|------------------------------------|--|------------------------------|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 43. | ITI PARBHANI (Govt.) Jintur Road, Parbhani 431401 MIS Code; GR27000036 | Existing | Draughtsman Mechanic | 1(0+1+0) | NR | Not Recommended as per due to Shortage of Power load |
| | | | Electrician | 2(0+1+1) | NR | |
| | | | Mechanic Diesel | 2(0+1+1) | NR | |
| | | | Welder | 1(0+1+0) | NR | |
| | | | Wireman | 1(0+0+1) | NR | |
| | | | Machinist Grinder | 1(0+0+1) | NR | |
| 44 | Govt. Industrial Training Institute Chakur Dist Latur AT POST CHAKUR TQ. CHAKUR DIST LATUR3 413513 MIS Code: GR27000470 | Existing | Electronic Mechanic | 1(0+1+0) | 1(0+1+0) | Recommended: 1. Electronic Mechanic 1(0+1+0) 2. COPA -2(1+1+0) However, State Directorate to ensure availability of CITS trained instructors before the start of the session 2023-24 |
| | | | COPA | 2(1+1+0) | 2(1+1+0) | |



अपारिजे
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 45 | Government Industrial Training Institute Kalamb Dist. Osmanabad Tandulwadi Road, Kalamb Tq. Kalamb Dist. Osmanabad 413507 MIS Code: GR27000138 | Existing | Welder | 1(0+1+0) | NR | Not Recommended |
| | | | Surveyor | 1(0+1+0) | NR | |
| 46. | Government Industrial Training Institute (Adivasi)Arjuni/Morgaon ,Dist Gondia Govt. ITI , Arjuni Morgaon , Ta Arjuni Morgaon , Dist Gondia, Pin Code -441701 441701 MIS Code: GR27000320 | Existing | Wireman Electrician | 1(0+1+0) 3(1+2+0) | 1(0+1+0) NR | SCAA Recommended the following trades: Wireman 1(0+1+0) State Directorate to ensure availability of CITS trained instructors before the start of the session 2023-24 Electrician 3(1+2) is not Recommended due to shortage of electricity load. |

[Handwritten Signature]

अपासिंह
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|-------------------------------------|---|--|--|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 47. | Govt. ITI, Ahmadpur Nanded Road Ahmadpur-413515, Dist- Latur, Maharashtra Mis Code: GR27000072 | Existing | Electrician Wireman Electronic Mechanic | 1(1+0+0) 1(1+0+0) 1(0+1+0) | NR NR 1(0+1+0) | SCAA Recommended the following trades: Electronic Mechanic 1(0+1+0) State Directorate to ensure availability of CITS trained instructors before the start of the session 2023-24 Electrician 1(1+0+0) and Wireman 1(1+0+0) is not Recommended due to shortage of electricity load. |
| 48. | GOVERNMENT ITI NILANGA BIDAR ROAD NILANGA TQ NILANGA DIST LATUR 413521 MIS Code: GR27000143 | Existing | Draughtsman Civil Machinist- Mechanic Tractor Surveyor Wireman | 1(0+1+0) 1(0+1+0) 1(0+1+0) 1(0+1+0) 1(0+1+0) | 1(0+1+0) 1(0+1+0) 1(0+1+0) 1(0+1+0) 1(0+1+0) | Recommended: 1. Draughtsman Civil 1(0+1+0) 2. Machinist- 1(0+1+0) 3. Mechanic Tractor 1(0+1+0) 4. Surveyor 1(0+1+0) 5. Wireman 1(0+1+0) State Directorate to ensure the increase the power load and CITS trained instructors before the start of the session 2023-24 |

31/7/23
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|-------------------------------------|---|--|--|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 49. | GOVT. Industrial Training Institute Sakoli at post sendurwafata sakoli dist bhandara 441802 MIS Code: GR27000321 | Existing | Turner | 2(1+1+0) | 2(1+1+0) | SCAA Recommended the following trades: Turner 2(1+1+0) State Directorate to ensure the increase the power load and CITS trained instructors before the start of the session 2023-24 |
| 50. | Govt Industrial Training Institute Palandur AT POST PALANDUR TAH DEORI DIST GONDIA 441702, MAHARASHTRA TMPSP059 | New | Electrician Wireman Fitter Sewing Technology Mechanic Motor Vehicle | 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) | NR NR NR NR 2(1+1+0) | SCAA Recommended the Mechanic Motor Vehicle 2(1+1+0) as per request of State Directorate as this is the ITI under LWE scheme: State Directorate to ensure the increase the power load CITS trained instructors before the start of the session 2023-24 |

अप्राति
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|-------------------------------------|---|--|------------------------------|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 51. | Ramraje Private Industrial Training Institute Parbhani Ramnagar Akoli, Tal-Gangakhed, Dist-Parbhani-431514 TMP27489PR1648 624468 | New | Electrician | 4(2+2) | NR | SCAA observed that applicant institute close during the day of inspection. Hence Not Recommended |
| | | | Fitter | 2(1+1) | NR | |
| | | | Wireman | 4(2+2) | NR | |
| | | | Solar Technician (Electrical) | 2(1+1) | NR | |
| | | | Welder | 2(1+1) | NR | |
| | | | Computer Hardware & Network Maintenance | 2(1+1) | NR | |
| 52. | Shri Padmalaya Private Industrial Training Institute Jalgaon Ap. Kasoda Tal Erandol Dist. Jalgaon 425109 TMP27478PR1649 960714 | New | Fitter | 2(1+1+0) | NR | SCAA observed that there is shortage in plot area as per DGT norms. Hence Not Recommended |
| | | | Electrician | 2(1+1+0) | NR | |
| | | | Solar Technician (Electrical) | 2(1+1+0) | NR | |
| | | | Health Sanitary Inspector | 2(1+1+0) | NR | |

[Handwritten Signature]

31/7/23
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023
Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|--|--|------------------------------|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 53. | Government ITI Motala, At. Motala Dist. - Buldhana, Maharashtra - 443103 MIS Code: GR27000516 | Existing | Basic Cosmetology- Information & Communication Technology System Maintenance - | 1(1+0+0) 2(1+1+0) | 1(1+0+0) 2(1+1+0) | Recommended: 1. Basic Cosmetology- 1(1+0+0) 2. Information & Communication Technology System Maintenance - 2(1+1+0) State Directorate to ensure availability of CITS trained instructors before the start of the session 2023-24 |



अ.प.सि.र.
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|-------------------------------------|------------------------------------|--|------------------------------|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 54. | Dayaramji Bhoyar Private Industrial Training Institute Shifting Case Old address & Location - Dayaramji Bhoyar Pvt.ITI, Kodamendhi, District - Nagpur, Maharashtra-441106. & Latitude: 21.3219, Longitude: 79.4755. New address & Location - Dayaramji Bhoyar Pvt.ITI, At Mouda TH - Mouda, District - Nagpur, Maharashtra-441104. & Latitude : 21.1498732, Longitude : 79.3944786. | Existing | Electrician Fitter | 2(1+1) 2(1+1) | 2(1+1) 2(1+1) | SCAA Recommended shifting with existing trades/units. RD, RDSDE to verify the CITS instructors' details before start of session 2023-24 |



Handwritten signature
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|--|--|--|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 55. | Kumss Private Industrial Training Institute Pune MIS Code: PR27001025 | Existing | Not Recommended as Institute not ready for Inspection | Not Recommended as Institute not ready for Inspection | Not Recommended as Institute not ready for Inspection | Not Recommended as Institute not ready for Inspection |
| 56. | Shri Shivajirao Deshmukh Industrial Training Institute Red Shirala Sangli At Red, Po Shirala, Dist Sangli 415405 TMP27493PR1649 945084 | New | Electrician Fitter Welder COPA Draughtsman Mechanical Geo-Informatics Assistant | 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) | ITI not ready for affiliation. Hence proposal not considered | ITI not ready for affiliation. Hence proposal not considered |



अपार्श्व
28/07/23



STATE Maharashtra Meeting Date: 16/06/2023 to 23/06/2023

Total – 57, (New-12, Existing-45)

| Sl. no. | Name of Institute with address | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|-------------------------------------|---|--|---|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 57. | Gramin Industrial Training Institute Dagadwadi Tq. Parli Dist. Beed TMP27470 PR1580834879 | New | Electrician Wireman Mech Diesel | 16(8+8) 4(2+2) 2(1+1) | State Directorate inform that NOC was not issued by State Directorate to open this ITI. Hence proposal not considered | State Directorate inform that NOC was not issued by State Directorate to open this ITI. Hence proposal not considered. |

31/7/23
28/07/23



STATE Odisha

Meeting Date: 16/06/2023 to 23/06/2023

Total - 37, (New-12, Existing-25)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|----------------------------------|----------------------------------|---|--|------------------------------|-----------------|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 1. | Govt. ITI, Kaptipada, Mayurbhanj | New | Fitter | 4(2+2) | 4(2+2) | Recommended |
| | | | Electrician | 4(2+2) | 4(2+2) | |
| | | | Machinist | 2(1+1) | 2(1+1) | |
| | | | Solar Technician (Electrical) | 2(1+1) | 2(1+1) | |
| 2. | Govt. ITI, Rua Puri | New | Mechanic Electric Vehicle | 4(2+2) | 2(1+1) | Recommended |
| | | | Refrigeration & Air-Conditioning Technician | 2(1+1) | 2(1+1) | |
| | | | Plumber | 4(2+2) | 4(2+2) | |
| | | | Sewing Technology | 2(1+1) | 2(1+1) | |

[Handwritten Signature]

*314/2/E
28/07/23*



STATE Odisha

Meeting Date: 16/06/2023 to 23/06/2023

Total - 37, (New-12, Existing-25)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--------------------------------|----------------------------------|------------------------------------|--|------------------------------|-----------------|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 3. | Govt. ITI, Bijepur, Bargarh | New | Advanced CNC Machining Technician | 2(1+1) | 2(1+1) | Recommended |
| | | | Architectural Draughtsman | 2(1+1) | 2(1+1) | |
| | | | Fitter | 4(2+2) | 4(2+2) | |
| | | | Electrician | 4(2+2) | 4(2+2) | |
| 4. | Govt. ITI, Karanjia, Mayurbhoj | New | Dress Making | 2(1+1) | 2(1+1) | Recommended |
| | | | Electrician | 4(2+2) | 4(2+2) | |
| | | | Fitter | 4(2+2) | 4(2+2) | |
| | | | Mechanic Motor Vehicle | 2(1+1) | 2(1+1) | |

31/7/23
28/07/23

[Signature]



STATE Odisha

Meeting Date: 16/06/2023 to 23/06/2023

Total - 37, (New-12, Existing-25)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---------------------------------|----------------------------------|---|--|------------------------------|-----------------|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 5. | Govt. ITI Rajkanika, Kendrapada | New | Electrician | 4(2+2) | 4(2+2) | Recommended |
| | | | Fitter | 4(2+2) | 4(2+2) | |
| | | | Refrigeration & Air-Conditioning Technician | 2(1+1) | 2(1+1) | |
| | | | Solar Technician (Electrical) | 2(1+1) | 2(1+1) | |
| 6. | Govt. ITI Athamalik, Angul | New | Sewing Technology | 2(1+1) | 2(1+1) | Recommended |
| | | | Fitter | 4(2+2) | 4(2+2) | |
| | | | Electrician | 4(2+2) | 4(2+2) | |
| | | | Refrigeration & Air-Conditioning Technician | 2(1+1) | 2(1+1) | |

37/4/23
28/07/23



STATE Odisha

Meeting Date: 16/06/2023 to 23/06/2023

Total - 37, (New-12, Existing-25)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--------------------------------|----------------------------------|------------------------------------|--|------------------------------|-----------------|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 7. | Govt. Bhanjanagar, Ganjam | New | Mechanic Motor Vehicle | 2(1+1) | 2(1+1) | Recommended |
| | | | Surveyor | 2(1+1) | 2(1+1) | |
| | | | Electrician | 4(2+2) | 4(2+2) | |
| | | | Mechanic Electric Vehicle | 2(1+1) | 2(1+1) | |
| 8. | Govt. Patnagarh, Bolangir | New | Fitter | 2(1+1) | 2(1+1) | Recommended |
| | | | Plumber | 2(1+1) | 2(1+1) | |
| | | | Dress Making | 2(1+1) | 2(1+1) | |
| | | | Electrician | 4(2+2) | 4(2+2) | |

[Handwritten Signature]

[Handwritten Signature]
28/07/23



STATE Odisha

Meeting Date: 16/06/2023 to 23/06/2023

Total - 37, (New-12, Existing-25)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--------------------------------|----------------------------------|---|--|------------------------------|-----------------|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 9. | Govt. ITI, Balugaon, Khurda | New | Fitter | 4(2+2) | 4(2+2) | Recommended |
| | | | Electrician | 4(2+2) | 4(2+2) | |
| | | | Dress Making | 2(1+1) | 2(1+1) | |
| | | | Technician Electronics System Design & Repair | 2(1+1) | 2(1+1) | |
| 10. | Govt. ITI, Junagarh, Kalahandi | New | Fitter | 4(2+2) | 4(2+2) | Recommended |
| | | | Electrician- | 4(2+2) | 4(2+2) | |
| | | | Refrigeration & Air Conditioning Technician | 2(1+1) | 2(1+1) | |
| | | | Plumber | 2(1+1) | 2(1+1) | |
| 11. | Govt. ITI, Bansapal, Keonjhar | New | Mechanic Electric Vehicle | 2(1+1) | 2(1+1) | Recommended |
| | | | Advanced CNC Machining Technician | 2(1+1) | 2(1+1) | |
| | | | Electrician | 2(1+1) | 2(1+1) | |
| | | | Fitter | 2(1+1) | 2(1+1) | |



31/7/23
28/07/23



STATE Odisha

Meeting Date: 16/06/2023 to 23/06/2023

Total – 37, (New-12, Existing-25)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|--|--|------------------------------|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 12. | Govt. Dharmagarh, Kalahandi | New | Electrician Power Distribution | 2(1+1) | 2(1+1) | Recommended |
| | | | Mechanic Electric Vehicle | 2(1+1) | 2(1+1) | |
| | | | Dress Making | 2(1+1) | 2(1+1) | |
| | | | Computer Hardware & Networking Maintenance | 2(1+1) | 2(1+1) | |
| 13. | Govt. ITI. Boudh MIS Code: GU21000496 | Existing | Electronics Mechanic | 2(1+1) | 2(1+1) | Recommended for Shifting with existing trades |
| | Old Location | | Dress Making | 1(1+0) | 1(1+0) | |
| | Govt. ITI Boudh, At/Po.-Boudh Dist. Boudh-762014 | | Textile Wet Processing Technician | 2(1+1) | 2(1+1) | |
| | New Location | | Fitter | 6(2+2+2) | 6(2+2+2) | |
| | Govt. ITI, Boudh At- Nuapali (Goudadei) P.O.- Khuntiapada Dist. Boudh 762026 | | Electrician | 6(2+2+2) | 6(2+2+2) | |
| | | | Sewing Technology | 3(1+1+1) | 3(1+1+1) | |
| | Welder | 1(1+0) | 1(1+0) | | | |

अपाकिट्ट
28/07/23

[Signature]



STATE Odisha

Meeting Date: 16/06/2023 to 23/06/2023

Total - 37, (New-12, Existing-25)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 14. | <p>Madhusudan Govt. ITI Cuttack</p> <p>Old Location At. Bose Campus, P.O. SCB Medical College, Cuttack</p> <p>New Location At-Gandhi Chhak PO- Choudwar Dist. Cuttack</p> <p>MIS Code: GU21000500</p> | Existing | Draughtsman Civil | 2(1+1) | 2(1+1) | Recommended for Shifting with existing trades |
| | | | Fitter | 6(2+2+2) | 6(2+2+2) | |
| | | | Electrician | 6(2+2+2) | 6(2+2+2) | |
| | | | Electronics Mechanic | 3(1+1+1) | 3(1+1+1) | |
| | | | Sewing Technology | 2(2+0) | 2(2+0) | |
| | | | Dress Making | 2(1+1) | 2(1+1) | |
| | | | Mechanic Motor Vehicle | 2(1+1) | 2(1+1) | |
| | | | Welder | 2(1+1) | 2(1+1) | |
| | | | Mechanic Auto Body Painting | 2(1+1) | 2(1+1) | |
| | | | Mechanic Auto Body Repair | 2(1+1) | 2(1+1) | |



31/4/23
28/07/23



STATE Odisha

Meeting Date: 16/06/2023 to 23/06/2023

Total - 37, (New-12, Existing-25)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|------------------------------------|--|------------------------------|-----------------|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 15. | Govt. ITI Bhandaripokhari, Bhadrak MIS Code: GR21000623 | Existing | Warehouse Technician | 2(1+1) | 2(1+1) | Recommended |
| | | | In Plant Logistics Assistant | 2(1+1) | 2(1+1) | |
| | | | Electrician Addl | 2(1+1) | 2(1+1) | |
| 16. | Govt. ITI Rasanpur, Sambalpur MIS Code: GU21000610 | Existing | Copa | 2(1+1) | 2(1+1) | Recommended |
| 17. | Govt. ITI purusottampur Ganjam MIS Code: GR21000521 | Existing | MMV | 2(1+1) | 2(1+1) | Recommended |



28/07/23



STATE Odisha

Meeting Date: 16/06/2023 to 23/06/2023

Total - 37, (New-12, Existing-25)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|-----------------|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 18. | Govt. ITI, Bolangir MIS Code: GU21000513 | Existing | Instrument Mechanic | 2(1+1) | 2(1+1) | Recommended |
| 19. | Govt. ITI Shergarh, Ganjam MIS Code: GR21000614 | Existing | Sewing Technology | 2(1+1) | 2(1+1) | Recommended |
| 20. | ITI, Mathili Malkangiri MIS Code: GR21000597 | Existing | Copa | 2(1+1) | 2(1+1) | Recommended |

अप/अ/अ
28/07/23



STATE Odisha

Meeting Date: 16/06/2023 to 23/06/2023

Total - 37, (New-12, Existing-25)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--------------------------------|----------------------------------|------------------------------------|--|------------------------------|-----------------|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 21. | Govt. ITI. Bheden Bargarh | Existing | Sewing Technology | 2(1+1) | 2(1+1) | Recommended |
| | MIS Code: GR21000615 | | Architectural Draughtsman | 2(1+1) | 2(1+1) | |
| 22. | Govt. ITI Pottangi Koraput | Existing | Surveyor | 2(1+1) | 2(1+1) | Recommended |
| | MIS Code: GR21000613 | | Welder | 2(1+1) | 2(1+1) | |
| 23. | Govt. ITI Bargarh | Existing | Dress Making | 2(1+1) | 2(1+1) | Recommended |
| | MIS Code: GU21000506 | | MMV | 2(1+1) | 2(1+1) | |

31/7/23
28/07/23





STATE Odisha

Meeting Date: 16/06/2023 to 23/06/2023

Total - 37, (New-12, Existing-25)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|------------------------------------|--|------------------------------|-----------------|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 24. | Govt. ITI Raighar Newarangpur MIS Code: GR21000611 | Existing | Dress making | 2(1+1) | 2(1+1) | Recommended |
| | | | Copa | 2(1+1) | 2(1+1) | |
| 25. | Govt. ITI chandahandi, Nawarangpur MIS Code: GR21000605 | Existing | Dress making | 2(1+1) | 2(1+1) | Recommended |
| 26. | MITI, Cuttack MIS Code: GU21000500 | Existing | Solar Technician (Electrical) | 2(1+1) | 2(1+1) | Recommended |

अपारिष्ट
28/07/23

[Handwritten Signature]



STATE Odisha

Meeting Date: 16/06/2023 to 23/06/2023

Total - 37, (New-12, Existing-25)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|-----------------|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 27 | Ortech ITC, Balakati Khurda (Pvt.) MIS Code: PR21000151 | Existing | Copa | 2(1+1) | 2(1+1) | Recommended |
| | | | Dress Making | 2(1+1) | 2(1+1) | |
| | | | Geriatric (Old Age) Care | 2(1+1) | 2(1+1) | |
| 28. | Govt. ITI Jaipur MIS Code: GU21000593 | Existing | Copa | 2(1+1) | 2(1+1) | Recommended |
| 29. | Govt. ITI Balasore MIS Code: GU21000524 | Existing | Electrician | 4(2+2) | 4(2+2) | Recommended |
| | | | Mechanic Electric Vehicle | 2(1+1) | 2(1+1) | |

अपराजित
28/07/23



STATE Odisha

Meeting Date: 16/06/2023 to 23/06/2023

Total - 37, (New-12, Existing-25)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|-------------------------------------|--|------------------------------|-----------------|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 30. | Govt. ITI, Chhatrapur, Ganjam MIS Code: GU21000532 | Existing | Mechanic Electric Vehicle | 2(1+1) | 2(1+1) | Recommended |
| | | | Attendant Operator (Chemical Plant) | 2(1+1) | 2(1+1) | |
| 31. | Govt. ITI purusottapur, Ganjam MIS Code: GR21000521 | Existing | Dress Making | 2(1+1) | 2(1+1) | Recommended |
| | | | Solar Technician (Electrical) | 2(1+1) | 2(1+1) | |
| 32. | Govt. ITI, Dhenkanal MIS Code: GR21000504 | Existing | Solar Technician (Electrical) | 2(1+1) | 2(1+1) | Recommended |

प्रशासक
28/07/23





STATE Odisha

Meeting Date: 16/06/2023 to 23/06/2023

Total - 37, (New-12, Existing-25)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|-----------------|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 33. | Govt. ITI Berhampur, Ganjam MIS Code: GU21000525 | Existing | Copa | 2(1+1) | 2(1+1) | Recommended |
| | | | Sewing technology | 4(2+2) | 4(2+2) | |
| 34. | Govt. ITI, bolangir MIS Code: GU21000513 | Existing | Solar Technician (Electrical) | 2(1+1) | 2(1+1) | Recommended |
| | | | Copa | 2(1+1) | 2(1+1) | |
| 35. | SIPT, Pattamundal, Kendrapara MIS Code: GU21000518 | Existing | Mechanic Motor Vehicle | 2(1+1) | 2(1+1) | Recommended |

[Handwritten signature]

31/7/23
28/07/23



STATE Odisha

Meeting Date: 16/06/2023 to 23/06/2023

Total - 37, (New-12, Existing-25)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|--|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 36. | Govt. ITI Bhubaneswar, Khurda ss | Existing | Dress Making | 1(0+1) | 1(0+1) | Recommended |
| 37. | Rambaba Pvt. ITI. PR21000495 Old Address: At- Bilahat, Po- Tyandakuda, Ps Kishannagar Distr. Cuttack Odisha New Address: Po-Nemalo, Ps-Nemalo Nishinkoili, Cuttack-754293 | Existing Shifting Case | Fitter Electrician | 6(2+2+2) 6(2+2+2) | 4(2+2) 4(2+2) | As per SSDEC recommendation SCAA recommended shifting and Recommended for continuance of affiliation Fitter 4(2+2) Electrician 4(2+2) Recommended for De-affiliation Fitter 2(0+0+2) Electrician 2(0+0+2) |



31/4/19E
28/07/23



STATE Punjab

Meeting Date: 16/06/2023 to 23/06/2023

Total - 01, (New-00, Existing-01)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|-------------------------------------|------------------------------------|--|------------------------------|-------------------------------------|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 1. | Modern Private I Village. Lakho Ke Behram, Tehsil Guru Har Sahai, District Ferozepur - 152023 MIS CODE: PR03000317 | Existing | Electrician | 6(3+3) | NR | Not recommended due to less grading |

अपायिद
28/07/23





STATE Rajasthan

Meeting Date: 16/06/2023 to 23/06/2023

Total - 05, (New-00, Existing-05)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|------------------------------------|--|----------------------------------|---|
| | | | | Instit. | Trade/units Approved by DGT SCAA | |
| 1. | <p>Shree Charbhuj Pvt. ITI Post Angal Tehsil Sarmathura, Dholpur</p> <p>Old Address - Shree Charbhuj Pvt. IT, K-78(B), Chambal Industrial Area, Kota</p> <p>New Address - Shree Charbhuj Pvt. ITI Post Angal Tehsil Sarmathura, Dholpur</p> <p>MIS Code PR08000736</p> | Existing | Electrician | 10(4+4+2) | NR | <p>Not Recommended:</p> <p>Due to Shifting of ITI to New Location from KOTA to Dhaulpur (Inter District Tr. Case)</p> |
| 2. | <p>BRCM Pvt. ITI, Nangal Rajawatan Tehsil Nagalrajawatan, Dausa</p> <p>Old Address - BRCM Pvt. ITI, Mahapura, Ajmer Road, Dist Jaipur</p> <p>New Address BRCM Pvt. ITI, Nangal Rajawatan Tehsil Nagalrajawatan, Dausa</p> <p>MIS Code: PU08001481</p> | Existing | Electrician Fitter | 12(4+4+4) 06(2+2+2) | NR NR | <p>Not Recommended</p> <p>Due to Shifting of ITI to New Location from KOTA to Dhaulpur (Inter District Tr. Case)</p> |



31/7/23
28/07/23



STATE Rajasthan

Meeting Date: 16/06/2023 to 23/06/2023

Total - 05, (New-00, Existing-05)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|-------------------------------------|--|--|--|--|
| | | | | Instt. | Trade/units Approved by DGT SCAA | |
| 3. | Annupurna Private ITI; Balaji Nagar, Village Mawanda, Tehsil Neem Ka Thana, Distt. Sikar - 332711, Rajasthan; MIS Code: PR08000339 | Existing | Electrician | 6(2+2+2) | 4(2+2) | SCAA Recommended to continue affiliation of following Existing Trades Electrician - 4 (2+2) As per decision of SSDEC. However, for 2 units of third shift, ITI to sign MoU which needs to be Recommended by SSDEC. SCN issued to this ITI is revoked |
| 4. | Deepak Private ITI; Mandawar, Mahwa Road, Thodi Ka Baas, Dausa-321609; MIS Code: PR08000116 | Existing | Electrician Fitter Mechanic Diesel | 4(2+2) 2(1+1) 2(1+1) | 4(2+2) 2(1+1) De-Affiliation | SCAA Recommended to continue affiliation of following Existing Trades Electrician - 4(2+2) Fitter - 2(1+1) and de-affiliation of Mechanic Diesel - 2(1+1) SCN issued to this ITI is revoked |

344/RJE
28/07/23

[Signature]



STATE Rajasthan

Meeting Date: 16/06/2023 to 23/06/2023

Total - 05, (New-00, Existing-05)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|------------------------------------|--|----------------------------------|--|
| | | | | Instit. | Trade/units Approved by DGT SCAA | |
| 5. | Gyan Ganga Private ITI; Ambuja Cement Balupura, Dist. Pali; MIS Code: PR08001631 | Existing | Mechanic Diesel | 3(1+1+1) | 2(1+1) | SCAA Recommended to continue affiliation of following Existing Trades Mechanic Diesel - 2 (1+1) and Self-surrender of i. Health Sanitary Ins. - 2 (1+1) ii. Hair & Skin Care - 2 (1+1) iii. Electrician 02 (1+1) For 1 unit of third shift in Mechanic Diesel trade, ITI to sign MoU with relevant industry which needs to be Recommended by SSDEC. SCN issued to this ITI is revoked |
| | | | Health Sanitary Ins. | 2(1+1) | Self-Surrender | |
| | | | Cosmetology s | 2(1+1) | Self-Surrender | |
| | | | Electrician | 2(1+1) | Self-Surrender | |



अपशिष्ट
28/07/23




STATE Tamil Nadu

Meeting Date: 16/06/2023 to 23/06/2023

Total - 02, (New-00, Existing-02)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|------------------------------------|--|------------------------------|-----------------|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 1. | Govt ITI Ambattur MIS Code: GR33000051 | Existing | Electronic Mechanic | 1(0+1) | 1(0+1) | Recommended |
| | | | Electrician | 1(1+0) | 1(1+0) | |
| 2. | Govt ITI Ambattur MIS Code: GR33000252 | Existing | COPA | 1(1+0) | 1(1+0) | Recommended |

अपाकिट
28/07/23





STATE Telangana

Meeting Date: 16/06/2023 to 23/06/2023

Total - 06, (New-01, Existing-05)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|---|--|--|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 1. | SRINIVASA ITI H.NO: 6-3-9/1, MARIPEDA(BANG LOW), DISTRICT. MAHABUBABAD, PIN: 506315. TMPSP026 | New | Electrician Fitter Health Sanitary Inspector Smartphone Technician Cum App Tester | 4(2+2) 2(1+1) 2(1+1) 2(1+1) | 4(2+2) 2(1+1) 2(1+1) 2(1+1) | SCAA recommended the following trades: 1. Electrician 4(2+2) 2. Fitter 2(1+1) 3. Health Sanitary Inspector 2(1+1) 4. Smartphone Technician Cum App Tester 2(1+1) State and RDSDE to ensure the availability of CITS instructor before start of the session |
| 2. | Rajiv Gandhi Industrial Training Centre, Sofi Nagar Nirmal-504106 MIS Code: PR36000067 | Existing | Computer Operator and Programming Assistant (COPA) | 2(1+1) | 2(1+1) | SCAA recommended COPA 2(1+1) State and RDSDE to ensure the availability of CITS instructor before start of the session |

31/7/23
28/07/23





STATE Telangana

Meeting Date: 16/06/2023 to 23/06/2023

Total - 06, (New-01, Existing-05)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|-------------------------------------|--------------------------------------|--|------------------------------|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 3. | Subhodaya Pvt ITI, Old Address: H.No.3-3-86/87, Gumudur, Mahabubad 506101 New address: H,No ; 2-2-23/38/1 Ambedhkar Colony Gumudur, Mahabubabad,506 101 MIS Code: PR36000150 | Existing | Addl. Electrician | 2(1+1) | 2(1+1) | SCAA recommended the shifting and following additional trades: 1. Electrician - 2(1+1) |
| 4. | Al-Sana Industrial Training Centre, Khammam MIS Code: PU36000081 | Existing (Category 3) Shifting case | Electrician -4(2+2) Fitter-2(1+1) | 4(2+2) 2(1+1) | NR NR | Not Recommended due to following deficiencies: Land available is not as per DGT norms |

अपासिद
28/07/23





STATE Telangana

Meeting Date: 16/06/2023 to 23/06/2023

Total - 06, (New-01, Existing-05)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|---|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 5. | <p>Old Address: Shiva Joythi ITC Shastri Nagar H.No. 1-3 MNCL Road, Nirmal - 504106.</p> <p>New Address: Shiva Jyothi Private Industrial Training Institute, Nirmal, Shivajyothi ITC Manjulapur, Mdl: Nirmal Dist: Nirmal TELANGANA-504106.</p> <p>Mis Code: PR36000194</p> | <u>Existing (shifting)</u> | Electrician Dress Making | 8(4+4) 2(1+1) | NR NR | SCAA recommended for shifting with existing trades only |

अपशिष्ट
28/07/23

[Handwritten Signature]



STATE Telangana

Meeting Date: 16/06/2023 to 23/06/2023

Total - 06, (New-01, Existing-05)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|------------------------------------|--|------------------------------|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 6. | <p>Gawtham Pvt. ITI, Industrial Estate Warangal</p> <p>MIS Code: PU36000189</p> <p>Old address: Industrial Estate Warangal, D. No. 15-1-350 Shad 2/4 Industrial Estate, Warangal - 506007</p> <p>New Address: Plot No F 13, INO Estate, Mulugu Road, Warangal-506007</p> | Existing | Electrician-8(4+4)-existing | Electrician 8(4+4)-existing | Electrician-8(4+4)-existing | In principle approval is given to applicant ITI for shifting. However, State Directorate is requested to ratify the same in their SSDEC meeting |



3791/23
28/07/23



STATE Uttar Pradesh

Meeting Date: 16/06/2023 to 23/06/2023

Total - 10, (New-04, Existing-06)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|-------------------------------------|---|--|------------------------------|---|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 1. | Shri Ram Singh Niranjana Erar, Jalaun, 1809025696 | New | Electrician | 6(2+2+2) | 4(2+2) | SCAA recommended the ITI for the following trades: 1. Electrician – 4(2+2) 2. Fitter – 4(2+2) 3. COPA – 2(1+1) 4. Fashion & Technology – 2(1+1) |
| | | | Fitter | 6(2+2+2) | 4(2+2) | |
| | | | COPA | 3(1+1+1) | 2(1+1) | |
| | | | Fashion & Technology | 3(1+1+1) | 2(1+1) | |
| 2. | C B S College of Polytechnic, Poiya, Pili-Pokhar, Agra TMPOLD310 MSTI | New (spare capacity in polytechnic) | Computer Operator and Programming Assistant (COPA)- | 2(1+1) | NR | SCAA recommended the ITI for the following trades: 1. Electrician -2 (1+1) 2. Fitter-2 (1+1) 3. Welder-2 (1+1) |
| | | | Electrician | 2(1+1) | 2(1+1) | |
| | | | Fitter | 2(1+1) | 2(1+1) | |
| | | | Welder | 2(1+1) | 2(1+1) | |

अपशिष्ट
28/07/23

[Handwritten Signature]



STATE Uttar Pradesh

Meeting Date: 16/06/2023 to 23/06/2023

Total - 10, (New-04, Existing-06)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|--|--|--|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 3. | Pandit Beeri Singh Private Industrial Training Institute, Bhanpura , Rajakhera Road Shamshabad Agra-283125 Mis Code PR09002015 | Existing | Electrician Health Sanitary Inspector | 3(1+1+1) 3(1+1+1) | 2(1+1) 2(1+1) | SCAA recommended the ITI for following trades: 1. Electrician- 2(1+1) 2. HSI- 2(1+1) |
| 4. | Bohre Natthi Lal Mudgal Private I.T.I Private Industrial Training Institute, Khediya Iradat Nagar Agra - 283112 TMP9118PR15823 69959 | New | COPA Electrician Fitter Health Sanitary Inspector | 3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1) | 2(1+1) 2(1+1) 2(1+1) 2(1+1) | SCAA recommended the ITI for following trades: 1. COPA- 2 (1+1) 2. Electrician- 2 (1+1) 3. Fitter- 2 (1+1) 4. Health Sanitary Inspector- 2 (1+1) State and RDSDE to ensure the availability of CITS instructor before start of the session. |

अपासि
28/07/23




STATE Uttar Pradesh

Meeting Date: 16/06/2023 to 23/06/2023

Total - 10, (New-04, Existing-06)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|------------------------------------|--|------------------------------|--|
| | | | | Instit. | Trade/units Approved by SCAA | |
| 5. | Mandeep Pvt ITI MIS Code: PU09900402 | Existing | Electrician Fitter | 6(2+2+2) 3(1+1+1) | 4(2+2) 2(1+1) | Recommended: 1. Electrician - 4(2+2) 2. Fitter - 2(1+1) |
| 6. | APJ Kalam Private ITI MIS Code: PR09900400 | Existing | Electrician Fitter | 9(3+3+3) 3(1+1+1) | 6(3+3) NR | Recommended: 1. Electrician-6 (3+3) Fitter-Not Recommended due to shortage of power, machine tool and equipment. |

374/RS
28/07/23





STATE Uttar Pradesh

Meeting Date: 16/06/2023 to 23/06/2023

Total - 10, (New-04, Existing-06)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|--|--|------------------------------|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 7. | Shri Motilal Richhariya Private Iti, Vill- Kua Gaon, Post- Kurencha, Tahsil- Mauranipur, Jhansi- Up-284204 MIS Code (PU09900625) | Existing | Electrician | 6(2+2+2) | 4(2+2) | Recommended: 1. Electrician - 4(2+2) |
| 8. | Ramdei Memorial Private ITI, Azamgarh Village - Ganjor, Post-Karauti, Tehsil-Mehnagar, Azamgarh-276204 TMP9123PR15821 25560 | New | Electrician Fitter Plumber Welder | 4(2+2) 4(2+2) 2(1+1) 2(1+1) | NR NR NR NR | Not Recommended due to deficiencies mentioned in the column no. V & VI of Minutes of 10 th Meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 16.06.2023 to 23.06.2023 (page no 160-161) |

अपासिद्ध
28/07/23





STATE Uttar Pradesh

Meeting Date: 16/06/2023 to 23/06/2023

Total - 10, (New-04, Existing-06)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 9 | SUDHA PRADEEP PRIVATE Industrial Training Institute, Wazidpur, Sikandra Rao, Dist. Hathrus, UttarPradesh-204215 | Existing | Electrician | 6(2+2+2) | NR | The ITI has refused for the affiliation, SCAA agreed and Not Recommended for the affiliation of trade/units sought by ITI. |
| | | | Fitter | 3(1+1+1) | NR | |
| | | | HIS | 3(1+1+1) | NR | |
| | | | Cosmetology | 3(1+1+1) | NR | |
| 10 | Gulab Anjani Choudhri ITC, Plot No 321, Kui, Tehsil: Campier Ganj Rawatganj, GORAKHPUR-273001, U.P. MIS Code: (PR09000158) | Existing | Electrician | 6(2+2+2) | NR | The ITI has refused for the affiliation, SCAA agreed and Not Recommended for the affiliation of trade/units sought by ITI. |
| | | | Fitter | 6(2+2+2) | NR | |

31/7/23
28/07/23

[Handwritten Signature]



STATE: West Bengal

Meeting Date: 16/06/2023 to 23/06/2023

Total - 02, (New-00, Existing-02)

| Sl. no. | Name of Institute with address | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by | | Remarks by SCAA |
|---------|--|----------------------------------|------------------------------------|--|------------------------------|--|
| | | | | Instt. | Trade/units Approved by SCAA | |
| 1. | Don Bosco Self Employment Research Institute, Pvt. ITI Howrah, West Bengal MIS Code: PU19000002 | Existing | Draughtsman Civil Fitter | 3(1+1+1) 6(2+2+2) | 2(1+1) 4(2+2) | Recommended For: 1. Draughtsman Civil- 2(1+1) 2. Fitter - 4(2+2) |
| 2. | Bill Edgar Memorial Vocational Training Centre VILL. - BADRA, P.O. - JUNBEDIA, DIST. - BANKURA. PIN-722 155, PH: 03242-258791 MIS Code PU19000087 | Existing | Electrician | 2(2+0+0) | 2(2+0) | SCAA recommended the ITI for following trades: 1. Electrician 2(2+0) State and RDSDE to ensure the availability of CITS instructor before start of the session |

अपारिण्ट
28/07/23

