DGT-Aff011(51)/3/2023-O/o DIR (TC) Directorate General of Training Ministry of Skill Development and Entrepreneurship Government of India

Employment Exchange Building, 1st floor, Pusa Campus, New Delhi -110012 Dated: 19.09.2023

To

The State Directors, 1.

> (Andhra Pradesh, Assam, Bihar, Chhattisgarh, Goa, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Punjab, Rajasthan, Telangana, Uttar Pradesh, and West Bengal)

The Regional Directors, RDSDEs

(Andhra Pradesh, Assam, Bihar, Chhattisgarh, Goa, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Punjab, Rajasthan, Telangana, Uttar Pradesh, West Bengal)

Subject: Minutes of 11th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" held on 28.08.2023 to 30.08.2023- regarding. Sir/Madam,

Please find enclosed approved Minutes of 11th Meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 28.08.2023 to 30.08.2023. However, implementation orders, agenda item wise, will be issued in due course of time.

Further, the compliance reports if any, must be sent to Director, TC only on below mentioned e- mail id with subject tag line- Compliance of 11th SCAA Meeting <State Name> ITI Name> Mail ID: tc-affiliation@dgt.gov.in .

This issue with approval of competent authority, DGT.

उज्जवल बिस्वास/U निदेशक / Direc (Ujjwal Biswas)

प्रशिक्षण महानिदेशालय/Directorate General of Transctor, TC कौशल विकास एव उद्यमशीलता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

Copy to:

1. PPS to DG, DGT - New Delhi

2. Sr PPS to Chairman of SCAA-DGT.

3. NCVT MIS Portal In charge, DGT HQ New Delhi, with request to upload MOM on NCVT MIS Portal.

> (Amrit Pal Singh) Joint Director, TC

ours faithfully.

DGT-Aff011(51)/6/2023-O/o DIR (TC) Directorate General of Training Ministry of Skill Development and Entrepreneurship Government of India Employment Exchange Building, PUSA Campus, New Delhi-110012

Minutes 11th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" dated 28.08.2023 to 30.08.2023

Following DGT Officers were present during the meeting:

- 1. Smt. Sandhya Salwan, DDG, DGT, Chairperson of SCAA
- 2. Sh. Ujjwal Biswas, Director, TC, DGT Member
- 3. Sh. Amrit Pal Singh, Joint Director, TC-Section, DGT
- 4. Sh. Raju Kannam, Deputy Director, TC-Section, DGT
- 5. Ms. Pooja Verma -Assistant Director, TC-Section, DGT
- 6. Sh. Shramev Sharma Assistant Director, TC-Section, DGT
- 7. Sh. Rajesh Kumar- Assistant Director, TC-Section, DGT

The following Officers from RDSDEs and State Directorate attended the meeting (through VC):

S. No.	State	Name of RDSDE Officials	Name of State Officials
1.	Assam	Sh. Mathivanan, Director	Smt. Mousami Sen, Joint Director
2.	Bihar	Sh. Bijit Singha, Director	Sh. Pankaj, Assistant Director
3.	Chhattisgarh	Sh. Rajnish Jha, Dy. Director	Sh. R. B. Tiwari, Dy. Director
4.	Delhi	Sh. Jaishiv Sharma, Assistant Director	Sh. Rajiva Malik, Deputy Director Sh. Sashank Sonal, AIT
5.	Goa	Sh. C.S. Murthy, Director	-
6.	Gujarat	Sh. J. P. Meena, Director	Sh. K. B. Patel, Deputy Director
7.	Haryana	Sh. Pranav Chaudhary, Deputy Director	
8.	Himachal Pradesh	Shri Ravi Chilukoti, Director	Sh. Sanjay Gupta, Deputy Director
9.	Jharkhand	Sh. N.R. Aravindan, Director	Sh. Yogendra Prasad, Assistant Director

31 UT MI 19/09/23

Jy GO

उज्जवल बिस्वास/UJJWAL BISWA!
निदेशक / Director

प्रशिक्षण महानिदेशालय/Directora and of Training कौशाल विकास एवं उद्योगक ने मञ्जालय Ministry of Skill Development and Entrepreneurship भारत सरकार नई दिल्ली-12/Cord of India New Politicity

Page 1 of 216

10.	Karnataka	Sh. B.N. Sridhar, Director	Dr. Nagendra, Director
11.	Kerala	Sh. H.C Goyal, Director	Sh. Vinod Kumar, Assistant Director
12.	Madhya Pradesh	Sh. Marvel Doss, Joint Director	Sh. D. S. Thakur, Joint Director
13.	Maharashtra	Sh. C.S. Murthy, Director	Sh. P. Dongre, Assistant Director
14.	Punjab	Dr. Pramendra Tilanthe, Deputy Director	Sh. Paramjeet Singh, Assistant Director
15.	Rajasthan	Sh. A.S. Parihar, Joint Director	Sh. Suresh Sharma, Assistant Director
16.	Telangana	Sh. Vidyanand, Joint Director	Sh. S.K Nagesh, Joint Director, DET
17.	Uttar Pradesh	Sh. J.D. Masilamani, Director	Sh. Rajendra Prasad, Joint Director
18.	West Bengal	Sh. N.R. Aravindan, Director	Shri Surojit Mandal, Additional Director, DET

At the outset, Smt. Sandhya Salwan, DDG, DGT and Chairperson of SCAA, welcomed all the committee members and participants. Thereafter Shri Ujjwal Biswas, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations and agenda wise decisions taken by the Chair, are as below.

9/09/23

Page 2 of 216

प्राप्तिक Taked H / UJIVVAL BISVVAS
प्रकारण महानेदशका / Director
प्रकारण महानेदशका (Prectoral Pre-read STATEMENT के शिलास के अपने स्वाप्तिक प्रकार के अपने स्वाप्तिक स्वाप्तिक

Agenda 1: Action Taken report of 10th SCAA meeting held on 16.06.2023 to 23.06.2023.

Minutes of Meeting and affiliation orders of 10th SCAA meeting held on 16.06.2023 to 23.06.2023 have been issued.

Agenda 2: Compliance cases or Previous SCAA meetings.

The following proposals were placed in the previous SCAA meetings. Due to certain deficiencies mentioned in the MoM against these ITIs, RDSDEs /State Directorates were asked to submit the compliance report. Accordingly, the compliance reports received from State Directorates and RDSDEs were placed below for deliberations and discussion of the committee. The final recommendations and remarks of SCAA are tabulated below:

State: - Assam

S. No	ITI name	Type of applicati on	Trade unit Sought for affiliation	Summary of the Case	Compliance Report sent by State	Remarks of 11 th SCAA
1	II	III	IV	V	VI	VII
1.	Kaziranga Pvt ITI AT Road, Rudrasagar PO Joysagar Dist Sivasagar 785665 PR18000038 Grading 4.10	Existing	Fire Technology and Industrial Safety Management-6 (2+2+2) Solar Technician (Electrical)- 3 (1+1+1)	State Directorate has mentioned that power availability should be reverified again by State Officials. SCAA agreed for the same State to verify the power availability as per norms and submit the report to DGT within 10 days	reinspection of Kaziranga Pvt. ITI., Sivasagar, it is found that the concerned ITI has not yet updated the Electricity power supply as per NCVT norms i.e.32 KW. Connected load is 26KW. TC Section observation	

प्रपाकिर 19/09/23 ভিত্যবল ৰিংবাম/UJJWAL BISWAS
নিইফক / Director
परिक्षण महानिदेशालप/Directorate General of Training
কৌষলে ৰিকাংম হব এইনেক্টালনো মুখ্যলেব Ministry of Skill Development and Forrepreneurship
দান মুক্তম নই বিলী 12/Govt. of India, New Delib-12

Page 3 of 216

				from date of issue of this MoM.	Electrician 2+2= 5.2 KW Fitter 2+2= 7.02 KW Mechanic Diesel 2+2= 9.6 KW = 21.82 Solar Technician (Electrical)-1+1= 3 KW = Total load requirement = 24.82 KW Fire Technology and	
					Industrial Safety Management 2+2= 4KW	
2.	GYANAM Pvt. ITI IDHEMAJI Truck Terminus, Dhemaji Tiniali, P.O.P.S & Dist. Dhemaji - 787110, Assam. TMP18284PR164689633 4	New	Mechanic Diesel 4(2+2+0) Electrician 4(2+2+0) Fitter 4(2+2+0) COPA 2(1+1+0)	ICVC Remarks- 1 - Available land area for workshops and classrooms, Tools & Equipment's & instructor is suitable to start training of one unit only in one shift for Electrician, Fitter, Mechanic Diesel Engine & COPA trade. 2 - No CITS trained instructor is available in the institute.	Electrician 4(2+2) Fitter 4(2+2) COPA 2(1+1) SCAA needs to relook into this matter State has also requested	1. Electrician - 2(1+1) 2.Fitter - 2(1+1) 3. Mechanic Diesel Engine - 2(1+1) 4. COPA - 2(1+1)

चिपास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महनिदेशालय/Directorate Serveral of Training
कौशल विकास एवं उद्यमशीलतः मत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, मुई विली-12/Govt. of India, New Dethi-12

Page 4 of 216

3.	Samaguri Nagaon Pvt. ITI, Assam TMP18297PR164801714 3	New	Electrician 2(1+1+0) Fitter 4(2+2+0) Plumber 2(1+1+0) Stenographer Secretarial	for affiliation for the following trades: 1. Electrician - (1+1) 2. Fitter - (1+1) 3. Mechanic Diesel Engine - (1+1) 4. COPA - (1+1) TC Section Remarks-1 - Land lease is not Government registered. 10th SCAA Remarks-SCAA Recommended for following trades: Mechanic Diesel - 4(2+2) Electrician - 4(2+2) Electrician - 4(2+2) Fitter - 4(2+2) COPA - 2(1+1) 10th SCAA Remarks-The matter was discussed in SCAA and following deficiencies observed:	State Directorate sent the compliance report on dated 30.06.2023 and mentioned that 1.Undertaking received	SCAA observed that State Directorate has not submitted active lease agreement. Therefore, State Directorate needs to submit the active lease.
					1	
				0017((1.1)		
		5		TC Section		
				registered.		
				10 th SCAA		
-				Remarks-		
				[[] : 생생 하는 전에 가입하면 10일 [[조리가 보고 1 ^ 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
				following trades:		
				Mechanic Diesel -		
				COPA - 2(1+1)		
3.	Samaguri Nagaon Pyt	New	Electrician	10th CCAA	Ctoto Directorate cout the	0044
-		11011				
				[] T. M. (1994), T. (1994), S. (
	<u>3</u>			F. A. C.		
				deficiencies	1.Undertaking received	
1 1			Secretarial Assistant	observed:	from ITI applicant for	submit the active lease
						agreement within 15

उज्जवल बिस्वास/UJJWAL BISWAS निदेशक / Director प्रशिक्षण महानिदेशकय Directorate General of Training कौशल विकास एवं उद्धानभी करना मानाक्या Ministry of Skill Development and Ecolegical puriod भारत सरकार, नई विल्लीना 2/Govt. of India, New Judio-12

			(English) 2(1+1+0)	The lease agreement is going to expire on 14.10.2023, ITI is informed to submit the renewed lease agreement and submit the detail to State Directorate within 07 days from issue of this MoM. State Directorate will submit the signed & stamped report to DGT within 07 days.	agreement, it is to State that the ITI is covered under SCVT and is functioning presently under PPP mode on mutually agreed terms and conditions of contract agreement with Directorate of Employment and Craftsmen Training, Assam. Lease agreement is for 10 years. Three years of the agreement	days from date of issue of this MoM After receiving the same, case will be reconsidered in next SCAA.
				submit the detail to State Directorate within 07 days from issue of this MoM.	under PPP mode on mutually agreed terms and conditions of contract agreement with Directorate of	
	r:			submit the signed & stamped report to DGT within 07 days.	Craftsmen Training, Assam. Lease agreement is for 10 years. Three years of the agreement	
				After receipt of report from State Directorate, case will be placed in the next SCAA.	has already been covered by the ITI and further seven years of its validity shall be covered by the contract agreement	
4.	Gyan Bharati Private ITI Sivasagar, Railung Chetia Gaon, P.O Hahchara	New	Fitter 3(1+1+1) Mechanic Diesel 6(2+2+2) Electrician	10 th SCAA Remarks- The matter was discussed in SCAA	State Directorate sent the compliance report on dated 26.07.2023 and mentioned that	SCAA observed that ITI has removed the deficiencies. Hence, SCAA
	Kujibali, DistSivasagar, Assam 785701		6(2+2+2) Stenographer Secretarial	and following deficiencies observed:	Submitted Certificate from the O/o The Chairman Sivasagar Development	recommended the following trades: 1. Electrician- 4(2+2) 2. Mechanic Diesel-
	TMP18300PR164604612 7		Assistant (English) 3(1+1+1)	BCC not as per norms. Detail of CITS	Authority Sivasagar that the plot of land on which	4(2+2) 3. Fitter- 2(1+1) 4. Stenographer &



			instructors for all trades. ITI will provide the BCC and submit the instructor details to State Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify BCC as per local building bye-laws & instructor details and submit the signed & stamped report to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the next SCAA.	2.	from Civil Engineer, PWD Dept. Govt. Of Assam that Gyan Bharati Pvt ITI fully constructed safe and ready in all respects for the intended use as ITI as per NBC of India as well as local authority bye laws. Submitted CITS certificates of five instructors and also assured that they will recruit CITS certified instructors within the next 2 academic years.	Secretarial (English)-	Assistant 2(1+1)
--	--	--	--	----	--	------------------------	------------------

उप्जवल विस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate feederal of Training
कौशल विकास एवं उद्याग्यां स्तारिकालय Ministry of Skill Development and Entrepre entship
भारत सरकार, नई दिली- 1 2/Govt, of India, New Deth-12

ITI with a connected
load 30KW.

State: - Bihar

S.	ITI name	Type of	Trade unit Sought	Summary of	Compliance sent by State	SCAA remarks
No	11	application	for affiliation	the Case	VI	VII
1.	Ramashray Pvt ITI Plot No 129/470, Halta, PS- Chainpur, Dist- Kaimur, Bihar-821106 Court Case	New	1. Electrician- 4(2+2) 2. Fitter-4(2+2) 3. Plumber- 2(1+1) 4. Mech diesel- 2(1+1)	Facts of the case- In compliance to the Hon'ble court direction in WPC 12233/2022 to reconsider the application of ITI, the ITI has been intimated on 05.06.2023 to keep ready the infrastructure for inspection of ITI. 10th SCAA Remarks RDSDE and State directorate Bihar to conduct	Joint inspection report received from RDSDE Bihar and ICVC has the following observations 1. Joint inspection team members from State Directorate and DGT visited on 22/07/2023 at Ramashray PVT ITI, Hatta Kaimur and found ITI in locked condition 2. The inspection team communicated with nearby shops for contact ITI principal/owner/director etc 3. After Contact Mr. Sandeep Kr. Upadhyay, Secretary Ramsharay Pvt ITI Hatta Kaimur, reported and Stated that, they have not received any information	State Directorate has informed that joint inspection is rescheduled, and inspection is completed. SCAA informed to State Directorate to expedite the matter and send the report to DGT(HQ) within 15 days. Thereafter, the case will be reconsidered in next SCAA.

उज्जवल बिस्वास/UJJWAL BISWAS
निवंशक / Director
प्रतिक्षण महाविद्यालय / Director
प्रतिक्षण महाविद्यालय / Director
प्रतिक्षण महाविद्यालय / Director
कोशल विकास एवं उद्यागशीलीय नामाविद्यालय
Ministry of Skill Developmen, and Entrepande Irship
भूत सरकार, के दिली-12/Gord of India, New Deliv-12

				the joint inspection and RD RDSDE submit the report within 30 days from the issue of this MoM	scheduled on dated 22/07/2023 and ITI is not ready for inspection at present 4. In this connection the prior information already sent for scheduled Joint inspection on dated 22/07/2023 of Ramsharay Pvt ITI Hatta Kaimur, through registered email	
2.	Ramashish Prasad Pvt ITI PR10001075 New Grading: 6.4 Court case	Existing	Electrician-8 (4+4)	Matter discussed during SCAA meeting. State Directorate has informed that joint inspection is to be rescheduled due to administrative reason. State and RDSDE to carry out the joint inspection and submit duly signed and	Inspection report received on 07.08.2023 and observation of ICVC was: 1. Inspection was done on 20.06.2023 2. Recommended Electrician (4+4)	SCAA recommended the following trades: Electrician-8 (4+4)

उपज्ञल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशका Directorate Secretal of Training
कौशल विकास एवं उद्यासशीकाला सेवालय
Ministry of Skill Development and Entrepren

PR10000912 Grading: 6.30 Court case Or.08.2023 and observations of ICVC was: 1. Inspection was done on 14.06.2023 2. Recommended Electrician (4+4) TC section observation BCC is not as per norms. Hence ITI needs to submit BCC as per norms (refer: page 108, Civil norms for establishment of ITI, in affiliation manual 2018) within 15 days to State Directorate. Directorate has informed that joint inspection is to be rescheduled due to administrative reason. Thereafter, State Directorate will verify the BCC and sent it to DGT within 07 days. Then this case will be					stamped report to DGT within 15 days from date of issue of this		
	3.	PR10000912 Grading: 6.30	Existing	Elect -8(4+4+0)	of issue of this MoM 10 th SCAA Matter discussed during SCAA meeting. State Directorate has informed that joint inspection is to be rescheduled due to administrative reason. State and RDSDE to carry out the joint inspection and submit duly signed and stamped report to DGT within 15 days from date of issue of this	07.08.2023 and observations of ICVC was: 1. Inspection was done on 14.06.2023 2. Recommended Electrician (4+4) TC section observation	BCC is not as per norms. Hence ITI needs to submit BCC as per norms (refer: page 108, Civil norms for establishment of ITI, in affiliation manual 2018) within 15 days to State Directorate. Thereafter, State Directorate will verify the BCC and sent it to DGT within 07 days. Then this case will be reconsidered in next

उज्जवल बिस्वास/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण महानिवेशालय-Errectorate Training
कौशाल विकास एक उच्छमशीनला सन्त्रालय Ministry of Skill Development and Entrepresearship
भारत सरकार, नई दिल्ली-12/GovL of india, New Delhi-12

4.	Anand Pvt. ITI PR10000905 Grading 4.10 Court case	Existing	Electrician -8(4+4)	Matter discussed during SCAA meeting. State Directorate has informed that joint inspection is to be rescheduled due to administrative reason. State and RDSDE to carry out the joint inspection and submit duly signed and stamped report to DGT within 15 days from date of issue of this MoM	Inspection report received on 7.8.2023 and observation of ICVC are as follows: Inspection was done on 16.06.2023 Recommended Electrician (4+4)	SCAA recommended the Following trade: Electrician 8(4+4)
5.	MAA SHARDA PRIVATE INDUSTRIAL TRAINING INSTITUTE PRIVATE INDUSTRIAL	Existing	Electrician 8(4+4+0)	10 th SCAA Remark The matter was discussed in	RDSDE Bihar sent email on 4.08.2023 and mentioned that Joint re-verification of Maa Sharda Pvt. ITI (PR10000789), Aurangabad has been conducted on 27/07/2023	SCAA observed that in Minutes of 10 th SCAA RD, RDSDE was asked to verify the deficiencies and submit the signed & stamped report.

अपारिहें 19/09/23 निवेशक / Director
प्रतिक्षण महानिवेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकर, नई दिली-12/Gevt of market

TRAINING	observed:	1. Electrician workshop 5+5,	
INSTITUTE,		required area 490 sqm, available	
AURANGABAD	1. Shortage of	531.55 sqm	verification report is
AT-	Number of	DG set available	submitted by State and
GAWASPUR,	Electrician	Electricity bill enclosed	RDSDE both.
PO-PIRU, PS-	workshop.	4.also mentioned trade Electrician	
HASPURA ,	2. Non-	(3+3) is sought for affiliation by ITI	SCAA also observed
AURANGABAD,	availability of	W 20 2000	that the bill for the DG
BIHAR	DG - Set.		set doesn't appear to
824120	3. Electricity bill		be genuine.
	is not available.		
PR10000789			RD, RDSDE Bihar, will
Grading 7.5	RD, RDSDE will		personally visit the ITI
	verify the above		and submit a report on
	deficiencies and		the availability of the
	submit the		DG set within 15 days
	signed &		from the date of issue
	stamped report		of this MoM .
	to DGT within 07		200
	days from		Thereafter, the case
	issuing of this		will be reconsidered in
	MoM.		next SCAA
	After receipt of		
	report from RD,		
	case will be		
	placed in the		
	next SCAA.		

उज्जवल बिस्वास/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण महानिवशक्य/Directorate General of Training
कौशल विकास एवं उद्यागित मानावस्य
Ministry of Skill Development and Environmentship
मारत सरकार, नई विल्ली-12/Govt. of India, New Delin-12

State: Chhattisgarh

S. No	ITI name	Type of application	Trade unit Sought for affiliation	Summary of the Case	Compliance sent by State	SCAA remarks:
1	II	III	IV	V	VI	VII
1.	Agashe Industrial Training Centre, Raipur, Chhattisgarh MIS Code: PR22000056 New Grading 8.2	Existing	Stenographer Secretarial Assistant (Hindi)- 2(1+1)	6th SCAA Remarks	State sent email on 07.08.2023 and mentioned that (1) Details of CITS Instructor not available- According to the concerned center institution, the list of training officers posted has been made available in which the names of 10 training officers are mentioned. Out of which, CITS certificate of 01 to 06 and 09 total 07 employees has been attached. But no employee was found present in the organization, on being asked, it was told that the employee is on leave. Or out for some other work. The attendance register of the staff	SCAA observed that BCC is not as per norms. ITI needs to submit the BCC as per norms (refer: page 108, Civil norms for establishment of ITI, in affiliation manual 2018) within 15 days. Thereafter State will verify the BCC and submit it to DGT(HQ) within 07 days. Then, this case will be

निवेशक / Director प्रशिक्षण महानिवेशकाल्य, benefit of Training कौशाल विकास एवं उस्तानिक निवास मञ्जालय Ministry of Skill Desempment and Entrepreneurship भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

			has been asked to	
			be sent for audit	
			when sought.	
			(02) BCC from	
			Architect- BCC	
			Certificate Building	
			Completion	
			Certificate Assistant	
			Engineer Municipal	
			Corporation Raipur	
			Case No. 1722	
			dated 20.03.1989	
			and Permission No.	
			904 dated	
			25.04.1980 is the	
			same. At present, no	
			building related	
			certificate has been	
			given.	
			(3) Drawing Hall not	
			available- In Block A,	
			there is a place for a	
			drawing hall on the	
1			ground floor next to	
			the current office.	
			which is enough	
			(4) The open wire of	
			the machines of the	
			business electrical	
			workshop has been	
			covered with pipes.	
			(5) Lift not available -	
			A paper has been	
			submitted regarding	
		0	the installation of	

319/1/23

ज्ञावल बिस्वास/UJJWAL BISWAS
निदेशक / Ollector
प्रशिक्षण महिन्दराज्य:Directorate General of Training
कौशल विकास एवं उद्यूपरी जना मञ्जालय
Ministry of Skill Development and Enterpreneurship
भारत सरकार, नई दिल्ली-12/Govl. of India, New Delh-12

lifts, but no construction work of
any kind has started so far, the situation
remains the same.

State: Delhi

S.	ITI name	Туре	of		Summary of the Case	Remarks of SCAA
No		application		for affiliation		
1	11	111		IV	V	VI
1	Delhi Cantonment ITI Centre - Government Industrial Training Institute- Delhi Cantt TMPGU1681795895	Existing		(i) Carpenter (1+1) (ii) Electrician (1+1) (iii) Computer Hardware & Network Maintenance (1+1) (iv)Mechanic (now Technician)- Refrigeration and Air Conditioning.(1+1)		Availability of Ramp Availability of CITS instructors Availability of internet connection

3141K1 E 19/09/23 उज्जवल बिस्वास/UJJWAL PISWAS विदेश / Orre प्रशास महाने प्रशास कर कि से के समादी Training यो जाल विदेश राजा Model के देश हैं। अंदर्भित के प्रशासन

NCVT & SCVT members have also written in their comments that "The Institute may be awarded Provisional Affiliation subject to verification of undertaking at later stages".

TC section remarks:

- 1. Only 20% instructors are CITS qualified. Applicant has given undertaking that CITS course will be completed by the remaining Instructors within three years
- 2. Machinery and Tool Equipment are available but installion not done. Applicant has given undertaking Machineries & Equipment will be properly installed in the lab /workshops
- 3. ITI has given undertaking that ramp will be provided for the physically disabled for easy access and evacuation from the building.
- 4. Applicant has given undertaking that Internet connection and sign/display boards will be provided within 10 days

प्रपासि रे

उर्जापल विस्वास/UJJWAL BISWAS
निवंशक / Director
प्रिक्षण महानिकालव Defectorate General of Training
कोशल विकास एवं उद्योगकी ना महालिए
Ministry of Skill Development and Entrepreneurship

State: Gujarat

S.	ITI name	Type of	Trade unit Sought	Summary of the	Compliance sent	SCAA remarks
No	500 500 500 500 500 500 500 500 500 500	application	for affiliation	Case	by State	OOAA Telliarks
1	II	III	IV	V	VI	VII
1.	Shagun Institute Of Medical Sciences Private ITI Devbhumi Dwarka, TMP24674PR164812909 4	New	1. Health Sanitary Inspector - 2(1+1) 2. Health, Safety and Environment - 2(1+1) 3. Hospital Housekeeping - 2(1+1) 4. Old Age Care - 2(1+1)	10th SCAA Remarks The matter was discussed in SCAA and following deficiencies observed: 1. Shortage of Electricity load. 2. Shortage of Health Safety and Environment lab area. 3. BCC is not as per norms. 4. CITS instructors' details. Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify BCC as per local	State has sent email on 19.08.2023 and mentioned that 1. Concern ITI Applied for Extension of load form 06 KW to 13 KW. 2. ITI interchange lab is same (Approved Building)	State will verify the following and submit signed and stamped report within 15 days from date of issue of this MoM 1. BCC as per norms (refer: page 108, Civil norms for establishment of ITI,

उप्जावल विस्वास/UJJWAL BISWAS
निवेशक / Director
प्रीक्षण महानिकालिय/Directorate awarenated Training
कीशल विकास एवं उद्यागराज्याना मञ्जालय
Ministry of Skill Development and Entreprene urship
भारत सरकार, नई दिल्ली-12/GovL of India, New Delin-12

				building bye-laws & others above all documents and submit the signed & stamped report to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the SCAA.		
2.	I.S. Desai Institute Of Medical Science Mahesana C/O. Gangaba B.Ed College Near Gaytri Mandir At & Post Bechraji Ta:-Bechraji Dist:- Mahesana - 384210 TMP24451PR164725825 2	New	1. Computer Operator and Programming Assistant (COPA) 2(1+1) 2. Health Sanitary Inspector 2(1+1) 3. Old Age Care 2(1+1) 4. Radiology Technician 2(1+1)	The matter was discussed in SCAA and following deficiencies observed: 1. BCC not as per norms. ITI will provide the BCC and submit the instructor details to State Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify BCC as per local building bye-laws & instructor details and	State has sent email on 19.08.2023 and mentioned that 1. Concerned ITI Sent BCC Certified as per Norms. 2. ITI Send Instructor Detail as per Compliance. 3. Concern ITI Contracted with Hospital for Practical training in K.B Hospital. Letter and Rules 2004 Attached.	State will verify the BCC as per norms (refer: page 108, Civil norms for establishment of ITI, in affiliation manual 2018) and submit it to DGT within 15 days from the date of issue of this MoM Thereafter, the case will be reconsider in next SCAA.

प्रजावल बिस्वास/UJJWAL BISWAS

क्रिकी ए विनिदेशक / Director

प्रीत्रकण महिदेशक / Directoral Americal of Training
कोशल विकास एवं उद्योगभाजना मञ्जालय

Ministry of Skill Development and Entrepreneurally

भारत सरकार, गई विली-12/Govt. of India, Jeek Day-12

				submit the signed & stamped report to DGT within 07 days. Further Director- CD, along with RD, RDSDE, State Director of Gujarat State & Director- TC will submit the report within 07 days from the issue of this MoM, whether license from concerned authority is required for purchasing the tools & equipment's of Radiology Technician trade. After receipt of report from State Directorate & Directorate & Director- CD, DGT, case will be placed in the next SCAA.		
3.	R.J. INTERNATIONAL COLLEGE MAHESANA Near kaleshwari Temple opp. khodiyar Temple,dediyasan 384002,Dist.MAHESANA, Gujarat	New	Health Sanitary Inspector 6(3+3+0) Physiotherapy Technician 2(1+1+0) Early Childhood	The matter was discussed in SCAA and following deficiencies observed:	State has sent email on 19.08.2023 and mentioned that 1. BCC Is Verified By State Directorate (Dediyasan	State will verify the following and submit signed and stamped report to DGT within 15 days from date of issue of this MoM 1. BCC as per norms (refer: page 108, Civil

5141A E 19/09/23 उज्जवल बिस्वास/UJJWAL BISWAS
निदेशकः/ Director
प्रतिक्षण महानिदेशकथ्यः/ Director
प्रतिक्षण महानिदेशकथ्यः/ Director
प्रतिक्षण महानिदेशकथ्यः/ Director
प्रतिक्षण महानिदेशकथ्यः/ Director
प्रतिक्षण विकास एवं उद्धानभी निवासकथ्यः अञ्चल
भारत सरकार, नई विल्ली-12/Govt.of india New Journel

TMP24451PU164785013	Educator 2 (1+1+0)	1.BCC is to be	Gram	norms for
	, , , ,	verified by State	Panchayat)	establishment of ITI,
9	COPA 2(1+1+0)			
		Directorate.	2. ITI Send	
		2. Name mentioned	Application to	
		on Electricity bill is	UGVCL	2. Electricity Bill in the
		not as per norms.	maheshana for	name of ITI/
		3. Separate IT lab is		
		required as per		address
		norms.	name.	
				Thereafter, the case
		of ITI is required as		
		per norms.	Separate IT lab.	in next SCAA.
		5. Building plan is not		
		available.		
		Applicant will rectify		
		all the above		
		deficiencies and		
		submit the detail to		
		State Directorate		
		within 15 days from		
		issue of this MoM.		
		Thereafter, State		
		Director will verify		
		BCC as per local		
		building bye-laws &		
		others above all		
		documents and		
		submit the signed &		
		stamped report to		
		DGT within 07 days.		
		After receipt of report		
		from State		
	4	Directorate, case will		
		he placed in the peyt		
		SCAA. उज्जवल बि	स्वास/UJJWAL BISWAS	
		ि विवे	van / Director	1

प्रपासि इ 19/09/23 प्रशिक्षण महिन्द्रशास्त्र क्षेत्र क्ष

4.	Maharshi Dayanand College Of Industrial Training Institute, Pvt. ITI, Patan, Gujarat-384245 PR24008174 Grading - 0.1	Existing	Prima facie it appears the above said ITI, sought Health Sanitary Inspector-3(1+1+1), Basic cosmetology 3(1+1+1) and surveyor 3(1+1+1) however the ITI has applied in the application as mentioned below: - Health Sanitary Inspector-60(20+20+20) Basic Cosmetology-60(20+20+20) Surveryor-48(16+16+16)	there is no admission in affiliated COPA trade in ITI from the last two years. State Directorate to verify why there is no	mentioned that Concern ITI says that due to lockdown and Corona Virus new students have been not found. But from this academic year	The matter is discussed in SCAA. SCAA suggested that there is no admission in ITI since session 2019. Hence, SCAA recommended that the ITI may continue with only COPA trade for next 2 years and after observing its performance the case will be reconsidered.
----	--	----------	--	---	---	---

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय: Directorale General of Training
कौशाल विकास एवं उद्यागकीलां मञालय
Ministry of Skill Development and Entracrene urship
भारत सरकार, गई बिल्ली-12/GovL of India, New Deith-12

State: - Haryana

S. No	ITI name	Type of application	Trade unit Sought for affiliation	Summary of the Case	Compliance sent by State	SCAA remarks
1	11	111	IV	V	VI	VII
1.	Shri Krishna Pvt. ITI,	New	1. COPA-2 (1+1)	9 th SCAA	State sent email on 21.07.2023 and	SCAA recommended the following trades:
	Budani Rewari		2. Electrician-2	State Director to verify	attached	
			(1+1)	following documents:	1.BCC verified by	[]
	<u>1906031 565</u>		3. Fitter-2 (1+1)	4 800	State Directorate	2.Electrician-2 (1+1)
			4. Health	1. BCC as per norms	2. Affidavit regarding	3.Fitter-2 (1+1)
			Sanitary	2. To ensure the	CLU not required.	4.Health Sanitary
			Inspector-2 (1+1)	availability of power load as per DGT norms for		Inspector-2 (1+1)
			(1+1)	each trade.	instructors.	
				3. Details of CITS		
				Instructors.	SDO/DHBVN	
				med dotoro.	regarding having	
				Thereafter, State	electricity connection	
				Director will verify BCC		
				as per local building bye-		
				laws & instructor details		
				and submit the signed &		
				stamped report to DGT	675	
				within 15 days from		
				issue of this MoM	es tip	
				-27 J. 167	1,000M. 1,000	
				After that case will be		, w
				placed in the next		
				SCAA.		
				10 th SCAA	जंवल बिस्वास/UJJWAL BISWAS	

19/09/2

प्रशिक्षण महानिदेशालय/Directorate General of Training कौशाल विकास एवं उच्छा श्रीत्वाला मङ्गालय Ministry of Skill Development and Envepreneurship षारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

Director TC informed the committee that the applicant ITI had requested rectification of all deficiencies by him and had informed the State about it.	
SCAA suggested that the State should expedite the process and send the report to DGT within 7 days from the issuance of this MoM	8 81

State: - Himachal Pradesh

S. No	ITI name	Type of application	Trade unit Sought for affiliation	Summary of the Case	Compliance sent by State	SCAA remarks
1	11	III	IV	V	VI	VII
1.	Modern Pvt. ITI Mairi VPO Mairi, Tehsil Amb. UNA- 177210 HIMACHAL PRADESH PR02000072	Existing	Plumber 2(1+1)	9th SCAA SCAA observed the following deficiencies: 1. BCC not as per norms.	State sent email on 17.06.2023 and mentioned 1.BCC verified by Assistant Engineer and provided details of plumber instructor	SCAA recommended the following trade: Plumber 2(1+1) State Directorate to
	Grading - 7.1		7	ज्जंवल बिस्वास/UJJWAL BISWAS		ensure the

319/03/23

निर्देशक / Director प्रशिक्षण महानिदेशालय / Director and Training कौराल विकास एउ उदाभगी लता मञ्जालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई विल्ली-12/Govl. of India, New Delhi-12

Page 23 of 216

				2. Detail of CITS instructors for plumber trade. ITI will provide the BCC and submit the instructor details to State Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify BCC as per local building bye-laws & instructor details and submit the signed & stamped report to DGT within 07 days. After that case will be placed in the next SCAA.		engagement of CITS instructors in all trades before start of the session 2023
2.	Shivalik Private Industrial Training Institute UNA vpo badhera tehsail haroli distt una – 177209	New ITI	Basic Cosmetology 2(1+1) Electrician 3(1+1+1) Fitter 3(1+1+1)	9th SCAA State Director to verify following documents: 1. BCC as per norms 2. NOC from AICTE.	State sent email on 24.06.2023 and mentioned that: 1. BCC documents received from the ITI which countersigned by a dealer. Assistant	SCAA observed that BCC is still not as per norms (refer: page 108, Civil norms for establishment

714/ATE 19/09/23

प्रशिक्षण महानिदेशालय Directorate General of training कौराल विकास एवं ३०,४४७ को मंत्रालय Ministry of Skill Development and Entrepara outsing भारत सरकार, नई दिल्ली-12/Govt, of india, hew better 12

TMP226P	R1582605036	Plumber 2(1+1)	3. Details of CITS Instructors. Thereafter, State Director will verify BCC as per local building bye-laws & instructor details and submit the signed & stamped report to DGT within 15 days from issue of this MoM After that case will be placed in the next SCAA.	Engineer (DEV.) Development Block, Amb, District Una, H.P. 2. The Institute has submitted the desired Notification from AICTE dated 07-06-2023 regarding complete closure of Institution for closure from the academic year 2023- 24 3. Appointment of CITS Instructors has been made as per NCVET norms 2018 for all the Trades	of ITI, in affiliation manual 2018) State Directorate will verify the BCC and certify that building is fit for institutional use and send to DGT(HQ) within 15 days from date of issue of this MoM. Thereafter, the case will be reconsidered in
TRAINING MANDI V PO Balt To Mandi	ABHILASHI INDUSTRIAL INSTITUTE illage, Tanda eh. Balh Distt. (H.P.)175008	1. Electrician 4(2+2) 2. Fitter 2(1+1) 3. Health Sanitary Inspector 2(1+1) 4. Solar Technician (Electrical) 2(1+1)	SCAA observed the following deficiencies: 1. No NOC from AICTE. 2. No separate Electric connection for ITI, (since Genius	State sent email on 23.06.2023 and mentioned that: 1. The Institute has submitted the desired Notification from AICTE vide file No. AICTE/AB/WR /Mise/2018-19 dated 01-022018 regarding release of Surplus Land 2. Separate Electric connection in the	3 100 000 000 000 000 000 000 000 000 00

अपारिक है

जिनेहरके 1 montor
प्रशिक्षण महानिवेशकः Torectus ste inneral of Training
कौराल विकास एवं उद्यामकी करणा महानव्य
Ministry of Skill Develor करणा का अध्यावधारीक भारत सरकार, नई दिल्ली - 1 2/Govt, ci india, New Delita 12

CITS Detail consumer name as of T.R. Abhilashi Pvt. instructors for each trade. has been installed Meter No. Applicant will rectify all 3038545 (HE) and Meter Seal No. as the above deficiencies 0165074, 0165053 and submit the detail to State Directorate within 3. Name of CITS 15 days from issue of instructors this MoM. mentioned but their Thereafter, State certificate not Director will verify all attached above documents and TC section observation: submit the signed & CITS instructors stamped report along certificate of all trades with recommendation to not attached DGT within 07 days. 2. For the electricity After receipt of report connection, only from State Directorate, note is demand case will be placed in attached. There is no proof provided regarding the SCAA. whether the dedicated connection electricity has been established. Being court case matter email was sent to ITI to remove the deficiencies and submit the report. Compliance report 26.08.2023 dated received from State and deficiencies are removed

उज्जवल बिस्वास/UJJWAL BISWAS

निवेशक / Director पशिक्षण महानिदेशालयः Directoral General of Training कौराल विकास एवं उदाधरी लाग मञ्जालय Ministry of Skill Development and Entreprene riship भारत सरकार, नई दिल्ली-12/Govt. of India, New Deini-12

State: Jharkhand

Saraikela Kharsawan Programming ICVC remarks : on	I Jamshedpur inspection report 26.06.2023 and tioned that:	the following
Saraikela Kharsawan Operator and Programming ICVC remarks : on	inspection report 26.06.2023 and	the following
Po-Tankocha, Ps-Nimdih Dist-Seraikella Kharswan Pin-832401 PR20000199 Grading: 5.9 Grading: 5.9	per the direction of DE, Ranchi, khand, the State RDSDE inspected larayan Private ITI 20000199), on 6.2023 run the existing es as well as new es the Narayan ate ITI 20000199) is ng sufficient class as, workshop, labs. wing hall, principal e, office, staff as, IT lab., library play ground as per T area required as. Narayan Private (PR20000199) is	1. BCC as per norms (refer: page 108, Civil norms for establishment of ITI, in affiliation manual 2018) 2. CITS instructor details for all trades 3. Building plan 4. Fire Safety Certificate ITI will rectify all the above deficiencies and submit the detail to State Directorate within 15 days from issue of this MoM. State Directorate will submit the

मपासिर

निवंशक / Director प्रशिक्षण महानिवंशालयः Directors — men do Training कौशल विकास एवं उद्यमशालयः मञालय Ministry of Skill Development and Eurepreneurship भारत सरकार, नई दिली–12/Govt. of India, New Delhi-12

			infrastructure to run the	report along with
			above trades.	recommendation
			Sufficient staff and	to DGT within 07
			teaching faculties are	days.
			also available.	Thereafter, the
			The machineries and	case will be
			tools & equipments are	reconsidered in
			available as per NCVT	
			norms for the above	
			trades.	
			The electric power	
			required as per NCVT	
			norms to run the above	
			trades is 45.93 KW and	
			available power supply	
			is 50 KW.	
			Checked the students	
			attendance and staff	
			attendance details and	
			found ok.	
			And Recommended	
			Additional units	
			Electrician: 2 + 2	
			Fitter: 2 + 2	
			Surveyor: 1 + 1	
			And	
			New trades	
			COPA: 1 + 1	
			Sewing Technology: 1	
			+1	1/1
			Electronics Mechanic:	
			1+1	
		٨		

भूपारिष्टे 19/09/23

2.	SHUBHAM INSTITUTE OF	New	Electrician	9 th SCAA	RDSDE sent email on	ITI needs to
	TECHNICAL STUDIES		4(2+2)	remarks :	30.06.2023 and	Submit BCC as
	PVT. ITI DEOGHAR,		Solar	SCAA observed	attached joint	per norms (refer:
			Technician	that same	inspection report	page 108, Civil
	VILL- KHAGA PO + PS-		(Electrical)	information	dated: 30.06.2023 and	norms for
	KHAGA BLOCK-		2(1+1)	provided as in	mentioned that:	establishment of
1	PALOJORI DIS- DEOGHAR		Radiology	JHAB Pvt. ITI at	1. Upload Building	ITI, in affiliation
	JHARKHAND PIN CODE-		Technician	Sl. No. 1 above.	Photo of JAHB	manual 2018)to
	814146		2(1+1)		PVT ITI, & SITS	State Directorate
			Physiotherapy	All members	PVT ITI, is	within 15 days
	TMP20324PR1647086389		Technician	agreed that RD,	uploaded	from date of issue
	E		2(1+1)	RDSDE	mistakenly and it is	of this MoM.
				Jharkhand and	confirmed by the	
				State Directorate	inspection officers	Thereafter State
				member will	(RDSDE	Directorate will
				physically visit	JHARKHAND &	verify the BCC as
				the applicant	STATE	per norms and
				institute and	DIRECTORATE)	submit the signed
				verify all the	that both the ITIs	and stamped
				infrastructure	under PPP given to	report to DGT
				available	the same TSP	within 07 days .
	g .			including power		
				load and submit	buildings are at	Thereafter, the
1				the report		case will be
				(annexure - III)	and also design of	reconsidered in
				within 15 days to	the building is	next SCAA.
				DGT from the	completely	
				issue of this	different.	
				MoM.	2. A Visit has been	
				After that are	conducted on	
				After that case	30/06/2023 by RDSDE Jharkhand	
				will be placed in		
				the next SCAA.	& State Directorate	
				1.1	member physically along with the	
		L	A	 च्यांजवल बिस्वास/UJJW	I RISWAS	
	A -			उठ्यवल विस्वास्त्र १०३३४४६		

344/42

निदेशक Elector प्रशिक्षण महनिदेशाल्या Larectoria electron of Training कौशल विकास एवं उद्यागशालको सत्रालय Ministry of Skill Development and Fir. apreneurship भारत सरकार, नई दिल्ली-12/Govt, of India, New Delh-12

				Applicant institute	
				(SITS PVT ITI,	
				KHAGA,	
				PALOJORI,	
				DEOGHAR,	
				814146) and it has	
				been found that all	
				the infrastructure	
				and electric power	
				load is available as	
				per DGT Norms for	
1				the trades:	
				Radiology	
				Technician (1+1),	
				Physiotherapy	
				Technician (1+1),	
				Solar Technician	
				(1+1) & Electrician	
				(2+2).	
			3.	There is difference	
				in the Structure of	
				the Building (JAHB	
				PVT IT], DAHU,	
				ORMANJHI,	
				RANCHI 835219 &	
				SITS PVT IT),	
				KHAGA,	
				PALOJORI,	
				DEOGHAR,	
				814146). Therefore	
				there is no	
				question for same	
				Drawing Hall.	
				Regarding the Bill	
		^		Invoice both JAHB	
			_	CIOO DOGI O, IIID	

उज्जवल बिस्वास/UJJWAL BISWAS
— निदेशक / Director
प्रिक्षण गहानिदेशालय/Directorale General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Foregree
भरत सरकर, गई दिली-12/Got at the accept

		·	
		and SITS invoice	
		number are	
		different material	
		purchase from the	
	1	same vendor by	
	ł	same TSP	
		4. Both the JAHB	
		PVT ITI & SITS	
	1	PVT ITI is given	
	1	under PPP Mode	
		to the same TSP	
		(TRY) by the State	
		Govt. on Lease	
		basis.	
		Under PPP Mode,	
		Building, land &	
		Transformer is	
		provided by the	
		State Govt. to TSP	
		(TRY). Therefore,	
		there is no	
		question of BCC.	
		5. The CITS	
		certificate of the	
		appointed	
		Instructors is	
		Verified and	
		attached.	
		6. NCVT Electricity	
		Norms Required	
		for (Trade Wise	
	1	Radiology	
580000	1	Technician,	
*4V.2-E 20-V.		Physiotherapy	
1199,1		Technician, Solar	

PINE

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate or regal of Training
कौशल विकास एवं उद्यनशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship

					Technician, Electrician) is 15.2 KW and available electricity in SITS PVT ITI is 25 KW	
3.	SANMAT, MANOHARPUR PRIVATE INDUSTRIAL TRAINING INSTITUTE, WEST SINGHBHUM VILLAGE- RAIKERA, POST OFFICE-RAIKERA, POLICE STATION-MANOHARPUR WEST SINGHBHUM-833104 TMP20343PR1581764757	New	Fitter 4(2+2) Electrician 4(2+2) COPA 2(1+1) Cutting & Sewing (VI & OD) 2(1+1)	10th SCAA Remark State has recommended only 03: Fitter 2(1+1) Electrician 4(2+2) COPA 2(1+1) For opening new ITI 4 trade criteria is mandatory. ITI needs to remove the deficiency of CITS instructor of sewing technology trade (As Cutting & Sewing trade has been renamed to sewing Technology) and inform RD, RDSDE.	RDSDE sent email on 9.08.2023 and attached verified details of 02 CITS instructor from Sanmat Manoharpur Pvt. ITI	wants to start the Cutting & Sewing (VI & OD) 2(1+1) Accordingly, SCAA recommended the following trades: 1. Fitter 4(2+2) 2. Electrician 4(2+2) 3. COPA 2(1+1) 4. Cutting & Sewing (VI & OD) 2(1+1)

अपारित है। १०१/23

मिदेशक / Director
प्रतिकाण महिनदेशालय/Directorate किलाका परिकास परिकास किलाका परिकास किलाका किलाका मिदिरा स्थाप किलाका किलाका किलाका किलाका किलाका किलाका किलाका मिदिरा स्थाप किलाका कि

				Thereafter RD, RDSDE will verify the details of CITS instructor of sewing technology trade and submit to DGT within 05 days from issue of this MoM		
4.	ACME PRIVATE INDUSTRIAL TRAINING INSTITUTE, ITKHORI CHATRA CHATRA Kewla, Itkhori, Chatra 825408 TMP20323PR1648734186	New	Electrician 4(2+2+0) Health Sanitary Inspector 4(2+2+0) Welder (Fabrication & Fitting) 2(1+1+0) Plumber 2(1+1+0) COPA 2(1+1+0) Sewing Technology 2(1+1+0)	10 th SCAA Remark SCAA observed that ITI has to remove the deficiencies mentioned in column V & VI within 10 days from issue of this MoM. And submit the report to State Directorate & RDSDE. Thereafter, RD, RDSDE and State Director will conduct joint	dated 10.08.2023 and mentioned that joint reverification was conducted on 8.8.2023 following the observation of the committee: 1.CITS instructors of Sewing technology not available 2. Only 1 COPA instructors in available 3. BCC by Bhawan Nirman, Landlease, Building plan and fire safety available	reverification on 08.08.2023, ICVC recommended only 03 trades. For opening new ITI, 04 trades are mandatory, hence SCAA didn't recommended affiliation as the ITI is not meeting

उण्जेवल बिस्वास/UJJWAL BISWAS
प्रिक्षण महानियाप्रिक्षण महानियाप्रिक्षण महानियाप्रिक्षण महानियाकौराल विकास एउ उत्पारणालना महान्य
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई बिल्ली—12/Govt. of India, New Delhi-12

attached . available inspection and load 40 KW submit the report within 07 days. 5. Electrician, Plumber and HSI machinery is After receipt of available for 1+1 report from RD, 6. COPA, Software are installed as per RDSDE. case curriculum will be placed in Sewing Technology the next SCAA. 20 only manual operated available ,rest of the equipment not available Recommended Electrician Trade- to run 1+1 trade Plumber Trade - to run 1+1 trade Health Sanitary Inspector- equipment available to run 1+1 trade but qualified instructors need to be appointed COPA-1+1 Recommendation on fulfilment based COPA lab space norms, and Software installation as per curriculum Sewing Technology-Not Recommended

19/09/23

5.	OM PRAKASH JINDAL COMMUNITY COLLEGE PVT ITI PATRATU RAMGARH 47P, Industrial Area, Patratu, PO- Soliya, PS-Patratu, District - Ramgarh, State - Jharkhand - 829119 829119 PR20000057 Grading - 7.7	Existing	Mechanic Diesel - 2(1+1+0)	remarks The matter was discussed in SCAA and following deficiencies observed: 1. BCC is not as per norms. 2. Shortage of area for Mechanic Diesel trade workshop. 3. Biometric machine was not in use after covid. ITI will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. Thereafter, State Director will	attached 322.5 sqm 3. Biomatric proof attached	that BCC is still not as per norms. Hence ITI needs to submit the BCC as per norms (refer: page 108, Civil norms for

पितास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate Jeneral of Training
कौशाल विकास एवं उद्यमशी लेता मञ्जालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार नहें दिन्ही-12/God of logic New Dolls 12

				instructor details and submit the signed & stamped report to DGT within 07 days. After receipt of		
				report from State Directorate,		
				case will be		er 50
				placed in the next SCAA.		
6.	MAHESHPUR PRIVATE INDUSTRIAL TRAINING INSTITUTE PAKUR NEAR MAHESHPUR BLOCK OFFICE MAHESHPUR, DIST-PAKUR, STATE-JHARKHAND-816106 TMP20337PR1648444289	New	Fitter 4(2+2) Electrician 4(2+2) COPA 2(1+1) Sewing Technology 2(1+1)	10th SCAA remarks: The matter was discussed in SCAA and following deficiencies observed: 1. BCC not as per norms. 2. Details of CITS instructors for all trades. ITI will rectify all the above	1.State has verified the anchal Adhikari certificate of building report 2. and CITS instructor details 3. Building is	that BCC is still not as per norms. Hence ITI needs to submit the BCC as per norms (refer: page 108, Civil norms for establishment of
				deficiencies and submit the detail		Thereafter, State will verify the BCC
				to State Directorate		as per norms and send the signed
				within 07 days	0	and stamped copy

उपजवल बिस्वास/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण महानिवेशक / Director
प्रशिक्षण महानिवेशक / Director
क्षेत्रक विकास ए श्यानिक मा महानिय
Ministry of Skill Beverop ment and Firmphene (Shirl)
भ्रम्य सरकार, नई दिल्ली-12/Govt, of India, New Jord

				from issue of this		4- DOT/UO\'#-!-
				MoM.		to DGT(HQ) within
				IVIOIVI.		07days . Then the case will
				Thereafter, State		be reconsidered in
				Director will		next SCAA.
						next SCAA.
				verify all above		
				documents and submit the		
				signed & stamped report		
			Ti i	to DGT within 07		
				days.		
				uays.		
1				After receipt of		
				report from State		
				Directorate,		
		1		case will be		
				placed in the		
				SCAA.		
7	ACME ALBERT EKKA	New	Electrician	10th SCAA	RDSDE sent email on	SCAA observed
	PRIVATE INDUSTRIAL		4(2+2)	ICVC remarks	18.08.2023 and	that the remarks
	TRAINING INSTITUTE,		Health	NCVT & SCVT	mentioned that	of RDSDE and
	GUMLA GUMLA		Sanitary	members agree	1. Joint inspection	State Directorate
	Albert Ekka Jari Gumla		Inspector	but following	conducted on	representative are
1 8	Jharkhand		4(2+2)	deficiencies	10.08.2023	contradictory.
	GUMLA-835206		Smartphone	observed:	2. Electrician	
1			Technician		equipment's not	Hence, SCAA
	TMP20331PR1648649231		Cum App		maintained	recommended
			Tester 2(1+1)		3. Drill machine	that joint
			COPA 2(1+1)	trade needed	available but not	inspection is to be
			Sewing	maintenance.	working	carried out again
			Technology		4. HIS equipment	within 15 days
			2(1+1)	2.Electric drill		from the date of
				machine etc. is	place	issue of this MoM.
				not available.	AL RISWAS	

344/4/ 2 19/09/23

निवेशक / Director प्रिकालय विकास / Director प्रशिक्षण महानिवेशालय/Directorals and Fraining कोशल विकास एवं उद्यमशोलना मञ्जालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई बिल्ली-12/Govt. of India, New Delhi-12

				Sewing technology	Inspection team
			3. Equipment's	machine and area is	will submit report
			for Health	less are compared to	to RD, RDSDE.
			Sanitary	required	Thereafter RD,
			Inspector trade -	6. Not are all desktop,	RDSDE will
	3		equipment's like	laptops are available	forward the
			laboratory	but from other institute	inspection report
			microscope	name 7. Not boundary	to DGT (HQ)
			were not	wall found , dangerous	within 07 days.
€			available.	as treat of elephant	Then the case will
			avallable.	attacks	be reconsidered in
			4.Major of the	8. AEBAS is available	next SCAA.
			The state of the s	not provided proof that	HOAL GOAL.
			equipment's are available for	it is property of the	
			100000 page 100000	same ITI	
			Health Sanitary	same III	
			Inspector trade.	The summer of ACME of	
			_	The owner of ACME of	
			5. Some	all 03 institute is	
			equipment's for	managing same staff	
			Sewing	and equipment at all	
			Technology are	three places	
			not available at	Not recommended	
			the time of		
			inspection. The	State representative	
			equipment's	sent report separately	
			captured in	and gave contradictory	
			photographs	remarks from RDSDE	
			submitted under	representative	
			Point 11 of report		
			are available.		
			5.Equipments		
		100 - 00	for COPA -		
			Number of		
			computers setup	1	

19/09/23

उज्जवल बिस्वास/UUWAL BISWAS

निवंशक / Earlestor प्रशिक्षण महानिश्यान्य उपकरण निवंशन महानिश्यान्य उपकरण निकास क्षेत्रकार प्रकार कर्मा कर्मान्य महानिश्यान्य Ministry of Skill Develor ment and Entrepreneurship भारत सरकार, मई बिल्ली-। 2/Govt. of India, New Delhi-12

Page 38 of 216

			· · · ·		
			are sufficient.		
			Committee may		
			please consider		
			comment under		
			3C. If not find		
			sufficient		
			requirements,		
			revisit may be		
4		13	proposed.		
			Boundary wall		
			needs to be)	
	1		constructed.		
			constructed.		
			M00000		
			AEBAS		
			machine for Staff		
			Attendance is		
			not available.		
			TC section		
			Remarks:		
	20 10		1.BCC Issued by		
			Aanchal adhikari		
			2. The ITI is in		
			Govt building		
			which run by		
			TSP and leased		
			for 10 years.		
			3. Revisit of ITI is		
			proposed by		
			ICVC Members		
			4. AEBAS		
			machine for Staff		
			Attendance is		
			not available.	9.5	
				DICIMAS	

3747km

प्रशिक्षण महानिवेश का का Training प्रशिक्षण महानिवेश का का स्था महानिवेश का स्था महानि

				10th SCAA		
				Remarks:		
				SCAA observed		
				that ITI has to		
				The state of the s		
				remove the		
				deficiencies		
				mentioned in		
				column V & VI		
				within 10 days		
				from issue of this		
	0			MoM. And		
				submit the report		
				to State		
				Directorate &		
				RDSDE.		
	*					
				Thereafter, RD,		
				RDSDE and		
1				State Director		
				will conduct joint		
				inspection and		
				submit the report		
				within 07 days.		
				c. dayo.		
				After receipt of		
			l(report from RD,		
				RDSDE, case		
				will be placed in		
				the next SCAA		
8	ACME PRIVATE	New	Electrician	10th SCAA	State Directorate sent	SCAA observed
	INDUSTRIAL TRAINING		4(2+2)	ICVC remarks	email on dated	that the remarks
	INSTITUTE, ANGARA		Health	organical and the Strategy of the State St	22.08.2023 and submit	
	RANCHI RANCHI		Sanitary	1. The Electrical		State Directorate
	Berwari, Angara Ranchi		Inspector	and Plumbing	1	

441 RAZ

Page **40** of **216**

मपासिंह

प्रणावल विस्तास / UNIVAL BIOMAC मिलेक प्रशिक्षण महान्दिशस्य Description के स्वातालय कोशल विकास एक उट्टा के स्वातालय Ministry of Skill Development a can respensively भारत सरकार, गई विली-12/Govt. of initia, how Delhi-12

	internet
	connectivity was
	not there.
	not unore.
	F The second
	5. The most
	important thing is
	lying electricity
	cable openly in
	the electrical
	workshop is
	which immediate
	action is
	required.
	6. There is no
	room for a First-
	Aid and the
	required study
	material for the
	applied trades
	are not available
	in the library
	room.
	TC section
	remarks:
	1) The
	Recommended
	affiliation
	comments are
	different in
	Annexure III with
*	Inspection report
	NCVT-Member.

प्रणावल बिस्वास/UJ!WAL BISWAS
निदेशका / Dire tor
प्रशिक्षण महानिवेशका (ore 50%) का or of Training
कौशाल विकास एक उट प्रशान प्रमुख्यन्य
Ministry of Skill Development and Entlementarylo
भारत सरकार, नई दिल्ली-12/Govt. of India Terra 2

	2) As per NCVT member report submitted, only Fitter and one Electrician Instructors CITS instructors are available. Others CITS instructors are not available. 3. Electricity load required as per norms is 42.70 KW, hence available electricity load is as per norms. SCAA remarks SCAA observed that ITI has to remove the deficiencies mentioned in column V & VI within 10 days from issue of this MoM. And submit the report to State Directorate & RDSDE.	
	Therealter, RD,	

19/09/23

प्रशिक्षण विस्वास / UJJWAL BISWAS
निदेशक L
प्रशिक्षण महानिदेशक स्वाप्त के द्वारा महानिद्य स्वाप्त महानिद्य स्वाप्त स्

RDSDE and State Director will conduct joint inspection and submit the report within 07 days.	
After receipt of report from RD, RDSDE, case will be placed in the next SCAA.	

State: Karnataka

S. No	ITI name	Type of application	Trade unit Sought for affiliation	Summary of the Case	Compliance sent by State	SCAA remarks
1	II	111	IV	V	VI	VII
1.	Gnanajyothi Private ITI Shidlaghatta Old Address -Near Railway Station bypass Dibburahalli Road Shid CHIKBALLAPUR-562105 New Address Gnana Jyothi Private ITI Sidlaghatta Chikkaballapura Near Railway Station, By-Pass, Dibburahalli Road, SDLAGHATTA-562105, CHIKKABALLAPUR District.	Existing	Electrician 2(1+1)	10 th SCAA remarks: The matter was discussed in SCAA and following deficiencies observed: 1. Electrician workshop area is not as per norms. 2. CITS instructors for each trade are not qualified. ITI will rectify all the above deficiencies and submit the detail to State Directorate within 07	As per plan available space for Electrician trade is 109 sqm BCC attached CITS undertaking is	meeting State Directorate has

निवेशक जिल्लाम/UJJWAL BISWAS
निवेशक जिल्लाम/प्रमुख्य कार्यक्ष्म प्रशिक्षण महानिवेशक जिल्लामा के स्वता of Training कौशल विकास एक स्वता की महानिवेशक आधारिक के स्वता की महानिवेशक आधारिक के महानिवेशक के स्वता कि स

2.	Mahatma Phule Pvt ITI Hidkal Dam Belagavi-591107 Karnataka TMPKA 57	New	2.	Electrician 2(1+1) Fitter 2(1+1) Sewing Technology 2(1+1) Smartphone Technician Cum App Tester 2(1+1)	meeting and it is	Mahatma Phule Pvt ITI is Not Recommended for affiliation as the documents/orders submitted by the said institute are found to have been fake.:	discussed in SCAA. State Directorate informed that the documents/orders submitted by the said institute are found to be fake.
					of the ITI and NOC for shifting. Thereafter, State Director will verify all above documents and submit the signed & stamped report to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the next SCAA.		
	PR29001395 Grading- 7.6				days from issue of this MoM. State Directorate to clarify whether this is a shifting case. If yes, provide the new address		

19/09/23

प्रियास /JJJWAL PISWAS
निर्देशः
प्रशिक्षण महानिर्देशः क्षिण क्षिण महानिर्देशः क्षिण क्षिण महानिर्देशः क्षिण क्षिण महानिर्देशः क्षिण क्षिण

Page **45** of **216**

verify the land taken from KNNL, Hidkal Dam. State may submit the signed & stamped report to DGT within 15 days from issue of this MoM

After that case will be placed in the next SCAA.

The Director, DITE has conducted spot inspection of the ITI on 27.06.2023. The said Pvt. ITI has constructed building in the land belonging to Hidkal Dam. On perusal of the document it is evident that the authorities of Hidkal Dam have leased the said land on rental basis. To ascertain the genuinity of the lease order, the Director. DITE has written letter to the superintendent engineer, Hidkal Dam project

State Director in its letter dated 10.08.2023 mentioned that it is to State that this Department had sought genuinity of documents relating to the building of the Mahatma Phule Pvt ITI, Hidkal Dam, Belagavi from the Karnataka Nigma Neeravari Limited Hidkal Dam.

314/14/2

उज्जवल बिस्ताम/UJ.IWAL BISWAS

प्रशिक्षण महाने वा प्रतिकारिक का प्रतिकारिक की प्रतिकारिक

Accordingly, а letter from the Superintendent Karnataka Engineer, Neeravari Nigma Limited Hidkal Dam is received in this office which Stated that the said documents submitted by institute were genuine and that the building has been rented out to the said Mahatma Phule Pvt Hidkal ITI, Dam, Belagavi. (TMPKA 57) Based on the report submitted by Hidkal Dam authorities, the Department had vide reference (3) letter dated 28-07-2023, forwarded documents. the submitted by institute to your office with a recommendation for grant of affiliation. in the However, meantime one more letter dated 26-07-2023 been has forwarded to this Department from the same Superintendent Engineer, Karnataka

अपारिगरे

निवेशक Derector प्रीक्षण महानिवेशका Derector over not Training कौशत विकास एवं स्टाउन्हरून न महात्वस Ministry of Skill Development and Emperator inship भारत सरकार, नई दिल्ली-12/Govt. of indus New Doth-12

Neeravari Nigma Limited Hidkal Dam stating that no orders are available in their office for the said building having been rented to the said Mahatma Phule Pvt ITI, and that the documents/orders submitted by the said institute are fake. A copy of the said letter dated 26-07-2023 of the Superintendent Engineer, Karnataka Nigma Neeravari Limited Hidkal Dam is enclosed herewith as ANNEXURE 1.

In view of the above circumstances, it is submitted that the said Mahatma Phule Pvt ITI is Not Recommended for affiliation as the documents/orders submitted by the said institute are found to have been fake.

319/12/5

उपनिवल बिस्वास/UJJWAL BISWAS

कोशाल विकास एवं अतः का मात्राला Page 48 of 216 Ministry of Skill Development and European-Liship Page 48 of 216 मारत सरकार, नई दिल्ली-12/Govt. of adda, New Culti-12

•	In the net Drivete Industrial	New	1. COPA 1(1+0)	9 th SCAA	State sent email on	During the SCAA
3.	Jaybharat Private Industrial	ivew		9 JOAA	11.07.2023 and	meeting State
	Training Institute		Electrician	State Officials informed	mentioned that:	Directorate has
			2(1+1)		mentioned that.	informed that the Joint
	Belagavi,		Fitter 2(1+1)	that inspection was	The isint Inspection	inspection committee
	#689/1, Industrial EState.		Welder	conducted for	The joint Inspection	
1 1	Udyambag. Belagavi-590008		1(1+0)	application no.	committee has	
		1	50 % 65 45%	1829018836 wherein 7	conducted spot	inspection as per; the
1	TMP29527PU1581396813			trade sought for	inspection with	Application No.
				affiliation., however as	reference to Application	1829018836 wherein
		i i		per DGT record	No.	the applicant institution
				inspection is conducted	TMP27527PU15813968	has sought affiliation
				for application	13 and recommended	for 7 trades.
				no.TMP29527PU15813	for the following 6 trades	
				96813 wherein only 4	excluding COPA trade.	As per State Director
				trades sought for	However, it is noticed	recommendation
				affiliation.	that the Joint inspection	SCAA agreed to
					committee has	consider the trade units
				To clarify in this matter	conducted inspection as	of application number
1				State to provide the	per ;the another	1829018836
				inspection report for	Application No.	
1				application no.	1829018836 wherein	SCAA suggested that
				1829018836	the applicant institution	State Director should
				Within 7 days from date	as sought affiliation for 7	check all the
				of issue of this MoM.	trades.	documents ie. BCC,
				or result of the first		building plan etc and
				After that case will be	1 Technician	submit report to
				placed in the next		DGT(HQ) within 07
				SCAA.	2. Tool and Die Maker	days .
				00/01.	(1+1)	
					3. Machinist (1+1)	Thereafter, the case
					4. fitter 2(1+1)	will be reconsider in
				1	5. Electrician 2(1+1)	next SCAA.
					6. Foundry man 1 unit	HOAL GOT VI.
	1				127	
					and	

		a a constant of the constant o			7. COPA trade was not recommended. The joint inspection committee report is submitted for the information of DGT, New Delhi.	
4.	Srinivasa Industrial Training Centre Bangarpet 2059 Vijaya Nagar Vivekanandanagar Bangarpet KOLAR- 563114 PR29000168 Grading- 0.1	Existing (Inter district shifting)	Existing trades: Fitter (1+1) New Trades sought for affiliation 1. Electrician - 2(1+1) Smartphone Technician Cum App Tester- 1(1+0)	9th SCAA The matter of inter district shifting case discussed in detailed with State Directorate and RD, RDSDE. SCAA members suggested that the State will provide complete justification about issuing of NOC for relocation of ITI within 07 days from issue of this MoM. After that case will be placed in the next SCAA.	has sought permission for shifting the institution from Bangarapet of Kolar District to Koraatagera of Tumkur District vide their request letter dated: 16.01.2023 The request has been processed by the Department and has issued NOC vide letter dated: 16.08.2021. Further the	SCAA did not recommend the shifting of this ITI as inter district shifting is not permitted.

प्राचित कि SIMI IO I BISWAS


प्राचल किस्तार / Dispertor

किस्तार / Dispertor

प्राचल किसार प्राचित कर्म प्राचन अस्ति प्राचनाम्

क्रिशल किसार प्राच उत्तर मंद्री कर्म प्राचन कर्म प्रचन कर्म प्राचन कर्म क्रिक्ट कर्म प्राचन कर्म क्रिक्ट कर्म प्राचन कर्म प्राचन कर्म क्रिक्ट कर्म प्राचन कर्म क्रिक्ट क्र क्रिक्ट क्रिक्ट

5.	B.T Patil & Sons polytechnic,67 Gavan Stavanidhi, Nipani, Taluk- Nipani, District Belagavi, Karnataka State Karnataka 591237 Polytechnic2	New (ITI in Polytechnic)	1. Fitter 2(0+2+0) 2. Electrician 2(0+2+0) 3. COPA 2(0+2+0) 4. Electronics Mechanic 2(0+2+0)	9 th SCAA Remarks SCAA observed the following deficiencies: - 1. Shortage of Electricity load. 2. ITI has to submit NOC of AICTE. 3. BCC not as per norms 4. Detail of CITS instructors for each	submit to compliances along with document vide this office letter	during the meeting that as no response is received from ITI, hence it should be Not recommended. As per State Director remarks ITI application
				trade. Applicant needs to rectify all the above deficiencies and submit details to the State Directorate within 15 days from issue of this MoM. Thereafter, State Director will submit the duly signed & stamped report along with recommendation to DGT within 07 days.	Pvt. Institution has not responded and hence, the case may be put on	[17:36] [A.W.M. [18]
				After that case will be placed in the next SCAA.		si sa





6.	Jss Kousalya Pvt. ITI	New	Electrician		State sent email on	State Director informed
			2(1+1+0)	9th SCAA Remarks	11.07.2023 and	that all the requisite
	Dharwad Mrutyunjay Road,		Mechanic Motor	SCAA observed the	mentioned that:	parameters have been
	Savdatti Road, Dharwad		Vehicle	following deficiencies:		fulfilled by the
	580006		(MMV)2(1+1+0)		The Director, DITE and	institution.
			Solar Technician	1. BCC not as per	Director, RDSDE	Hence SCAA
	TMP29536PR1645600875		(Electrical)	norms.	Bangalore have	recommended the
			2(1+1+0)	2. MMV trade workshop	conducted Joint	following trades:
-			Fashion Design	area is in two parts.	inspection on	
			and Technology	3. Detail of CITS	28.06.2023.	1. Electrician 2(1+1)
			2(1+1+0)	instructors for each		2. Mechanic Motor
			Civil Engineering	trade.	1. The revised BCC	Vehicle
1			Assistant	4. The Electricity	issued by the competent	(MMV)2(1+1)
			2(1+1+0)	connection should be in	authority i.e. panchayat	3. Solar Technician
			3729 10	the name of ITI.	Development officer of	(Electrical) 2(1+1)
					Gram panchayat,	4. Fashion Design
				Applicant will rectify all	kankur is proper.	and Technology
				the above deficiencies	MMV trade workshop	2(1+1)
				and submit the detail to	has now been setup in	Civil Engineering
				State Directorate within	one place. The	Assistant 2(1+1)
				15 days from issue of	workshop area	
-			11	this MoM.	available; is satisfactory	
		1		Thereafter, State		1
1				Director and RD,	The photographs of the	
				RDSDE will physically		
			190	visit applicant ITI and	are attached.	
				verify all above	ment streets as other many	
				documents and submit		
				the signed & stamped		
				report along with	instructors for each	
				recommendation to	trade/unit and have	
				DGT within 07 days from	applied for CITS regular	
				issue of this MoM.	training. The letter of	
					undertaking for CITS	
					training is submitted by	NAS

प्रिम्पण बिस्वास / Director प्रिम्पण महानिशाल / Director प्रिम्पण महानिशाल (Chectorate in a program of Training Ministry of Skill Development and Extractorateship Hintstry of Skill Development and Extractorateship Hint सरकार, में विस्ती 12/Govt. of Laboration Lean-IZ भारत सरकार, में विस्ती 12/Govt. of Laborateship

			After that case will be placed in the next SCAA.		
				recommended to release the affiliations.	
7. Unitek Private Training Institute Dharwad Apoord Near Kayak Naga Dharwad TMP29536PR164	r Narendra -580005	Electrician 2(1+1) Hospital Housekeeping 2(1+1) Fitter 2(1+1) Solar Technician (Electrical) 2(1+1)	9 th SCAA Remarks SCAA observed the following documents to be submitted to the State Directorate by the applicant: 1. Detail of CITS instructors for each trade. 2. Latest electricity bill. 3. Amenities area not proper. Applicant will rectify all	State sent email on 11.07.2023 and mentioned that: The Director, DITE and Director RDSDE Bangalore have conducted Joint inspection on 28.06.2023. The institution has provided details of instructor appointed for each trade/ Unit and	that all the requisite parameters have been fulfilled by the institution. Hence, SCAA recommended the following trades: 1. Electrician 2(1+1) 2. Hospital Housekeeping 2(1+1) 3. Fitter 2(1+1)
			the above deficiencies		

19/09/23

प्रणावल विस्तास १११ १४४। २१८४४८ परिकार का १९ जन १९ १९ १९ १९ सम्बद्धाः विश्व १९ १९ १९ १९ १९ भारतस्य विश्व १९ १९ १९ १९ १९ १९ १९ १९ १९ १९ १९ १९ १९ १९ १९ १९ १९ १९ १९

					F 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
				and submit the detail to	Latest electricity bill has	
				State Directorate within	been enclosed.	
				15 days from issue of	The separate area has	
				this MoM.	been earmarked for	
				Thereafter, State	basic amenities has	
				Director and RD,	been examined.	
				RDSDE will physically	The Photographs of the	
				visit applicant ITI and		
				verify all above		
				documents and submit		
				the signed & stamped	The state of the s	
				report along with	The state of the s	
				recommendation to	Servential 1 Destructive Management and 1	
		1		DGT within 07 days from		
				issue of this MoM.	and hence it is	
			(After that case will be		
				placed in the next		
				SCAA.	1010000 1110 01111101110111	
8.	Allamprabhu Industrial	Existing	Shifting case	9th SCAA Remarks	State sent email on	During the SCAA
0.	Training Institute Chikkodi	LAIOUNG	ormang caco	9th SCAA, it was	11.07.2023 and	meeting State Director
	Training monate orminour			discussed it is a shifting	mentioned that:	has informed that this
	Kavatagimath Nagar South,			case. State Directorate	Thomas nod that.	is case of within
	Chikodi BELGAUM591201			will submit the NOC for	The State Directorate	Municipal corporation
	CHIROUT BEEG/CHIROTIZOT			shifting for this ITI.	has verified the following	shifting.
	New Address Allamprabhu			Stilling for this 111.	documents submitted by	Hence, SCAA
	Pvt ITI Chikodi Belagavi			SCAA observed the	the Institutions.	recommended shifting
	Kavatagimath Nagar (South)			following deficiencies:	NOC issued from	with existing trades
	Rajiv Nagar Bus Stop N M			Tollowing deficiencies.	the DITE on	only.
	Road Chikodi 591201			1.NOC for shifting the	dated	J,
	Noad Clinodi 391201			ITI from State	16.08.2021	
	PU29000277			Directorate.	2. The institution	
	1023000211			2. BCC not as per	has submitted	
	Grading-7.9			norms.	the revised B CC	
	Grading-7.9			Homis.	issued by chief	
		(f)			उप्पर्वादिक्त प्राप्त । Towns	1014/40
					Onicel, TOWIN	SWAS

19/09/23

9.	Old Address St. Philomena's Industrial Training Centre B N Road MYSURU-570001	Existing	Shifting case	3. Detail of CITS instructors for each trade. ITI will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify all above documents and submit the signed & stamped report along with recommendation to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the SCAA. 9th SCAA Remarks 9th SCAA, it was discussed it is a shifting.	fulfilled all the parameters and hence the case for affiliation	During the SCAA meeting State Director has informed that this is case of ITI shifting within same Municipal
	New Address ST. PHILOMENA INDUSTRIAL TRAINING INSTITUTE MYSURU B. N. ROAD, LASHKAR MOHALLA			gm SCAA, it was discussed it is a shifting case. State Directorate will submit the NOC for shifting for this ITI. SCAA observed the	has verified the following document submitted by the	within same Municipal corporation and ITI removed other
	MYSURU-570001 PU29000075		. ,	following deficiencies:	mondions.	recommended shifting with existing trades only.
				(ठण्णवल बिस्वास !!! IMAL		



Grading- 4.1	1. N	IOC for shifting the	1. NOC issued from the	
	ITI	from State	DITE on dated	
	Direc	ctorate.	25.03.2022	
	2. 1	BCC not as per	2. BCC issued by deputy	
	norm	ns.	Director, Town planning	
	3. SI	hortage of electricity	Branch My sore city	
	load		corporation, Mysore	
	4.	Detail of CITS	vide certificated No	
	instr	ructors for each	14591	
	trade	e.	3. Regarding shortage of	
			electricity load the	
		will rectify all the	Electricity TARIFF-2019	
		ve deficiencies and	allows education	
		mit the detail to State		
	The state of the s		connected machineries	
	MoN	A STATE OF THE PARTY OF THE PAR	sanction load. Copy of	•
			the Electricity Tariff-	
		ctor will verify all		
			4. The institution proved	
	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		the details of CITS	
		nped report along	[1] [2] [2] [2] [2] [2] [2] [2] [2] [2] [2	•
			trade/unit. The	
	1,25,26,25,20	Γ within 07 days.	undertaking letter have	
		~		/
	COA-COACCO		Institution.	
		e will be placed in SCAA.	All the requisite	
	the s	SCAA.	All the requisite parameters have been	
			fulfilled by the institution	
			and hence it is	
			recommended to	
			release the affiliation.	
			release the anniation.	

प्रिक्ताण (IIIIVAL BISWAS विकास प्रिक्ताण (IIIIVAL BISWAS विकास प्रकार के प्रतिकास प्रकार के प्रकार के प्रतिकास के प्रत

40	Old Add -		T		T	
10.	Old Address Jnanaseva	Existing	Change of	9th SCAA	State sent email on	SCAA did not
	Industrial Training Institute	1	location		11.07.2023 and	recommend the shifting
	No 17/D, 2/3 Stage			ICVC remarks:	mentioned that:	of this ITI as inter
	Vishveshwara Nagar			Agree Each trade 1+1		district shifting is not
	MYSURU -570008			unit. COPA is not		permitted.
				recommended due to	The State Directorate	
1 1	New Address JNANASEVA			deficit of infrastructure.	has verified the following	
	INDUSTRIAL TRAINING				documents submitted by	
	INSTITUTE KOLAR			TC section remarks:	the Institutions.	
	NARASAPURA, KOLARA			BCC Issued by		
	Tq, KOLARA Dist			Panchayati Abhivarti	Control of the Contro	
	-563133			Adhikari is not as per		
				norms.	2. The revised BCC	
	PU29001025			Less Load - 18.25Kw	issued by the	
					competent authority i.e.	
				9th SCAA Remarks	panchayat Development	
	Grading- 3.2			SCAA observed the		
				following deficiencies:	Panchayat, Narasapura	
1 1				Tollowing deficiencies.	GP is proper. The copy	
				1. NOC for shifting the		
				ITI from State		
				Directorate.		
		-		2. BCC not as per	electricity load the	
				norms.		
					allows education	
				3. Shortage of electricity		
1				load.	connected machineries	
				4. Detail of CITS		
				instructors for each		
				trade.	the Electricity TARIFF-	
				1-1 10 112 11 11	2019 is attached	
					4. The institution proved	
				above deficiencies and		
				submit the detail to State		
				Directorate within 07	trade/ units. The	
				1	undertaken letter have	

प्रपासि है। १९/23

प्रणावल बिस्तास/111WAL BISWAS
निदेश के Of Training
कोशल विकास एवं कि कि निर्मालय महानिया महानिया
Ministry of Skill Development and नार्मालय
भारत सरकार, नई दिल्ली-12/Govi. of India, New Debt 10

days from issue of this MoM. MoM. Thereafter, State Director will verify all above documents and Shifting	
Thereafter, State TC section remarks Director will verify all 1. Inter district	
Director will verify all 1. Inter district	
above documents and Shifting	
also provide full 2. No clarification	- 1
justification for shifting from State	
of this ITI for inter district regarding inter	
considering DGT norms district shifting	
for shifting. Further all	
documents to be signed	
& stamped by State	
Director along with	
recommendation to	Y
DGT within 07 days.	
After receipt of report	
from State Directorate,	
case will be placed in	
the SCAA.	
11. Old Address Mt. Malari Existing Turner 2(1+1) 9th SCAA Remarks State sent email on During the	SCAA
Industrial Training Institute Draughtsman SCAA observed the 11.07.2023 and meeting State	e Director
18 (C), Peenya Industrial (Civil) 2(1+1) following deficiencies: mentioned that: has informed	that this
Area 2nd Stage Peenya COPA 1(1+0) is case of I	ΓI shifting
BENGALURU URBAN 1.NOC for shifting the The said Pvt. ITI was within same	Municipal
560058 ITI from State instructed in writing to corporation/b	lock and
Directorate. submit to compliance ITI remove	d other
New Address MOUNT 2. BCC not available. along with document deficiencies.	
MALARI PVT ITI 3. Detail of CITS vide this office letter	
BENGALURU URBAN18 C instructors for each dated: 19.06.2023. The Hence,	SCAA
Peenya Industrial area trade. Pvt. Institution has recommended	d the
Peenya 2nd Stage 4. Less grading. responded on shifting with	existing
Bangalore 16.06.2023 with trades.	
BENGALURU URBAN- ITI will rectify all the unsigned and	
560058 KARNATAKA above deficiencies and unattested documents.	
submit the detail to State The office is in the	

949/19/23

My

	PU29000417 Grading- 1.4			Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify all above documents and also provide full justification for shifting of this ITI considering DGT norms for shifting. Further all documents to be signed & stamped by State Director along with recommendation to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the SCAA.	25.03.2023 2. BCC issued by	
12.	Loyola Private ITI Bijapur Ukkali Road, Bijapur -580101 PU29001302 Grading - 7.7	Existing	Electrician 2(1+1) COPA 2(1+1)	9th SCAA Remarks State Directorate and RDSDE to carried out Physical Joint inspection within 04 weeks, State Directorate to send the report in annexure -III.	mentioned that: Joint Inspection by Sri. Ramesh Desai,	the following deficiencies and submit report to State Directorate within 15 days from date of issue of this MoM: 1. All instructors not CITS qualified 2. BCC not provided 3. Approved layout plan not provided



					The Joint Inspection report in Annexure-III is enclosed and recommended to release the affiliations TC Section remarks 1. All instructors not CITS qualified 2. BCC not attached 3. Approved layout plan not attached 4. Fire safety not attached	documents submitted by ITI and submit report to DGT within 07 days.
13.	Old Address Sadguru Seva Rural Industrial Training Institute, Akkialur Akki Alur Hangal HAVERI-581102 New Address SADGURU SEVA RURAL INDUSTRIAL TRAINING INSTITUTE HAVERI Akkialur 581102 - PR29000247 Grading- 7.1	Existing	Shifting case	9th SCAA Remarks SCAA observed the following deficiencies: 1. NOC for shifting the ITI from State Directorate. 2. BCC not as per norms. 3. Detail of CITS instructors for each trade. ITI will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.	documents submitted by the institutions 1. NOC issued from the DITE dated 16.08.2021 2. Revised BCC issued by the panchayath	During the SCAA meeting State Director has informed that this is case of ITI shifting within same block and ITI removed other deficiencies too. Hence, SCAA recommended shifting with existing trades only.

14.	The National Institute of Industrial Education I.T.C	Existing	Mechanic Motor Vehicle (MMV) 2(1+1)	Thereafter, State Director will verify all above documents and also provide full justification for shifting of this ITI considering DGT norms for shifting. Further all documents to be signed & stamped by State Director along with recommendation to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the SCAA. 9th SCAA Remarks SCAA observed the following deficiencies:	been submitted by the Institution. All the document verified and enclosed here with and it is recommended to release the affiliation. State sent email on 11.07.2023 and mentioned that:	During the meeting, it was discussed that it appears to be a case of ITI established within
	No. 65 Industrial area, Visweswarayya Nagar MYSURU-570008 PU29000061 Grading- 4.3			NOC from AICTE. Shortage of electricity load. Detail of CITS instructors for each trade. MMV trade workshop area. Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 15 days from issue of this MoM.	documents submitted by the Institutions. 1. NOC issued from the DITE dated 13.04.2022. 2. Regarding shortage of electricity load the Electricity tariff 2019 allows educations institutions to install	15 days from the date of issue of this MoM Thereafter, State Directorate will forward the same documents to

उठिजवल बिस्तास /UJ/WAL BISWAS
निवर ।
पशिक्षण महाविद्याल Emergency of Training
कौराल विकास एवं स्वाध्यानिक व करण गरानाम्य
Ministry of Skir Development and Entreureneurship
भारत सरकार, नई विर्देशन 12/Govt, of India, New Delhi-12

15.	V M Katti Pvt. ITI	Existing	Machinist 2(1+1)	Thereafter, State Director will verify all above documents along with also check the feasibility of running MMV trade and submit the signed & stamped report to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the SCAA.	the Electricity TARIFF-2019 is attached. 3. The institution provide the details of CITS instructors for each trade/unit. The undertaking letter have been submitted by the institution. 4 The area for MMV	
	A/P : B BAGEWADI	Polytechnic		9 th SCAA Remarks In the SCAA meeting it	11.07.2023 and mentioned that:	ITI has 02 electricity connections. Hence
	BELGAUM-591305			was discussed ITI has	menuonea mat.	ITI needs to submit
				not sought for additional	1000 ACC	electricity bill of both
	PR29001405			units 2(1+1) of Fitter	The State Directorate	the connections within
	Grading - 8.1			trade and has applied only for Machinist	has verified following	15 days from date of issue of this MoM
				2(1+1). Hence	documents submitted by the institutions.	Thereafter State
				additional Fitter trade /	and mondations.	Director will verify both
				units 2(1+1) will not be	[[[[[[[[[[[[[[[[[[the bills and submit
				considered.	by the competent	
				SCAA observed the	authority i.e. panchayat	
		A		SCAA observed the following deficiencies:	Development officer of Gram panchayat, Bellad	case will be
		His -		Tollowing deficiencies.	अन्वल बिस्वाम/UJJWAL BISWAS	

19/09/23

प्रक्रवल विस्वास /UJJWAL BISWAS
निवेशक Entertor
परिक्षण महानिवेशकर Leeduals - etal of Training
कोशाल विकास एक जिल्हा मन्त्रालय
Ministry of Skill Dava ocheent and Enterpreneurship
मारत सरकार, गई दिल्ली-12/Govt. of India, New Delhi-12

Page **62** of **216**

				1. BCC not as per norms. 2. Shortage of electricity load. 3. Detail of CITS instructors for each trade. Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify all above documents and submit the signed &	electric co- olperative society Ltd., Hukkeri-591309 is enclosed and as per; the certificated the total load is 25 k.w. 3. The institution provided the details of CITS instructors for each trade/ unit. The undertaking letter have been submitted by the	reconsidered in next SCAA.
				from State Directorate, case will be placed in the SCAA.		
16.	Old Address Sri Mruthyunjaya ITC Near kalleshwara Rice Mill, RMC Link Roa, Bamboo, Bazar DAVANGERE-577001 New Address SRI SAI LAKSHMI VENKATESHWARA PVT ITI KOLARMULLAHALLI	Existing (Shifting Case)	Electrician 3(1+1+1)	9 th SCAA ICVC remarks: Agree for 2 trades Fitter and Electrician 1) Land and building available as per norms. 2) Drawing board stand should be purchased	documents submitted by the Institutions.	SCAA did not recommend the shifting of this ITI as inter district shifting is not permitted

214 A 3 1 0 9/23

Buside बिस्वास/UJJWAL BISWAS
निदेशक / El ector
प्रिक्षण महानिदेशालग/Directoral, and of Training
कौशल विकास एवं उद्यापदात्मना मंत्रालय
Ministry of Skill Development and Enverrencurship
भारत सरकार, नई दिली-12/Govl, of India, New Dehi-12

VILLAGE	3) IT Lab not availa	ble 1. NOC issued from the
VELAGALABURRE POST,	as per norms.	DITE dated 25.03.2022.
SUGATUR HOBLI 563126		2.the revised BCC
000/1/01/1/022/000/20	TC section remarks	
PR29001127	1) BCC is issued	
INCOUNTED	Panchayati	Development officer of
		cer Gram panchayat.
Grading- 5.2	Madanhalli Kolar -	
Grading- 5.2	[7] Breed Br	ms. Panchayath Kolara
	2) No computers	# PAT 1974
	seen in IT Lab, uploa	(2010年) - 「1910年(1910年) - 1910年 - 19
	photo by Inspec	A DESCRIPTION OF PROPERTY OF P
	members.	3. The building plan and
	3) Details of C	
	1 /	
	certified instructor	
	available.	photograph of the IT
	Oth CCAA Damanta	Lab shows that the Lab
	9th SCAA Remarks	is not as per norms and
	SCAA observed	TOURS DESCRIPTION OF THE PROPERTY OF THE PROPE
	following deficiencies	: examined/
	1. NOC for shifting	the 4. The institution
		ate provided the details of
	Directorate.	CITS instructors for
	2. BCC not as norms.	undertaking letter have
	3. IT lab is not availa	- [[[[[[[[[[[[[[[[[[[
(24		the Institution
	as per norms. 4. Detail of C	TS the institution
		Through the same than the same than the same than the same that the same than the same
	instructors for e	~ . Table
	trade.	Inter District Shifting
	ITI will rootify all	the
	ITI will rectify all above deficiencies	
	submit the detail to S	ate

उज्जवलं बिस्वास/UJJWAL BISWAS निदेशक / Director प्रशिक्षण महानिदेशालय/Directorate General of Training कौशल विकास एवं उद्यमशीलता मंत्रालय Ministry of Skill Development and Entrepreneurship पारत सरकार, गई बिली-12/Govt. of India, New Dethi-12

Grading- 7.5 Director TC will inform NIMI to provide the details of trades applied for affiliation. Thereafter, case will be attached. Director TC will inform NIMI to provide the details of trades. The original copy of the said letter is attached. SCAA suggested that trades. The original copy of the said letter is attached.	17.	Sri Devi Industrial Training Centre Maralenahally Maralenahally Sira Road TUMAKURU-572106 PR29000883	Existing	Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify all above documents and also provide full justification for shifting of this ITI considering DGT norms for shifting. Further all documents to be signed & stamped by State Director along with recommendation to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the SCAA. 9th SCAA Remarks As informed by Director TC that details of trades applied for affiliation is not available due to non-availability of annexure III. SCAA suggested that	principal Sri Devi	COPA 2 Units Physiotherapy
	2	TUMAKURU-572106 PR29000883		not available due to non-availability of annexure III. SCAA suggested that Director TC will inform NIMI to provide the details of trades applied for affiliation. Thereafter, case will be	the DGT. New Delhi the principal Sri Devi Industrial training center Tumkur has written as letter with the details of trades. The original copy of the said letter is	Surveyor 2 Units COPA 2 Units Physiotherapy Technician 2 Units SCAA suggested that State Director should

प्रणावल बिस्वास/UJJWAL BISWAS
निर्देशक / ि ector
प्रशिक्षण महानिदेशालय Directorate of Training
कौशाल विकास एवं उन्हार-प्राप्त न महालय
Ministry of Skill Development and entre usine using
भारत सरकार, नई बिल्ली- 12/Govt. of acta have Delh-12

		-			Turner 2 Units Surveyor 2 Units Copa 2 Units Physiotherapy Technician 2 Units	days from date of issue of this MoM 1. BCC as per norms 2. Building Plan 3.Fire safety certificate
18.	Govt. ITI, Vittalapur, GR29000320 New Grading 9	Existing	Mechanic (1+0)	8 th SCAA (Proposal received from SSDEC) Director TC informed that as per the inspection report the drawing hall area is less. State Directorate may remove this deficiency of drawing hall and send the compliance to DGT	mentioned that are drawing Hall of 11.85 x 7.2 = 85.32 mts in PPP	SCAA recommended the following trades: Mechanic (1+0)

State: - Kerala

S. No	ITI name	Type of application	Trade unit Sought for affiliation	Summary of the Case	Compliance sent by State	SCAA remarks
1	II	III	IV	V	VI	VII
1.	Vidyamandir Private Industrial Training Institute Payyanur Private Industrial Training Institute, Kannur Vellur Po, Payyanur, Kannur, Kerala - 670307 Kerala TMP32557PU1580730316	New	Draughtsman (Civil) 2(1+1+0) Electrician 2(1+1+0) COPA 2(1+1+0) Plumber 2(1+1+0)	10 th SCAA Remark The matter was discussed in SCAA and following deficiencies observed: 1. BCC not	State Director sent email on 10.08.2023 and mentioned that 1. The applicant (Sri.U.Narayanan Secretary Vidyamandir Educational Charitable Society) has submitted an affidavit attested by	

3741A/E

प्रशिक्षण महानिदेशालय (Direction) — are of Training कौराला विकास एवं उद्यास्त्राचना मन्त्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली—1 2/Govt. of India, New Delih-12

Page 66 of 216

available as per norms. 2. Shortage of

Shortage of electricity load.
 Drawing Hall
 IT lab infrastructure are not as per norms.

4. Detail of CITS instructors for each trade are not available.

Applicant will rectify all the above deficiencies and submit the detail along with latest electricity bill to State Directorate within 07 days from issue of this MoM.

Thereafter, State Director will verify all above documents and submit the signed & stamped report to DGT within 07 days.

Notary public stating that the owners of the building have jointly leased out the building to M/S Vidyamandir Educational Charitable Society to conduct a private ITI with name 'Vidyamandir Private ITI Payyannur'. Moreover, the applicant had submitted the lease agreement also as a proof of his claim that M/S Vidyamandir Private ITI is to be functioning in leased building as Stated in the affidavit. Building Completion Certificate, Owner ship Certificate, Lease Certificate and Certificate from Notary Public are also attached herewith.

2. The Institute provided latest electficity bill from Kerala State Electricity Board in this regard. As per this bill it is clarified that the connected load is 18.91 kw against the required connected load of 16.7 kw.

3. The infrastructure facility of Drawing Hall

19/09/23

उज्जवल बिस्वास/UJJWAL BISWAS

निदेशन का का का का प्रशास प्रशास प्रमाण प्रमाण प्रशास का उत्तर प्रशास का अन्य भागालय Ministry of Skill Development and Forestreneurship

After receipt of report from State Directorate, case will be placed in
hall is 1 10 sqm against 50 sqm as required and the seating capacity provided is 24 seats. The total area available to IT lab is 25 sqm against the required of 25 sqm. State has verified all the
documents

State: Madhya Pradesh

S. No	ITI name	Type of application	Trade unit Sought for affiliation	Summary of the Case	Compliance sent by State	SCAA remarks
1	II	111	IV	V	VI	VII
1.	Mata Seeta Devi Pvt ITI	Existing	Stenographer Hindi – 3(1+1+1) Electrician—	10 th SCAA To comply the Court direction in the connected	RDSDE sent email on date d23.08.2023 and attached the Documents submitted by ITI	
	PU23000919		3(1+1+1)	matter of WPC 13682/2021 order dated 20.02.2023.	1. Earthing has been	2. Electrician— 2(1+1)
	Grading-6.2			the petitioner case was reconsidered and DGT issued direction to State	through Bank 3. As per new syllabus, in fitter machinery has been	

19/09/23

निवंशक है। का प्रशासन प्रशासन महानिवंशालय (Arectors and of Training को राज विकास प्रवासन का महानव्य Ministry of Skill Development and Entreprent ship भारत सरकार, नई दिल्ली-12/Govt. of India, New Dethi-12

Page 68 of 216

and RDSDE to	4. 06 CITS instructors	
conduct joint	available list attached	
inspection.		
RDSDE		
submitted the joint		
inspection report		
and made		
following		
observation		
The second of th		
i. Earthing not		
proper in		
Electrician		
trade		
ii. Payment of		
staff is not		
through bank		
iii. In fitter		
2000 000		
(existing)		
equipment &		
machinery not		
as per revised	-	
syllabus		
iv. Only one		
CITS		
instructors		
available		
SCAA remarks :		
SCAA observed		
the following		
deficiencies:		
i. Earthing		
not proper in		
A Electrician trade		
Licotrolar trade		

सपिर्

उज्जवल बिस्वास/UJJWAL BISWAS

निवेशका Director
परिस्तण महानिवेशका Orectoram amena of Training
कौशल विकास एवं उत्तर्राज्या बालका of Training
Ministry of Skill Dave opment and Entrepreneurship
भारत सरकार, नई दिल्ली-12/GovL of India, New Delhi-12

	ii. Payment	
	of staff is not	
	through bank	
	iii. In fitter	
	(existing)	
	equipment &	
	machinery not as	
	per revised	
	syllabus	
	iv. Only one	
	CITS instructors	
	available	
	Applicant will	
	rectify all the	
	above	
	deficiencies and	
	submit the detail	
	to RD, RDSDE	
и	within 10 days	
	from issue of this	
	MoM.	
	3	
	Thereafter, RD,	
	RDSDE will verify	
	above all	
	documents and	
	submit the signed	
	& stamped report	
	to DGT within 07	
	days.	
	uays.	
		Window Parameters

प्रियंत्र प्राप्ति प

After receipt of	
report from RD,	
RDSDE, case will	
be placed in the	
next SCAA.	

State: - Maharashtra

S. No	ITI name	Type of application	Trade unit Sought for affiliation	Summary of the Case	Compliance sent by State	SCAA remarks
1	II	111	IV	V	VI	VII
1.	DADASO ANANDRAO GANPAT PAWAR (PVT) INDUSTRIAL TRAINING INSTITUTE GORANE DHULEGAT NO. 279, NATIONAL HIGHWAY NO. 3 GORANE PHATA (NARADANA) TAL. SHINDKHEDA DIST. DHULE 424309 PR27001015	Existing	Electrician 2(1+1)	working condition in Electrician trade for new affiliation	ITI is affiliated after 31st July 2019 i.e on 11th December 2020. Old/New grading system is not applicable in this case. Case may be treated without considering grading parameter RDSDE also forwarded the documents submitted by ITI wherein it is mentioned that it has 40KW power supply	SCAA did not recommend the addition of trade/units as per the deficiencies

मपास है। 19/09/23

निदेशक | Description of Training प्रशिक्षण महानिदेशक | Directoral or and of Training की शाल विकास एवं उत्सारी के अपनिवास Ministry of Skill Development and Half-epreneurship भरत सरकार, गई दिल्ली-12/Govt. of India, New Delta-12

available as per	
norms.	
Christian W S N S STAN	
Existing trade of	
Electrician, Fitter,	
welder, solar	
technician,	
Electronics	
Mechanics all tools	
equipment's, and	
power are available	
as per norms. But	
for new units of	
Electrician trade is	
not recommended.	
TC section	
remarks:	
Sufficient power is	*
available.	
9 th SCAA Remarks	
SCAA	
recommended that	
case may be	
forwarded to	
Director IT to	
examine and	
provide the remarks	
for grading within	
07 working days	
and case will be	
placed in next	
SCAA.	
Control Control	

2.	Trimurti Industrial Training Institute Survey no. 227/2 Near KBCNMU, Opp. Hotel Govind , Paldhi Bk., Tal Dharangaon, Dist :- Jalgaon-425103 TMPSP065	Draughtsman (Civil) 2(1+1+0) Electrician 2(1+1+0) Wireman 2(1+1+0) Fitter 2(1+1+0)	Remarks SCAA observed the following deficiencies: 1. BCC is not as per norms 2. Building plan not available	Deputy Director, Town Planning 2. Building Plan details 3. Electricity Bill on the name of trust 4. IT lab Photo 5. CITS instructors of each trade and recommended Draughtsman (Civil) 2(1+1+0) Electrician 2(1+1+0) Wireman 2(1+1+0) Fitter 2(1+1+0)	4. Fitter 2(1+1)
		A	D	TAL DICINAS	

19109/23

उज्जेवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रीक्षण महानिशालय/brectorate - न्या of Training
कीशल विकास क्षेत्र अञ्चलका के मन्याका
Ministry of Skill Development and Emergency and
भारत सरकर, नई दिली-12/Govi, of india, Teau Deth-12

-				T	1	
3.	YASHODEEP SAMAJIK	New	Electrician	10 th SCAA	State has sent email	As informed by State
	VIKAS SANSTHA		2(1+1)	Remarks	on dated 28.06.2023	Directorate that the
	SARALGAON PRIVATE ITI		Wireman	The matter was	and mentioned that	applicant ITI has removed
			2(1+1)	discussed in SCAA	1. BCC issued by gram	the deficiencies.
	THANE, At. Post.		Human	and following	panchayat office is	Hence, SCAA
1	Saralgaon, Tal. Murbad		Resource	deficiencies are	attached, State verified	recommended the
	Dist. Thane-421401		Executive	observed:	the same	following trades:
	**************************************		2(1+1)	1. BCC is not as per	2. CITS instructors	1. Electrician 2(1+1)
	TMP27497PR1647154218		GEO-	norms.	Electrician and	2. Wireman 2(1+1)
			INFORMATIC		Wireman verified by	3. Human Resource
			S ASSISTANT	not readable.		Executive 2(1+1)
			2(1+1)	3. Details of CITS	1 SC 10 SC 1	Geo-Informatics
			- View of	trained instructors.	undertaking for	Assistant 2(1+1)
				ITI will provide the		RDSDE will ensure that
				·	instructors for Human	CITS trained instructors
					Resource Executive	are engaged in relevant
				[[[[[[[[[[[[[[[[[[[GEO-INFORMATICS	trades before start of the
					ASSISTANT	session 2023
				within 07 days from		30331011 2023
			9	issue of this MoM.	recommended	
				locate of this Mol.	Electrician 2(1+1)	
				Thereafter, State		
				Director will verify		
				BCC as per local		
				building bye-laws &		
				instructor details		
				and submit the	A33131AN1 2(1+1)	
				signed & stamped	State again cent amail	
				Part 1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (
				within 07 days.	mentioned that	
				After receipt of		
				report from State	verified by State	
	10-00 P			Directorate, case		
				will be placed in the		
				next SCAA.	CITS qualified	

उज्जवल बिस्वास/UJJW4L BISWAS
निदेशक
प्रशिक्षण महानिदेशक Deargean के का Sample
कौशाल विकास सक उत्पादक प्रकार का अवस्था
Ministry of Skill General properties के का का अवस्था

4.	Sanjaysinh Gaikwad Private Industrial Training Institute, Kolhapur, A/P-Donoli-Bambavade, Tal-Shahuwadi, Dist-Kolhapur, PR27000631	Existing	Solar Technician (Electrical) - 2(1+1+0)	Remarks The matter was discussed in SCAA and following deficiencies are observed: 1. BCC is not as per norms. 2. Biometric machine not installed. 3. Details of CITS trained instructors. ITI will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. State Directorate within 07 days from issue of this MoM. State Directorate will submit the signed & stamped report to DGT within 07 days. After receipt of report from State Directorate, case	panchayat office is attached 2. details of CITS instructor for each trade is attached State has verified the BCC and CITS instructor And recommended Solar Technician (Electrical) - 2(1+1+0) State sent email on 10.08.2023 and mentioned that and mentioned Bio Matric machine is also attached	Directorate applicant ITI has removed the deficiencies. Hence, SCAA recommended the
				TIEXT SUAA.	THE WAL BICINIA C	

प्रजावल बिस्वास/UJJWAL BISWAS
निवेशक / Egraप्रशिक्षण महानिवेशालय/Directors of all of Training
कौशल विकास एवं अहम्मार के ने प्रकालय
Ministry of Skill Developmen, and Enracementation
पद्ध सरकार, नई दिली-12/Govt of India, New Delin-12

5.	Shri Chatrapati Raje Pvt.	Existing	Electrician		Ctate has sent	CCAA
3.	ITC	LAISHING	2(1+1+0)	10 th SCAA		SCAA recommended the
	110		Control of the Contro			
	TRIMURTI NACAR		Wireman	Remarks	and mentioned that	1. Electrician 2(1+1)
	TRIMURTI NAGAR,		2(1+1+0)	The matter was		
	WANGAON FATA TQ		COPA	discussed in SCAA	, ,	3. COPA 2(1+1)
	BEED & DIST BEED		2(1+1+0)	and following		
	431126			deficiencies are	Electrician 2(1+1)	RDSDE will ensure that
				observed:	Wireman 2(1+1)	CITS trained instructors
	PU27000805				COPA 2(1+1)	are engaged in all relevant
	4			1. Details of CITS	Hence recommended	trades before start of the
				trained instructors	Electrician 2(1+1)	session 2023
				not provided.	Wireman 2(1+1)	
				N. ■ DECEMBER OF STREET	COPA 2(1+1)	
				ITI will submit the	, , ,	
				details of CITS		
				instructors to RD,		
				RDSDE within 07		
				days from issue of		
				this MoM.		
				uno iviolvi.		
				RD, RDSDE will		
				verify the same and		
				submit the signed &		
				stamped report to		
				DGT within 07		
				days.		
				A44		
				After receipt of		
				report from RD,		
	Ta .			RDSDE, case will		
				be placed in the		
				next SCAA.		

प्रजावल बिस्वास/UJIWAL BISWAS
निवेश के Long
प्रशिक्षण महानिवेशाच्या/Directivals
कौशाल विकास एवं उत्पादण विवास
Ministry of Skill Deve options at long
भारत सरकार, नई दिल्ली-12/box, pr. No. 100-112

			·			
6.	Chhatrapati Shivaji Maharaj	New	1)Electrician	10 th SCAA	State has sent email	As informed by State
0.	Private ITI		2(1+1)	Remarks	on dated 28.06.2023	Directorate that the
	I livate III			SCAA observed the	and mentioned that	applicant ITI has removed
	Ratnpimpri Gate No. 125		2)Fitter2(1+1)	following	1. BCC issued by gram	the deficiencies.
	(Dabapimpri Shivar), Parola		3)Surveyor2(1	deficiencies:	panchayat office is	Hence, SCAA
	Amalner Road Near Shiv		+1)		attached	recommended the
			4) Sanitary	1. BCC is not as per	2. details of CITS	following trades:
1	Dham Tal. Parola Dist		Health	norms	instructor for each	1)Electrician 2(1+1)
	Jalgaon		Inspector	2. Building plan not	trade is attached	654 C.S.
			2(1+1)	available	State has verified the	2)Fitter 2(1+1)
1			2(1+1)	3. CITS instructor	BCC and CITS	3)Surveyor 2(1+1)
	TMPSP002			details not given	instructor	4) Health Sanitary
1				details not given	ITI has given	Inspector 2(1+1)
		1		ITI will rectify all the		•
1		(above deficiencies		RDSDE will ensure that
				and submit the	instructor in Surveyor	[[]
1						are engaged in all relevant
1						trades before start of the
	1	1			And recommended	
				15 days from issue	The state of the s	30331011 2020
				of this MoM.	for	
					1)Electrician 2(1+1)	
				State Directorate		
				will submit the		
				signed & stamped		
				report along with		
				recommendation to		
1				DGT within 07		1
1				days.	mentioned that	
					Attached Building	
				After receipt of	plan verified by Sate	
1				report from State	Observation :	
1				Directorate, case		
1				will be placed in the	CITS quailed and for 1	
				next SCAA.	undertaking	
				अञ्जवल बिस्वास/।	JJUWAL BISWAS	

अपस्मिर्

निवेशक / Divertisa
प्रशिक्षण महानिवेशानक 'Divertisa'
प्रशिक्षण महानिवेशानक 'Divertisa'
कौशाल विकास एक हरानक निवास स्थानिक स्यानिक स्थानिक स्थानिक स्थानिक स्थानिक स्थानिक स्थानिक स्थानिक स्यानिक स्थानिक स्थ

Industrial Training Institute Muktainagar, Dist- Jalgaon Old Bus Stand Road, Near J. E. School, Muktainagar JALGAON-425306 PR27000187 Remarks SCAA observed the following deficiencies: - School, Muktainagar J. Shortage of Electric load. 2. Shortage of Drawing Hall area. 3. Detail of CITS instructors for each trade. Remarks SCAA observed the following deficiencies: - TI was not recombly SSDEC. Hence, SCAA sugates that the recommended for Electrician 2(1+1) RDSDE sent email on	7. GRAMIN Private Industrial Training Institute BEED At. Post. Dagadwadi Tq. Parli V. Dist. Beed` 431515 TMP27470PR1580834879	New	Electrician - 24(8+8+8) Wireman 12(4+4+4) Welder 6(2+2+2) COPA 2(1+1) Fashion Design & Technology 2(1+1) Mechanic Diesel 2(1+1)	10th SCAA Remarks State Directorate inform that NOC was not issued by State Directorate to open this ITI. Hence proposal not considered.	State has sent email on dated 28.06.2023 and mentioned that 1. BCC issued by gram panchayat office is attached verified by State 2. Building plan verified by State Recommended wireman(2+2) And not recommended Electrician 08+08 Mech Diesel 01+01 as State has not issued NOC	During meeting State Directorate has informed that this ITI is already affiliated in 10 th SCAA
all the above mentioned that	Industrial Training Institute Muktainagar, Dist- Jalgaon Old Bus Stand Road, Near J. E. School, Muktainagar JALGAON-425306	Existing		Remarks SCAA observed the following deficiencies: - 1. Shortage of Electric load. 2. Shortage of Drawing Hall area. 3. Detail of CITS instructors for each trade. Applicant will rectify	report on dated 28.06.2023 And mentioned that physical verification is done by State officers on 16.06.2023 and it was found that ITI removed the deficiencies and recommended for Electrician 2(1+1) RDSDE sent email on 25.07.2023 and	Hence, SCAA suggested that the recommendation of this case should be forwarded through SSDEC

अपासि <u>19/09/23</u>

विकास / Director
प्रतिकाल गिरान्दर्शक / Director
प्रतिकाल गानिकालगा / Director
प्रतिकाल गानिकालगा / Director विकास एक प्रतिकालगा निकास एक प्रतिकालगा निकास प्र

State Directorate within 15 days from issue of this MoM.

Thereafter, State Director will verify all above documents and submit the signed & stamped report along with recommendation to DGT within 07 days.

After receipt of report from State Directorate, case will be placed in the SCAA.

10th SCAA

Not Recommended BY SSDEC hence SCAA also Not Recommended SCAA meeting dated 08/06/2033, there were some deficiencies in case of Late, G. S. Varade Private Industrial Training Institute. Muktainagar, Dist -Jalgaon. As well as State director was instructed to submit report the with recommendations to DGT.

As per the attached letter dated 28/06/2023. Director DVET has given remarks as the ITI has fulfilled all the deficiencies and recommended for Electrician (1+1). But still the case is not recommended as per the minutes of meeting of 10th SCAA dated 21/07/2023.

This ITI is already selected for STRIVE and this extension of unit is part of STRIVE project.

3141HZ

उज्जवल बिस्वास/UJJWAL BISWAS

पशिक्षण महानिदेशालय (Descionale Service of Training कौशाल विकास एन उद्योगणा जना अन्तरात व Ministry of Skill Development and Intractive remp भारत सरकार, नई दिली-12/Govi. of india, New Detin 12

					This case may be reconsidered for affiliation of Electrician (1+1) in 10th SCAA affiliation order only so that ITI can take admission in this current session and achieve the KPI under STRIVE.	
9.	SHRI PADMALAYA INDUSTRIAL TRAINING INSTITUTE JALGAON Ap. Kasoda Tal Erandol Dist. Jalgaon 425109 TMP27478PR1649960714	New	Fitter 2(1+1+0) Electrician 2(1+1+0) Solar Technician (Electrical) 2(1+1+0) Health Sanitary Inspector 2(1+1+0)	10th SCAA Remarks SCAA observed that there is shortage in plot area as per DGT norms. Hence Not Recommended	RDSDE sent email on 25.07.2023 and forwarded documents submitted by ITI 1. Wherein ITI has mentioned that it has plot area 6511 sqm 2. Available power is 19 kw	has not submitted building plan .
			1			

341 kg { 19/09/23 प्रजावल विरुद्धाम (११) ११४६ । RISWAS
प्रकारण विरुद्धाम (११) ११४६ । RISWAS
प्रकारण विरुद्धाम (११) ११४६ । स्वर्ण प्रकारण विरुद्धाम (१४) १४५ । स्वर्ण प्रकारण प्रकारण प्रकारण विरुद्धाम (१४) १४५ । स्वर्ण प्रकारण प्रकारण प्रकारण प्रवास (१४) १४५ । स्वर्ण प्रवास (१४) १४ । स्वर्ण

Page 80 of 216

10	Government Industrial Training Institute (Adivasi), Taloda, Dist: Nandurbar GR27000318	Existing	Fitter Add 2 (1+1)	REMARKS: Recommended Fitter Add 2 (1+1)	on dated 26.7.2023	recommendations for this ITI were received from SSDEC Maharashtra
	Pvt.Industrial Training Institute Naigaon Private Industrial Training Institute, Nanded, Lalwandi Road At.Post.Tq.Naigaon Dist. Nanded, PR27000979	Existing	Wireman 2.(1+1) Electrician- Add.2.(1+1)	10th SCAA Recommended Wireman 2.(1+1) as per SSDEC remarks	State has sent email on dated 26.7.2023 and mentioned that this ITI has not applied for Electrician-Add.2.(1+1) ITI has applied for wireman (1+1) Welder (1+1)	SCAA observed that recommendations for this
12	KUMSS Private Industrial Training Institute,At- Malwadi, Post-Karhati, Tal- Baramati, Dist-Pune- 412204 PR27001025	<u>Existing</u>	Fitter 4(2+2) Multimedia, Animation & Special Effects 2(1+1) Human Resource Executive 2(1+1)	9th SCAA ICVC remarks: This Pvt. ITI is not ready for Affiliation inspection on 29/08/2022 as e-mail is received from ITI vide letter No. KUMSS/ITI/21-		SCAA agreed to give one last opportunity to ITI to get inspected. RDSDE will create the inspection batch in coordination with State Directorate and conduct

प्रणावल बिस्वास /UJIWAL BISWAS
प्रितिकाम महानिकाल उन्हिल के अपने के

the inspection within 30 KUMSS/ITI/21-22/118 22/118 dated Lift and days from date of issue of 27/08/2022 27/08/2022 and dated Escalator (Copy enclosed). this MoM. asked for an Mechanic There is no further Thereafter, the case will extension date of 2(1+1) be reconsidered in next physical communication Fire SCAA received from ITI Affiliation Technology readiness Inspection for one regarding and Industrial for inspection. Safety month from 29/08/2022. Management 2(1+1)TC section remarks: Mechanic In case of this ITI, the As per Principal of Refrigeration Pvt. ITI E-mail sent grading could not be and generated as sufficient Regional Conditioner to RDSDE data in respect of 2(1+1)Director. parameters such as Mumbai, vide letter Solar Admission. No. KUMSS/ITI/21female Technician participation and pass (Electrical) 22/118 dated percentage for the 2(1+1)27/08/2022 and years considered by requested to extend Mechanic the committee were Motor Vehicle date of inspection. SCAA remarks: not available and (MMV) 2(1+1) hence grading score Industrial SCAA Painter 2(1+1) recommended that was not allotted case may be ITI has sent multiple forwarded emails on may16,17, IT Director to 29, July 24 that they examine and provide the remarks ready are for grading within inspection 07 working days and case will be placed in next SCAA. I WAL BISWAS

अपरिन्<u>र</u> 19/09/23 नियस व saining प्रशिक्षण महानियः Dite W are saining प्रशिक्षण महानियः Dite W are saining are saining with the saining with t

instructors. Applicant will all the deficiencies submit the de State Directorate arrange the inspection association RD, RDSDE submit the report annexure — II verifying BCC within 15 days. After receipt report from S Directorate, or will be placed in SCAA.	nt will rectify be above cies and the detail to Directorate 7 days from this MoM. That State ate will the joint in on with ISDE and e report in the limit of the
---	--

अपारित्रे । ११०१/23

उज्जवल बिस्वास/UJIWAI BISWAS
निर्देशक Ende out
प्रशिक्षण महानिरेशामा December की राल विकास गढ़ स्थान है अपना स्थानित की स्थान की स्था की स्थान की

14.	HA.BHA.PA.SOPANKAKA KELE INDUSTRIAL TRAINING INSTITUTE, AT KELEWADI TAL WASHI DIST OSMANABAD, PR27000986	Existing	Fitter -2 (1+1) COPA-2 (1+1) Electrician- Add.2 (1+1)	Remarks Compliance awaited from State as per 9th SCAA i.e. 1. BCC not available. 2. Details of CITS instructors 10th SCAA Remarks SCAA also observed following deficiencies: 1. BCC is not as per norms 2. Building plan not available ITI will rectify all the above deficiencies and submit the detail to State Directorate within 15 days from issue of this MoM. State Directorate will submit the signed & stamped report to DGT within 07 days.	the BCC issued by Panchyat Office and Building plan details and found as per norms and recommended Fitter -2 (1+1) COPA-2 (1+1) Electrician-Add.2 (1+1)	SCAA observed on BCC document ITI name is not mentioned. ITI needs to submit BCC as per norms to State Directorate within 07 days from date of issue of this MoM Thereafter State Directorate will verify the BCC as per norms and submit report to DGT within 05 days. Then, the case will be reconsidered in next SCAA
	अपारित	1,9/17			उज्जवल विस्वा प्रशास महानिक्ष कीशल महानिक्ष कीशल प्रशास कीशल Ministry of Skill Do Manustry of Skill Do	Page 84 of 216

					1	
				report from State		
				Directorate, case		
				will be placed in the		
				next SCAA.		
15.	SWAMI VIVEKANAND	New	Electrician	10th SCAA Remark	State sent email on	As informed by State
	PRIVATE INDUSTRIAL		2(1+1)	Applicant needs to	10.08.2023 and	Directorate that the
	TRAINING INSTITUTE, AT		Fitter 2(1+1)	submit the CITS	mentioned that	applicant ITI has removed
	JOLA POST DEVGAON		Draughtsman	instructor details for	1. State has verified ITI	the deficiencies.
	RAL KAIJ DIST BEED		2(1+1) Civil	each trade as per	has appointed CITS	Hence, SCAA
	MAHARASHTRA		Solar Tech.	norms to the State	qualified instructors ,	recommended the
	published to the control of the cont		(Electrical)	Directorate within	list attached and	following trades:
	TMP27470PR1645518271		2(1+1)	07 days from the	recommended for	3
			Cosmetology2	issue of this MoM.	Electrician 2(1+1)	Electrician 2(1+1)
			(1+1)		Fitter 2(1+1)	Fitter 2(1+1)
			()	State Director will	Draughtsman 2(1+1)	Draughtsman Civil 2(1+1)
1				confirm the same	Civil	Solar Tech. (Electrical)
				and forward the	Solar Tech. (Electrical)	2(1+1)
				details duly	2(1+1)	Cosmetology2(1+1)
				stamped and	Cosmetology2(1+1)	Cosmetology2(1.1)
				signed to DGT	Cosmetology2(1+1)	RDSDE will ensure that
				0		CITS trained instructors
1				within 07 days.	Od instructions of CITC	
-				A.C	01 instructors of CITS	are engaged in all relevant
				After that case will	trained not available	trades before start of the
				be placed in the		session 2023
				next SCAA.		
16	PNSARODE PRIVATE	New	Electrician	10th SCAA	State sent email on	As informed by State
	INDUSTRIAL TRAINING		2(1+1+0)		10.08.2023 and	Directorate that the
	INSTITUTE PRIVATE		Welder	ICVC Remark	mentioned that	applicant ITI has removed
	INDUSTRIAL TRAINING		2(1+1+0)	1 - Electricity bill not		the deficiencies
	INSTITUTE, WARDHA		Fitter 2(1+1+0)	in the Name of ITI. it	the Electricity Bill on	Hence, SCAA
	At Post : Sawali(Wagh),		Computer	has LT Three	the name of ITI	recommended the
	Taluka: Hinganghat.		Hardware &	Phase supply 30kw	2. State has verified	following trades:
	District: Wardha, State:		Network	which is used	the details of CITS	
	Maharashtra.		Maintenance	for ITI.	instructors for each	1. Electrician 2(1+1)
	442301		1(1+0)	2 - Machinery		2. Welder 2(1+1)



प्रणावल बिस्वास/ULIWAL SISWAS
निवेशक Direction of Iraining
प्रशिक्षण महानिवेशनात्र Direction of Iraining
कौशल विकास एक कार्यात्र के सम्मान Ministry of Skill Developmen a service simple मारत सरकार, गई दिल्ली-12/1/on of industrial services

				Installed found	Electrician 2(1+1+0)	
ı		TMP27498PR1582374842		satisfactory in good	Welder 2(1+1+0)	4. Computer Hardware &
١	11			working conditions	Fitter 2(1+1+0)	Network Maintenance
١				& Found in	Computer Hardware &	2(1+1)
١				working	Network Maintenance	RDSDE will ensure that
١				conditions.	1(1+0+0)	CITS trained instructors
				3 - Agree , Agree,		are engaged in all relevant
				Recommended	Observation	trades before start of the
				Electrician (1+1+0),	Only 4 trade and 7	session 2023
l				Fitter (1+1+0),	units	
	- 1			Computer	Only 03 Instructors are	
	1			Hardware	CITS qualified	
				Networking and	***	
				Maintenance	RDSDE sent email on	
				(1+1+0), Welder (1+1+0)	dated 11.08.2023 and	
				total 4 Trade	mentioned that As per	
				Recommended.	attached undertaking	
				TC Remark 1 - Electricity bill in	of P.N. Sarode Pvt.	
				the name of the	ITI, The ITI	
				secretary of	has applied wrongly on	
				society. 2 - Instructor CITS	portal for Computer	
				Certificate 01 no.	Hardware and	
				available.(Fitter -	Networking	
				01 no.)	Maintenance (1+0)	
				10 th SCAA Remark	and already has State	
1				The matter was	LOI for Computer	
				discussed in SCAA	Hardware and	
				and following deficiencies are	Networking	
			71	observed:	Maintenance (1+1).	
1						PAMAIA

				As per attached report	
			in the name of ITI /	of inspection from	
			Society at ITI	SCVT member, NCVT	
			address.	member and Annexure	
1 1			2. Details of CITS	III.	
1 1	× 65		trained instructors.	So the ITI application	
				for Computer	
			ITI will rectify all the	Hardware and	
			above deficiencies		
	n 50		and submit the	Maintenance trade	
			detail to State	may be considered as	
			Directorate within		
			07 days from issue	can fulfil the criteria of	
			of this MoM.	minimum four trades	
				and 8 units.	
			State Directorate		
			will submit the		
			signed & stamped		
			report to DGT		
			within 07 days.		
			After receipt of		
		0.5	report from State		
			Directorate, case		
			will be placed in the		
			next SCAA.		
			1		

अपारिष्ट 19/09/23

उज्जवल बिस्वास/UJIWAL BISWAS
निवेशक Diservation
प्रिकाण महानिवास (Lorente Alexandra)
कीशल विकास एक उज्जार के का उपन्य मान

State: Rajasthan

S. No	ITI name	Type of application	Trade unit Sought for affiliation	Summary of the Case	Compliance sent by State	SCAA remarks
1	Shri Sai Pvt ITI. Village Jairampura, Tehsil Lawan District Dausa RAJASTHAN ITI Code/Temp TMP897PR1582873101 (New)	III New ITI	IV I-Electrician - 12 (4+4+4) Unit 2- Solar Technician (Electrical) — 03(1+1+1) unit 3- Health Sanitary Inspector 03(1+1+1) Unit 4- COPA - 3(1+1+1) Unit	 VI Applicant ITI filed the S.B. Civil Writ Petition No. 2945/2022 and WP No.9212/2023. To comply with the Honb'le High Court Direction inspection was carried out. The State Directorate of Rajasthan sent email on dated 01.08.2023 and enclosed the documents wherein following is mentioned. NOC has not issued to this ITI and State is not willing to open more new ITI, in this regard State has issued direction vide their letter dated 18.08.2023. Inspecting team has recommended the ITI for: Electrician (4+4+4) Solar Technician (1+1+1) HSI (1+1+1) COPA(1+1+1) 		VII The matter has been discussed during this SCAA meeting with State Directorate. State Directorate has confirmed that that State is not willing to open any new ITI and NOC is not provided to this applicant ITI. Hence, as per State directorate comments, SCAA didn't recommend the affiliation application of this institute.
2	Old Address: Vishvkarma Private Industrial Training Institute, Village Abhayapur post Gandhiphali Tehsil Iadpura Dist Kota New Address Vishvkarma Private Industrial Training Institute, Village Rajorla	Existing ITI Shifting case	Electrician- 24(8+8+8)	The petitioner Vishvkarma (PR08000320) has filed S.B. Ci No. 2946/2022. To comply the vide judgement dated 24.02.20 was carry out inspection at new The State Directorate of Rajast on dated 01.08.2023 and its State has mentioned that this district shifting from Kota to Da Inspecting team has mentioned I. Interdistrict shifting not allow II. No existence of ITI was the location Vishwakarma Pvince No. 2946/2022.	vil Writ Petition direction given 022 inspection v location. than sent email covering letter is case of inter usa ed that wed found at given	The matter has been discussed during this SCAA meeting and SCAA didn't recommended the ITI as interdistrict shifting is not permitted

3141/HE 19/09/23

प्रशिक्षण महानिक्षण प्रशिक्षण महानिक्षण प्रशिक्षण महानिक्षण प्रशिक्षण महानिक्षण प्रशिक्षण महानिक्षण प्रशिक्षण प्रतिका प्र

Page 88 of 216

ki Dhani, Oadabas, Sikandara, Tehsil Sikral, Dist. Dausa	Dhani Badabas Sikandara Tehsil Sikrai Distt Dausa III. Local public informed that no such ITI was ever open at the said location . However
(Shifting case) PR08000320	Vandemataram Techers training college was found running at the said location IV. Inspection team has Not recommended ITI

State: - Telangana

S. No	ITI name	Type of application	Trade Sought affiliation	unit for	Summary of the Case	Compliance sent by State	SCAA remarks
1	II	III	IV		V	VI	VII
1.	Govt Residential Industrial Training Institute, Dindi, NALGONDA-508258 GR36000035 Grading - 8.1	Existing	Electrician 2(1+1)		9th SCAA remarks: 1. SCAA observed that the BCC to be verified by State Directorate as per Building bye-laws of the State and submit the signed & stamped report along with recommendation to DGT.	State has sent email on dated 22.06.2023 and mentioned that principal Govt ITI Dindi has	SCAA observed that State Directorate has not set the compliance report as per remarks of 9th SCAA. Hence SCAA suggested that State Directorate to submit
					Detail of CITS instructors for each trade also to be verified and submit to DGT within 07 days from issue of this MoM. After receipt of report from State Directorate, case will be placed in the SCAA.	submitted undertaking that Stenography 2 units are to	the compliance report as per remarks of 9 th SCAA within 07 days from date of issue of this MoM
	the Control of the Co		1470			affiliation of 02 units Electrician 2 units as poor	

अपारित्र <u>19/09/23</u>

प्रतिकार विस्वास / UJJWAL RISWAS
निवशक / प्रीम्म का प्रतिकार प्रतिकार प्रतिकार प्रतिकार का प्रतिकार प

Page **89** of **216**

					admission	
	2				and no	
					faculty in	
					stenography	
					And attached	
					undertaking	
2.	Sri Rama Private ITI,	Existing	Existing trades:	10th SCAA	State has	SCAA didn't
	Huzurabad		1. Electrician-		sent email on	recommend the ITI due
			8(4+4)	TC section remarks	23.06.2023	to following
	PU36000092		2. Fitter-2(1+1)	 Inspecting members mentioned 	and	deficiencies:
			Mechanic	that, this is case of shifting from	27.06.2023	1
	Shifting case		Diesel-2(1+1)	Warangal Main Road to Padma	and	1. Shortage of land
			,	Nagar Gandhi Nagar H. No. 21-	submitted	area as per norms
	Grading- 6	4.5		149/1, Huzurabad, KarimNagar	that State	2. BCC is not as per
	Ordanig 0			DT, Telangana 505468	Directorate	norms
				Inspecting team mentioned that	has verified	Home
					the following	
				ITI has facilities for Electrician	documents	
				(4+4) and Fitter (1+1)		
	1			 Some deficiencies observed as 	and found	
	1			given below:	correct:	€
				 NOC from State for 	1. NOC from	
	1	_		shifting	State for	
				2. Electricity bill as per	shifting	
				norms	electricity	
		1		3. BCC as per norms	bill as per	
				4.Land documents	norms	
	1			5. Building layout as per	3. BCC as	
				norms	per norms	
				6.CITS instructor details as	4. Land	
				per norms	documents	
				6.Fire safety certificate	5. building	
				O.I lie salety certificate	layout as per	
				10th SCAA Remarks	norms	
		11 (4.00)		10 th SCAA Remarks	6.	
				\cap	(** 15 miles	
			l	4/	Management	24

अपार्कि<u>र</u> 19/09/23 उज्जवल विस्तास/UJWAL BISWAS
क्रिकान मार्च प्राप्त का अल्लाव को जाल विकास पर्व प्रत्याका का अल्लाव Ministry of Skill Development on Estimates wurship भारत सरकार, नई विल्ली-12/Govt. Ot addo, Now Ushin-12

				SCAA suggested that following documents are to be verified by State Directorate: 1. NoC from State for shifting 2. Electricity bill as per norms 3. BCC as per norms 4. Land documents 5. Building layout as per norms 6.CITS instructor details as per norms 6.Fire safety certificate Applicant ITI to submit the above documents to State Directorate within 07 days from date of issue of this MoM Thereafter, State Directorate will verify the above documents and send the report within 05 days. Then, proposal will be placed in next SCAA meeting.	has given CITS undertaking and 7. Fire safety certificate	
3.	Satya Pvt ITI PR36000238 Keesara(M), Medchal Grading- 1.2	Existing	3 rd shift DST mode Fitter 4 units Electrician 4 units	State sent DST MoU for Fitter and el	ectrician	SCAA observed that admissions are very poor in existing 1st and 2nd shift units. Hence, SCAA didn't recommend the DST affiliation in 3rd Shift.

उपार्थ रे

प्रणावल बिस्वास/UJJWAL BISWAS
प्रतिकाल / Director
प्रतिकाल (Director)
विकास एवं अत्यापना (Director)
विकास एवं अत्यापना (Director)
विकास एवं अत्यापना (प्रतिकास एवं अत्यापना (प्रतिकास एवं अत्यापना (प्रतिकास एवं अत्यापना (प्रतिकास प्रतिकास प्रतिकास प्रतिकास प्रतिकास (प्रतिकास प्रतिकास प्रतिकास (प्रतिकास प्रतिकास प्रतिकास प्रतिकास (प्रतिकास प्रतिकास प्रतिकास प्रतिकास (प्रतिकास प्रतिकास प्रतिकास प्रतिकास प्रतिकास (प्रतिकास प्रतिकास प्रतिकास प्रतिकास (प्रतिकास प्रतिकास प्रतिकास प्रतिकास (प्रतिकास प्रतिकास प्रतिकास प्रतिकास प्रतिकास (प्रतिकास प्रतिकास प्रतिकास प्रतिकास (प्रतिकास प्रतिकास प्रतिकास प्रतिकास प्रतिकास प्रतिकास प्रतिकास (प्रतिकास प्रतिकास प्रतिकास प्रतिकास प्रतिकास प्रतिकास (प्रतिकास प्रतिकास प्रतिकास प्रतिकास प्रतिकास प्रतिकास (प्रतिकास प्रतिकास प्रतिकास प्रतिकास प्रतिकास प्रतिकास प्रतिकास (प्रतिकास प्रतिकास प्रतिकास प्रतिकास प्रतिकास प्रतिकास प्रतिकास (प्रतिकास प्रतिकास (प्रतिकास प्रतिकास प्रत

State: - Uttar Pradesh

S. No	ITI name	Type of applicati on	Sought for affiliation		Compliance sent by State	SCAA remarks
1	11	III	IV	V	VI	VII
1.	Shri Mansingh Atar Devi Private Industrial Training Institute Mathura, Vill-Ova, Post-Shergarh, Tehsil & Block- Chhata, Distt- Mathura, Mathura, Uttar Pradesh TMP9167PR15825 47341	New	1 Electrician-6 (2+2+2) 2 Fitter-3 (1+1+1) 3 Health Sanitary Inspector-3 (1+1+1) 4 Marketing excutive-1 (1+0+0)	Ath SCAA Rev. Remarks ITI will submit the following details to State within 07 days from issue of this MoM- 1. BCC documents as per norms 2. Undertaking to appoint CITS instructors before start of session 2022. State Directorate will submit the verified report on above point with clear recommendation of all the trades/units within 07 days from issue of this MoM.	State sent email on 20.06.2023 and mentioned that: 1. Bhawan suraksha certificate issue by executive Engineer is attached. 2.Undertakinng for CITS instructor is attached.	During the SCAA meeting, the State Directorate confirmed that the applicant's ITI has removed the deficiencies. Hence, SCAA recommends the following Trades: 1 Electrician-4 (2+2) 2 Fitter-2(1+1) 3 health Sanitary Inspector-2 (1+1) 4 Marketing excutive-1(1+0)
2.	Abdullah Hashim Private Industrial Training Institute Aligarh, Maheshpur, Quarsi Bye Pass Road Aligarh-202001	New	1. Electrician-3 (1+1+1) 2.Fitter- 3 (1+1+1) 3.Health Sanitary Inspector-3 (1+1+1)	ICVC remarks: Not Recommended 1. For Fitter trade - one lathe machine is not in working condition, No allied trade / welder instruments were not available.	RDSDE sent email on 03.07.2023 and informed that inspection was carried out on 29.05.2023. The following are the observations: 1. All the instructors are not CITS qualified.	The joint re inspection committee has not recommended the ITI application for affiliation due to deficiencies mentioned in column VI. Hence, SCAA suggested that ITI needs to remove

319/A) E

স্থানির বিকাশ / ULIWAL BISWAS

কিইপট কিলেন্ড বিকাশ দুল বিকাশ কিলেন্ড প্রাপ্তি প্রকাশ কিলেন্ড কিলেন্ড প্রকাশ কিলেন্ড প্রকাশ কিলেন্ড কিলেন

	TMP9119PU15815	4. Sewing	2. For Sewing	2. As per Actual land	the deficiencies within 15
	73629	Technology-3	Technology - No power		days and inform RDSDE.
		(1+1+1)	connection in maximum		days and mionii RDSDE.
		' '	machines and four		Thereafter, RDSDE will
			sewing machines were	sqm only. Hence total	
	15		found less.	required land area is less.	
			Land available on	Masjid building is found	0 5
			rent for the institute is		
			2270.44sqm.	ITI (Not separated by any	
			4. Store was shown	type of boundary)	DGT(HQ) within 30 days .
			in adjacent Masjid		
			building premises.	Madrasatul Uloom Al	1
		1	5. Partial bill		
			payment were available		
			with institute.	space was shown for	
			TC section remarks:		
			1. BCC is not		
			available. Only no	not as per norms	
1 1			approved plan certificate		
			is given.	dated 09.04.2023 total	
			2. Sufficient land is		
			not available as per		
			NCVT norms.	KW, 18 x 0.92 = 16.56 KW	-
			Electric load is not	only which is less as per	
			sufficient as per		
			norms(Available-9.7 kW,	7.In Electrician trade —	
		1	Required- 17.72 KW)	Home Appliances tools	
		l l	4. IT lab internet		
			connection and drawing	Trade — Partial tools are	
			hall furniture not	available.	
			available.	Not recommended for	
			5. All instructors are	affiliation.	
			not CITS qualified.		
\Box	1.451	4 1	5th SCAA Remarks	. ~	

319/ht 19/09/23




				Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI		
3.	D.C. Sharma Private Industrial Training Institute Aligarh Vill- Jarara Post- Jarara Tehsil- Khair District- Aligarh- 202138, UP TMP9119PR15827 81858	New	1. COPA-3 (1+1+1) 2. Electricia n-6 (2+2+2) 3. Fitter- 6 (2+2+2) 4. Health Sanitary Inspector-3 (1+1+1)	ICVC remarks: Not Recommended 1. Some of the equipment like hydraulic and pneumatic plant, welding machine, LCD projector, desktop computer, generator (on trolley) not installed. Air conditioner, network printer not available 2. Hydraulic and pneumatic plant, welding machine, control panel of motor generator AC to DC, DC to AC meters, winding machine not functional. 3. Area in lease deeds(both) not shown in map. Plot gate3.8m wide, most of the w/s gates are 1.18m wide 4. Drawing furniture is not proper in drawing hall. TC section remarks: 1. BCC is not	RDSDE sent email on 03.07.2023 and mentioned that inspection is carried out on 30.05.2023 and following are the observations: 1. 2.3 m wide corridor shown in map adjacent to Degree College was separated by a boundary wall made of wood. It clearly shows that a temporary setup is done between Degree College and Private ITI. 3. Approved layout plan is not available 4. Plot gate only 3.8m wide. 5. Drawing furniture is not proper in drawing hall. 6. Shortage of Tools & Equipment in Fitter, Electrician, COPA and HSI trade. 7. Air Conditioner and LCD Projector was not available in IT lab.	that ITI needs to remove the deficiencies within 15 days and inform RDSDE. Thereafter, RDSDE will arrange the joint



प्रिक्षण महानिद्धणमा (University of Training प्रिक्षण महानिद्धणमा (University of Training क्रियाल विकास एक अकरार के अला अपार्टिय Ministry of Skill Development at Shift, eneutship भारत सरकार, नई विल्ली - 1 2/Govt. of India, New Delhi-12

				available. Only no approved plan certificate is given. 2. Approved layout plan is not available. 3. CITS qualified instructors are not available. 5th SCAA Remarks Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI	8.Welding machines were placed in open verandah. Not recommended for affiliation by the Inspection Committee	
4.	Radha Govind Private Industrial Training Institute Aligarh,Milik Nai Tehsil Khair Aligarh,202138-UP TMP9119PR15828 78871	New	1. COPA-3 (1+1+1) 2. Electricia n-6 (2+2+2) 3. Fitter- 3 (1+1+1) 4. Health Sanitary Inspector-2 (1+1+0)	ICVC remarks: Not Recommended 1. Major Machinery like lathe machines, overhead projector, surface plate, generator and others not installed. height of workbenches more than prescribed norms. 2. Few major machines not functional. 3. No railing in staircase, balcony and openings on first floor gallery. 4. No proper electrical wiring in workshops and	RDSDE sent email on 03.07.2023 and informed that inspection is carried out on 01.06.2023. The following are the observations: 1. On searching Google maps it shows Govind Mahavidyalaya at the same location which doubts that a Degree College is also running in the same premises. 2. CITS qualified instructors are not available. 3. Space that was shown for the private ITI is 72.56m x 34.91m = 2533.06 m2 which clearly	committee has not recommended the ITI application for affiliation due to deficiencies mentioned in column VI. Hence, SCAA suggested that ITI needs to remove the deficiencies within 15 days and inform RDSDE. Thereafter, RDSDE will arrange the joint inspection along-with State and send the report





		classrooms. No rubber	The second secon	
		Mets in electrician		
		workshops.	4.BCC is not available.	
		5. Output cable very	5.No layout plan / site plan	
		thin in comparison to	is available.	
		input cable, not capable	6. Electricity meter was not	
		to bear 17kw load and		
		output cable has a joint	premises.	
1 1		close to meter.	7.Transformer is located	
		6. Physically Land		
		area is approximately		
		35.3meter×85.7meter	cicotricity motor.	
		which is less than	Not recommended for	
		prescribed.	affiliation by the Inspection	
		7. Basic amenities		i
1		are not available.	Committee.	
		TC section remarks:	I I	
		1. BCC is not		
		available. Only no	SI	
		approved plan certificate		
		is given.		
1 1	2.00.00	2. CITS qualified		
		instructors are not		
1		available.		
		3. Physical land		
		area is less than		
		prescribed norms as per		
		report.		
		4. Approved layout		
		plan is not available.		
		5. Major		
		machineries are not		
		installed and not in		
	w. Calculation	working condition.		
		5th SCAA Remarks	विरवास/१५११	RISWAS
	4		र्रायण्डील विस्वास/७३१	1, 3,4,11,7

5.	NGI PVT. ITI PVT. ITI, MEERUT, NH-58 NEAR SVBP AGRICULTURE UNIVERSITY VILL-PAWLI KHAS TEHSIL SARDHANA MODIPURAM MEERUT, MEERUT, UTTAR PRADESH. PU09001683 Grading- 2.1	Existing	3. 4.	Fitter -4(2+2) Physiotherap y Technician- 2(1+1) Electrician- 4(2+2) HSI-2(1+1) MMV-2(1+1)	Not Recommended as the grading of ITIs is less than 1.25 10th SCAA Facts of the case To comply the Court direction in the connected matter of WPC 13682/2021 order dated 20.02.2023, the petitioner case was reconsidered and DGT issued direction to State and RDSDE to conduct joint inspection. 10th SCAA Remarks Matter discussed during SCAA meeting Joint Inspection report is waited from State. State and RDSDE to carry out the joint inspection and submit	concern Electricity load was found to be 135 KW on the name of the ITI, which arise the doubt of running (cumulatively) other courses like Bed, BA 2. There was no isolated boundaries of ITI irt other building (where courses other then ITI courses) 3. No biometric and safety system	that letter to DGT(HQ) that ITI is not interested for opening new trade within 05 days from the date of
-					duly signed and stamped report to DGT within 15		

7141 KJE 19/09/23

प्रणावला विस्वास / LUNWAL BISWAS
प्रशिक्षण महाविकान कि अपने क

		days from date of issue of this MoM	
6.	Ram Murat Private	Contempt case 1092/2023	Affiliation order already issued dated 31.08.2023. Same is ratified in this meeting
7.	Sadhna Private Industrial Institute, Gonda Ujari Dihwa Dulhapur Bankat Gonda- 241602 Uttar Pradesh TMP9147PR15805 39066	3. IT Lab infrastructure is not as per norms. 4. Drawing hall furniture is not as per norms. Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. (State Directorate Officer may physically visit the ITI for verifying Electricity load, IT Lab infrastructure and Drawing hall furniture). Thereafter, State Director will verify all above documents and submit the signed & stamped	During the SCAA meeting, the State Directorate confirmed that the applicant's ITI has removed the deficiencies. Hence, SCAA recommends the following: 1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. COPA 2(1+1) 4. Health Sanitary Inspector 2(1+1)
		report along with	WAS

3141 KI E 19/09/23

प्रभाव विरवास । WAL C'EWAS
प्रभाव प्रभाव के प

				recommendation to DGT		
	1			within 07 days		
1				Thereafter the case will		
				be placed in the next		
				SCAA.		
8.	Saint Bilal Pvt. I.T.I Private Industrial Training Institute Sitapur Vill. Ganeshpur Block & Tehsil Laharpur District Sitapur-	New	1. COPA-3 (1+1+1) 2.Electrician-6 (2+2+2) 3. Fitter- 6 (2+2+2) 4.Plumber-3 (1+1+1)	9th SCAA Remarks SCAA observed the following deficiencies: 1. IT lab area not as per norms 2. Power load not as per norms	State Directorate has sent email on 10.7.2023 and mentioned that 1. Attached revised layout plan in which IT lab area is shown as 42.50 sqm 2. ITI has increased load to 21 KW	During the SCAA meeting, the State Directorate confirmed that the applicant's ITI has removed the deficiencies. Hence, SCAA recommends the following:
	261135				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	TMP9183PR15814 19884	146		Applicant needs to remove the above deficiencies and submit report to State within 15 days from date of issue of this MoM Thereafter State Directorate to send duly signed report to DGT within 07 days. After that case will be placed in the next SCAA.		1. COPA-2(1+1) 2.Electrician-4 (2+2) 3. Fitter- 4 (2+2) 4.Plumber-2 (1+1)
	1	*				
9.	Rameshwar	New	1 Electrician-3	9th SCAA	State Directorate has sent	During the SCAA meeting,
	Prasad Private		(1+1+1)	State Directorate to send	email on 10.7.2023 and	the State Directorate
	Industrial Training		2 Fitter-3		provided the details of	confirmed that the
	Institute		(1+1+1)	details in tabular form	CITS instructors	applicant's ITI has
	D 1 5 1		3 Health	trade wise, verify them		removed the deficiencies.
	Banda Private	2.	Sanitary	and send within 07 days		Hence, SCAA
	Industrial, Vill And		Inspector-3		() 10 c	

मपा मिर् 19/09/23 प्रणावल बिस्वास/UJJWAL BISWAS
निर्देशक एक प्रशासन विकास एक प्राप्त का प्रणासन विकास प्राप्त का प्रणासन विकास प्राप्त का प्रणासन विकास विकास

10.	Post Pachnehi Distt. Banda- 210001 TMP9128PR15798 64998 Chandrashekhar	New	(1+1+1) 4 Mechanic Diesel-3 (1+1+1)	from date of issue of this MoM. After that case will be placed in the next SCAA. 4 ^{4h} SCAA Rev.	State Directorate has sent	recommends the following: 1 Electrician-2 (1+1) 2 Fitter-2 (1+1) 3 Health Sanitary Inspector-2 (1+1) 4 Mechanic Diesel-2 (1+1) During the SCAA meeting,
	Private Industrial Training Institute Ghazipur, Village Domanpura Post Balapur Ghazipur-233227 TMP9146PR15814 30337		(1+1+1) 2 Electrician-3 (1+1+1) 3 Electronic mechanic-3 (1+1+1) 4 Fitter-3 (1+1+1)	ICVC remarks: Not recommended 1. Due to building area shortage and meter sealing certificate is not available. 2. Connection bill not available. building area shortage, covered area is short Bill payment receipt not available. 1. TC section remarks: Electricity connection is under process. Electricity bill and meter sealing report are not available. 2. Drawing hall and IT lab area is not as per norms	email on 10.7.2023 and attached joint verification report dated 1.06.2023 and submitted that 1. Attached and verified electricity bill of 18.00 KW 2.Attached and verified layout plan 3. Attached layout in which drawing hall and IT lab area is as per norms	the ITI only contain the signature of the State representative, and there is no signature from the RDSDE representative.

प्राप्तवल बिस्तासं / UJINAL BISWAS
प्रिकाण महानेकाल Director के जिल्ला महानेकाल के प्राप्त के जिल्ला महानेकाल के जिल्ला के जि

Page 100 of 216

Г					3. Approved layout plan		
					is not available.		
1	- 1				CITS details of all the		
					trainers are not available.		
					4th SCAA Rev.		
					Remarks		
1					Not recommended as per		
					ICVC remarks.		
					195 A 3 CC		
				-			
1	- 1				mentioned in column V		
-		511 51 1 ITI		=1	and VI	State Directorate has sent	During the SCAA meeting,
	11.	Shiv Private ITI	Existing	Electrician	9th SCAA	email on 10.7.2023 and	the State Directorate
			57	6(2+2+2)	9th SCAA Remarks		confirmed that the
		New RTO Road			As per observation of TC-		
1		Hardila Lalitpur U P			section in Column - VI		applicant's ITI has removed the deficiencies.
		284403 Lalitpur-			the land lease document	Electrician trade	THE STREET OF THE CONTROL OF THE CON
		284403			was rechecked by		
					Director TC during SCAA		recommends the following
1		PU09900431			meeting and it was found		trade:
1					that land lease is valid till		E1 1::- 1(0:0)
		Grading - 7			24.01.2027		Electrician 4(2+2)
4			- 1	4/4	Applicant needs to		
					submit the CITS		
					instructor details for each		
-					trade as per norms to the		
					State Directorate within		
1					07 days from issue of this		
-					MoM.		
					State Director will confirm	1	
					the same and forward the		
					details duly stamped and	l	
					signed to DGT within 07		
					days.		
	38.1	9			After that case will be		
					placed in the next SCAA.	0	

अपारिगरें 19/09/23 प्रणावल विस्तास /LUJIWAL BISWAS

विकेशकः
प्रशिक्षण महानिद्शालकः (Mechale का महारा Training
कीशल विकास एवं चारामधाला मंत्रालय

Ministry of Skill Development and Entrapped with

12.	Shivdaya Private	Existing	Electrician	9th SCAA Remarks	RDSDE sent email on	During the SCAA meeting,
	ITI		6(2+2+2)	SCAA observed the	dated 3.7.2023 and	0,
				following deficiencies:	mentioned that as per the	
				1. Detail of CITS	documents provided by	
	Village-Rasaura,			instructors for each trade.	the	removed the deficiencies.
	Post-Pahara,			2. IT Lab infrastructure is	Shivdaya Private ITI	Hence, SCAA
1	Tahsil-Sadar,			not as per norms.	Village-Rasaura, Post-	recommends the following
	Block-Pahari			3. Drawing hall furniture	Pahara, Tahsil-Sadar,	Trade:
	MIRZAPUR-			is not as per norms.	Block-PahariMIRZAPUR-	Electrician 4(2+2)
	231001			Applicant will rectify all	231001 PR09900477, the	
				the above deficiencies	lease of the ITI is in the	
	PR09900477			and submit the detail to	Name of Shiv Daya	
				State Directorate within	Private ITI. However in the	
	Grading - 6.2			07 days from issue of this	joint inspection report is	
1]			MoM.	mistakenly written as Shiv	
				Name of ITI in the report		
				mentioned as Shiv Durga	and is a typing error.	
				instead of the applied	The name of the ITI in the	
				name by the ITI i.e	inspection report may be	
1				Shivdaya Private ITI.	read as	
				RDSDE will verify the	Shiv Daya Private ITI	
				name of the ITI applied	,Mirzapur	
				for and send the report to	instead of Shiv Durga	
				DGT.	Private ITI, Mirzapur.	
				State Directorate Officer	State Directorate also sent	
				may physically visit the		
				ITI for verifying IT Lab	and mentioned that	
				infrastructure and	1. Approved CITS	
				Drawing hall furniture).	instructors details	
				Thereafter, State Director	attached	
				will verify all above		
				documents and submit		
				the signed & stamped	Proposition of the Control of the Co	
				report along with	1	
					(1/James of Bearer/UJIWAL B	ISWAS

जिल्ली विस्वास/UJJVAL BISTAS विदेशक / Lineartur पश्चिम महाविकास प्राप्त का का का कि प्राप्त कोशल विकास एवं स्टार्म्स के स्वार्थन Ministry of Skill Developmen, up. Enteptenduship भारत सरकार, नई दिली- 12/Govt. of India, New Death 12

Page 102 of 216

	E 2			recommendation to DGT within 07 days. After that case will be placed in the next SCAA.	furniture as per norms available	¥
13.	RAMDEV Private Industrial Training Institute, AZAMGARH VillKhillupur, Post-Sanjarpur, DisttAzamgarh, Pin-223227 Uttar Pradesh TMP9123PR15828 15754	New	 Copa 2(1+1) Electrician 6(2+2+2) Fitter 2(1+1+0) Health Sanitary Inspector 2(1+1+0) 	9th SCAA Remarks SCAA observed the following deficiencies: 1. Approved Building plan not legible. 2. Electricity load is not as per norms. 3. IT Lab infrastructure is not as per norms. 4. Drawing hall furniture is not as per norms. 5. Detail of CITS instructors for each trade. Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days form issue of this MoM (State Directorate Officer may physically visit the ITI for verifying Electricity load, IT Lab infrastructure and Drawing hall furniture). Thereafter, State Director will verify all above documents and submit	of 19 KW 3. IT lab available as per norms 4.Drawing hall furniture available as per norms 5. Attached undertaking for engagement of CITS instructors as per norms	 Copa 2(1+1) Electrician 4(2+2) Fitter 2(1+1)
				the signed & stamped	0	

अपारिते । १/09/23

प्रिकाण विस्तास/ULIWAL SISWAS
निर्देश ह
प्रिकाण महार्ग्धाः विद्यार ह
कोशाल विकास एवं उद्योग का का काला व Ministry of Skill certa-spiner ह का काला की काला व भारत सरकार, नई दिल्ली-12/Gev. का स्तोब, हेक में काला है।

			1			
				report along with		
				recommendation to DGT		
				within 07 days.		
				Thereafter the case will		
				be placed in the next		
				SCAA.		
14.	MAA DURGAWATI	New	Fitter 3(1+1+1)	9th SCAA Remarks	State sent email on	SCAA recommended that
	I.T.I.		Electrician	SCAA observed the	13.07.2023 and	RDSDE to send the
			3(1+1+1)	following deficiencies:	mentioned that	compliance report again
			Cutting &		Attached layout plan	within 15 days from the
	COLLEGE		Sewing (VI &		2. Attached photo of	
	PRIVATE Private		OD) 3(1+1+1)			
	Industrial Training		Solar	instructors for each trade.		
	Institute,		Technician	3. Biometric Machine not		
	MIRZAPUR		(Electrical)	available for trainees.	4. Attached drawing hall	
	Pandri, Mirzapur-		3(1+1+1)	Drawing hall furniture		
	231304			is not as per norms.	priotos	
				Applicant will rectify all		
	TMP9170PR15802			the above deficiencies		
	90960			and submit the detail to		
	20000			State Directorate within		
				07 days		
				State Directorate Officer		
	:					
				will physically visit the ITI		
				for verifying Drawing hall furniture.		
				Thereafter, State Director		
				will verify all above		
				documents and submit		
				the signed & stamped		
				report along with		
				recommendation to DGT		
				within 07 days.		

अपारिरे

				Thereafter the case will be placed in the next SCAA.		
15.	Babu Ramlagan Singh Private Industrial Training Institute, Ballia Village- Mujauna, Post- Turtipar, Tehsil- Belthra Road, District- Ballia, Uttar Pradesh, Pin Code- 221715 TMP9126PR15803 72040	New	Electrician 3(1+1+1) Fitter 3(1+1+1) Electronics Mechanic 3(1+1+1) COPA 3(1+1+1)	Agree, Recommended for Electrician-(1+1+1), Fitter-(1+1+1), Electronics Mechanic-(1+1+1), COPA-(1+1+1) TC section remarks: 1) Less Load -1.25Kw 2) BCC not in Proper Format 3) Third shift to be run in DST only 9th SCAA Remarks SCAA observed the	Engineer 2. Electricity bill of 18 KW on name of ITI 3.CITS instructor details	During the SCAA meeting, the State Directorate confirmed that the applicant's ITI has removed the deficiencies. Hence, SCAA recommends the following Trades: 1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. Electronics Mechanic 2(1+1) 4. COPA 2(1+1)
	4			following deficiencies: 1. BCC not as per norms. 2. Detail of CITS instructors for each trade. 3. Electricity Load is less 4. Electricity bill is not in the name of ITI. Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.		

अपारित्र 19/09/23

प्रणावल बिस्वाम/UJJWAI BISWAS
निवंशन
प्रतिकाण गरानिकार विकास प्रणापक विकास वि

				Thereafter, State Director will verify all above documents and submit the signed & stamped report along with recommendation to DGT within 07 days. State Directorate may physically visit the ITI for verifying sanctioned electric load). Thereafter the case will be placed in the next SCAA.		
16.	BARHAJ Private Industrial Training Institute Deoria Barhaj Deoria-274601 TMP9137PR15821 79826	New MSTI	Electrician 2(1+1)	ICVC remarks: Agree, Recommended for affiliation. TC section remarks: Electrician 2(1+1) (MSTI) 9th SCAA Remarks SCAA observed the following deficiencies: 1. NOC for MSTI required from State Directorate. 2. Details of Short -term course. 3. Detail of CITS instructors for Electrician trade. Applicant will rectify all the above deficiencies and submit the detail to	exists and it is unserved block 2. ITI submitted undertaking for starting Short term course	During the SCAA meeting, the State Directorate confirmed that the applicant's MSTI has removed the deficiencies. Hence, SCAA recommends the following Trade: Electrician 2(1+1)

अपारिष्टे 19109123

प्रमाण महित्याम (U) IWAL BISTYAS
प्रमाण महित्याम (Corection of Francisco
व्यापाल विकास एवं उत्यापाल कर हित्यामा के अपने प्रमाणिय
Ministry of Skill Doveloamen and Enceptional behind 2
बारा सरकार, में दिल्ली-12/GovLatinda head behind 2

	8			State Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify all above documents and submit the signed & stamped report along with recommendation to DGT within 07 days. Thereafter the case will be placed in the next SCAA.	State cont omail on	During the SCAA meeting
17.	Maa Bhagawati Private ITI Khailar VILL & POST KHAILAR JHANSI 284120 Uttar Pradesh PR09000726 Grading 4.7	Existing	Electrician 12 (4+4+4)	9th SCAA Remark ITI needs to remove the deficiencies as mentioned in column – VII and inform State Directorate. Deficiencies: 1. The available area for Engineering Drawing Hall is 29.48 Sq. Meter only, whereas 50 SQM is required as per norms. 2. No proof of Technical as well as educational Qualifications documents provided in original for verification.	There is a common workshop area with a partition marked by a	Trade: Electrician 8 (4+4) However, the State Directorate to ensure the engagement of CITS

उज्जवल बिस्वास /U.IJWAI BISWAS
निवंशक क्रिकाल क्रिकाल

Page 107 of 216

				3. Staff payment proof and Bio metric attendance not provided during the joint Inspection. 4. Stock register related information not provided. 5. Common workshop area available without partition for (04+04) units of Electrician trade.		
				After that State Directorate will physically verify all the deficiencies and send the duly signed and stamped report to DGT within 15 days from issue of this MoM.		
				After that case will be placed in the next SCAA.		
18.	Ideal Private ITI Village & Post- Jasar Sultan Nagar Police Station- Sarurpur Khurd Teh- Sardhana DisttMeerut- 250344	New	Electrician – 6(2+2+2) Fitter – 6(2+2+2) (COPA) – 3(1+1+1) Health Sanitary Inspector –	1st SCAA ICVC remarks: All trades not recommended TC section remarks: 1. Electrician: oil cooled 3 phase transformers were not available 2. HSI: Refrigerator	RDSDE sent email on 25.07.2023 and attached joint inspection report. The following are the observation: 1. Electrician: oil cooled 3 phase transformers were available and verified 2.HSI: Refrigerator bill was available and verified	During the SCAA meeting, the State Directorate confirmed that the applicant's ITI has removed the deficiencies. Hence, SCAA recommends the following Trades: 1. Electrician –4(2+2)
	SHOOTS TO THE		3(1+1+1)	bill was with	was available and verified	, that the control of

अपार्कि र

प्रणावल विस्वास / UJWAL QISWAS

किन्द्रकार / Director

किन्द्रकार / Director

किन्द्रकार / Director

किन्द्रकार / Director

किन्द्रकार पर्य उत्तरप्रकार का प्रकार का अध्या किन्द्रकार पर्य उत्तरप्रकार का प्रकार का अध्या किन्द्रकार पर्य उत्तरप्रकार का प्रकार का अध्या किन्द्रकार के विल्ला-12 (Govt. of india, see a Deliti-12 करत सरकार, कई दिला-12 (Govt. of india, see a Deliti-12

	TMP9169PR15807			person name	3. Microwave available	2. Fitter - 4(2+2)
	14046			while other	and verified	***
	14040			machines bill is	4. Available and verified	3. (COPA) – 2(1+1)
				with Trust or ITI	the electric load 22.10 KW	
				Name	5. Payment proof verified	4. Health Sanitary
		-		3. Item no17	from trust bank account	Inspector – 2(1+1)
				Microwave not	And recommended	
				available	Electrician –	
					4(2+2)	
		- 1		4. less in power	4(2.2)	
				norms, required	Fitter - 4(2+2)	
				kw 19.67	111101 - 4(2.2)	
				available	(COPA) - 2(1+1)	
				9th SCAA Remarks	(COI A) - 2(1.1)	
					Health Sanitary Inspector	
				RDSDE and State to	- 2(1+1)	
				conduct the joint	-2(1+1)	
				inspection and sent the		
				report in annexure III		
				format within 15 days		
				from issue of this MoM.		
19.	Shri Tirupatil Balaji	New	1. COPA-3	5th SCAA	RDSDE sent email on	During this SCAA
	Private Industrial		(1+1+1)		25.07.2023 and submitted	meeting, it was discussed
	Training Institute		2.	ICVC remarks:	inspection report dated	that ICVC should provide
			Electricia	Not Recommended	4.7.2023 and	its comments on the
	Nagla Shroti Civil		n-6 (2+2+2)	1.Total land/ plot area is		remarks mentioned in the
	Line Firozabad-		3. Fitter- 3			5th SCAA MoM.
1	283203,UP		(1+1+1)	Map total land area is	the observation:	
	1000000 100000000000000000000000000000		4. Health	1868 .00 sqm.Not as per		Hence, SCAA suggested
	TMP9143PU15808		Sanitary	norms required plot /land	available	that the State Directorate
	23454		Inspector-3	area 1.07 acre.	2. BCC not attached	and RDSDE will conduct a
			(1+1+1)	2.Earthing of machines is		joint verification in
			(August 1941 1940)	not done. some		accordance with the
				computers do not have	deficiencies as mentioned	
	2	-		latest configuration. Gas		SCAA MoM and submit a
				welding set is not	0	report within 15 days from



			square meter. It is not as per norms. 4. Electrical/ fitter workshop work shop earthing is not proper. TC section remarks: 1. Total Land/plot area is not available as per NCVT norms. 2. Drawing hall area is not as per norms. IT lab computers is not as per norms. 3. BCC is not available, No approved plan is given by Tehsildar. 4. CITS qualified instructors are not available. 5th SCAA Remarks Not recommended as per recommendation of ICVC and deficiencies mentioned in column V		the date of issuance of this MoM. Thereafter the case will be reconsidered in next SCAA
Navodaya PI.T.I. Tilauly Post Badhudy Ballia- 221717	Existing	Electrician 6(2+2+2)	6th SCAA Remarks ITI needs to remove below mentioned	mentioned that	During the SCAA meeting, the State Directorate confirmed that the applicant's ITI has removed the deficiencies.
	Tilauly Post Badhudy	Tilauly Post Badhudy	Tilauly Post Badhudy 6(2+2+2)	workshop. 3.Drawing hall available but area is less than 50 square meter. It is not as per norms. 4.Electrical/ fitter workshop work shop earthing is not proper. TC section remarks: 1.Total Land/plot area is not available as per NCVT norms. 2. Drawing hall area is not as per norms. IT lab computers is not as per norms. 3.BCC is not available, No approved plan is given by Tehsildar. 4.CITS qualified instructors are not available. 5th SCAA Remarks Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI Navodaya PI.T.I. Tilauly Post Badhudy Rellia, 221717	workshop. 3.Drawing hall available but area is less than 50 square meter. It is not as per norms. 4.Electrical/ fitter workshop work shop earthing is not proper. TC section remarks: 1.Total Land/plot area is not available as per NCVT norms. 2. Drawing hall area is not as per norms. IT lab computers is not as per norms. 3.BCC is not available, No approved plan is given by Tehsildar. 4.CITS qualified instructors are not available. Sth SCAA Remarks Not recommended as per recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI Navodaya Pl.T.I. Existing Navodaya Pl.T.I. Existing Electrician 6(2+2+2) Electrician 6(2+2+2) Ravodaya Pl.T.I. Existing Electrician 6(2+2+2) Electrician 6(2+2+

अपारिन्हें

Page 110 of 216

	PR09002006			dave from the torre of	0 0	
	PR09002000				2. Power connection of 20	recommends the following
				this MoM.	KVA is available	Trade:
				 BCC is not available. 	3. Renewed fire safety is	1000 CANADA DE CERTONIA (1800)
	0 " 00			2. Power load not		Electrician 4(2+2)
	Grading-8.2			sufficient, available		204 0.500
				18KVA/16.2 KW,	norms available	
				required- 17.42 KW.		
				Old firefighting		
				certificate available		
	^			but new online	***	
				certificate not		
				available.		
				4. Drawing hall		
				available as per		
				norms but only 10		
				nos. drawing tables		
1				available, need some		
				improvement.		
				The State Directorate will		
		25		verify and send the		
				document with		
				recommendation to TC		
10000	21 101 0 100		- ×			a a
				section, DGT within 7		
21	Sushma Singh	Cylotina	Electrician -	days .	01-1-	A
21		Existing	A CONTRACTOR OF THE PROPERTY O	5th SCAA	State sent letter on	As confirmed by the State
	Singraur Private ITI		6(2+2+2)	ICVC remarks :	15.06.2023 and	Directorate that ITI has not
	khatangi Ganga			NCVT : Agree , ok	mentioned that Joint	removed the deficiencies.
	Allahabad -211012			SCVT : Disagree ,not		Hence SCAA didn't
	MIC CODE	25		recommended	on 1.05.2023	recommend the addition of
	MIS CODE:				The following are the	trade/units
	PR09900537			TC section remarks :	observation in this report:	
				Contradictory	1.Fire safety Certificate	
		F101		recommendation from	not available	
	Grading-7	\$ 100-00	75 St X44 U 42	ICVC.		
				5 th SCAA remarks	ज्ञांवल बिस्वास/।।।।।।।।	
	-/				जापरा विस्तास्य ।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।	

319/19/23

प्रसिक्षण महाराज्य प्राप्त प्र प्राप्त प्राप्त प्राप्त प्राप्त प्राप्त प्राप्त प्राप्त प्र प्राप्त प्र प्राप्त प्र प्

Page 111 of 216

					2. Trainer record and	
					dead stock register not	
					properly available	
					property available	
					3. Biometric not followed	
					4. Drawing hall without	
					sufficient furniture	
					5.CITS instructor not	
					available	
					And not recommended	
					the ITI	
22.	ASIAN PVT Private	Existing	Electrician	9th SCAA Remark	State has sent email dated	During the SCAA meeting
	Industrial Training	Laisting	10(3+3+4)	SCAA observed the		State Directorate has
	Institute,		Fitter 4(1+1+2)	following deficiencies:	that	confirmed the this is
	BAREILLY Jeevan		1 11101 4(11112)	NOC from State		The Control of the Co
	Jyoti campus			Directorate for shifting.	State has given NOC for shifting of swinting trade	shifting within block.
	behind old				shifting of existing trade	Hanna an and State
	roadways stand			2. Shortage of electrical load.	Electrician (1+1)and Fitter	Hence, as per State
	Bareilly UP 243001				(1+1)	Directorate
	barelly of 243001			ITI will rectify all the	[[[[[[[[[[[[[[[[[[[recommendation , SCAA
1				above deficiencies and	[1 전 전 [2] 전 2 기계 [1] 보면 하는 것이 있는 하는 하는 사람들이 되었다면 하는 것이 되었다면 하는 것	recommended for shifting
	DD00000400			submit the detail to State		with only existing trades:
	PR09000498			Directorate within 07		Electrician 2(1+1)
	0			days from issue of this	[- [- [- [- [- [- [- [- [- [-	and
	Grading 6.4			MoM.	ASIAN PVT Private	Fitter 2(1+1)
				Thereafter, State Director		-
1				will verify all above		
				documents and submit	Barelly City	
				the signed & stamped		
1				report along with new		
				proposed address of the		
				ITI and its		
1				recommendation to DGT		
				within 07 days.	¥	
				Thereafter, case will be		
				placed in the next SCAA.	A BOUNTH HIS WAL BIS	WAS

349/A/E

प्रशिवल विस्वास / UJJWAL BIGWAS
निवेशक / Director
प्रशिक्षण महानिदेशकार Directoral na edit of Training
कोशल विकास एवं उद्योगभा निवास महालय Ministry of Skill Development and Entrepreneurship
पारत सरकार, गई दिल्ली – 12/Govt. of India, New Delhe 12

Page 112 of 216

23.	N.B.S. Private	New	Electrician	9th SCAA	State sent email on 28.7.2023 and mentioned	During the SCAA meeting, the State Directorate
	Industrial Training		6(2+2+2)	IOVO Damark		confirmed that the
	Institute,		Fitter 2(1+1)		that	
1	Pratapgarh Village		Electronics	Agree, Recommended	1. Machines	applicant's ITI has removed the deficiencies.
	Cheetpur Post		Mechanic 2(1+1)		are installed properly	
	Premdharpatti-		Wireman 2(1+1)	Fitter-(1+1+0),	2. In IT lab all computers,	# 280 SECTION OF THE PROPERTY
	230127			Electronics Mechanic-	printer and projector are	
	Uttar Pradesh			(1+1+0), Wireman-	found	Trades:
		7.77		(1+1+0)	3. CITS instructor details	1. Electrician 4(2+2)
	TMP9174PR15809			TC Remark	provided	2. Fitter 2(1+1)
	<u>56762</u>			# Third shift to be run in		3. Electronics
				DST only		Mechanic 2(1+1)
3			1	9 th SCAA Remark		4. Wireman 2(1+1)
				SCAA observed the		
				following deficiencies:		
1				Machine installation is		
				not proper.		
				2. Detail of CITS		
				instructors for each trade.		
				3. Availability of		
				computers, printer and		
	00-00 C (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)			projector in IT Lab is not		-2 - 2 2 T
				as per DGT norms.		
				Applicant will rectify all		
				the above deficiencies	14	
				and submit the detail to		
				State Directorate within		
				07 days from issue of this		
				MoM.		
				State Directorate Officer		
				will physically visit the ITI		
				for verifying IT Lab		
				Infrastructure)	Company of the Compan	
				Thereafter, State Director		
				will verify all above	6	

अपस्मि 19/09/23

प्रणावल विस्ताम (1) IWA1 PISWAS
प्रशिक्षण महानेका । विस्ताम (1) IWA1 PISWAS
प्रशिक्षण महानेका । विस्ताम (1) IWA1 PISWAS
प्रशिक्षण विस्ताम (1) IWA1 PISWAS

		T T				
				documents and submit the signed & stamped report along with recommendation to DGT within 07 days		
				Thereafter the case will be placed in the next		
				SCAA.		
24.	Jeetendraa Singh Pvt. ITI, Rasoolpur Tappa, Sarai Akhil, Kaushambi- 212216 1809026579	New ITI	Electrician 3(1+1+1) fitter 3(1+1+1) COPA 3(1+1+1) CHNM 2 (1+1+0)	4th SCAA Remark Not Recommended due	Inspection report dated	it is discussed that ICVC should give its the comments on the remarks mentioned in the 4 th SCAA MoM.
				not installed as per norms Electrical Lab connection switch are not as per load /Earthing Copa Lab, Some Equipment not	Electrician 2(1+1) fitter 2(1+1) COPA 2(1+1) CHNM 2(1+1)	joint verification as per the remarks of 4 th SCAA MoM and submit report to
				available CH&NM lab some equipment not working, arc welding not functioning and not installation)	in playground	
					Observation: BCC given by Architect and Tahsildar has attested that Building is made as per drawing	AS

19/09/23

प्रकारण विस्तास / WAL DISST प्रशिक्षण महिनेदेशक / Distriction framing प्रशिक्षण महिनेदेशका अञ्चलका अञ्चलका स्त्रीपाल विकास एवं उद्यापनेशका अञ्चलका Ministry of Skill Development and Entrepiene Joshi भारत संस्कार, गई हिल्ली—12/Gov. of India, New Datte-12

	25.	RAM SWAROOP SINGH GAUR PRIVATE INDUSTRIAL TRAINING INSTITUTE Private Industrial Training Institute, KANPUR DEHAT akbarpur kanpur dehat-209101 Uttar Pradesh TMP9156PR15827 72088	New	Electrician 3(1+1+1) Fitter 3(1+1+1) Health Sanitary Inspector 3(1+1+1) Plumber 3(1+1+1)	9th SCAA Remark SCAA observed the following deficiencies: 1. BCC not available. 2. Layout plan is not clear. 3. Detail of CITS instructors for each trade 4. IT Lab infrastructure is not as per norms. Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. State Directorate Officer may physically visit the ITI for verifying IT Lab infrastructure. Thereafter, State Director will verify all above documents and submit the signed & stamped report along with recommendation to DGT within 07 days. Thereafter the case will be placed in the next SCAA.	2. BCC as per norms attached 3. IT lab infrastructure is as per norms 4. CITS instructor details attached	During the SCAA meeting, the State Directorate confirmed that the applicant's ITI has removed the deficiencies. Hence, SCAA recommends the following Trades: 1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. Health Sanitary Inspector 2(1+1) 4. Plumber 2(1+1)
26. A S M, Private ITI, New 1 Diesel Mechanic - 3 (1+1+1) 3rd SCAA Rev. RDSDE sent email on During this SCAA meeting 10.08.2023 and it is observed that the mentioned attached affidavit given by ITI	20.		INEW	Mechanic - 3		10.08.2023 and	it is observed that the



प्रणावल बिस्ताम (11 IWA) BIOWAS
प्रशिक्षण महाराज्य के उत्तर के अपने का अपने क

(1+1+1) 3 Fitter - 3 (1+1+1) 4 Plumber - 3 (1+1+1) 4 Not recommended due to the reasons mentioned in checklist 1 to 21 along with land use and existence of ASM Degree college in the same premises as per lease agreement area not sufficient TC Remark 1. At institute location existence of ASM degree college as per Google and institute has no separate boundary & gate As per lease there are 4 w/s , 3 hall, 4rooms & 1 office which is less than requirement	<u>1809016735</u>	2 Electrician - 6 (2+2+2) 3 Fitter - 3 (1+1+1)	NOT Recommended: 1 Diesel Mechanic -3 (1+1+1) 2 Electrician - 6	inspection report dated 18.07.2023 that 1. Diesel Mechanic - 2 (1+1)	regarding the deficiencies removal, is not signed by ICVC.
Degree college in the same premises as per lease agreement area not sufficient TC Remark 1. At institute location existence of ASM degree college as per Google and institute has no separate boundary & gate As per lease there are 4 w/s ,3 hall,4rooms & 1 office which is less than requirement		- 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	3 Fitter - 3 (1+1+1) 4 Plumber - 3 (1+1+1) Not recommended due to the reasons mentioned in checklist 1 to 21 along with land use and	3.Fitter - 2 (1+1)	Hence State Directorate and RDSDE will jointly give comments on the deficiencies mentioned in the 3rd SCAA and submit a report within 15 days from the date of issue of this MoM."
existence of ASM degree college as per Google and institute has no separate boundary & gate As per lease there are 4 w/s ,3 hall,4rooms & 1office which is less than requirement			Degree college in the same premises as per lease agreement area not sufficient		
hall,4rooms & 1office which is less than requirement			existence of ASM degree college as per Google and institute has no separate boundary &		
railing and no door at the exit No firefighting alarm,			hall,4rooms & 1office which is less than requirement 2. Staircase is without railing and no door at		

अपरित्र है 19/09/23

प्रश्निक Larestor
प्रश्निक महानिदेशाल्य (Director
प्रश्निक महानिदेशाल्य (Directoral Fiberara of Training
कोशाल विकास एवं उद्यानशीत्रालय नात्रालय
Ministry of Skill Development and Entrepreneurship
प्रस्त सरकार, नई दिली-12/Govt. of India, New Delhi-12

Page 116 of 216

	Equipment's,
	devices are
	available other than
	the trade tool list
	Actual dimensions of
	workshop area
	E,F,DM, are not
	matching with map &
6	layout of the Store,
	First-aid, staffroom
	,Library, toilets
	physically not
	matching with map
	Total building old
	constructed other
	than 4 w/s
	4. At the time of insp
	PPL& only 3
	instructors were
	present Only 5 CITS
	qualified out of 37
	inst qualifications of
	most institutes not
	matching with trade
	the date of most of
	the experience
	certificates is
	overlapping
	5. BCC must be
	verified from issuing
E 8 post 61	authority As per
	SDM Gabhana order

				4-4-4 00400040		
				dated 26122012		
				land use is		
				residential		
				No proper drinking water		
1				arrangement & also ramp		
1 (is not available Toilets		
1				are not maintained & in		
				very dirty conditions		
				Insufficient light &		
				ventilation in the Library		
				Only Tent house chairs		
				found in the Library		
				3rd SCAA Rev. Remark		
				Not Recommended due		KI 5 -
				to deficiencies mentioned		No.
07	Maria Laboration		4 0004.0	above		N. Carlos
27.	Manjul Industrial	Existing	1. COPA-3	5th SCAA	RDSDE sent email on	
	Traning Institute,		(1+1+1)		10.08.2023 and	is not as per norms.
	Araji No.1221,		2.Electrician-3	ICVC Remark	mentioned that	Hence ITI needs to submit
	Meharban Singh		(1+1+1)	Not Recommended	1. For Both Electrician	the BCC as per norms
	Ka Purwa,Kanpur		3. Fitter- 3	1.Electrician and Fitter		(refer: page 108, Civil
	Nagar		(1+1+1)	workshop space area,		norms for establishment of
				Classroom area are not		ITI, in affiliation manual
	PU09002153			available as per DGT	2. All machines of Fitter	2018)within 15 days to
				norms.	trade are working and	State Directorate
				2.Few machines are not	Hadraulic machines are	Thereafter the State
	Grading- 7			working in Fitter and	also working	Directorate will verify the
				Electrician workshop and		
				hydraulic machines is not		DGT(HQ) within 07 days
				working	norms	from date of issue of this
		į.		3.Tools and Equipment		MoM.
				are partially available	and bills are available	
				4.Payment proof and		e ²
	-			bills are not provided by	Vannus is attached	
				ITI.	Ranpur is attached artifully wall	SISIVAS
				T. T. D.	व सम्मवल विस्थान	

म्पिर्

निदेशक / Date of an of Training प्रशिक्षण महानिदेशालय Directoral का बाता of Training कीशल विकास एवं उद्यम्बातना मन्त्रालय Ministry of Skill Development and entrapreneurship भारत सरकार, नई दिली-12/Govt, of India, New Delhi-12

Page **118** of **216**

in-			Y			
				TC Remark	6. all instructors are	
				1. No approved plan and		
				BCC certificates are not	norms	
				provided by ITI.	7. Fire Safety certificate is	
1				2. Electrician, fitter	also attached	
			- E	classroom and workshop		
				area is not as per norms.		
				3.CITS qualified		
	¥			instructors are not		
				available.		
				4. Fire safety certificate is		
				not available.		
1				5 th SCAA Remark		
				Not recommended as per		
				recommendation of ICVC		
				and deficiencies		
				mentioned in column V		
				and VI		
28.	Dr. B.R. Ambedkar	Existing	Electrician	8	State has sent email on	The SCAA has observed
	Private ITC -		10(3+3+4)	10th SCAA Remark	dated 10.08.2023 and	that the certificate issued
	Allahabad		Fitter 2(0+0+2)	The matter was	mentioned that	by Lok Nirman Vibhag
	KATAHARA	0		discussed in SCAA and	State has verified the BCC	(PWD) mentions, it as
	HANDIA			following deficiencies	given by SDM and NOC	NOC, however as per the
	ALLAHABAD-			observed:	stating building is safe is	language of the certificate
1	221503			3 American von	given by avar Engineer,	it is BCC.
1	Section 2000 and the section of the			1. BCC is not as per		The same certificate may
	PR09000979			norms.	assistant Engineer	please be got ratified by
1	Grading -6.9			2. Building Plan is not		
1				available.	attached	Vibhag (PWD) that this is
						BCC, within 07 days from
				Applicant will rectify all		date of issue of this MoM.
				the above deficiencies		10000 MARKON MARK
				and submit the detail to		Thereafter State
	an analysis of a con-	52		State Directorate within		Directorate to verify the
				07 days from issue of this		**

3141Ky E 19/09/23 प्रिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यम्भीतला मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिली-1 2/Govt. of india, New Delhi-12

29	RAMYASH	Now	COPA 2(4+4)	MoM. Thereafter, State Director will verify the BCC as per local bye - laws and also verify the above other documents along with trades/units for which ICVC committee has been Recommended and submit the signed & stamped report to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the next SCAA.	State has post small	same and send to DGT(HQ) within 07 days .
29.	COLLEGE OF ITI Private Industrial Training Institute, PRAYAGRAJ MALAK BALAU NAWABGANJ PRAYAGRAJ 229412 TMP9120PR15802 88309	New	COPA 2(1+1) Electrician 2(1+1) Fitter 2(1+1) Plumber 2(1+1)	10th SCAA Remark The matter was discussed in SCAA and following deficiencies observed: 1.CITS Instructors not available 2.BCC is not as per norms. 3.Building plan is not available ITI will rectify all the above deficiencies and submit the detail to State Directorate within 07	instructors attached	The SCAA has observed that the certificate issued by Lok Nirman Vibhag (PWD) mentions it as NOC, however as per the language of the certificate it is BCC. The same certificate may please be got ratified by ITI from the PWD that this is BCC, within 07 days from date of issue of this MoM. Thereafter State Directorate to verify the
	7	1910	09/23		प्रारासण महानि कौशल विः Ministry a s	Page 120 of 216

				days from issue of this MoM. Thereafter, State Director will verify the BCC as per local bye- laws and will also verify the all above		same and send to DGT within 07 days .
				documents as per norms and submit the signed & stamped report to DGT within 07 days.		
				After receipt of report from State Directorate, case will be placed in the next SCAA.		
30.	SAI NATH Private Industrial Training Institute, PRAYAGRAJ H-3 INDUSTRIAL AREA, NAINI,	Existing	Electrician 7(2+2+3) Fitter 1(0+0+1)	10 th SCAA Remark The matter was discussed in SCAA and following deficiencies observed:	2. Electricity bill in the	the State Directorate confirmed that the applicant's ITI has removed the deficiencies. Hence, SCAA
	ALLAHABAD 211010 PR09001347 Grading - 6.1			BCC is not as per norms. Electric bill is not in the name of ITI or Society.	name of society is attached	recommends the following Trade: Electrician 4(2+2)
	Grading - 0. 1	as'		ITI will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.		
					THE REGIST (N) WAY	



				Thereafter, State Director will verify the BCC as per local bye- laws and will also verify the all above documents as per norms and submit the signed & stamped report to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the next SCAA.		
31.	Shri Ram Polytechnic Pvt.ITI 4KM MIle stone Roorkee road nuzaffaenagar Uttar Pradesh MUZAFFARNAGA R- UP - 251001 PR09901238	Existing	Electrician 13(4+4+5) Fitter 13(4+4+5) Machinist 4(1+1+2) Health Sanitary Inspector 6(2+2+2) COPA 6(2+2+2) Fashion Design and Technology 6(2+2+2)	name of the individual, not as per norms. 2. In building plan demarcation for ITI is not	building is utilized for the ITI & 3 rd floor is utilized for the Polytechnic Program. (Annexure- 2 regarding the demarcation of ITI is submitted by the ITI).	bill is still not on the name of ITI.

3741/472

प्रियं विस्तास गा मार्ग BICMAS Page 122 of 216 प्रियं प्रियं मार्ग महानेप के बाता के साम क्यां मार्ग सरकार, में ideell-12/Gov. cl mala, tem cells-12

				Thereafter, RD, RDSDE will verify the all above documents as per norms and submit the signed & stamped report to DGT within 07 days. After receipt of report, case will be placed in the next SCAA.	Two Workshops of Fitter trade of area 89.915 Sq.M each is available (Required Area:- 88 Sq.M per unit) (Copy of Building Plan Layout is attached) RDSDE sent email on	During the SCAA meeting,
32.	MILIND Private Industrial Training Institute, SAHARANPUR Village Daulatpur,Post- Todarpur Mill,Tahsil-sadar- 247001 UTTAR PRADESH	New	Electrician 6(2+2+2) Fitter 2(1+1) Health Sanitary Inspector 2(1+1) Copa 2(1+1)	discussed in SCAA and following deficiencies observed: 1. Details of CITS instructors for each trade. 2. Shortage of electric load. ITI will rectify all the above deficiencies and	02.08.2023 and mentioned that 1. Available staff 01 Principal 02 Group Instructors 02 Drawing Instructors 01 Employability Instructors 01 IT Instructors 12 Trade Instructors -10 are	the State Directorate confirmed that the applicant's ITI has removed the deficiencies. Hence, SCAA recommends the following Trades: 1. Electrician 4(2+2) 2. Fitter 2(1+1) 3. Health Sanitary Inspector 2(1+1) 4. Copa 2(1+1)
	TMP9177PR15812 50523			submit the detail to RDSDE within 07 days from issue of this MoM. Thereafter, RD, RDSDE will verify the all above documents as per norms and submit the signed & stamped report to DGT within 07 days. After receipt of report	03 Clerical staff 2. 20 KVA (20X0.9=18 KW) connection in the name of ITI is available.	
	3-14-5-		9	case will be placed in the next SCAA.	Soulari विस्वास/UJIWAL BISWAS Private Tipractorate General of Training	

अ ० १/23

निदेशक / Director
निदेशक / Director
पश्चिम महानिदेशलय/Directorate Seneral of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिली-12/GoV, of India, New Delhi-12

33.	D R G Private Industrial Training Institute, ALIGARH VILL DHANIPUR KURANA POST KHANDEHA DISTT ALIGARH UP PIN 202137 UTTAR PRADESH TMP9119PR15828 72347	New	Electrician 6(2+2+2) Fitter 3(1+1+1) COPA 2(1+1) Mechanic Diesel 3(1+1+1)	discussed in SCAA and	1. As per plan layout submitted by ITI, the Area of Mechanic Diesel Workshop is 247.22 Sq.M (including 75.9233 Sq.M of parking area. (Required Area as per syllabus:- 210 Sq.M per unit including parking area) 2. Available Staff:- 01 Principal 10 Trade Instructor (03 Instructors have CITS Qualification). 01 Drawing Instructors 01 Workshop Sc. & Cal 01 IT Instructor. 01 Training Office ITI has also submitted an undertaking stating that they will engage CITS qualified instructor before	the State Directorate confirmed that the applicant's ITI has removed the deficiencies. Hence, SCAA recommends the following
34.	Shambhu Narayan Private ITI, Vill& Post : Harahari, Dist : Ghazipur Uttar Pradesh – 233226. 1809017048.	New	Electrician 3(1+1+1) Fitter 3(1+1+1) Sewing 3(1+1+1)Techno logy COPA 3(1+1+1)	10 th SCAA remarks: RDSDE and State directorate UP to conduct the joint inspection of ITI and RD RDSDE submit the report within 30 days from issue of this MoM.	the start of the session. RDSDE has submitted email date d16.08.2023 and mentioned that a letter is attached from Shambhu Narayan Pvt ITI. Wherein ITI is denying for the affiliation	The matter has discussed in SCAA meeting . As ITI applicant is not willing the run the, SCAA rejected its application.

319/6/2

परिवास पर्वास्त पर्वास विस्तास विस्ता

Fili III V	Shree Baba Vishwanath Shiv Phool Private Industrial Training Institute, Faizabad Village Lutafabad,Bachha Ili Post& Tehsil Bikapur Ayodhya,224204 TMP9140PR15826 43661	New	Electrician 9(3+3+3) Fitter 2(1+1+0) Health Sanitary Inspector 2(1+1+0) COPA 2(1+1+0)	The matter was discussed in SCAA and following deficiencies observed: 1. Building plan not proper. 2. Lease document not as per norms. Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. Thereafter, State Director and RD, RDSDE will verify the above documents and ensure that no other activities like other college / institute is being run in same building and submit the signed & stamped report to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the next SCAA.	Building plan as per norms Lease valid for 10 years ITI has given undertaking for no other activity is carried out at their location	During this SCAA meeting it is observed that the affidavit given by ITI regarding the deficiencies removal, is not signed by State Directorate Official. Hence, State Directorate will again verify the deficiencies removal and submit report within 07 days from the date of issue of this MoM. Thereafter the case will be reconsidered in next SCAA.
- k	Kiran Pvt.ITI , Kutubpur, chanora, Firozabad, Uttar	Existing	Electrician 9(3+3+3) Fitter 3(1+1+1)	10th SCAA remarks:	RDSDE sent email on dated 21.08.2023 and mentioned that:	SCAA observed that the IT lab photos are not clear and document submitted





Pradesh-283203 PU09900073 Grading - 7.9	The matter was discussed in SCAA and following deficiencies observed: 1. IT Lab infrastructure is not as per norms. 2. Drawing Hall is not available. 3. Detail of CITS instructors for each trade. Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. Thereafter, RD, RDSDE will verify the rectification of above deficiencies and submit the signed & stamped report to DGT within 07 days. After receipt of report from RD, RDSDE, case will be placed in the next SCAA.	(Copy Attached) submitted by the ITI, 01 IT lab of area 32.84 sqm having 10 computers, 01 projector, 02 printers is available (copy of bills attached) with tiled floors (photos of IT lab attached). Total required computers as per norms is 10 (Total no. of units in a shift is 5 for the ITI) 2. As per plan layout, a drawing hall of area 70.13 sqm is available. Drawing hall furniture's are available (Photo of the drawing hall is attached).	by ITI is not signed by RDSDE official. Hence, RDSDE will verify the documents submitted by ITI and submit report to DGT(HQ) within 07 days from the date of issue of this MoM Thereafter the case will be reconsidered in next SCAA.
		01 Principal	

क्रांसाम महावार क्रीसार कि मान Ministry of Ele कर्म सरकार, नह दिल्ली- (2) Uova (b) (s) है, from John-12

		 ***			01 Engineering Drawing Instructor 01 Workshop Calculation & Science Instructor	
					Trade Total no. Instructors	v
	Fi. "		100 T		Fitter 05	
					Electricia 09	
					COPA 02	
					Fashion 02	
					Design &	
					Technolo	
				Э	gy Hair & 03	-
					Skin Care	
					01 Clerk & 01 Accountant	
37	SUSHILA DEVI	New	Electrician	10th SCAA Remarks:	State sent email on	During this SCAA meeting
	PRIVATE I T I		3(1+1+1)	Th	25.08.2023 and attached	it is observed that the photos attached by State
	Private Industrial Training Institute,		Fitter 3(1+1+1) Sewing	The matter was discussed in SCAA and	BCC Building plan	Directorate are not clear.
	Amethi		Technology	following deficiencies	3. Mentioned that COPA	Directorate die not olear.
	Vill and Post		3(1+1+1)	observed:	trade as per norms	Hence, State Directorate
	Trisundi Amethi-		Copa 3(1+1+1)	1. BCC is not as per	4. Internet facility is	will provide the clear
	228159			norms .	available	photos of IT lab and
	TMD0640DD45004			2. Building plan not	5. Drawing hall as per	drawing hall and submit report to DGT(HQ) within
	TMP9640PR15824 49232			available 3. COPA trade lab was	norms 6. Electricity load id	
	73232			not as per required	verified	issue of this MoM.
	5 =		(36)	specifications of the	7. Provided the details of	
				syllabus.	CITS instructor AND BISWAS	reconsider in next SCAA.



प्रभाव प्रकार प्रदेशिक of India, New Delh 12

	T			4. The internet facility	O attached Fire artists	
				was not available in the IT		
					certificate	
				lab.		
				5. Drawing Hall		
				infrastructure is not as		
				per norms.		
				6. Electric load is less as		
				per norms.		
				7. CITS Instructor not		
				available as per norms.		
				8. Fire safety certificate		
				is invalid.		
				Applicant will rectify all		
				the above deficiencies		
				and submit the detail to		
				State Directorate within		
				15 days from issue of this		
				MoM.		
				Thereafter, State Director		
				will verify the BCC as per		
				local bye-laws and will		
				also verify the other all		
				above documents and		
				submit the signed &		
				stamped report to DGT		
				within 07 days.		
				After receipt of report		
				from State Directorate,		
				case will be placed in the		
				SCAA.		
38	Om Shree Sai	New	Electrician	10th SCAA	State sent email on dated	During the SCAA meeting,
	Private Industrial	MSTI	4(2+2)	The matter was	08.08.2023 and	the State Directorate
1	Training Institute,		Fitter 4(2+2)	discussed in SCAA and	mentioned that	confirmed that the
	Sambhal	li i		following deficiencies	1.NOC attached	applicant's MSTI has
	Gowan Sambhal			observed:	2. BCC attached	removed the deficiencies.
			11:-		61 /6	

अपासि<u>र</u> 19/09/23 प्रतिकार में प्रतिकार में प्रतिकार में SISWARage 128 of 216 प्रतिकार महिल्ला महिला महिल

	Road Block Pwasa	3.Electricity	bill attached Hence, SCAA
	Sambhal U.P		area as per recommends the following
1	244703	State Directorate for norms	Trades:
	211100	MSTI in unserved block. 5. Resolution	
	TMP9659PR15825	2. BCC is not as per term course	
	66182	norms.	Fitter 4(2+2)
1	33.02	3. Electricity bill not	(= =/
		available.	
		4. Shortage of Library	
		area.	
		5. ITI to have at least one	
		short term course.	
		Applicant will rectify all	
		the above deficiencies	
		and submit the detail to	
		State Directorate within	
		07 days from issue of this	
		MoM.	
		The confidence Otate Discrete	w ·
ŀ		Thereafter, State Director	
		will verify the BCC as per	
		local bye laws, Electric	
1		load and also verify the other documents and	
		submit the signed &	
		stamped report to DGT	
		within 07 days.	
		within or days.	
1		After receipt of report	
		from State Directorate,	
		case will be placed in the	
		SCAA.	

अपारित्र 19/09/23 प्रणावल विस्वास/UJSWAL BISWAS
निवंशक / Director
प्रशिक्षण महानिवंशकत / Director
प्रशिक्षण महानिवंशकत / Directoria - Remain of Training
कोशल विकास एवं उद्धानशीलता मञालय
Ministry of Skill Davelopment and Entrepreneurship
पाता सरकार नहें दिल्ली-12/Gost of India, New Delfu-12

E Ir V N P C U	MAA PAUDHARI DEVI Private ndustrial Training nstitute, BALLIA /ILLAGE- NIYAMATPUR POST-KANSO DISTRICT-BALLIA J.P221712 IMP9126PR15817 64402	New	Electrician 6(2+2+2) Fitter 6(2+2+2) COPA 3(1+1+1) Plumber 3(1+1+1)	The matter was discussed in SCAA and following deficiencies observed: 1. BCC is not as per norms. 2. Shortage of Electric load. 3. Details of CITS Instructors for each trade. Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.	During the SCAA meeting, the State Directorate confirmed that the applicant's ITI has removed the deficiencies. Hence, SCAA recommends the following Trades: Electrician 4(2+2) Fitter 4(2+2) COPA 2(1+1) Plumber 2(1+1)
				Thereafter, State Director will verify the BCC as per local bye- laws and also verify the above documents and submit the signed & stamped report to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the next SCAA.	

31911418

प्रशिक्षण महानेवार राजेप्याल 1व के Page 130 of 216 Ministry of Said 1 - 1000 of adia, New Delhi-12

40	Kamla Prasad Singh Private Industrial Training Institute, Sultanpur Baraula Gaura, Sultanpur, Uttar Pradesh Sultanpur-228151 TMP9185PR15825 23406	New	1. Electrician 6(2+2+2) 2. Fitter 2(1+1) 3. Copa 2(1+1) 4. Health Sanitary Inspector 2(1+1)	The matter was discussed in SCAA and following deficiencies observed: 1. BCC is not as per norms. Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify the BCC as per local bye- laws and also verify the above documents and submit the signed & stamped report to DGT within 07 days. After receipt of report	State sent email on 8.8.2023 and mentioned that as per norms BCC attached	During the SCAA meeting, the State Directorate confirmed that the applicant's ITI has removed the deficiencies. Hence, SCAA recommends the following Trades: 1. Electrician 4(2+2) 2. Fitter 2(1+1) 3. Copa 2(1+1) 4. Health Sanitary Inspector 2(1+1)
				from State Directorate, case will be placed in the next SCAA.		
41	SHRI RAM DAS PVT. ITI,, Partapur, Kishni, Mainpuri, Mainpuri, Uttar Pradesh.	New	Electrician- 3(1+1+1) Fitter-3(1+1+1) Copa-3(1+1+1) Plumber- 3(1+1+1)	The matter was discussed in SCAA and following deficiencies observed: 1. BCC is incomplete, not	State sent email on dated 25.08.2023 and submitted 1. BCC 2. Electricity bill 3.Details of CITS instructors	During the SCAA meeting, the State Directorate confirmed that the applicant's ITI has removed the deficiencies. Hence, SCAA recommends the following Trades:
	1003017304	and the second	(3)	as per norms.	GRAFIUNIA TO A STATE OF THE STA	11000



					2. Electric bill is not available. 3.CITS certified Instructors not available. Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify the BCC as per local bye laws and also verify the above other documents and submit the signed & stamped report to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the SCAA.		Electrician-2(1+1) Fitter-2(1+1) Copa-2(1+1) Plumber-2(1+1)
42	Sri Nathilal Pvt ITI, Syarmau Tehra Agra 1809016789	New	1 COPA (1+1+1) 2 Electrician (1+1+1) 3 Fitter (1+1+1)	3 3	5 th SCAA ITI needs to submit the BCC as per norms to the State Directorate within 07 days from issue of this MoM. State Directorate to verify the BCC and submit the	State sent email on 25.08.2023 and provided BCC as per norms	During the SCAA meeting, the State Directorate confirmed that the applicant's ITI has removed the deficiencies. Hence, SCAA recommends the following Trades: 1 COPA 2 (1+1)

उज्जावल बिस्तास /UJJWAI BISWAS निवासार / Exercise Page 132 of 216 प्रतिस्था महाविदेशात्वक कर्मा का अन्य किलागा महिला विकास एक अस्पर्वेट प्रश्चालन्स Ministry of Skill fines a second Exist sprate inship महत्व संस्कार, वह दिल्ली-12/Gord of india, New Delit-12

4 Health	report with clear	2 Electrician 2 (1+1)
Sanitary Inspector- 3 (1+1+1)	recommendations within 07 days from issue of this MoM.	3 Fitter 2 (1+1) 4 Health Sanitary Inspector- 2 (1+1)

State: - West Bengal

S. No	ITI name	Type of application	Trade unit Sought for affiliation	Summary of the Case	Compliance sent by State	
1	11	III	IV	V	VI	VII
1.	Rishra Multi Skill Training Institute Hooghly Simla Satghara Road, P.O- Pravasnagar, P.S- Rishra, Dist- Hooghly, W.B-712104	New (MSTI)	Electrician 2(1+1) Fitter 2(1+1)	SCAA observed the following deficiencies: 1. BCC is not as per norms 2. NOC from State for MSTI laying in unserved	mentioned that BCC submitted by local	removed the
	TMP19312PU1647333260			block MSTI applicant needs to submit the BCC as per norms to State Directorate. State Directorate will submit the following details within 7 days from date of issue of this MoM 1. BCC as per norms and verified by State	mentioned that MSTI is in unserved block	

3191 A) E

प्राचित विस्तास (IJJINAL BICANAS
प्राचित महाज्यावर्ग (Ibrach artisam)
प्राचित महाज्यावर्ग (Ibrach artisam)
प्राचित महाज्यावर्ग (Ibrach artisam)
प्राचित महाज्यावर्ग (Ibrach artisam)
भागवर्ग (Ibrach artisam)
भागवर्ग सहस्र, मुं हर्नी-12 (Gov. o'inda, New Osilh-12

2.	Bishop Morrow Private ITI Nadia DI Roy Road, P.OKrishnanagar, P.S- Kotwali 741101, Nadia, West Bengal PU19000059 Grading - 5.3	Existing	Electronic Mechanic 2(1+1+0) Smartphone Technician cum App Tester 2(1+1+0)	2. NOC for MSTI laying in unserved block Thereafter this case will be placed in next SCAA. 10 th SCAA final Remarks The matter was discussed in SCAA and following deficiencies observed: 1. BCC not available as per norms. ITI will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify BCC as per local bye-laws and submit the signed & stamped report to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the next	State Directorate has sent email on dated 5.07.2023 and mentioned that BCC submitted by local municipality is valid and accepted in State No statutory plan attached. State Directorate has verified that building is fit for use.	During the SCAA meeting, the State Directorate confirmed that the applicant's ITI has removed the deficiencies. Hence, SCAA recommends the following Trades: 1. Electronic Mechanic 2(1+1) 2. Smartphone Technician cum App Tester 2(1+1)
3.	Arambagh, Nabadiganta, Pvt. ITI, Hooghly, West	Existing	Electrician 2(1+1)	SCAA. 10th SCAA remarks : SCAA Recommended that	State Directorate has sent email on dated	During the SCAA meeting, the State
	Bengal PU19000108	0.5		BCC to be verified by State Director as per local byelaws.	26.07.2023 and submitted :	Directorate confirmed that the applicant's ITI has

उज्जवल विस्वास/UJ IWAL RISWAS
निवेश का प्रतिस्थान सामित्रकार अन्य प्रतिस्थान सामित्रकार अन्य प्रतिस्थान सामित्रकार अन्य प्रतिस्थान सामित्रकार अन्य प्रतिस्थान सामित्रकार विकास स्थान प्रतिस्थान सामित्रकार अन्य प्रतिस्थान सामित्रकार सामित्रकार

Grading - 6.4	ITI will submit the BCC as per norms to State	No statutory plan given by Assistant Engineer	removed the deficiencies. Hence, SCAA recommends
	Directorate within 07 days of the issue of this MoM.	State Directorate has	the following Trade:
	Thereafter, State Director will verify BCC as per local bye-laws and submit the signed & stamped report to DGT within 07 days.	verified that building is fit for use.	Electrician 2(1+1)
	After receipt of report from State Directorate, case will be placed in the next SCAA.		

374/4/2

उज्जेवल बिस्वास/UJJWAL BISWAS
निदेशक / Detector
प्रतिक्रण महान्द्रसम्मा Describe - For or harding
कीशल विकास एक उत्पादक के हम महान्द्रस्य
Ministry of Skill Development an Entre, for First Na भारत सरकार, गई बिली-12/Gov. of India, New bank 72 Draft Minutes of SSDEC and Miscellaneous case, discussed during 11th SCAA meeting

Agenda 3: Actionable points of minutes of SSDEC meetings of Haryana, Rajasthan, Goa and Kerala

The following Minutes of SSDEC meeting of Haryana, Rajasthan, Goa and Kerala is received by DGT. Actionable points relevant to DGT from these SSDEC meeting were discussed in detail and SCAA remarks are given below:

SI. No.	Name of State	Date of SSDEC meeting	Agenda/ Recommendation of SSDEC Meetings	SCAA remarks
1	II	III	IV	V
1.	Haryana	3 rd meeting, dated 13.07.2023	SSDEC Haryana has recommended the SCVT to NCVT conversion of the trades/units in 04 Govt ITIs. The details of these ITIs are given below: I. Govt. ITI Barwala GU06000072 II. Govt. ITI Tohana	SCAA agreed with the recommendation of SSDEC and recommended the SCVT to NCVT conversion of the trades/units in 04 Govt ITIs. The details of trades units recommended by SCAA is given in Annexure -I
			GU06000036 III. Govt. ITI Bhirdana GR06000375 IV. Govt. ITI Rakhi Shahpur GR06000131 2. SSDEC Haryana has recommended conversion of 293 NCVT trade/units into DST (Dual System of Training) in 65 Govt ITIs.	2. SCAA agreed with the recommendation of SSDEC and recommended 293 NCVT trade/units into DST (Dual System of Training) in 65 Govt ITIs. The details of trades units recommended by SCAA is given in Annexure -II

प्रशिक्षण महामिदेश ल्या "monumate as ease of Trainin Page 136 of 216 कोशाल विकास एवं द्वारामार्थ करण सम्बन्ध Ministry of Skui Development are consistent under the continu

2.	Rajasthan	4th meeting, dated	1. SSDEC Rajasthan sent the 1. SCAA agreed with the recommendation
	,	22.06.2023	recommendation for of SSDEC and recommended the
			conversion of 08 Govt ITIs SCVT to NCVT conversion of the
	2 3		from SCVT to NCVT. The trades/units in 08 Govt ITIs.
			details of these ITIs are given The details of trades units
			below: recommended by SCAA is given in
	1,00		I. Govt. ITI Nasirabad Annexure -III.
			Dist. Ajmer (NEW ITI)
			II. Govt ITI Kotputli Dist. Jaipur GR08000081
			III. Govt. ITI Raniwara Dist
			Jatore GR08000094
			IV. Govt. ITI Shahpura
			Dist Jaipur
			GR08000080
			V. Govt. ITI Pipar City Dist
			Jodhpur GR08000959
			VI. Govt. ITI Woman
			Bikaner Dist Bikaner GR08000103
			VII. Govt. ITI Lohawat Dist.
			Jodhpur (NEW ITI)
			VIII. Govt. ITI Karanpur Dist
			Sri Ganganagar
	38.5		GR08000060
			SSDEC has not SCAA agreed with the recommendation
			recommended 09 Pvt ITIs for of SSDEC and Not recommended the
27	continuos e		the shifting. The details of these cases are given below:

319/HE 19/09/43 प्रियम् विश्वास । प्राप्त कर्मा । प्राप्त करिया । प्राप्त कर्मा । प्राप्त कर्मा । प्राप्त कर्मा । प्राप्त करिया । प्राप्त कर्मा । प्राप्त कर्मा । प्राप्त कर्मा । प्राप्त करिया । प्राप्त करिया । प्राप्त कर्मा । प्राप्त कर्मा । प्राप्त करिया । प्राप्त करिया । प्राप्त करिया । प्राप्त कर्मा । प्राप्त करिया । प्राप्त करि

	IX. Rajasthan Trade Private IT PR08001411	
	VIII. Maa Saraswati Private ITI PR08001528	
	VII. Vedanta Private Industrial Training PR08000491	~
	VI. Hare Krishna Private Industrial PU08001557	
	PR08001342 V. Shiv Private Industria Training PR08000463	
	PU08000585 IV. G.T. Private ITI, Jagir Bandikui, Tehsi	
	PR08000486 III. Shiv Sai Private Industrial Training	
	Industrial Training PR08000254 II. Jai Hind Private Industrial Training	Annexure -IV.
	I. Gurupragya Private	

उज्जवल बिस्वारा/UUUV'AL BISWAS
निकेशक / 13 महारा अर Page 138 of 216
प्रीक्षण महानेपशालक का का का का महिल्या
Ministry of Skill Promotion of and the more repoship
भारत बरकर, नई दिल्ली । 276 wt. of and a real control

101		× -4	Carpenter 2(1+1) Mechanic Electric Vehicle 2(1+1) S.Fire Technology and Industrial Safety Management 2(1+1)	Mechanic Electric Vehicle 2(1+1) Fire Technology and Industrial Safety Management 2(1+1)
4.	Kerala	2 nd Meeting, Dated 23.06.2023	SSDEC Kerala has recommended the SCVT to NCVT conversion of the 02 trades/units in Govt ITI Kalpetta GR32000307, as per details given below: 1. Plumber 2(1+1) 2. COPA 2(1+1)	SCAA agreed with the recommendation of SSDEC and recommended SCVT to NCVT conversion of the 02 trades/units in Govt ITI Kalpetta GR32000307, as per details given below: 1. Plumber 2(1+1) 2. COPA 2(1+1)

Agenda 4: Miscellaneous case

Agenda 4.1: Rajasthan State -Conversion of SCVT trades into NCVT in 03 Govt ITIs

State Directorate Rajasthan has sent request for conversion of SCVT-trade/units into NCVT in 3 Government ITIs vide its letter dated 21.07.2023. In this matter State Skill Secretary, Shri PC Kishan, wrote a letter on 26.07.2023 to DG DGT for consideration of the same and mentioned that these cases will be ratified in their next SSDEC meeting. Details of these case are as follows:

S. No	ITI name and Address	NCVT MIS Code	Trade and Units sought for conversion into NCVT
1	Govt ITI Sawai Madhopur	GR08000109	Computer operator & Programming Assistant - 02 (1+1) Unit
2	Govt. ITI Kelwara Dist Baran	GR08000150	Electrician — 2(1+1) Addl Fitter - 02(1+1)

19/09/23

স্থানিক বিধনান UTWA BISWAD
সমিক সংক্রিক Deschools Serval of Training
সমিক সংক্রিক বিধান বিধানিক বিধান

Page 139 of 216

Govt. ITI Chhabra Dist Baran	GR08000997	Refrigeration & Air Conditioning Technician - 02(1+1) Unit	
------------------------------	------------	---	--

SCAA remarks: SCAA recommended the SCVT to NCVT conversion of the trade units in 03 Govt ITIs as per the details given above. However, State Directorate is requested to ratify the same in their SSDEC meeting

Agenda 4.2: Jharkhand State - Affiliation of New age courses

State Directorate Jharkhand has sent request for Affiliation of New age courses in 13 Govt ITIs, as per the details given below:

S. NO	ITI Name	NCVT MIS Code	Trades	Units
1	Industrial Training Institute (Welfare), Ranchi	GR20000011	Mechanic Electric Vehicle	1+1
2	Govt Industrial Training Institute	CD2000004	IOT Technical (Smart City)	1
	Governational Training Institute	GR20000004	Smart Phone Technician Cum App Tester	1
3	Women Govt ITI, Khunti	GR20000319	Drone Technician	1
			Mechanic Electric Vehicle	1+1
4	Govt Industrial Training Institute Dhanbad	GR20000007	Solar Technician (Electrical)	1
			IOT Technical (Smart City)	1
5	Govt ITI Govindpur Dhanbad	GR20000290	Drone Technician	1
		GR20000013	Mechanic Electric Vehicle	1+1
6	Govt Industrial Training Institute Dumka		IOT Technical (Smart City)	1
			Solar Technician (Electrical)	1
7	Govt. Industrial Training Institute Jamshedpur	CB20000020	Mechanic Electric Vehicle	1+1
	Covt. Industrial Training institute samsneupur	GR20000039	IOT Technical (Smart City)	1
			Mechanic Electric Vehicle	1+1
8	Govt. Industrial Training Institute, Chaibasa	GR20000009	IOT Technical (Smart City)	1
			Solar Technician (Electrical)	1

19/09/23

निवेशकः Page **140** of 210

9	Govt Industrial Training Institute Hazaribagh	GR20000005	Drone Technician	1
			IOT Technical (Smart City)	1
10	Govt ITI Deoghar	GU20000291	Drone Technician	1
11	GOVT ITI,Madhupur(Deoghar)	GR20000300	Drone Technician	1
12	Govt ITI Lokai, Koderma	GR20000284	Drone Technician	1
13	Govt. Industrial Training Institute, Bokaro	GR20000008	Technician Mechatronics	1+1
			Smart Phone Technician Cum App Tester	1
		2	Solar Technician (Electrical)	1

SCAA remarks: In principle approval is granted to aforesaid 13 Govt ITIs for addition of New Age courses as per details given above. However, State Directorate is requested to ratify the same in their SSDEC meeting.

Agenda 4.3: Bihar State – Affiliation matter of BGP Pvt MSTI (TMP 399 MSTI New)- The affiliation matter of BGP Pvt MSTI (TMP 399 MSTI New) was placed in 9th SCAA and ITI was granted opportunity to remove deficiency and submit the compliance report through State Directorate. This MSTI applicant submitted several representations, asserting that all deficiencies had been addressed. However, no compliance report has been received from the State Directorate.

SCAA remarks: The matter was discussed with State Directorate during meeting, and State Directorate informed that file is under process with them.

Agenda 4.4: Uttar Pradesh State – Affiliation matter S.R.C.M., Private ITI Agra – The affiliation matter of this ITI was discussed during this meeting. As representation received from concerned ITI that the deficiency of electricity bill is removed and report submitted by Nodal Principal vide letter no. 1435 dated 18.10.2022 to State Directorate.

SCAA remarks: State Directorate will examine the report submitted by Nodal Principal dated 18.10.2022 and will give its comments within 07 days from date of issue of this MoM.

निवंदेशाला Eurocipiate Lene के प्रशास प्रियमित प्रशासनी के प्रशास

Annexure as referred in Agenda 3, S.no. 1 (SSDEC Haryana), SCVT to NCVT conversion

SN	ITI name and Address	District	Shift wise Trade and Units for which affiliation has been sought under NCVT	Shift wise Trade and Units recommended by SSDEC Committee	SCAA remarks	
1	Govt. ITI Barwala GU06000072	Hisar	Mechanic Motor Vehicle (1+1), Refrigeration & Air Conditioning Technician (1+0) COPA (1+0) units	Mechanic Motor Vehicle (1+1), Refrigeration & Air Conditioning Technician (1+0) COPA (1+0)	Recommended Mechanic Motor Vehicle (1+1), Refrigeration & Air Conditioning Technician (1+0) COPA (1+0)	
2	Govt. ITI Tohana GU06000036	Fatehabad	Draughtsman Civil addl (0+1) Painter General (1+0)	Draughtsman Civil addl (0+1), Painter General (1+0)	Recommended Draughtsman Civil addl (0+1), Painter General (1+0)	
3	Govt. ITI Bhirdana GR06000375	Fatehabad	Sewing Technology (1+1)	Sewing Technology (1+1)	Recommended Sewing Technology (1+1)	
4	Govt. ITI Rakhi Shahpur GR06000131	Hisar	Electrician (1+1), Fitter (1+1) Steno Hindi (1+0)		Recommended Electrician (1+1) Steno Hindi (1+0)	

34/143

प्रणावल बिस्वास /U.I.I.WAL BISWAS
प्रतिस्था महानिकालम् प्रणातकाः व का Faining
बर्गेशल विकास एक उत्पादकः व महानिकालम् Ministry of Skill Deve consert a Fried Persecusivo मत्य तरकार, नह दिल्ली । 27 Jova of and a flow Delin-12

Annexure -II

Annexure as referred in Agenda 3, S.no. 1 (SSDEC Haryana), DST conversion

SI. No.	Name of Institute with address	NCVT/MIS Code	Name of the industry	Name of the Trade for DST	Conversion of Already Affiliated unit/shift to DST for concerned ITI, recommended by SSDEC		SCAA Remarks
				× <u>.</u>	Units	Shift	
1	Adampur	GR06000053	The Sukhmani Automobiles, Adampur	Mechanic Tractor	1	1st	Recommended
			G.S. Motors, Adampur	Mechanic Diesel	1	1st	Recommended
			Electromech Power(I)	Electrician	1	1st	Recommended
			Pvt. Ltd.	Welder	1	1st	Recommended
2	Ambala Cantt.	GU06000040	OSAW Udyog Pvt. Ltd.	Welder	1	1st	Recommended
				Machinist	1	1st	Recommended
				Fitter	1	1st	Recommended
		1	S. K. Agro Industries	Welder	1	2nd	Recommended
3	Ambala City	GU06000027	Haryana Roadways	Mechanic Diesel	1	1st	Recommended
4	Asaudah	GR06000345	Haryana Roadways	Fitter	1	1st	Recommended
				Electrician	1	1st	Recommended
		8	, i	Welder	1	1st	Recommended
5	Bahadurgarh	GU06000021	Nastik Technology India Pvt. Ltd.	Electronic Mechanics	2	2nd	Recommended
J						2nd	Recommended
				Mechanic Consumer Electronic Appliances	1	2nd	Recommended
			Haryana Roadways Jhajjar	Welder	1	1st	Recommended
	-			Electrician	2	1st	Recommended

19/09/23

प्रणावल विरवास/UJJWAL BISWAS
पशिक्षण महानिष्टेर के / Currented
पशिक्षण महानिष्टेर क्या Luce Laboration
काशल विकास प्रणासिक क्या अवस्थान विकास विक

Page 143 of 216

			East West Automation Pvt. Ltd.			2nd	Recommended
			Nastik Technology India Pvt. Ltd.	Electrician	1	2nd	Recommended
			Candour Technology	Machinist	1	2nd	Recommended
			Haryana Roadways,	Mechanic Diesel	1	1st	Recommended
			Jhajjar	Welder	1	2nd	Recommended
				Carpenter	1	1st	Recommended
6	Bapoli	GR06000389	The Panipat Co- Operative Sugar Mill	Welder	1	1st	Recommended
			Aaryaman Automobiles	Mechanic Motor Vehicle	1	1st	Recommended
7	Barwala	GU06000072	Radha Doors	Carpenter	1	1st	Recommended
			Silver Star	Sewing Technology	1	1st	Recommended
			Aggarwal School Dress	Sewing Technology	1	2nd	Recommended
8	Bharanpur	GR06000365	Kirpa Agro Industries	Fitter	1	2nd	Recommended
			K.C. Engineers Ltd.				Recommended
			Sujal Exim India Pvt.	Welder	1	1st	Recommended
			Ltd.	Sheet Metal Worker	1	1st	Recommended
			Naraingarh Sugar Mill Ltd.	Welder	1	2nd	Recommended
9	Barara at Holi	GR06000059	OSAW Agro Industries Pvt. Ltd.	Fitter	1	2nd	Recommended
			Mars Edpal Instruments Pvt. Ltd.				Recommended
			Mars Electronics Pvt. Ltd.	Electrician	1	2nd	Recommended
			Maffic Instrument Pvt. Ltd.				Recommended
10	Bhaproda	GR06000092	INDUS APPLIANCE	Wireman	1	2nd	Recommended
			Pvt. LTD.	Electrician	1	2nd	Recommended
				Machinist	1 1	2nd	Recommended

1		1		Fitter	1	2nd	Recommended																		
				Welder	1	2nd	Recommended																		
11	Bhiwani	GU06000014	Dharmesh Textiles Limited	Fitter	1	1st	Recommended																		
			Varun Foils Limited	Turner	1	1st	Recommended																		
			Daniels Furniture	Carpenter	1	1st	Recommended																		
				Welder	1	1st	Recommended																		
			Chauhan Electronics	Technician Power Electronics System	1	1st	Recommended																		
				Electrician	1	1st	Recommended																		
12	Bhodia Khera	GR06000086	Haryana Roadways	Mechanic Diesel	1	1st	Recommended																		
-			g personal 💆 out to come es a mitorial accessor and 🗣 and	Welder	1	1st	Recommended																		
13	Butana	GU06000078	Dangi Industries Pvt. Ltd.	Welder	1	1st	Recommended																		
14	Chhara	GR06000346	Jindal Lifestyle Ltd.	Fitter	1	1st	Recommended																		
15	Faridabad	GU06000025	Haryana Roadways, Faridabad	Mechanic Diesel	1	2nd	Recommended																		
			Escorts Ltd., Faridabad	Mechanic Diesel	1	1st	Recommended																		
			The state of the s	Machinist	1	2nd	Recommended																		
-											Fitter	1	1st	Recommended											
			JBM Auto Limited	Welder	1	1st	Recommended																		
																			-		Hettich India Ltd.	Carpenter	1	2nd	Recommended
							Haryana Roadways, Faridabad	Welder	1	2nd	Recommended														
			Star Wire India Ltd.	Machinist	1	2nd	Recommended																		
				Fitter	1	2nd	Recommended																		
			Orient Electric Limited	Electronic Mechanics	1	2nd	Recommended																		
16	Gohana	GU06000046	RIBA Textiles Limited, Chidana, Gohana	Fashion Design & Technology	1	1st	Recommended																		
			The second district and the second district in the second district and the second district in the second district	Fitter	1 3550	वन बिस्वास्त्रांडा	Recommended																		

			UHBVN, Gohana Division	Electrician	1	1st	Recommended
			Ch. Devi Lal Co- Operative Sugar Mill, Gohana	Turner	1	1st	Recommended
17	Gurugram	GU06000002	Triple Play Interactive Network Pvt. Ltd.	Fiber to Home Technician (Telecom)	1	1st	Recommended
			Haldiram Mfg.Co. Pvt. Ltd.	Food Production (General)	1	1st	Recommended
			Voltas Limited	RAC	1	2nd	Recommended
				RAC	1	2nd	Recommended
			Munjal Showa Limited	Welder	1	1st	Recommended
			Prem Motors Pvt. Ltd.	Mechanic Motor Vehicle	1	2nd	Recommended
			Denso Haryana Pvt.	Fitter	1	1st	Recommended
			Ltd.	Electronic Mechanic	1	1st	Recommended
18	Gurugram(W)	W) GU06000052	Matrix Clothing Pvt. Ltd.	Sewing Technology	1	1st	Recommended
				S.O.T.	1	1st	Recommended
_			Moksha Welness Pvt. Ltd.	Cosmetology	1	1st	Recommended
19	Hassangarh	GU06000018	Alienskart Web Pvt. Ltd.	COPA	1	1st	Recommended
			Mohan Earth Mover LLP	Mechanic Motor Vehicle	1	1st	Recommended
				Mechanic Tractor	1	1st	Recommended
			Universal Precision	Fitter	1	1st	Recommended
			Screws	Turner	1	1st	Recommended
			SnPC Machines Pvt.	Electrician	1	1st	Recommended
			Ltd.	Wireman	1	1st	Recommended
				Painter(G)	1	1st	Recommended
		_	-	Welder	1 0	1st	Recommended

प्रणावल बिस्वास/U J.WAL BISWAS
निर्देशक - En both - Page 146 of 216
कौराल विकास एदं ना के ना मान्य स्था Ministry of Skii. Procedure के का सम्मान स्था बार्टिक के साम किया है कि का का मान्य के सम्मान स्था

20	Hathin	GR06000050	Haryana Roadways, Palwal	Mechanic Diesel	1	1st	Recommended
			Talbros Engineering Limited	Turner	1	1st	Recommended
	E		The Palwal Coop. Sugar Mills Ltd.	Fitter	1	1st	Recommended
21	Hisar	GU06000003	OM Diesels Pvt Ltd.	Mechanic Diesel	1	1st	Recommended
21	Thou		Panchmukhi Automobile, Hisar	Mechanic Diesel	1	2nd	Recommended
			Jindal Stainless Ltd.,	COPA	1	2nd	Recommended
			Hisar	Fitter	1	1st	Recommended
			Jindal Supreme (India) Pvt. Ltd., Hisar	Fitter	1	2nd	Recommended
			Ashoka Engineers	RAC	1	2nd	Recommended
			Orion Motors Pvt. Ltd., Hisar	Mechanic Motor Vehicle	1	2nd	Recommended
			Jindal Polybuttons Pvt. Ltd.	Turner	1	2nd	Recommended
22	Hisar (W)	GU06000004	Alpha Technology	COPA	2	1st 2nd	Recommended
-23	Jhajjar	GR06000341	Uniparels Pvt. Ltd.	Sewing Technology	1	1st	Recommended
25	Jilajjai	Choocoo	Farmtrac Tannu Automobile	Mechanic Tractor	1	1st	Recommended
			Haryana Roadways,	Mechanic Diesel	1	1st	Recommended
			Jhajjar	Carpenter	1	1st	Recommended
			Mechanic Motor Vehicle	1	1st	Recommended	
			Welder	1	1st	Recommended	
			Denso Haryana Pvt.	Fitter	1	1st	Recommended
			Ltd.	Electrician	1	1st	Recommended
24	Jind	GU06000062	Haryana Roadways, Jind	Mechanic Diesel	1	1st	Recommended

ज्ञपासिंह 19109/23 प्रभावल विस्वास UJIWAL BISWAS
प्रिक्षण किरवास Disector
प्रोक्षण महीनरहरू प्रकार के जान प्रकार प्रका

Page 147 of 216

			Haryana Roadways, Jind	Mechanic Motor Vehicle	1	1st	Recommended																	
			The Jind Co-Op. SugarMill Ltd.	Fitter	1	1st	Recommended																	
25	Karnal Gl	GU06000001	PIARA SINGH & SONS 300/3A HSIIDC KARNAL	Welder	1	1st	Recommended																	
			RAJINDRA AGRO INDUSTRIES				Recommended																	
			PAIR AGROKING PVT LTD	Г			Recommended																	
			AAHANA DÉCOR (P)LTD. KARNAL	Carpenter	1	1st	Recommended																	
		CENTURY PLYBOARDS INDIA LTD. TARAORI CO-OP SUGAR MILL Fitte				Recommended																		
																				CO-OP SUGAR MILL	Fitter	1	1st	Recommended
			KARNAL	Electrician	1	1st	Recommended																	
			HARYANA ROADWAYS KARNAL	Mechanic Diesel	1	1st	Recommended																	
			STAR AUTOMOBILE	Mechanic Diesel	1	1st	Recommended																	
26	Karnal(W) GL	J06000090	Pooja Professional Hair, Beauty Bridal & SPA	Cosmetology	1	1st	Recommended																	
			Mansa Solar Energy	Electronic Mechanics	1	2nd	Recommended																	
			Pawar Technologies	COPA	1	1st	Recommended																	
			ARK Impex	Sewing Technology	1	1st	Recommended																	
				S.O.T.	1	1st	Recommended																	
27	Kaithal GU	J06000013	Jindal Engg. Works, Kaithal	Welder	1	1st	Recommended																	
			New Kissan Machinery Store	Mechanic Tractor	1	1st	Recommended																	
			Kaithal Tractors				Recommended																	

मिनेशक / Director Page 148 of 216

प्रशिक्षण महानिदेशालक/Lorenterator Seneral of Training कौराल विकास एवं उद्यानशीलता संत्रालय Ministry of Skill Development and Entrepreneurship पात्व सरकार, गई दिल्ली-12/Govt. of India. New Poll-12

1	1	1	Jaswant Rai & sons	Carpenter	1	1st	Recommended
			Panchal Wood Works				Recommended
		-	Haryana Roadways, Kaithal	Mechanic Motor Vehicle	1	1st	Recommended
	* a *		The Kaithal Co-Op Sugar Mills Ltd.	Electrician	2	1st 2nd	Recommended
				Fitter	2	2nd 1st	Recommended
				Welder	2	2nd 1st	Recommended
28	Kaithal(W)	GU06000028	NILM University	COPA	1	1st	Recommended
20	Kaltrial(VV)	G00000020	THEM SHIVETONY	Fashion Design & Technology	1	1st	Recommended
				Electronic Mechanics	1	1st	Recommended
29	Kalka at Bitna	GU06000081	Skyvue Fenestration	Carpenter	1	1st	Recommended
23	Naika at Ditila	00000000	Panchkula Steel	Fitter	1	1st	Recommended
			T GITOTING O TO T	Welder	1	1st	Recommended
			B.N. Hitech Machines Pvt. Ltd.	Electrician	1	1st	Recommended
		2	Milestone Gears Pvt. Ltd.	Machinist	1	1st	Recommended
			A.V. Enterprises			IΓ	Recommended
			Raja Gears Pvt. Ltd.				Recommended
			HMT Machine Tools Ltd., Pinjore	Turner	1	1st	Recommended
			Haryana Roadways, Panchkula	Mechanic Diesel	2	1st 2nd	Recommended
30	Kurukshetra	GU06000058	INCOOS Woodtech	Carpenter	1	1st	Recommended
30	Nuluksilelia	300000000	Ganpati Auto Traders	Machinist	1	1st	Recommended
	8 "		Kisan Tractors	Mechanic Tractor	1	1St BISWAS	Recommended

अपार्सि <u>19/09/23</u>

प्रभावत विस्तास / United to Fraining प्रभाव महानिशालक (June and America Ameri

Page **149** of **216**

			Vishwakarma Automobiles				Recommended
			Dashmesh Tractors				Recommended
			Jaswant Singh & Sons		*		Recommended
			Kabir Engg. Works	Electrician	1	1st	Recommended
			The Shahbad Co-Op Sugar Mills Ltd.			\$35000	Recommended
		_	The Shahbad Co-Op Sugar Mills Ltd.	Welder	1	1st	Recommended
			Azad Industry				Recommended
31	Khakrhoda	GR06000143	SnPC Machines Pvt. Ltd.	Welder	1	1st	Recommended
			Sandeep Enterprises	Fitter	1	1st	Recommended
			Pvt. Ltd.	Machinist	1	1st	Recommended
			Sagar Sports	Dress Making	1	1st	Recommended
			Swan Motors	Painter(G)	1	1st	Recommended
			Balhara Automobiles	Mechanic Diesel	1	1st	Recommended
			Bharat Transformer Service	Electrician	1	1st	Recommended
-			Jagmohan Automotives Pvt. Ltd.	Mechanic Motor Vehicle	11	1st	Recommended
32	Khuddan	GR06000392	JRG Industries Pvt. Ltd.	Fitter	1	1st	Recommended
33	Kiloi	GR06000348	Rohtas Fastners (P) Ltd.	Turner	1	1st	Recommended
			Shrishti Hyundai	Electrician	1	1st	Recommended
				Wireman	1	1st	Recommended
34	Kundmanethi	GR06000064	Caparo Maruti Ltd., Bawal	Welder	2	1st & 2nd	Recommended
	agentario i		TXD (India) Technology Pvt. Ltd.	Electrician	2	2nd 2nd	Recommended
			Munjal Auto Industrioes Ltd.	Fitter	1	2nd	Recommended

			Mark Tech Polymers Pvt. Ltd.	RAC	2	2nd 2nd	Recommended
			Maruti Suzuki Dinco 4 wheels LLP	Mechanic Motor Vehicle	2	2nd 2nd	Recommended
35	Madina	GR06000344	Singla Precsion Screws	Machinist	1	1st	Recommended
	Widding		The Meham Co-Op.	Fitter	1	1st	Recommended
			Sugar Mills Ltd.	Electrician	1	1st	Recommended
				Welder	1	1st	Recommended
36	Matanhail	GR06000128	Visaka Industries	Fitter	1	2nd	Recommended
	- Matarinan		Limited	Turner	1	2nd	Recommended
			Ultratech Cement	Fitter	1	2nd	Recommended
			Limited (Aditya Birla Group)	Instrument Mechanic	1	2nd	Recommended
37	Mustafabad	GR06000387	Glob Tech Process	Fitter	1	2nd	Recommended
	3.53.57.57.		Equipment	Welder	1	1st	Recommended
	(Saraswati Nagar, Distt. Yamuna Nagar)		Microtech Engineers	Electrician	1	2nd	Recommended
38	Nagina	GR06000051	J.D. Motors	Mechanic Diesel	1	1st	Recommended
			R.K. Motors	RAC	1	1st	Recommended
39	Nalwa	GU06000056	Jindal Stainlees(Hisar)	COPA	1	1st	Recommended
m/m-			Ltd.	Fitter	1	1st	Recommended
			Aggarwal Electrical & Infratsructure Pvt. Ltd.	Welder	1	1st	Recommended
40	Narnaul	GU06000011	Haryana Roadways,	Sheet Metal Worker	1	1st	Recommended
,,,	, idilida		Narnaul	Mechanic Motor Vehicle	1	1st	Recommended
41	Narwana	GU06000012	Haryana Roadways, Jind	Mechanic Motor Vehicle	1	1st	Recommended

349/AFE 19/09/23

प्रिजावल बिस्वास/UJIWAL BISWAS
निवंदर्ग / Detector
प्रिक्षण महानिदेशाला Directorate Gone A control की प्रकार विकास एवं कार्या की प्रकार की प्रका

Page 151 of 216

42	Nathusari	GR06000033	Haryana Roadways,	Welder	1	1st	Recommended
	Chopta		Sirsa	Painter(G)	1	1st	Recommended
				Carpenter	1	1st	Recommended
			DHBVN, Nathusari	Electrician	1	1st	Recommended
			Chopta	Wireman	1	1st	Recommended
43	Nuh	GR06000366	Sunil Motor	Mechanic Diesel	1	1st	Recommended
44	Pali	GU06000061	Orient Electric Limited	Electrician	1	1st	Recommended
			Star Wire India Ltd.	Fitter	1	1st	Recommended
45	5 Panchkula GU06	GU06000134	Hotel Pallavi	Catering & Hsopitality Assistant	2	1st 1st	Recommended
			Hotel Pallavi	Food Production (General)	2	1st 1st	Recommended
			About U Unisez Saloon	Cosmetology	1	1st	Recommended
46	Panipat	GU06000015	Haryana Roadways,	Sheet Metal Worker	1	1st	Recommended
			Panipat	Sheet Metal Worker	1	2nd	Recommended
				Carpenter	1	1st	Recommended
				Carpenter	1	2nd	Recommended
				Welder	1	1st	Recommended
-				Welder	1	2nd	Recommended
			CB Electrics India Pvt. Ltd.	Technician Power Electronics System	1	2nd	Recommended
				Mechanic Consumer Electronic Appliances	1	1st	Recommended
				Wireman	1	2nd	Recommended
			Riviera Home Furnishings Pvt. Ltd.	Fitter	1	2nd	Recommended
			Varun Beverages Ltd.	RAC	1	1st	Recommended
47	Palwal	GU06000017	Haryana Roadways, Palwal	Mechanic Motor Vehicle	1	1st	Recommended

到りなき 19/09/23 प्रक्रिकेट विस्वास/UJJWAL BISWAS निर्देशक / Durantum प्रीक्षण महिन्देशकण Biscones - ना न e of Training कोशाल विकास एक एका मार्ग कार्य कार्य प्रक्रिक Ministry of Sull Drev on year a of bis report yearing भारत संस्था, नहीं दिल्लीन 12 Got all ora, You seed 12

Page 152 of 216

			Venus Industrial Corp. Pvt. Ltd.	Welder (Fab. & Fitting)	1	1st	Recommended
			Micro Precision Products Pvt. Ltd.	Welder (Fab. & Fitting)	1	2nd	Recommended
	9.		The Palwal Coop. Sugar Mills Ltd.	Electrician	1	1st	Recommended
48	Pehowa	GR06000342	Saisons Paper Industries Pvt. Ltd.	Electrician	1	1st	Recommended
			ABS Toughened Glasses Pvt. Ltd.	4	*		Recommended
			Anurag Care Center	Technician Power	1	1st	Recommended
			Kulwant Electronics	Electronics System			Recommended
			Sandeep Corporation Pvt. Ltd.				Recommended
			Anurag Care Center	RAC	1	1st	Recommended
			Kulwant Electronics				Recommended
49	Rajlugarhi	GR06000355	Neotech International Pvt. Ltd.	Fitter	1	1st	Recommended
50	Raipur Rani	GR06000362	Unitech Power Systems	Electrician	1 .	1st	Recommended
51	Rawaldhi	GR06000349	HaryanaRoadways, Charkhi Dadri	Mechanic Motor Vehicle	1	1st	Recommended
				Mechanic Diesel	1	1st	Recommended
52	Rewari	GU06000045	Exide Industries Limited	Welder	2	1st 2nd	Recommended
			Hero Moto Corp. Pvt. Ltd.	Fitter	2	1st for both units	Recommended
	-			Mechanic Motor Vehicle	1	1st	Recommended
53	Rewari(W)	GU06000079	TXD (India) Technology	Electrician	1	1st	Recommended
			Pvt. Ltd.	Electronic Mechanics	1	1st	Recommended
54	Rohtak	GU06000005	Ashliya Consultants Pvt. Ltd., Rohtak	Surveyor	उज्जवल बिरवाम/!!	THE STATE OF THE S	Recommended

HUIRTE 19/09/23

पश्चिम महानिवेशलय असम कौशल विकाश प्रदा का श्राहत है प्रान्त म Ministry of Skill Development and Entremana pap भरत सरकार, नई दिली–12/Gov. of india, Naw Delhi-12

Page 153 of 216

V.M Electronics	Electronic	1	1st	Recommended
Peehu Electronics	Mechanics			Recommended
The Haryana Co-	Turner	1	2nd	Recommended
operative sugar mills Bhali anandpur Rohtak	Instrument Mechanic	1	1st	Recommended
The Rohtak coop. Milk	Instrument Mechanic	1	2nd	Recommended
Producer Union Ltd. Rohtak Vita Milk Plant Rohtak	RAC	1	1st	Recommended
P.Dass Forging Pvt. Ltd.	Turner	1	2nd	Recommended
Rohtak	Machinist	1	1st	Recommended
The Haryana Co- operative sugar mills Bhali anandpur Rohtak	Fitter	1	1st	Recommended
Nirmal Autotech Industries Pvt. Ltd.	Tool & Die Maker (Jigs & Fixtures)	1	1st	Recommended
	Machinist Grinder	1	1st	Recommended
Rama Auto Cars , Rohtak	Mechanic Motor Vehicle	1	1st	Recommended
Ashwani Cars Pvt. Ltd., Rohtak				Recommended
Lakhmichand & Sons	Carpenter	1	1st	Recommended
Haryana Tourism Corporation Limited Tilyar, Rohtak	Food Production (General)	1	1st	Recommended
Haryana Tourism Corporation Limited Myna, Rohtak				Recommended
Haryana Tourism Corporation Limited Tilyar, Rohtak	Catering & Hsopitality Assistant	1	1st	Recommended

प्रिंगिया विस्तास (UJJWAL BISINAS)
निदेशका हा हा कि प्रिंगिया प्राप्तिक कि प्राप्तिक महानिदेशका हा हा कि प्राप्तिक कि प्र

			Haryana Tourism Corporation Limited Myna, Rohtak	E			Recommended	
			M.G. Motors	Mechanic Tractor	1	1st	Recommended	
			Balhara Auto Company Dahiya Automobiles M.G. Motors Sheet Metal Worker	Send the account recorded the send of the countries			Recommended	
	12						Recommended	
				1	1st	Recommended		
			Kamal Coach Body Maker				Recommended	
55	Rohtak(W)	GU06000074	Jagvir Textile	S.O.T.	1	1st	Recommended	
56	Sohna	GR06000057	Hi-Tech Enterprises	Fitter	1	1st	Recommended	
00	Coma	0,10000000	Roop Auto Pvt. Ltd.	Machinist	1	1st	Recommended	
				Vortex Springs &	Fitter	1	1st	Recommended
			Components Pvt. Ltd.	Machinist	1	2nd	Recommended	
		-	Subros Ltd.	Electrician	1	1st	Recommended	
				Welder	1	1st	Recommended	
				RAC	1	2nd	Recommended	
57	Sonipat GU060	GU06000006	JSG Innotech Pvt. Ltd.	PPO	1	1st	Recommended	
J1	Compac		Jagmohan Automotives Pvt. Ltd.	Mechanic Diesel	1.	1st	Recommended	
			Co-Operative Sugar	Plumber	1	1st	Recommended	
			Mills Ltd., Sonipat	Steno Hindi	1	1st	Recommended	
				Steno English	1	1st	Recommended	
				Welder	1	1st	Recommended	
				Turner	1	1st	Recommended	
				Machinist	1	1st	Recommended	
			Guru Ram Das Body Builders	Sheet Metal Worker	1	1st	Recommended	
			Vee Kay Enterprises	1			Recommended	
58	Sonipat(W)	GU06000034	Bansal Uniforms	Sewing Technology	- 1 m/m	WAL BISH ST	Recommended	

A91 47 £ 19109/23

प्रिक्षण महानिवशन विकास मा अपना का प्राप्त के प्रमुख्य को शाल कि का प्रमुख्य को शाल कि कि प्रमुख्य को शाल कि कि प्रमुख्य के अपना के के अ

59	Sirsa	GU06000008	Hartron Skill Center, Sirsa	СОРА	1	1st	Recommended	
			HSF Food Protech Pvt. Ltd.	Welder	1	1st	Recommended	
			Haryana Roadways, Sirsa	Mechanic Motor Vehicle	1	1st	Recommended	
			DHBVN, Sirsa	Wireman	1	1st	Recommended	
60	Sirsa(W)	GU06000009	Daya Ram Hosiery	Sewing Technology	1	1st	Recommended	
			Satya Information System	COPA	1	1st	Recommended	
61	Tankri	GR06000363	Sankei Giken India Pvt. Ltd.	Welder	1	1st	Recommended	
62	Tohana	GU06000036	Vishavkarma Engg. Works	Fitter	1	1st	Recommended	
63	Tosham	GR06000359	Aggarwal Traders	Electrician	1	1st	Recommended	
64	Japan India Institute for Manufacturing, Unchamajra		GU06000409	Maruti Suzuki India Ltd., Gurugram	Mechanic Diesel	2	1st 2nd	Recommended
				Welder	2	1st 2nd	Recommended	
				Mechnic Auto Body repair	2	1st 2nd	Recommended	
				Mechnic Auto body painting	2	1st 2nd	Recommended	
				Fitter	2	1st 2nd	Recommended	
				Electrician	2	1st 2nd	Recommended	
				Mechanic Motor Vehicle	2	1st 2nd	Recommended	
				Technician Mechatronics	2	1st 2nd	Recommended	

प्रविद्यास/UJJWAL BISWAS
निवेशक / Date Clor
प्रिकाण महानिवालग्री Directorial Major of Taining Page 156 of 216
कीशल विकास एवं उत्पादमा अवस्था महालय Ministry of Skill Development and Entraprese Inship
णात सरकार, नई हिस्सी- 12/Govt. of India, New Delha 12

(T) (T)	Yamuna Nagar	GU06000007	Royal Power Solutions Pvt. Ltd., Yamuna	Mechanic Tractor	1	1st	Recommended
			Nagar Polyplastic Industries	PPO	1	1st	Recommended
			(India) Pvt. Ltd.	Electroplator	1	1st	Recommended
	5		e Softwarwe Solutions, Yamunanagar	COPA	1	1st	Recommended
			Metalcast and alloys Pvt. Ltd.	Foundryman	1	1st	Recommended
			Haryana Roadways, Yamuna Nagar	Mechanic Motor Vehicle	1	1st	Recommended
			Dhamija Industries	Machinist	1	1st	Recommended
			Guru Amar Industry Ltd.	Strature in variety production			Recommended
		अपासिंद	12-3		प्राप्ति प्रशिक्ष Minis भारत	वल बिस्वासं स्थित्रान्तिः नासन्तियान्तिः ल विकासः ry ol Skill Development a ry ol Skill Development a सरकार, में दिल्ली-1 2/Govt. of	and Training The Association of

Annexure -III Annexure as referred in Agenda 3, S.no. 2 (SSDEC Rajasthan), SCVT to NCVT conversion

S. No	ITI name and Address	NCVT MIS Code	Trade and units recommended by SSDEC Committee	SCAA remarks
1	Govt. ITI Nasirabad Dist. Ajmer (NEW	New ITI	1- Electrician -2(1+1) UNIT 2- Fitter - 2(1+1) UNIT 3- Mech. Diesel — 2(1+1) UNIT 4- Welder - 2(1+1) UNIT	Recommended 1- Electrician -2(1+1) UNIT 2- Fitter - 2(1+1) UNIT 3- Mech. Diesel — 2(1+1) UNIT 4- Welder - 2(1+1) UNIT
2	Govt ITI Kotputli Dist. Jaipur	GR08000081	Electrician 02 (1+1) Addl unit	Recommended Electrician 02 (1+1) Addl unit
3	Govt. ITI Raniwara Dist Jatore	GR08000094	Mech. Diesel -02 (1+1) unit	Recommended Mech. Diesel -02 (1+1) unit
4	Govt. ITI Shahpura Dist Jaipur	GR08000080	Mech. Diesel - 02 (1+1) unit	Recommended Mech. Diesel - 02 (1+1) unit
5	Govt. ITI Pipar City Dist Jodhpur	GR08000959	02(1+1) Unit 4. Electrician -02 (1+1) Unit	Recommended 1. COPA — 2(1+1) 2. RAC 02(1+1) unit 3. Solar Technician (Electrical) - 02(1+1) Unit 4. Electrician -02 (1+1) Unit

उज्जेवलं बिस्वास/UJJWAL BISWAS निदेशक / Direct or प्रतिक्षण महानितंशक्त Directoral of Training क्षीशला विकास एक उत्तरावार निया नाम न्या Ministry of Skill Devi annual of Entractoral ship भारा सरकार, नहें दिल्ली 12 God or not a few Control

Page 158 of 216

6	Govt. ITI Woman Bikaner Dist Bikaner	GR08000103	Cosmetology — 2(1+1) Unit	Recommended Cosmetology — 2(1+1)Unit
7	Govt. ITI Lohawat Dist. Jodhpur (NEW ITI)	New ITI	 Electrician — 2(1+1) Mech. Diesel —2(1+1) COPA - 2(+1) Welder (Welding & Inspection) 2(1+1)Unit Mech. Motor Vehicle 02(1+1) Unit 	Recommended 1. Electrician — 2(1+1) 2. Mech. Diesel —2(1+1) 3. COPA - 2(+1) 4. Welder (Welding & Inspection) 2(1+1)Unit 5. Mech. Motor Vehicle 02(1+1) Unit
8	Govt. ITI Karanpur Dist Sri Ganganagar	GR08000060	Cosmetology 2(1+1)Unit Welder 02(1+1) unit	Recommended 3. Cosmetology 2(1+1)Unit 4. Welder 02(1+1) unit
	3741R72		No.	प्रणावल बिस्वास/UJJWAL BISWAS निवेणक प्रशिक्षण महाविदेशाच्या Landahas कौशल विकास प्रकार Ministry of Skill De venopment an भारत सरकार, नई दिल्ली–12/GovL of access new access 2

Annexure -IV

Annexure as referred in Agenda 3, S.no. 2 (SSDEC Rajasthan), Shifting case of 09 Pvt ITI

S. No	Name of the Pvt ITI with MIS code and address	Old and new address	Remarks of SSDEC	SCAA remarks		
1.	Gurupragya Private Industrial Training Institute, Madhur Vihar, Saithal Mod, Dausa RAJASTHAN PR08000254	Old Address - Guru pragya PrivateIndustrial Training Institute, Nada Ki Dhani Raghunathgarh Dist Sikar Rajasthan New Address - Gurupragya Private Industrial Training Institute, Madhur Vihar, Saithal Mod, Dausa RAJASTHAN (Shifting of ITI)	Lancard Control Contro	SCAA agreed with the remarks of SSDEC. Hence, SCAA did not recommend the shifting of ITI as inter district shifting is not permitted.		
2.	Jai Hind Private Industrial Training Institute, Lalsot Road, Dausa Dist. Rajasthan PR08000486	Old Address- Jai Hind PrivateIndustrial Training Institute, Masai Road, Vill&Post Kisanganj Dist Baran . Rajasthan New Address - Jai Hind Private Industrial Training Institute, Lalsot Road, Dausa Dist. Rajasthan	District not permitted.			
3.		Old Address - Shiv Sai Private Industrial Training Institute, Near Raipura Circle, Devil Aram Road, District Kota Rajasthan	Not Recommended, as per DGT order dated 18.09.2019 Shifting of ITI to other District not permitted.	remarks of SSDEC.		

उण्जेवल बिस्वास/UJJWAL BISWASPage 160 of 216 निदेशक / Director प्रिक्षण महानिज्ञालय Sectional General of Training को राला विकास एवं व्यवस्थान का का का का स्थाप Ministry of Skin Development and storage a sering मता सरवार, गई दिल्ली -12/Govt जा श्रास्त्र किस John-12

		New Address – Shiv Sai Private Industrial Training Institute, Near Bus Stand, Mandawar District Dausa Rajasthan		ITI as inter district shifting is not permitted.
4.	G.T. Private ITI, Jagir Bandikui, Tehsil Baswa District Dausa Rajasthan PR08001342	Old Address - G.T. Private ITI,Opp. Dhan Mandi Gate, Anta District Baran New Address- G.T. Private ITI, Jagir Bandikui, Tehsil Baswa District Dausa	18.09.2019 Shifting of ITI to other District not permitted.	remarks of SSDEC. Hence, SCAA did not recommend the shifting of ITI as inter district shifting is not permitted.
5.	Shiv Private Industrial Training Institute, Jaipur Road Dausa PR08000463	Old Address Shiv Private Industrial Training Institute, Udaipuria Road, Near Mahila Hostal Mahandipur Balaji Dist Dausa New Address	DGT order dated	SCAA agreed with the remarks of SSDEC. Hence, SCAA did not recommend the shifting of
		Shiv Private Industrial Training Institute, Jaipur Road, Dausa(Shifting of ITI)		ITI as inter block shifting is not permitted.
6.	Palace, Near Rac Line, Sarmathura, Karauli Road, District Dhoulpur	District Baran New Address	Not Recommended, as per DGT order dated 18.09.2019 Shifting of ITI to other District not permitted.	SCAA agreed with the remarks of SSDEC. Hence, SCAA did not recommend the shifting of ITI as inter district shifting is not permitted.
	PU08001557	Hare Krishna Private Industrial	क्रिज्जवल बिस्वास गाउँ अपन	BISWAS

341 ATE 19109/23

प्रशिक्षण प्रकृतिकार अन्य स्थापन स्यापन स्थापन स्यापन स्थापन स्य

Page **161** of **216**

7.	Vedanta Private Industrial Training Institute, Near Gokul Filling Station, Gangapur Road, Katkar, Tehsil Hindaun, District Karauli PR08000491	Training Institute, Kanhaiya Palace, Near Rac Line, Sarmathura, Karauli Road, District Dhoulpur (Shifting of ITI) Old Address — Vedanta Private Industrial Training Institute, Ramesh Nagar Ishakabad Circle, Nimbahera, District Chittorgarh New Address — Vedanta Private Industrial Training Institute, Near Gokul Filling Station, Gangapur Road, Katkar, Tehsil Hindaun, District Karauli		SCAA agreed with the remarks of SSDEC. Hence, SCAA did not recommend the shifting of ITI as inter district shifting is not permitted.
8.	Training Institute, Khasra No. 890/335, Bharija Renwal Road, Jobner, District Jaipur PR08001528	Old Address - Maa Saraswati Private Industrial Training Institute, Khasra No. 890/335, Bharija Renwal Road, Jobner, District Jaipur New Address Maa Saraswati Private Industrial Training Institute, Lalsot By Pas Agra Road District By Pas,Agra Road, District Dausa (Shifting of ITI)	18.09.2019 Shifting of ITI to other District not permitted.	remarks of SSDEC.

3741 1910 9123

प्रणावल बिस्वास/UJJWAL BISWAS
निर्देशक / Otto-Tisk
प्रणितम् प्रातिनेशक / Otto-Tisk
प्रणितम् प्रातिनेशक मार्गिक विकास स्थापित विकास स्थापित स्

1	Nangal Rajawatan, Village Nangal Rajasthan	Rajasthan Trade Private IT I, Plot No. 9-10, 11 Ayodhyapuri Colony, Harmada, District Jaipur	18.09.2019 Shifting of ITI to other	remarks of SSDEC.
20		New Address- Rajasthan Trade Private IT I, Nangal Rajawatan, Village Nangal Rajawatan, District Dausa		ITI as inter district shifting is not permitted.

Agenda 5: De-affiliation matters:

5.1 De-affiliation matter of Shiv Shakti Pvt ITI, MP, (PR23000698):

The matter had been discussed with concerned State Directorates and RDSDE in the 10th SCAA, committee informed RDSDE and State DTE to examine the matter.

Subsequently, Joint inspection was carried out by RD, RDSDE and MP State Directorate representative.

Further, report has been submitted to DGT by RDSDE, and following observations are made by the inspection team:

- i. As per records, this ITI was already de-affiliated vide order dated 26.05.2017.
- ii. But trade/units are still affiliated on NCVT MIS portal and trainees are also admitted in session 2022-23.
- iii. A school is functioning at the affiliated address and no ITI is found at that address.
- iv. Management of ITI also informed inspection team that someone else is using the credential of Shiv Shakti Pvt ITI and admitting trainees.
- v. Inspection team recommended to immediately block and deactivate the Shiv Shakti Pvt ITI (PR23000698), which is functioning by misusing the credential of de-affiliated ITI

SCAA has recommended for de-affiliation of all trade/units on NCVT MIS portal as per de-affiliation order issued.

5.2 De-affiliation matter of 41 ITIs of Gujarat State:

With reference to Minutes of Meeting of 2nd SSDEC of Gujarat State held on 05.07.2022, as per agenda number 3.1 to 3.5 of which, de-affiliation of trade/units of 41 ITIs were recommended. The matter of de-affiliation of these 41 ITIs were discussed in 8th SCAA, and SCAA has asked RDSDE to send the details of these ITIs in the prescribed format.

प्राप्तवल बिस्वाम (१११ १६४४) BISWAS

निवारण
प्रतिकाण महानिवेशाः
कोशाल विकास
Ministry of Skill Develo, ite sal

Page 163 of 216

Details in the desired format has been received from RDSDE Gujarat and same was discussed with the concerned State Directorate in the meeting, SCAA remarks are given at column V.

S.No	ITI Name & MIS Code Address	Trades/Units to be de-affiliated	SSDEC Recommendation and reason for de-affiliation	SCAA Remarks
1	II	III	IV	V
1.	Shri Laxmichand Zaveri Nootan Bharti Private ITI, GIA Madana Gadh, Dist: Banaskantha, MIS Code: PR24000511	1. Computer Operator and Programming Assistant (2+0) 2. Sewing Technology- (2+0)	ITI requested for de-affiliation of two trades COPA & Sewing Technology. SSDEC has recommended de-affiliation of two trades as requested by ITI.	ITI has requested for self-surrender of COPA & Sewing Technology trades. SCAA agreed with the recommendation of SSDEC.
2.	Adarsh Mahila Seva Sangh Private ITI, Adarsh Mahila Seva Sangh Dist. Gandhinagar MIS Code: PU24000577	Health Sanitary Inspector – 2 (2+0) Computer Operator and Programming Assistant – 2	Not Applicable	Already de-affiliated vide letter no. DGT-Daff/4/2022-O/o DIR(TC), dated:22.8.2022
		(2+0) 3. Data Entry Operator – 2 (2+0)		
3.	Chandkheda Managed by Adarsh Mahila Seva Sangh Private ITI, Sf Chandkheda; Dist. Ahmedabad, SF Chandkheda, Sneh Plaza,	1. Health Sanitary Inspector – 2 (2+0)	Not Applicable	Already de-affiliated vide letter no. DGT-Daff/4/2022-O/o DIR(TC), dated:22.8.2022

71VIATE 19/09/23

प्रिकास / UJJWAL BISWAS
निवेशक / Director
प्रिकाण महानिवेशालय/Durwindrale Americal of Training
कीशाल विकास एवं उत्तरम्थीलाल महात्वय
Ministry of Skill Development and Formatie unitable
भारत सरकार, गई विल्ती—12/Govt of man, fren usah-12

Page 164 of 216

4.	Above SBI, I.O.C. Road, Chandkheda, State Bank of India, Ahmedabad, Gujarat MIS Code: PU24000593 Vikas Technical Institute, Vikas Foundation Private ITI, Dhanera Dist. Banaskanth MIS Code: PR24000556	Health Sanitary Inspector – 1 (1+0)	ITI is already closed from 2017. No admission since 2017. SSDEC has recommended de-affiliation of HSI trade / as per request letter submitted by ITI.	ITI has requested for self-surrender of Health Sanitary Inspector Trade. SCAA agreed with the recommendation of SSDEC.
5.	Vivekanand Technical Institute Private ITI, Sf Vadgam (Vivekanand) Dist. Banaskantha MIS Code: PR24000598	1. Health Sanitary Inspector -1 (1+0)	 ITI is closed. There is no such ITI found at the given address. SCN dated 26/04/23 was issued by the State Directorate but no reply was received from the ITI. SSDEC has recommended de-affiliation of ITI. 	Concerned State Directorate will issue another Show Cause Notice to the ITI as per SOP of de-affiliation within 5 days from the date of issue of minutes of meeting. Further no admissions will be allowed from the current session for this ITI.
6.	K. I. Patel Technical Institute SF Becharaji (K.I. Patel) Dist. Mehsana, SF Becharaji (K.I. Patel), Gujarat MIS Code: PR24000597	Health Sanitary Inspector - 1 (1+0)	Since 2019, admission was cancelled by DET, Gujarat. ITI has also requested to DET Gujarat for de-affiliation. SSDEC has recommended de-affiliation of ITI.	
7.	Sardar Patel Technical Institute Private ITI, SF Sami (Sardar Patel) Dist. Patan,	Health Sanitary Inspector - 1 (1+0)	Institute itself requested to DET Gujarat for de-affiliation. SSDEC has recommended de-affiliation of this ITI.	

374/K/2 19109/23

प्रशिक्षण प्रसास / UJJWAL BISWAS
प्रशिक्षण महानिदेशालय प्रशिक्षण नालाय की प्रशिक्षण विकास अपनित्र के अपनित्र

	MIS Code: PR24000595			
8.	Vikas Technical Institute Nadiyad, 1 St. Floor Natraj Shoping Center, OPP. S.T. Nagar, Kapadvanj Road, At – Nadiyad Dist. Kheda MIS Code: PU24000693	Health Sanitary Inspector - 1 (1+0)	During Joint Inspection dated 24.05.2023, it was found that: 1. ITI is closed at the affiliated address. 2. No sign board is available. 3. No staffs are available and no ITI activities are found. 4. SCN dated 26.04.2023 was issued by the State Directorate but no reply has been received from the ITI. 5. SSDEC has recommended de-affiliation of ITI.	Concerned State Directorate will issue another Show Cause Notice to the ITI as per SOP of de-affiliation within 5 days from the date of issue of minutes of this meeting. Further no admissions will be allowed from the current session to this ITI.
9.	Aklavya Trust, Retiyavadi, Ahmedabad, H. B. Mehta Estate, Rantiyausadi, Dist. - Ahmedabad MIS Code: PU24000584	Computer Operator and Programming Assistant – (1+0)	ITI is closed at the address. SSDEC has recommended de-affiliation of this ITI.	Already de-activated vide DGT email dated:04/10/2019 by TC Section.
10.	Bai Jivkorba Trust, GIA, Maninagar, Ahmedabad, S.D.B.S. IT Center, Bai Jivkor Lallubhai Trust, J.L.Campus, Rambaug, Maninagar, Ahmedabad, Gujarat	1. Computer Operator and Programming Assistant – 2 (2+0)	 No admission since last 4 years and ITI itself requested for de-affiliation. SSDEC also recommended for de-affiliation as requested by ITI. 	Already de-activated vide DGT email dated:04/10/2019 by TC Section.
11.	Chandkheda Kadva Patidar, Chandkheda, Ahmedabad, SF Harikrishna I.T.C. 719, Bharat Lamps Compound, Gandhinagar, Gujarat	1. Basic Cosmetology – 1 (1+0) 2. Computer Operator and Programming	ITI is closed. SSDEC has recommended for de-affiliation of this ITI.	Already de-activated vide DGT Email dated:04/10/2019 by TC Section.

विश्वास/UJIWAL BISINGS

	MIS Code: PU24000574	Assistant – 2 (2+0)			
12.	Shiv ITC, GIA, Kheda, Sarswati Kelvani Mandal, Shiv Industrial Training Institute, Acharya Gidvani Hostel, At & Post-Kheda, Dist-Kheda MIS Code: PU24000648	 Computer Operator and Programming Assistant – 2 (1+1) Fitter – 2 (1+1) Sewing Technology – 2 (1+1) Wireman – 3 (2+1). 		During inspection on 24.05.2023 it was found that ITI is closed other activities are going-on in the same premises. SSDEC has recommended de-affiliation of all 04 trades of ITIs.	Concerned State Directorate will issue a Show Cause Notice to the ITI as per SOP of de-affiliation within 5 days from the date of issue of minutes of meeting. Further no admissions will be allowed from the current session to this ITI.
13.	Foundation Private ITI, Sf Bhumi Rural (Salal) (Self Finance), SF Bhumi Rural (Salal) 534/1, SALAL, Prantij, Sabarkantha, Gujarat	Computer Operator and Programming Assistant – (1+0)	111111	ITI is already closed since 2012. SSDEC has recommended de-affiliation of ITI.	Already de-activated vide DGT email dated:04/10/2019 by TC Section.
14.	MIS Code: PR24000599 Institute of Fire, Safety & Disaster Management Studies Private ITI, IFSDMS Private ITI (Self Finance), Pvt. ITI, Ifsdms Private ITI At- Navagam Navinagari, Navagam, Vaghodia, Vadodara,		37.3116,0-2	ITI itself requested for de- affiliation of Health Safety & Environment trade. SSDEC has recommended de-affiliation of ITI.	ITI has requested for de-affiliation of Health Safety & Environment trade. SCAA agreed with the recommendation of SSDEC.
(4)	MIS Code: PR24006121	8 8			Provided Brains 1111 MAI DISWAS

3141/42

प्रशासन विकास प्रशासन के प्रशासन

Page 167 of 216

15.	Sf Gitamangalam Ch. Trust Private ITI, Gitamangalam Ch. Trust (Self Finance), Pvt. ITI, Gitamangalam Ch. Trust Swami Vidyanandji Technical Institute,	Electrician - 2 (2+0)	2.	ITI requested for de-affiliation of Electrician trade due to no admissions since 2019. Joint inspection committee has also recommended for de-affiliation of Electrician trade.	ITI has requested for de-affiliation of Electrician trade. SCAA agreed with the recommendation of SSDEC.
	Dattpura, Datt Petrol Pump, Dattpura, Waghodiya, Gujarat MIS Code: PR24000655		3.	Recommended for de- affiliation by SSDEC.	
16.	SF Ebrahim Bawany Private ITI, Ibrahim bavani industrial training center Islamik Study Center, Aajva road, Nr. Octroi naka, Vadodara	Information Communication Technology System Maintenance – 2 (2+0)		ITI itself submitted the request for de-affiliation of Information Communication Technology System Maintenance (ICTSM). SSDEC also recommended for de-affiliation of ICTSM	ITI has requested for de-affiliation of Information Communication Technology System Maintenance trade. SCAA agreed with the
	MIS Code: PU24000659			trade.	recommendation of SSDEC.
17.	Jan Jagruti Mahila Mandal, Bansidhar Complex,2nd- floor, S.T. Road, Veraval, Dist. Junagadh MIS Code: PU24000761	Computer Operator and Programming Assistant - 2 (2+0)		ITI is closed since last 4-5 years. SSDEC recommended de-affiliation for COPA (2+0).	Concerned State Directorate will issue a Show Cause Notice to the ITI as per SOP of de-affiliation within 5 days from the date of issue of minutes of meeting. Further no admissions will be allowed for to ITI for current
18.	Kanakeshwari Education Trust, Shree Maruti Dham, Maruti Vidhyalay, B/h. Government Hospital, At. Chorwad, Ta. Maliya hatina, Dist. Junagadh	Computer Operator and Programming Assistant – 1 (1+0)	1.	ITI requested for closure of COPA trade due to poor response and no admission since 2015.	session. ITI has requested for de-affiliation. SCAA agreed with the recommendation of SSDEC.

19/09/23

प्रणावल विस्वास /UJIWAL SISWAS
प्राथम महादेशका प्रणातक कि करावा कि काम पर उस प्रणातक विस्तास विकास के कि काम पर उस प्रणातक कि काम के कि काम कि काम के कि काम काम के क

	MIS Code: PU24000774		Joint inspection committee also recommended for Deaffiliation. SSDEC recommended deaffiliation of COPA -1 (1+0)
19.	Noor Education Society, Nr. Bus stop, At. Mulai,Po. Khuntaj,Dist. Kheda MIS Code: PR24000688	 Computer Operator and Programming Assistant- 1 (1+0) Electrician 2 (2+0) Sewing Technology – 1 (1+0) Wiremen – 2 (2+0) 	During Joint inspection conducted it was found that: 1. ITI is closed since 2017 (as explained by one member of society present on the day of visit). 2. No signage boards. 3. No admissions and no staffs are available. 4. Hence, recommended for deaffiliation of all trades.
20.	Madresa Islamiya Ghogha, Vasaivala ITC, Ghogha Road, At. & Po.	1. Plumber – 2 (1+1) 2. Computer	ITI itself requested for de- affiliation of Plumber and COPA to joint inspection. ITI has requested for de-affiliation of Plumber and COPA trade. COPA to joint inspection COPA trade COPA
	Akawada, Dist. Bhavnagar MIS Code: PR24000760	Operator and Programming Assistant – 2 (2+0)	committee. 2. SSDEC has recommended de affiliation of Plumber and COPA SCAA agreed with recommendations of SSDEC.
21.	Mahisagar Jan Kalyan Trust, Nr. GEB Sub station,At. Ta. Khanpur, Dist. Mahisagar	Computer Operator and Programming Assistant – 2 (2+0)	 ITI was not found at location. No signage boards. Committee also enquired with local people about ITI and they are saying that no ITI activities are operational last few years. Already de-activated vide DGT email dated:04/10/2019 by TC Section.
10		3	SSDEC recommended de- affiliation of ITI.

314/192

प्रिश्वण बिस्तास (11 PMA) BISWAS
प्रशिक्षण महानिकेन कौराल विकास १ वटा निकास प्राप्तस्य Ministry of Skill Development के Enterprise Ship भारत सरकार, नई बिस्ती- 12/Govt. of India, New Demi-12

Page 169 of 216

The Muslim Education Society, MES Golden Jublee industrial training. Sf Muslim Education Soc., M.E.S Boys Highschool Compound Nr. Old Ajabdi Mill, Yakutpura, -1, Gujarat MIS Code: PU24000691	 Fitter – 2 (2+0) Electrician – 2 (2+0) COPA – 1 (1+0) 	2.	visit on 18.5.2023 & no response from ITI management. A SCN was issued by the State but no reply was received from the ITI.	Concerned State Directorate will again issue a Show Cause Notice as per SOP of de-affiliation within 5 days from the date of issue of minutes of meeting. Further no admissions will be allowed to this ITI for current session.
Nima Memorial gram vikas Trust, Shree K.V. Patel industrial training institute,Patan Road, At. Chansma, Dist. Patan MIS Code: PR24000501	Computer Operator and Programming Assistant – 2 (2+0)		During Joint inspection on 29.5.2023 it was found that: i. COPA lab Area is less than 60 Sq. mtrs. ii. Institute had only 10 Computers. iii. No instructors are available on the day of inspection. iv. Recommended for de-Affiliation by Joint inspection committee.	Concerned State Directorate will again issue a Show Cause Notice as per SOP of de-affiliation within 5 days from the date of issue of minutes of meeting. Further no admissions will be allowed to this ITI for current session.
		2.	Recommended for de-	
Patel Hiralaxmi Thakorbhai Cheritabel Trust, Gokalpura road, At. & Po. Bhayali, Dist. Vadodara MIS Code: PR24000662	Computer Operator and Programming Assistant – 1 (1+0)	2.	Joint inspection was conducted on 23.5.2023 and it was found that COPA trade is running & 11 trainees are enrolled in session 2022. Joint inspection team did not recommend for de-affiliation of COPA trade for this session 2022-23. Although, as per minutes of	RDSDE to provide the recommendations of SSDEC for this ITI.
त्रपा	19109/23		2nd SSDEC meeting COPA	प्रविचास/UJJWAL BISWAS निवेचक / Director प्रतिकाम महानिवेशाला Directoria Semeral of Training कारल विकास पर उद्यानका महानिवेशाला Ministry of Skin Days comment and Entrepreneurship भारत सरकार, गई विल्ली-12/Govt. of india, New Geith-12
	Society, MES Golden Jublee industrial training. Sf Muslim Education Soc., M.E.S Boys Highschool Compound Nr. Old Ajabdi Mill, Yakutpura, -1, Gujarat MIS Code: PU24000691 Nima Memorial gram vikas Trust, Shree K.V. Patel industrial training institute,Patan Road, At. Chansma, Dist. Patan MIS Code: PR24000501 Patel Hiralaxmi Thakorbhai Cheritabel Trust, Gokalpura road, At. & Po. Bhayali,Dist. Vadodara MIS Code: PR24000662	Society, MES Golden Jublee industrial training. Sf Muslim Education Soc., M.E.S Boys Highschool Compound Nr. Old Ajabdi Mill, Yakutpura, -1, Gujarat MIS Code: PU24000691 Nima Memorial gram vikas Trust, Shree K.V. Patel industrial training institute,Patan Road, At. Chansma, Dist. Patan MIS Code: PR24000501 Patel Hiralaxmi Thakorbhai Cheritabel Trust, Gokalpura road, At. & Po. Bhayali,Dist. Vadodara 2. Electrician – 2 (2+0) 3. COPA – 1 (1+0) Computer Operator and Programming Assistant – 2 (2+0) 1. Computer Operator and Programming Assistant – 1 (1+0)	Society, MES Golden Jublee industrial training. Sf Muslim Education Soc., M.E.S Boys Highschool Compound Nr. Old Ajabdi Mill, Yakutpura, -1, Gujarat MIS Code: PU24000691 Nima Memorial gram vikas Trust, Shree K.V. Patel industrial training institute,Patan Road, At. Chansma, Dist. Patan MIS Code: PR24000501 Patel Hiralaxmi Thakorbhai Cheritabel Trust, Gokalpura road, At. & Po. Bhayali,Dist. Vadodara MIS Code: PR24000662 2. Electrician – 2 (2+0) 3. COPA – 1 (1+0) 2. Computer Operator and Programming Assistant – 2 (2+0) 1. Computer Operator and Programming Assistant – 1 (1+0) 2.	Society, MES Golden Jublee industrial training. Sf Muslim Education Soc., M.E.S Boys Highschool Compound Nr. Old Ajabdi Mill, Yakutpura, -1, Gujarat MIS Code: PU24000691 Nima Memorial gram vikas Trust, Shree K.V. Patel industrial training institute, Patan Road, At. Chansma, Dist. Patan MIS Code: PR24000501 MIS Code: PR24000501 MIS Code: PR24000662 Patel Hiralaxmi Thakorbhai Cheritabel Trust, Gokalpura road, At. & Po. Bhayali, Dist. Vadodara MIS Code: PR24000662 Patel Hiralaxmi Thakorbhai Cheritabel Trust, Gokalpura road, At. & Po. Bhayali, Dist. Vadodara MIS Code: PR24000662 Assistant – 1 (1+0) Visit on 18.5.2023 & no response from ITI management. 2. A SCN was issued by the State but no reply was received from the ITI. 3. SSDEC has recommended for de-affiliation 29.5.2023 it was found that: i. COPA lab Area is less than 60 Sq. mtrs. ii. Institute had only 10 Computers. iii. No instructors are available on the day of inspection. iv. Recommended for de- Affiliation by Joint inspection committee. 2. Recommended for de- affiliation by SSDEC. Joint inspection was conducted on 23.5.2023 and it was found that: i. COPA lab Area is less than 60 Sq. mtrs. ii. Institute had only 10 Computers. iii. No instructors are available on the day of inspection. iv. Recommended for de- affiliation by SSDEC. Joint inspection team did not recommend for de-affiliation of COPA trade for this session 2022-23. 3. Although, as per minutes of 2nd SSDEC meeting COPA

Page 170 of 216

				trade was recommended for de-affiliation.	
25.	Late Ratilal Waghasiya smarak Trust, Saraswati vidhya mandir, Jetpur road At. Bhutwad, Dist. Rajkot MIS Code: PR24000762	Computer Operator and Programming Assistant – 1 (1+0)	2.	ITI requested for de-affiliation of COPA due to poor response and no admissions since 2012.	ITI has requested for de-affiliation of Computer Operator and Programming Assistant. SCAA agreed with the recommendation of SSDEC.
26.	Sahajanand Education Trust, shree swaminarayan ITC collage, Nr. Jain tampe, At. Vijapur, Dist. Mehsana MIS Code: PR24005522	Welder -3 (1+1+1)		Institute does not want to continue the affiliation of welder due to no admissions and requested DET Gujarat for de-affiliation of the same. SSDEC recommended deaffiliation of welder.	ITI has requested for de-affiliation of welder. SCAA agreed with the recommendation of SSDEC.
27.	Gayatri Education Trust, At. Dabhoda (Taranga) Shahpura, Ta. Satlasna, Dist.Mehsana	Computer Operator and Programming Assistant – 2 (2+0)	1.	Institute has replied against show-cause notice issued by the State to continue the affiliation but Desktop	SCAA recommended for de- affiliation of COPA trade as per SSDEC recommendation
	MIS Code: PR24005129		2.	computers are not available as per norms, existing desktop are not functioning. SSDEC recommended for de-affiliation of COPA trade.	
28.	Shree Kelvani Mandal Uttejak Mandal,Shree N.G.Patel TC,V.D.Patel	Computer Operator and Programming Assistant - 2 (2+0)	1.	ITI has requested to DET Gujarat for de-affiliation of Computer Operator and Programming Assistant	ITI has requested for de-affiliation of Computer Operator and Programming Assistant.
	Education Campus, At. & Po. Umata, Ta. Visnagar, Dist. Mehsana	***	2.	trade. SSDEC has also recommended for de-	SCAA agreed with the recommendation of SSDEC.

अपारिप है 19/09/23 and a second

प्रणावल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय /Directors in an of of Training
कौशाल विकास एवं उद्यापण का महानिया
Ministry of Skill Development and Estimated Ship
भारत सरकार, नई विल्ती-12/Govi. of India, Gree Ship-12

	MIS Code: PR24005124		affiliation of Computer Operator and Programming Assistant trade.
29.	Shri Agiyar Gol Vankar Samaj samajik & shakshanik seva Trust,Opp. Sanketnagar, Tavadiya road, Mehsana MIS Code : PR24000555	Computer Operator and Programming Assistant – 1 (1+0)	 Seats are vacant since 2015. Institute has not replied to Show Cause Notice issued by State Directorate on date 26.04.2023. SSDEC has recommended for De-affiliation of ITI. Already de-activated vide DGT email dated:04/10/2019 by TC Section.
30.	Shri Charotar Vidhyamandal,CVM ITI For Womens,Old CVM Guest	1. Digital Photographer- 2 (1+1) 2. Old Age Care - 2	 Zero admission since grant of affiliation 2017. ITI has requested for de-affiliation of Digital Photographer and Old Age Care. Care.
	house, Nr.BVM College, Vallabh Vidhyanagar, Dist.Anand	(1+1)	Joint inspection committee recommended for deaffiliation of two trades due to above two reasons. SCAA agreed with the recommendation of SSDEC.
	MIS Code: PR24008054		SSDEC recommended for de- affiliation of these two trades.
31.	Shri Chimnabai Stri Udhoygalay,Nr. Sursagar lake, Vadodara, SF Maharani Chimnabai , Sursagar North, Sursagar, Vadodara, Gujarat MIS Code: PU24000665	1. Surface Ornamentation Techniques (Embroidery) (1+0) 2. Dress Making -1 (1+01)	1. During Joint inspection on date 26.5.2023 it was found that: i. No Infrastructure is available. ii. No admission since last 3-4 years. iii. SCN dated 26/04/23 was issued by the State to the ITI but no reply has been received. 1. Concerned State Directorate will again issue a Show Cause Notice as per SOP of deaffiliation within 5 days from the date of issue of minutes of meeting. 2. Further no admissions will be allowed to this ITI for current session.
			SSDEC has recommended for de-affiliation.

3/4/1/3

उज्जेवल बिस्वास/UJJWAP BISWAS of 216 निवंशन प्रकार महानिवंशन के प्रकार महाने कि प्रकार महाने

32.	Kantibhai Chaturbhai Patel Cheritabel Trust, K.C. Patel ITI, serve No. 1096, At. & Ta.Sojitra,Dist.Anand	Computer Operator and Programming Assistant – 1 (1+0)	ITI is closed since 2016 (as explained by ITI Management). No ITI signage board and no infrastructure is noticed. SSDEC has recommended for de-affiliation. SCAA agreed with recommendation of SSDEC. SCAA agreed with recommendation of SSDEC.	the
33.	Somnath Education & Charitable Trust Shri Somnath Education & Charitable Trust, Ramvadi Private ITI, Sf Ramvadi-Kodinar (Self Finance) MIS Code: PR24007115	1. Wireman – 2(2+0)	 ITI itself requested to close /De-affiliate the Wireman trade due to no admission last two years. Joint inspection committee also recommended for deaffiliation. SSDEC recommended deaffiliation of Wireman trade. 	n of
34.	Sun Mars Education & Charitable Trust, B/202/203, Mangal kirti App., Nr.Fatehganj Petrol pump, Vadodara MIS Code: PU24006106	Computer Operator and Programming Assistant – 1(1+0)	 SCN was issued on 26/04/23 to the ITI to which no reply was received from the ITI. Inspection was also conducted 25.5.2023 on but ITI was found closed at the address. Recommended for deaffiliation by SSDEC. Already de-activated vide DGT email dated:04/10/2019 by TC Section.	
35.	Shri Vallabh Vidyanidhi Computer Centre Private ITI, Trilok Youth Ch.Trust (Self Finance) Shri Vallabh vidhyanidhi computer, 28/29,	Computer Operator and Programming Assistant -1 (1+0)	1 ITI submitted request for deaffiliation of ITI. 2 Joint inspection has also recommended for deaffiliation. 3 SSDEC has recommended for de-affiliation. Already de-activated vide DGT email dated:04/10/2019 by TC Section.	

अपामिर्ट 19/09/23

उपजेवल बिस्वास/UJJV 4 Parties (निवेदान कि De er tar प्रशिक्षण महानिदेशान्य Orientaria कि कार्य कौशल विकास पान उद्युप्तपूर्ण के अस्ति के Ministry of Skill Devocamen

	Kaladarshan flat, Nr. Nalanda water tank, Waghodiya road, Vadodara MIS Code: PU24000671	2. Desk Top Publishing Operator – 1 (1+0)			
36.	Shri Vallabh Vidhyanidhi Computer Private Iti, Sf Vallabh Vidhya Nidhi (Self Finance) Shri Vallabh vidhyanidhi computer, E-9 Poonam Park,B/h. Poonam Complex, Waghodiya road, Vadodara MIS Code: PU24000692	Pre / Preparatory School Management (Assistant) – (1+0)	2	ITI submitted request for de- affiliation of ITI. Joint inspection has also recommended for de- affiliation. SSDEC has recommended for de-affiliation.	Already de-activated vide DGT email dated:04/10/2019 by TC Section.
37.	Nootan Education Trust, At.	Wireman	1.	ITI not available on NCVT MIS portal.	ITI not available on NCVT MIS portal. Hence, removed from the
	Ukhareli, Ta. Santrampur, Dist. Mahisagar MIS Code: PU24000690			As per Joint inspection report received from RDSDE, ITI itself requested for deaffiliation to DET. Based on ITI request SSDEC recommended for deaffiliation.	list.
38.	Vidhyabharti Education Trust,C/o Universal infotek,A/204/205, Krishna lila APp, Harni- Warsiya ring road, Vadodara	Computer Operator and Programming Assistant – 2(2+0)	2.	ITI is not traceable at location. No contact number available SSDEC has recommended for de-affiliation for this ITI	Already de-activated vide DGT email dated:04/10/2019 by TC Section.

314/1/2

प्रभवित विस्ताम /UTWAL CISWAS

निर्मेश Displayed 174 of 216
प्रशिक्षण महानिश्या प्रशासन महानिश्या महानिश्

	MIS Code : PU24000661			
39.	Maniben Pithawala ITC, Gia Dumas (Sultanabad) Ta. Choryasi, Dist.	 Fitter – 2 (1+1) Electrician – 2 	 Management does not intend to run the ITI. Joint Inspection Committee 	ITI Management does not intend to run courses.
- Fe-2	SURAT MIS Code: PU24000827	(1+1)	has recommended for de- affiliation. 3. SSDEC has recommended for de-affiliation of this ITI.	SCAA agreed with the recommendation of SSDEC.
40.	Shree Buddha Education Trust, Bavla	NA	ITI not found at the given address.	ITI without NCVT MIS code, hence removed from the list
41.	Relief Education Trust, Siddharth Complex, Second Floor, Near Brahm Sabha Hall, Near Inova House, Dandiya Bazar, Pratap Road, Vadodara, SF relief trust, 2nd FLOOR, sidhdharth complex, nr. Brahman sabha, dandiya bazar pratap road, vadodara,	Inspector (HSI) - 1	No admissions since last 03 years, DET Gujarat has recommended for deaffiliation of this institute because it is found during the physical verification done by State Directorate that Institute is collecting more fees from the students. Joint inspection committee also recommended for de-	ITI has also requested to close HS trade. SCAA agreed with the recommendation of SSDEC.
	Gujarat MIS Code: PU24006107		affiliation of HSI trade. 3. ITI has also requested to close HSI trade. 4. SSDEC has recommended de-affiliation of ITI.	

5.3: De-affiliation matters of 24 ITIs of Punjab State:

A letter dated 09.08.2023 has been received from the State Directorate of Punjab regarding de-affiliation of 24 ITIs and the same was discussed during the meeting with the concerned State and remarks of SCAA are given below, list of 24 ITI is attached at *Annexure 1*:

उज्जवल बिस्वास/UJJWAI BISWAS
निवेशक / Directus
प्रशिक्षण महानिदेशात्म - Directus
प्रशिक्षण महानिदेशात्म - क्रिक्टा म्हान्य विकास एक उत्पार भगावा । व्यक्तिस्था
Ministry of Skill Developmen के निवास के क्रिक्टा निवास में

SCAA remarks: In these matters, State Directorate of Punjab have to proceed as per SOP of de-affiliation and send the recommendations of SSDEC to DGT in the prescribed format shared by TC section, DGT.

5.4 Ratification of revoking of de-affiliation order issued:

De-affiliation order dated 15.06.2023 was issued for Sri Venkateshwara Pvt ITI, Dhone, Andhra Pradesh (PR28000048) as recommended by SCAA in 9th SCAA meeting as per remarks received from SSDEC, AP. ITI had challenged this order in court and Hon'ble High court vide order dated 13.07.2023 in WP (14889/2023) has set aside the de-affiliation order dated 15.06.2023.

In compliance with Hon'ble court's direction, de-affiliation order has been withdrawn vide DGT letter dated 14.08.2023, same has been ratified by the SCAA.

Page 176 of 216

List of 24 ITIs of Punjab State

S.No	Name of the Institute	Trads/Units
1.	Sant Kabir Private ITI,Moga-Ludhiana G.T. Road, Opp. Jagat Sewak Khalsa School, Vill. Puranewala Distt. Moga.	Electrician-2, Plumber-2, Welder-2, Hair & Skin Care-2
	MIS Code : PR03000269	· · · · · · · · · · · · · · · · · · ·
2.	Maharaja Agarsen Industrial Training Centre Alamgarh	Welder 2 Wireman 2
	MIS Code: PR03000185	
3.	Ideal Industrial TrainingCentre, V& P.O Manuke Gill, Moga.	Welder-4, COPA-2, Data Operator-2, Electrician-Carpenter-2, Plumber-2
	MIS Code: PR03000205	
4.	Modern Pvt. ITI, Lakho KeBehram, Teh & Distt. Ferozepur	Mechanic Diesel-2,
	MIS Code : PR03000317	
5.	Shiv Shankar Pvt ITI Ferozpur Road Zira	Welder 2 Plumber 2
	MIS Code: PR03000271	Electrician 2
6.	C-Tech Educational SocietyPrivate ITI, Opp. Government College,Ropar.	COPA-2
	MIS Code: PU03000346	
7.	Swami Vivekanand Pvt. ITI Chandigarh- Patiala National Highway, RamNagar, Banur Distt. Patiala	Plumber-1, COPA-1 unit
300 S	MIS Code: PR03000291	r = = = = = = = = = = = = = = = = = = =
8.	Kundan Lal Saron Private ITI, ITIRoad, Near Sangrur Bye Pass, Dhuri Distt. Sangrur	Fashion Design & Technology-1 units

517/A/E

	MIS Code: PR03000245	
9.	Mamta Niketan Convent SchoolVocational Training Center (W)Tarantarn.	Draughtsman Civil-1,COPA-1
	MIS Code: PU03000168	
10.	Guru Kanshi Institute of Vocational Training, Sangat Road near Ramewala Bus Stand, Talwandi Sabo, Bhatinda	Basic Cosmetology 2
	MIS Code:	
11.	Lord Shiva Private ITI, LehriVPO Lehri.	Electrician-4, Plumber-2
40	MIS Code: PR03000353	
12.	Gian Sagar Pvt. ITI Banarasi	Mech. Motor (V)-2, Fitter-2, Welder-2, Surface
	MIS Code: PR03000206	ornamentation Tech2
13.	Guru Teg Bahadur Pvt. ITIMansa Road, Bathinda	Electrician-2, Plumber-2, Wireman-2, Welder-2
	MIS Code: PR03000034	
14.	Canadian Career ITI Badricolony Gakhal Road near Basti Danishmandan , Jalandhar	Craftsman Food Production (G) -2 Units
	MIS Code: PU03000314	
15.	Bhartiya ITC of HealthScience Kotkapura Road, Sh. Mukatsar Sahib.	Health Sanitary Inspector-4
	MIS Code: PR03000167	
16.	Shri Guru Ram Dass Private ITI,Vill. Bara, P.O. Dinanagar, Distt.Gurdaspur	Electrician-2, Welder(G&E) -2, Plumber-2
	MIS Code: PR03000318	
17.	V.S.S. Private ITI, Mansa,Barnala -Sirsa road, Near N.M. College,Distt Mansa	Fitter-2
	MIS Code: PU03000260	उज्जंवल बिस्वास/UJJWAL BISM

744ATE

निवेशक / Director
प्रशिक्षण महानिवेशालय/Directorae —merial of Training
कौशल विकास एवं — 178 of 216य
Ministry of Skill Development ge 178 of 216य
भारत सरकार, नई दिल्ली - 12 Go 1

18.	Shambhu Private ITI, VillageRajgarh, P.O Tepla, Tehsil. Rajpura, Distt: Patiala	Draughtsman Civil-2
	MIS Code: PR03000251	
19.	M.S.D Art & Craft Pvt. ITI, NearBhaga Purana Road, Moga	Welder-2
	MIS Code: PU03000297	
20.	Universal Technical andVocational Centre, Village Lehal, P.O. Dhariwal, Distt Gurdaspur	Fitter-2, COPA-1, Health Sanitary Inspector-1, Welder- 2,
-0.1	MIS Code : PU03000158	
21.	Shivalik Technical Institution, Opp. Shakti Chemical, Trimmo Road, Gurdaspur	Welder-2,
	MIS Code: PR03000139	
22.	Tools & Technology Private ITI, Village Kala Tibba,Rajanwali Road, Dist : Fazilka	Welder-2, Plumber-2, Mechanic Diesel Engine-2
	MIS Code: PR03000363	
23.	Akal Industrial Training Centre Vill. Alladad Chack, Teh. Sultanpur Iodhi, Distt. Kapurthala	Welder-2, Carpenter-2, Basic Cosmetology-1,
	MIS Code: PR03000203	
24.	D.A.N. Art & Craft College Rahon, Road, Distt. Shahid Bhagat Singh Nagar.	COPA-2 Units
	MIS Code : PR03000084	

19/09/23

प्रजावेल बिस्वास/UJJWAL BISWAS
निदेशक / Durector
प्रशिक्षण महानिदेशालव/Drectorale semenal of fraining
कोशाल विकास एवं उद्यासदी लेला महालय
Ministry of Skill Development and Enfections using
भारत सरकार, गई दिली-12/Govt. of indig. New Delih 12

Agenda 6: Activation of units due to zero admission for two consecutive years

With reference to the DGT-MIS011/1/2022-TC SECTION [53887] dated 10.11.2022 regarding one-time relaxation from De-activation of trades/units of ITIs whose 100% seats are lying vacant for 2 consecutive years. Accordingly, concerned state directorates are directed to ascertain the readiness of the ITI(s) by inspecting physically and forward recommendations of SSDEC to the DGT.

In this context, SSDEC recommendations are received from following state directorates:

1. Rajasthan

2. Kerala

State: Rajasthan [Total no of ITIs proposal received: 96 (Pvt- 96)]

S. No (1)	MIS Code (2)	ITI Name (3)	District	Trade (4)	Shift (5)	Uni t (6)	Recommendatio ns of Joint Inspection team (7)	Recomm endation s of SSDEC (8)	Recommendatio ns of SCAA (9)
		IGMENZ		Electrician (NSQF)	1	2		Recomm	Recommended Electrician
1	PR08001	PVT. ITI,	AJMER	Electrician (NSQF)	1	3		ended for	(NSQF) Shift -1 Unit-2
1	007	MADAR,	AJIVIER	Electrician (NSQF)	1	4	Recommended	Activation	Shift -1 Unit-3
		AJMER		Electrician (NSQF)	2	4	for Activation 1-Electrician – 4 Unit	1- Electricia n – 4 Unit	Shift -1 Unit-4 Shift -2 Unit-4
				Electrician (NSQF)	2	2		Recomm	Recommended Electrician
				Electronic Mechanics (NSQF)	1	1	Recommended for Activation	ended for Activation	(NSQF) Shift -2 Unit-2
2	PR08001 027	JAJU PVT. ITI, AJMER	AJMER	Electronic Mechanics (NSQF)	2	1	1.Electrician –1 Unit 2.Electronics	1.Electrici an –1 Unit	Electronic Mechanics
				Mechanics Diesel (NSQF)	2	1	Mechanic – 02 Unit	2.Electro	(NSQF) Shift -1 Unit-1 Shift -2 Unit-1
				REFRIGERATION AND AIR	1	1	3). R & A/C Mech. – 02 Unit उ	Mechanic,	Mechanics

MUTHE 19/09/23

पशिक्षण महान्य कौशाल विका Ministry of Skill be see me भरत सरकार, गई देखी Page 180 of 216

				CONDITIONING TECHNICIAN(NSQF)			4) Mechanic Diesel- 01 Unit	3). R & A/C	Diesel (NSQF) Shift -2 Unit-1
	2			REFRIGERATION AND AIR CONDITIONING TECHNICIAN(NSQF)	2	1		Mech. – 02 Unit 4) Mechanic Diesel- 01 Unit	REFRIGERATIO N AND AIR CONDITIONING TECHNICIAN(NS QF) Shift -1 Unit-1 Shift -2 Unit-1
				Electrician (NSQF)	1	4		Recomm ended for Activation	Recommended Electrician (NSQF)
				Mechanic Diesel (NSQF)	2	1		1) Mechanic	Shift -1 Unit-4 Mechanic Diesel
3	PR08000 121	RAGHUKUL PVT. ITI, AJMER	AJMER	Mechanic Diesel (NSQF)	2	2	Recommended for Activation	Diesel- 02 Unit 2)	(NSQF) Shift -2 Unit-1 Shift -2 Unit-2
		AJWLIX		Fitter (NSQF)	1	1	1) Mechanic Diesel- 02 Unit 2) Electrician – 01 Unit 3) Fitter – 01 Unit	Electricia n – 01 Unit 3) Fitter – 01 Unit	Fitter (NSQF) Shift -1 Unit-1
4	PR08000 617	CHITRANSH PVT. ITI, AJMER	AJMER	Electrician (NSQF)	2	2	Recommended for Activation 1-Electrician – 01 Unit	Recomm ended for Activation 1- Electricia n – 01 Unit	Recommended Electrician (NSQF) Shift -2 Unit-2
_	PR08001	MAA BHAGWATI		Electrician (NSQF)	2	4	Recommended for Activation	Recomm ended for Activation	Recommended Electrician (NSQF)
5	324	PVT. ITI, KEKRI (AJMER)	AJMER	Fitter (NSQF)	1	1	1-ELECTRICIAN - 1 Unit 2- FITTER- 01 Unit	1- ELECTRI CIAN – 1 Unit	Shift -2 Unit-4 Fitter (NSQF) Shift -1 Unit-1
		3141 19/09/	23				प्रशिक्षण महानिदेशनका (DA) प्रशिक्षण महानिदेशनका (DA) कौशाल चिकारण एक Ministry of Skin Deve o बरत सरकार, गई बिल्ली- ()	H/UJJWAL BISM	ge 181 of 216

6	PR08001 429	SANSKAR PVT. ITI, DEWATA	AJMER	Electrician (NSQF)	2	2	Recommended for Activation 1-Electrician – 01 Unit	2- FITTER- 01 Unit Recomm ended for Activation 1- Electricia n – 01 Unit	Recommended Electrician (NSQF) Shift -2 Unit-2
			_	Electrician (NSQF)	2	3			Recommended Electrician
				Electrician (NSQF)	2	4	-		(NSQF)
				Electrician (NSQF)	2	5			Shift -2 Unit-3 Shift -2 Unit-4
				Electrician (NSQF)	2	6			Shift -2 Unit-5
		SANSKAR		Electrician (NSQF)	2	7			Shift -2 Unit-6
7	PR08001	PVT. ITI,	AJMER	Electrician (NSQF)	3	1			Shift -2 Unit-7 Shift -3 Unit-1*
	582	BEAWAR(AJ MER)	NOWLIN	Electrician (NSQF)	3	2			Shift -3 Unit-2*
	- Company of the Comp	IVILITY		Electrician (NSQF)	3	-3-		Recomm	Shift -3 Unit-3* Shift -3 Unit-4*
				Electrician (NSQF)	3	4		ended for Activation	Shift -3 Unit-5*
				Electrician (NSQF)	3	5	Recommended	1-	Shift -3 Unit-6* Shift -3 Unit-7*
				Electrician (NSQF)	3	6	for Activation 1- Electrician – 12	Electricia n – 12	Office 3 Office
				Electrician (NSQF)	3	7	Unit	Unit	
8	PR08001 559	SARVESHW AR PVT. ITI, ROOPANGA RH, KISHANGAR H	AJMER	Electrician (NSQF)	3	1	Recommended for Activation 1-Electrician – 01 Unit	Recomm ended for Activation 1- Electricia n – 01 Unit	Recommended Electrician (NSQF) Shift -3 Unit-1*

उज्जावल बिस्वास/UJJWAL BISWAS
निदेशक / Di Page 182 of 216
प्रीक्षण महानिदेशात्म (Dure-tonal Page 182 of 216
क्षीआर राज्य स्थान का प्रकार का स्थान स्यान स्थान स्यान स्थान स्य

9	PR08001 142	BASSO DEVI LAXMAN SINGH PVT. ITI, SAHAJPUR (ALWAR)	ALWAR	Electrician (NSQF) Electrician (NSQF)	3 3	3 1 2	Recommended for Activation 1-Electrician –03 Unit	Recomm ended for Activation 1- Electricia n –03 Unit	Recommended Electrician (NSQF) Shift -2 Unit-3 Shift -3 Unit-1* Shift -3 Unit-2*
		SHREE		Fitter (NSQF)	2	3	3.111		Recommended Fitter (NSQF)
10	PR08000	GANESH PVT. ITI,	ALWAR	Fitter (NSQF)	3	1	I. P	Recomm	Shift -2 Unit-3 Shift -3 Unit-1*
10	901	TAPOOKRA (ALWAR)	ALVVAIX	Fitter (NSQF)	3	2	Recommended	ended for Activation	Shift -3 Unit-2* Shift -3 Unit-3*
		(ALVVAIV)		Fitter (NSQF)	3	3	for Activation 1 Fitter – 04 Units	1 Fitter – 04 Units	
				Fire Technology and Industrial Safety Management	2	1		Recomm ended for Activation	Recommended Fire Technology and Industrial
		CHARRIAN		Fire Technology and Industrial Safety Management	3	1	Recommended for Activation	1- Fire Technolo gy & Industrial	Safety Management Shift -2 Unit-1 Shift -3 Unit-1*
11	PR08001 584	GUARDIAN PVT. ITI, KAYASA	ALWAR	Health Sanitary Inspector (NSQF)	1	1	1- Fire Technology &	Safety Manage	Health Sanitary
		NATAGA	<u>6</u>	Health Sanitary Inspector (NSQF)	2	1	Industrial Safety Management- 02	ment- 02 Unit	(NSQF) Shift -1 Unit-1
	13		a= ==	Health Sanitary Inspector (NSQF)	3	1	Unit 2- Health Sanitary Inspector – 03 Unit	2- Health Sanitary Inspector – 03 Unit	Shift -2 Unit-1 Shift -3 Unit-1*
12	PR08001 564	SHRI KRISHNA PVT. ITI, BANSUR (ALWAR)	ALWAR	Electrician (NSQF)	1	1	Recommended for Activation 1-Electrician – 01 Unit	Recomm ended for Activation 1-	Recommended Electrician (NSQF) Shift -1 Unit-1

3191KTE 19/09/23

निरंपणक / Dure 100 प्रिक्तिक प्रिक्तिक प्रिक्तिक प्रकार (Create of Standing की शत विकास कर के प्रकार की प

13	PU08001 122	SHRI VISHVAKAR MA PVT. ITI, JASWANTNA GAR, BHARATPUR	BHARAT PUR	Mechanic Diesel	2	1	Recommended for Activation 1- Mech. Diesel –	n – 01 Unit Recomm ended for Activation 1- Mech. Diesel –	Recommended Mechanic Diesel (NSQF) Shift -2 Unit-1
		BHARATPOR		(NSQF) Computer Operator and Programming Assistant (NSQF)	2	1	01 Unit	01 Unit	Recommended Computer Operator and
14	PR08000	SARVODAYA PVT. ITI, KAMALPURA	BHARAT	Fitter (NSQF)	1	2		Recomm ended for	Programming Assistant
	468	(BHARATPU R)	PUR	Fitter (NSQF)	2	1	Recommended for Activation	Activation 1-Fitter –	(NSQF) Shift -2 Unit-1 Fitter (NSQF)
				Fitter (NSQF)	2	2	1-Fitter – 03 Unit 2- COPA – 01 Unit	03 Unit 2- COPA – 01 Unit	Shift -1 Unit-2 Shift -2 Unit-1 Shift -2 Unit-2
				Electrician (NSQF)	2	1			Recommended Electrician
				Electrician (NSQF)	2	2			(NSQF) Shift -2 Unit-1
15	PU08001	K.M.S. PVT.	BHARAT	Electrician (NSQF)	3	4		Recomm	Shift -2 Unit-2
13	598	ITI, BAYANA BHARATPUR	PUR	Electrician (NSQF)	3	5	B	ended for Activation	Shift -3 Unit-4* Shift -3 Unit-5*
				Electrician (NSQF)	3	6	Recommended for Activation	1- Electricia	Shift -3 Unit-6* Shift -3 Unit-7*
				Electrician (NSQF)	3	7	1-Electrician –06 Unit	n –06 Unit	
16	PR08001	EKLAVYA PVT. ITI,	BHARAT	Electrician (NSQF)	2	1		Recomm	Recommended Electrician
10	496	LOHATWARA	PUR	Electrician (NSQF)	2	2	Recommended for Activation	ended for Activation	(NSQF)

अपापिरें

My

परिशाण महानिवेशा-७ १००० कीशाल विकास Page 184 of 216 Ministry of Skill User भारत सरकार, नई दिल्ली-12/Gord जी

		(BHARATPU R)		Electrician (NSQF)	3	1	1-Electrician – 03 Unit	1- Electricia n – 03 Unit	Shift -2 Unit-1 Shift -2 Unit-2 Shift -3 Unit-1*
		CUDI		Electrician (NSQF)	3	1		Recomm ended for Activation	Recommended Electrician (NSQF)
10.5	PR08001	SHRI MAHESHSH WARI PVT.	BHILWAR	Electrician (NSQF)	3	2	Recommended	1- Electricia	Shift -3 Unit-1* Shift -3 Unit-2*
17	343	ITI, GULABPURA	A	Electrician (NSQF)	3	3	for Activation 1- Electrician –03	n –03 Unit	Shift -3 Unit-3* Mechanic Diesel
		(BHILWARA)		Mechanic Diesel (NSQF)	3	1	Unit 2-Mech. Diesel – 01 Unit	2-Mech. Diesel – 01 Unit	(NSQF) Shift -3 Unit-1*
				Electrician (NSQF)	3	1		Recomm ended for	Recommended Electrician
		K.K. MEMORIAL		Electrician (NSQF)	3	2		Activation 1-	(NSQF) Shift -3 Unit-1*
18	PR08001 370	PVT. ITI, DHUWALIYA,	BHILWAR	Electrician (NSQF)	3	3	Recommended for Activation	Electricia n –04	Shift -3 Unit-2* Shift -3 Unit-3*
		HURDA (BHILWARA)	2.00	Electrician (NSQF)	3	4	1- Electrician –04 Unit	Unit 2-Mech.	Shift -3 Unit-4* Mechanic Diesel
				Mechanic Diesel (NSQF)	3	1	2-Mech. Diesel – 01 Unit	Diesel – 01 Unit	(NSQF) Shift -3 Unit-1*
19	PR08001	VARDHMAN PVT. ITI,	BHILWAR	Fitter (NSQF)	2	1	Recommended	Recomm ended for Activation	Recommended Fitter (NSQF) Shift -2 Unit-1
19	706	(BHILWARA)	A	Fitter (NSQF)	3	1	for Activation 1-Fitter – 02 Unit	1-Fitter – 02 Unit	Shift -3 Unit-1*
				Electrician (NSQF)	1	1		Recomm ended for	Recommended Electrician
20	PU08001 733	MEWAR PVT. ITI, ASIND	BHILWAR	Electrician (NSQF)	2	1	Recommended	Activation 1-	(NSQF) Shift -1 Unit-1
	733	(BHILWARA)		Electrician (NSQF)	3	1	for Activation 1- Electrician –03 Unit	Electricia n –03 Unit	Shift -2 Unit-1 Shift -3 Unit-1*

प्रियम विकास / U I WA! BISWAS

सिवेद का | Page 185 of 216

प्रियम महाने प्रकार किलान के किलान किलान के किलान किलान के किलान के किलान किलान के किलान क

	21	PU08001 882	SEETA DEVI PVT. ITI, SINDHU	BHILWAR A	Electrician (NSQF)	2	1	Recommended for Activation 1- Electrician – 01 Unit	Recomm ended for Activation 1- Electricia n – 01 Unit	Recommended Electrician (NSQF) Shift -2 Unit-1
			H.R. MEMORIAL		Electrician (NSQF)	2	1		Recomm ended for	Recommended Electrician
-	22	PR08001 398	PVT. ITI, LUNKARANS	BIKANER	Electrician (NSQF)	2	2	Recommended	Activation 1-	(NSQF) Shift -2 Unit-1
		330	AR (BIKANER)		Electrician (NSQF)	3	1	for Activation 1-Electrician –03 Unit	Electricia n –03 Unit	Shift -2 Unit-2 Shift -3 Unit-1*
			RAJEEV		Horticulture (NSQF)	2	1		Recomm ended for Activation	Recommended Horticulture (NSQF)
	23	PR08001 268	GANDHI PVT. ITI, BARSINGSA R (BIKANER)	BIKANER		2	1	Recommended for Activation 1- Welder – 01 Units	1- Welder - 01 Units 2- Horticultu	Shift -2 Unit-1 Welder (NSQF) Shift -2 Unit-1
					Welder (NSQF)			2-Horticulture– 01 Units	re– 01 Units	
	=				Electrician (NSQF)	1	2			Recommended Electrician
		-	S.L.S.		Electrician (NSQF)	2	2		Recomm	(NSQF) Shift -1 Unit-2
-	24	PU08001	GRAPHIC PVT. ITI,	BIKANER	Electrician (NSQF)	3	2		ended for Activation	Shift -2 Unit-2 Shift -3 Unit-2*
	-	609	LUNKARANS AR		Fitter (NSQF)	1	1	Recommended for Activation	1- Electricia	Fitter (NSQF) Shift -1 Unit-1
-	-		(BIKANER)		Fitter (NSQF)	1	2	1- Electrician –03 Unit		Shift -1 Unit-2 Shift 2 Unit-1
					Fitter (NSQF)	2	1	2- Fitter – 06 Units ব্যাব	2- Fitter + 06 Units	Shift -2 Unit-2

341HE 19109/23

पशिशाण महानिवेश वा Abush Wales मानावाय कोशाल विकास एवं उदामशी का मानावाय Ministry of Skiii Devolument and Entrepreneurship Ministry of Skiii Devolument and Entrepreneurship माह्य सरकार, वहीं दिली-12/Govt. of India, New Delhi-12 माह्य सरकार, वहीं दिली-12/Govt. of India, New Delhi-12

				Fitter (NSQF)	2	2			Shift -3 Unit-1* Shift -3 Unit-2*
				Fitter (NSQF)	3	1			
				Fitter (NSQF)	3	2			
22	#3#F)	ği -		Electrician (NSQF)	1	4	30 <u>\$</u>		Recommended Electrician
				Electrician (NSQF)	1	5		Recomm	(NSQF) Shift -1 Unit-4
25	PU08001 378	BIKANA PVT. ITI, BIKANER	BIKANER	Electrician (NSQF)	2	4		ended for Activation	Shift -1 Unit-5 Shift -2 Unit-4 Shift -2 Unit-5
				Electrician (NSQF)	2	5	Recommended for Activation	1- Electricia	Shift -2 Unit-6
	,			Electrician (NSQF)	2	6	1- Electrician – 05 Unit	n – 05 Unit	
		FFOLINAME		Electrician (NSQF)	2	1		Recomm	Recommended Electrician
26	PU08001	EESHWAR PVT. ITI,	BIKANER	Electrician (NSQF)	2	2		ended for Activation	(NSQF) Shift -2 Unit-1
20	374	PARAKHON KI JONKH, BIKANER	DINAMER	Electrician (NSQF)	3	1	Recommended for Activation	1- Electricia	Shift -2 Unit-2 Shift -3 Unit-1*
		BIIVANLIX		Electrician (NSQF)	3	2	1- Electrician –04 Unit	n –04 Unit	Shift -3 Unit-2*
				Electrician (NSQF)	3	1		Recomm	Recommended Electrician
	a see			Electrician (NSQF)	3	2 .	s _	ended for Activation	(NSQF) Shift -3 Unit-1*
27	PU08000 489	RRB PVT. ITI, BIKANER	BIKANER	Electrician (NSQF)	3	3	Recommended	1- Electricia	Shift -3 Unit-2* Shift -3 Unit-3* Mechanic Diesel
	0.8			Mechanic Diesel (NSQF)	2	1-	for Activation 1- Electrician –03 Unit	n –03 Unit 2-Mech.	(NSQF) Shift -2 Unit-1
				Mechanic Diesel (NSQF)	3	1	2-Mech. Diesel-	Diesel- 02 Unit	Shift -3 Unit-1*

19/09/23

मिने प्राप्त () अस्ति (

		GURU KIRPA		Electrician (NSQF)	2	2		Recomm ended for Activation	Recommended Electrician
28	PR08001 459	PVT. ITI, NAPASAR	BIKANER	Electrician (NSQF)	3	1	Recommended	1-	(NSQF) Shift -2 Unit-2
	400	(BIKANER)		Electrician (NSQF)	3	2	for Activation 1- Electrician –03 Unit	Electricia n –03 Unit	Shift -3 Unit-1* Shift -3 Unit-2*
				Electrician (NSQF)	1	4			Recommended Electrician
		-		Electrician (NSQF)	1	5		Recomm	(NSQF) Shift -1 Unit-4 Shift -1 Unit-5
29	PR08001	SHRI MAHA LAKSHMI	BUNDI	Electrician (NSQF)	2	4		ended for Activation	Shift -2 Unit-4 Shift -2 Unit-5
	052	PVT. ITI, BUNDI	BONDI	Electrician (NSQF)	2	5	Recommended for Activation	1- Electricia n –04	Mechanic Diesel (NSQF)
				Mechanic Diesel (NSQF)	1	1	1- Electrician –04 Unit	Unit 2-Mech.	Shift -1 Unit-1 Shift -2 Unit-1
				Mechanic Diesel (NSQF)	2	1	2-Mech. Diesel– 02 Units	Diesel- 02 Units	
								Recomm ended for	Recommended Electrician
30	PR08001 164	JAI AMBE PVT.ITI, Nainwa (BUNDI)	BUNDI	Electrician (NSQF)	2	2	Recommended for Activation 1- Electrician –01 Unit	Activation 1- Electricia n –01 Unit	(NSQF) Shift -2 Unit-2
		MAHARANA PRATAP		Mechanic Diesel (NSQF)	1	1		Recomm ended for	Recommended Mechanic Diesel
31	PR08001 233	PVT. ITI, KESHORAI PATAN (BUNDI)	BUNDI	Mechanic Diesel (NSQF)	2	1	Recommended for Activation 1- Mech.Diesel – 02 Unit	Activation 1- Mech.Die sel – 02 Unit	(NSQF) Shift -1 Unit-1 Shift -2 Unit-1
32			BUNDI	Electrician (NSQF)	2	3	ত ক	ल बिस्वास/UJJM	A! EISWAS

914/K) 19109/23

प्रशिक्षण महानिश्याः अन्याति क्रिकारा विकास एवं उद्दापशालना मुस्ति 216 Ministry of Skili Developmen Page 188 of 216 भरत सरकार, गई विल्ली-12/Gov. of India. 'Yes Sain-12

				Electrician (NSQF)	2	4			Recommended
				Electrician (NSQF)	3	1		Recomm	Electrician (NSQF)
		NEW		Electrician (NSQF)	3	2	Recommended	ended for Activation	Shift -2 Unit-3 Shift -2 Unit-4
	PR08001	MAHALAXMI		Electrician (NSQF)	3	3	for Activation 1- Electrician –06	1- Electricia	Shift -3 Unit-1* Shift -3 Unit-2*
	346	PVT. ITI, TALERA (Electrician (NSQF)	3	4	Unit 2- Fitter – 03	n –06	Shift -3 Unit-3*
-		BUNDI)		Fitter (NSQF)	.1	_1	Units	Unit 2- Fitter –	Shift -3 Unit-4* Fitter (NSQF)
				Fitter (NSQF)	2	1		03 Units	Shift -1 Unit-1 Shift -2 Unit-1
				Fitter (NSQF)	3	1			Shift -3 Unit-1*
				Electrician (NSQF)	1	1			Recommended Electrician
				Electrician (NSQF)	1	4			(NSQF) Shift -1 Unit-1
				Electrician (NSQF)	3	2		Recomm	Shift -1 Unit-4
33	PU08001	SHIVA PVT. ITI, LAKHERI	BUNDI	Electrician (NSQF)	3	3		ended for Activation	Shift -3 Unit-2* Shift -3 Unit-3*
	301	(BUNDI)	-	Electrician (NSQF)	3	4		1-	Shift -3 Unit-4* Fitter (NSQF)
				Fitter (NSQF)	1	1	Recommended for Activation	Electricia n -05	Shift -1 Unit-1 Shift -2 Unit-1
		#B		Fitter (NSQF)	2	1	1-Electrician -05 units	units 2- Fitter-	Shift -3 Unit-1*
				Fitter (NSQF)	3	1	2- Fitter-03 units	03 units	December
0.		120						Recomm ended for	Recommended Electrician
34	PR08000	GURU KRIPA PVT. ITI,	BUNDI		3	2	Recommended	Activation 1-	(NSQF) Shift -3 Unit-2*
	372	KAPRAIN		file a c			for Activation 1-Electrician -01	Electricia n -01	^
		i e		Electrician (NSQF)			units	units	

प्रणावल बिस्वास/UJIWAL BISWAS
निवेशक / Latter of Stationary
प्रशिक्षण महानिवेशक Daw for an and Stationary
Ministry of Skill Decision of Page 189 of 216
भारत सरकार, नई बिल्ती-12/Gov. of inche, New 2011-12

		PASS INSTITUTE OF FIRE &		Electrician (NSQF)	2	1		Recomm ended for Activation	Recommended Electrician (NSQF)
35	PU08001 655	SAFETY PVT. ITI, CHITTAURG ARH	CHITTAU RGARH	Electrician (NSQF)	3	1	Recommended for Activation 1-Electrician -02 units	1- Electricia n -02 units	Shift -2 Unit-1 Shift -3 Unit-1*
				Electrician (NSQF)	1	1	=	Recomm ended for	Recommended Electrician
		VIDHYA PVT.		Health Sanitary Inspector (NSQF)	1	1		Activation 1- Electricia	(NSQF) Shift -1 Unit-1 Health Sanitary
36	PR08001 745	ITI, RASHMI (CHITTAURG	CHITTAU RGARH	Health Sanitary Inspector (NSQF)	2	1	Recommended for Activation	n -01 units	Inspector (NSQF)
		ARH)		Health Sanitary Inspector (NSQF)	3	1	1-Electrician -01 units 2-Health Sanitary Inspector – 03 Units	2-Health Sanitary Inspector – 03 Units	Shift -1 Unit-1 Shift -2 Unit-1 Shift -3 Unit-1*
				Electrician (NSQF)	1	1			Recommended Electrician
				Electrician (NSQF)	1	2		Recomm	(NSQF)
				Electrician (NSQF)	1	6		ended for	Shift -1 Unit-1 Shift -1 Unit-2
		MOHTA PVT.		Electrician (NSQF)	3	1		Activation 1-	Shift -1 Unit-6
37	PR08000	ITI,	CHURU	Electrician (NSQF)	3	2		Electroni	Shift -3 Unit-1* Shift -3 Unit-2*
51	599	RAJGARH (CHURU)	CHORO	Electrician (NSQF)	3	3	Recommended	cs – 01 Unit	Shift -3 Unit-3*
		(3.101(3)		Electrician (NSQF)	3	4	for Activation	2-	Shift -3 Unit-4* Shift -3 Unit-5*
				Electrician (NSQF)	3	5	1-Electronics – 01 Unit	Electricia n – 09	Shift -3 Unit-6* Fitter (NSQF)
				Electrician (NSQF)	3	6	2-Electrician – 09	Unit	Shift -1 Unit-1
				Fitter (NSQF)	1	1	Unit 3- Fitter – 01 Unit	3- Fitter – 01 Unit	Electronic

अपासिंह

प्रशासन विस्तास क्रिक्ट विस्तास क्रिक क

				Electronic Mechanics (NSQF)	1	1			Mechanics (NSQF) Shift -1 Unit-1
				Fitter (NSQF)	1	2		Recomm	Recommended Fitter (NSQF) Shift -1 Unit-2
38	PR08000 510	ASHA DEVI PVT. ITI, RAJGARH	CHURU	Fitter (NSQF)	2	1	Recommended	ended for Activation	Shift -2 Unit-1 Shift -3 Unit-1*
		RAJGARII		Fitter (NSQF)	3	1	for Activation 1-Fitter- 03 Units	1-Fitter- 03 Units	Recommended
A		CHOUDHAR		Electrician (NSQF)	1	2	<u> </u>	Recomm ended for	Electrician (NSQF)
	PU08001	YHRPVT. ITI,	CHURU	Electrician (NSQF)	2	2	Decemended	Activation 1-	Shift -1 Unit-2 Shift -2 Unit-2
39	796	SARDARSHA HAR	CHORO	Electrician (NSQF)	3	1	Recommended for Activation	Electricia n -04	Shift -3 Unit-1* Shift -3 Unit-2*
		(CHURU)		Electrician (NSQF)	3	2	1-Electrician -04 units	units	Recommended
		PRAGATI		Electrician (NSQF)	2	2		ended for Activation	Electrician (NSQF)
40	PR08001 847	PVT. ITI, SARDARSHA	CHURU	Electrician (NSQF)	3	1	Recommended for Activation	1- Electricia	Shift -2 Unit-2 Shift -3 Unit-1*
		HAR (CHURU)		Electrician (NSQF)	3	2	1-Electrician -03 units	n -03 units	Shift -3 Unit-2*
41	PR08000 875	SWAMI VIVEKANAN D PVT. ITI, DAUSA	DAUSA	Fitter(NSQF)		-	Recommended for Activation 1-Fitter- 00 Units	Recomm ended for Activation 1-Fitter- 00 Units	State Directorate may clarify TSU
42	PR08001 317	LOTWARA PVT. ITI, LOTAWARA (DAUSA)	DAUSA		2	2	Recommended for Activation 1-Electrician - 01	Recomm ended for Activation 1- Electricia n - 01	Recommended Electrician (NSQF) Shift -2 Unit-2
1				Electrician (NSQF)			units	units	

प्रजीवल बिस्तास/UJIWAL PISUPage 191 of 216
निवेशक DUBLION
प्रित्रण महानिवेशका Brace at Terms of Training
कौशल विकास एवं उद्यम्भित के प्रकार

43	PR08000 802	S.K.D. PVT. ITI, RAMGARH PACHWARA (DAUSA)	DAUSA	Electrician (NSQF) Electrician (NSQF)	2 2 3	1 2 1	Recommended for Activation 1-Electrician - 03 units	Recomm ended for Activation 1- Electricia n - 03 units	Recommended Electrician (NSQF) Shift -2 Unit-1 Shift -2 Unit-2 Shift -3 Unit-1*
44	PU08001 731	ASHISH PVT. ITI, KHEDA KURD	DAUSA	Electrician (NSQF)	1 2 2 2 2 2 2 3 3 3 3 3	8 2 3 4 5 6 7 8 6 7	Recommended for Activation 1-Electrician -11 units	Recomm ended for Activation 1- Electricia n -11 units	Recommended Electrician (NSQF) Shift -1 Unit-8 Shift -2 Unit-2 Shift -2 Unit-3 Shift -2 Unit-4 Shift -2 Unit-5 Shift -2 Unit-6 Shift -2 Unit-7 Shift -2 Unit-7 Shift -3 Unit-6* Shift -3 Unit-7* Shift -3 Unit-8*
45	PU08001 649	MD PVT. ITI, THEEKARIYA (DAUSA)	DAUSA	Electrician (NSQF) Fitter (NSQF) Fitter (NSQF) Fitter (NSQF) Health Sanitary Inspector (NSQF) Health Sanitary Inspector (NSQF)	2 1 2 3 1 2	1 1 1 1 1	Recommended for Activation 1-Electrician – 01 Unit 2- Fitter – 03 Unit 3- HSI – 03 Unit	Recomm ended for Activation 1- Electricia n – 01 Unit 2- Fitter – 03 Unit	Recommended Electrician (NSQF) Shift -2 Unit-1 Fitter (NSQF) Shift -1 Unit-1 Shift -2 Unit-1 Shift -3 Unit-1* Health Sanitary Inspector (NSQF) Shift -1 Unit-1

19/09/23

भारतिम महानवस्त्रपात्रपात्रपात्रपात्रपात्र असम्प्रीतिका महानवस्त्र अस्त्राल विकास एवं उध्यम्प्रीतिका महानवस्त्र Ministry of Skill Development and Enterpreneurship भारत सरकार, गई विल्ली—12/Gow. Page e[®] 192-0f 216

				Health Sanitary Inspector (NSQF)	3	1		,	Shift -2 Unit-1 Shift -3 Unit-1*
46	PU08001 844	NEW MAHATMA GANDHI PVT. ITI, LALSOT (DAUSA)	DAUSA	Electrician (NSQF)	3	2	Recommended for Activation 1-Electrician – 01 Unit	Recomm ended for Activation 1- Electricia n – 01 Unit	Recommended Electrician (NSQF) Shift -3 Unit-2*
		•		Computer Operator					Recommended
				and Programming Assistant (NSQF)	2	1		Recomm	Computer Operator and
47	PR08000	CHOUDHAR Y PVT. ITI, RAWATSAR	HANUMA	Electrician (NSQF)	2	1		ended for Activation 1-	Programming Assistant (NSQF) Shift -2
71	426	(HANUMANG ARH	NGARH	Electrician (NSQF)	2	2	Recommended for Activation 1-Electrician - 02 units 2-COPA – 01 Unit	Electricia Un n - 02 Ele units (N 2-COPA Sh	Unit-1 Electrician (NSQF) Shift -2 Unit-1 Shift -2 Unit-2
				Electrician (NSQF)		_	2 00171 01 01111		Recommended
				Electrician (NSQF)	1	5			Electrician
		CH. PARMA		Electrician (NSQF)	2	1		Recomm	(NSQF) Shift -1 Unit-5
40	PR08001	GODARA PVT. ITI,	HANUMA	Electrician (NSQF)	.2	2		ended for	Shift -2 Unit-1 Shift -2 Unit-2
48	282	NOHAR	NGARH	Electrician (NSQF)	2	3	Recommended	Activation 1 -	Shift -2 Unit-3 Shift -2 Unit-4
		(HANUMANG ARH		Electrician (NSQF)	2	4	for Activation 1 - Electrician –	Electricia n – 06	Shift -2 Unit-5
		A CONTRACTOR OF THE CONTRACTOR		Electrician (NSQF)	2	5	06 Unit	Unit	D
2002	PR08000	CHOUDHAR Y ROOP	HANUMA	Electrician (NSQF)	2	1	Recommended for Activation	Recomm ended for Activation	Recommended Electrician (NSQF)
49	789	RAM PVT. ITI, RAWATSAR,	NGARH	Electrician (NSQF)	2	2	1 - Electrician –02 Unit	1 - Electricia	Shift -2 Unit-1 Shift -2 Unit-2

प्रिकार विकार Page 193 of 216
Ministry of Skill Dear State of the Action of the Actio

50	PR08001 351	HANUMANG ARH LAKSHAY PVT. ITI, GOLUWALA (HANUMANG ARH	HANUMA NGARH		2	4	Recommended for Activation 1-Electrician – 01	n –02 Unit Recomm ended for Activation 1- Electricia n – 01	Recommended Electrician (NSQF) Shift -2 Unit-4
				Electrician (NSQF) Health Sanitary			Unit	Unit	
				Inspector	1	1		Recomm ended for	Recommended Health Sanitary
				Health Sanitary Inspector	2	1		Activation 1 -	Inspector Shift -1 Unit-1
		BRIGHT		Plumber	1	1		Electricia n –02	Shift -2 Unit-1 Plumber
51	PR08001	STAR PVT. ITI, 20 AMS	HANUMA	Plumber	2	1	Recommended	Unit 2-	Shift -1 Unit-1 Shift -2 Unit-1
	623	(HANUMANG ARH	NGARH	Electrician	1	1	for Activation 1 - Electrician –02	Plumber – 02 Unit	Electrician Shift -1 Unit-1 Shift -2 Unit-1
				Electrician	2	1	Unit 2-Plumber – 02 Unit	3- HSI – 02 Unit	Early Childhood Educator
				Early Childhood Educator	1	1	3- HSI – 02 Unit 4-Early Childhood	4-Early Childhoo d	Shift -1 Unit-1 Shift -2 Unit-1
				Early Childhood Educator	2	1	Educator – 02 Unit	Educator – 02 Unit	
52	PR08001	BHUSHAN PVT. ITI,	laisus	Mechanic Diesel (NSQF)	3	1		Recomm ended for Activation 1-	Recommended Mechanic Diesel (NSQF) Shift -3 Unit-1*
52	023	SIRSI (JAIPUR)	JAIPUR	REFRIGERATION AND AIR CONDITIONING TECHNICIAN(NSQF)	3	1	Recommended for Activation 1- Mech.Diesel – 01 Unit 2-R&AC – 01 Unit	Mech.Die sel – 01 Unit 2-R&AC	REFRIGERATIO N AND AIR CONDITIONING TECHNICIAN(NS

प्रशासन महानिद्देशक / Direction of Training प्रशासन महानिद्देशक / Direction of Training प्रशासन महानिद्देशक गरिन के उत्तर प्रशासन के जानित के उत्तर प्रशासन के जानित के जानित

									QF) Shift -3 Unit- 1*
				Electrician (NSQF)	1	1			Recommended Electrician
	i say jam			Electrician (NSQF)	2	4			(NSQF)
	(1)			Electrician (NSQF)	2	5			Shift -1 Unit-1 Shift -2 Unit-4
		SOHAR PVT.		Electrician (NSQF)	2	6	5*5 ®		Shift -2 Unit-5
53	PR08001 231	ITI, BASSI	JAIPUR	Electrician (NSQF)	3	1		Recomm	Shift -2 Unit-6 Shift -3 Unit-1*
	231	JAIPUR		Electrician (NSQF)	3	2		ended for Activation	Shift -3 Unit-2*
				Electrician (NSQF)	3	3	Recommended	1-	Shift -3 Unit-3* Shift -3 Unit-4*
				Electrician (NSQF)	3	4	for Activation 1-Electrician –09	Electricia n –09	Shift -3 Unit-5*
				Electrician (NSQF)	3	5	Unit	Unit	
		NEW TECH.		Electrician (NSQF)	2	2		Recomm ended for Activation	Recommended Electrician (NSQF)
54	PR08001 291	GROUP PVT. ITI, BAGRU (JAIPUR)	JAIPUR	Electrician (NSQF)	3	2	Recommended for Activation 1-Electrician –02 Unit	1- Electricia n –02 Unit	Shift -2 Unit-2 Shift -3 Unit-2*
				Electrician (NSQF)	1	4		Recomm	Recommended Electrician
	,7	KAMAL RATAN PVT.		Electrician (NSQF)	2	1	Recommended	ended for Activation	(NSQF) Shift -1 Unit-4
55	PU08001 471	ITI, RAMCHAND	JAIPUR	Electrician (NSQF)	2	3	for Activation 1-Fitter – 01 Unit	1-Fitter – 01 Unit	Shift -2 Unit-1 Shift -2 Unit-3
	7/1	RAPU RA (JAIPUR)		Electrician (NSQF)	2	4	2-Mech. Diesel – 01 Unit	2-Mech. Diesel –	Shift -2 Unit-4 Fitter (NSQF)
		(2 2)		Fitter (NSQF)	1	1	3-Electrician- 04 Unit	01 Unit 3-	

उपनिवास/UJJWAL BISWAS प्रशिक्षण महानिक्षणक क्षित्र क्षेत्र क्षेत्र मान्य क्षेत्र क्षेत्र मान्य क्षेत्र क्षे

56	PU08001 568	JAI HIND PVT. ITI, PHULERA	JAIPUR	Mechanic Diesel (NSQF) Electrician (NSQF) Electrician (NSQF)	1 2	1 1 2	Recommended	Recomm ended for Activation	(NSQF) Shift -2 Unit-1 Recommended Electrician (NSQF) Shift -1 Unit-1
		JAIPUR		Electrician (NSQF) Electrician (NSQF)	2	3	for Activation 1- Electrician – 04 Units	Electricia n – 04 Units	Shift -2 Unit-2 Shift -2 Unit-3 Shift -2 Unit-4
				Electrician (NSQF)	1	1			Recommended Electrician
				Electrician (NSQF)	1	2			(NSQF)
57	PR08001	Sunrise Pvt. ITI, Hurela	JAIPUR	Electrician (NSQF)	2	1	,	Recomm ended for	Shift -1 Unit-1 Shift -1 Unit-2
	900	(Jaipur)	or the Ort	Electrician (NSQF)	2	2	Recommended	Activation	Shift -2 Unit-1 Shift -2 Unit-2
				Electrician (NSQF)	3	1	for Activation	1- Electricia	Shift -3 Unit-1* Shift -3 Unit-2*
				Electrician (NSQF)	3	2	1- Electrician – 06 Units	n – 06 Units	STILL O STILL
				Electrician (NSQF)	2	1		Recomm ended for	Recommended Electrician (NSQF) Shift -2
58	PU08001 869	GAYATRI PVT. ITI, POKARAN (JAISALMER)	JAISALM ER	Health Sanitary Inspector (NSQF)	2	1	Recommended for Activation 1- Electrician –01 Units 2-H.S.I. – 01 Unit	Activation 1- Electricia n -01 Units 2-H.S.I 01 Unit	Unit-1 Health Sanitary Inspector (NSQF) Shift -2 Unit-1
59	PR08000 231	SUMAN PVT. ITI,	JHALAW AR	Electrician (NSQF)	1	1	Recommended for Activation	Recomm ended for	Recommended Electrician

मपारित्र है

उज्जावल बिस्वास/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण महानिवेशका / Directorate General of Training
कोशल विकास एवं उद्यामश्री न्याता महानिवेश Ministry of Skill Development के बार महानिवेश भारत सरकार, नई दिल्ली-12/Goft age 196 of 216

		MANOHART HAN A (JHALAWAR)		Electrician (NSQF)	1	2	1- Electrician – 02	Activation 1- Electricia n – 02 Units	(NSQF) Shift -1 Unit-1 Shift -1 Unit-2
				Computer Operator and Programming Assistant (NSQF)	2	1			Recommended Computer Operator and
				Electrician (NSQF)	1	6		Recomm ended for	Programming Assistant (NSQF) Shift -2
		SHIV OMKAR		Electrician (NSQF)	2	2		Activation 1-	Unit-1 Electrician
60	PR08001 025	MAHESHWA RI PVT. ITI,	JHUNJH	Electrician (NSQF)	2	6	Recommended	Electricia n –03	(NSQF) Shift -1 Unit-6 Shift -2 Unit-2
		BAGGAR		Fitter (NSQF)	2	1	for Activation 1-Electrician –03 Units	Units 2-Fitter – 02 Units	Shift -2 Unit-6 Fitter (NSQF)
				Fitter (NSQF)	2	2	2-Fitter – 02 Units 3-COPA- 01 Units	3-COPA- 01 Units	Shift -2 Unit-1 Shift -2 Unit-2
				Welder (NSQF)	2	1	4-Welder – 01 Unit	4-Welder – 01 Unit	Welder (NSQF) Shift -2 Unit-1 Recommended
				Electrician (NSQF)	1	1			Electrician (NSQF)
				Electrician (NSQF)	2	1		Recomm ended for	Shift -1 Unit-1 Shift -2 Unit-1
61	PR08001	MANOJ PVT. ITI, BANWAS	JHUNJH	Electrician (NSQF)	3	1		Activation	Shift -3 Unit-1* Shift -3 Unit-2*
01	197	(JHUNJHUN	UNU	Electrician (NSQF)	3	2	Recommended for Activation	Electricia	Fitter (NSQF) Shift -1 Unit-1
				Fitter (NSQF)	1	1	1-Electrician –04 Units	Units 2-Fitter –	Shift -2 Unit-1
12				Fitter (NSQF)	2	1	2-Fitter – 02 Units	02 Units	
62	PR08001 226	MOHIT PVT. ITI, BHUANA	JHUNJH UNU	Electrician (NSQF)	3	1	Recommended for Activation	Recomm ended for	Recommended Electrician

		(JHUNJHUN U)		Electrician (NSQF) Fitter (NSQF)	3 1 2	1 1	1-Electrician –02 Units 2-Fitter – 02 Units	Activation 1- Electricia n –02 Units 2-Fitter – 02 Units	(NSQF) Shift -3 Unit-1* Shift -3 Unit-2* Fitter (NSQF) Shift -1 Unit-1 Shift -2 Unit-1
				Electrician (NSQF)	1	3			Recommended Electrician
				Electrician (NSQF)	11	4			(NSQF)
				Electrician (NSQF)	1	5			Shift -1 Unit-3 Shift -1 Unit-4
				Electrician (NSQF)	2	3			Shift -1 Unit-5 Shift -2 Unit-3
	*			Electrician (NSQF)	2	4			Shift -2 Unit-4
				Electrician (NSQF)	2	1			Shift -2 Unit-1 Shift -3 Unit-2*
		BGK PVT. ITI,		Electrician (NSQF)	3	2	ļ.		Shift -3 Unit-3*
	PR08001	TALUK CHURI,	JHUNJH	Electrician (NSQF)	3	3			Shift -3 Unit-4* Shift -3 Unit-5*
63	311	AJITGARH	UNU	Electrician (NSQF)	3	4			Fitter (NSQF) Shift -1 Unit-1
		(JHUNJHUN		Electrician (NSQF)	3	5	(F) 0=	Recomm	Shift -2 Unit-1
		-		Fitter (NSQF)	1	1		ended for Activation	Shift -3 Unit-1* Mechanic Diesel
				Fitter (NSQF)	2	1		1-	(NSQF)
				Fitter (NSQF)	3	1	Recommended	Electricia n –10	Shift -1 Unit-2 Shift -2 Unit-2
				Mechanic Diesel (NSQF)	1	2	for Activation 1-Electrician –10	Units 2-Fitter –	Shift -3 Unit-1*
				Mechanic Diesel (NSQF)	2	2	Units 2-Fitter – 03 Units	03 Units 3-Mech.	
		The second district to the second		Mechanic Diesel (NSQF)	3	1	3-Mech. Diesel – 03 Unit	Diesel – 03 Unit	
64	PU08000 771	SETH MOTILAL	JHUNJH	Electrician (NSQF)	2	1	Recommended for Activation and	Recomm ended for	Recommended Electrician

3141KFZ 19109/23

		PVT. ITI, JHUNJHUNU N		Electrician (NSQF) Electrician (NSQF)	3	1 2	1-Electrician –04 Units	Activation 1- Electricia n –04 Units	(NSQF) Shift -2 Unit-1 Shift -2 Unit-2 Shift -3 Unit-1* Shift -3 Unit-2*
		2"		Electrician (NSQF)	2	3			Recommended
		SHRI		Electrician (NSQF)	2	4			Electrician (NSQF)
		SHRADDHAN		Electrician (NSQF)				Recomm	Shift -2 Unit-3
65	PR08000	ATH PVT. ITI, GUDHA	JHUNJH	Electrician (NSQF)	3	1		ended for Activation	Shift -2 Unit-4 Shift -3 Unit-1*
0.5	782	GORJI	UNU	Electrician (NSQF)	3	2	Recommended	1-	Shift -3 Unit-2*
		(JHUNJHUN UN)		Electrician (NSQF)	3	3	for Activation 1-Electrician – 06	Electricia n – 06	Shift -3 Unit-3* Shift -3 Unit-4*
		OI4)		Electrician (NSQF)	3	4	Units	Units	
				Electrician (NSQF)	3	1		Recomm ended for	Recommended Electrician
		SHAMBHAVI		Fitter (NSQF)	1	1		Activation 1-	(NSQF) Shift -3 Unit-1
	PR08001	PVT. ITI, KHAJPUR	JHUNJH	Fitter (NSQF)	2	1	Recommended	n- 01 Unit	Fitter (NSQF) Shift -1 Unit-1 Shift -2 Unit-1
66	674	BAS (JHUNJHUN	UNU	Health Sanitary Inspector (NSQF)	2	1	for Activation 1-Electrician- 01	2-Fitter – 02 Units 3-	Health Sanitary
		UN)		Plumber (NSQF)	2	1	Unit 2-Fitter – 02 Units 3-Plumber – 01 Unit 4-HSI – 01 Unit	Plumber – 01 Unit 4-HSI – 01 Unit	(NSQF) Shift -2 Unit-1 Plumber (NSQF) Shift -2 Unit-1
		SHREE SHYAM PVT.		Electrician (NSQF)	2	2	Recommended	Recomm ended for	Recommended Electrician
67	PR08001 682	ITI, MANDRELA	JHUNJH UNU	Electrician (NSQF)	3	1	for Activation 1-Electrician- 03	Activation 1-	(NSQF) Shift -2 Unit-2 Shift -3 Unit-1*
		(JHUNJHUN		Electrician (NSQF)	3	2	Unit 2-HSI – 01 Unit	Electricia n- 03 Unit	Shift -3 Unit-2*

अपारिग्रे 19/69/23 परिवार विश्वास / UJJWAL BISWAS
विश्वास महात्वभाव Street are and Training
विश्वास विकास के अपने अपने Page 199 of 216
भारत सरकार, नई विल्लीन। 27GovLof ridge, New Delih-12

				Health Sanitary Inspector (NSQF)	2	1		2-HSI – 01 Unit	Health Sanitary Inspector (NSQF) Shift -2 Unit-1
		TAGORE		Electrician (NSQF)	2	1			Recommended Electrician
68	PU08001	PVT. ITI, PILANI	JHUNJH	Electrician (NSQF)	2	2		Recomm ended for	(NSQF) Shift -2 Unit-1
	856	(JHUNJHUN UN)	UNU	Electrician (NSQF)	3	1	Recommended for Activation	Activation 1-	Shift -2 Unit-2 Shift -3 Unit-1*
				Electrician (NSQF)	3	2	1-Electrician- 04 Unit	Electricia n- 04 Unit	Shift -3 Unit-2*
69	PR08001 021	MAULANA ABUL KALAM AZAD MUSLIM PVT. ITI, JODHPUR	JODHPU R	Mechanic Diesel (NSQF)	2	1	Recommended for Activation 1-Mech. Diesel – 01 Unit	Recomm ended for Activation 1-Mech. Diesel – 01 Unit	Recommended Mechanic Diesel (NSQF) Shift -2 Unit-1
	PU08000	SHREE SITA SAMRIDI	JODHPU	Electrician (NSQF)	2	1		Recomm ended for	Recommended Electrician
70	361	PVT. ITI, BHADWASIY— A, JODHPUR	R	Electrician (NSQF)	2	2	Recommended for Activation 1 Electrician - 2	Activation 1 Electricia n - 2	(NSQF) Shift -2 Unit-1 Shift -2 Unit-2
	PR08000	SLBS PVT. ITI,	IODUDU	Electrician (NSQF)	2	2		Recomm ended for	Recommended Electrician
71	551	DANGIYAWA S (JODHPUR)	JODHPU R	Electrician (NSQF)	2	3	Recommended for Activation 1-Electrician- 02 Unit	Activation 1- Electricia n- 02 Unit	(NSQF) Shift -2 Unit-2 Shift -2 Unit-3
72	PR08000	JODHPUR PVT. ITI,	JODHPU	Electrician (NSQF)	3	1	Recommended	Recomm ended for Activation	Recommended Electrician (NSQF)
12	536	MANDOR (JODHPUR)	R	Electrician (NSQF)	3	2	for Activation 1-Electrician- 02 Unit	1- Electricia	Shift -3 Unit-1* Shift -3 Unit-2*

19/09/23

स्थान प्रस्ति । प्रमुख्य प्रम्य प्रमुख्य प्रमुख्य प्रमुख्य प्रमुख्य प्रमुख्य प्रमुख्य प्रमुख

73	PU08000 710	SHRI BALAJI PVT. ITI, PAOTA, JODHPUR	JODHPU R	Electrician (NSQF)	3	1	Recommended for Activation 1-Electrician- 01 Unit	Recomm ended for Activation 1- Electricia n- 01 Unit	Recommended Electrician (NSQF) Shift -3 Unit-1*
	PU08000	JODHPUR PVT. ITI,	JODHPU	Electrician (NSQF)	3	2	Recommended	Recomm ended for Activation	Recommended Electrician (NSQF)
74	712	SARAN NAGAR, JODHPUR	R	Electrician (NSQF)	3	3	for Activation 1-Electrician- 02 Unit	1- Electricia n- 02 Unit	Shift -3 Unit-2* Shift -3 Unit-3*
				Computer Operator and Programming Assistant (NSQF)	2	1			Recommended Computer Operator and
				Electrician (NSQF)	2	1		Desamm	Programming Assistant
		манатма		Electrician (NSQF)	2	2		Recomm ended for Activation	(NSQF) Shift -2 Unit-1 Electrician
75	PR08001 013	GANDHI PVT. ITI,	КОТА	Electrician (NSQF)	, 2	3		1- Electricia	(NSQF) Shift -2 Unit-1
-		BORKHERA, KOTA		Electrician (NSQF)	2	4	Recommended for Activation	n – 05 Units	Shift -2 Unit-2 Shift -2 Unit-3
		10		Electrician (NSQF)	2	5	1-Electrician – 05 Units	2-Mech. Diesel –	Shift -2 Unit-4 Shift -2 Unit-5
				Mechanic Diesel (NSQF)	2	1	2-Mech. Diesel – 01 Unit 3-COPA – 01 Unit		Mechanic Diesel (NSQF) Shift -2 Unit-1
		SHREE KANTA PVT.		Electrician (NSQF)	1	2		Recomm ended for Activation	Recommended Electrician (NSQF)
76	PR08000 360	ITI, RAMGANJ	КОТА	Electrician (NSQF)	2	1	Recommended for Activation	1- Electricia	Shift -1 Unit-2 Shift -2 Unit-1
		MANDI (KOTA)		Electrician (NSQF)	3	2	1-Electrician – 03	n – 03 Units	Shift -3 Unit-2*

प्रशिक्षण महानियं प्रति विकास कर्मा प्रति स्थान स्थान

	r	F:	0						
77	PU08001	SHRI CHARBHUJA		Electrician (NSQF)	1	3	Dogger and de	Recomm ended for	Recommended Electrician
77	690	PVT. ITI, Chechat (KOTA)	КОТА	Electrician (NSQF)	2	3	Recommended for Activation 1-Electrician-02	Activation 1- Electricia	(NSQF) Shift -1 Unit-3 Shift -2 Unit-3
78	PR08000 515	H.K. HI TECH. PVT. ITI, SINDROO (PALI)	PALI	Mechanic Diesel (NSQF)	2	1	Unit Recommended for Activation 1- Mech.Diesel – 01 Unit	n-02 Unit Recomm ended for Activation 1- Mech.Die sel – 01 Unit	Recommended Mechanic Diese (NSQF) Shift -2 Unit-1
				Electrician (NSQF)	2	2		December	Recommended Electrician
		KRISHNA		Electrician (NSQF)	3	1	1	ended for (NSQF)	(NSQF) Shift -2 Unit-2
79	PR08000 532	PVT. ITI, CHIMARPUR,	PALI	Electrician (NSQF)	3	2	Recommended for Activation	1- Electricia	Shift -3 Unit-1* Shift -3 Unit-2*
		PALI		Mechanic Diesel (NSQF)	2	1	1-Electrician- 03 Unit	n- 03 Unit 2- Mech.	Mechanic Diese (NSQF)
				Mechanic Diesel (NSQF)	3	1	2- Mech. Diesel – 02 Unit	Diesel – 02 Unit	Shift -2 Unit-1 Shift -3 Unit-1*
00	PR08000	BHAGAWAN MAHAVEER PVT. ITI.	SAWAI	Mechanic Diesel (NSQF)	1	1	Recommended	Recomm ended for	Recommended Mechanic Diese
80	427	GANGAPUR CITY (SAWAI MADHOPUR)	MADHOP UR	Mechanic Diesel (NSQF)	2	1	for Activation 1-Mech. Diesel – 02 Unit	Activation 1-Mech. Diesel – 02 Unit	(NSQF) Shift -1 Unit-1 Shift -2 Unit-1
	DD00000	GOVINDAM PVT. ITI,	SAWAI	Electrician (NSQF)	3	1		Recomm	Recommended Electrician
81	31 PR08000 0		MADHOP UR	Electrician (NSQF)	3	2	Recommended for Activation	ended for Activation (NSQF)	
	A	MADHOPUR)		Electrician (NSQF)	3	3	1 Floatrician 04	1- Electricia	Shift -3 Unit-2*

पशिक्षण महानेन्द्रभावन Charles प्रशासन प्रशास

Page 202 of 216

				Electrician (NSQF)	3	4		n – 04 Unit	Shift -3 Unit-3* Shift -3 Unit-4*
				Electrician (NSQF)	3	5			Recommended Electrician (NSQF)
		BHAGWAN		Electrician (NSQF)	3	6		Recomm ended for	Shift -3 Unit-5* Shift -3 Unit-6*
82	PR08000	MAHAVEER PVT. ITI,	SAWAI MADHOP	Fitter (NSQF)	1	2	Recommended	Activation 1- Electricia	Fitter (NSQF) Shift -1 Unit-2
02	472	JATWARA (SAWAI	UR	Fitter (NSQF)	11	3	for Activation 1-Electrician- 02	n- 02 Unit 2-Fitterr –	Shift -1 Unit-3 Shift -2 Unit-3 Mechanic Diesel
		MADHOPUR)		Fitter (NSQF)	2	3	Unit 2-Fitterr – 03 Unit	03 Unit 3- Mech.	(NSQF) Shift -1 Unit-2
				Mechanic Diesel (NSQF)	1	2	3- Mech. Diesel – 01 Unit	Diesel – 01 Unit	B
				Electrician (NSQF)	1	8		Recomm ended for	Recommended Electrician (NSQF)
00	PR08000	AGRAWAL PVT. ITI, GANGAPUR	SAWAI MADHOP	Electrician (NSQF)	2	7	Recommended for Activation	Activation 1- Electricia	Shift -1 Unit-8 Shift -2 Unit-7
83	703	CITY (SAWAI MADHOPUR)	UR	Electrician (NSQF)	2	8	1-Electrician- 03 Unit	n- 03 Unit 2- Mech.	Shift -2 Unit-8 Mechanic Diesel
				Mechanic Diesel (NSQF)	2	1	2- Mech. Diesel – 01 Unit	Diesel – 01 Unit	(NSQF) Shift -2 Unit-1
		LAL BAHADUR		Electrician (NSQF)	3	1		Recomm ended for	Recommended Electrician (NSQF)
84	PR08000 332	SHASTRI PVT. ITI, GANGAPUR CITY (SAWAI	SAWAI MADHOP UR	Electrician (NSQF)	3	2	Recommended for Activation 1-Electrician- 02 Unit	Activation 1- Electricia n- 02 Unit	Shift -3 Unit-1* Shift -3 Unit-2*
15	PR08000	MADHOPUR) BHAGWATI	SAWAI	Electrician (NSQF)	2	4	Recommended	Recomm	Recommended Electrician
85	355	PVT. ITI, GANGAPUR	MADHOP UR	Electrician (NSQF)	3	1	for Activation 1- Electrician – 05	ended for Activation	(NSQF)

314/14/2

Flectrician — US | 7.55... अर्थाया विकास | 1.11.WAL BISWAS | प्रियम महानिकार | Page 203 of 216 | Ministry of Skin Daven | 1.2 | Sovi. of India, from Delin-12

		CITY (SAWAI MADHOPUR)		Electrician (NSQF)	3	2	Unit 2-Fitter – 02 Unit	1- Electricia	Shift -2 Unit-4 Shift -3 Unit-1*
				Electrician (NSQF)	3	3		n – 05 Unit	Shift -3 Unit-2*
				Electrician (NSQF)	3	4		2-Fitter –	Shift -3 Unit-3* Shift -3 Unit-4*
				Fitter (NSQF)	1	1		02 Unit	Fitter (NSQF) Shift -1 Unit-1
				Fitter (NSQF)	2	1			Shift -2 Unit-1
86	PR08001	ARAVALI PVT. ITI, NEEM KA	SIKAR	Fitter (NSQF)	3	1		Recomm ended for	Recommended Fitter (NSQF) Shift -3 Unit-1*
	028	THANA (SIKAR)		Fitter (NSQF)	3	2	Recommended for Activation 1-Fitter – 02 Unit	Activation 1-Fitter – 02 Unit	Shift -3 Unit-2*
	PR08001	SHEKHAWAT I PVT.		Electrician (NSQF)	2	1		Recomm ended for Activation	Recommended Electrician
87	187	ITI,NAVALGA RH ROAD, SIKAR	SIKAR	Electrician (NSQF)	2	2	Recommended for Activation 1-Electrician – 02 Unit	1- Electricia n – 02 Unit	(NSQF) Shift -2 Unit-1 Shift -2 Unit-2
			5.075.0750	Electrician (NSQF)	3	2		Recomm ended for Activation	Recommended Electrician
	PR08001	SHREE NATH PVT.		Fitter (NSQF)	2	1		1- Electricia	(NSQF) Shift -3 Unit-2* Fitter (NSQF)
88	207	ITI, AMTHALA (SIROHI)	SIROHI	Mechanic Diesel (NSQF)	2	1	Recommended for Activation 1-Electrician –01 Unit 2-Mech. Diesel – 01 Unit 3-Fitter- 01 Unit	n –01 Unit 2-Mech. Diesel – 01 Unit 3-Fitter- 01 Unit	Shift -2 Unit-1 Mechanic Diesel (NSQF) Shift -2 Unit-1
89	PR08000 852	VISHWAKAR MA	SIROHI	Fitter (NSQF)	1	1	Recommended for Activation	Recomm ended for	Recommended Fitter (NSQF)

अपारित्रे । ११०१/23

Ministry of Skill Development and Engreeinen wentper street of Skill Development and Engreeinen Mew Delbt 12 Mark House of 216

		KAUSHAL PVT. ITI, BARLOOT (SIROHI)		Fitter (NSQF) Mechanic Diesel (NSQF) Sewing Technology (NSQF) Sewing Technology	2 2 1 2	1 1 1 1	1- Fitter- 02 Unit 2-Sewing Tech. – 02 Unit 3-Mech. Diesel – 01 Unit	Activation 1- Fitter- 02 Unit 2-Sewing Tech. – 02 Unit 3-Mech. Diesel – 01 Unit	Shift -1 Unit-1 Shift -2 Unit-1 Mechanic Diesel (NSQF) Shift -2 Unit-1 Sewing Technology (NSQF) Shift -1 Unit-1 Shift -2 Unit-1
				(NSQF) Mechanic Diesel (NSQF)	2	1		Recomm ended for Activation	Recommended Mechanic Diesel (NSQF)- Shift -2
90	PR08001 646	MADHAV PVT. ITI, BHARAJA	SIROHI	Wireman (NSQF)	1	1	Recommended for Activation 1-Wireman – 02	1- Wireman – 02 Unit	Unit-1 Wireman (NSQF) Shift -1 Unit-1
	040	(SIROHI)		Wireman (NSQF)	2	1	Unit 2-Mech. Diesel – 01 Unit	2-Mech. Diesel – 01 Unit	Shift -2 Unit-1
				Computer Operator and Programming Assistant (NSQF)	3	1		Recomm ended for Activation	Recommended Computer Operator and
-			- *	Electrician (NSQF)	1	6		1- Electricia	Programming Assistant
				Electrician (NSQF)	1	7		n – 13	(NSQF) Shift -3 Unit-1
		JAIN PVT.	SRI	Electrician (NSQF)	1	8	Recommended	Unit 2-	Electrician
91	PR08001 071	ITI, SSB ROAD, SRI	GANGAN	Electrician (NSQF)	2	7	for Activation	Plumber-	(NSQF) Shift -1 Unit-6
	0/1	GANGANAG AR	AGAR	Electrician (NSQF)	2	8	1- Electrician – 13 Unit	05 Unit 3- COPA-	Shift -1 Unit-7
		- Cur		Electrician (NSQF)	3	1	2- Plumber-05 Unit	01 Unit 4- Fitter –	Shift -1 Unit-8 Shift -2 Unit-7
				Electrician (NSQF)	3	2	3- COPA- 01 Unit	01 Unit	Shift -2 Unit-8
				Electrician (NSQF)	3	3	4- Fitter – 01 Unit 5- Mech. Diesel –	5- Mech. Diesel –	Shift -3 Unit-1* Shift -3 Unit-2*
			4.0	Electrician (NSQF)	3	4	02 Unit	02 UnitAS	Shift -3 Unit-3*

3441KFE 19/09/23 प्रमित्ता के निवास के प्रकार में के प्रकार में कि प्रकार

94	PR08000 198	TAGORE PVT. ITI,		Electrician (NSQF)	3	1	Recommended for Activation	Recomm/ ended for	Recommended Electrician
93	PR08000 774	SHINING STARS PVT. ITI, RAISINGHNA GAR (SRI GANGANAG AR)	SRI GANGAN AGAR	Electrician (NSQF)	3	2	Recommended for Activation 1-Electrician – 01 Unit	Recomm ended for Activation 1- Electricia n – 01 Unit	Recommended Electrician (NSQF)- Shift -3 Unit-2*
92	085	(SRI GANGANAG AR)	GANGAN AGAR	Electrician (NSQF)	2	2	Recommended for Activation 1-Electrician –02 Unit	1- Electricia n –02 Unit	Shift -2 Unit-1 Shift -2 Unit-2
	PR08001	LAKSHAY PVT. ITI, SURATGARH	SRI	Electrician (NSQF)	2	1		Recomm ended for Activation	Recommended Electrician (NSQF)
				Plumber (NSQF)	3	2			
				Plumber (NSQF)	3	1			31111 -3 01111-2
				Plumber (NSQF)	2	2			Shift -3 Unit-1* Shift -3 Unit-2*
				Plumber (NSQF)	2	1			Shift -2 Unit-1 Shift -2 Unit-2
				Plumber (NSQF)	1	2			Shift -1 Unit-2
				Mechanic Diesel (NSQF)	3	1			Shift -3 Unit-1* Plumber (NSQF)
				Mechanic Diesel (NSQF)	2	1			(NSQF) Shift -2 Unit-1
				Fitter (NSQF)	3	1			Shift -3 Unit-1 Mechanic Diese
				Electrician (NSQF)	3	8			Fitter (NSQF)
				Electrician (NSQF)	3	7			Shift -3 Unit-7* Shift -3 Unit-8*
				Electrician (NSQF)	3	6			Shift -3 Unit-6*
				Electrician (NSQF)	3	5			Shift -3 Unit-4* Shift -3 Unit-5*

प्राथि है ।१/०१/23

प्रतिकात / Grued Tol Tabling
प्रतिकात प्रतिकार Directorale अस्तिका महालिये।
कीशल विकास एवं उद्यान्यानिका महालिये
कीशल विकास एवं उद्यान्यानिका महालिये
कीशल विकास एवं उद्यान्यानिका स्तिकारी
Ministry of Skill Development and Entrep ingelianily
भारत सरकार, मई विली-12/God, of India, New age 1206 of 216

		ANUPGARH (SRI GANGANAG AR)	SRI GANGAN AGAR	Electrician (NSQF)	3	2	1-Electrician –02 Unit	Activation 1- Electricia n –02 Unit	(NSQF) Shift -3 Unit-1* Shift -3 Unit-2*
		SHIVALIK	CDI	Plumber (NSQF)	1	1		Recomm ended for Activation	Recommended Plumber (NSQF) Shift -1 Unit-1
95	PR08001 751	PVT. ITI, CHAK 17 Z (GANGANAG AR)	SRI GANGAN AGAR	Plumber (NSQF)	2	1	Recommended for Activation 1-Plumber – 02 Units	1- Plumber – 02 Units	Shift -2 Unit-1
		M.R.C.		Mechanic Diesel (NSQF)	2	1		Recomm ended for Activation	Recommended Mechanic Diesel (NSQF) - Shift -2
96	PR08000 387	INTERNATIO NAL PVT. ITI, MALPURA	TONK	Wireman (NSQF)	1	1	Recommended for Activation 1-Mech. Diesel –	1-Mech. Diesel – 01 Unit	Unit-1 Wireman (NSQF) Shift -1 Unit-1
		(TONK)		Wireman (NSQF)	2	1	01 Unit 2-Wireman – 02 Unit	2- Wireman – 02 Unit	Shift -2 Unit-1

319/47 { 19/09/23

प्रिकार विस्वास UJIWAL BISWAS
निवेशन
प्रशिक्षण महानिवेशान व प्रशिक्षण महानिवेशान व प्रशिक्षण प्रशिक्षण महानिवेशान विकास प्रशिक्षण प्रशिक्षण प्रशिक्षण महानिवेशान विकास प्रशिक्षण प्रतिका प्रतिका प्रतिक्षण प्रतिका प्रत

State: Kerala [Total no of ITIs proposal received: 38 (Govt-1 & Pvt- 37)]

S. No (1)	MIS Code	ITI Name (3)	District	Trade (4)	Shift (5)	Uni t (6)	Recommendatio ns of Joint Inspection team (7)	Recommend ations of SSDEC (8)	Recommendations of SCAA (9)
1	GU3200026 6	Govt. ITI (Women) Kazhakutto m	THIRUVAN ANTHAPU RAM	Dress making	2	2	Recommended	May be Approved	Recommended Dress Making Shift-2 Unit-2
2	PR3200043 3	IEMT Pvt. ITI Narikkuni	кохніко	Interior Design & Decoration	1	1	Recommended	May be Approved	Recommended Interior Design
		Kozhikode	DE	Interior Design & Decoration	2	1	Recommended	May be Approved	Shift-1 Unit-1 Shift-2 Unit-1
3	PR3200057 9	Focuz Pvt ITI, Kozhikode	KOZHIKO DE	Surveyor	2	1	Recommended	May be Approved	Recommended Surveyor Shift-2 Unit-1
4	PR3200052 7	Central Institute for		Draughtsman Civil	1	1	Recommended	May be Approved	Recommended Draftsman Civil
		Dental. Technology Pvt ITU, Kozhikodde	KOZHIKO DE	Draughtsman Civil	2	1	Recommended	May be Approved	Shift-1 Unit-1 Shift-2 Unit-1
5	PR3200043 1	Markaz Pvt ITI,	KOZHIKO	Surveyor	1	1	Recommended	May be Approved	Recommended Surveyor
		Karanthur Kozhikode	DE	Surveyor	3	1	Recommended	May be Approved	Shift-1 Unit-1 Shift-3 Unit-1*
6	PR3200050 8	Malabar Vocational		Mechanic Diesel	1	1	Recommended	May be Approved	Recommended Mechanic Diesel
		Pvt ITI, Kannur	KANNUR	Mechanic Diesel	2	1	Recommended	May be Approved	Shift-1 Unit-1 Shift-2 Unit-1
-	-		131111011	Mechanic Diesel	3	1	Recommended	May be Approved	Shift-3 Unit-1* Fitter
				Fitter	1	1	Recommended	May be State / Dire	Shift-1 Unit-1 Shift3 Unit-1*

3741K1 E 19109/13 प्रशिक्षण महानिदेशालय/Directorate Germal of Training कोशाल विकास एक उन्हर्स करना मारा Ministry of Skill Devent भारत सरकार, नह दिली 12 Gov. Page 208 of 216

				Fitter	3	1	Recommended	May be Approved			
7	PR3200030	Bharath Institute of		Electronic Mechanic	2	1	Recommended	May be Approved	Recommended Electronic Mechanic		
		Technology Pvt ITI,	ALAPPUZ	Electronic Mechanic	2	2	Recommended	May be Approved	Shift-2 Unit-1 Shift-2 Unit-2		
		Mannar, Alappuzha	HA	Instrumental Mechanic	2	1	Recommended	May be Approved	Instrument Mechanic Shift-2 Unit-1		
				Instrumental Mechanic	2	2	Recommended	May be Approved	Shift-2 Unit-2		
8	PR3200023	Kuriakose Chavara		Draughtsman Civil	1	2	Recommended	May be Approved	Recommended Draftsman Civil		
		Memorial Pvt ITI, Koonnamm avau PO. N. Paaravoor	ERNAKUL AM	Draughtsman Civil	2	2	Recommended	May be Approved	Shift-1 Unit-2 Shift-2 Unit-2		
9	PU3200008	Winners Pvt		Draughtsman Civil	1	1	Recommended	May be Approved	Recommended Draftsman Civil		
	-	Palariyattom Kochi	ERNAKUL AM	Harry Control of the State of t	Harmon Mark California (1971)	Draughtsman Civil	1	2	Recommended	May be Approved	Shift-1 Unit-1 Shift-1 Unit-2
72		Room				Harry Control of the State of t		Electronic Mechanic	1	1	Recommended
				Electronic Mechanic	1	2	Recommended	May be Approved	Shift-1 unit-2		
10	PR3200055	Ideal Technical Institute & Pvt ITI Abees building	ERNAKUL AM	Architectural Draughtsman	1	1	Recommended	May be Approved	Recommended Architectural Draughtsman Shift-1 Unit-1		
		Asokapura m, Aluva						ज्ञावल बिस्वास/।	I I II I I I I I I I I I I I I I I I I		

3141 ATE 19109/23

प्राणित विस्वास/UJIWAI CISWAS
प्रियाम महाचित्रका Page 209 of 216
Ministry of Ship Deve Street Translation Translation That Redi-12/GOVL or india, New Deibi-12

11	PR3200027 7	Mar Gregorious		Draughtsman Civil	1	1	Recommended	May be Approved	Recommended Draftsman Civil
		Pvt ITI, Mulanthurut	ERNAKUL	Draughtsman Civil	1	2	Recommended	May be Approved	Shift-1 Unit-1 Shift-1 Unit-2
		hy, Thalakkode,	AM	Draughtsman Civil	2	1	Recommended	May be Approved	Shift-2 Unit-1 Shift-2 Unit-2
		EKM		Draughtsman Civil	2	2	Recommended	May be Approved	
12	PR3200033 7	Skiltek Pvt ITI for Computer and Process		Computer Operator & Programming Assistant	1	1	Recommended	May be Approved	Recommended COPA Shift-1 Unit-1 Shift-1 Unit-2
		Instrumentat ion, 1st Floor, bus Stand	ERNAKUL	Computer Operator & Programming Assistant	1	2	Recommended	May be Approved	Shift-2 Unit-1 Shift-2 Unit-2
		Building, Kaloor, Kochi	АМ	Computer Operator & Programming Assistant	2	1	Recommended	May be Approved	
				Computer Operator & Programming Assistant	2	2	Recommended	May be Approved	
13	PR3200028 1	Skiltek Pvt ITI, Pipeline		Electronic Mechanic	1	1	Recommended	May be Approved	Recommended Electronic Mechanic
		Jn, Palarivettom		Electronic Mechanic	1	2	Recommended	May be Approved	Shift-1 Unit-1 Shift-1 Unit-2
		Kochin	ERNAKUL AM	Electronic Mechanic	1	3	Recommended	May be Approved	Shift-1 Unit-3 Shift-1 Unit-4
	# 1 ···			Electronic Mechanic	1	4	Recommended	May be Approved	Fitter Shift-1 Unit-1
				Fitter	1	1	Recommended	May be Approved	Shift-1 Unit-2 Shift-1 Unit-3

214/14/2

कीशण महानिदेशाला Unectorals कीशाल विकास एक उद्भावन प्रभावनाय Ministry of Skill Developmen के किस प्रभावनी प्रभावनी

ĺ	1			Fitter	1	2	Recommended	May be Approved	
				Fitter	1	3	Recommended	May be Approved	
4	PR3200028	Pvt ITI,	ERNAKUL AM	Fitter	2	2	Recommended	May be Approved	Recommended Fitter Shift-2 Unit-2
	PU3200032	Piravom, EKM R. Sankar		Electrician	2	2	Recommended	May be Approved	Recommended Electrician
5	2	Memorial Pvt ITI, Koorkacher y, Koorkacher y PO	THRISSUR						Shift-2 Unit-2
16	PR3200046	Thrissur Khairath Pvt		Surveyor	2	1	Recommended	May be Approved	Recommended Surveyor Shift-2 Unit-1
	0	ITI, Ottappalam, Palakkad	PALAKKA D				Recommended	May be	Recommended
17	PR3200051	Bharath		Physiotherapy Technician	1	1		Approved	Physiotherapy Technician
	9	Institute of Technology Pvt ITI, Thiroor, Malappuram	MALAPPU RAM	Physiotherapy Technician	2	1	Recommended	May be Approved	Shift-1 Unit-1 Shift-2 Unit-1
18	PR3200045 Sulla		Draughtsman	1	1	Recommended	May be Approved	Recommended Draughtsman Civil Shift-1 Unit-1	
	2	Mussalam Orphanage pvt ITI, Areacode,	MALAPPU RAM	Civil Plumber	1	.1	Recommended	Approved	Plumber Shift-1 Unit-1
		Malappuram	1.				Ng	प्रशिक्षण महानिद्य = कीशाल विकास Ministry of Standard	Page 211 of 216

19	PR3200028 4	HM Orphanage Pvt ITI,	MALAPPU	Interior Design & Decoration	1	1	Recommended	May be Approved	Recommended Interior Design &
		Mancherry, Malappuram	RAM	Interior Design & Decoration	2	1	Recommended	May be Approved	Decoration Shift-1 Unit-1 Shift-2 Unit-1
20	PR3200033	R.Sankar Memorial Pvt. ITI, Karunagapa Ily, Kollam	KOLLAM	Draughts Civil	2	2	Recommended	May be Approved	Recommended Draughts Civil Shift-2 Unit-2
21	PR3200029 0	Sivaraja Pillai		Surveyor	1	1	Recommended	May be	Recommended
		Memorial Pvt. ITI Paravoor, Kollam	KOLLAM	Surveyor	2	1	Recommended	Approved May be Approved	Surveyor Shift-1 Unit-1 Shift-2 Unit-1
22	PR3200032	Diana Institute of Technology & Pvt. ITI, Karunagapa Ily, Kollam	KOLLAM	Electronic Mechanic	2	1	Recommended	May be Approved	Recommended Electronic Mechanic Shift-2 Unit-1
23		Mar Philexenos Memorial Pvt. ITI, Chengaman adu, Kottarakkar	KOLLAM	Plumber	1	1	Recommended	May be Approved	Recommended Plumber Shift-1 Unit-1
4	6	Matha Amrithanan	KOLLAM	ICTSM	1	1	Recommended	May be	Recommended
		damayi Mission	NOLLAW	ICTSM	1	2	Recommended	Approved /UJJW	ICTSM

निदेशक / Director
पशिक्षण महानिदेशालय/Directorate General of Training
कौशाल विकास एवं उद्यमशीकता सत्राज्य
Ministry of Skill Development and Entrepreneurship
भारत सरका, ने दिल्ली 12 Gord Page 212 of 216

		Trust Pvt.		Plumber	1	1	Recommended	May be Approved	Shift-1 Unit-1 Shift-1 Unit-2
		Puthiyakavu , Kollam		Plumber	1	2	Recommended	May be Approved	Plumber Shift-1 Unit-1 Shift-1 Unit-2
25	PR3200049 0	P.Krishnapill ai Memorial NSS Computer College Pvt. ITI, Mannam Tower, Anandavalle swaram,	KOLLAM	COPA	1	1	Recommended	May be Approved	Recommended COPA Shift-1 Unit-1
26	PR3200024 5	kollam Dr. Zachir Hussain Pvt. ITI Changanas serry	KOTTAYA M	Electronic Mechanic	2	2	Recommended	May be Approved	Recommended Electronic Mechanic Shift-2 Unit-2
27	PU3200011 4	St. Mary's Pvt. ITI,	КОТТАУА	Electronic Mechanic	2	2	Recommended Recommended	May be Approved May be	Recommended Electronic Mechanic Shift-2 Unit-2
		Manarcaud, Kottayam	М	Draughts Civil		2	Recommended	Approved	Draughts Civil Shift-2 Unit-2
28	PU3200028 8	Jayamatha Pvt. ITI. Nalanchira Thiruvanant ahpuram	THIRUVAN ANTHAPU RAM	COPA	2	1	Recommended	May be Approved	Recommended COPA Shift-2 Unit-1
29	PU3200023	Social Welfare	ERNAKUL	Instrument Mechanic	1	2	Recommended	May be Approved	Recommended Instrument Mechanic
	9	Technical School	AM	Instrument Mechanic	2	2	Recommended	May be Approved	Shift-1 Unit-2 Shift-2 Unit-2

प्रशिक्षण महानिक्त कौशाला विकास Ministry of Sent Page 1213 of 216 भारत सरकार, नई दिल्ली-12/Govt. of india, New Delhi-12

		Association Pvt. ITI,		Mechanic Motor Vehicle	1	2	Recommended	May be Approved	Mechanic Motor Vehicle
		Aluva, Ernakulam		Mechanic Motor Vehicle	2	2	Recommended	May be Approved	Shift-1 Unit-2 Shift-2 Unit-2
30	PR3200684	Ilahia Pvt. ITI, Pezhakkapp illy P.O, Muvattupuz ha, Ernakulam	ERNAKUL AM	Draughts Civil	1	1	Recommended	May be Approved	Recommended Draughts Civil Shift-1 Unit-1
31	PR3200285	St.Xavier's Pvt. ITI,		Electronic Mechanic	2	1	Recommended	May be Approved	Recommended Electronic Mechanic
		Pullur, Irinjalakuda,		Electronic Mechanic	2	2	Recommended	May be Approved	Shift-2 Unit-1 Shift-2 Unit-2
		Thrissur		Fitter	1	2	Recommended	May be Approved	Fitter Shift-1 Unit-2
			entra i	Fitter	2	2	Recommended	May be Approved	Shift-2 Unit-2 Lift and Escalator
			THISSUR	Lift And Escalator Mechanic	1	2	Recommended	May be Approved	Mechanic Shift-1 Unit-2 Shift-2 Unit-2
				Lift And Escalator Mechanic	2	2	Recommended	May be Approved	
				Draughts Civil	2	1	Not Recommended	May be Rejected	
			(Separa III)	Draughts Civil	2	2	Not Recommended	May be Rejected	
2	PR3200025 4	R.Ganesh Memorial	THISSUR	Electronic Mechanic	1	2	Recommended 300	May be Director	Recommended Electronic Mechanic

अपारिटे

कोशाल विकास एवं उदानशीलात निर्माणिय Ministry of Skill Development and Entrepreneusship भारत सरकार, नई विल्ली-12/Govl, of India, New Deihl-12

		Victory Pvt. ITI Ollukkara,		Draughts Civil	1	1	Recommended	May be Approved	Shift-1 Unit-2 Draughts Civil Shift-1 Unit-1
3	PR3200055	Mount Seena Pvt.		Draughts Civil	2	1	Not Recommended	May be Rejected	Not Recommended as per SSDEC
		ITI. Nagaripura	PALAKKA	Architectural Draughtman	1	1	Not Recommended	May be Rejected	remarks
		m, Pathiripala, Palakkad	D	Architectural Draughtman	2	1	Not Recommended	May be Rejected	
		, diameter		Interior Design & Decoration	1	1	Not Recommended	May be Rejected	
34	PR3200053 8	Perfect Pvt. ITI, Pattambi Road, Perinthalma	MALAPPU RAM	Fashion Design & Technology	1	1	Recommended	May be Approved	Recommended Fashion Design & Technology Shift-1 Unit-1
	D110000050	nna Malappuram		Draughts Civil	3	1	Recommended	May be	Recommended
35	PU3200053	Victory Technical		Draughts Olvii				Approved	Draughts Civil
		Institute & Pvt. ITI, Edappal, Malappuram	MALAPPU RAM	Draughts Civil	3	2	Recommended	May be Approved	Shift-3 Unit-1* Shift-3 Unit-2*
36	PR3200043 6	Salafi College of Engineering & Pvt. ITI, Meppayur, Kozhikkode	KOZHIKO DE	Dress Making	1	1	Not Recommended	May be Rejected	Not Recommended as per SSDEC remarks
37	PR3200012 2		KANNUR	Plumber	1	1	Not Recommended	May be Rejected	Not Recommended as per SSDEC remarks

38	PU3200022 7	NI Institute of Engineering & Pvt. ITI	THIRUVAN ANTHAPU RAM	Mechanic Diesel	1	1	Not Recommended	May be Rejected	Not Recommended as per SSDEC remarks	
----	----------------	---	----------------------------	--------------------	---	---	--------------------	--------------------	--------------------------------------	--

^{*} Note: State Directorates must ensure the units which are affiliated under 3rd shift should comply DGT order no DGT-Aff0misc/19/2022-TC SECTION dated 09.01.2023.