

**DGT-Aff011(51)/6/2023-O/o DIR (TC)**  
**Government of India**  
**Ministry of Skill Development and Entrepreneurship**  
**Directorate General of Training**  
\*\*\*

Employment Exchange Building,  
1st floor, Pusa, New Delhi,  
Dated: 22.09.2023

To

**The State Directorate**

Assam, Bihar, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Rajasthan, Telangana, Uttar Pradesh, West Bengal

**Subject: Affiliation of Units/Trades of Government /Private ITIs with NCVT -regarding.**

Sir/Madam,

As decided in the 11th meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 28.08.2023 to 30.08.2023, the Recommendation/Not Recommendation of trades & units for the ITIs for session w.e.f. 2023, are mentioned in the attached list. This affiliation is granted for 5 years w.e.f session 2023.

The Recommendation/Not Recommendation of ITIs, as mentioned in attached list must be read in conjunction with the minutes of 11th SCAA meeting issued on date 19.09.2023.

In addition to this, Competent authority has also decided to extend the cutoff date of admission from 23.09.2023 to 03.10.2023 (in continuation to DGT order File No. DGT-Aff011/1/2023-O/o DIR (TC) dated 04.09.2023) exclusively for ITIs recommended in 11th SCAA meeting.

2. The affiliation of Trade/Units stated above are further subjected to,

- (i) The DGT & State officer can inspect the ITI any time for better performance & training
- (ii) Periodic verification.
- (iii) The ITI must comply with DGT norms/guidelines issued from time to time.
- (iv) ITI must display the logo of ITI on the Display Board at the main gate.

3. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.

Yours faithfully,

**उज्ज्वल बिस्वास/UJJWAL BISWAS**  
निदेशक / Director  
प्रशिक्षण महानिदेशालय / Directorate General of Training  
कौशल विकास एवं सशक्तता  
Ministry of Skill Development and Entrepreneurship  
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12  
(Ujjwal Biswas)  
Director, TC

**Copy along with enclosures for information to:**

1. Sr PPS to DG/AS DGT, New Delhi
2. Sr PPS to DDG (Affiliation), DDG (South Zone) and DDG (East Zone).
3. The officer dealing with NCVT MIS Portal - To upload and Necessary mapping in the NCVT MIS portal.
4. All RDSDE for Information

  
(Pooja Verma)  
Assistant Director, TC



**STATE: Assam**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 02, (New-01, Existing-01)**

| Sl. no. | Name of Institute with address   | Type of Application<br>New/Existing | Trade for which affiliation sought   | Units for which affiliation sought/ recommended by       |  | Remarks by SCAA  |
|---------|--|-------------------------------------|--|--|--|--|
|         |  |                                     |  | Instit.  | Trade/units Approved by SCAA                     |  |
| 1.      | Kaziranga Pvt ITI<br>AT Road,<br>Rudrasagar PO<br>Joysagar Dist<br>Sivasagar. -785665<br><br>MIS Code:<br>PR18000038                                   | Existing                            | Fire Technology and Industrial Safety Management<br><br>Solar Technician (Electrical)                | 6(2+2+2)<br><br>3(1+1+1)                                 | NR<br><br>2(1+1)                                 | SCAA recommended:<br><br>1. Solar Technician (Electrical) - 2 (1+1)  |
| 2.      | Gyan Bharati Private ITI<br><br>Sivasagar, Railung Chetia Gaon, P.O. - Hahchara Kujibali, Dist. - Sivasagar, Assam 785701<br><br>TMP18300PR1646 046127 | New                                 | Fitter<br><br>Mechanic Diesel<br><br>Electrician<br><br>Stenographer Secretarial Assistant (English) | 3(1+1+1)<br><br>6(2+2+2)<br><br>6(2+2+2)<br><br>3(1+1+1) | 2(1+1)<br><br>4(2+2)<br><br>4(2+2)<br><br>2(1+1) | SCAA recommended the following trades:<br><br>1. Electrician - 4(2+2)<br>2. Mechanic Diesel - 4(2+2)<br>3. Fitter - 2(1+1)<br>4. Stenographer & Secretarial Assistant (English) - 2(1+1) |






**STATE: Bihar**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 02, (New-00, Existing-02)**

| Sl. no. | Name of Institute with address  | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by |                              | Remarks by SCAA   |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|---|
|         |   |                                  |                                    | Instit.  | Trade/units Approved by SCAA |   |
| 1.      | Ramashish Prasad Pvt ITI<br><br>MIS Code:<br>PR10001075<br><br>Court case | Existing                         | Electrician                        | 8(4+4)   | 8(4+4)                       | SCAA recommended the following trade:<br><br>1. Electrician - 8 (4+4) |
| 2.      | Anand Pvt. ITI<br><br>MIS Code:<br>PR10000905<br><br>Court case           | Existing                         | Electrician                        | 8(4+4)   | 8(4+4)                       | SCAA recommended the Following trade:<br><br>1. Electrician - 8(4+4)  |






**STATE: Haryana**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 01, (New-01, Existing-00)**

| Sl. no. | Name of Institute with address                        | Type of Application New/Existing | Trade for which affiliation sought                         | Units for which affiliation sought/ recommended by |                                      | Remarks by SCAA  |
|---------|---|----------------------------------|--|--|--------------------------------------|--|
|         |   |                                  |  | Instit.  | Trade/units Approved by SCAA         |  |
| 1.      | Shri Krishna Pvt. ITI,<br>Budani Rewari<br>1906031565 | New                              | COPA<br>Electrician<br>Fitter<br>Health Sanitary Inspector | 2(1+1)<br>2(1+1)<br>2(1+1)<br>2(1+1)               | 2(1+1)<br>2(1+1)<br>2(1+1)<br>2(1+1) | SCAA recommended the following trades:<br>1. COPA - 2(1+1)<br>2. Electrician - 2(1+1)<br>3. Fitter - 2(1+1)<br>4. Health Sanitary Inspector - 2(1+1) |






**STATE: Himachal Pradesh**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 01, (New-01, Existing-00)**

| Sl. no. | Name of Institute with address   | Type of Application New/Existing | Trade for which affiliation sought  | Units for which affiliation sought/ recommended by |                                      | Remarks by SCAA   |
|---------|--|----------------------------------|---|--|--------------------------------------|---|
|         |  |                                  |   | Instt.   | Trade/units Approved by SCAA         |   |
| 1.      | T.R. Abhilashi Private Industrial Training Institute Mandi Village, Tanda PO Balt Teh. Balh Distt. Mandi (H.P.)175008<br>TMP222PR164637 1289 | New                              | Electrician<br>Fitter<br>Health Sanitary Inspector<br>Solar Technician (Electrical) | 4(2+2)<br>2(1+1)<br>2(1+1)<br>2(1+1)               | 4(2+2)<br>2(1+1)<br>2(1+1)<br>2(1+1) | SCAA recommended the following trades:<br>1. Electrician - 4(2+2)<br>2. Fitter - 2(1+1)<br>3. Health Sanitary Inspector - 2(1+1)<br>4. Solar Technician (Electrical) - 2(1+1) |






**STATE: Jharkhand**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 02, (New-02, Existing-00)**

| Sl. no. | Name of Institute with address  | Type of Application<br>New/Existing | Trade for which affiliation sought   | Units for which affiliation sought/ recommended by                           |  | Remarks by SCAA   |
|---------|---|-------------------------------------|--|--|--|---|
|         |   |                                     |  | Instit.  | Trade/units Approved by SCAA                     |   |
| 1.      | Sanmat,<br>Manoharpur<br>Private Industrial<br>Training Institute,<br>West Singhbhum<br>Village- Raikera,<br>Post Office-<br>Raikera, Police<br>Station-<br>Manoharpur West<br>Singhbhum-<br>833104<br><br>TMP20343PR1581<br>764757 | New                                 | Fitter<br><br>Electrician<br><br>COPA<br><br>Cutting & Sewing<br>(VI & OD)   | 4(2+2)<br><br>4(2+2)<br><br>2(1+1)<br><br>2(1+1)                             | 4(2+2)<br><br>4(2+2)<br><br>2(1+1)<br><br>2(1+1) | SCAA recommended the following trades:<br>1. Fitter - 4(2+2)<br>2. Electrician - 4(2+2)<br>3. COPA - 2(1+1)<br>4. Cutting & Sewing (VI & OD) - 2(1+1)                                 |
| 2.      | Acme Private<br>Industrial Training<br>Institute, Itkhori<br>Chatra Chatra,<br>Kewla, Itkhori,<br>Chatra<br>825408<br><br>TMP20323PR1648<br>734186  | New                                 | Electrician<br><br>Health Sanitary<br>Inspector<br><br>Welder<br>(Fabrication &<br>Fitting)<br><br>Plumber<br><br>COPA<br><br>Sewing<br>Technology | 4(2+2)<br><br>4(2+2)<br><br>2(1+1)<br><br>2(1+1)<br><br>2(1+1)<br><br>2(1+1) |  | ICVC recommended only 03 trades.<br><br>For opening new ITI, 04 trades are mandatory, hence SCAA didn't recommend affiliation as the ITI is not meeting the minimum 04 trade criteria |






**STATE: Karnataka**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 13, (New-04, Existing-09)**

| Sl. no. | Name of Institute with address   | Type of Application<br>New/Existing | Trade for which affiliation sought   | Units for which affiliation sought/ recommended by |                                  | Remarks by SCAA   |
|---------|--|-------------------------------------|--|--|----------------------------------|---|
|         |  |                                     |  | Instit.  | Trade/units Approved by SCAA     |   |
| 1.      | Gnanajyothi Private ITI Shidlaghatta<br><br>Old Address -Near Railway Station bypass Dibburahalli Road Shid Chikballapur-562105<br><br>New Address Gnana Jyothi Private ITI Sidlaghatta Chikkaballapura Near Railway Station, By-Pass, Dibburahalli Road, Sdlaghatta-, District. Chikkaballapur 562105<br>MIS Code: PR29001395 | Existing                            | Electrician  | 2(1+1)   | 2(1+1)                           | SCAA recommended the following trades in addition to shifting:<br><br>1. Electrician - 2(1+1)   |
| 2.      | Mahatma Phule Pvt ITI<br><br>Hidkal Dam Belagavi-591107 Karnataka<br><br>TMPKA_57  | New                                 | Electrician<br><br>Fitter<br><br>Sewing Technology<br><br>Smartphone Technician Cum App Tester | 2(1+1)<br><br>2(1+1)<br><br>2(1+1)<br><br>2(1+1)   | NR<br><br>NR<br><br>NR<br><br>NR | This case has been discussed in SCAA. State Directorate informed that the documents/orders submitted by the said institute are found to have been fake.<br><br>Hence, SCAA not recommended the ITI. |






**STATE: Karnataka**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 13, (New-04, Existing-09)**

| Sl. no. | Name of Institute with address  | Type of Application New/Existing | Trade for which affiliation sought      | Units for which affiliation sought/ recommended by |                              | Remarks by SCAA  |
|---------|---|----------------------------------|---|--|------------------------------|--|
|         |   |                                  |   | Instit.  | Trade/units Approved by SCAA |  |
| 3.      | Srinivasa Industrial Training Centre<br>Bangarpet<br>2059 Vijaya Nagar<br>Vivekanandanagar<br>Bangarpet KOLAR-<br>563114<br><br>MIS Code:<br>PR29000168             | Existing (shifting)              | Electrician                             | 2(1+1)   | NR                           | SCAA not recommended the shifting of this ITI as inter district shifting is not permitted  |
|         |   |                                  | Smartphone Technician<br>Cum App Tester | 1(1+0)   | NR                           |  |
| 4.      | B.T Patil & Sons polytechnic,67<br><br>Gavan Stavanidhi,<br>Nipani, Taluk- Nipani,<br>District Belagavi,<br>Karnataka State<br>Karnataka 591237<br><br>Polytechnic2 | New                              | Fitter                                  | 2(0+2)   | NR                           | State Director inform during the meeting that as no response is received from ITI, hence it should be Not recommended.<br><br>As per State Director remarks ITI application is not recommended for affiliation |
|         |   |                                  | Electrician                             | 2(0+2)   | NR                           |  |
|         |   |                                  | COPA                                    | 2(0+2)   | NR                           |  |
|         |   |                                  | Electronics Mechanic                    | 2(0+2)   | NR                           |  |








**STATE: Karnataka**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 13, (New-04, Existing-09)**

| Sl. no. | Name of Institute with address   | Type of Application<br>New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by |                              | Remarks by SCAA  |
|---------|--|-------------------------------------|------------------------------------|--|------------------------------|--|
|         |  |                                     |                                    | Instt.   | Trade/units Approved by SCAA |  |
| 5.      | JSS KOUSALYA PVT. ITI<br><br>DHARWAD Mrutyunjay Road, Savdatti Road, Dharwad. - 580006<br><br>TMP29536PR1645600 875                                | New                                 | Electrician                        | 2(1+1)   | 2(1+1)                       | SCAA recommended the following trades:<br><br>1. Electrician - 2(1+1)<br><br>2. Mechanic Motor Vehicle (MMV) - 2(1+1)<br><br>3. Solar Technician (Electrical) - 2(1+1)<br><br>4. Fashion Design and Technology - 2(1+1)<br><br>5. Civil Engineering Assistant - 2(1+1) |
|         |  |                                     | Mechanic Motor Vehicle (MMV)       | 2(1+1)   | 2(1+1)                       |  |
|         |  |                                     | Solar Technician (Electrical)      | 2(1+1)   | 2(1+1)                       |  |
|         |  |                                     | Fashion Design and Technology      | 2(1+1)   | 2(1+1)                       |  |
|         |  |                                     | Civil Engineering Assistant        | 2(1+1)   | 2(1+1)                       |  |
| 6.      | Unitek Private Industrial Training Institute<br><br>Dharwad Apoorva Orchids Near Kayak Nagar Narendra Dharwad -580005<br><br>TMP29536PR1646133 282 | New                                 | Electrician                        | 2(1+1)   | 2(1+1)                       | SCAA recommended the following trades:<br><br>1. Electrician - 2(1+1)<br><br>2. Hospital Housekeeping - 2(1+1)<br><br>3. Fitter - 2(1+1)<br><br>4. Solar Technician (Electrical) - 2(1+1)  |
|         |  |                                     | Hospital Housekeeping              | 2(1+1)   | 2(1+1)                       |  |
|         |  |                                     | Fitter                             | 2(1+1)   | 2(1+1)                       |  |
|         |  |                                     | Solar Technician (Electrical)      | 2(1+1)   | 2(1+1)                       |  |



**STATE: Karnataka**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 13, (New-04, Existing-09)**

| Sl. no. | Name of Institute with address   | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by |   | Remarks by SCAA                                       |
|---------|--|-------------------------------------|------------------------------------|--|---|---|
|         |  |                                     |                                    | Instt.   | Trade/units Approved by SCAA                    |   |
| 7.      | <p>Allamprabhu Industrial Training Institute<br/>Old address<br/>Chikkodi<br/>Kavatagimath Nagar South, Chikodi Belgaum 591201</p> <p>New Address<br/>Allamprabhu Pvt ITI<br/>Chikodi Belagavi<br/>Kavatagimath Nagar (South) Rajiv Nagar Bus Stop N M Road Chikodi 591201</p> <p>MIS Code:<br/>PU29000277</p> | Existing                            | Shifting case                      | Shifting case                                      | Recommended shifting with existing trades only. | SCAA, recommended shifting with existing trades only. |
| 8       | <p>Old Address St. Philomena's Industrial Training Centre<br/>B N Road Mysuru-570001</p> <p>New Address St. Philomena Industrial Training Institute<br/>Mysuru B. N. Road, Lashkar Mohalla Mysuru-570001</p> <p>PU29000075</p>   | Existing                            | Shifting case                      | Shifting case                                      | Shifting case                                   | SCAA recommended shifting with existing trades only.  |






**STATE: Karnataka**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 13, (New-04, Existing-09)**

| Sl. no. | Name of Institute with address   | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by |   | Remarks by SCAA   |
|---------|--|----------------------------------|------------------------------------|--|---|---|
|         |  |                                  |                                    | Instt.   | Trade/units Approved by SCAA                        |   |
| 9.      | <p>Old Address Jnanaseva Industrial Training Institute No 17/D, 2/3 Stage Vishveshwara Nagar MYSURU - 570008</p> <p>New Address Jnanaseva Industrial Training Institute Kolar Narasapura, Kolar Tq, Kolar Dist -563133</p> <p>MIS Code: PU29001025</p>   | Existing                         | Shifting case                      | Shifting case                                      | NR  | SCAA not recommended the shifting of this ITI as inter district shifting is not permitted |
| 10.     | <p>Old Address Mt. Malari Industrial Training Institute 18 (C), Peenya Industrial Area 2nd Stage Peenya Bengaluru Urban 560058</p> <p>New Address Mount Malari Pvt Iti Bengaluru Urban 18 C Peenya Industrial Area Peenya 2nd Stage Bangalore Bengaluru Urban-560058 Karnataka</p> <p>PU29000417</p> | Existing                         | Turner Draughtsman (Civil) COPA    | 2(1+1)<br>2(1+1)<br>1(1+0)                         | SCAA recommended the shifting with existing trades. | SCAA recommended the shifting with existing trades.                                       |



**STATE: Karnataka**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 13, (New-04, Existing-09)**

| Sl. no. | Name of Institute with address   | Type of Application<br>New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by |   | Remarks by SCAA   |
|---------|--|-------------------------------------|------------------------------------|--|---|---|
|         |  |                                     |                                    | Instt.   | Trade/units Approved by SCAA  |   |
| 11.     | <p>Old Address Sadguru Seva Rural Industrial Training Institute, Akkialur Akki Alur Hangal HAVERI-581102</p> <p>New Address SADRURU SEVA RURAL INDUSTRIAL TRAINING INSTITUTE HAVERI Akkialur 581102</p> <p>MIS Code: PR29000247</p>                                    | Existing                            | Shifting case                      | Shifting case                                      | recommended shifting with existing trades only.   | SCAA, recommended shifting with existing trades only.                                     |
| 12.     | <p>Old Address Sri Mruthyunjaya ITC Near kalleshwara Rice Mill, RMC Link Roa, Bamboo, Bazar Davangere-577001</p> <p>New Address Sri Sai Lakshmi Venkateshwara Pvt ITI Kolarmullahalli Village Velagalaburre Post, Sugatur Hobli 563126</p> <p>MIS Code: PR29001127</p> | Existing                            | Electrician                        | 3(1+1+1)   | SCAA not recommended the shifting of this ITI as inter district shifting is not permitted | SCAA not recommended the shifting of this ITI as inter district shifting is not permitted |



**STATE: Karnataka**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 13, (New-04, Existing-09)**

| Sl. no. | Name of Institute with address                        | Type of Application on New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by |                              | Remarks by SCAA   |
|---------|---|-------------------------------------|------------------------------------|--|------------------------------|---|
|         |   |                                     |                                    | Instt.   | Trade/units Approved by SCAA |   |
| 13.     | Govt. ITI, Vittalapur,<br><br>MIS Code:<br>GR29000320 | Existing                            | Mechanic<br>(1+0)                  | (1+0)  | (1+0)                        | SCAA recommended the following trades:<br><br>1. Mechanic - (1+0) |





**STATE: Kerala**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 01, (New-01, Existing-00)**

| Sl. no. | Name of Institute with address  | Type of Application<br>New/Existing | Trade for which affiliation sought                                | Units for which affiliation sought/ recommended by |  | Remarks by SCAA   |
|---------|---|-------------------------------------|---|--|--|---|
|         |   |                                     |   | Innst.   | Trade/units Approved by SCAA                     |   |
| 1.      | Vidyamandir Private Industrial Training Institute Payyanur Private Industrial Training Institute, Kannur Vellur Po, Payyanur, Kannur, Kerala - 670307 Kerala<br><br>TMP32557PU1580 730316 | New                                 | Draughtsman (Civil)<br><br>Electrician<br><br>COPA<br><br>Plumber | 2(1+1)<br><br>2(1+1)<br><br>2(1+1)<br><br>2(1+1)   | 2(1+1)<br><br>2(1+1)<br><br>2(1+1)<br><br>2(1+1) | SCAA recommended the following trades:<br>1. Draughtsman (Civil) - 2(1+1)<br>2. Electrician - 2(1+1)<br>3. COPA - 2(1+1)<br>4. Plumber - 2(1+1) |






**STATE: Madhya Pradesh**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 01, (New-00, Existing-01)**

| Sl. no. | Name of Institute with address                         | Type of Application New/Existing | Trade for which affiliation sought    | Units for which affiliation sought/ recommended by |                              | Remarks by SCAA   |
|---------|--|----------------------------------|---------------------------------------|--|------------------------------|---|
|         |  |                                  |                                       | Instt.   | Trade/units Approved by SCAA |   |
| 1.      | Mata Seeta Devi Pvt ITI<br><br>MIS Code:<br>PU23000919 | Existing                         | Stenographer Hindi<br><br>Electrician | 3(1+1+1)<br><br>3(1+1+1)                           | 2(1+1)<br><br>2(1+1)         | SCAA recommended the following trades:<br><br>1. Stenographer Hindi - 2(1+1)<br><br>2. Electrician - 2(1+1) |





**STATE: Maharashtra**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 09, (New-05, Existing-04)**

| Sl. no. | Name of Institute with address   | Type of Application New/Existing | Trade for which affiliation sought                                  | Units for which affiliation sought/ recommended by |  | Remarks by SCAA   |
|---------|--|----------------------------------|---|--|--|---|
|         |  |                                  |   | Instt.   | Trade/units Approved by SCAA                     |   |
| 1       | Dadaso Anandrao Ganpat Pawar (Pvt) Industrial Training Institute<br><br>Gorane Dhulegat No. 279, National Highway No. 3 Gorane Phata (Naradana) Tal. Shindkheda Dist. Dhule 424309<br><br>MIS Code: PR27001015 | Existing                         | Electrician   | 2(1+1)   | NR   | SCAA not recommended the addition of trade/units as per the deficiencies indicated by ICVC  |
| 2       | Trimurti Industrial Training Institute<br><br>Survey no. 227/2 Near KBCNMU, Opp. Hotel Govind, Paldhi Bk., Tal Dharangaon, Dist :- Jalgaon-425103<br><br>TMPSP065  | New                              | Draughtsman (Civil)<br><br>Electrician<br><br>Wireman<br><br>Fitter | 2(1+1)<br><br>2(1+1)<br><br>2(1+1)<br><br>2(1+1)   | 2(1+1)<br><br>2(1+1)<br><br>2(1+1)<br><br>2(1+1) | SCAA recommended the following trades:<br>1. Draughtsman (Civil) - 2(1+1)<br>2. Electrician - 2(1+1)<br>3. Wireman - 2(1+1)<br>4. Fitter - 2(1+1) |





**STATE: Maharashtra**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 09, (New-05, Existing-04)**

| Sl. no. | Name of Institute with address   | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by |                              | Remarks by SCAA  |
|---------|--|----------------------------------|------------------------------------|--|------------------------------|--|
|         |  |                                  |                                    | Instt.   | Trade/units Approved by SCAA |  |
| 3       | Yashodeep Samajik Vikas Sanstha Saralgaon Private ITI<br><br>Thane, At. Post. Saralgaon, Tal. Murbad Dist. Thane-421401<br><br>TMP27497PR1647<br>154218    | New                              | Electrician                        | 2(1+1)   | 2(1+1)                       | SCAA recommended the following trades:<br>1. Electrician - 2(1+1)<br>2. Wireman - 2(1+1)<br>3. Human Resource Executive - 2(1+1)<br>4. Geo-Informatics Assistant - 2(1+1)<br><br>RDSDE will ensure that CITS trained instructors are engaged in relevant trades before start of the session 2023 |
|         |  |                                  | Wireman                            | 2(1+1)   | 2(1+1)                       |  |
|         |  |                                  | Human Resource Executive           | 2(1+1)   | 2(1+1)                       |  |
|         |  |                                  | Geo-Informatics Assistant          | 2(1+1)   | 2(1+1)                       |  |
| 4       | Sanjaysinh Gaikwad Private Industrial Training Institute, Kolhapur,<br><br>A/P-Donoli-Bambavade, Tal-Shahuwadi, Dist-Kolhapur,<br><br>MIS Code: PR27000631 | Existing                         | Solar Technician (Electrical) -    | 2(1+1)   | 2(1+1)                       | SCAA recommended the following trades:<br>Solar Technician (Electrical) - 2(1+1)   |



**STATE: Maharashtra**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 09, (New-05, Existing-04)**

| Sl. no. | Name of Institute with address   | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by |                              | Remarks by SCAA   |
|---------|--|----------------------------------|------------------------------------|--|------------------------------|---|
|         |  |                                  |                                    | Instt.   | Trade/units Approved by SCAA |   |
| 5       | Shri Chatrapati Raje Pvt. ITC<br><br>Trimurti Nagar,<br>Wangaon Fata Tq<br>Beed & Dist Beed<br>431126<br><br>MIS Code<br>PU27000805                                    | Existing                         | Electrician                        | 2(1+1)   | 2(1+1)                       | SCAA recommended the following trades:<br><br>1. Electrician - 2(1+1)<br>2. Wireman - 2(1+1)<br>3. COPA - 2(1+1)<br><br>RDSDE will ensure that CITS trained instructors are engaged in all relevant trades before start of the session 2023   |
|         |  |                                  | Wireman                            | 2(1+1)   | 2(1+1)                       |   |
|         |  |                                  | COPA                               | 2(1+1)   | 2(1+1)                       |   |
| 6       | Chhatrapati Shivaji Maharaj Private ITI<br><br>Ratnpimpri Gat No. 125 (Dabapimpri Shivar), Parola Amalner Road Near Shiv Dham Tal. Parola Dist Jalgaon<br><br>TMPSP002 | New                              | Electrician                        | 2(1+1)   | 2(1+1)                       | SCAA recommended the following trades:<br>1) Electrician - 2(1+1)<br>2) Fitter - 2(1+1)<br>3) Surveyor - 2(1+1)<br>4) Sanitary Health Inspector - 2(1+1)<br><br>RDSDE will ensure that CITS trained instructors are engaged in all relevant trades before start of the session 2023 |
|         |  |                                  | Fitter                             | 2(1+1)   | 2(1+1)                       |   |
|         |  |                                  | Surveyor                           | 2(1+1)   | 2(1+1)                       |   |
|         |  |                                  | Sanitary Health Inspector          | 2(1+1)   | 2(1+1)                       |   |






**STATE: Maharashtra**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 09, (New-05, Existing-04)**

| Sl. no. | Name of Institute with address   | Type of Application New/Existing | Trade for which affiliation sought  | Units for which affiliation sought/ recommended by |  | Remarks by SCAA  |
|---------|--|----------------------------------|---|--|--|--|
|         |  |                                  |   | Instt.   | Trade/units Approved by SCAA                   |  |
| 7       | Jai Hanuman Pvt I.T.I. Bhusawal Jalgaon, Nh 6 Behind Yashoda Dp, Servay No 76/1, Plot No.4,5, Bhusawal Dist. Jalgaon. MIS Code: PR27000798 | Existing                         | Electrician   | 2(1+1)   | NR   | State Directorate did not recommend this ITI.<br><br>Hence as per remarks of State Directorate, SCAA has not recommended the ITI.  |
| 8       | Swami Vivekanand Private Industrial Training Institute, At Jola Post Devgaon Ral Kaij Dist Beed Maharashtra<br><br>TMP27470PR1645 518271   | New                              | Electrician<br>Fitter<br>Draughtsman Civil<br>Solar Tech. (Electrical)<br>Cosmetology | 2(1+1)<br>2(1+1)<br>2(1+1)<br>2(1+1)<br>2(1+1)     | 2(1+1)<br>2(1+1)<br>2(1+1)<br>2(1+1)<br>2(1+1) | SCAA recommended the following trades:<br><br>1. Electrician - 2(1+1)<br>2. Fitter - 2(1+1)<br>3. Draughtsman Civil - 2(1+1)<br>4. Solar Tech. (Electrical) - 2(1+1)<br>5. Cosmetology - 2(1+1)<br><br>RDSDE will ensure that CITS trained instructors are engaged in all relevant trades before start of the session 2023 |



**STATE: Maharashtra**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 09, (New-05, Existing-04)**

| Sl. no. | Name of Institute with address  | Type of Application New/Existing | Trade for which affiliation sought   | Units for which affiliation sought/ recommended by |  | Remarks by SCAA   |
|---------|---|----------------------------------|--|--|--|---|
|         |   |                                  |  | Instit.  | Trade/units Approved by SCAA                     |   |
| 9       | Pnsarode Private Industrial Training Institute Private Industrial Training Institute, Wardha At Post: Sawali(Wagh), Taluka: Hinganghat. District: Wardha, State: Maharashtra. 442301<br><br>TMP27498PR1582 374842 | New                              | Electrician<br><br>Welder<br><br>Fitter<br><br>Computer Hardware & Network Maintenance | 2(1+1)<br><br>2(1+1)<br><br>2(1+1)<br><br>1(1+0)   | 2(1+1)<br><br>2(1+1)<br><br>2(1+1)<br><br>2(1+1) | SCAA recommended the following trades:<br><br>1. Electrician - 2(1+1)<br>2. Welder - 2(1+1)<br>3. Fitter - 2(1+1)<br>4. Computer Hardware & Network Maintenance - 2(1+1)<br><br>RDSDE will ensure that CITS trained instructors are engaged in all relevant trades before start of the session 2023 |







**STATE Rajasthan**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 10, (New-00, Existing-10)**

| Sl. no. | Name of Institute with address  | Type of Application<br>New/Existing | Trade for which affiliation sought | Units for which affiliation sought by Instt. | Remarks by SSDEC | Remarks by SCAA  |
|---------|---|-------------------------------------|------------------------------------|--|------------------|--|
| 1.      | <p><b>Old Address:</b><br/>Vishvkarma Private Industrial Training Institute, Village Abhayapur post Gandhiphali Tehsil Iadpura Dist Kota</p> <p><b>New Address</b><br/>Vishvkarma Private Industrial Training Institute, Village Rajorla ki Dhani, Oadabas, Sikandara, Tehsil Sikral, Dist. Dausa<br/>(Shifting case)</p> <p>MIS Code:<br/>PR08000320</p> | Existing                            | Electrician                        | 24(8+8+8)                                    | --               | The matter has been discussed during this SCAA meeting and SCAA didn't recommended the ITI as inter district shifting is not permitted |







**STATE Rajasthan**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 10, (New-00, Existing-10)**

| Sl. no. | Name of Institute with address  | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought by Instt. | Remarks by SSDEC   | Remarks by SCAA   |
|---------|---|----------------------------------|------------------------------------|--|--|---|
| 2.      | <p>Gurupragna Private Industrial Training Institute</p> <p>Mis Code PR08000254</p> <p><b>Old Address -</b><br/>Guru pragna Private Industrial Training Institute, Nada Ki Dhani Raghunathgarh Dist Sikar Rajasthan</p> <p><b>New Address -</b><br/>Gurupragna Private Industrial Training Institute, Madhur Vihar, Saithal Mod, Dausa RAJASTHAN (Shifting of ITI)</p> | Existing                         | Shifting case                      | Shifting case                                | <p>Not Recommended, as per DGT order dated 18.09.2019 Shifting of ITI to other District not permitted.</p> | <p>SCAA agreed with the remarks of SSDEC.</p> <p>Hence, SCAA did not recommend the shifting of ITI as inter district shifting is not permitted.</p> |






**STATE Rajasthan**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 10, (New-00, Existing-10)**

| Sl. no. | Name of Institute with address  | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought by Instt. | Remarks by SSDEC   | Remarks by SCAA   |
|---------|---|----------------------------------|------------------------------------|--|--|---|
| 3.      | <p>Jai Hind Private Industrial Training Institute<br/>Mis Code: PR08000486</p> <p><b>Old Address-</b><br/>Jai Hind Private Industrial Training Institute, Masai Road, Vill&amp;Post Kisanganj Dist Baran Rajasthan</p> <p><b>New Address -</b><br/>Jai Hind Private Industrial Training Institute, Lalsot Road, Dausa Dist. Rajasthan</p> | Existing                         | Shifting case                      | Shifting case                                | <p>Not Recommended, as per DGT order dated 18.09.2019 Shifting of ITI to other District not permitted.</p> | <p>SCAA agreed with the remarks of SSDEC.</p> <p>Hence, SCAA did not recommend the shifting of ITI as inter district shifting is not permitted.</p> |






**STATE Rajasthan**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 10, (New-00, Existing-10)**

| Sl. no. | Name of Institute with address   | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought by Instt. | Remarks by SSDEC   | Remarks by SCAA   |
|---------|--|----------------------------------|------------------------------------|--|--|---|
| 4.      | <p>Shiv Sai Private Industrial Training Institute<br/>Mis Code: PU08000585</p> <p><b>Old Address -</b><br/>Shiv Sai Private Industrial Training Institute, Near Raipura Circle, Devil Aram Road, District Kota Rajasthan</p> <p><b>New Address -</b> Shiv Sai Private Industrial Training Institute, Near Bus Stand, Mandawar District Dausa Rajasthan</p> | Existing                         | Shifting case                      | Shifting case                                | <p>Not Recommended, as per DGT order dated 18.09.2019 Shifting of ITI to other District not permitted.</p> | <p>SCAA agreed with the remarks of SSDEC.</p> <p>Hence, SCAA did not recommend the shifting of ITI as inter district shifting is not permitted.</p> |








**STATE Rajasthan**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 10, (New-00, Existing-10)**

| Sl. no. | Name of Institute with address   | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought by Instt. | Remarks by SSDEC  | Remarks by SCAA  |
|---------|--|----------------------------------|------------------------------------|--|---|--|
| 5.      | G.T. Private ITI<br>Mis Code:<br>PR08001342<br><br><b>Old Address -</b><br>G.T. Private ITI,Opp.<br>Dhan Mandi Gate,<br>Anta District Baran<br><br><b>New Address-</b><br>G.T. Private ITI, Jagir<br>Bandikui, Tehsil<br>Baswa District Dausa  | Existing                         | Shifting case                      | Shifting case                                | Not Recommended, as per DGT order dated 18.09.2019 Shifting of ITI to other District not permitted. | SCAA agreed with the remarks of SSDEC.<br><br>Hence, SCAA did not recommend the shifting of ITI as inter district shifting is not permitted. |
| 6.      | Shiv Private Industrial Training Institute<br><br>Mis Code:<br>PR08000463<br><br><b>Old Address</b><br>Shiv Private Industrial Training Institute, Udaipuria Road, Near Mahila Hostel Mahandipur Balaji Dist Dausa<br><b>New Address</b><br>Shiv Private Industrial Training Institute, Jaipur Road, Dausa(Shifting of ITI ) | Existing                         | Shifting case                      | Shifting case                                | Not Recommended, as per DGT order dated 18.09.2019 Inter block shifting not permitted.              | SCAA agreed with the remarks of SSDEC.<br><br>Hence, SCAA did not recommend the shifting of ITI as inter block shifting is not permitted.    |



**STATE Rajasthan**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 10, (New-00, Existing-10)**

| Sl. no. | Name of Institute with address  | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought by Instt. | Remarks by SSDEC  | Remarks by SCAA   |
|---------|---|----------------------------------|------------------------------------|--|---|---|
| 7.      | <p>Hare Krishna Private Industrial Training Institute</p> <p>Mis Code:<br/>PU08001557</p> <p><b>Old Address</b><br/>Hare Krishna Private Industrial Training Institute, Siswal Chauraha, Mangrole, District Baran</p> <p><b>New Address</b><br/>Hare Krishna Private Industrial Training Institute, Kanhaiya Palace, Near Rac Line, Sarmathura, Karauli Road, District Dhoulpur<br/>(Shifting of ITI)</p> | Existing                         | Shifting case                      | Shifting case                                | <p>Not Recommended, as per DGT order dated 18.09.2019</p> <p>Shifting of ITI to other District not permitted.</p> | <p>SCAA agreed with the remarks of SSDEC.</p> <p>Hence, SCAA did not recommend the shifting of ITI as inter district shifting is not permitted.</p> |






**STATE Rajasthan**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 10, (New-00, Existing-10)**

| Sl. no. | Name of Institute with address  | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought by Instt. | Remarks by SSDEC  | Remarks by SCAA   |
|---------|---|----------------------------------|------------------------------------|--|---|---|
| 8.      | <p>Vedanta Private Industrial Training Institute</p> <p>Mis Code: PR08000491</p> <p><b>Old Address -</b><br/>Vedanta Private Industrial Training Institute, Ramesh Nagar Ishakabad Circle, Nimbahera, District <b>Chittorgarh</b></p> <p><b>New Address -</b><br/>Vedanta Private Industrial Training Institute, Near Gokul Filling Station, Gangapur Road, Katkar, Tehsil Hindaun, District <b>Karauli</b></p> | Existing                         | Shifting case                      | Shifting case                                | <p>Not Recommended, as per DGT order dated 18.09.2019</p> <p>Shifting of ITI to other District not permitted.</p> | <p>SCAA agreed with the remarks of SSDEC.</p> <p>Hence, SCAA did not recommend the shifting of ITI as inter district shifting is not permitted.</p> |






**STATE Rajasthan**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 10, (New-00, Existing-10)**

| Sl. no. | Name of Institute with address  | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought by Instt. | Remarks by SSDEC  | Remarks by SCAA   |
|---------|---|----------------------------------|------------------------------------|--|---|---|
| 9.      | <p>Maa Saraswati Private Industrial Training Institute,</p> <p>Mis Code: PR08001528</p> <p><b>Old Address -</b><br/>Maa Saraswati Private Industrial Training Institute, Khasra No. 890/335, Bharija Renwal Road, Jobner, District Jaipur</p> <p><b>New Address</b><br/>Maa Saraswati Private Industrial Training Institute, Lalsot By Pas Agra Road District By Pas, Agra Road, District Dausa (Shifting of ITI)</p> | Existing                         | Shifting case                      | Shifting case                                | <p>Not Recommended, as per DGT order dated 18.09.2019</p> <p>Shifting of ITI to other District not permitted.</p> | <p>SCAA agreed with the remarks of SSDEC.</p> <p>Hence, SCAA did not recommend the shifting of ITI as inter district shifting is not permitted.</p> |






**STATE Rajasthan**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 10, (New-00, Existing-10)**

| Sl. no. | Name of Institute with address   | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought by Instt. | Remarks by SSDEC | Remarks by SCAA  |
|---------|--|----------------------------------|------------------------------------|--|------------------|--|
| 10.     | Rajasthan Trade Private ITI,<br><br>Mis Code:<br>PR08001411<br><br><b>OLD Address -</b><br>Rajasthan Trade Private IT I, Plot No. 9-10, 11 Ayodhyapuri Colony, Harmada, District Jaipur<br><b>New Address-</b><br>Rajasthan Trade Private IT I, Nangal Rajawatan, Village Nangal Rajawatan, District Dausa | Existing                         | Shifting case                      | Shifting case                                |                  | SCAA agreed with the remarks of SSDEC.<br><br>Hence, SCAA did not recommend the shifting of ITI as inter district shifting is not permitted. |






**STATE: Telangana**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 02, (New-00, Existing-02)**

| Sl. no. | Name of Institute with address   | Type of Application New/Existing | Trade for which affiliation sought               | Units for which affiliation sought/ recommended by |                              | Remarks by SCAA  |
|---------|--|----------------------------------|--|--|------------------------------|--|
|         |  |                                  |  | Instit.  | Trade/units Approved by SCAA |  |
| 1.      | Sri Rama Private ITI,<br>Huzurabad<br><br>MIS Code:<br>PU36000092<br><br>Shifting case | Existing                         | Electrician<br><br>Fitter<br><br>Mechanic Diesel | 8(4+4)<br><br>2(1+1)<br><br>2(1+1)                 | NR<br><br>NR<br><br>NR       | SCAA didn't recommend the ITI due to following deficiencies:<br><br>1. Shortage of land area as per norms<br>2. BCC is not as per norms  |
| 2.      | Satya Pvt ITI Keesara(M),<br>Medchal<br><br>MIS Code:<br>PR36000238                    | Existing                         | Fitter<br><br>Electrician                        | (0+0+4)<br>DST mode<br><br>(0+0+4)<br>DST mode     |                              | SCAA observed that admissions are very poor in existing 1 <sup>st</sup> and 2 <sup>nd</sup> shift units.<br><br>Hence, SCAA didn't recommend the DST affiliation in 3 <sup>rd</sup> Shift. |






**STATE: Uttar Pradesh**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 25, (New-18, Existing-07)**

| Sl. no. | Name of Institute with address   | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by |                              | Remarks by SCAA   |
|---------|--|----------------------------------|------------------------------------|--|------------------------------|---|
|         |  |                                  |                                    | Instt.   | Trade/units Approved by SCAA |   |
| 1.      | Shri Mansingh Atar Devi Private Industrial Training Institute<br><br>Mathura, Vill-Ova, Post-Shergarh, Tehsil & Block-Chhata, Distt-Mathura, Mathura, Uttar Pradesh<br><br>TMP9167PR15825<br>47341 | New                              | Electrician                        | 6(2+2+2)   | 4(2+2)                       | SCAA recommended the following trades:<br>1 Electrician - 4 (2+2)<br>2 Fitter - 2(1+1)<br>3 Health Sanitary Inspector - 2 (1+1)<br>4 Marketing executive - 1(1+0) |
|         |  |                                  | Fitter                             | 3(1+1+1)   | 2(1+1)                       |   |
|         |  |                                  | health Sanitary Inspector          | 3(1+1+1)   | 2(1+1)                       |   |
|         |  |                                  | Marketing executive                | 1(1+0+0)   | 1(1+0)                       |   |
| 2.      | Sadhna Private Industrial Training Institute, GONDA<br><br>Ujari Dihwa Dulhapur Bankat District Gonda-241602 Uttar Pradesh<br><br>TMP9147PR15805<br>39066  | New                              | Electrician                        | 3(1+1+1)   | 2(1+1)                       | SCAA recommended the following trades:<br>1. Electrician - 2(1+1)<br>2. Fitter - 2(1+1)<br>3. COPA - 2(1+1)<br>4. Health Sanitary Inspector - 2(1+1)              |
|         |  |                                  | Fitter                             | 3(1+1+1)   | 2(1+1)                       |   |
|         |  |                                  | COPA                               | 3(1+1+1)   | 2(1+1)                       |   |
|         |  |                                  | Health Sanitary Inspector          | 3(1+1+1)   | 2(1+1)                       |   |






**STATE: Uttar Pradesh**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 25, (New-18, Existing-07)**

| Sl. no. | Name of Institute with address  | Type of Application New/Existing | Trade for which affiliation sought                                    | Units for which affiliation sought/ recommended by |                                      | Remarks by SCAA  |
|---------|---|----------------------------------|---|--|--------------------------------------|--|
|         |   |                                  |   | Instt.   | Trade/units Approved by SCAA         |  |
| 3.      | Saint Bilal Pvt. I.T.I Private Industrial Training Institute<br>Sitapur Vill. Ganeshpur Block & Tehsil Laharpur District Sitapur-261135<br>TMP9183PR15814 19884 | New                              | COPA<br>Electrician<br>Fitter<br>Plumber                              | 3(1+1+1)<br>6(2+2+2)<br>6(2+2+2)<br>3(1+1+1)       | 2(1+1)<br>4(2+2)<br>4(2+2)<br>2(1+1) | SCAA recommended the following trades:<br>1. COPA - 2(1+1)<br>2. Electrician -4 (2+2)<br>3. Fitter - 4(2+2)<br>4. Plumber -2(1+1)                            |
| 4.      | Rameshwar Prasad Private Industrial Training Institute<br>Banda Private Industrial, Vill And Post Pachnehi Distt. Banda-210001<br>TMP9128PR15798 64998          | New                              | Electrician<br>Fitter<br>Health Sanitary Inspector<br>Mechanic Diesel | 3(1+1+1)<br>3(1+1+1)<br>3(1+1+1)<br>3(1+1+1)       | 2(1+1)<br>2(1+1)<br>2(1+1)<br>2(1+1) | SCAA recommended the following trades:<br>1 Electrician - 2 (1+1)<br>2 Fitter - 2(1+1)<br>3 Health Sanitary Inspector - 2(1+1)<br>4 Mechanic Diesel - 2(1+1) |
| 5.      | Shiv Private ITI<br>New RTO Road Hardila Lalitpur U P Lalitpur-284403<br>MIS Code: PU09900431   | Existing                         | Electrician   | 6(2+2+2)   | 4(2+2)                               | SCAA recommended the following trade:<br>1. Electrician - 4(2+2)   |





**STATE: Uttar Pradesh**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 25, (New-18, Existing-07)**

| Sl. no. | Name of Institute with address   | Type of Application New/Existing | Trade for which affiliation sought                                     | Units for which affiliation sought/ recommended by       |  | Remarks by SCAA   |
|---------|--|----------------------------------|--|--|--|---|
|         |  |                                  |  | Instit.  | Trade/units Approved by SCAA                     |   |
| 6.      | Shivdaya Private ITI<br><br>Village-Rasaura,<br>Post-Pahara,<br>Tahsil-Sadar,<br>Block-Pahari<br>MIRZAPUR-<br>231001<br><br>MIS Code:<br>PR09900477                              | Existing                         | Electrician  | 6(2+2+2)   | 4(2+2)   | SCAA recommended the following trade:<br>Electrician 4(2+2)   |
| 7.      | Ramdev Private Industrial Training Institute, Azamgarh<br><br>Vill.-Khillupur,<br>Post-Sanjarpur,<br>Distt.-Azamgarh,<br>Pin-223227 Uttar Pradesh<br><br>TMP9123PR15828<br>15754 | New                              | COPA<br><br>Electrician<br><br>Fitter<br><br>Health Sanitary Inspector | 2(1+1+0)<br><br>6(2+2+2)<br><br>2(1+1+0)<br><br>2(1+1+0) | 2(1+1)<br><br>4(2+2)<br><br>2(1+1)<br><br>2(1+1) | SCAA recommended the following trade:<br>1. Copa - 2(1+1)<br>2. Electrician - 4(2+2)<br>3. Fitter - 2(1+1)<br>4. Health Sanitary Inspector - 2(1+1) |






**STATE: Uttar Pradesh**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 25, (New-18, Existing-07)**

| Sl. no. | Name of Institute with address  | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by |                              | Remarks by SCAA   |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|---|
|         |   |                                  |                                    | Instt.   | Trade/units Approved by SCAA |   |
| 8.      | Babu Ramlagan Singh Private Industrial Training Institute, Ballia<br><br>Village- Mujauna, Post- Turtipar, Tehsil- Belthra Road, District- Ballia, Uttar Pradesh, Pin Code- 221715<br><br>TMP9126PR1580372040 | New                              | Electrician                        | 3(1+1+1)   | 2(1+1)                       | SCAA recommended the following trade:<br>1. Electrician- 2(1+1)<br>2. Fitter - 2(1+1)<br>3. Electronics Mechanic - 2(1+1)<br>4. COPA - 2(1+1) |
|         |   |                                  | Fitter                             | 3(1+1+1)   | 2(1+1)                       |   |
|         |   |                                  | Electronics Mechanic               | 3(1+1+1)   | 2(1+1)                       |   |
|         |   |                                  | COPA                               | 3(1+1+1)   | 2(1+1)                       |   |
| 9.      | Barhaj Private Industrial Training Institute<br><br>Deoria Barhaj Deoria-274601<br><br>TMP9137PR1582179826  | New MSTI                         | Electrician                        | 2(1+1)   | 2(1+1)                       | SCAA recommended the following trade:<br><br>1. Electrician - 2(1+1)  |






**STATE: Uttar Pradesh**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 25, (New-18, Existing-07)**

| Sl. no. | Name of Institute with address   | Type of Application New/Existing | Trade for which affiliation sought                         | Units for which affiliation sought/ recommended by |                                      | Remarks by SCAA   |
|---------|--|----------------------------------|--|--|--------------------------------------|---|
|         |  |                                  |  | Instit.  | Trade/units Approved by SCAA         |   |
| 10.     | Maa Bhagawati Private ITI Khailar<br>Vill & Post Khailar<br>Jhansi 284120<br>Uttar Pradesh<br>MIS Code:<br>PR09000726  | Existing                         | Electrician  | 12(4+4+4)  | 8(4+4)                               | SCAA recommended the following trade:<br>1. Electrician - 8(4+4)<br><br>State Directorate to ensure the engagement of CITS instructors in all trades before start of the session 2023 |
| 11.     | Ideal Private ITI<br>Village & Post-<br>Jasar Sultan<br>Nagar Police<br>Station-<br>Sarurpur Khurd<br>Teh- Sardhana<br>DisttMeerut-<br>250344<br>TMP9169PR15807<br>14046 | New                              | Electrician<br>Fitter<br>COPA<br>Health Sanitary Inspector | 6(2+2+2)<br>6(2+2+2)<br>3(1+1+1)<br>3(1+1+1)       | 4(2+2)<br>4(2+2)<br>2(1+1)<br>2(1+1) | SCAA recommended the following trade:<br>1 Electrician - 4(2+2)<br>2 Fitter - 4(2+2)<br>3 COPA- 2(1+1)<br>4 Health Sanitary Inspector - 2(1+1)  |
| 12.     | Navodaya P.I.T.I.<br>Tilauly Post<br>Badhudy<br>Ballia- 221717<br>MIS Code:<br>PR09002006  | Existing                         | Electrician  | 6(2+2+2)   | 4(2+2)                               | SCAA recommended the following trade:<br>1. Electrician - 4(2+2)  |



**STATE: Uttar Pradesh**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 25, (New-18, Existing-07)**

| Sl. no. | Name of Institute with address   | Type of Application New/Existing | Trade for which affiliation sought                                   | Units for which affiliation sought/ recommended by |  | Remarks by SCAA   |
|---------|--|----------------------------------|--|--|--|---|
|         |  |                                  |  | Instit.  | Trade/units Approved by SCAA                     |   |
| 13.     | Sushma Singh Singraur Private ITI khatangi Ganga Allahabad -211012<br><br>MIS CODE: PR09900537   | Existing                         | Electrician  | 6(2+2+2)   | NR   | As confirmed by the state, ITI has not removed the deficiencies. Hence SCAA Not recommended the addition of trade/units                           |
| 14.     | Asian Pvt Private Industrial Training Institute, Bareilly Jeevan Jyoti Campus Behind Old Roadways Stand Bareilly Up 243001<br><br>MIS Code: PR09000498 | Existing                         | Electrician<br><br>Fitter  | 10(3+3+4)<br><br>4(1+1+2)                          | 2(1+1)<br><br>2(1+1)                             | SCAA recommended for shifting with only existing trades:<br><br>1. Electrician - 2(1+1)<br>2. Fitter - 2(1+1)                                     |
| 15.     | N.B.S. Private Industrial Training Institute, Pratapgarh Village Cheetpur Post Premdharpatti-Uttar Pradesh 230127<br><br>TMP9174PR15809 56762          | New                              | Electrician<br><br>Fitter<br><br>Electronics Mechanic<br><br>Wireman | 6(2+2+2)<br><br>2(1+1)<br><br>2(1+1)<br><br>2(1+1) | 4(2+2)<br><br>2(1+1)<br><br>2(1+1)<br><br>2(1+1) | SCAA recommended the following trade:<br>1. Electrician - 4(2+2)<br>2. Fitter - 2(1+1)<br>3. Electronics Mechanic - 2(1+1)<br>4. Wireman - 2(1+1) |



**STATE: Uttar Pradesh**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 25, (New-18, Existing-07)**

| Sl. no. | Name of Institute with address  | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by |                              | Remarks by SCAA   |
|---------|---|----------------------------------|------------------------------------|--|------------------------------|---|
|         |   |                                  |                                    | Instt.   | Trade/units Approved by SCAA |   |
| 16.     | Ram Swaroop Singh Gaur Private Industrial Training Institute Private Industrial Training Institute, Kanpur Dehat Akbarpur Kanpur Dehat-Uttar Pradesh 209101<br><br>TMP9156PR15827 72088 | New                              | Electrician                        | 3(1+1+1)   | 2(1+1)                       | SCAA recommended the following trade:<br>1. Electrician -2(1+1)<br>2. Fitter - 2(1+1)<br>3. Health Sanitary Inspector - 2(1+1)<br>4. Plumber -2(1+1)    |
|         |   |                                  | Fitter                             | 3(1+1+1)   | 2(1+1)                       |   |
|         |   |                                  | Health Sanitary Inspector          | 3(1+1+1)   | 2(1+1)                       |   |
|         |   |                                  | Plumber                            | 3(1+1+1)   | 2(1+1)                       |   |
| 17.     | Sai Nath Private Industrial Training Institute, Prayagraj H-3 Industrial Area, Naini, Allahabad 211010<br><br>MIS Code: PR09001347  | Existing                         | Electrician                        | 7(2+2+3)   | 4(2+2)                       | SCAA recommended the following trade:<br><br>1. Electrician - 4(2+2)  |
|         |   |                                  | Fitter                             | 1(0+0+1)   | NR                           |   |
| 18.     | Milind Private Industrial Training Institute, Saharanpur Village Daulatpur, Post-Todarpur Mill, Tahsil-Sadar-Uttar Pradesh 247001<br><br>TMP9177PR15812 50523                           | New                              | Electrician                        | 6(2+2+2)   | 4(2+2)                       | SCAA recommended the following trade:<br><br>1. Electrician - 4(2+2)<br>2. Fitter - 2(1+1)<br>3. Health Sanitary Inspector - 2(1+1)<br>4. Copa - 2(1+1) |
|         |   |                                  | Fitter                             | 2(1+1)   | 2(1+1)                       |   |
|         |   |                                  | Health Sanitary Inspector          | 2(1+1)   | 2(1+1)                       |   |
|         |   |                                  | Copa                               | 2(1+1)   | 2(1+1)                       |   |



**STATE: Uttar Pradesh**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 25, (New-18, Existing-07)**

| Sl. no. | Name of Institute with address   | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by |                              | Remarks by SCAA  |
|---------|--|----------------------------------|------------------------------------|--|------------------------------|--|
|         |  |                                  |                                    | Instit.  | Trade/units Approved by SCAA |  |
| 19.     | D R G Private Industrial Training Institute, Aligarh Vill Dhanipur Kurana Post Khandeha Distt Aligarh Pin 202137 Uttar Pradesh<br><br>TMP9119PR15828 72347 | New                              | Electrician                        | 6(2+2+2)   | 4(2+2)                       | SCAA recommended the following trade:<br><br>1. Electrician - 4(2+2)<br>2. Fitter - 2(1+1)<br>3. COPA - 2(1+1)<br>4. Mechanic Diesel - 2(1+1)<br><br>State will ensure the engagement of CITS instructors in each trade before start of the session 2023 |
|         |  |                                  | Fitter                             | 3(1+1+1)   | 2(1+1)                       |  |
|         |  |                                  | COPA                               | 2(1+1)   | 2(1+1)                       |  |
|         |  |                                  | Mechanic Diesel                    | 3(1+1+1)   | 2(1+1)                       |  |
| 20      | Shambhu Narayan Private ITI, Vill & Post: Harahari, Dist: Ghazipur Uttar Pradesh - 233226. 1809017048  | New                              | Electrician                        | 3(1+1+1)   | NR                           | The matter has discussed in SCAA meeting. As ITI applicant is not willing the run the, SCAA rejected its application.  |
|         |  |                                  | Fitter                             | 3(1+1+1)   | NR                           |  |
|         |  |                                  | Sewing Technology                  | 3(1+1+1)   | NR                           |  |
|         |  |                                  | COPA                               | 3(1+1+1)   | NR                           |  |
| 21      | Om Shree Sai Private Industrial Training Institute, Sambhal Gowan Sambhal Road Block Pwasa Sambhal U.P 244703<br><br>TMP9659PR15825 66182                  | New MSTI                         | Electrician                        | 4(2+2)   | 4(2+2)                       | SCAA recommends the following Trades:<br><br>Electrician 4(2+2)<br>Fitter 4(2+2)   |
|         |  |                                  | Fitter                             | 4(2+2)   | 4(2+2)                       |  |



**STATE: Uttar Pradesh**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 25, (New-18, Existing-07)**

| Sl. no. | Name of Institute with address  | Type of Application New/Existing | Trade for which affiliation sought                         | Units for which affiliation sought/ recommended by |                                      | Remarks by SCAA  |
|---------|---|----------------------------------|--|--|--------------------------------------|--|
|         |   |                                  |  | Instt.   | Trade/units Approved by SCAA         |  |
| 22      | Maa Paudhari Devi Private Industrial Training Institute, Ballia Village-Niyamatpur Post-Kanso District-Ballia U.P.-221712<br><br>TMP9126PR1581764402    | New                              | Electrician<br>Fitter<br>COPA<br>Plumber                   | 6(2+2+2)<br>6(2+2+2)<br>3(1+1+1)<br>3(1+1+1)       | 4(2+2)<br>4(2+2)<br>2(1+1)<br>2(1+1) | SCAA recommends the following Trades:<br>1. Electrician 4(2+2)<br>2. Fitter 4(2+2)<br>3. COPA 2(1+1)<br>4. Plumber 2(1+1)      |
| 23.     | Kamla Prasad Singh Private Industrial Training Institute, Sultanpur Baraula Gaura, Sultanpur, Uttar Pradesh Sultanpur-228151<br><br>TMP9185PR1582523406 | New                              | Electrician<br>Fitter<br>Copa<br>Health Sanitary Inspector | 6(2+2+2)<br>2(1+1)<br>2(1+1)<br>2(1+1)             | 4(2+2)<br>2(1+1)<br>2(1+1)<br>2(1+1) | SCAA recommended<br>1. Electrician 4(2+2) -<br>2. Fitter - 2(1+1)<br>3. Copa - 2(1+1)<br>4. Health Sanitary Inspector 2(1+1) - |
| 24.     | Shri Ram Das Pvt. ITI, Partapur, Kishni, Mainpuri, Mainpuri, Uttar Pradesh.<br><br>1809017964   | New                              | Electrician<br>Fitter<br>Copa<br>Plumber                   | 3(1+1+1)<br>3(1+1+1)<br>3(1+1+1)<br>3(1+1+1)       | 2(1+1)<br>2(1+1)<br>2(1+1)<br>2(1+1) | SCAA recommended the following trades:<br>1 Electrician 2(1+1) -<br>2 Fitter - 2(1+1)<br>3 Copa - 2(1+1)<br>4 Plumber 2(1+1) - |




**STATE: Uttar Pradesh**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 25, (New-18, Existing-07)**

| Sl. no. | Name of Institute with address                                   | Type of Application New/Existing | Trade for which affiliation sought | Units for which affiliation sought/ recommended by |                              | Remarks by SCAA  |
|---------|--|----------------------------------|------------------------------------|--|------------------------------|--|
|         |  |                                  |                                    | Instt.   | Trade/units Approved by SCAA |  |
| 25.     | Sri Nathilal Pvt ITI,<br>Syarmau Tehra<br>Agra<br><br>1809016789 | New                              | COPA                               | 3(1+1+1)   | 2(1+1)                       | SCAA recommended the following trades:<br>1. COPA - 2 (1+1)<br>2. Electrician - 2 (1+1)<br>3. Fitter - 2 (1+1)<br>4. Health Sanitary Inspector - 2 (1+1) |
|         |  |                                  | Electrician                        | 3(1+1+1)   | 2(1+1)                       |  |
|         |  |                                  | Fitter                             | 3(1+1+1)   | 2(1+1)                       |  |
|         |  |                                  | Health Sanitary Inspector-         | 3(1+1+1)   | 2(1+1)                       |  |








**STATE: West Bengal**

**Meeting Date: 28.08.2023 to 30.08.2023**

**Total - 03, (New-01, Existing-02)**

| Sl. no. | Name of Institute with address  | Type of Application<br>New/Existing | Trade for which affiliation sought                              | Units for which affiliation sought/ recommended by |                              | Remarks by SCAA   |
|---------|---|-------------------------------------|---|--|------------------------------|---|
|         |   |                                     |   | Instit.  | Trade/units Approved by SCAA |   |
| 1.      | Rishra Multi Skill Training Institute Hooghly<br><br>Simla Satghara Road, P.O-Pravasnagar, P.S-Rishra, Dist-Hooghly, W.B-712104<br><br>TMP19312PU1647333260 | New                                 | Electrician<br><br>Fitter                                       | 2(1+1)<br><br>2(1+1)                               | 2(1+1)<br><br>2(1+1)         | SCAA recommended the following trades:<br><br>1. Electrician - 2(1+1)<br><br>2. Fitter - 2(1+1)                                       |
| 2.      | Bishop Morrow Private ITI, Nadia<br><br>DI Roy Road, P.O.-Krishnanagar, P.S-Kotwali 741101, Nadia, West Bengal<br><br>MIS Code: PU19000059                  | Existing                            | Electronic Mechanic<br><br>Smartphone Technician cum App Tester | 2(1+1)<br><br>2(1+1)                               | 2(1+1)<br><br>2(1+1)         | SCAA recommended the following trades:<br><br>1. Electronic Mechanic - 2(1+1)<br><br>2. Smartphone Technician cum App Tester - 2(1+1) |
| 3.      | Arambagh, Nabadiganta, Pvt. ITI, Hooghly, West Bengal<br><br>MIS Code: PU19000108   | Existing                            | Electrician   | 2(1+1)   | 2(1+1)                       | SCAA recommended the following trades:<br><br>1. Electrician - 2(1+1)   |