

Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To,

The Director of Industrial Training

Directorate of Industrial Training

Technical Education & Training Department, Government of West Bengal,

Karigori Bhaban,

Rajarhat, Kolkata-700160

Sub: Correction in the number of Trade/Units granted to the Institute in respect of Ausgram II Govt. ITI, Bardhaman Debshala, Ausgram, II West Bengal, Pin- 713156,Issue of Corrigendum

Sir,

It is to inform you in respect of Ausgram II Govt. ITI, Bardhaman Debshala, Ausgram, II West Bengal, Pin-713156, regarding the Correction in the number of Trade/Units granted to the Institute.

Accordingly the correction has been carried out for affiliation orders no DGT 12/1/2016 -TC dated 07.10.2016 (S. No.48 / West Bengal) and affiliation order after getting clarification from QCI meeting dated 07.10.2016 (S. No. 12/ West Bengal) QCI application No. A16002689 and amended as :-

For

S.	Name, Address & File No. of the Institute	Trade	Unit for which affiliation sought/recommended by					
NO.			Instt.	QCI	Approved by sub committee of NCVT	Remarks		
48	Ausgram II Govt. ITI Bardhaman Debshala,	Suveyor	3(1+1+1)	3(1+1+1)	3(1+1+1)	A16002689 w.e.f. Aug 2016		
12	Ausgarm, II West Bengal	Welder	3(1+1+1)	3(1+1+1)	3(1+1+1)			
		Sewing						
		Technology	3(1+1+1)	3(1+1+1)	3(1+1+1)			

176	Head as					
48	MIS Code : GR19000224	Suveyor	3(1+1+1)	3(1+1+1)	3(1+1+1)	A16002689
12	Ausgram II Govt. ITI Bardhaman Debshala, Ausgarm, II West Bengal,	Welder	3(1+1+1)	3(1+1+1)	3(1+1+1)	w.e.f. Aug 2016
	Pin- 713156	Sewing Technology	3(1+1+1)	3(1+1+1)	3(1+1+1)	
	DGT-6/25/43/2016-TC	СОРА	3(1+1+1)	3(1+1+1)	3(1+1+1)	

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

2. The Principal, Ausgram II Govt. ITI, Bardhaman Debshala, Ausgram, II West Bengal, Pin-713156.

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill No DGT-6/25/43/2016-TC

(M. C Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20-01-2017

To,

The Director

Directorate of Employment & Training Guru Gobind Singh Marg, Lucknow – 226004 Uttar Pradesh

Sub: Affiliation of S.B.G.M Private ITI, 8/11 Mundera Bazar, Chauri-Chaura, Distric-Gorakhpur-273201, Uttar Pradesh,Issue of Corrigendum

Sir,

I am directed to inform you in respect of S.B.G.M Private ITI, 8/11 Mundera Bazar, Chauri-Chaura, Distric- Gorakhpur-273201, Uttar Pradesh regarding the <u>Correction in the address of the Institute</u>.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 07-10-2016 (S. No. 54 / Uttar Pradesh) QCI A16000822 and amended as:

For

SBGM Private ITI, Gonda 8/11 Mundera Bazar, Chauri-Chaura, Distric- Gorakhpur-273201, Uttar Pradesh

Read as
MIS Code:- PU09900260
SBGM Private ITI,
8/11 Mundera Bazar,
Chauri-Chaura,
Distric- Gorakhpur-273201,
Uttar Pradesh
DGT-6/24/212/2016-TC

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)
Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

 The Principal, S.B.G.M Private ITI, 8/11 Mundera Bazar, Chauri-Chaura, Distric- Gorakhpur- 273201, Uttar Pradesh.

3. Officer dealing with NCVT MIS Portal to Update Data.

4. File No. DGT-6/24/212/2016-TC

(M. C Kardam)



Shram Shakti Bhawan , New Delhi

Dated: 20-01-2017

To,

The Commisioner,

Employment & Training, Koshaliya Bhawan, Dairy Circle, Banargatta Road, Bangalore-560029 Karnataka

Sub: Affiliation of Sri Goggachannabasaiah Private ITI, Sanapur Road, Near Govt. Hospital, Kampli, Bellary, Pin- 583132, KarnatakaIssue of Corrigendum

Sir,

I am directed to inform you in respect of Sri Goggachannabasaiah Private ITI, Sanapur Road, Near Govt. Hospital, Kampli, Bellary, Pin- 583132, Karnataka regarding the **Correction in the address** of the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 16-09-2016 (S. No. 6 / Karnataka) QCI A16000198 and amended as:

For

Sri Goggachannabasaiah Private ITI Bellary, Sanapur Road, Near Govt. Hospital, Kampli, Karnataka

Read as

MIS Code:- PU29000995

Sri Goggachannabasaiah Private ITI, Sanapur Road, Near Govt. Hospital, Kampli, Bellary, Pin- 583132, Karnataka

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak) Ulirector of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

2. The Principal, Sri Goggachannabasaiah Private ITI, Sanapur Road, Near Govt. Hospital, Kampli, Bellary, Pin- 583132, Karnataka.

3. Officer dealing with NCVT MIS Portal to Update Data.

4. File No. DGT-6/10/91/2009-TC

(M. C Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To,

The Director
Directorate of Technical Education & Training.
Killa Maidan, Cuttack-753001, Orissa

Sub: Correction in the number of units/trades in respect of Government ITI BOUDH, Boudh, Odisha-762014...Issue of Corrigendum

Sir,

It is to inform you in respect of Government ITI BOUDH, Boudh, Odisha -762014 regarding the Correction in the number of Trade/Units granted to the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 07.10.2016 (S. No.2 / Odisha-) and amended as :-

SI	App. No.	Name & Address	Old/ New		tion red by	DGT file reference		
N o.				Trade	Instt.	QCI	Approved by Sub- Committee of NCVT	y
2	NXT003490	Government ITI BOUDH	Old	Textile Wet Processing	3(1+1+1)	3(1+1+1)	3(1+1+1)	w.e.f. August 2016
		BOUDH, Boudh, Boudh, Odisha-762014		Dress Making Electronics Mechanic	3(1+1+1)	3(1+1+1)	3(1+1+1)	

	Read as							
2	NXT003490	MIS code: GU21000496 Government ITI BOUDH BOUDH, Odisha-762014	Old	Fitter	6(2+2+2)	6(2+2+2)	6(2+2+2)	DEGT- 6/18/11/97-TC w.e.f. August 2016

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002

2. The Principal, Government ITI BOUDH, Boudh, Odisha-762014.

3. Officer dealing with NCVT MIS Portal to Update Data.

4. File No. DEGT-6/18/11/97-TC

(M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To,

The Director

Directorate of Technical Education & Training.

Killa Maidan, Cuttack-753001, Orissa

Sub: Correction in the number of units/trades in respect of Govt.ITI Purushottampur, At-Jagannathpalli, Po-Jagannathpur, Near Tara Tarini Junction, Via-Bhatakumarada, Chatrapur, GANJAM, Odisha-761003...Issue of Corrigendum

Sir,

It is to inform you in respect of Govt.ITI Purushottampur, At-Jagannathpalli, Po-Jagannathpur, Near Tara Tarini Junction, Via-Bhatakumarada, Chatrapur, GANJAM, Odisha-761003 regarding the Correction in the number of Trade/Units granted to the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 30.08.2016 (S. No.4 / Odisha-) and amended as :-

Sl	App. No.	Name & Address	Old/ New	T	DGT file reference			
N o.				Trade	Instt.	QCI	Approved by Sub-Committee of NCVT	
4	APP004806	Govt.ITI Purushottampur, At- Jagannathpalli, Po- Jagannathpur, Near Tara Tarini Junction,Via- Bhatakumarada, Chatrapur, GANJAM, Odisha-761003	Old	Fitter Welder COPA Painter (G) Plumber Wireman	3(1+1+1) 2(0+0+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	3(1+1+1) 2(0+0+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	3(1+1+1) 2(0+0+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	w.e.f. August 2016

		ead as						
4	APP004806	Govt.ITI Purushottampur , At- Jagannathpalli, Po- Jagannathpur, Near Tara Tarini Junction,Via- Bhatakumarada , Chatrapur , GANJAM , Odisha-761003	Old	Fitter Welder COPA Painter (G) Plumber Wireman Electrician	3(1+1+1) 2(0+0+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 6(2+2+2)	3(1+1+1) 2(0+0+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 6(2+2+2)	3(1+1+1) 2(0+0+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 6(2+2+2)	w.e.f. August 2016

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002

2. The Principal, Govt.ITI Purushottampur, At-Jagannathpalli, Po-Jagannathpur, Near Tara Tarini Junction, Via-B hatakumarada, Chatrapur, GANJAM, Odisha-761003

3. Officer dealing with NCVT MIS Portal to Update Data.

(M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To,

The Director Directorate of Technical Education & Training. Killa Maidan, Cuttack-753001, Orissa

Sub: Correction in the number of units/trades in respect of Madhusudan Govt. ITI, B.O.S.E Campus, Po-SCB Medical College, Cuttack, Odisha-753007...Issue of Corrigendum

Sir,

It is to inform you in respect of Madhusudan Govt. ITI, B.O.S.E Campus, Po-SCB Medical College, Cuttack, Odisha-753007 regarding the Correction in the number of Trade/Units granted to the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 16.09.2016 (S. No.14 / Odisha-) and amended as :-

	r	٠	9	۰
ы	u	,	ı	

Sl. No.	App. No.	No. Name & Address	Old/ New		Trade /units for which affiliation sought/recommended/approved by				
				Trade	Instt.	QCI	Approved by Sub-Committee of NCVT		
14	APP005053	Madhusudan Govt. ITI, B.O.S.E Campus, Po- SCB Medical College, Cuttack, Odisha- 753007	Old	Draghtsman (Civil)	1(0+1)	1(0+1)	1(0+1)	w.e.f. August 2016	
	× F	Read as	10	W.	Nin -	*			
11	ADDOOFOES	Madlana Cart III	01.1	D L	4(0.4)	460 43	4.00 43		

		leau as						
14	APP005053	Madhusudan Govt. ITI, B.O.S.E Campus, Po-	Old	Draghtsman (Civil)	1(0+1)	1(0+1)	1(0+1)	w.e.f. August 2016
		SCB Medical College, Cuttack, Odisha-		Fitter	2(0+0+2)	2(0+0+2)	2(0+0+2)	A STATE OF THE STA
		753007		Electrician	2(0+0+2)	2(0+0+2)	2(0+0+2)	
				Electronics Mechanic	1(0+0+1)	1(0+0+1)	1(0+0+1)	

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/ Member Secretary (NCVT)

- Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002
 - 2. The Principal, Madhusudan Govt. ITI, B.O.S.E Campus, Po-SCB Medical College, Cuttack, Odisha- 753007
 - 3. Officer dealing with NCVT MIS Portal to Update Data.

(M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20-01-2017

To,

The Director Directorate of Technical Education W-6, Residency Road, Jodhpur-342001, Rajasthan

Sub: Affiliation of Nathdwara Private ITI, Upali Oden, Nathdwara, Rajsamand, Rajasthan-313301.....Issue of Corrigendum

Sir.

I am directed to inform you in respect of Nathdwara Private ITI, Upali Oden, Nathdwara, Rajsamand, Rajasthan - 313301 regarding the Correction in the name of the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2015 -TC dated 28-8-2015 (S. No.92 / Uttar Pradesh) QCI App004192 and amended as:

For

Govt. ITI, Nathdwara, Dist. Rajsamad, Pin-313301, Rajasthan

DGT-6/20/1/1997-TC

Read as

Nathdwara Private ITI, Upali Oden, Nathdwara,

Rajsamand, Rajasthan-313301

DGT-6/20/1/1997-TC

In view of above, you may update your records accordingly.

Yours faithfully

((Raj Kumar Pathak

Director of Training/ Member Secretary (NCVT

- Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002
 - 2. The Principal, Nathdwara Private ITI, Upali Oden, Nathdwara, Rajsamand, Rajasthan-313301
 - 3. Officer dealing with NCVT MIS Portal to Update Data.
 - 4. Fill no. DGT-6/20/1/1997-TC

(M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20-01-2017

To,

The Director

Directorate of Employment & Training, Thycaud, Thiruvananthapuram - 695014, Kerala

Sub: Correction in the address of Institutes (Govt. ITI Rajakkad, Dist. Ldukki, Pin-685566, Kerala & Majmau Orphange Pvt. ITI Urangattiri, Therattammal PO Malappuram-673639, Kerala).....Issue of Corrigendum

Sir.

I am directed to inform you in respect of (Govt. ITI Rajakkad, Dist. Ldukki, Pin-685566, Kerala & Majmau Orphange Pvt. ITI Urangattiri, Therattammal PO Malappuram-673639, Kerala) regarding the Correction in the Address of the Institute.

Accordingly the correction have been carried out and amended for as given below the ITI's:

SI no.	Name & Address of the institute	For	Read As
1.	Govt. ITI Rajakkad, Dist. Ldukki, Pin-685566, Kerala DGET-6/11/6/2010-TC	Pin - 685516	Pin-685566
2.	Majmau Orphange Pvt. ITI Urangattiri, Therattammal PO Malappuram-673639, Kerala DGET-6/11/54/2008-TC	Theramattammal PO	Therattammal PO

In view of above, you may update your records accordingly.

Yours faithfully

((Raj Kumar Pathak)

Director of Training/ Member Secretary (NCVT

Copy to:

- The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002
- 2. The Principal, Govt. ITI Rajakkad, Dist. Ldukki, Pin-685566, Kerala
- 3. The Principal, Majmau Orphange Pvt. ITI, Urangattiri, Therattammal, PO Malappuram-673639, Kerala
- 4. Officer dealing with NCVT MIS Portal to Update Data.
- 5. Fill no. DGET-6/11/6/2010-TC, DGET-6/11/54/2008-TC

(M.C. Kardam)

Joint Director of Training

E-mail-: mc.kardam@nic.in



No. MSDE/DGT- 6/Corrigendum/2016-TC Government of India Ministry of Skill Development and Entrepreneurship **Directorate General of Training**

Shram Shakti Bhawan , New Delhi

Dated: 20.01.2017

To,

The Director Directroate of Technical Education Vocaional & Industrial Training, Dist. Sundernagar, Himachal Pradesh,

Sub: Correction in the name of the Institute in respect of Khanchi Private ITI, Near Home Guard Training Centre, Vill. Chakki Dhanoto, Tehsil. Shahpur, Dist- Kangra, Pin- 176203, Himachal Pradesh,Issue of Corrigendum

Sir,

It is to inform you in respect of Khanchi Private ITI, Near Home Guard Training Centre, Vill. Chakki Dhanoto, Tehsil. Shahpur, Dist- Kangra, Pin- 176203, Himachal Pradesh, regarding the Correction in the name of the Institute.

Accordingly the correction has been carried out and amended as :-

For

Kanchi Private ITI. Village & PO Dhanotu Shapur, Dist. Kangra, Himachal Pradesh

DGET-6/8/1/2011-TC (Part File)

Read as MIS Code: PR02000048 Khanchi Private ITI, Near Home Guard Training Centre, Vill. Chakki Dhanoto, Tehsil. Shahpur, Dist- Kangra, Pin- 176203, Himachal Pradesh

DGET-6/8/1/2011-TC (Part File)

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road,

I P Estate, Delhi - 110002

2. The Principal Khanchi Private ITI, Near Home Guard Training Centre, Vill. Chakki Dhanoto, Tehsil. Shahpur, Dist-Kangra, Pin- 176203, Himachal Pradesh

3. Officer dealing with NCVT MIS Portal to Update Data.

4. File no DGET-6/8/1/2001-TC (Part File)

(M.C. Kardam)

Joint Director of Training

E-mail-: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To,

The Director
Directorate of Employment & Training,
Block No. 9, Civic Centre, Madhatal
Jabalpur-482002
Madhya Pradesh

Sub: Correction in the units/trades of the Institute in respect of Rupali PVT. ITI, Gram Bharda Panagar, Jabalpur, Madhya Pradesh-483220 Issue of Corrigendum.

Sir.

It is to inform you in respect of Rupali PVT. ITI, Gram Bharda Panagar, Jabalpur, Madhya Pradesh-483220, regarding the **Correction in the number of Trade/Units granted to the Institute**.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 25.08.2015 (S. No.121 / Madhya Pradesh) QCI application no. App004164 and amended as :-

S. No.	Name, Address& File No. of the Institute	Trade	Ui so	Remarks		
			Instt.	QCI	Approved by sub committee of NCVT	
121	Rupali PVT. ITI , Gram Bharda Panagar, Jabalpur, Madhya Pradesh-483220	Electrician	2(1+1)	2(1+1)	2(1+1)	App004164 w.e.f. Aug 2016

	Read as					
121	MIS Code: PR23000229 Rupali PVT. ITI, Gram Bharda Panagar, Jabalpur, Madhya Pradesh-483220	Electrician	3(1+1+1)	3(1+1+1)	3(1+1+1)	App004164 w.e.f. Aug 2016

In view of above, you may update your records accordingly.

ours faithfully

\ / / /

Raj Kumar-Pathak)

Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- 2. The Principal, Rupali PVT. ITI, Gram Bharda Panagar, Jabalpur, Madhya Pradesh-483220
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET-6/12/37/2012-TC

(M. C Kardam)

Joint Director of Training

Email: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi

Dated: 20-01-2017

To,

The Director Training.

Department of Labour, Employment and Training Nepal House, Doranda, Ranchi - 834002 Jharkhand

Sub: Correction in the Name, MIS Code & File No. of Chittaranjan Private ITI, Piyalsola, Mihijam, Dist. Jamtara, Pin- 815354, Jharkhand ... Issue of Corrigendum

Sir,

I am directed to inform you in respect of Chittaranjan Private ITI, Piyalsola, Mihijam, Dist. Jamtara, Pin- 815354, Jharkhand regarding the Correction in the Name, MIS Code & File No. of the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2013 -TC dated 26.09.2013 (S. No.1 / Jharkhand) and amended as:

SI No.	Name & Address of the Institute	For	Read as
1.	Chittaranjan Private ITI, Piyalsola, Mihijam,	MIS Code: PR0000223	MIS Code: PR20000183
(183)	Dist. Jamtara, Pin- 815354 Jharkhand	File No: DGET-6/34/17/2010-TC	File No. DGT-6/34/4/2013-TC

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/ Member Secretary (NCVT

- Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002
 - 2. The Principal, Chittaranjan Private ITI, Piyalsola, Mihijam, Dist. Jamtara, Pin- 815354, Jharkhand
 - 3. Officer dealing with NCVT MIS Portal to Update Data.
 - 4. Fill no. DGET-6/11/6/2010-TC, DGET-6/11/54/2008-TC

(M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20-01-2017

To.

The Director
Directorate of Technical Education
6, Residency Road, Jodhpur-342001,
Rajasthan

Sub: Correction in the File No. of MODI Private ITI, Plot No 2, Sector No 2, Swamivivekanand Nagar, Kota, Pin-324010, Rajasthan ... Issue of Corrigendum

Sir,

I am directed to inform you in respect of MODI Private ITI, Plot No 2, Sector No 2, Swamivivekanand Nagar, Kota, Pin-324010, Rajasthan regarding the **Correction in the & File No. of the Institute.**

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2013 -TC dated 30.08.2016 (S. No.38 / Rajasthan) and amended as:

SI No	Name & Address of the Institute	For	Read as
38.	MODI Private ITI, Plot No 2, Sector No 2, Swamivivekanand Nagar, Kota, Pin-324010, Rajasthan	File No: DGT-6/20/323/2004-TC	File No. DGT-6/20/323/2014-TC

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Rathak) ^^
Director of Training/
Member Secretary (NCVT

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002

- 2. The Principal, MODI Private ITI, Plot No 2, Sector No 2, Swamivivekanand Nagar, Kota, Pin-324010, Rajasthan
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill no. DGET-6/11/6/2010-TC, DGET-6/11/54/2008-TC

M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To.

The Director Directorate of Technical Education 6, Residency Road, Jodhpur-342001, Rajasthan

Sub: Correction in the number of Trade/Units of the Institute in respect of CH Mota Ram Meel Memorial Private ITI, Chak 5 Nrd, Vill. - Nirwana, Tehsil - Suratgarh, Distt. - Sri Ganganagar, Pin-335804, Rajasthan....Issue of Corrigendum.

Sir,

I am directed to inform you in respect of CH Mota Ram Meel Memorial Private ITI, Chak 5 Nrd, Vill. - Nirwana, Tehsil - Suratgarh, Distt. - Sri Ganganagar, Pin-335804, Rajasthan, regarding the **Correction in the number of Trade/Units of the Institute**.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 16.09.2016 (S. No.63 / Rajasthan) QCI application no. A16000621 and amended as :-

S. No.	Name, Address& File No. of the Institute	Trade	Ui so	Remarks		
			Instt.	QCI	Approved by sub committee of NCVT	
63	CH Mota Ram Meel Memorial Private ITI, Chak 5 Nrd, Vill Nirwana, Tehsil-Suratgarh, Distt Sri Ganganagar, Pin-335804, Rajasthan	Electrician	3(1+1+1)	3(1+1+1)	3(1+1+1)	A16000621 w.e.f. August 2016
	Read as	70 Ka	- (A)	- X0		
63	MIS Code: Not Exist	Electrician	3(1+1+1)	3(1+1+1)	3(1+1+1)	A16000621 w.e.f. August 2016

63	MIS Code: Not Exist CH Mota Ram Meel Memorial	Electrician	3(1+1+1)	3(1+1+1)	3(1+1+1)	A16000621 w.e.f. August 2016
	Private ITI, Chak 5 Nrd, Vill Nirwana, Tehsil-Suratgarh,	Plumber	3(1+1+1)	3(1+1+1)	3(1+1+1)	
	Distt Sri Ganganagar, Pin-335804, Rajasthan DGT-6/20/36/2016-TC					

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak) Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

2. The Principal, CH Mota Ram Meel Memorial Private ITI, Chak 5 Nrd, Vill. - Nirwana, Tehsil - Suratgarh, Distt. - Sri Ganganagar, Pin-335804, Rajasthan

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill No. DGT-6/20/36/2016-TC

(M. C Kardam)

Joint Director of Training Email: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To

The Commissioner
Employment & Training
D / Block, 3rd & 4th Floors, BRK Bhavan,
Tankbund Road, Hyderabad
Andhra pradesh

Sub: Cumulative information on affiliation granted (numer of trades/ Units) in respect of National Private ITI Kongareddy Palle Road Door No 22-11, 32/6 SBI Colony, Chittoor, Pin- 517001, Andhra PradeshIssue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of National Private ITI Kongareddy Palle Road Door No 22-11, 32/6 SBI Colony, Chittoor, Pin- 517001, Andhra Pradesh has been carried out and ammended as below:-

For :-

National Industrial Training Centre Kongareddy Palle Road Door No. 22-11, 32/6 SBI Col Chittoor, Pin- 517001, Andhra Pradesh DGET-6/1/41/82-TC (pvt.)

Read as :-

S. No.	Name and address of Institutes	Trades/Units affiliated to NC\ record and MIS portal	/T As per DGET
1	MIS Code: PR28000359 National Private ITI Kongareddy Palle Road Door No 22-11, 32/6 SBI Colony, Chittoor, Pin- 517001, Andhra Pradesh DGET-6/1/41/82-TC	1. Electrician 2. Mechanic Diesel 3. Draghutsman Civil 4. Fitter	6(3+3) 2 (1+1) 2(1+1) 2(1+1)
	Т	otal – 12 units	

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- 2. The Principal, National Private ITI Kongareddy Palle Road Door No 22-11, 32/6 SBI Colony, Chittoor, Pin- 517001, Andhra Pradesh
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET-6/1/41/82-TC

(M. C Kardam)



Shram Shakti Bhawan, New Delhi Dated: 20.01.2017

То

The Director

Directorate of Employment & Training Guru Gobind Singh Marg, Lucknow – 226004 Uttar Pradesh.

Sub: Correction in the number of Trade/Units of the Institute in respect in respect of Surya Private ITI Ballia Village-Gothawa, Post-Gothai, Pin code:221711, Uttar Pradesh issue of Corrigendum

Sir,

It is to inform you that the **correction in the number of Trade/Units** in respect of Surya Private ITI Ballia Village-Gothawa, Post-Gothai, Pin code:221711, Uttar Pradesh

Accordingly, the correction has been carried out for affiliation order no DGT-6/24/128/2016 -TC dated 23.09.2016 (S. No.63/ Uttar Pradesh) QCI application no. A16000244 and amended as:

For

S. No.	Name, Address& File No. of the Institute	Trade	Unit for whi	ch affiliation sou	Remarks	
			Instt.	QCI	Approved by sub committee of NCVT	
63	Surya Private ITI Ballia Village-Gothawa, Post- Gothai, Pin code:221711, Uttar Pradesh	Electrician Fitter	3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1)	A16000244 w.e.f. August 2016
	DGT-6/24/128/2016 -TC					

Read as

S. Name, Address the Institute	Name, Address& File No. of	Trade	Unit for whi	Remarks		
	the institute		Instt.	QCI	Approved by sub committee of NCVT	
63	Surya Private ITI Ballia Village-Gothawa, Post- Gothai, Pin code:221711, Uttar Pradesh	Electrician Fitter	12(4+4+4) 6(2+2+2)	12(4+4+4) 6(2+2+2)	12(4+4+4) 6(2+2+2)	A16000244 w.e.f. August 2016
	DGT-6/24/128/2016 -TC	rillei	0(2+2+2)	0(2+2+2)	0(2+2+2)	

In view of above, you may update your records accordingly.

(Raj Kumar Pathak Director of Training/ Member Secretary

ours faithfully

Copy to:

- The C.E.O NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4A, Ring Road, I.P Estate, Delhi-110002.
- 2. The Principal, Surya Private ITI Ballia Village-Gothawa, Post-Gothai, Pin code:221711, Uttar Pradesh.
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. File No. DGT-6/24/128/2016 -TC

(M.C. Kardam)

Joint Director of Training

Email ID: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To

The Commissioner
Employment & Training
D / Block, 3rd & 4th Floors, BRK Bhavan,
Tankbund Road, Hyderabad
Andhra pradesh

Sub: Cumulative information on affiliation granted (numer of trades/ Units) in respect of Repalle Christian Private ITI, Bethapudi, Repalle Mandal, Distt. Guntur, Pin- 522414, Andhra PradeshIssue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of Repalle Christian Private ITI, Bethapudi, Repalle Mandal, Ditt. Guntur, Pin- 522414, Andhra Pradesh has been carried out and ammended as below:-

For :-

R.C.Industrial Training Centre, Nagaram Distt. Guntur, Pin- 522414, Andhra Pradesh DGET-6/1/31/98-TC

Read as :-

S. No.	Name and address of Institutes	Trades/Units affiliated to NO record and MIS portal	CVT As per DGET
1	MIS Code: PR28000342 Repalle Christian Private ITI, Bethapudi, Repalle Mandal, Distt. Guntur, Pin- 522414, Andhra Pradesh DGET-6/1/31/98-TC	Electrician Mechanic Diesel Fitter	4(2+2) 2 (1+1) 2(1+1)
	1	Total – 10 units	

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

2. The Principal, Repalle Christian Private ITI, Bethapudi, Repalle Mandal, Ditt. Guntur, Pin- 522414, Andhra Pradesh

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill No. DGET-6/1/31/98-TC

(M. C Kardam)_



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To

The Commissioner
Employment & Training
D / Block, 3rd & 4th Floors, BRK Bhavan,
Tankbund Road, Hyderabad
Andhra pradesh

Supersedes previous letter no. MSDE/DGT-6/ Corrigendum/2016-TC dated 09.11. 2016

Sub: Cumulative information on affiliation granted (numer of trades/ Units) J V R R Memorial Pvt. Industial Training Institute, Nandyal, L.K.R Estate V. C Colony, R.S, Road Nandyal, Kurnool – 518502, Andhra Pradesh.... Issue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of J V R R Memorial Pvt. Industial Training Institute, Nandyal, L.K.R Estate V. C Colony, R.S, Road Nandyal, Kurnool – 518502, Andhra Pradesh.has been carried out and ammended as below:-

For :-

J V R R Memorial Pvt. Industial Training Institute, Nandyal, L.K.R Estate V. C Colony, R.S, Road Nandyal, Kurnool – 518502, Andhra Pradesh DGET-6/1/15/1993-TC

Read as :-

MIS Code: PU28000043

J V R R Memorial Pvt. Industial Training Institute, Nandyal, L.K.R Estate V. C Colony, R.S, Road Nandyal, Kurnool – 518502, Andhra Pradesh DGET-6/1/15/1993-TC

S.No.	Trade	Units	Remark
1	Draughtsman Civil	5 (2+2+1)	
2	Electrician	18 (6+6+6)	
3	Fitter	7 (3+3+1)	
4	Electronics Mechanic	4(2+2)	
5	Mechanic Motor Vehicle	4(2+2)	
6	Mechanic Diesel	6 (2+2+2)	
	Tot	al Units - 44 Nos.	

In view of above, you may update your records accordingly.

(Raj Kumar Pathak)

ours faithfully

Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

2.. The Principal, J V R R Memorial Pvt. Industial Training Institute, Nandyal, L.K.R Estate V. C Colony, R.S, Road Nandyal, Kurnool – 518502, Andhra Pradesh

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill No. DGET-6/1/15/1993-TC

(M. C Kardam)
Joint Director of Training
Email: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To,

The Director
Directorate of Technical Education
W-6, Residency Road, Jodhpur-342001,
Rajasthan

Sub: Correction in the number of Trade/Units of the Institute in respect of Rajasthali Private ITI, Vill. Doika Bas Bandikui Road, Dist. Dausa, Pin-303326, RajasthanIssue of Corrigendum.

Sir,

It is to inform you that the **Correction in number of trades/ Units** in respect of Rajasthali Private ITI, Vill. Doika Bas Bandikui Road, Dist. Dausa, Pin-303326, Rajasthan.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 25.08.2015 (S. No.85 / Rajasthan) QCI application no. App003076 and amended as :-

S. No.	Name, Address& File No. of the Institute	Trade	U Sc	Remarks		
			Instt.	QCI	Approved by sub committee of NCVT	
85	Rajasthali Private ITI, Vill. Doika Bas Bandikui Road, Dist. Dausa, Pin-303326 Rajasthan DGET-6/20/577/2014-TC	Electrician	Addl. 6(2+2+2)	Addl. 6(2+2+2)	Addl.6(2+2+2) Total 12(4+4+4)	Assessment- 03/8/2015 App003076 w.e.f. Aug 2015

85	MIS Code; Nil Rajasthali Private ITI, Vill. Doika Bas Bandikui Road, Dist. Dausa, Pin-303326 Rajasthan	Electrician	Addl. 6(2+2+2)	Addl. 6(2+2+2)	Addl. 6(2+2+2) Total 9(3+3+3)	Assessment- 03/8/2015 App003076 w.e.f. Aug 2015
	DGET-6/20/577/2014-TC					

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/
Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

2. The Principal, Rajasthali Private ITI, Vill. Doika Bas Bandikui Road, Dist. Dausa, Pin-303326, Rajasthan.

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill No. DGET-6/20/577/2014-TC

(M. C Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To,

The Director
Directorate of Technical Education & Industrial Training
Takniki Bhavan, Plot No.1A, Sector 36,
Chandigarh-160036, Punjab.

Sub: Correction in the number of Trade/Units of the Institute in respect of Deol Private ITI, Guraspur, Vill. Bariar Adda Ranjit Bagh, Pin- 143521, PunjabIssue of Corrigendum.

Sir.

It is to inform you that Deol Private ITI, Guraspur, Vill. Bariar Adda Ranjit Bagh, Pin- 143521, Punjab, regarding the **Correction in the number of Trade/Units of the Institute**.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 29.09.2016 (S. No.08 / Punjab) QCI application no. A16000974 and amended as :-

For

S. No.	Name, Address& File No. of the Institute	Trade	Uni	Remarks		
			Instt.	QCI	Approved by sub committee of NCVT	
08	Deol Private ITI, Guraspur, Vill. Bariar Adda Ranjit Bagh, Pin- 143521, Punjab	Sewing Technology	2(1+1)	2(1+1)	2(1+1)	A16000974 w.e.f. August 2016

2715		- 0		
	-	· al	_	_
_		ш	d	ĸ

1	Tioud us					
80	MIS Code: PR03000347 Deol Private ITI, Guraspur, Vill. Bariar Adda	Sewing Technology	2(1+1)	2(1+1)	2(1+1)	A16000974 w.e.f. August 2016
	Ranjit Bagh, Pin- 143521, Punjab DGET-6/19/12/2015-TC	Fashion Design Technology	2(1+1)	2(1+1)	2(1+1)	

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- 2. The Principal, Deol Private ITI, Guraspur, Vill. Bariar Adda Ranjit Bagh, Pin- 143521, Punjab.
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET-6/19/12/2015-TC

(M. C Kardam)

Joint Director of Training

Email: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi

Dated: 20-01-2017

To,

The Director Directorate of Technical Education W-6, Residency Road, Jodhpur-342001, Rajasthan

Sub: Affiliation of Mahesh Private ITI, Opp BSNL office Nehru Road, District Bhilwara, Pin-3011001, Rajasthan....Issue of Corrigendum

Sir,

I am directed to inform you in respect of Mahesh Private ITI, Opp BSNL office Nehru Road. District Bhilwara, Pin-3011001, Rajasthan regarding the Correction in the Name of the trade/units of the institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2015 -TC dated 25.08.2015 Part-II (S. No.11 / Rajasthan), Re-affiliation and amended as:

SI No.	Name & Address of the Institute	For	Read as
11	MIS Code: PR08000408 Mahesh Private ITI, Opp BSNL office Nehru Road, District Bhilwara, Pin- 3011001, Rajasthan DGT-6/20/102/2007-TC (Part File)	Electrician – 2(1+1)	Electronics Mechanic – 2(1+1)

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/ Member Secretary (NCVT

- Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002
 - 2. The Principal, Mahesh Private ITI, Opp BSNL office Nehru Road, District Bhilwara, Pin-3011001, Rajasthan
 - 3. Officer dealing with NCVT MIS Portal to Update Data.
 - 4. Fill no. DGT-6/20/102/2007-TC (Part File)

(M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20-01-2017

To,

The Director

Directorate of Technical Education & Vocational Training, 3- Mahapalika Marg, P.Box No. 10067, Mumbai – 400001, Maharashtra

Sub: Affiliation of Khandesh Private ITI, Main Road, District Jalgaon, Pin-424101, Maharashtra.....Issue of Corrigendum

Sir,

I am directed to inform you in respect of Khandesh Private ITI, Main Road, District Jalgaon, Pin-424101, Maharashtra regarding the **Correction in the Name of the trade/units of the institute**.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 16.09.2016 (S. No.1 / Maharashtra) and amended as:

SI No.	Name & Address of the Institute	For	Read as
1	MIS Code: PR27000881 Khandesh Private ITI, Main Road, District Jalgaon, Pin-424101, Maharashtra DGT-6/13/1/2016-TC	Sheet Metal Worker – 3(1+1+1)	Fitter – 3(1+1+1)

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/ Member Secretary (NCVT

Copy to:

- 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi 110002
- 2. The Principal, Khandesh Private ITI, Main Road, District Jalgaon, Pin-424101, Maharashtra
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill no. DGT-6/13/1/2016-TC

M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20-01-2017

To,

The Director Industrial Training & Vocational Education 30, Bay's Building, Sector-17, Chandigarh-160017, Haryana

Sub: Affiliation of Government ITI Hansi, Delhi Road National Highway -10, Near Paradise Hotel Hansi, Distt. Hisar, Pin- 125033, Haryana.. ... Issue of Corrigendum

Sir,

I am directed to inform you in respect of Government ITI Hansi, Delhi Road National Highway -10, Near Paradise Hotel Hansi, Distt. Hisar, Pin-125033, Haryana regarding the Correction in the Name of the trade/units of the institute.

Accordingly the correction has been carried out for Affiliation order after getting clarification from QCI meeing 16.09.2016 no DGET 12/1/2016 -TC dated 16.09.2016 (S. No.2 / Haryana) QCI application no. A16000788 and amended as:

SI No.	Name & Address of the Institute	For	Read as
2	MIS Code: GR06000315 Government ITI Hansi, Delhi Road National Highway -10, Near Paradise Hotel Hansi, Distt. Hisar, Pin- 125033, Haryana DGT-6/7/15/2016-TC	Turner – 2(1+1)	Turner – 4(2+2)

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak) Director of Training/

Member Secretary (NCVT

- Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi - 110002
 - 2. The Principal, Government ITI Hansi, Delhi Road National Highway -10, Near Paradise Hotel Hansi, Distt. Hisar, Pin- 125033, Harvana
 - 3. Officer dealing with NCVT MIS Portal to Update Data.
 - 4. Fill no. DGT-6/7/15/2016-TC

(M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 24.01.2017

To

The Commissioner
Employment & Training
D / Block, 3rd & 4th Floors, BRK Bhavan,
Tankbund Road, Hyderabad
Telangana

Sub: Cumulative information on affiliation granted (numer of trades/ Units) in respect of Sarada Private ITI, Balapur, Saroonager, Dist. Ranga Reddy, Pin- 500035, TelanganaIssue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of Sarada Private ITI, Balapur, Saroonager, Dist. Ranga Reddy, Pin- 500035, Telangana has been carried out and ammended as below :- For :-

Sarada Private ITI, Balapur, Saroonager, Dist. Ranga Reddy, Pin- 500035, Telangana DGET-06(1)/15/88-TC

Read as :-

S. No.	Name and address of Institutes	Trades/Units affiliated to NCVT As per DG record and MIS portal	ET
1	MIS Code: PU36000059 Sarada Private ITI, Balapur, Saroonager, Dist. Ranga Reddy, Pin- 500035, Telangana DGET-06(1)/15/88-TC	1. Electrician 6(2+2+2) 2. Fitter 6(2+2+2) 3. Draughtsman (Civil) 2(1+1)	
	T	otal – 14 units	

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak) Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- 2. The Principal, Sarada Private ITI, Balapur, Saroonager, Dist. Ranga Reddy, Pin-500035, Telangana
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET-06(1)/15/88-TC

(M. C Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 24.01.2017

To

The Commissioner
Employment & Training
D / Block, 3rd & 4th Floors, BRK Bhavan,
Tankbund Road, Hyderabad
Telangana

Sub: Cumulative information on affiliation granted (numer of trades/ Units) in respect of Rehana Memorial Private ITI, H.N.S-9-97 Inside Fort Khammah Ballepalli, Dist. Khammam, Pin-507001, TelanganaIssue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of Rehana Memorial Private ITI, H.N.S-9-97 Inside Fort Khammah Ballepalli, Dist. Khammam, Pin-507001, Telangana has been carried out and ammended as below:-

For :-

Rehana Memorial Private ITI, H.N.S-9-97 Inside Fort Khammah Ballepalli, Dist. Khammam, Pin-507001, Telangana DGET-6/1/169/93-TC

Read as :-

S. No.	Name and address of Institutes	Trades/Units affiliated to N record and MIS portal	CVT As per DGET
1	MIS Code: PU36000095 Rehana Memorial Private ITI, H.N.S-9-97 Inside Fort Khammah Ballepalli, Dist. Khammam, Pin-507001, Telangana DGET-6/1/169/93-TC	Electrician Fitter Mechanic Diesel	6(2+2+2) 2(1+1) 2(1+1)

Total - 10 units

In view of above, you may update your records accordingly.

(Raj Kumar Pathak)

Yours faithfully

Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- 2. The Principal, Rehana Memorial Private ITI, H.N.S-9-97 Inside Fort Khammah Ballepalli, Dist. Khammam, Pin-507001, Telangana
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET-6/1/169/93-TC

(M. C Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 24.01.2017

To

The Commissioner
Employment & Training
D / Block, 3rd & 4th Floors, BRK Bhavan,
Tankbund Road, Hyderabad
Telangana

Sub: Cumulative information on affiliation granted (numer of trades/ Units) in respect of Nandi Private ITI, Kodangal Ragadamaila Varamkodangail, Dist. Mahbubnagar, Pin-509339, TelanganaIssue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of Nandi Private ITI, Kodangal Ragadamaila Varamkodangail, Dist. Mahbubnagar, Pin-509339, Telangana has been carried out and ammended as below:-

For :-

Nandi Private ITI, Kodangal Ragadamaila Varamkodangail, Dist. Mahbubnagar, Pin-509339, Telangana DGET-6/1/21/99-TC

Read as :-

S. No.	Name and address of Institutes	Trades/Units affiliated to NC record and MIS portal	VT As per DGET
1	MIS Code: PR36000179 Nandi Private ITI, Kodangal Ragadamaila Varamkodangail, Dist. Mahbubnagar, Pin- 509339, Telangana DGET-6/1/21/99-TC	Electrician Draughtsman (Civil) Mechanic Diesel	8(4+4) 2(1+1) 2(1+1)
	Т	otal – 12 units	

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)
Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- 2. The State Director of Telangana, Nandi Private ITI, Kodangal Ragadamaila Varamkodangail, Dist. Mahbubnagar, Pin-509339, Telangana
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET-6/1/21/99-TC

(M. C Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To,

The Director
Directorate of Technical Education
W-6, Residency Road, Jodhpur-342001,
Rajasthan

Sub: Correction in the number of Trade/Units of the Institute in respect of Vinayak Private ITI, Opp. Veterinary Hospital Tonk Road, Newai, Distt Tonk, Pin-304021, RajasthanIssue of Corrigendum.

Sir,

It is to inform you that the in respect of Vinayak Private ITI, Opp. Veterinary Hospital Tonk Road, Newai, Distt Tonk, Pin-304021, Rajasthan, Correction in number of trades/ Units of the institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 30.08.2016 (S. No.28 / Rajasthan -) and amended as :-

For

SI. No.	App. No.	Name & Address	Old/ New	Trade /units for which affiliation sought/recommended/approved by				DGT file reference
				Trade	Instt.	QCI	Approved by Sub- Committee of NCVT	
28	N16001720	Vinayak Private ITI, Opp. Veterinary Hospital Tonk Road, Newai, Distt Tonk, Pin-304021, Rajasthan	Old	Electrician	2(0+0+2)	2(0+0+2)	2(0+0+2)	w.e.f. August 2016

Read as

28	N16001720	Vinayak Private ITI, Opp.	Old	Electrician*	2(1+1)	2(1+1)	2(1+1)	w.e.f. August 2016
	MIS Code – PR08001217	Veterinary Hospital Tonk Road, Newai, Distt Tonk, Pin-304021, Rajasthan DGET6/20/70/20 09-TC		Electrician	4(1+1+2)	4(1+1+2)	4(1+1+2) Total- 6(2+2+2)	* Re- affiliation

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathek)
Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- 2. The Principal, Vinayak Private ITI, Opp. Veterinary Hospital Tonk Road, Newai, Distt Tonk, Pin-304021, Rajasthan.
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET6/20/70/2009-TC

(M. C Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To,

The Director

Directorate of Employment& Training New Sectt, Vikas Bhavan, Patna - 800015, Bihar

Sub: Correction in the units/trades of the Institute in respect of New Rajendra Private ITI, At-Kerai Sarpatti (Ramdhan nagar, Po-Kerai, via Kalyanpur, Ps –Bibhutipur, Dist. Samastipur, Pin-848160 Bihar......Issue of Corrigendum.

Sir,

It is to inform you in respect of New Rajendra Private ITI, At-Kerai Sarpatti (Ramdhan nagar,Po-Kerai, via Kalyanpur, Ps –Bibhutipur, Dist. Samastipur, Pin-848160 Bihar, regarding the **Correction in the number of Trade/Units granted to the Institute**.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 30.08.2016 (S. No.02 / Bihar) QCI application no. A16002805 and amended as :-

For

S. N0.	Name, Address& File No. of the Institute	Trade		Unit for which affiliation sought/recommended by			
			Instt.	QCI	Approved by sub committee of NCVT		
2	New Rajendra Private ITI, At- Kerai Sarpatti (Ramdhan nagar,		4(2+2)	4(2+2)	4(2+2)	A16002805 w.e.f. Aug 2016	
	Po-Kerai, via Kalyanpur, Ps – Bibhutipur, Dist. Samastipur, Pin-848160, Bihar		4(2+2)	4(2+2)	4(2+2)		

Read as

2	New Rajendra Private ITI, At-	Electrician	8(4+4)	8(4+4)	8(4+4)	A16002805
	Kerai Sarpatti (Ramdhan					w.e.f. Aug 2016
	nagar,Po-Kerai, via Kalyanpur,	Fitter	4(2+2)	4(2+2)	4(2+2)	
	Ps –Bibhutipur, Dist.				_	257
	Samastipur,				(1
	Pin-848160, Bihar				1	1
	DGT-6/4/160/2016-TC				1	1

In view of above, you may update your records accordingly.

Raj Kumar Pathak)
Director of Training/
Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- 2. The Principal, New Rajendra Private ITI, At-Kerai Sarpatti (Ramdhan nagar, Po-Kerai, via Kalyanpur, Ps Bibhutipur, Dist. Samsatipur, Pin-848160 Bihar
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGT-6/4/160/2016-TC

Joint Director of Training

Email:mc.kardam@nic.in