

DGT-Aff011/4/2023-O/o DIR (TC) [E-63172]
Directorate General of Training
Ministry of Skill Development and Entrepreneurship
Government of India

Kaushal Bhawan, New Moti Bagh
Chanakyapuri, New Delhi- 110023
Dated:12.01.2024

To

1. **The State Directors,**
(Andhra Pradesh, Bihar, Gujarat, Haryana, Himachal Pradesh Jharkhand, Karnataka, Madhya Pradesh, Maharashtra, Punjab, Rajasthan, Tamil Nadu, Uttar Pradesh, West Bengal)
2. **The Regional Directors, RDSDEs**
(Andhra Pradesh, Bihar, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Madhya Pradesh, Maharashtra, Punjab, Rajasthan, Tamil Nadu, Uttar Pradesh, West Bengal)

Subject: Minutes of 12th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" held on 15.12.2023 to 18.12.2023- regarding.

Sir / Madam,

Please find enclosed approved Minutes of 12th Meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 15.12.2023 to 18.12.2023. However, implementation orders agenda item wise will be issued in due course of time.

Further, the compliance reports if any, have to be submitted through NIMI compliance module only as per OM DGT-11014/2/2023-TC SECTION dated 26.06.2023 within the stipulated time limit as per the SCAA remarks.

This issues with the approval of competent authority.

Yours faithfully,


(Amrit Pal Singh)
Joint Director, TC

Copy to:

1. PSO to DG/AS, DGT, Delhi
2. PPS to DDG (HQ).
3. PPS to DDG (South) / DDG (East).
4. ED, NIMI Chennai-for enabling compliance module on NIMI affiliation portal.
5. NCVT MIS Portal In charge, DGT HQ, New Delhi, with a request to upload MoM on NCVT MIS Portal.

अमृत पाल सिंह/Amrit Pal Singh, 1808
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
नई दिल्ली/Govt. of India, New Delhi


(Shramev Sharma)
Assistant Director, TC

DGT-Aff011/4/2023-O/o DIR (TC) [E- 63172]
Directorate General of Training
Ministry of Skill Development and Entrepreneurship
Government of India
Kaushal Bhawan, New Moti Bagh, Chanakyapuri, New Delhi- 110023

Minutes of 12th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" dated 15.12.2023 & 18.12.2023

The following DGT Officers were present during the meeting:

1. Sh. Ishwar Singh, Deputy Director General
2. Sh. Ujjwal Biswas, Director, TC, DGT – Member
3. Sh. Amrit Pal Singh, Joint Director, TC-Section, DGT
4. Sh. Raju Kannam, Deputy Director, TC-Section, DGT
5. Sh. Shramev Sharma - Assistant Director, TC-Section, DGT
6. Sh. Rajesh Kumar-Assistant Director, TC-Section, DGT
7. Ms. Pooja Verma -Assistant Director, TC-Section, DGT
8. Ms. Kanika Kalhan, Training Officer, TC-section DGT

The following officers from RDSDEs and State Directorate attended the meeting (through VC):

Sr. No.	State	Name of RDSDE Officials	Name of State Officials
1.	Andhra Pradesh	Sh. P.Mouli, Dy. Director	Sh. Balasubhramanyam, Joint Director
2.	Bihar	Sh. Bijit Singha, Director, Sh. RC Mondal, Dy. Director	Sh. Pankaj Kumar, Assistant Director
3.	Gujarat	Sh. D Sudhakar, Dy. Director	Sh. H.K Kavadia, Technical Officer
4.	Haryana	Sh. Pranav Choudhary, Dy. Director	Sh. Sanjeev Sharma, Additional Director Sh. Vishal Sodhi, Assistant Director
5.	Himachal Pradesh	Sh. Mohinder Lal, Assistant Director	Sh. Sanjay Gupta, Deputy Director, DET Himachal Pradesh
6.	Jharkhand	Sh. P K Madavi, Dy. Director Sh. Himanshu, Assistant Director	Sh. Devendra Prasad, Dy. Director
7.	Karnataka	Sh. B.N. Sridhar, Director Ms. Sonaji Meghana, Assistant Director	Sh. Rajanayak, Dy. Director

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
नई दिल्ली/Govt. of India, New Delhi
Page 1 of 3

अपासि
12/01/24

8.	Madhya Pradesh	Sh. P. Marveldoss, Joint Director Sh. Sumant Kumar, Assistant Director	Sh. RK Austin, Dy. Director
9.	Maharashtra	Sh. C.S. Murthy, Director Sh. Abhay A. Mahishi, Dy. Director	Sh. Prashant Dongre, Assistant Director
10.	Punjab	Dr. Pramendra Tilanthe, Dy. Director	Sh. Manoj Gupta, Joint Director
11.	Rajasthan	-	Sh. Suresh Sharma, Assistant Director
12.	Tamil Nadu	Sh. A S Bhagat, Joint Director	Sh. Ravi Chandran, Additional Director
13.	Uttar Pradesh	Sh. J.D. Masilamani, Director Sh Asheesh Shukla, Assistant Director	Sh. Rajendra Prasad, Joint Director
14.	West Bengal	Sh. N.R. Aravindan, Director	Shri Prasenjit Bose, Assistant Director, DET

At the outset, Shri Ishwar Singh, DDG, DGT Chairperson of SCAA, welcomed all the committee members and participants. Thereafter Shri Ujjwal Biswas, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations, and agenda-wise decisions taken by the Chair, are placed below.

8/2

अमृत पाल सिंह

12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Agenda 1: Action Taken report of 11th SCAA meeting held from 28.08.2023 to 30.08.2023.

Minutes of 11th SCAA along with affiliation orders have been issued and uploaded on NCVT MIS Portal. The same has been informed to all members and ratified by the committee.

Agenda 2: New Accreditation/ Affiliation Proposals for Existing and New ITIs from 10 States/UT.

Inspection reports for 50 New Accreditation/ Affiliation Proposals for Existing and New ITIs from 10 States/ UTs have been received till 07.08.2023, out of which 34 are from Existing ITIs (14 Govt. ITIs and 20 Pvt. ITIs) for the addition of Trades/Units and 16 are from New ITI (1 Govt. ITIs and 15 Pvt. ITIs).

Table 1: State wise summary of total inspection report received till 07.08.2023

Sr. No	State	Existing		New		Grand Total
		Govt.	Private	Govt.	Private	
1.	Andhra Pradesh	-	-	-	1	1
2.	Gujarat	6	4	1	-	11
3.	Haryana	-	1	-	-	1
4.	Himachal Pradesh	-	1	-	-	1
5.	Jharkhand	-	-	-	3	3
6.	Madhya Pradesh	-	2	-	-	2
7.	Maharashtra	8	6	-	3	17
8.	Tamil Nadu	-	1	-	-	1
9.	Uttar Pradesh	-	3	-	7	10
10.	West Bengal	-	2	-	1	3
Grand Total		14	20	1	15	50
		34		16		

SCAA Remarks:

Inspection report for above mentioned 50 ITIs have been discussed and the remarks by SCAA for each are attached at **Annexure – I**.

Agenda 3: Court Case matters.

The Court cases filed by different ITIs in various courts have discussed in the meeting. The details of these cases and the remarks of SCAA are attached at **Annexure - II**.

2023.08.08 14:00:00
2023.08.08 14:00:00
2023.08.08 14:00:00

Agenda 4: De-affiliation matters of 35 ITIs.

De-affiliation matters of 35 ITIs, recommended for de-affiliation by SSDEC Madhya Pradesh in SSDEC meeting held on 18.09.2023 have been discussed, List of 35 ITIs is attached at **Annexure - III**.

SCAA remarks: State Director informed that some of the ITIs among these 35 ITIs were found closed during the Joint Inspection conducted by State Directorate and RDSDE MP. In accordance with 'Principal of Natural Justice', one more opportunity may be provided to these ITIs, and another Joint-Inspection may be conducted for these ITIs.

After detailed deliberation, SCAA agreed with State Directorate MP, therefore de-affiliation matters of these 35 ITIs has been deferred. SSDEC will take appropriate action in these matters and will resubmit these 35 cases of de-affiliation with all details to DGT.

Agenda 5: Activation of units discontinued due to zero admission in consecutive 2 years as per O.M. dated 10.11.2022 for the States of Maharashtra, Tamil Nadu, and Rajasthan have been discussed in the meeting. The proposals regarding this agenda have been forwarded by SSDEC of Maharashtra and Tamil Nadu. However, the proposal from the State of Rajasthan has not been routed through SSDEC.

SCAA remarks for such cases is given at **Annexure - IV**.

Agenda 6: The provision of the compliances of the SCAA remarks in online mode at NIMI affiliation portal.

During the decision-making process, the SCAA provides the ITI applicant with an opportunity to rectify any deficiencies (if found), and the ITI/State/RDSDEs submit a compliance report. Currently, these compliance reports are received in the DGT via email and physical letters. However, this method presents challenges in terms of monitoring and processing affiliation applications in a timely manner. To address this issue, DGT has implemented the online compliance module within the NIMI Affiliation portal (<https://nimionlineadmission.in/iti/>). This module provides a more efficient means to submit compliance reports, aiming to enhance transparency, accountability, and ensure timely resolution of affiliation applications.

Regarding this initiative, the DGT has issued an OM dated 26.06.2023 and user manuals for States, RDSDEs, and ITI login. These manuals offer comprehensive guidance on how to use the online compliance module. Starting from the 12th SCAA meeting onwards, ITIs, States, and RDSDEs will have to submit compliance reports solely through the online compliance module within the specified timelines mentioned in the MoM. The copy of OM and guidelines are attached.

SCAA remarks: Matter has been discussed with all the State Directorates and RDSDEs and it has been decided that from 12th SCAA onwards, ITIs will have to submit the compliances on the portal within the specified timelines mentioned in the MoM. It is advised to all States and RDSDEs to assist the applicant ITIs in transitioning to submit their compliance reports on the compliance module in the

987

अमृत सिंह
12/10/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक / Joint Director
प्रशिक्षण निदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली / Govt. of India, New Delhi

NIMI affiliation portal. Applications for which, the compliance are not received within the due period as mentioned in the SCAA remarks columns of MoM, will be deemed rejected.

Agenda 7: Complexity in the Certificate issued for Building Completion Certificate (BCC) of ITIs.

It has been observed that the Building Completion Certificate (BCC) is one of the crucial documents ensuring the safety of the building where the training is conducted. Although the affiliation norms, from 2018 provides clear instructions concerning the BCC, many institutes still submit incorrect BCC documents, leading to lingering compliance issues. To address this problem, there is a necessity to reiterate the instructions related to the BCC. The following points regarding BCC are clarified below:

I. For New ITI and Existing ITI (in case additional construction is taken by ITI for additional trade units sought for affiliation):

- a. If ITI falls in an area, where presently statutory physical plans like Master plan/ Development plan, regional plan, peripheral plan, zonal plan etc. exist then ITI need to submit a BCC with respect to name & address of the ITI, clearly stating that “*the building(s) is fully constructed and ready and safe in all respects for the intended use as Industrial Training Institute (ITI) as per the local building Byelaws related to ITIs/ Technical Institution Buildings or latest National Building Code (N.B.C) of India*”. This certificate should be issued from the Municipal Authority/ Development Authority/ Competent Authority clearly stating the aforesaid statement in the certificate.
- b. If the ITI falls in an area, where presently no statutory physical plans like Master plan/ Development plan, regional plan, peripheral plan, zonal plan etc. then two documents are required:
 - i. **No statutory plan-** from District Magistrate (Collector)/ Development Authority/ Municipal Authority/ Any other Competent revenue Authority clearly stating that this ITI falls in an area, where presently no statutory physical plans like Master plan/ Development plan, regional plan, peripheral plan, zonal plan etc., should be submitted.
 - ii. **BCC** with respect to name & address of the ITI clearly stating that the Building(s) is fully constructed and ready and safe in all respects for the intended use as an Industrial Training Institute (ITI) as per the local building Byelaws related to ITIs/ Technical Institution Buildings or latest National Building Code (N.B.C) of India. This certificate should be issued from Government Civil/ Structural Engineer.

II. For Existing ITI where no additional construction is undertaken for additional trade units sought for affiliation

In this case, the existing Building Construction document is to be certified by the Municipal Authority/Development Authority or a Government Civil/ Structural Engineer. It should clearly state that the building is safe and sound, ready in all respects for the intended use as an Industrial Training Institute (ITI) as per the local building Byelaws related to ITIs/Technical Institution Buildings or the latest National Building Code (N.B.C.) of India.

1. **State:** Andhra Pradesh

अनुसूचित जाति आरक्षण अधिनियम, 1951

अपासिंह
12/01/2

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक / Joint Director
प्रशिक्षण निदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली / Govt. of India, New Delhi

2. State: Gujarat

Sr. No	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
1.	Govt. ITI, Jambughoda ; Village-Kharedivav, Ta: Jambughoda Panch Mahals - 381165 Gujarat MIS Code: GR24008107	Existing	i. Wireman – 3 (1+2) ii. Mechanic Diesel – 3 (1+2)	Recommended for affiliation for i. Wireman – 3 (1+2) ii. Mechanic Diesel – 3 (1+2)	1. In BCC, the address is changed by hand. 2. In Electricity bill overwriting is done. 3. In Dead stock Register 2012-year dates are mentioned but as per NCVT MIS portal the affiliation is given in 2018. 4. The IT lab not as per norms. 5. Drawing Hall is not as per norms. 6. Few Fire safety equipment are available and procuring of some fire safety equipment are under process which is not as per norms.	The concerned State Directorate shall ensure that all the deficiencies as mentioned in column VI are removed and final recommendation of SSDEC to be sent to DGT within 1 month from date of issue of this MoM.

2024, 14/01/24

14/01/24

58

अपादि

12/01/24

अमृत पाल सिंह/Amrit Pal Singh, 1988
संयुक्त निदेशक
प्रशिक्षण निदेशक
कौशल
Directorate General of Training
उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
Government of India, New Delhi

Page 7 of 103

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
					7. Layout plan is not signed. 8. Manual attendance is taken. 9. Some CITS Instructor details not clear also experience certificates of all CITS Instructors are not available.	
2.	ITI, Jamnagar Road-Rajkot. Near Nageswar Temple, Opp:Sheth Nagar, Jamnagar Road Highway, Rajkot- 360006, Gujarat TMP24457GU1680082011	New	i. Fitter – 2 (1+1) ii. Wireman - 2 (1+1) iii. Health Sanitary Inspector - 2 (1+1) iv. Dress Making – 2 (1+1) v. Computer Operator and Programming Assistant (COPA) - 2 (1+1)	Recommended for affiliation for i. Fitter- 2 (1+1) ii. Wireman – 2 (1+1) iii. Health Sanitary Inspector – 2 (1+1) iv. Dress Making – 2 (1+1) v. Computer Operator and Programming Assistant (COPA) - 2 (1+1)	1. Lease expiry date not clear. 2. Fire certificate is issued on 15/12/2021 and valid for one year not as per norms. 3. CITS Instructor details of only 2 trades instructors available and experience certificate of instructors not available.	The concerned State Directorate shall ensure that all the deficiencies as mentioned in column VI are removed and final recommendation of SSDEC to be sent to DGT within 1 month from date of issue of this MoM.

Signature
Date

8/12/21

8/12/21

अमृत पाल सिंह
12/01/24

अमृत पाल सिंह/Amrta Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
					4. Occupancy certificate available but BCC is not available. BCC as per Agenda 7 to be submitted. 5. 2022-year records of different trades are uploaded.	
3.	ITI, Dhoraji Govt. ITI, Dhoraji Industrial Training Institute, Rajkot-360410 Gujarat MIS Code: GU24000323	Existing	i. Mechanic Two and Three-Wheeler -1 (0+1+0) ii. Solar Technician (Electrical) -1 (0+1+0)	Recommended for affiliation for: i. Mechanic Two and Three-Wheeler -1 (0+1+0). ii. Solar Technician (Electrical) -1 (0+1+0) Comments: 1. Consumables items in Mechanic Two and three-wheeler trade not available due to no admission in	1. Layout plan is not signed and not readable. 2. Solar Technician (Electrical) trade year 2022 records are attached in the report. 3. Power required applied to the electricity board. 4. Manual attendance is taken. 5. Machinery bills are more than 6 months old	The concerned State Directorate shall ensure that all the deficiencies as mentioned in column VI are removed and final recommendation of SSDEC to be sent to DGT within 1 month from date of issue of this MoM.

2024/01/24
12/01/24

88

अमृत सिंह
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
				last year session. 2. Power required so they applied to the electricity board.	i.e., for Jan - Feb 2022. 6. CITS Instructor details not available and also experience certificate not available. 7. BCC not available, only Building handed over certificate is available.	
4.	Industrial Training Institute, Patan Govt. ITI, Patan, At & Post - Rajpur, Ta & Dist - Patan, Patan, Gujarat - 384265 MIS Code: GU24000121	Existing	Surveyor - 1 (0+1+0)	1. Recommended for affiliation for: i. Electrician - 1 (0+0+1) unit under DST Mode. ii. Wireman - 1 (0+0+1) unit under DST Mode. 2. Not Recommended	1. Machinery bills dates are more than 6 months old i.e., from the year 2017, 2016 etc. 2. BCC is not clear. 3. Shortage of tools and equipment for Surveyor trade. 4. CITS Instructor Details not provided and	Not recommended the following trade: Surveyor - 1(0+1+0) State Directorate need to submit recommendation of SSDEC for running 3rd shift of Electrician and Wireman trades in DST mode.

2021, 10/10/2021 10:10 AM
 10/10/2021 10:10 AM
 10/10/2021 10:10 AM
 10/10/2021 10:10 AM
 10/10/2021 10:10 AM

87

अपारि

12/01/24

अमृत पाल सिंह, ISDS
 संयुक्त निदेशक/Joint Director
 प्रशिक्षण निदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
				for Surveyor trade for Affiliation due to shortage of Equipment in surveyor trade. 3. Building certificate - Yes, TABA Pavati which is treated as a Building completion certificate in Gujarat state. 4. No biometric, Tools and Equipment Partially available in Surveyor Trade.	also experience certificate not available. 5. Students and staff attendance physically recorded, no biometric. 6. The applicant has also mentioned below in its application as existing trades Electrician- 1 (0+0+1), Wireman - 1 (0+0+1)	
5.	Shri Ramkrishna Seva Mandal Sanchalit Anand Priva Sf Anand ITC , Vivekanand Medan , Nr - Greed, Lamb Anand-388001	Existing	i. Health Sanitary Inspector -2 (1+1) ii. Welder -2 (1+1)	Recommended for affiliation for: i. Health Sanitary	1. For HSI Trade: Both Staff have State Trade Certificates without prior experience.	ITI need to remove deficiencies as mentioned in column VI and submit the documents on the

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director

प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

28

अमृत पाल सिंह/Amrit Pal Singh, ISDS
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
	Gujarat MIS Code: PU24000656			Inspector -2 (1+1) ii. Welder -2 (1+1) Comments: 1. For HSI Trade: both Staff have STC certificate without prior experience. 2. Biometric attendance for staff is available but manual attendance is taken. 3. Biometric attendance not available for students and manual attendance is taken.	2. Biometric attendance is not available for students and manual attendance is taken. 3. Two ITIs in the same campus.	online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Thereafter, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal. Apart from these the State Directorate will also verify about two ITIs running in the same campus and submit the report along with above mentioned points.

181

अपासिंह
12/01/24

अमृत पाल सिंह/Amit Pal Singh, 1808
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
						<p>recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.</p> <p>Apart from this, for self-surrender of trades/units, ITI need to send the proposal through SSDEC to DGT.</p>
7.	<p>Pramukh Swami Vocational Training Centre, Dharampur Valsad Dharampur. Near Baps Swaminarayan Temple, Nasik Bypa Valsad-396050 Gujarat</p> <p>MIS Code: PR24008196</p>	Existing	<p>i. Electrician – 1 (0+0+1)</p> <p>ii. Wireman – 1 (0+0+1)</p> <p>iii. Fitter – 1 (0+0+1)</p> <p>iv. Housekeeper – 2 (1+1)</p> <p>v. Food and Beverage Service Assistant – 2 (1+1)</p>	<p>Recommended for affiliation for</p> <p>i. Fitter - 1 (0+0+1) in DST.</p> <p>ii. Electrician – 1 (0+0+1) in DST</p> <p>iii. Wireman - 1 (0+0+1) in DST</p> <p>iv. Housekeeper -2 (1+1).</p> <p>v. Food and Beverage Service Assistant - 2 (1+1+0).</p>	<p>1. ITI got affiliation in year 2022, due to which Grading is not generated for this ITI.</p> <p>2. Grading criteria will be applicable for this ITI as per Grading OM dated 16.10.2023, as per which such ITIs are permitted to add New Age trades and</p>	<p>During the meeting it was discussed that</p> <p>1. Affiliation in third shift can only be granted in DST mode as per DGT letter dated 09.01.2023, for Electrician – 1 (0+0+1), Wireman – 1 (0+0+1), Fitter – 1 (0+0+1), ITI need to sign MoU with relevant</p>

86

अमृत पाल सिंह
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
				1. Machinery bills - Partially available. 2. Only one Staff appointed with NTC. 3. Biometric attendance available but manual attendance is taken, for students' manual attendance is taken. 4. Machinery is - partially in working condition. 5. Tool kit are not as per norms. 6. As per annexure-III no MoU has been Signed by ITI for DST in Shift-3 so We may not Grant	in the bill which is not as per norms. 4. CITS Instructor details insufficient not as per norms. 5. Layout plan not readable. 6. Fire certificate not as per norms because it is given declaration regarding fire system by ITI.	are removed and report to be sent to DGT through SSDEC within 1 month.

प्रमाणित किया जाता है कि उपरोक्त विवरण सही है।
 प्रमाणित किया जाता है कि उपरोक्त विवरण सही है।
 प्रमाणित किया जाता है कि उपरोक्त विवरण सही है।
 प्रमाणित किया जाता है कि उपरोक्त विवरण सही है।
 प्रमाणित किया जाता है कि उपरोक्त विवरण सही है।

12/01/24

अमृत पाल सिंह
 12/01/24

अमृत पाल सिंह/Ampit Pal Singh
 संयुक्त निदेशक/Joint Director
 प्रशिक्षण निदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
				affiliation for Trade Health Sanitary Inspector 1(0+0+1) in Shift-3 as per DGT Guidelines. 7. Instructor not Appointed as per NCVT Norms as on Inspection day. 8. The Tools & Equipment are Partially available.		
9.	Industrial Training Institute (Women), Valsad (Wom Ovt.Valsadw,Lilapor,Aurang a Rd,Nr Small Bridgerd Valsad-396030 Gujarat MIS Code: GU24000429	Existing	Additive Manufacturing Technician (3D Printing) 2(1+1)	Recommended for affiliation for i. Additive Manufacturing Technician (3D Printing) - 2 (1+1+0). ii. Sewing Technology - 1 (1+0+0). Comments:	1. ITI is existing MSTI. 2. Some machinery bill are more than 6 months old i.e., Oct 2021 etc. 3. CITS Instructor certificates and experience certificate are also not available.	State Directorate need to ensure deficiencies as mentioned in column V and VI are removed and proposal for both the trades are sent to DGT with recommendations of SSDEC within 1 month from the date of issue of this MoM.

2024-25-26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100-101-102-103-104-105-106-107-108-109-110-111-112-113-114-115-116-117-118-119-120-121-122-123-124-125-126-127-128-129-130-131-132-133-134-135-136-137-138-139-140-141-142-143-144-145-146-147-148-149-150-151-152-153-154-155-156-157-158-159-160-161-162-163-164-165-166-167-168-169-170-171-172-173-174-175-176-177-178-179-180-181-182-183-184-185-186-187-188-189-190-191-192-193-194-195-196-197-198-199-200-201-202-203-204-205-206-207-208-209-210-211-212-213-214-215-216-217-218-219-220-221-222-223-224-225-226-227-228-229-230-231-232-233-234-235-236-237-238-239-240-241-242-243-244-245-246-247-248-249-250-251-252-253-254-255-256-257-258-259-260-261-262-263-264-265-266-267-268-269-270-271-272-273-274-275-276-277-278-279-280-281-282-283-284-285-286-287-288-289-290-291-292-293-294-295-296-297-298-299-300-301-302-303-304-305-306-307-308-309-310-311-312-313-314-315-316-317-318-319-320-321-322-323-324-325-326-327-328-329-330-331-332-333-334-335-336-337-338-339-340-341-342-343-344-345-346-347-348-349-350-351-352-353-354-355-356-357-358-359-360-361-362-363-364-365-366-367-368-369-370-371-372-373-374-375-376-377-378-379-380-381-382-383-384-385-386-387-388-389-390-391-392-393-394-395-396-397-398-399-400-401-402-403-404-405-406-407-408-409-410-411-412-413-414-415-416-417-418-419-420-421-422-423-424-425-426-427-428-429-430-431-432-433-434-435-436-437-438-439-440-441-442-443-444-445-446-447-448-449-450-451-452-453-454-455-456-457-458-459-460-461-462-463-464-465-466-467-468-469-470-471-472-473-474-475-476-477-478-479-480-481-482-483-484-485-486-487-488-489-490-491-492-493-494-495-496-497-498-499-500-501-502-503-504-505-506-507-508-509-510-511-512-513-514-515-516-517-518-519-520-521-522-523-524-525-526-527-528-529-530-531-532-533-534-535-536-537-538-539-540-541-542-543-544-545-546-547-548-549-550-551-552-553-554-555-556-557-558-559-560-561-562-563-564-565-566-567-568-569-570-571-572-573-574-575-576-577-578-579-580-581-582-583-584-585-586-587-588-589-590-591-592-593-594-595-596-597-598-599-600-601-602-603-604-605-606-607-608-609-610-611-612-613-614-615-616-617-618-619-620-621-622-623-624-625-626-627-628-629-630-631-632-633-634-635-636-637-638-639-640-641-642-643-644-645-646-647-648-649-650-651-652-653-654-655-656-657-658-659-660-661-662-663-664-665-666-667-668-669-670-671-672-673-674-675-676-677-678-679-680-681-682-683-684-685-686-687-688-689-690-691-692-693-694-695-696-697-698-699-700-701-702-703-704-705-706-707-708-709-710-711-712-713-714-715-716-717-718-719-720-721-722-723-724-725-726-727-728-729-730-731-732-733-734-735-736-737-738-739-740-741-742-743-744-745-746-747-748-749-750-751-752-753-754-755-756-757-758-759-760-761-762-763-764-765-766-767-768-769-770-771-772-773-774-775-776-777-778-779-780-781-782-783-784-785-786-787-788-789-790-791-792-793-794-795-796-797-798-799-800-801-802-803-804-805-806-807-808-809-810-811-812-813-814-815-816-817-818-819-820-821-822-823-824-825-826-827-828-829-830-831-832-833-834-835-836-837-838-839-840-841-842-843-844-845-846-847-848-849-850-851-852-853-854-855-856-857-858-859-860-861-862-863-864-865-866-867-868-869-870-871-872-873-874-875-876-877-878-879-880-881-882-883-884-885-886-887-888-889-890-891-892-893-894-895-896-897-898-899-900-901-902-903-904-905-906-907-908-909-910-911-912-913-914-915-916-917-918-919-920-921-922-923-924-925-926-927-928-929-930-931-932-933-934-935-936-937-938-939-940-941-942-943-944-945-946-947-948-949-950-951-952-953-954-955-956-957-958-959-960-961-962-963-964-965-966-967-968-969-970-971-972-973-974-975-976-977-978-979-980-981-982-983-984-985-986-987-988-989-990-991-992-993-994-995-996-997-998-999-1000-1001-1002-1003-1004-1005-1006-1007-1008-1009-1010-1011-1012-1013-1014-1015-1016-1017-1018-1019-1020-1021-1022-1023-1024-1025-1026-1027-1028-1029-1030-1031-1032-1033-1034-1035-1036-1037-1038-1039-1040-1041-1042-1043-1044-1045-1046-1047-1048-1049-1050-1051-1052-1053-1054-1055-1056-1057-1058-1059-1060-1061-1062-1063-1064-1065-1066-1067-1068-1069-1070-1071-1072-1073-1074-1075-1076-1077-1078-1079-1080-1081-1082-1083-1084-1085-1086-1087-1088-1089-1090-1091-1092-1093-1094-1095-1096-1097-1098-1099-1100-1101-1102-1103-1104-1105-1106-1107-1108-1109-1110-1111-1112-1113-1114-1115-1116-1117-1118-1119-1120-1121-1122-1123-1124-1125-1126-1127-1128-1129-1130-1131-1132-1133-1134-1135-1136-1137-1138-1139-1140-1141-1142-1143-1144-1145-1146-1147-1148-1149-1150-1151-1152-1153-1154-1155-1156-1157-1158-1159-1160-1161-1162-1163-1164-1165-1166-1167-1168-1169-1170-1171-1172-1173-1174-1175-1176-1177-1178-1179-1180-1181-1182-1183-1184-1185-1186-1187-1188-1189-1190-1191-1192-1193-1194-1195-1196-1197-1198-1199-1200-1201-1202-1203-1204-1205-1206-1207-1208-1209-1210-1211-1212-1213-1214-1215-1216-1217-1218-1219-1220-1221-1222-1223-1224-1225-1226-1227-1228-1229-1230-1231-1232-1233-1234-1235-1236-1237-1238-1239-1240-1241-1242-1243-1244-1245-1246-1247-1248-1249-1250-1251-1252-1253-1254-1255-1256-1257-1258-1259-1260-1261-1262-1263-1264-1265-1266-1267-1268-1269-1270-1271-1272-1273-1274-1275-1276-1277-1278-1279-1280-1281-1282-1283-1284-1285-1286-1287-1288-1289-1290-1291-1292-1293-1294-1295-1296-1297-1298-1299-1300-1301-1302-1303-1304-1305-1306-1307-1308-1309-1310-1311-1312-1313-1314-1315-1316-1317-1318-1319-1320-1321-1322-1323-1324-1325-1326-1327-1328-1329-1330-1331-1332-1333-1334-1335-1336-1337-1338-1339-1340-1341-1342-1343-1344-1345-1346-1347-1348-1349-1350-1351-1352-1353-1354-1355-1356-1357-1358-1359-1360-1361-1362-1363-1364-1365-1366-1367-1368-1369-1370-1371-1372-1373-1374-1375-1376-1377-1378-1379-1380-1381-1382-1383-1384-1385-1386-1387-1388-1389-1390-1391-1392-1393-1394-1395-1396-1397-1398-1399-1400-1401-1402-1403-1404-1405-1406-1407-1408-1409-1410-1411-1412-1413-1414-1415-1416-1417-1418-1419-1420-1421-1422-1423-1424-1425-1426-1427-1428-1429-1430-1431-1432-1433-1434-1435-1436-1437-1438-1439-1440-1441-1442-1443-1444-1445-1446-1447-1448-1449-1450-1451-1452-1453-1454-1455-1456-1457-1458-1459-1460-1461-1462-1463-1464-1465-1466-1467-1468-1469-1470-1471-1472-1473-1474-1475-1476-1477-1478-1479-1480-1481-1482-1483-1484-1485-1486-1487-1488-1489-1490-1491-1492-1493-1494-1495-1496-1497-1498-1499-1500-1501-1502-1503-1504-1505-1506-1507-1508-1509-1510-1511-1512-1513-1514-1515-1516-1517-1518-1519-1520-1521-1522-1523-1524-1525-1526-1527-1528-1529-1530-1531-1532-1533-1534-1535-1536-1537-1538-1539-1540-1541-1542-1543-1544-1545-1546-1547-1548-1549-1550-1551-1552-1553-1554-1555-1556-1557-1558-1559-1560-1561-1562-1563-1564-1565-1566-1567-1568-1569-1570-1571-1572-1573-1574-1575-1576-1577-1578-1579-1580-1581-1582-1583-1584-1585-1586-1587-1588-1589-1590-1591-1592-1593-1594-1595-1596-1597-1598-1599-1600-1601-1602-1603-1604-1605-1606-1607-1608-1609-1610-1611-1612-1613-1614-1615-1616-1617-1618-1619-1620-1621-1622-1623-1624-1625-1626-1627-1628-1629-1630-1631-1632-1633-1634-1635-1636-1637-1638-1639-1640-1641-1642-1643-1644-1645-1646-1647-1648-1649-1650-1651-1652-1653-1654-1655-1656-1657-1658-1659-1660-1661-1662-1663-1664-1665-1666-1667-1668-1669-1670-1671-1672-1673-1674-1675-1676-1677-1678-1679-1680-1681-1682-1683-1684-1685-1686-1687-1688-1689-1690-1691-1692-1693-1694-1695-1696-1697-1698-1699-1700-1701-1702-1703-1704-1705-1706-1707-1708-1709-1710-1711-1712-1713-1714-1715-1716-1717-1718-1719-1720-1721-1722-1723-1724-1725-1726-1727-1728-1729-1730-1731-1732-1733-1734-1735-1736-1737-1738-1739-1740-1741-1742-1743-1744-1745-1746-1747-1748-1749-1750-1751-1752-1753-1754-1755-1756-1757-1758-1759-1760-1761-1762-1763-1764-1765-1766-1767-1768-1769-1770-1771-1772-1773-1774-1775-1776-1777-1778-1779-1780-1781-1782-1783-1784-1785-1786-1787-1788-1789-1790-1791-1792-1793-1794-1795-1796-1797-1798-1799-1800-1801-1802-1803-1804-1805-1806-1807-1808-1809-1810-1811-1812-1813-1814-1815-1816-1817-1818-1819-1820-1821-1822-1823-1824-1825-1826-1827-1828-1829-1830-1831-1832-1833-1834-1835-1836-1837-1838-1839-1840-1841-1842-1843-1844-1845-1846-1847-1848-1849-1850-1851-1852-1853-1854-1855-1856-1857-1858-1859-1860-1861-1862-1863-1864-1865-1866-1867-1868-1869-1870-1871-1872-1873-1874-1875-1876-1877-1878-1879-1880-1881-1882-1883-1884-1885-1886-1887-1888-1889-1890-1891-1892-1893-1894-1895-1896-1897-1898-1899-1900-1901-1902-1903-1904-1905-1906-1907-1908-1909-1910-1911-1912-1913-1914-1915-1916-1917-1918-1919-1920-1921-1922-1923-1924-1925-1926-1927-1928-1929-1930-1931-1932-1933-1934-1935-1936-1937-1938-1939-1940-1941-1942-1943-1944-1945-1946-1947-1948-1949-1950-1951-1952-1953-1954-1955-1956-1957-1958-1959-1960-1961-1962-1963-1964-1965-1966-1967-1968-1969-1970-1971-1972-1973-1974-1975-1976-1977-1978-1979-1980-1981-1982-1983-1984-1985-1986-1987-1988-1989-1990-1991-1992-1993-1994-1995-1996-1997-1998-1999-2000-2001-2002-2003-2004-2005-2006-2007-2008-2009-2010-2011-2012-2013-2014-2015-2016-2017-2018-2019-2020-2021-2022-2023-2024-2025-2026-2027-2028-2029-2030-2031-2032-2033-2034-2035-2036-2037-2038-2039-2040-2041-2042-2043-2044-2045-2046-2047-2048-2049-2050-2051-2052-2053-2054-2055-2056-2057-2058-2059-2060-2061-2062-2063-2064-2065-2066-2067-2068-2069-2070-2071-2072-2073-2074-2075-2076-2077-2078-2079-2080-2081-2082-2083-2084-2085-2086-2087-2088-2089-2090-2091-2092-2093-2094-2095-2096-2097-2098-2099-2100-2101-2102-2103-2104-2105-2106-2107-2108-2109-2110-2111-2112-2113-2114-2115-2116-2117-2118-2119-2120-2121-2122-2123-2124-2125-2126-2127-2128-2129-2130-2131-2132-2133-2134-2135-2136-2137-2138-2139-2140-2141-2142-2143-2144-2145-2146-2147-2148-2149-2150-2151-2152-2153-2154-2155-2156-2157-2158-2159-2160-2161-2162-2163-2164-2165-2166-2167-2168-2169-2170-2171-2172-2173-2174-2175-2176-2177-2178-2179-2180-2181-2182-2183-2184-2185-2186-2187-2188-2189-2190-2191-2192-2193-2194-2195-2196-2197-2198-2199-2200-2201-2202-2203-2204-2205-2206-2207-2208-2209-2210-2211-2212-2213-2214-2215-2216-2217-2218-2219-2220-2221-2222-2223-2224-2225-2226-2227-2228-2229-2230-2231-2232-2233-2234-2235-2236-2237-2238-2239-2240-2241-2242-2243-2244-2245-2246-2247-2248-2249-2250-2251-2252-2253-2254-2255-2256-2257-2258-2259-2260-2261-2262-2263-2264-2265-2266-2267-2268-2269-2270-2271-2272-2273-2274-2275-2276-2277-2278-2279-2280-2281-2282-2283-2284-2285-2286-2287-2288-2289-2290-2291-2292-2293-2294-2295-2296-2297-2298-2299-2300-2301-2302-2303-2304-2305-2306-2307-2308-2309-2310-2311-2312-2313-2314-2315-2316-2317-2318-2319-2320-2321-2322-2323-2324-2325-2326-2327-2328-2329-2330-2331-2332-2333-2334-2335-2336-2337-2338-2339-2340-2341-2342-2343-2344-2345-2346-2347-2348-2349-2350-2351-2352-2353-2354-2355-2356-2357-2358-2359-2360-2361-2362-2363-2364-2365-2366-2367-2368-2369-2370-2371-2372-2373-2374-2375-2376-2377-2378-2379-2380-2381-2382-2383-2384-2385-2386-2387-2388-2389-2390-2391-2392-2393-2394-2395-2396-2397-2398-2399-2400-2401-2402-2403-2404-2405-2406-2407-2408-2409-2410-2411-2412-2413-2414-2415-2416-2417-2418-2419-2420-2421-2422-2423-2424-2425-2426-2427-2428-2429-2430-2431-2432-2433-2434-2435-2436-2437-2438-2439-2440-2441-2442-2443-2444-2445-2446-2447-2448-2449-2450-2451-2452-2453-2454-2455-2456-2457-2458-2459-2460-2461-2462-2463-2464-2465-2466-2467-2468-2469-2470-2471-2472-2473-2474-2475-2476-2477-2478-2479-2480-2481-2482-2483-2484-2485-2486-2487-2488-2489-2490-2491-2492-2493-2494-2495-2496-2497-2498-2499-2500-2501-2502-2503-2504-2505-2506-2507-2508-2509-2510-2511-2512-2513-2514-2515-2516-2517-2518-2519-2520-2521-2522-2523-2524-2525-2526-2527-2528-2529-2530-2531-2532-2533-2534-2535-2536-2537-2538-2539-2540-2541-2542-2543-2544-2545-2546-2547-2548-2549-2550-2551-2552-2553-2554-2555-2556-2557-2558-2559-2560-2561-2562-2563-2564-2565-2566-2567-2568-2569-2570-2571-2572-2573-2574-2575-2576-2577-2578-2579-2580-2581-2582-2583-2584-2585-2586-2587-2588-2589-2590-2591-2592-2

Sr. No	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
				1. Canteen, hostel and library facilities are not available 2. For Fire extinguishers bid under process.	4. Layout plan is not clear. 5. BCC not available, it should be as per agenda 7 of this MoM. 6. Physical attendance is taken no biometric attendance. 7. The applicant has also mentioned below in its application as existing trade: Sewing Technology - 1(1+0+0).	
10.	Govt ITI, Sutrapada At-Gorakhmadhi, Near 66kv Substation, Rampara Road Gir Somnath -362268 MIS Code: GR24008077	Existing	Electrician 2(1+1)	Not recommended for affiliation, institute need to finish purchasing of all tools and equipment. 1. 20 Machinery items are	1. Shortage of COPA lab area as per layout plan attached in the application and different layout plan in the inspection report.	The concerned State Directorate need to ensure that deficiencies as mentioned in Column in V and VI are removed and report is sent to DGT with

प्रमाणित किया जाता है कि उपरोक्त विवरण सही है।

अधीक्षक निदेशक/अधीक्षक निदेशक

प्रशिक्षण निदेशालय/प्रशिक्षण निदेशालय

मंत्रालय कौशल विकास एवं उद्यमशीलता

47

अधीक्षक निदेशक
12/01/24

अमृत पाल सिंह/Amrit Pal Singh ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
				<p>pending for purchase.</p> <p>2. Biometric attendance for students is not recorded, however manual attendance is recorded.</p>	<p>2. As per Electricity bill 37.5 H.P/K.V is mentioned and 3 phase-commercial is not mentioned in the bill which is not as per norms.</p> <p>3. Machinery bill are more than 4 years old i.e. for the year 2018,2019,2020 . Sought trade related recent bills not attached.</p> <p>4. Building Occupancy certificate available, BCC not available as per Norms.</p>	<p>recommendation of SSDEC.</p> <p>Also, BCC to be submitted as per agenda 7 of this MoM.</p>
11.	Shri Somnath Education & Charitable Trust, Ramvadi Private ITI, Sf Ramvadi-Kodinar (Self Finance) Add: Sf Ramvadi-Kodinar Shree Somnath Private ITI, Ram Gir Somnath -362720	Existing	Health Sanitary Inspector 2(1+1)	Recommended 1. One Instructor has diploma in Sanitary Inspector course with 3	1. ITI does not fulfill grading criteria for trade/unit addition, less grading as per norms.	Not recommended due to the deficiencies mentioned in column VI.

2021, 12/01/24
 12/01/24
 12/01/24
 12/01/24
 12/01/24

12/01/24

अमृत सिंह

12/01/24

अमृत पाल सिंह/Amrit Pal Singh ISDS
 संयुक्त निदेशक/Joint Director
 प्रशिक्षण निदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली/India, New Delhi

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
	MIS Code: PR24007115			<p>years' experience, another instructor has done HSI (GCVT) with 3 years of experience.</p> <p>2. Biometric attendance is available and also manual attendance is taken.</p> <p>3. For students, only manual attendance is taken.</p> <p>4. Students records partially available as per SCVT member remarks.</p>	<p>2. As per Electricity bill 35 H.P/K. V is mentioned and 3 phase-commercial is not mentioned in the bill which is not as per norms.</p> <p>3. In Machinery bill, one bill of Jalpa Marketing dated 21/2/2023 is overwrite. One bill is more than 6-month-Old i.e. 16/9/2022</p> <p>4. Fire safety certificate is in the name of Somnath International School not in the name of ITI and also the address is not matched with</p>	

अमृत पाल सिंह/Amrit Pal Singh, ISDS

12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/ Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
					NCVT MIS portal address. 5. In the application other building pictures are uploaded whereas as per inspection report the ITI seems different.	

86

अपाकिर

12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

प्राप्त दिनांक 12/01/24, 12/01/24, 12/01/24
आवेदन संख्या: 12/01/24
आवेदनकर्ता: 12/01/24
आवेदन विषय: 12/01/24
आवेदन स्थान: 12/01/24

3. State: Haryana

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
1.	Maharishi Markandeshwar Pvt. I.T.I. Village & Post Office: - Kharindwa Kurukshetra-136135 MIS Code: PR06000228	Existing	i. Basic Cosmetology -2 (1+1) ii. Food and Beverage Service Assistant -2 (1+1)	Recommended for affiliation for: i. Basic Cosmetology - 2 (1+1) ii. Food and Beverage Service Assistant -2 (1+1) Comments: No facilities for PwDs.	i. Drawing tables are not proper. ii. Only one trainer is CITS certified. iii. BCC is issued by Sarpanch and Tehsildar. iv. Total load requirement is 22.71KW, total available load is 10KW, Institute has applied for additional 9.5 KW, but that will also be insufficient to run trades Basic Cosmetology and Food and Beverage Service Assistant.	ITI has to remove deficiencies as mentioned in column V and VI and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, concerned State Directorate will verify the documents submitted by the ITI and send the recommendation to the DGT within the next 15 days through online compliance portal.

187

अमृत सिंह
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

4. State: Himachal Pradesh

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
1.	Everest Pvt. ITI, Brow, Rampur Bsr. Brow, Rampur Bushahr Shimla- 172001 Mis Code: PR02000117	Existing Shifting matter	i. Electrician – 2 (1+1) Existing	Agree, may be considered for affiliation due to force majeure. 1. The Institute has been shifted to a new location: Village - Chati, P.O. Rampur, Teh- Nirmand (Kullu) -H.P. 2. The Institute had obtained necessary NOC from State Directorate for shifting from old location to new location during April, 2022 and thereafter applied for affiliation on NCVT Affiliation portal. 3. Currently the Institute has second year trainees in the trade of electrician for the batch (2021-23), who are appearing in their AITT- July/August, 2023. As submitted by the Principal /Secretary of the ITI in question, they were required to shift in April, 2023, along with present second year trainees, to new location due to some unavoidable circumstances/forced	As per NCVT MIS portal, address shown for Everest Pvt. ITI is Rampur Bushahr Dist Shimla- 172001 and as per affiliation order dated 30.11.2010 Rampur, Bushahr Dist Kullu is mentioned. ITI has applied for shifting to a new location: Village- Chati, P.O. Rampur, Teh-Nirmand (Kullu)- H.P.	ITI has to remove following deficiencies: 1. No separate toilets for boys and girls. 2. Ramp for Divyang not available. 3. As per NCVT MIS portal, address shown for Everest Pvt. ITI is Rampur Bushahr Dist Shimla- 172001 and as per affiliation order dated 30.11.2010 Rampur, Bushahr Dist Kullu is mentioned. and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM.

				<p>majeure: dilapidated condition of the building (no alteration/repairs allowed by the owner) and other misc. issues connected to old location/building.</p> <p>4. No separate toilets for boys and girls.</p> <p>5. Ramp for PwD not available.</p> <p>6. Further, the Institute is not admitting fresh trainees from 2022. New location of the Institute is within the same Block and hardly 1.5 Kms from the old location.</p>		<p>Further, concerned State Directorate will have to verify the documents submitted by the ITI and send the recommendation to the DGT within the next 15 days through online compliance portal.</p>
--	--	--	--	--	--	---

88/

अमृत सिंह

12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
 संयुक्त निदेशक/Joint Director
 प्रशिक्षण निदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

5. State: Jharkhand

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
1.	Jan Jyoti Pvt ITI, Ramgarh Patratu Basti, Munda Tola, Block + Dist.- Ramgarh-829122 TMP20607P U1648371862	New	i. Fitter – 4 (2+2) ii. Electrician – 4 (2+2) iii. Computer Operator and Programmin g Assistant (COPA) - 2 (1+1) iv. Sewing Technology - 2 (1+1)	NCVT: Not Recommended SCVT: Recommended. 1. Tools and equipment available to run electrician trade (2+2) units, for fitter trade (1+1) units, some of the machinery for sewing technology are not available, for COPA trade PCs were available, although MS office, tally software, etc. are not installed. 2. Building needs complete renovation. 3. COPA lab with 20 PCs is available, although software is not installed or purchased. 4. Area is sufficient for running multiple trades, but complete renovation is required for the whole ITI, as the building is quite old and not safe for running ITI.	1. Building not completed and BCC not available. 2. All trainers are not CITS trained. 3. Some machinery not available as per tool list. 4. Drawing hall infrastructure not available.	ITI has to remove deficiencies as mentioned in column V and VI and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, concerned State Directorate and RDSDE will conduct joint re-inspection of the ITI and submit the report to the DGT within the next 15 days.

2021, 12/01/24

अमृत पाल सिंह
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Page 25 of 103

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
	Bermo, Anchal-Peterwar, Mouza Gharbanghar, Khata No. 97 Plot No, 2831-Pin No. – 829104 TMP20322P R1 48735100		ii. Finance Executive - 2 (1+1) iii. Electrician - 2 (1+1) iv. COPA – 2 (1+1)	2. The appointees are not as per norms and may be appointed for Megha Skill Center running in the same building. 3. Not even a single machine in working or installed 4. Trainers record not provided, some trainers were available but they are for Dindayal Upadhyay Kaushal Kendra, Megha Skill Centre, the complete building is only for the same, not for ITI. 5. Building information not provided, and the spaces are also not as per the norms required for applied trades. 6. Systems for IT Lab are available but without an internet connection and it is not as per norms.	4. Drawing hall not as per norms. 5. Trainers not available as per Norms.	online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, concerned State Directorate and RDSDE will conduct joint re-inspection of the ITI and submit the report to the DGT within the next 15 days.
3.	GIMIT Women ITI, College	New	i. Health Sanitary	NCVT and SCVT: Disagree, not recommended.	1. Drawing hall not available.	ITI has to remove deficiencies as mentioned in

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
	GIMIT E services Women Industrial Training Institute Iti More, Chas, Bokaro Jharkhand Pin Code 827013 TMP20322G U164828309 2		Inspector - 4 (2+2) ii. Information Technology - 4 (2+2) iii. Sewing Technology - 4 (2+2) iv. Marketing Executive - 2 (1+1)	1. Invoice / Bill date not mentioned. 2. Machinery bills are submitted, although the list of equipment for Information technology trade is not available, payment proof not provided. 3. Appointment letter with proper details of the post and authority signature not available. trainers' qualification certificate not available. 4. Equipment available for sewing technology for 1 unit per shift, no equipment available for marketing executive and information technology trade. 5. The condition of equipment for some of the sewing technology, are not in working condition. 6. Trainer appointment letters seemed fake.	2. Separate IT lab not available. 3. BCC not available.	column V and VI and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, concerned State Directorate and RDSDE will conduct joint re-inspection of the ITI and submit the report to the DGT within the next 15 days.

अमृत पाल सिंह/Amrit Pal Singh
 संयुक्त निदेशक/Joint Director
 प्रशिक्षण निदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

15

अमृत पाल सिंह/Amrit Pal Singh
 संयुक्त निदेशक/Joint Director
 प्रशिक्षण निदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

अमृत पाल सिंह/Amrit Pal Singh
 संयुक्त निदेशक/Joint Director
 प्रशिक्षण निदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
				<p>7. IT lab is present but was shown as information technology trade lab.no separate IT LAB is available.</p> <p>8. The quantity of machines, equipment and tools is not available as per the syllabus.</p> <p>9. Student record register not available.</p> <p>10. It was observed that following DDU GKY courses were running in building.</p> <p>11. Equipment and lab not available for information technology trade, equipment not available for Marketing executives.</p>		

184

अपासिंह
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISOS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

6. State: Madhya Pradesh

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
1.	SBS Private ITI SBS Industrial Training Institute 14, Jai Nagar, B KHANDWA-450001 MIS Code: PU23000858	Existing	i. Stenographer Secretarial Assistant (Hindi) – 2 (1+1) ii. Computer Operator and Programming Assistant (COPA) – 2 (1+1) iii. Data Entry Operator - 2 (1+1)	NCVT: only Copa trade recommended Special arrangements for handicapped students can also be provided.	1. CITS trained faculty not available. 2. Electricity load not sufficient for trade sought for affiliation. 3. Available load: 15KW, single phase load is not as per norms hence not considered. Although load is sufficient for COPA trade recommended by ICVC. 4. Qualification documents for trainers not available. 5. BCC given by nagar palika , dated 28.12.2007	ITI need to remove following deficiencies: 1. Available power is not sufficient for trades sought for affiliation. Single phase power supply is not as per norms. Available load: 15KW, Required load: 28.15 KW. 2. Qualification documents for trainers are not available. 3. BCC provided is of 2007, hence cannot be considered. ITI need to submit a fresh BCC, from the competent authority as given in Agenda 7 of this Minutes.

						<p>4. Special arrangements for handicapped students can also be provided.</p> <p>and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM.</p> <p>Further, concerned State Directorate will have to verify the documents submitted by the ITI and send the recommendation to the DGT within the next 15 days through online compliance portal.</p>
2.	Paramhans Private ITI, 276, Niranjana Ward, Kheri Naka, Narsinghpur 487001, Madhya Pradesh	Existing	1. Stenographer Secretarial Assistant (Hindi) - 4 (2+2)	NCVT: DisAgree, Not recommended 1. Electricity meter is in the name of the Parent Organization, not	1. Drawing hall area not as per norms. (Required- 50 Sqm, available- 43Sqm) 2. ITI need to have dedicated Electricity	ITI has to remove deficiencies as mentioned in column V and VI and submit the documents on the online compliance

अमृत सिंह

12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship

MIS Code: PR23000193			<p>in the name of ITI. The electricity meter is common for both ITI and other institute which are also running under the same management.</p> <p>2. Recent record is not available in the Dead Stock Register.</p> <p>3. Appointment letter has been issued by management but the signed Consent letter is only for one trainer. No trainer has a CITS certificate. Also, trainers lack required experience. Qualification is not available as per ncvf norms</p> <p>4. Staff biometric is common for both school and ITI which is under the same management.</p> <p>5. Student biometric not available.</p>	<p>connection, Infrastructure, Machinery, Tools and Equipment as per NCVT Norms.</p>	<p>module in the NIMI affiliation portal within 30 days from the date of issue of this MoM.</p> <p>Further, concerned State Directorate and RDSDE will conduct joint re-inspection of the ITI and submit the report to the DGT within the next 15 days.</p>
-------------------------	--	--	--	--	---

2024, 16th April, 12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

				<p>6. Antivirus has not been installed. Computer installed in the lab has not been configured as per the latest syllabus. AC is not working. UPS is not able to support computers even for half hour.</p> <p>7. Many of Amenities like Parking, Canteen, Playground common for Institute (which is within the same campus and under same management). Also, there is no separate toilet for staff. There is no admin hall.</p> <p>8. IT lab not available.</p> <p>9. Fire safety Certificate is not available. No fire bucket is available.</p> <p>10. Major items bills date is before resolution passed by society for affiliation, i.e.</p>		
--	--	--	--	--	--	--

2021, 10th 12th, 10th 12th, 10th 12th

25

अमृत सिंह
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISOs
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Page 23 of 103

				equipment purchased in year 2018 and resolution passed by society in year 2022.		
--	--	--	--	---	--	--

7. State: Maharashtra

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
1.	Deccan Private Industrial Training Institute, Osmanabad A/P Washi, Tal. Washi, Dist. Osmanabad, Maharashtra TMP27488PR1580966407	New	i. Computer Operator and Programming Assistant (COPA) – 2 (1+1) ii. Electrician - 2 (1+1) iii. Fitter – 2 (1+1) iv. Welder - 2 (1+1) v. Wireman - 2 (1+1)	Recommended for affiliation for i. Electrician - 2 (1+1) ii. Wireman - 2 (1+1) iii. Welder- 2 (1+1) iv. Fitter – 2 (1+1) v. Copa – 2 (1+1)	BCC is issued by Nagar Panchayat. BCC to be provided as per the agenda -7 of this MoM.	ITI need to submit a fresh BCC, from the competent authority as given in Agenda 7 of this MoM and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, concerned State Directorate will have to verify the documents submitted by the ITI and send the recommendation to

अमृत पाल सिंह/Amrit Pal Singh, Joint Director
प्रशिक्षण निदेशालय/General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
Govt. of India, New Delhi

184

अमृत पाल सिंह/Amrit Pal Singh, Joint Director
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, Joint Director
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
						the DGT within the next 15 days through online compliance portal.
2.	N.D.M.V.P. Samaj'S Private Industrial Training Institute Nandgaon Dist , Nasik New English Campus, Malegaon Road, Nandgaon Tal-Nandgaon Dist-Nashik -423106 Maharashtra Mis Code: PR27000485	Existing	Electrician - 2 (1+1)	Recommended: Electrician - 2 (1+1)	No Objection Certificate is given by the municipality but BCC is not available.	ITI need to submit a fresh BCC, from the competent authority as given in Agenda 7 of this MoM and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days

प्रमाणित की जा रही है कि निम्नलिखित जानकारी सही है।
प्रमाणित की जा रही है कि निम्नलिखित जानकारी सही है।
प्रमाणित की जा रही है कि निम्नलिखित जानकारी सही है।
प्रमाणित की जा रही है कि निम्नलिखित जानकारी सही है।

अमृत पाल सिंह
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
						through online compliance portal.
3.	Jain Private Industrial Training Institute Verul Jain Gurukul Campus At Post Ellora Tq Khultabad Dist Aurangabad-431102 Maharashtra Mis Code: PR27000700	Existing	Electrician – 2 (1+1)	Recommended for affiliation for Electrician - 2 (1+1) 1. ITI gave an undertaking to committee for increasing 2 Kw load i.e., 19 KW to 21 KW load within 8 days due to increased COPA load. 2. Authorized signature of supplier in Bills also not found on all bills. 3. Dead Stock Register available but not found as per formats norms also	1. Occupancy certificate given but BCC is not available. BCC may be provided as per the agenda -7 of this MoM. 2. Electricity bill is not available so could not be verified.	ITI needs to remove deficiencies as mentioned in column V and VI and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.

प्रमाणित
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISPS
संयुक्त निदेशक/Joint Director

प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
				not signed by Principal.		
4.	SHANESHWAR PRIVATE ITI SINDHUDURG At.Post. Madkhol, Tal. Sawantwadi, Dist. Sindhudurg Maharashtra - 416510 TMP27495PR1646485525	New	1. Electrician – 2 (1+1) 2. Wireman – 2 (1+1) 3. Geo-Informatics Assistant - 2 (1+1) 4. Human Resource Executive - 2 (1+1)	Recommended for affiliation for 1. Electrician – 2 (1+1) 2. Wireman – 2 (1+1) 3. Human Resource Executive -2 (1+1) For Geoinformatics assistant and Human Resource assistant manpower is available for only one unit. For Geoinformatics Asst Trade GIS software, Remote sensing software not available with ITI	1. ICVC has recommended only 03 trades but minimum 04 trades are required to be recommended by ICVC for a new ITI. 2. Required load: 17.65 KW, Available-5KW and it is mentioned that MSEDCL has sanctioned additional 25 KW load but the sanctioned load proof is not available. 3. BCC is issued by the gram panchayat. BCC may be provided as per the	ITI needs to remove deficiencies as mentioned in column V and VI and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further concerned State Directorate and RDSDE shall conduct the joint inspection and submit the report with recommendation of trade(s)/Units(s) to DGT within 15 days thereafter.

14

प्रपाकिई
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS

संयुक्त निदेशक/Joint Director

प्रशिक्षण निदेशालय/Directorate General of Training Page 37 of 103

कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
					agenda -7 of this MoM.	
5.	Rajeev Gandhi Private Iti Jalkot Road, Tal: Udgir Latur-413517 Maharashtra Mis Code: PR27000933	Existing	Electrician - 2 (1+1)	Recommended: Electrician – 2 (1+1)	Occupancy certificate issued by Municipal corporation but BCC is not available.	ITI need to submit a fresh BCC, from the competent authority as given in Agenda 7 of this Minutes and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.
6.	Hon. Ratnakarraoji Gutte Industrial Training	Existing	Electrician - 4 (2+2)	Recommended:	BCC is issued from Gram	ITI needs to remove

अमृत पाल सिंह/Amrit Pal Singh, ISDS

संयुक्त निदेशक/Joint Director

प्रशिक्षण निदेशालय/Directorate General of Training

कौशल विकास एवं उद्यमशीलता मंत्रालय

Ministry of Skill Development and Entrepreneurship

भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
	GR27000130					affiliated and updated on the portal. State Directorate shall submit the report of affiliated trade(s)/units(s) and available power requirements as per norms through SSDEC along with recommendation to DGT within 15 days.
8.	Government Industrial Training Institute, Umarga, Dist: Osmanabad Mandir Osmanabad 413606 Maharashtra Mis Code: GR27000177	Existing	1. Electrician- 2 (1+1) 2. Mechanic Motor Vehicle (MMV)-2 (1+1) 3. Computer Operator and Programming Assistant (COPA) - 2 (1+1)	The ITI authorities are not ready for inspection of affiliation on 3-8-23	No inspection was carried out.	SSDEC may reschedule the inspection and submit the report to DGT along with recommendation of trades(s)/unit(s).
9.	Government Industrial Training Institute, Naigoan, Dist: Nanded	Existing	1. Electrician - 1 (0+1+0)	Recommended for affiliation for 1. Electrician- 1 (0+1+0)	No major deficiencies mentioned by the ICVC	Recommended for affiliation for

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
	Lalwandi Road NANDED- 431709 Mis Code: GR27000600		2. Fitter - 1 (0+1+0) 3. Mechanic Motor Vehicle (MMV) - 2 (1+1) 4. Wireman - 1 (1+0) 5. Sewing Technology - 1 (1+0)	2. Fitter- 1 (0+1+0) 3. Mechanic Motor Vehicle (MMV) - 2 (1+1) 4. Wireman - 1 (1+0) 5. Sewing Technology - 1 (1+0)		1. Electrician- 1 (0+1+0) 2. Fitter- 1 (0+1+0) 3. Mechanic Motor Vehicle (MMV) - 2 (1+1) 4. Wireman -1 (1+0) 5. Sewing Technology -1 (1+0)
10.	Government Industrial Training Institute, Hingana, Dist: Nagpur Wanadongari Hingna Road NAGPUR-441110 Maharashtra Mis Code: GR27000325	Existing	1. Welder – 1 (0+1) 2. Mechanic Refrigeration and Air Conditioner MRAC- 1 (0+1) 3. Computer Operator and Programming Assistant (COPA) - 1 (0+1)	Recommended: 1. Welder - 2 (1+1) 2. Mechanic Refrigeration and Air Conditioner MRAC - 2 (1+1) 3. Computer Operator and Programming Assistant (COPA) – 2 (1+1)	There is a mismatch in the unit(s) recommended by ICVC and the unit(s) sought for affiliation.	The concerned State Directorate will have to send a report to DGT with recommendation of SSDEC within 1 month from the date of issue of this MoM.
11.	Government Industrial Training Institute, Umarkhed, Dist: Yavatmal	Existing	Computer Operator and Programming	Recommended for affiliation for: Computer Operator and	No major deficiencies mentioned by the ICVC	Recommended for affiliation for: Computer Operator and Programming

अमृत पाल सिंह/Amrit Pal Singh, pps
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली

अमृत पाल सिंह
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, pps
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
	Baldi Road YAVATMAL 445206 Mis Code: GR27000109		Assistant (COPA) - 2 (1+1)	Programming Assistant (COPA) - 2 (1+1)		Assistant (COPA) - 2 (1+1)
12.	K.T.Patil Private Industrial Training Institute Osmanabad At-Survey No 627/1, Jadhavwadi Road, Osmanabad Maharashtra. Osmanabad Maharashtra TMP27488PU1682428587	New	1. Electrician - 2 (1+1) 2. Surveyor - 2 (1+1) 3. Welder - 2 (1+1) 4. Computer Operator and Programming Assistant (COPA) - 2 (1+1) 5. Solar Technician (Electrical) - 2 (1+1)	Recommended for affiliation for 1. Electrician - 2 (1+1) 2. Surveyor - 2 (1+1) 3. Welder - 2 (1+1) 4. Computer Operator and Programming Assistant (COPA) - 2 (1+1) 5. Solar Technician (Electrical) - 2 (1+1)	No major deficiencies mentioned by ICVC.	Recommended for affiliation for 1. Electrician - 2 (1+1) 2. Surveyor - 2 (1+1) 3. Welder - 2 (1+1) 4. Computer Operator and Programming Assistant (COPA) - 2 (1+1) 5. Solar Technician (Electrical) - 2 (1+1)
13.	Netai Private Industrial Training Institute At Post-Khat(Rly) Tah-Mouda Dist- Nagpur -441106 MIS Code: PR27000257	Existing	Shifting case Existing Trades: 1. Electrician - 4 (2+2) 2. Fitter - 5 (3+2)	Recommended for shifting 1. Electrician - 4 (2+2) 2. Fitter - 5 (3+2)	1. This is a shifting case. Shifting is within the block or Municipal corporation is not available.	ITI needs to remove deficiencies as mentioned in column VI and submit the documents on the online compliance module in the NIMI

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
					<p>2. BCC is not available, the completion certificate issued by gram Panchayat. BCC may be provided as per the agenda -7 of this MoM.</p> <p>3. The institute seems to be set up in open space; the boundary wall and DGT sign board are not found.</p>	<p>affiliation portal within 30 days from the date of issue of this MoM.</p> <p>Further, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal. State Directorate shall also certify that the shifting is within the block / Municipal corporation area or not.</p>
14.	Sahakarratna Shamraoji Patil Yadravkar Private Industrial Training Institute Yadrav Yadrav, Tal - Shirol Dist- Kolhapur – 416121	Existing	Electrician - 2 (1+1)	Recommended Electrician - 2 (1+1)	1. BCC as certifying the work completion, is given by Deputy Engineer Kolhapur.	ITI needs to remove deficiencies as mentioned in column VI and submit the documents on the online compliance

28/11/24

12/01/24

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
	Mis Code: PR27000566				BCC may be provided as per the agenda -7 of this MoM. 2. The Land lease is produced from the year 2009 and is semi commercial. Revised Land lease may be provided as per norms.	module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.
15.	Government Industrial Training Institute, Gunj, Dist: Yavatmal Mahur Road YAVATMAL-445205 Mis Code: GR27000110	Existing	Information & Communication Technology System Maintenance - 1(1+0)	Recommended for affiliation for Information Communication Technology System Maintenance - 1(0+1)	The ITI has sought -1(1+0) but ICVC recommended- 1(0+1) unit.	The concerned State Directorate will have to submit the report to DGT with recommendation of SSDEC within 1 month from the date of issue of these minutes.
16.	Government Industrial Training Institute,	Existing	1. Electrician - 2 (1+1)	Recommended for affiliation for :	The electric load is less as per	1. During the meeting, the

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
						above mentioned points to DGT along with recommendation of SSDEC within 1 month from the date of issue of this MoM.
17.	Government Industrial Training Institute, Daryapur, Dist: Amravati Shiwar Road AMRAVATI-444803 Mis Code: GR27000352	Existing	1. Electrician – 1 (0+1+0) 2. Fitter – 1 (0+1+0) 3. Welder – 2 (1+1)	Recommended for affiliation for: 1. Electrician – 1 (0+1+0) 2. Fitter – 1 (0+1+0) 3. Welder – 2 (1+1)	The electric load is less as per norms in the institute. Required-74.5 KW Available-20 KW The ITI has given undertaking to enhance the load by 80 KW.	The concerned State Directorate will have to ensure that the deficiency mentioned in column VI are removed and further report to be sent to DGT with recommendation of SSDEC within 1 month from date of issue of this MoM.

8. State: Tamil Nadu

Sr. No	ITI name	Type of Application	Trade/ Units sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
1.	P A C Ramasamy Raja Private Industrial Training Institute Govindapuram Ariyalur-621713	Existing	Computer Operator and Programming Assistant (COPA) - 1 (1+0+0)	Recommended for Computer Operator and Programming	1. Power supply through self-generation plant of Ramco cement.	1. The concerned State Directorate will have to verify whether the power is supplied by self-

2021, Dec 2 10:47 AM
10/12/2021 10:47 AM
अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

अमृत पाल सिंह
12/01/24

	MIS Code: PR33000597			<p>Assistant (COPA) - 1 (1+0+0)</p> <p>Ramp for PwD trainees not available.</p>	<p>2. BCC not as per norms, ITI will have to submit BCC as per Agenda 7 of these minutes.</p>	<p>generation plant of Ramco cement, supporting documents have to be submitted.</p> <p>2. ITI will have to submit BCC as per Agenda 7 of these minutes.</p> <p>ITI needs to submit documents on above mentioned points on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM.</p> <p>Further, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.</p>
--	-------------------------	--	--	---	---	---

४५

अमृत सिंह

12/01/2024
अमृत पाल सिंह / Amrit Pal Singh, ISDS
संयुक्त निदेशक / Joint Director
प्रशिक्षण निदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली / Govt. of India, New Delhi

9. State: Uttar Pradesh

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
1.	Shree Bankey Bihari Private Industrial Training Institute, Jhansi Gram- Maheba, Block Chirgaon, Dist. Jhansi- 284301 Uttar Pradesh TMP9153PR1580456026	New	1. Electrician – 6 (2+2+2) 2. Fitter - 6 (2+2+2) 3. Electronics Mechanic – 3 (1+1+1) 4. Computer Operator and Programming Assistant (COPA)– 3 (1+1+1)	Recommended for affiliation for 1. Electrician – 4 (2+2+0) 2. Fitter – 4 (2+2+0) 3. Electronic Mechanic - 2 (1+1+0) 4. Computer Operator and Programming Assistant (COPA) - 2 (1+1+0)	No deficiencies found	SCAA recommended the following trades: 1. Electrician- 4 (2+2) 2. Fitter – 4 (2+2) 3. Electronics Mechanic – 2 (1+1) 4. Computer Operator and Programming Assistant (COPA)- 2 (1+1)
2.	Gyanti Devi Private Industrial Training Institute, Kushi Nagar Vill.- Kurahawa Post- Ahirauli Bazar Block- Hata Thana- Hata Pin- 274402 Kushi Nagar Uttar Pradesh TMP9160PR1581610227	New	i. Electrician - 6 (2+2+2) ii. Fitter – 3 (1+1+1) iii. Computer Operator and Programming Assistant (COPA) – 2 (1+1) iv. Health Sanitary Inspector – 2 (1+1)	--	--	Affiliation already granted vide affiliation order dated 27.10.2023 in reference to court direction This aforesaid affiliation order is ratified by committee.
3.	Radhya Singh Singraur Private ITI Khanpur	Existing	Electrician - 6 (2+2+2)	1. Registered documents	1. BCC given by architect	ITI needs to submit the following

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
	Satwa Kaushambi 211012 Uttar Pradesh MIS Code: PR09900133			available but original documents missing. verified documents attached here. 2. BCC given by architect.	which not as per norms. ITI need to submit the document as Agenda 7 of this MoM. 2. Different load on meter sealing (10 KW) report and electricity bill (15 KW) and only initial name is mentioned. 3. Complete lease / land document not provided by ITI.	documents on the online compliance module on the NIMI affiliation portal within 30 days from the date of issue of this MoM. 1. BCC as mentioned in agenda 7 of this MoM. 2. Complete lease / land document 3. The latest Electricity bill for 03 months in the name of ITI Thereafter, the concerned State Directorate will verify and submit the report online in the compliance module within next 15 days.
4.	Hazi Abdullah ITI, - Ambedkar Nagar Sultanpur Kabirpur Baskhari Ambedkar Nagar Up Ambedkar	Existing	Electrician - 6 (2+2+2)	Recommended for affiliation for trade Electrician - 4 (2+2+0)	1. Electricity bill is on the Name of Hazi Abdullah only and	ITI needs to remove deficiencies as mentioned in column VI and submit the documents following documents on the

2024/01/12/29
12/01/29

अमृत पाल सिंह
12/01/29

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
	Nagar - 224129 Uttar Pradesh MIS Code: PR09001210				with 14 KW. Load extension application is submitted but whether load increased proof is not provided. 2. Approved layout plan not available 3. Documents related to land transferred on the name of ITI are not provided.	online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM: i. Latest electricity bill after load extension. ii. Approved layout plan as per norms. iii. Documents related to land transfer in the name of the ITI. Thereafter, the concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.
5.	Pradeep Kumar Smarak Private Industrial Training Institute Rasada	Existing	i. Electrician – 3 (1+1+1) ii. Fitter – 3 (1+1+1)	Recommended for i. Electrician - 2 (1+1+0)	BCC issued by the architect is not as per norms	ITI needs to submit the following documents on the online compliance

2024/01/24
प्रमाणित
दिनांक
12/01/24

अमृत पाल सिंह
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt of India, New Delhi

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
	Bibipur Azamgarh 276123 Uttar Pradesh MIS Code: PR09900736			ii. Fitter -2 (1+1+0) Comments: 1. Sanction load is 13 KW (As per Office Memo. issued by Executive Engineer for increasing load from 10KW to 13KW) as per norms. 2. BCC issued by Architect Shri Ahmad Furkan(Reg. No.- CA/2014/65942)	Latest electricity bill after load extension is not provided by ITI	module on the NIMI affiliation portal within 30 days from the date of issue of this MoM: 1. BCC as mentioned in agenda 7 of this MoM. 2. The latest Electricity bill in the name of ITI . Thereafter, the concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.
6.	Shri Krishna Private Industrial Training Institute, Kushi Nagar Tamkuhiraj Kushi Nagar 274407 Uttar Pradesh TMP9160PR1579958060	New	i. Electrician – 6 (2+2+2) ii. Fitter - 3 (1+1+1)	Recommended for affiliation for Electrician – 4 (2+2+0) BCC is given by Architect	1. load shortage of 2.71 KW is noticed. 2. BCC is given by Architect,	ITI need to remove deficiencies as mentioned in column VI and submit following documents on the online compliance module in the NIMI affiliation

उत्तर प्रदेश विद्युत निदेशकालय
आमगार
आमगार
आमगार
आमगार
आमगार

88

अमृत सिंह

12/01/24

अमृत पाल सिंह/Amrit Pal Singh SDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
					<p>not as per norms.</p> <p>3. NOC for MSTI lying in unserved block is not provided.</p> <p>4. Short-term course undertaking is not provided.</p>	<p>portal within 30 days from the date of issue of this MoM:</p> <ol style="list-style-type: none"> 1. Electricity bill with enhanced load. 2. BCC given by Architect not as per norms. BCC to be submitted as per Agenda 7 of this MoM. 3. NOC from the concerned State Directorate for MSTI (i.e., ITI lying in unserved block). 4. Undertaking for starting Short-Term course in the ITI. <p>Thereafter, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online</p>

14

अमृत सिंह
12/01/24

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
						compliance portal.
7.	Rameshwar Singh ITI Syambar Nagar Dalpatpur Ayodhya UP, Maya, Faizabad, Uttar Pradesh. TMPOLD337 MSTI	New	i. Electrician -4 (2+2) ii. Fitter – 4 (2+2)	Recommended for affiliation for trades i. Electrician – 2 (1+1+0) ii. Fitter – 2 (1+1+0)	1. NOC for MSTI lying in unserved block is not provided. 2. Undertaking for Short Term course is not provided.	ITI need to remove deficiencies as mentioned in column VI and submit following documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM: 1. NOC from the concerned State Directorate for MSTI (i.e., ITI lying in unserved block). 2. Undertaking for starting Short- Term course in the ITI. Thereafter, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next

85V

अमृत सिंह
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
						15 days through online compliance portal.
8.	Dev Inrawati Private Industrial Training Institute, Ambedkar Nagar Village- Pratappur Chamurkha, Post- Katehari, Block-Katehari, Tehsil- Akabar Pur, District-Ambedkar Nagar, Up 224151 TMP9121PR1582796309	New	i. Electrician – 6 (2+2+2) ii. Fitter -2 (1+1) iii. Computer Operator and Programming Assistant (COPA) - 2 (1+1) iv. Sewing Technology -2 (1+1)	Recommended for affiliation for i. Electrician – 4 (2+2+0) ii. Fitter 2 (1+1+0) iii. Computer Operator and Programming Assistant (COPA)- 2 (1+1+0) iv. Sewing Technology - 2 (1+1+0)	Load required = 19.21 KW available load= 16 KW Load shortage= 3.21 KW	ITI need to remove deficiencies as mentioned in column VI and submit following documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM: i. Latest electricity bill with enhanced load. Thereafter, the concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
9.	Shri Krishna Private Industrial Training Institute, Prayagraj Arwasi Mai, Bahadurgarh, Phulpur, Prayagraj 212402 Uttar Pradesh TMP9120PR1582816244	New	i. Electrician – 3 (1+1+1) ii. Fitter - 3 (1+1+1) iii. Wireman – 3 (1+1+1) iv. Computer Operator and Programming Assistant (COPA) - 2 (1+1)	1. BCC issued by registered architect. 2. Some stools are missing in drawing hall.	1. BCC given by Architect not as per norms. 2. Drawing hall furniture is not proper.	ITI need to remove deficiencies as mentioned in column VI and submit following documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM: 1. BCC as per Agenda 7 of this MoM. 2. Photographs of Drawing hall with proper drawing Tables and chairs. Thereafter, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.
10.	Dev Private Industrial Training Institute, Barabanki Kasaunja	New	1. Electrician -6 (2+2+2)	Recommended for affiliation for	No deficiency observed	SCAA recommended the following trades for affiliation:

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
	Basauli, Barabanki, Uttar Pradesh, 225303 Barabanki Uttar Pradesh TMP9129PR1581661930		2. Fitter – 2 (1+1) 3. Computer Operator and Programming Assistant (COPA) -2 (1+1) 4. Sewing Technology- 2 (1+1)	1. Electrician – 4 (2+2+0) 2. Fitter - (1+1+0) 3. Computer Operator and Programming Assistant (COPA) – 2 (1+1+0), 4. Sewing Technology – 2 (1+1+0)		1. Electrician – 4 (2+2) 2. Fitter – 2 (1+1) 3. Computer Operator and Programming Assistant (COPA) – 2 (1+1) 4. Sewing Technology – 2 (1+1)

12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

10. State: West Bengal

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
1.	Purushottam Private Industrial Training Institute Hemayetpur, P.O- Ramkanali PURULIA- 723160 MIS Code: PR19000213	Existing	i. Electrician – 2 (1+1) ii. Fitter – 2 (1+1) iii. Smartphone Technician Cum App Tester – 2 (1+1)	Recommended for affiliation for: i. Fitter - 2 (1+1+0) ii. Electrician - 2 (1+1+0) iii. Smartphone Technician cum app tester – 2 (1+1+0) (Third trade was not mentioned in the app). BCC available but from Gram Panchayat.	i. Drawing hall infrastructure (table and board) not as per norms. ii. BCC available from Gram Panchayat.	ITI need to remove deficiencies as mentioned in column VI and submit the following documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM: i. BCC as per Agenda 7 of this MoM. ii. Photographs of Drawing hall with proper drawing Tables and chairs. Thereafter, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.
2.	Sree Ramkrishna Private Industrial Training Institute Medinipur East Vill & P.O.-	New	i. Electrician - 4 (2+2)	Recommended for affiliation for	1. BCC is not - as per norms, ITI	ITI need to remove deficiencies as mentioned in column VI

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
	Tilkhoja, P.S.-Moyna, Dist.-Purba Medinipur, Pin-721629 TMP19317PR1682081263		ii. Fitter - 4 (2+2) iii. Sewing Technology - 2 (1+1) iv. Early Childhood Educator - 2 (1+1)	i. Electrician - 4 (2+2+0) ii. Fitter - 4 (2+2+0) iii. Sewing Technology - 2 (1+1+0) iv. Early Childhood Educator - 2 (1+1+0) 1. The Sewing Technology instructor does not have a CITS. An undertaking by ITI has been received. Other instructors have CITS certificate	need to submit the BCC as per Agenda 7 of this minutes.	and submit the following documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM: i. BCC as per Agenda 7 of this MoM. ii. CITS documents for Sewing Technology. Thereafter, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.
3.	Pranabananda Private ITI, P.O. Mahishadal Medinipur East 721628 MIS Code: PR19000248	Existing	Fitter - 2 (1+1)	Recommended for affiliation i. Fitter - 2 (1+1+0) ii. Electrician - 4 (2+2+0) including	1. As per portal, ITI has applied for Fitter trade only. 2. BCC not as per norms.	ITI need to remove deficiencies as mentioned in column VI and submit the following documents on the online compliance module in the NIMI

Sr. No	ITI name	Type of application	Trade unit Sought for affiliation	ICVC Remarks	Remarks of TC Section	Remarks of 12th SCAA
I	II	III	IV	V	VI	VII
				existing (1+1+0) Only one trainer does not have a CITS certificate, however, he has passed Diploma in Mechanical engineering.		affiliation portal within 30 days from the date of issue of this MoM: i. BCC as per Agenda 7 of this MoM. ii. Recommendation of SSDEC for affiliation of additional trade/ units in Electrician trade, as ITI has applied for Fitter trade only. Thereafter, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.

264 अमृत सिंह
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

2021 11/01/24 16:59 11/01/24 16:59

11/01/24 16:59 11/01/24 16:59

11/01/24 16:59 11/01/24 16:59

11/01/24 16:59 11/01/24 16:59

Annexure-II

3(a) The Court cases filed by different ITIs in various courts have discussed in the meeting, SCAA remarks are given below in column VIII

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
1.	Bihar	Dr. Kumar Private ITI New MSTI TMP10188PR15 82893356	9435 / 2023	Issue a writ of certiorari and quash the decision taken by the Respondent No. I in its 6 th Meeting of SCAA held on 30.08.2022 by which application of the Petitioner for seeking affiliation for 6 units in Electrician Trade in "unserved block" under MSTI category has been rejected.	The Hon'ble court has disposed of the matter vide order dated 01.11.2023 with a direction to the respondent to issue a show cause notice to the petitioner within 15 days from the date of receipt of the copy of the order passed, granting the petitioner the opportunity to explain the aforesaid deficiency(s) within a period of 15 days thereafter.	<ol style="list-style-type: none"> 1. The Show cause is issued to the petitioner on 10.11.2023 to provide the NoC for MSTI. 2. Thereafter, the petitioner replied the SCN on 02.12.2023 with a contention that the Raniganj block is unserved and the criterion is not applicable in the instant case. 3. The petitioner has contended the same reasons and grounds as filed in the writ petition but no NOC from state directorate was provided, which declares the block of petitioner as unserved. 4. During SCAA meeting, the reply 	Not Recommended since the block is served as per State Directorate report.

24

अमृत सिंह

12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director

प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
नया दिल्ली/Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
						of the petitioner was discussed and State Directorate has confirmed that the area is served as declared vide its letter dated 29.08.2022.	
2.	Bihar	Mahavir PVT ITI PR10000791	4904/2021	That various court cases filed by the litigant ITIs of Bihar whose applications of affiliation for the year 2019-2022 were pending for final decision. The litigants had approached the Hon'ble court to issue the directions for the respondents to decide the application.	That the Hon'ble court has passed the similar direction in the writ petitions based upon the order dated 07.04.2021 in W.P.(C) 4386/2020 and other connected matters and directed that the petitioners will coordinate with the State Directorate to ensure that the documentation is complete. The State Directorate may call for any	1. These matters were discussed with the State Directorate and RDSDE on 22.11.2023 through the VC meeting. 2. The applications of the petitioners are pending at Desktop Assessment (DA) for clearing the Non-Conformity (NC) from long time at applicant level. The petitioners haven't cleared the NCs raised by the state	A last and final opportunity is granted to the petitioners to clear the deficiencies. The petitioners will rectify all the NCs raised by State Directorate in under their login on NIMI portal within 01 month from issue of this MoM so that DA can be completed and inspection batch may be scheduled.
3.	Bihar	Manorama ITI vs. DGT TMP10201PR15 81253440	4878/2020				
4.	Bihar	Muzaffarpur Professional Pvt. ITI V/s. DGT TMP10208PR15 82459369	5269/2020				
5.	Bihar	Narayan Gaytri Pvt ITI TMP10208PR15 81522885	5238/2020				
6.	Bihar	Nutan private ITI TMP10221PR15 81493075	5308/2020				
7.	Bihar	Ram Janki PVT ITI TMP10191PR15 79876196	5564/2021				

884 अमृत सिंह
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
8.	Bihar	Tejaswi Pvt ITI TMP10224PR15 82888327	5777/2021		required documents from the petitioners, and conduct the inspection of the petitioners' premises and submit the report to DGT.	directorate even after lapses of more than a year. 3. This matter was again put up for discussion in 12 th SCAA to finally decide the applications.	
9.	Bihar	Vaishali Private ITI PR10000440	5859/2021				
10.	Bihar	Janki private ITI & Anr PR10000635	7449/2020		In the event, the DGT finds any deficiencies or discrepancies in the petitioners' case, it may issue a show cause notice to the concerned petitioner.	The petitioner i.e Janki Pvt ITI applied for shifting and addition of trade on TCS portal on 22.05.2019. However, shifting case was rejected vide DGT letter dated 13.07.2020 stating that the ITI hasn't followed the shifting rule 3.5(ii) page no 38 of affiliation norms 2018. The petitioner has applied again in the session 2023.	To be dealt on separate e file.
11.	Bihar	GAUTAM BUDHA PVT ITI & ANR.	6421/2021			The status of the petitioner i.e Gautam Budha ITI is showing in NIMI portal "At	To be dealt on separate e file.

2021/09/02 12:07:03 AM
प्रशिक्षण निदेशालय/ Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/ Govt. of India, New Delhi

अमृत सिंह
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
		TMP10224PR15 80973930				Ready to inspect stage, in rejected list due to ITI not ready for inspection." Batch was created for the petitioner.	
12.	Bihar	KALINDRA PVT ITI PR10000714	Cont case 1559/2023 and WPC No 7222/2021	Direct the Respondent/Contemnor to comply with the final Judgment & order dated 29.07.2021 passed by this Hon'ble Court in Writ Petition (C) No.7222/2021 and decide the Petitioner's application for grant of affiliation for additional 4 Units (2+2) of Electrician Trade and 4 Units (2+2) of Fitter Trade	The Hon'ble court has dismissed the contempt case on 30.10.2023 as the learned counsel for the petitioner seeks to withdraw the present contempt petition with liberty to respond to the show cause notice issued by the respondent.	The Show cause notice issued by the TC section, DGT on date 27.10.2023 and thereafter ITI has submitted its reply against the SCN dated 27.10.2023. It was decided to afford the opportunity to the petitioner to get the reverification of the deficiencies and to keep the all infrastructure ready as per norms vide email dated 08.11.2023.	RDSDE and state directorate shall submit the reverification report along with clear recommendation of trade/units within 15 days from issue of this MoM.
13.	Bihar	MANDAR PRIVATE ITI PR10000999	9478/2023	The petition was filed inter alia for directing the respondents to conduct inspection of the petitioner institution for grant of affiliation of units/Trade for the present academic	The Hon'ble court has disposed of the matter vide order dated 01.11.2023 with a direction for DGT to consider and decide the	Grading OM was issued on 19.09.2023 in which the petitioner's name was included. The petitioner was supposed to give the	RDSDE will create the batch for joint inspection in coordination with the petitioner and state directorate

2023.10.12 14:19:00

2023.10.12 14:19:00

22

31/10/23
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, 12/01/24
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
				session in a time bound manner.	petitioner's application within a period of three months from the date of receipt of the copy of the order.	consent to RDSDE to carry out the inspection as per OM issued by DGT. An email was sent to NIMI on 13.12.2023 to make the provision for the inspection on portal including for the petitioner institute.	within 01 month and submit the report thereafter.
14.	Bihar	Ramashray Pvt ITI New application	12233/2022	To quash the decision of 1st SCAA dated 05-06.04.2022 and to conduct a fresh joint committee inspection and decide the application of the petitioner-institution dated 29.05.2018 for grant of affiliation for four trades afresh by following the principles of natural justice.	The Hon'ble court has set aside the impugned decision dated 05-06.04.2023 and the application of the petitioner-institution dated 29.05.2018 was restored with the DGT. And passed the direction for DGT to consider the said application afresh in accordance with law for grant of affiliation with respect to next Academic Year i.e. Academic Year 2023-24	The petitioner was afforded an opportunity to rectify the deficiencies vide e mail on 18.10.2023 and the joint verification report needs to be submitted by state and RDSDE within 15 days from the email.	RDSDE and state directorate shall submit the re-verification report along with clear recommendation of trade/units within 15 days from issue of this MoM.

2021, ngolB 6.9 mmA/परीक्षा कायदा 1982

१११

अमृत पाल सिंह
12/10/24

अमृत पाल सिंह/Amrit Pal Singh, ISPS
संयुक्त निदेशक/Joint Director

प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
15.	Bihar	Satyam Private ITI PR10000876	1369/2020	The petitioner in the instant petition has prayed for quashment of the decision taken by the respondent vide communication dated 08.01.2020, whereby, the request of the petitioner for shifting of its ITI has been declined on the ground that the same would entail a change of district, which is impermissible.	That the Hon'ble court has disposed of the case on 17.08.2023 by quashing the impugned order 08.01.2020 on the similar line of Radiant Private ITI Vs DGT with a direction to reconsider the petitioner case and to pass an appropriate order.	The petitioner was intimated on 19.09.2023 to carry out inspection. During the meeting it was intimated that the joint inspection was carried on 01.12.2023.	RDSDE shall submit the complete report within 07 days from issue of this MoM.
16.	Jharkhand	Hazaribagh Private ITI PU20000234	12704/2023	The petitioner is seeking direction for affiliation for 8 additional units in Electrician trade and 4 & 2 units respectively in two new trades namely Surveyor & Sewing Technology trades has been rejected & to decide the application for academic session 2023-24.	The Hon'ble court vide its order dated 01.11.2023 passed the judgement that- The impugned decision taken in the 9th meeting of the Standing Committee on Accreditation and Affiliation (SCAA) of the respondent held from 16th May, 2023 to 19th May, 2023 qua the petitioner, is set aside., it is	The petitioner was afforded an opportunity to rectify the deficiencies vide TC section email dated 04.10.2023. Thereafter, State Directorate will verify the removal of deficiencies and submit duly signed and stamped report on each point mentioned in the 9th SCAA MoM within 30 days to DGT of the	State directorate shall submit the complete report along with clear recommendation of trades/units within 07 days from issue of this MoM.

2023/11/15
प्रशिक्षण निदेशालय/Joint Director
कोशल विकास एवं उद्यमशीलता मंत्रालय
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

84

अमृत सिंह
12/01/24

अमृत पाल सिंह/Amrit Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
					directed that, on receiving the reply to the aforesaid notice from the petitioner, the respondent shall decide the petitioner's application within a period of four weeks.	email dated 04.10.2023. During the meeting, it was confirmed that verification has been completed for the ITI and report shall be submitted .	
17.	Karnataka	(MCEBT) Megha Centre for Electronics & Biomedical Technology of India Industrial Training Institute PR29000619, PR29000616	8007/2023	The writ petition is filed for quashing the Notice dated 30. 12.2022 issued by state directorate, and directing the Respondents to allow the admitted Trainees for the academic year 2022-23 by confirming their admissions and allow the trainees to appear and write all ensuing examinations scheduled to be conducted in the of month June-July 2023.	The petitioner filed this writ petition praying to issue an order or direction in the nature of certiorari quashing the notice dated 30.12.2022, issued by respondent No.3 (State); and for a writ of mandamus directing the respondents to allow the admitted trainees for the academic year 2022-23 by confirming their admissions and allow the trainees to appear and	The petitioner has applied on the NIMI portal on 14.09.2023 for application for affiliation which needs to be decided. That petitioner is having 02 MIS code PR29000616 (Status of ITI is currently active and affiliated) and PR29000619(Status of ITI is inactive) in the same name.	State Directorate shall complete the desktop assessment (DA) within 15 days from issue of this MoM for 02 petitioners who had applied in portal and RDSDE shall create the inspection batch within 01 month thereafter with a prior intimation to the petitioner. The inspection report shall be placed in next

2021, 10/01/2023 10:09 AM
Amrit Pal Singh, ISPS
Joint Director

857

अमृत पाल सिंह

अमृत पाल सिंह/Amrit Pal Singh, ISPS
12/01/2023 संयुक्त निदेशक/Joint Director

प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
					<p>write all ensuing examinations scheduled to be conducted in the month of June-July 2023.</p> <p>The Hon'ble court vide its order dated 27.11.2023 directed that Respondents are directed to allow the students of the petitioner – institution to take up the examination for the academic year 2022-23, which shall be subject to the outcome of the decision on the application filed by the petitioner for re-affiliation.</p>		ensuing SCAA meeting.
18.	Karnataka	Sunrise Private ITI	111830/2019	Issue a writ in the nature of certiorari or any other appropriate writ order or direction and quash the order bearing no /2017-18 dated 20-04-2019 passed by the 3rd	1. The Hon'ble court vide its order dated 10.08.2021 in connected matters of WPC	1. In compliance to judgement order dated 10.08.2021 passed by the Hon'ble court in WP No. 111829/2019 and	Multiple opportunities were given to the petitioner to keep the infrastructure ready for

संयुक्त निदेशक/ Joint Director

25/

अमृत पाल सिंह/Amrit Pal Singh, 11/01/24

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
				3. W.P. No. 111831/2019 - M/S Unique Pvt ITI Vs DGT & Ors	petitions on 23.08.2023 with a direction to reconsider petitioners application and state directorate preliminary inspection report, and thereafter to pass appropriate order for NCVT affiliation. 3. The common directions were passed in the 03 writ petitions.	year from the grant of provisional affiliation. 3. Consequently, the online NIMI portal will be opened for the three petitioners to apply and fulfil the norms required for a new ITI. Thereafter, the petitioners approached DGT with a contention to drop the joint inspection and to grant the affiliation based upon the report of three-member committee dated 29.11.2018. 4. The petitioners were replied via email dated 13.10.2023 and 31.10.2023 stating that the petitioners cannot bypass the	28.11.2023 and informed that nobody came for inspection and some local person informed that at the site of ITI hospital is running and institute is closed since last 03 year. Accordingly, the application for SCVT to NCVT is Not Recommended. The petitioner has requested for postponement of joint inspection which was scheduled and carried out on 27.11.2023 due to 3 phase power supply issue. Accordingly, the last and final
20.	Karnataka	Unique Private Industrial Training	111831/2019				

203 10/11/2023 11:11 AM (11/11/2023) 11:11 AM
प्रतिष्ठान निदेशालय/ Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/ Govt. of India, New Delhi

85

अमृत सिंह

12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रतिष्ठान निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
						<p>statutory norms of affiliation and the recommendation of joint inspection committee is mandatory to grant any affiliation under NCVT. RDSDE has also intimated the petitioners to give the date of joint inspections on multiple occasions vide email dated 13.10.2023 and 19.10.2023.</p> <p>5. So, a Last and Final Opportunity was given to the petitioner ITIs to extend the cooperation with the RDSDE & inspection team to decide the date of the joint inspection within 15 days of issuing the e-mail dated 31.10.2023.</p>	<p>opportunity is granted to keep the infrastructure ready as per norms.</p> <p>RDSDE shall form the joint inspection committee and decide the date of inspection in coordination with state directorate and the petitioner within 01 month from issue of this MoM.</p> <p>The inspection report shall be placed in next SCAA meeting thereafter.</p>

अनुत्त पाल सिंह/Amrit Pal Singh, JDS
संयुक्त निदेशक/Joint Director

प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

१६१

अनुत्त पाल सिंह

१२/०१/२४

अनुत्त पाल सिंह/Amrit Pal Singh, JDS
संयुक्त निदेशक/Joint Director

प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
22.	Karnataka	<p>Petitioner-1: Sri Siddeshwara Educational Trust ITI (PR29000610)</p> <p>Petitioner-2: SMVES Karnataka Pvt ITI (PU29000645)</p> <p>Petitioner-3: R.R. Computer Academic ITI (PR29000212)</p>	<p>101706/2022,</p> <p>105863/2022</p>	<p>The petition is filed to challenge the order dated 10.12.2021 and further praying to allow them to enrol trainees for the exams and to regularise the shifting.</p> <p>Apart from the above, another WP No. 105863/2022 from our counsel seeking comments in the matter. The said WP No. 105863/2022 had been filed by the Shri Siddeshwar educational trust ITI, for consideration of their claim for permission to admit students in their institute for the Academic year 2022-23 in the shifted placed and to regularize the admissions for appearing for examination.</p>	<p>Vide the Interim court Order dated 09.11.2023 the following direction was passed: "In terms of the interim order granted by this Court on earlier occasion, the respondent authorities were directed to open the portal on 17.08.2023 for four weeks to enable the petitioners to upload necessary details.</p> <p>Since No Objection Certificate was issued on 16.09.2023, the respondents are directed to open the portal for five days starting from 13.11.2023 to 17.11.2023.</p>	<p>The case is ongoing case and in compliance to interim order, the petitioners were allowed to take the admission in session 2022-23 as per the data provided by the state directorate.</p> <p>Further Petitioner-1: Sri Siddeshwara Educational Trust ITI (PR29000610) has applied on NIMI Portal and the application is pending at DA stage.</p>	<p>State directorate shall complete the desktop assessment (DA) within 15 days from issue of this MoM for the petitioner who had applied in portal.</p> <p>RDSDE shall create the inspection batch within 01 month thereafter with a prior intimation to the petitioner.</p> <p>The inspection report shall be placed in next ensuing SCAA meeting.</p>

2023.11.17 16:21:00

54

अमृत सिंह

12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
					<p>The petitioners are required to upload all the necessary details online as required. It is relevant to note that the petitioners did not avail the opportunity provided by this Court in terms of the interim order dated 16.08.2023.</p> <p>However keeping in mind the interest of the students this indulgence is shown and no further extension shall be granted."</p>		
23.	Karnataka	The Navodaya ITC PR29001144	15798/2022	The petitioner filed this writ petition praying to quash the communication dated 07.04.2022 of respondent No.3 (State) addressed to the petitioner ; direct the respondents to permit the petitioner to shift to the new place at Vishwa Shed situated at Sujalur,	The instant matter has been disposed of on 27.11.2023 inter alia directing that- "the Respondent No.1 (DGT) is directed to consider the application of the petitioner is in accordance with the norms of	The Petitioner has applied on NIMI Portal and the application is pending at DA stage.	State directorate shall complete the desktop assessment (DA) within 15 days from issue of this MoM for the petitioner who had applied in portal.

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director

प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
					<i>for the petitioner to submit additional documents, if required by respondent No.2."</i>		The inspection report shall be placed in next ensuing SCAA meeting.
25.	Rajasthan	Gangapur Pvt ITI PR08000501	8591/2021	That the petitioner had constructed 03 additional units of Electrician Trade in the existing premises of the institution. However, upon several applications made to the respondents. Nos.1, 2 and 3, no action whatsoever was taken for conducting the inspection in the petitioner institution. Being aggrieved with aforesaid contention the instant petition was filed.	The writ petition is disposed of dated 21.04.2023, and directed the respondents to carry out the inspection of the additional 03 units constructed in the existing Gangapur Pvt. Industrial Training Institute, Sawai Madhopur and are further directed to take decision in the matter expeditiously within a period of four weeks.	The petitioner application was rejected on NIMI portal due to less grading 1.25 for session 2020. The inspection was scheduled by state directorate which was denied by petitioner vide its letter dated 14.06.2023.	Not Recommended as the petitioner is not ready for inspection.
26.	Uttar Pradesh	Durga Pvt ITI TMPOLD320 MSTI	895/2022	That, the main writ petition No. 6302/2022 was filed by the petitioner ITI for challenging the decision taken by the DGT in its	The contempt case was disposed of on 17.10.2023 and directed that- " <i>It is therefore directed that the</i>	The petitioner was issued SCN to rectify the deficiencies and application to be decided in contempt case. RDSDE has	As decided separately on e file, the petitioner was intimated vide

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
				04th Standing Committee on Accreditation and Affiliation meeting held on 26.10.2021, whereby their applications seeking affiliation for academic session 2020-21 of 04 units of Electrician Trade and 2 units of COPA trade have been rejected. Thereafter the contempt case no. 895/2022 filed mentioning that no action has been taken by the respondent pursuant to the minutes of meeting dt 24.06.2022 resulting in non-compliance with the directions contained in the order dated 20.04.2022	<i>respondent shall give a show cause notice/opportunity to the petitioner to rectify the defects within 7 days from today, the petitioner shall respond to the same within 5 days thereafter and within 1 week thereafter, the decision shall be communicated on the application of the petitioner for grant of affiliation for the Session of 2023- 2024."</i>	carried out verification and submitted the report on 12-12-2023. The reply submitted by the applicant institute has been verified by RDSDE UP. In the submitted verification report, the following deficiencies have been observed: 1. The boundary wall is not available in front of the institute building. 2. The institute board on the main gate is not available. 3. The area of the drawing hall is less as per norms. 4. Proper lighting arrangement (adequate number of tube	email dated 29.12.2023. The petitioner ITI needs to rectify the deficiencies as indicated above within 1 month from the above email dated 29.12.2023 and inform the concerned RDSDE. Thereafter, RDSDE will verify the removal of deficiencies and submit a duly signed and stamped report on each point mentioned above within 07 days to DGT. The petitioner institute should note that if it fails to rectify the deficiencies

2023-2024

अपाई

12/01/24

अमृत पाल सिंह/Amrit Pal Singh, IAS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

103

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
						<p>lights and fans not available).</p> <p>5. As informed by State Directorate the NOC document submitted by ITI doesn't seems genuine .</p> <p>6. Hence, a No Objection Certificate (NOC) document issued by the State Directorate on its official letterhead with the proper date, clearly stating whether the block in which this ITI is located is served or not should also be submitted by applicant.</p>	<p>within the stipulated 1-month period, then DGT will not be in a position to consider its application.</p>
27.	Uttar Pradesh	Jay Bajarangbali Private ITI PR09900225	12190/2019	To carry out the inspection at the new location where the petitioner institute is relocated	The present petition was disposed of along with connected matters (SS Pvt ITI and Jai Bajrang Bali ITI) on	As per TC section email 04.10.2023, the petitioner was already intimated to keep ready the infrastructure ready for inspection.	RDSDE will create the batch for joint inspection in coordination with the petitioner and

संज्ञा, निदेशक, जे.डी.एस. प्रशिक्षण निदेशालय, नई दिल्ली।
 12/10/24

२२

अमृत सिंह
 12/10/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
 संयुक्त निदेशक/Joint Director Page 77 of 103
 प्रशिक्षण निदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
					<p>04.10.2023 inter alia directing the respondents to carry out the inspection at new site and take a decision within 04 weeks from the inspection, and to be bound by submission given by our learned counsel.</p> <p>That till the application of the petitioners-institutions are decided after the joint inspection at their new locations, no coercive steps shall be taken against the petitioners-institutions by the respondent-DGT.</p>	<p>RDSDE and state directorate was also informed to create the batch for inspection and submit the report.</p>	<p>state directorate within 01 month from issue of this MoM and submit the report thereafter.</p> <p>The inspection report shall be placed in ensuing next SCAA.</p>
28.	Uttar Pradesh	SS Private ITI PR09000523	12009/2019	The Writ petition which has been filed with prayer inter alia to restrain the respondent from conducting Joint	The present petition was disposed of along with connected matters (SS Pvt ITI	As per TC section email 04.10.2023, the petitioner was already intimated to keep ready the	RDSDE will create the batch for joint inspection in coordination

2023-10-24 10:10:10

864

अमृत सिंह

12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
 संयुक्त निदेशक/Joint Director
 प्रशिक्षण निदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Page 78 of 103

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
				Inspection of premises of the petitioner institute at its old location at "Tondapur, District Etah, UP" in pursuance of its communication dated 22.10.2019; and to conduct joint inspection at its new location at "Himmatganj, Tehsil Bilsa, District Badayn, UP" and to decide its application for shifting of premises.	and Jai Bajrang Bali ITI) on 04.10.2023 inter alia directing the respondents to carry out the inspection at new site and take a decision within 04 weeks from the inspection, and to be bound by submission given by our learned counsel. That till the application of the petitioners-institutions are decided after the joint inspection at their new locations, no coercive steps shall be taken against the petitioners-institutions by the respondent-DGT.	infrastructure ready for inspection. RDSDE and state directorate was also informed to create the batch for inspection and submit the report.	with the petitioner and state directorate within 01 month from issue of this MoM and submit the report thereafter. The inspection report shall be placed in ensuing next SCAA.
29.	Uttar Pradesh	Maa Pitambara MSTI	17682/2022	Quashing of decision taken by the respondent in respect of the	The Hon'ble court has disposed of the matter on	The petitioner has been communicated the prior intimation	RDSDE will create the batch for joint

अमृत पल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
नई दिल्ली/Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
		TMP9161PR158 0055807		petitioner institution to the extent that it only grants affiliation in the trade of electrician [2 (1+1)] which is not as per the trade applied by the petitioner institution and direct the respondent to issue affiliation to petitioner institution for the Trades of Computer Operator & Programming Assistant [2 (1+1)] and Electrician [4 (2+2)], as has been recommended by the competent authority vide letter dated 17.08.2022; from the ensuing session; and/or any other relief	01.11.2023 with the direction to inspect the petitioner institution for grant of affiliation for remaining trades (Electrician and COPA) units as prayed. The decision may be taken on the application within a period of four weeks from the date of receipt of the inspection report. The petitioner-institution undertakes to cooperate with the joint inspection	vide email dated 08.11.2023 to give its willingness for inspection. During the meeting RDSDE intimated that, the petitioner has not submitted its willingness for the inspection.	inspection in coordination with the petitioner and state directorate within 01 month from issue of this MoM and submit the report thereafter. The inspection report shall be placed in ensuing next SCAA.
30.	Uttar Pradesh	Ram Milan ram sunder. Private ITI QCI App No APP005616	8643/2019	To quash and set aside the office memorandum dated 26.09.2018 issued by the respondent no. 1; B. Issue an appropriate writ, order or direction to the Respondent No.1 to consider the application	The instant case is disposed of on dated 03.03.2023 inter alia directing that- "...5. In view of the aforesaid, this	1. The petitioner is intimated via email dated 31.03.2023 to get the inspection done by keeping the infrastructure ready as per the	Multiple opportunities were given to the petitioner to get the inspection done and the inspection

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
				filed by the petitioner for affiliation of opening new ITI. C. Pass such further or other orders which this Hon'ble Court may deem fit and proper under the facts and circumstances of the case"	<p><i>court finds it necessary to dispose of the present petition with the similar terms. Accordingly respondent No. 1 is directed to inspect the subject site and to consider the application of the petitioner for affiliation with new ITI Colleges for the next Academic Session as per the applicable regulations as on date.</i></p> <p><i>6. Let the entire exercise be done within a reasonable time. In case the respondent takes any decision, the petitioner is at liberty to take appropriate recourse, in</i></p>	<p>norms. The case was put up in 10th SCAA held on 16.06.2023 and it was decided to give extra time to the petitioner.</p> <p>2. RDSDE vide its email dated 04.08.2023 state that the Joint Inspection of the petitioner ITI was scheduled on 19.05.2023 however the ITI has requested time for inspection vide letter dated 15.05.2023 and DGT HQ has further approved for extension vide e-file 31589</p> <p>3. Subsequently RDSDE has issued office order for extension in the date of Inspection. However, the ITI</p>	<p>cannot be scheduled again and again.</p> <p>Accordingly, the application for affiliation is Not Recommended.</p>

24

12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
राज्य सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
					accordance with law."	<p>again submitted a letter dated 04.07.2023 for rescheduling the inspection due to water logging.</p> <p>4. Thereafter, the ITI once again submitted a letter dated 26.07.2023 stating that they are not ready for the inspection for this session and requested to conduct the inspection after February 2024 for affiliation in the next session.</p> <p>5. The petitioner has been offered the multiple opportunities but it is not ready for the inspection and again seeking time for rescheduling the date of inspection.</p>	

981

अपा सिंह

12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISOS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
31.	Uttar Pradesh	RamKishor Private ITI ITI1809017918	1058/2021	<p>The present petitions involved the relief clause in the petition being W.P.(C) 1058/2021 is reproduced as under:- <i>"[a] Issue a writ of certiorari and quash the decision taken by the Respondent in its 14th Recommendation Committee Meeting held on 10.11.2020 qua the Petitioner at Agenda No.14.1.1[S.No.2] vide which the application of the Petitioner for seeking affiliation for 3 units each in Electrician; Fitter; Sewing Technology and COPA Trades has been rejected; and</i></p> <p><i>[b] Issue a writ of mandamus and direct the Respondent to grant affiliation to the Petitioner for 3 units each in Electrician; Fitter; Sewing Technology and COPA Trades;"</i></p>	<p>The Hon'ble High Court vide its order dated 06.03.2023 in connected matter of CWP No 1058/2021 has disposed off this writ petition with the direction that the impugned decisions in the present petitions rejecting the applications of the petitioners for the concerned Academic Year are set aside.</p> <p>Directed to inspect DGT the subject site and consider the applications of the petitioners-institutions for affiliation with new ITI College for the next Academic Session by 30.06.2023</p>	<p>The petitioner is intimated via email dated 29.03.2023 to get the inspection done. Thereafter ITI has requested 02 months' time for inspection vide its letter dated 27.05.2023.</p> <p>The case was put up in 10th SCAA held on 16.06.2023 and SCAA agreed to give 02 months' time as per request of ITI.</p>	<p>The last and final opportunity is granted to keep the infrastructure ready as per norms and get the inspection done.</p> <p>RDSDE shall form the joint inspection committee and decide the date of inspection in coordination with state directorate and the petitioner within 01 month from issue of this MoM.</p> <p>The inspection report shall be placed in next SCAA meeting thereafter.</p>

अमृत पल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
32.	Uttar Pradesh	RK Pvt ITI QCI Application APP005412	13804/2018	The petitioner i.e. RK Private ITI, from District-Farrukhabad, Uttar Pradesh, has filed the application on Quality Council of India (QCI) portal bearing application number APP005412 for grant of accreditation of 2(1+1) units in COPA trade on 10.04.2015.	Vide order dated 10.10.2023 the matter was disposed of with the direction that - <i>"the petitioner is granted liberty to file a fresh application, in accordance with the affiliation norms of 2018."</i> <i>The respondent shall process the same and ensure that this application is taken to its logical end in accordance with the extant Regulations/norms and in case the petitioner-institution is found entitled for grant of affiliation, the same be extended so that the petitioner can operate its institution from the</i>	1. in compliance to judgement date 10.10.2023, a detailed OM was issued to open the NIMI portal from 01.11.2023 to 30.11.2023 for the petitioner to apply for affiliation as per Norms 2018. 2. The application fees of Rs 10,000/- shall be exempted or refunded back to the petitioner as per the functionality available on NIMI portal. 3. The petitioner has been communicated the OM vide email dated 20.10.2023 as well as through speed post on 23.10.2023. 4. Apart from this, the petitioner was also intimated by	The petitioner has not applied on the NIMI portal. Accordingly, the application for affiliation is Not Recommended.

2023/10/23 10:00 AM
प्रतिष्ठान निदेशक/ Joint Director
प्रशिक्षण निदेशालय/ Directorate of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/ Govt. of India, New Delhi

85/ अमृत सिंह
अमृत सिंह/ Amrit Singh, JDS
संयुक्त निदेशक/ Joint Director
प्रशिक्षण निदेशालय/ Directorate of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/ Govt. of India, New Delhi

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
					Academic Session 2024-25. The respondent-DGT shall not charge application fees for the purposes of affiliation, which is ₹10,000/-	NIMI helpdesk vide the email and telephonically on 03.11.2023 and 22.11.2023 but the petitioner has not initiated application.	
33.	Uttar Pradesh	Sri Mati Neeta Devi Pvt ITI PR09900473	8364/2023	To process and decide the application submitted by the petitioner institution for grant of affiliation for 9 Units (3+3+3) of Electrician Trade from the Academic Session 2023-24 in a time bound manner	The Hon'ble court has passed the direction on 22.08.2023 to reconsider the petitioner application by way of issuing the Show cause notice and to carry out fresh inspection within 07 weeks. Further the respondent was directed to take decision within a period of two weeks from the date of receipt of response of the petitioner.	1. DGT has issued the clarification of OM in the grading matter on 19.09.2023 in which the petitioner's name is mentioned at Sr no 109 of Annexure III. 2. In compliance to the Hon'ble court direction, the petitioner has been granted special dispensation to carry out the inspection directly. 3. Accordingly, a prior intimation was given to ITI to	RDSDE will create the batch for joint inspection in coordination with the petitioner and state directorate within 01 month from issue of this MoM and submit the report thereafter. The inspection report shall be placed in ensuing next SCAA.

अमृत पाल सिंह
12/01/24

Sr. No	State	Petitioner name and code	Case Number	Subject/ Prayer of petitioner	Details of Court order	Remarks by TC section	12 th SCAA Remarks
I	II	III	IV	V	VI	VII	VIII
						keep the infrastructure ready for joint inspection on 26.09.2023.	

42

अमरपाल सिंह

12/01/24

अमरपाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

3 (b) Court case compliance of previous SCAAs decision whose report is received from RDSDE and State Directorate (Bihar-06, HP-01, Punjab-01):

1. Petitioner ITI i.e, Aditya Private ITI, Hajipur, P.S., Keshariya, Block Kalyanpur, Dist, East Champaran, Pin - 845432, East Champaran, Bihar, TMP 418 MSTI New

Trade unit sought for affiliation: Electrician – 4 (2+2), Fitter – 4 (2+2)

Brief facts of the case:

- I. The affiliation matter petitioner institute was discussed in 9th SCAA dated 16.05.2023 to 19.05.2023. Remarks of 9th SCAA are as follows-

" State Directorate inform ITI is under the MSTI.SCAA observed the following deficiencies:

1. NOC from State for MSTI.
2. Detail of CITS instructors for each trade.

Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this Mom. Thereafter, State Director will verify all above documents and submit the signed & stamped report along with recommendation to DGT within 07 days.

After receipt of report from State Directorate, case will be placed in the SCAA."

- II. The petitioner has filed the writ petition WPC 13855/2023 with a prayer to decide the application of affiliation in time bound manner at Delhi High court.
- III. The Hon'ble court vide its order dated 28.11.2023 directed that -The respondent-DGT is directed to decide and deal with the applications as expeditiously as possible, before 30.03.2024. The respondent-DGT is further directed to take a note of the directions passed by this court in W.P.(C) 3830/2023 dated 10.04.2023

Compliance report from RDSDE:

To verify the deficiencies of 9th SCAA joint verification inspection committee visited Aditya Private ITI East Champaran Bihar on 08/11/2023 and ITI was informed regarding the same on vide email dated 04/11/2023. The institute was found closed and due to closure of the Institute, the following points were observed from outside in the campus as below

- I. No any separate hoardings/ banners were written on the board at that location in the campus, only name was written on the wall.
- II. The institute was completely closed and even after repeatedly asking the caretaker has not opened the campus lock and not able to answer about any workshops/Training conditions/ CITS instructors' details. The caretaker has said that only two months before he

अमृत पाल सिंह/Amrit Pal Singh, ISOS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

84
अमृत पाल सिंह
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISOS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

was appointed and no any past history known regarding the construction of these workshops as well as other areas inside the tin-shed structure.

- III. Some photos have been clicked which shows the campus ground is without cementing plaster/brick work plastering and mud may take place during rainy season outside the institute.
- IV. Whole workshop and building from outside seems made up of tin-shed and not able to perform theory classes due to non-availability of permanent structure as well as deficiencies of staffing Norms of official part/technical part as observed from outside.
- V. Photos from the back side shows it is under construction by bricks and no closer has been seen from backside and the windows were completely closed from inside at the tin shed structure.
- VI. One of the SCVT members have talked to the Secretary Private ITI regarding reaching to the campus but could not able to reach to the campus to open the lock condition and made be observed the Workshop conditions, Theory classrooms, IT room, Library and Engineering drawing room and CITS staff details.
- VII. Different photos have been attached clicked from outside to see the local conditions of the Aditya private ITI Campus where different vegetables were put for growth under agriculture conditions in the campus.
- VIII. In view of the above it has been observed that the private ITI Secretary/Principal has not been able to open the institute intentionally and informed wrongly not to be present in the campus on re-verification date of 08/11/2023.
- IX. Therefore, the Joint re-verification committee recommends the disciplinary action as per NCVT norms regarding refusal/closer of the institute on re-verification date even after proper information by email.

12th SCAA remarks: Despite giving prior intimation and sufficient opportunities, the petitioner didn't cooperate with the verification team deliberately in order to verify the deficiencies observed by 9th SCAA meeting qua the petitioner. Moreover, the joint verification team has also pointed out various major deficiencies, indicated above in the existing infrastructure. Hence, the SCAA did not recommend the application of the trade(s) and unit(s) sought for affiliation by petitioner institute.

2. Petitioner ITI i.e, Anandi Private ITI-Village. Adamapur, PO. Karwandiya, Sasaram, Rohtas, Bihar- 821305 MIS Code PR10000004

Trades/units sought for affiliation: Electrician 4(2+2)

Brief facts of the case:

- I. The affiliation matter was discussed in 9th SCAA meeting and remarks of 9th SCAA are as follows
"SCAA observed the following deficiencies: -
1. Detail of CITS instructors for Electrician trade.

Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 05 days from issue of this MoM.

Thereafter, State Director will verify all above documents and submit the signed & stamped report along with recommendation to DGT within 07 days.

After receipt of report from State Directorate, case will be placed in the SCAA.

- II. The petitioner has filed the writ petition WPC 12956/2023 with a prayer-*"Issue a writ of mandamus and direct the Respondent No.1 to finally decide the application of the Petitioner for grant of affiliation for 4 additional units in Electrician trade expeditiously and in a time bound manner."*
- III. The Hon'ble court vide its order dated 28.11.2023 directed that -The respondent-DGT is directed to decide and deal with the applications as expeditiously as possible, before 30.03.2024. The respondent-DGT is further directed to take a note of the directions passed by this court in W.P.(C) 3830/2023 dated 10.04.2023

Compliance report remarks:

RDSDE sent email on dated 9.11.2023 and provided the verification report, with the following observation:

- I. Details of Electrician Instructors are provided and mentioned that for Electrician instructors are available.
- II. In Trade-Fitter (2+2) existing units in ITI have 04 instructors out of which 02 are ITI in Fitter with CITS and 02 are ITI in Machinist with CITS. No Degree/Diploma with CITS instructors was present.
- III. Engineering Drawing, Workshop Calculation & Science and Emp. Skill Trainers were not present in ITI nor were Documents of these instructors produced at the time of inspection.

12th SCAA remarks:

As the ITI has appointed instructors for the additional Electrician trade, it is therefore recommended for additional Electrician 4(2+2).

However, the ITI needs to engage instructors for the existing Fitter trade, Engineering Drawing, Workshop Calculation & Science, and Employability Skills. Furthermore, the ITI is required to upload the details of the instructors on the portal within 15 days from the issue of the MoM. RDSDE will verify the instructors' appointments. In the event of any shortfall, they will submit a report to SSDEC. SSDEC will then initiate the proceedings for de-affiliation.

3. Petitioner ITI i.e, Arvind ITI Bhabua Kaimur , Bhabua Kaimur Kaimur (Bhabua), Bihar- 821101- PR10000258

Trade/unit sought for affiliation: Electrician 4(2+2)

Brief facts of the case:

This case was initially placed in 9th SCAA and was not recommended due to less grading. The applicant ITI has approached to the Hon'ble court ITI filed court case 11756/2023 with the prayer-*"Issue a writ of certiorari and quash the decision taken by the Respondent No.1 in its*

9th Meeting of SCAA held from 16th -19th May 2023 by which application of the Petitioner for seeking affiliation for 4 (2+2) additional units in Electrician Trade has been rejected. To rectify the affiliation status of the Petitioner on the NCVT-MIS portal by removing the excess 8 (4+4) units in Electrician Trade and excess 4 (2+2) units in Fitter Trade."

2. The Hon'ble court has disposed of the matter on 12.10.2023 with a direction to decide the application accordance with rules and in compliance to court judgement dated 12.10.2023 the excess 8 (4+4) units in Electrician Trade and excess 4 (2+2) units in Fitter Trade are de-activated on NCVT-MIS portal in respect of petitioner institute and grading is revised by IT cell from 3.5 to 6.3.

Compliance report remarks:

In this connection RDSDE sent email dated 9.11.2023 and mentioned that All the instructors are CITS trained and the electrical load is 28KW which is more than NCVT norms.

12th SCAA remarks : As petitioner ITI removed the deficiencies hence recommended additional Electrician 4(2+2)

4. Petitioner ITI i.e., BGP PRIVATE ITI, Block name: - SANHOULA District: - BHAGALPUR State: - Bihar, Bhagalpur, Bihar TMP 399 MSTI New

Trade unit sought for affiliation: Electrician- 4(2+2) and Fitter- 4(2+2)

Brief facts of the case: of the case:

- I. The affiliation matter was discussed in 9th SCAA and remarks of 9th SCAA are as follows
" State Directorate inform ITI is under the MSTI.SCAA observed the following deficiencies:
 1. NOC from State for MSTI.
 2. Shortage of electricity load and Electricity bill is also not available.
 3. Detail of CITS instructors for each trade.Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify all above documents and submit the signed & stamped report along with recommendation to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the SCAA."
- II. The petitioner has filed the writ petition 13877/2023 to decide the application of affiliation in time bound manner. The Hon'ble court vide its order dated 28.11.2023 directed that -The respondent-DGT is directed to decide and deal with the applications as expeditiously as possible, before 30.03.2024. The respondent-DGT is further directed to take a note of the directions passed by this court in W.P.(C) 3830/2023 dated 10.04.2023

Compliance report remarks:

2024.01.01 16:09:11
12/01/24
12/01/24

12/01/24

Joint re-verification inspection committee of BGP Pvt. ITI, Sanhoula, Bhagalpur visited on 03/11/2023 and email sent to the BGP Pvt. ITC Sanhoula, Bhagalpur on 31/10/2023 and 02/11/2023 by RDSDE, Bihar regarding physical re-verification by the committee members for the queries raised by the Chairman 9th SCAA meeting held at DGT, Hqrs, New Delhi.

- I. The Joint Re-Verification Committee members reached Sanhoula block in Bhagalpur district on 03/11/2023 and attempted to locate the designated address of BGP Pvt. ITI. However, there were no banners or posters of BGP Pvt. ITI, Sanhoula, Bhagalpur, as per NCVT norms along the roadside in Sanhoula Block. Upon inquiry with both official and non-official persons in the vicinity, someone indicated that the Pvt. ITI's location was nearby Sanhoula Handabara road, approximately 2 kilometers from the Sanhoula block headquarters. Despite the committee members' efforts to find the Pvt. ITI along the road, they couldn't locate it with its proper address and coordinates. After an hour-long search, coordinating with DGT Headquarters in New Delhi, the name, latitude, and longitude of the said Pvt. ITI were finally verified. The committee members made the following observations:
- II. The building was under construction, and some sections on the ground floor appeared to be rented out as a general shop. The basement was locked, and visibility was limited due to the absence of windows, resulting in a darker area behind the locked gate and ventilators.
- III. The workshop behind the building was constructed with tin sheds, and it was noticed that painting work was in progress. No equipment was observed on the floor. The individual engaged in the painting work claimed that the ITI was operational, and the removal of the banner was due to ongoing construction, assuring that it would be reinstated after completion.
- IV. Various photos were taken at the location, accompanied by geo-tags, and have been provided for your review.
- V. One of the SCVT members contacted the Secretary of the Pvt. ITI to confirm his arrival at the location. However, his mobile was later switched off, and despite the completion of the inspection process, further contact could not be established.
- VI. Considering the above circumstances, it was noted that the Pvt. ITI Secretary/Principal did not cooperate during the joint re-verification process on their premises. Their actions seemed to mislead the SCVT and NCVT members by evading the verification of different workshop items and the building's structural areas, violating NCVT norms.
- VII. Based on the overall situation observed, the BGP Private ITI appears to be under construction, with some areas being rented out for a general shop on the ground floor. There was no evidence indicating the existence of a Pvt. ITI under the affiliation process as per DGT Norms (NCVT).
- VIII. Therefore, the joint re-verification committee suggests taking action against as per NCVT Norms not to verify the said BGP Pvt. ITI, Bhagalpur, even though the process was scheduled on 03/11/2023, as the institute refused to undergo the re-verification process.

12th SCAA remarks: Despite giving prior intimation and sufficient opportunities, the petitioner didn't cooperate with the verification team deliberately in order to verify the deficiencies observed by 9th SCAA meeting qua the petitioner. Moreover, the joint verification team has also pointed out various major deficiencies, indicated above in the existing infrastructure. Hence, the SCAA did not recommend the application of the trade(s) and unit(s) sought for affiliation by petitioner institute.

5. Petitioner ITI i.e, DR R D Y PRIVATE ITI At--Near Nh-82 Gaya-Nawada Road, Near Kaeya, P.S- Gaya-823003, Bihar PU10000885 Grading - 5.3

Trade unit sought for affiliation: Electrician-16(8+8+0)

Brief facts of the case:

- I. This affiliation case was placed in 10th SCAA .
Remarks of 10th SCAA are as follows-
" SCAA observed the following deficiencies:
1. Electric load is less than required.
2. Building plan is not available.
Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.
Thereafter, State Director will verify all above documents and submit the signed & stamped report to DGT within 07 days.
After receipt of report from State Directorate, case will be placed in the next SCAA."
"
- II. The petitioner has filed the writ petition WPC 13585/2023 with the prayer- "Issue a writ of mandamus and direct the Respondent No.1 to finally decide the application of the Petitioner for grant of affiliation for 14 additional units in Electrician trade and 2 units in Electronics Mechanic trade from academic session 2023-24 expeditiously and in a time bound manner."
- III. The Hon'ble court vide its order dated 28.11.2023 disposed of the matter with the direction that – "The respondent-DGT is directed to decide and deal with the applications as expeditiously as possible, before 30.03.2024. The respondent-DGT is further directed to take a note of the directions passed by this court in W.P.(C) 3830/2023 dated 10.04.2023."

Compliance report remarks:

RDSDE sent email dated 9.11.2023 and made the following observation:

- I. Joint Re-verification Committee Members Inspected Dr. RDY Private ITI (PU10000885), Address: At- Near NH-82, Gaya Nawada Road near Kaiya, Manpur, Gaya, Bihar Pin-823003 of the Institute on 06/11/2023.
- II. Shortage of Electrical power of 5.02 KW having availability only **28.0 KW** whereas requirement is **33.02 KW** as per NCVT norms. Meter Sealing report was not made available by the ITI.
- III. Additional information: All CITS trained instructors were not present during inspection, workshop floor was not plastered, and the outside area of the workshop was also not plastered. Shortage of hand tools of electrician trade was also observed.
- IV. Due to shortage of electrical power and other associated tools in the electrician trade, Building is as per the blueprint site plan. However, the New electricity connection details and Building plan is not attached.

12th SCAA remarks: SCAA observed that, as per the report submitted by the joint verification team, the ITI has not yet addressed the identified deficiencies. Therefore, ITI is required to rectify the following deficiencies:

अमृत पाल सिंह/Amrit Pal Singh, ISPS
संयुक्त निदेशक/Joint Director

प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

- i. Shortage of electricity power
- ii. Shortage of instructors
- iii. Shortage of hand tools for the electrician trade
- iv. Building plan is not attached

Hence, the petitioner has been granted the last and final opportunity to remove the above-mentioned deficiencies within 15 days from issue of this MoM. Thereafter Regional Director of RDSDE Bihar, along with a senior officer from the State Directorate, shall visit this institute and submit a report on the mentioned points along with recommendation of trade/units.

6. Petitioner ITI i.e Omkara Pvt ITI , New MSTI , Bihar TMP10199PR1579876155:-

Trade unit sought for affiliation: Electrician - 4 (2+2)

Brief facts of the case:

- I. The case was first put up in 5th SCAA held on 18.08.2022. The Inspecting team (ICVC) has not recommended the institute due to -
 - "1. Pending construction work w.r.t. Engineering Drawing Hall.
 2. Although Building Completion certificate is uploaded but Engineering Drawing Hall is yet to be constructed for which a request letter from ITI is uploaded asking for more time to construct.
 3. IT Lab available but without Air Conditioner and asked for extension of time for building completion.
 4. Name of ITI not punched on all Machinery.
 5. General Machinery not installed properly."

TC section remarks for 5th SCAA meeting:

- "1. NOC from State Directorate to consider this ITI as MSTI not available.
2. Drawing hall not constructed yet.
3. BCC not available.
4. Some machinery is not installed properly."

5th SCAA remarks: "Not recommended as per recommendation of ICVC and deficiencies mentioned above."

- II. Thereafter this case was again reconsidered in the 9th SCAA meeting held on 16.05.2023. State Directorate send email on 5.12.2022 and mentioned that ITI removed all the deficiencies and recommended for Electrician-4(2+2). The report was scrutinized further in the SCAA meeting with following remarks-

प्रशिक्षण निदेशालय/State Directorate
कौशल विकास एवं उद्यमशीलता मंत्रालय/Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

अमृत पाल सिंह/Amrit Pal Singh, 1988
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

9th SCAA remarks: "State Director to submit duly signed and stamp following details along with recommendation within 15 days from issue of this MoM: 1. NOC for unserved block and, 2. Visible photos of IT lab and Drawing hall as per norms. After that case will be placed in the next SCAA."

III. Mean while the petitioner has filed the writ petition 13856/2023 with the prayer to decide the application of the affiliation. The Hon'ble court vide its order dated 28.11.2023 directed that- *"The respondent-DGT is directed to decide and deal with the applications as expeditiously as possible, before 30.03.2024. The respondent-DGT is further directed to take a note of the directions passed by this court in W.P.(C) 3830/2023 dated 10.04.2023."*

Compliance report remarks:

The state directorate Bihar and RDSDE has conducted the joint verification in compliance to the 9th SCAA meeting remarks and given the following remarks vide email dated 16.12.2023-

"1. During 9th meeting of SCAA held on 16.05.2023 to 19.05.2023 and as per minutes of meeting circulated vide letter no "DGTAff011 (51)/3/2023-0/0 DIR(TC) dated 08.06.2023". SCAA, inter alia, has mentioned following deficiencies i.r.t. Omkara Pvt. IT I, Jehanabad.

- NOC for Unserved block.
- Visible photos of IT Lab and Drawing hall as per norms.

SCAA committee has further recommended that State Director to submit duly signed and stamped the above mentioned details along with recommendation with 15 days from the issue of this MoM. After that case will be placed in the next SCAA.

2. State Directorate vide Office Order no. 3537, dated 20.10.2023, had nominated Shri Manoj Kumar, Principal In-charge, ITI Kalyanbigha and Shri Rajiv Ranjan Satsangi, Principal-incharge, ITI Arwal (LIME) and from RDSDE Bihar, Shri Abhishek Kumar, ISDS, AD/Principal, NSTI W Patna had been nominated.

3. The NCVT and SCVT members had visited the aforementioned ITI on 29.11.2023 after duly informing the ITI/MSTI vide RDSDE, Bihar email dated 28.11.2023.

Dr. P. S. RAO, Director
Department of Training
Central Board of Secondary Education
New Delhi

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
4-कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

3.1. ITI has been found in the approximate vicinity of the location mentioned at NCVT MIS Portal, one representative of ITI was present at the site but he had denied opening the institute for inspection and submitted one letter to the inspecting members duly signed and stamped by Principal, Omkara Private ITI.

3.2. In the aforementioned letter, ITI had, inter-alia, mentioned that institute has approached the Hon'ble high court of Delhi vide W.P.(C) No 13856/2023. Further, ITI in the same letter has also mentioned quote "We would like to inform that as the deficiencies pointed out by DGT through the decision taken by SCAA and compliance thereof involves consideration of on/y documents, therefore it is submitted that no further inspection of the institution is required for verification of compliance submitted by the institute" unquote. However, 9th meeting of SCAA has raised objection over visible photos of IT lab and drawing hall as per norms, which can't be certified over only document submission by the ITI and denying inspection even after having prior intimation of the same, further raises questions about available machineries/tools & equipment's and fulfilment of other parameters as per affiliation norms.

3.3. Outside walls of the ITI were not found plastered (Geo tagged photo attached with report), which is required as per civil affiliation norms.

3.4. The aforementioned ITI/MSTI comes under the 'Kako Block' of "Jehanabad district" and email from RDSDE Bihar to State Directorate of Employment and training, Bihar had been sent on 22.11.2023 to provide NOC for unserved block. Shri Pankaj Kumar, AD/Exam controller, DET Bihar over whatsapp had shared one document in which it has been shown that in kako block no Government or Private ITI is present; however, NOC for the same duly signed by State Director is still awaited.

3.5. The detailed inspection can't be carried out as management of ITI were not present for inspection and their representative on site had denied to open the institute even though they had already been intimated the date of physical visit and prima facie. it also doesn't appear after observation of ITI building from outside that it can't fulfil the affiliation norms for MSTI.

4. In view of the above, the inspecting members DOES NOT recommend Omkara Pvt. ITI, Jehanabad for affiliation of any trade and final decision in this regard may be taken by competent authority/SCAA members."

12th SCAA remarks: Despite giving prior intimation and sufficient opportunities, the petitioner didn't cooperate with the verification team deliberately in order to verify the deficiencies observed by 9th SCAA meeting qua the petitioner. Moreover, the joint verification team has also pointed out various deficiencies, indicated above in the existing infrastructure. Hence, the SCAA did not recommend the application of the trade(s) and unit(s) sought for affiliation by petitioner institute.

7. **Petitioner ITI i.e, NEW DOGRA PVT. ITI BILASPUR Village Mehan P.O. Chandpur Tehsil Sadar Distt. Bilaspur H.P.-174004174004 MIS Code PR02000176 grading - 4.9**

2024-01-12 16:09:00
प्रमाणित/प्रमाणित
प्रमाणित/प्रमाणित
प्रमाणित/प्रमाणित
प्रमाणित/प्रमाणित

प्रमाणित/प्रमाणित
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार/Govt. of India, New Delhi

Trade unit sought for affiliation: Electrician 3(1+1+1) , Solar Technician (Electrical) 3(1+1+1)

Brief facts of the case:

- I. This case was placed in 10th SCAA held on dated 16.06.2023 to 23.06.2023. Remarks of 10th SCAA are as follows:
*"SCAA observed that only SCVT member present during the inspection of ITI.
Since the NCVT member was not present during inspection. Hence proposal was not considered.
State Director and RD, RDSDE to ensure in future that both NCVT and SCVT members should be present during the inspection.
SCAA Recommended that RD, RDSDE should arrange joint inspection (SCVT and NCVT members etc.) of this ITI and send the report within 10 days from issue of this MoM.
After receipt of report from RD, RDSDE, proposal will be placed in the next SCAA".*
- II. The petitioner has filed the writ petition 8030/2023 with the prayer- *"Respondent may kindly be directed to hold the SCAA or Special meeting and consider the case of the petitioner for grant of affiliation in time time-bound manner for session 2023-2025. Respondents no. 1 and 2 i.e state may kindly be directed to grant additional time to the petitioner for admission and counselling of the student."* The case is ongoing and is supposed to be listed on 11.01.2024.
- III. RDSDE Himachal Pradesh submitted the joint inspection report in compliance to the 10th SCAA observation which was further scrutinised at DGT level and the following observation made-
 - a. Electricity connection is not proper and shortage of Power required is 36.51 KW
 - b. BCC not as per norms
 - c. Instructor appointment details and salary credits proof not provided
- IV. The petitioner ITI was granted an opportunity to rectify the aforementioned deficiencies within 15 days on 21.11.2023 and required to submit the report to the concerned RDSDE. The State Directorate and RDSDE may then jointly verify the documents submitted by the ITI through a physical visit to the ITI and provide the report to DGT within the next 15 days.
- V. In this connection a joint re verification report received from RDSDE Office on 21.12.2023 through e file. The following are observations in the inspection report submitted:
 - a. For the electricity connection - The said Private ITI applied for a name change, and now the total sanctioned load is 37 KW.
 - b. BCC - submitted visit report by Junior and Assistant Engineer wherein it is stated that the building is completed and ready to use.
 - c. Instructor appointment details and salary credits proof provided

12th SCAA remarks: Recommended for Electrician 2(1+1) and, Solar Technician (Electrical) 2(1+1).

2021-12-12 16:09:10
2021-12-12 16:09:10
2021-12-12 16:09:10

951

अमृत सिंह
12/01/24

8. **Guru Nanak Dev Ji Pvt ITI (PR03000242), Punjab**

Hon`ble court in its order dated 24.11.2023 in WP.25007/2023 has given directions

"In the meantime, the petitioner-institute can admit students/ trainees as recommended by the inspection committee report dated 20.11.2023."

In this regard, State Directorate was informed by DGT through email dated 14.12.2023 for opening portal and uploading the data of admitted trainees for the session 2023 for the petitioner institution.

12th SCAA Remarks:

This matter was discussed in 12th SCAA and following decision has been taken:

To comply with Hon`ble court directions, State Directorate-Punjab is informed to upload the trainees on state online admission portal and migrate to DGT-SID portal as per the schedule given by DGT i.e. from 18th Dec to 29th Dec 2023.

However, the State Directorate-Punjab to discuss the issue of Guru Nanak Dev Ji Pvt ITI (PR03000242), in SSDEC Punjab and forward the recommendation as per the DGT order dated 10th November 2022 to DGT. Upon receiving the recommendations from SSDEC, Punjab, matter will be put up in next SCAA meeting for consideration.

18/

अमृत पाल सिंह
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Annexure-III

List of 35 ITIs recommended for de-affiliation by SSDEC Madhya Pradesh as referred in

Sr.No.	Name of ITI	MIS Code
1.	Chanakya Private ITI, Ashoknagar	PR23000952
2.	Shri Radhe Private ITI	PU23000726
3.	Maa Mangla Devi Private ITI, Datia	PR23000579
4.	Shri Ji Pvt ITI, Gwalior	PU23000720
5.	Tirupati Private ITI, Ashoknagar	PU23000769
6.	Shri Sai Jee Privet ITI, Singrouli	PU23000732
7.	Shri Radhe Private ITI, Shivpuri	PR23000197
8.	Shri Sai Private ITI, Singrouli	PR23000174
9.	Shikha Private ITI, Gwalior	PR23001009
10.	Sai Kripa Private ITI, Singrouli	PR23000176
11.	Maa Kunti Private ITI, Singrouli	PU23000945
12.	Siyaram Private ITI, Gwalior	PU23000400
13.	The Vatsalya Private ITI, Sagar	PR23000888
14.	Aacharya Pvt ITI, Katni	PU23000484
15.	Ekjut Private ITI, Katni	PU23000975
16.	Sun Pvt. ITI, Balaghat	PU23000995
17.	Ideal Pvt ITI, Gwalior	PU23000555

18.	Radhey Govind Private ITI, Chhatarpur	PU23001110
19.	Unique Pvt. ITI	PR23000442
20.	Chanakya Private I.T.I, Chhatarpur	PU23000896
21.	Mesco Pvt ITI, Gwalior	PU23000607
22.	Mahavir Pvt. ITI , Shahdol	PR23000159
23.	STR Private ITI, Gwalior	PU23000841
24.	Gurukul Private ITI, Manpura, Bhind	PU23000418
25.	Excellence Private ITI, Bhopa	PR23000213
26.	Sadhguru Pvt. ITI, Shidi	PR23000430
27.	Atash Private ITI, Chhindwara	PR23000498
28.	Vee Academy Private ITI, Gwalior	PU23000953
29.	Molecular Pvt. ITI, Gwalior	PU23000612
30.	Pitambara Private ITI , Datia	PU23000635
31.	Takshashila Pvt ITI, Chhatarpur	PU23000455
32.	Ramraja Private ITI, Chatarpur	PU23000989
33.	Samrat Private ITI, Chhindwara	PR23000163
34.	Pt Brij Kishore Pateria Private ITI,	PR23000904
35.	Islamia Pvt. ITI, Shardhanand Marg, Indore	PU23000380 Admission status is awaited

12/01/24
 अमृत पाल सिंह/Amrit Pal Singh, ISDS
 संयुक्त निदेशक/Joint Director
 प्रशिक्षण निदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार नई दिल्ली/Govt. of India, New Delhi

One-time relaxation from de-activation of trades/units whose seats are 100% vacant from 2 consecutive years:

With reference to the DGT-MIS011/1/2022-TC SECTION [53887] dated 10.11.2022 regarding one-time relaxation from De-activation of trades/units of ITIs whose 100% seats are lying vacant for 2 consecutive years. Accordingly, concern state directorates are directed to ascertain the readiness of the ITI(s) by inspecting physically and forward recommendations of SSDEC to the DGT.

In this context, SSDEC recommendations are received from following state directorates:

- I. Tamil Nadu.
- II. Maharashtra.
- III. Rajasthan.

Accordingly, these SSDEC recommendations are put up in the 12th SCAA meeting and approval accorded as per comments mentioned below:

I. State: Tamil Nadu [Total no of ITIs proposal received: 10 (Govt-0, Pvt- 10)]

Sr. No.	MIS Code	ITI Name	District	Recommendations of SSDEC	Recommendations of SCAA	Remarks of SCAA
I	II	III	IV	V	VI	VII
1.	PR33000423	Kongu private ITI, Erode	Erode	Recommended Welder-2 Units (1+1)	Recommended Welder-1 Unit (1+0)	As per NCVTMIS portal, ITI is affiliated with Welder-1 unit (1+0) only.
	PR33000423	Kongu private ITI, Erode	Erode	Recommended Computer Operator and Programming Assistant – 2 Units (1+1)	Recommended Computer Operator and Programming Assistant – 1 Unit (1+0)	As per NCVTMIS portal, ITI is affiliated with COPA-1 unit (1+0) only.
2.	PR33000532	Kongu polytechnic College pvt ITI, Erode	Erode	Recommended Plumber-1 Unit (1+0)	Recommended Plumber-1 Unit (1+0)	--

अमृत पाल सिंह/Amrit Pal Singh, ISOS
 संयुक्त निदेशक/Joint Director
 प्रशिक्षण निदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship

	PU33000112	Al Ameen Khajamain Pvt ITI, Trichy	Tiruchirappalli	Recommended Plumber-2 Units (1+1)	Recommended Plumber-2 Units (1+1)	--
	PU33000112	Al Ameen Khajamain Pvt ITI, Trichy	Tiruchirappalli	Recommended Welder- 2 Units (1+1)	Recommended Welder- 2 Units (1+1)	--
	PU33000112	Al Ameen Khajamain Pvt ITI, Trichy	Tiruchirappalli	Recommended Electrician-4 Units (2+2)	Recommended Electrician-2 Units (1+1)	As per NCVTMIS portal, ITI is affiliated with Electrician-2 Units (1+1) only.
	PU33000112	Al Ameen Khajamain Pvt ITI, Trichy	Tiruchirappalli	Recommended Fitter – 2 Units (1+1)	Recommended Fitter-2 Units (1+1)	--
3.	Not mentioned	Jeya Pvt ITI, Sawyerpuram, Tuticorin	Tuticorin	Recommended Fitter-1 Unit (0+1)	Not Considered	MIS code of the ITI is not provided and unable to find ITI on NCVTMIS portal.
		Jeya Pvt ITI, Sawyerpuram, Tuticorin	Tuticorin	Recommended Electrician – 1 Unit (0+1)	Not Considered	MIS code of the ITI is not provided and unable to find ITI on NCVTMIS portal.
4.	PR33000377	Ramasamy Chellapappu Pvt ITI, Eragudi, Trichy	Tiruchirappalli	Recommended Mechanic (Motor Vehicle) – 2 Units (1+1)	Recommended Mechanic (Motor Vehicle)-2 Units (1+1)	
5.	PR33000029	Sri Balaji Pvt ITI, Gummidipoondi, Chennai	Thiruvallur	Not Recommended Fitter – 2 Units (1+1)	Not Recommended Fitter – 2 Units (1+1)	Due to SSDEC is not recommended.

2021. 10/01/21 16:59 Jharia (प्राप्त) 10/01/21 16:59
 10/01/21 16:59 Jharia (प्राप्त) 10/01/21 16:59
 10/01/21 16:59 Jharia (प्राप्त) 10/01/21 16:59
 10/01/21 16:59 Jharia (प्राप्त) 10/01/21 16:59
 10/01/21 16:59 Jharia (प्राप्त) 10/01/21 16:59

प्रमाणित

अमृतपाल सिंह/Amrit Pal Singh, ISDS
 संयुक्त निदेशक/Joint Director
 प्रशिक्षण निदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 नई दिल्ली/Govt. of India, New Delhi

6.	PR33000643	K.S.Rangasamy Pvt ITI, Namakkal	Namakkal	Recommended Wireman – 2 Units (1+1)	Recommended Wireman – 2Units (1+1)	--
7.	PU33000290	Sri Agasthiya Industrial Training Centre, The Nilgris	The Nilgris	Recommended Fitter – 2 Units (1+1)	Recommended Wireman – 2Units (1+1)	--
8.	PR33000277	Nadar Mahajana SangamSethurama Nadar nelliammal ITI	Ramanathapuram	Not Recommended.	Not Recommended.	Since SSED is not Recommended.
9.	PU33000627	Smart cluster Foundation Pvt ITI	Tiruppur	Not Recommended.	Not Recommended.	Since SSED is not Recommended.
10.	PR33000361	Ganapathy Pvt ITI, Paramakudi, Ramanathapuram	Ramanathapuram	Not Recommended.	Not Recommended.	Since SSED is not Recommended.

II. **State: Maharashtra** [Total no of ITIs proposal received: 05 (Govt-0, Pvt- 05)]

Sr. No	MIS Code	ITI Name	District	Recommendations of SSDEC	Recommendations of SCAA	Remarks of SCAA
I	II	III	IV	V	VI	VII
1.	PU27000886	Shri. Dyaneshwar Thakare pvt ITI, Khasra, No.25, Zingabai Takli, Nagpur	Nagpur	Electrician-3 Units (1+1+1) 2 nd unit in all shifts.	Not Considered	As per NCVTMIS portal ITI is affiliated only Electrician-1+1+1, hence 2 nd unit recommendation may not be considered.
2.	PR27000675	Parshuram Private Industrial Training Institute Nagpur Koradi, Road, Po. Koradi, Nagpur	Nagpur	Fitter- 2 Units (0+0+2)	Not Considered	As per NCVTMIS portal ITI is affiliated only Fitter- 3+1, hence recommendation may not be considered

26/12/24
अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
नई दिल्ली/Govt. of India, New Delhi

3.	PR2700077	Chetna Pvt ITI Wardha	Wardha	Not Recommended Fitter-1 Unit (0+0+1)	Not Recommended	As per SSDEC recommendation.
4.	PR27000751	Saibaba Private ITI At Karanaja Tehsil/Mandal Gondia, Dist Gondia-441601	Gondia	Recommended Electrician- 1 Unit (0+1)	Recommended Electrician- 1 Unit (0+1)	--
5.	PR27000751	Saibaba Private ITI At Karanaja Tehsil/Mandal Gondia, Dist Gondia-441601	Gondia	Recommended Fitter- 2 Units (0+2)	Recommended Fitter- 2 Units (0+2)	Recommended unit is already active.

III. **State: Rajasthan** [Total no of ITIs proposal received: 34 (24+10)]

A list of 34 ITIs is received from State Directorate, Rajasthan through a letter is also been discussed with the state directorate representative and the chairperson has instructed to forward recommendations through SSDEC as mentioned in DGT order DGT-MIS011/1/2022-TC SECTION [53887] dated 10.11.2022 to put up in upcoming SCAA for taking decision applicable from the session 2024.

* Note: State Directorates must ensure the units which are affiliated under 3rd shift should comply DGT order no DGT-Aff0misc/19/2022-TC SECTION dated 09.01.2023.

854
अ. पा. सि. इ.
12/01/24

अमृत पाल सिंह/Amrit Pal Singh, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi