DGT-Aff011/1/2024-O/o DIR (TC) [E- 64524] Government of India Ministry of Skill Development and Entrepreneurship Directorate General of Training

Kaushal Bhawan, New Moti Bagh Chanakyapuri, New Delhi- 110023 Dated:19.02.2024

To

1. The State Directors,

(Assam, Chhattisgarh, Bihar, Gujarat, Himachal Pradesh, Jammu & Kashmir, Jharkhand, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Meghalaya, Nagaland, Punjab, Tamil Nadu, Uttar Pradesh, West Bengal)

The Regional Directors, RDSDEs

(Assam, Chhattisgarh, Bihar, Gujarat, Himachal Pradesh, Jammu & Kashmir, Jharkhand, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Meghalaya, Nagaland, Punjab, Tamil Nadu, Uttar Pradesh, West Bengal)

Subject: Minutes of 13th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" held on 30.01.2024 to 31.01.2024- regarding.

Sir / Madam,

Please find enclosed approved Minutes of 13th Meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 30.01.2024 to 31.01.2024. However, implementation orders agenda item wise will be issued in due course of time.

Further, the compliance reports if any, have to be submitted through NIMI compliance module only as per OM DGT-11014/2/2023-TC SECTION dated 26.06.2023 within the stipulated time limit as per the SCAA remarks.

This issues with the approval of competent authority.

Yours faithfully,

(Amrit Pal Singh) Joint Director, TC

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निवेशक/Joint Director प्रशिक्षण महानिदेशाक/Directorate General of Training कौशल विकास और उद्यमिता मञ्जालय Ministry of Skill Development and Entrepreneurship भारत सरकार, मई दिल्ली/Govt. of India, New Debi

Copy to:

- 1. PSO to DG/AS, DGT, Delhi
- 2. PPS to DDG (HQ).
- 3. PPS to DDG (South) / DDG (East).
- 4. ED, NIMI Chennai-for enabling compliance module on NIMI affiliation portal.
- NCVT MIS Portal In charge, DGT HQ, New Delhi, with a request to upload MoM on NCVT MIS Portal.

(Shramev Sharma) Assistant Director, TC

Page 1 of 116

DGT-Aff011/1/2024-O/o DIR (TC) Government of India

Ministry of Skill Development and Entrepreneurship Directorate General of Training Kaushal Bhawan, New Moti Bagh, Chanakyapuri, New Delhi- 110023

Minutes of 13th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" dated 30.01.2024 & 31.01.2024

The following DGT Officers were present during the meeting:

- 1. Sh. Ishwar Singh, Deputy Director General
- 2. Sh. Ujjwal Biswas, Director, TC, DGT Member
- 3. Sh. Raju Kannam, Deputy Director, TC-Section, DGT
- 4. Sh. Shramev Sharma Assistant Director, TC-Section, DGT
- 5. Ms. Pooja Verma -Assistant Director, TC-Section, DGT

Sr. No.	State	Name of RDSDE Officials	Name of State Officials
1.	Assam	Sh. Nizammuddin Bharbhuiya, Assistant Director	Mrs. Mausami Sen, Joint Director
2.	Chhattisgarh	Sh. Shammi Jha, Assistant Director	Sh. R B Tiwari, Dy. Director
3.	Bihar	Sh. Bijit Singha, Director, Sh. RC Mondal, Dy. Director Sh. Abhishek Singh, Assistant Director	Sh. Pankaj Kumar, Assistant Director
4.	Gujarat	Sh. J P Meena, Regional Director	Sh. H.B Kavadia, Technical Officer
5.	Himachal Pradesh	Sh. CH Ravi, Regional Director Sh. Mohinder Lal, Assistant Director	Sh. Sanjay Gupta, Deputy Director
6.	Jammu & Kashmir	Sh. CH Ravi, Regional Director	Sh. Farooq Khan, Joint Director
74	Jharkhand	Sh. Himanshu, Assistant Director	Sh. Yogendra Prashad, Assistant Director

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रशिक्षण महिनेशातवा/Directorate General of Training कौशल विकास और उद्योगता मञ्जलय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

M

		AMRIT PAL STATE INDS		
8.	Karnataka	Ms. Sonaji Meghana Assistant Director	Dr. Nagendra Honnalli, State Director	
9.	Kerala		Sh. Vinod Assistant Director	
10.	Madhya Pradesh	Sh. JP Meena, Regional Director Sh. Sumant Kumar, Assistant Director	Sh. RK Austin, Dy. Director	
11.	Maharashtra	Sh. C.S. Murthy, Director	Sh. Prashant Dongre, Assistant Director	
12.	Meghalaya	Sh. Nizamuddin Bharbhuiya, Assistant Director	Sh. HR Massar, Training Officer	
13.	Nagaland	Sh. Nizamuddin Bharbhuiya, Assistant Director	Sh. H Alongse, Deputy Director	_
14.	Punjab	Mrs. Swati Sethi, Regional Director	Sh. Nirmal, Assistant Director	
15.	Tamil Nadu	Sh. A.S Bhagat, Joint Director	Sh. Ravi Chandran, Additional Director	_
16.	Uttar Pradesh	Sh. J.D. Masilamani, Director Sh. Asheesh Shukla, Assistant Director	Sh. Rajendra Prasad, Joint Director	
17.	West Bengal	Sh. Ashim Roy, Assistant Director	Shri Surojit Mondal, Additional Director, DET Shri Prasenjit Bose, Assistant Director, DET	

800

अमृत पाल सिंह, आई एस.डी एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रीप्ताण महिनेदेशावर/Directorate General of Training कौशल विकास और उद्योगता मजालय Ministry of Skill Development and Entrepreneurship भारत सरकार, मई दिल्ली/Govt. of India, New Delhi

Agenda 1: Action Taken report of 12th SCAA meeting held on 15.12.2023 and 18.12.2023.

Minutes of 12th SCAA meeting dated 15.12.2023 and 18.12.2023 along with affiliation orders have been issued and uploaded on NCVT MIS Portal. The same has been informed to all members and the same was ratified by the committee.

Agenda 2: Reports received in compliance of SCAA remarks of previous SCAA meetings.

Compliance reports received from respective State Directorate till 29.01.2024 have discussed in the meeting and final remarks of the committee are attached in *Annexure-I*

Agenda 3 Affiliation proposal received through Minutes of Meeting of SSDECs of following states.

Affiliation proposal received through Minutes of Meeting of SSDECs of following states have been discussed in detail, final remarks of the SCAA are attached at *Annexure-II*

- i. Assam
- ii. Chhattisgarh
- iii. Himachal Pradesh
- iv. Jammu & Kashmir
- v. Kerala
- vi. Madhya Pradesh
- vii. Maharashtra
- viii. Meghalaya
- ix. Nagaland
- x. Puniab
- xi. Tamil Nadu
- xii. Uttar Pradesh
- xiii. West Bengal

Agenda 4: Complexity in the Certificate issued for Building Completion Certificate (BCC) of ITIs.

It has been observed that the Building Completion Certificate (BCC) is one of the crucial documents ensuring the safety of the building where the training is conducted. Although the affiliation norms, from 2018 provides clear instructions concerning the BCC, many institutes still submit incorrect BCC documents, leading to lingering compliance issues. To address this problem, there is a necessity to reiterate the instructions related to the BCC. The following points regarding BCC are clarified below:

I. For New ITI and Existing ITI (in case additional construction is taken by ITI for additional trade units sought for affiliation):

अमृत पाल सिंह, आई एसे डोस्ट्रिंग AMRIT PAL SINGH, ISDS संयुक्त निदेशक / Joint Director प्रशिक्षण महिनेदेशालप (Directorate General of Training कौशाल विकास और उद्यक्तिमा मञालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

- a. If ITI falls in an area, where presently statutory physical plans like Master plan/ Development plan, regional plan, peripheral plan, zonal plan etc. exist then ITI need to submit a BCC with respect to name & address of the ITI, clearly stating that "the building(s) is fully constructed and ready and safe in all respects for the intended use as Industrial Training Institute (ITI) as per the local building Byelaws related to ITIs/ Technical Institution Buildings or latest National Building Code (N.B.C) of India". This certificate should be issued from the Municipal Authority/ Development Authority/ Competent Authority clearly stating the aforesaid statement in the certificate.
- b. If the ITI falls in an area, where presently no statutory physical plans like Master plan/ Development plan, regional plan, peripheral plan, zonal plan etc. then two documents are required:
 - i. No statuary plan- from District Magistrate (Collector)/ Development Authority/ Municipal Authority/ Any other Competent revenue Authority clearly stating that this ITI falls in an area, where presently no statutory physical plans like Master plan/ Development plan, regional plan, peripheral plan, zonal plan etc., should be submitted.
 - ii. BCC with respect to name & address of the ITI clearly stating that the Building(s) is fully constructed and ready and safe in all respects for the intended use as an Industrial Training Institute (ITI) as per the local building Byelaws related to ITIs/ Technical Institution Buildings or latest National Building Code (N.B.C) of India. This certificate should be issued from Government Civil/ Structural Engineer.
- II. For Existing ITI where no additional construction is undertaken for additional trade units sought for affiliation

In this case, the existing Building Construction document is to be certified by the Municipal Authority/Development Authority or a Government Civil/ Structural Engineer. It should clearly state that the building is safe and sound, ready in all respects for the intended use as an Industrial Training Institute (ITI) as per the local building Byelaws related to ITIs/Technical Institution Buildings or the latest National Building Code (N.B.C.) of India.

985

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रीक्षण महानिदेशालय/Drectorate General of Training कोशाल विकास और उद्योगिता भूमालस्य Ministry of Skill Development and Entrepreneurship बात सरकार, महं दिल्ली/Govt. of India, New Delhi

Annexure-I

SCAA remarks on the compliance reports received from the States

2.1 State: Assam

Sr. No.	ITI Name	Trade / units sought for affiliation	Remarks of previous SCAA meetings	Remarks of TC Section	13th SCAA remarks
1	11	IV	V	VI	VII
1.	LEDO Pvt. ITI, Tinsukia, Assam TMP18302PR1647759922	1. Electrician – 4 (2+2+0) 2. Fitter - 4 (2+2+0) 3. Mechanic Diesel – 2 (1+1+0) 4. COPA – 2 (1+1+0) 5. Welder – 2 (1+1+0)	SCAA observed that only NCVT members were present during the inspection of ITI. Since the SCVT member was not present during the inspection. Hence the proposal was not considered. State Director and RD, RDSDE to ensure in future that both NCVT and SCVT members should be present during the inspection. SCAA Recommended that RD, RDSDE should arrange jointers.	Inspection was conducted on 30.08.2023 and report is received on NIMI portal from RDSDE and State Directorate Assam. As per report: NCVT and SCVT member have recommended affiliation for i. Electrician – 4 (2+2+0) ii. Fitter - 4 (2+2+0) iii. Mechanic Diesel – 2 (1+1+0)	Recommended for affiliation i. Electrician – (2+2+0) ii. Fitter - 4 (2+2+0) iii. Mechanic Diesel – 2 (1+1+0) iv. COPA – 2 (1+1+0) v. Welder – 2 (1+1+0)
		क्ष क्रूपा	AMRIT PAL SINGH अध्यक्त निवेशक /Joint Dis अध्यक्त निवेशक /Joint Dis अधिकण महिनेशालय/Directorate Guerria की बात निवेशालय/Directorate Guerria की बात निवेशालय/Directorate Guerria Ministry of Skill Development and Entr गारत सरकार, गई बिल्ली/Govt. of India	1 and a	Page 6 of 1 1

			Marine Marine		[E- 64524]
		V ₂	inspection (SCVT and NCVT members etc.) of this ITI and send the report within 10 days from issue of this MoM. After receipt of the report from RD, RDSDE, proposals will be placed in the next SCAA.	iv. COPA – 2 (1+1+0) v. Welder – 2 (1+1+0)	
2.	Kaziranga Pvt ITI Mis Code PR18000038	1. Fire Technology and Industrial Safety Management - 6 (2+2+2) 2. Solar Technician (Electrical)- 3 (1+1+1)	7th SCAA Remarks State and RDSDE will jointly verify the documents, submitted by ITI and RDSDE will submit a report to DGT Hq within 1 month from date of issue of this MoM with clear recommendation of trade/units. 9th SCAA Remarks The State Directorate has mentioned that power availability should be reverified	1. Mail is received from State Directorate Assam regarding additional power sanctioned in the ITI. 2. Total load required for existing and new trade sought for affiliation: 28.82 KW. Total available load after additional load sanctioned: 32 KW. 3. During SCAA meeting State Directorate has informed that 2	Recommended for affiliation of Fire Technology and Industrial Safety Management - 2 (1+1) For affiliation in third shift ITI need to apply under DST mode.

VIVISITE DATE OF THE STATE OF T

	Officials. SCAA agreed for the same State to verify the power availability as per norms and submit the report to DGT within 10 days from date of issue of this MoM. 11th SCAA Remarks SCAA observed that ITI has sufficient Techrology Industry Industry Mana may be recommended in special management of the sum of the s	nmended as cting pers during ction ucted on .2022 have nmended only 1) units for echnology ndustrial y gement
--	--	---

HH

अमृत पाल सिंह, आई एस.डी एस. AMRIT PAL SINGH, ISOS AMRIT PAL SINGH, ISOS संग्रुक्त निवेशक/Joint Director संग्रुक्त निवेशक/Joint Director प्रीक्षण महिनेशाल्य/Directorals Ceresian of Training कोशल विकास और उपायक्ता मजालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

2.2 State: Bihar

Sr. No	ITI Name	Trade / units sought for affiliation	Remarks of previous SCAA meetings	Remarks of TC Section	13 th SCAA remarks
1	II	IV	V	VI	VII
1.	Maa Sarswati Pvt. ITI, Arwal Bihar TMP10611PR158 0228554	Electrician - 4 (2+2)	SCAA observed the following deficiencies: 1. NOC from State Directorate not submitted for opening MSTI in unserved block. 2. Short term course not being proposed. ITI will Submit NOC for MSTI issued by State Directorate and proposed short term course to State Directorate within 07 days from issue of this MoM. The State Directorate will submit the signed & stamped documents to DGT within 07 days. After receipt of	1. Inspection was conducted by RDSDE and State on 06.11.2023 and Inspecting members have not recommended affiliation for Maa Saraswati Pvt. ITI as a MSTI due to following reasons: i. ITI was found closed on the day of inspection, even after prior intimation (mail dated 04.11.2023) and even multiple phone calls were done by inspecting members but were not answered by the Principal of the ITI. ii. Tall grass/Cow dung in front of the main gate of ITI approach road. iii. The picture of the classroom also clicked from outside through one of the open windows and was are found.	Not recommended for affiliation due to following reason: 1. ITI was found closed on the day of inspection (06.11.2023), even after prior intimation (mail dated 04.11.2023) and multiple phone calls were done by inspecting members but were not answered by the Principal of the ITI. 2. Tall grass/Cow dung in front of the main gate of ITI approach road. 3. The picture of the classroom also clicked from outside through one of the open windows and was found completely
				AMRIT PA	हि, आई एस डी एस

Pr proc	^		-	^		4
IE-	6	4	5	2	4	9

				The second secon	[E- 64524]
			documents from the State Directorate, the case will be placed in the next SCAA.	completely empty. The side walls of the ITI were also not plastered. iv. The aforementioned ITI/MSTI comes under the 'Sonebhadra Bansi Block' of "Arwal district" and within the same block one LWE Govt. ITI (GR10001342) is also functional, 2. Deficiencies are not removed, neither NOC for MSTI is available nor undertaken for Short Term course.	empty. The side walls of the ITI were also not plastered. 4. ITI did not submit the certificate from State Directorate declaring the block in question as unserved block. During the meeting State Directorate has confirmed that the aforementioned MSTI comes under the 'Sonebhadra Bansi Block' of "Arwal district" and within the same block one LWE Govt ITI (GR10001342) is also functional.
2.	Satyam Pvt. ITI, Begusarai (PR10000876) Old Location: Dariapur,tola- Dharampur,Po- Hathidah,Dist- Patna- 803301 New Location: Bandwar Road, Khamhar, District	Electrician – 4 (2+2)	The petitioner in the instant petition has prayed for quashment of the decision taken by the respondent vide communication dated 08.01.2020, whereby, the request of the petitioner for shifting of its ITI has been declined on the ground that the same would entail a change of district, which is impermissible.	Inspecting members of SCVT and NCVT had visited the ITI at new location on 07.11.2023 and checked the land, building, electricity connection, machinery and tools and other parameters as per NCVT affiliation norms. As per the report received following observations are made 1. The Satyam Private ITI was the report received following observations are made	Shifting Not Recommended due to following reasons: 1. Workshop sheds are made of tin sheets, which is not as per norms. 2. Drawing hall was not available in the ITI. 3. ITI had neither obtained fire & safety certificate from the Fire and safety department nor it had the available

संयुक्त निर्देशक/Joint Director प्रोत्तेषण महानिरोतात्वप/Directorate General of Training कोशल विकास और उड़ारिया मञ्जालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई बिल्ली/GovL of India, New Delhi

Begusarai, State Bihar- 851131

That the Hon'ble court has disposed of the case on 17.08.2023 by quashing the impugned order 08.01.2020 on the similar line of Radiant Private ITI Vs DGT with a direction to reconsider the petitioner case and to pass an appropriate order.

The petitioner was intimated on 19.09.2023 to carry out inspection.

12th SCAA remarks

RDSDE shall submit the complete report within 07 days from issue of this MoM.

Electrician (2+2) trade at Patna district vide Order no DGT-6/4/10/2016-TC dated 03.05.2016. The new shifting location of the ITI has been Bandwar Road. Khamhar, Distt.- Begusarai, State Bihar- 851131. As per DGT OM DGT-AffOmisc/1/2023-TC SECTION dated 30.06.2023, the OM, interalia mentions that the ITIs affiliated, prior to affiliation norms 2018, will be exempted from the land requirement as given in chapter 2-Civil norms for ITIs affiliation-2018 clause 1.2, point a & b. However, the institutional requirements such as classrooms, workshops, IT labs and drawing halls, as well as administrative area requirements, must comply with the latest norms. The trade infrastructure should adhere to the norms of the latest syllabus of the trades, issued by the DGT from time to time.

- Workshop sheds are made of tin sheets, which is not as per norms.
- Drawing hall was not available at the ITI.

- provisions for fire and safety at the institute.
- Classrooms don't have tiled floors, roofs have been provided with tinsheds and don't even have proper black/white boards for teaching.
- Library room has been shown inside the workshop area and doesn't have sufficient books or seating provision for reading.
- 6. Administrative hall/section, Multipurpose hall/courtyard, canteen, first aid room was not available.
- 7. Institute doesn't have a proper IT lab with all working computers with the latest operating software/ internet connection. The roof of the IT lab was also provided with a tin shed without Airconditioning facility.
- ITI had only submitted educational certificates of Technical/non-technical staff, whereas originals.

RY

AMRIT PAL SINGH, ISPage 11 of 116 संयुक्त निदेशक/Joint Director प्रशिक्षण महिनेशक/Joint Director प्रशिक्षण महिनेशक/Joint Director किया कि प्रशिक्षण महिनेशक और उद्योगिता मजानाय Ministry of Skill Development and Entrepteneurship भारत सरकार, नई दिल्ली/Govt. of India. New Delhi

-	
	645241
	D42/41

- 4. ITI had neither obtained fire & safety certificate from the Fire and safety department nor it had the available provisions for fire and safety at the institute.
- Classrooms don't have tiled floors, roofs have been provided with tin-sheds and don't even have proper black/white boards for teaching.
- Library room has been shown inside the workshop area and doesn't have sufficient books or seating provision for reading.
- Administrative hall/section, Multipurpose hall/courtyard, canteen, first aid room was not available.
- Institute doesn't have a proper IT lab with all working computers with the latest operating software/ internet connection. The roof of the IT lab was also provided with a tin shed without Air- conditioning facility.
- 9. ITI had only submitted educational certificates of Technical/non-technical staff, whereas originals. certificates of manpower at the time of inspection were not produced and most of

- certificates of manpower at the time of inspection were not produced and most of the technical staff were not present during inspection.
- Details of available technical staff for Workshop calculation & Science, Engineering drawing & Employability skills had not been provided

अमृत पाल सिंह, आई एस. डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रशिक्षण महानिदेशालय/Directorate General of Training कोशल विकास और उद्यमिता मञालय Ministry of Skill Development and Enterpreneurship मारत सरकार, मई दिल्ली/Govt. of India, New Delhi

			1	ALIEL SALES	[E- 64524]
				the technical staff were not present during inspection. 10. Details of available technical staff for Workshop calculation & Science, Engineering drawing & Employability skills had not been provided. 11. The Building completion certificate has initially not submitted to the inspecting members during the time of inspection, however ITI has obtained the same from Circle Office, Begusarai on 15.11.2023 vide letter no 243 and submitted the same to RDSDE Bihar office on 01.12.2023. 12. Hard punching/Engraving as per affiliation norms on any machineries/equipment available with the ITI had not been found or seen during the time of inspection. 13. In view of the above, the inspecting members of SCVT and NCVT DOES NOT recommend Satyam Pvt. ITI, Begusarai (PR10000876) for affiliation of Electrician (2+2)	
3.	Maa Sharda Private Industrial Training Institute	Electrician 8 (4+4+0)	10th SCAA Remarks The matter was discussed in SCAA and following	AD, RDSDE had visited the ITI and verified the DG set, matched the Sr. no of DG set with the bill invoice provided by	Recommended for affiliation of Electrician – 6 (3+3)

	Years, Ser year a regis	[E- 64524]
deficiencies observed: 1. Shortage of Number of Electrician workshop. 2. Non-availability of DG - Set. 3. Electricity bill is not available.	the ITI, the same has also been shown to RD, RDSDE Bihar over video call and Geo-tagged photographs of the installed DG set has been clicked and enclosed with this Report. Recommended affiliation for	
RD, RDSDE will verify the above deficiencies and submit the signed & stamped report to DGT within 07 days from issuing of this MoM. After receipt of report from RD, case will be placed in the next SCAA.	Electrician – 6 (3+3)	
11th SCAA Remarks		
SCAA observed that in Minutes of 10 th SCAA RD, RDSDE was asked to		

MIS Code:

PR10000789

11th SCAA Remarks

SCAA observed that in Minutes of 10th SCAA RD RDSDE was asked to verify the deficiencies and submit the signed & stamped report.

However Joint verification report is submitted by State and RDSDE both.

SCAA also observed that the bill for the DG set doesn't appear to be genuine.

	T		8	MAIN THE POPUL BY	[E- 64524]
			RD, RDSDE Bihar, will personally visit the ITI and submit a report on the availability of the DG set within 15 days from the date of issue of this MoM. Thereafter, the case will be reconsidered in next SCAA		
4.	Integrated Infotech Private ITI, Baheri, Darbhanga – 847105 MIS Code: PR10000607	Electrician - 16 (8+8)	Not Recommended. ITI needs to remove the deficiencies. 9th SCAA Remarks State and RDSDE to conduct the joint inspection of ITI within 15 days from date of issue of this MOM and State will submit the report to DGT.	Joint Inspection has been conducted on 04.11.2023, observations are as follows: Some shortage of Tools and equipment's, CITS Instructors and space area requirement as per NCVT norms, only 8 (4+4) units are recommended for affiliation.	Recommended for affiliation of Electrician - 8 (4+4).
5.	R.S. Private Industrial Training Institute, SIWAN, NH-85 Jasauli, Pakauli Near Maruti Agencies, Siwan, 841241 TMP10222PR158 1171259	1. Electrici an -8 (4+4) 2. Fitter – 4 (2+2) 3. Mechan ic Diesel - 2(1+1) 4. Plumber -2 (1+1)	9th SCAA Remarks SCAA observed the following deficiencies: - 1. Shortage of workshop area for Mechanic Diesel trade. 2. Shortage of Electricity load.	Joint inspection was conducted on 25.10.2023 observation are as follows: 1. Workshop Area for Mechanic Diesel Trade as per NCVT Norms (210) sq metres and Available 240 Sq metres. 2. Electricity Load as per NCVT Norms (25.22 KW) and Available 28.00 KW.	Recommended for affiliation of 1. Electrician - 8 (4+4) 2. Fitter - 4 (2+2) 3. Mechanic Diesel - 2 (1+1) 4. Plumber - 2 (1+1)

Ga.		-	-	AMBIT PAL SINCIPLIBRIS	[E- 64524]
			3. Detail of CITS instructors for each trade. 4. Shortage of Land. Applicants will rectify all the above deficiencies and submit the details to the State Directorate within 15 days from issue of this MoM. Thereafter, the State Director will verify all above documents and submit the signed & stamped report along with recommendation to DGT within 07 days. After receipt of the report from the State Directorate, the case will be placed in the SCAA.	 CITS Instructors are available for each Trades as Per NCVT Norms Land is Available as Per NCVT Norms Recommended affiliation for: Electrician - 8 (4+4) Fitter - 4 (2+2) Mechanic Diesel - 2 (1+1) Plumber - 2 (1+1) 	
6.	Vatika Pvt ITI; Jakhraj Sthan, Husainabad Road, Po+PS- Sheikhpura PR10000029	1. Electrici an - 8 (4+4) 2. Fitter - 4 (2+2)	The matter was discussed in SCAA and following deficiencies observed: 1. Shortage of Electricity load as per norms. 2. BCC is issued by Architect which is not as per norms. 3. Building plan not available.	As per report received from RDSDE and State: 1. RDSDE and State have physically visited the ITI on 02.11.2023 and checked all the documents related to compliance. 2. ITI has removed all the deficiency and has recommended affiliation for additional Electrician - 4 (2+2).	Recommended for affiliation of Electrician - 4 (2+2)

	AMRIT PAL SI	[E- 64524]
ITI will rectify all the above deficiencies and submit the details to the State Directorate within 07 days from issue of this MoM. Thereafter, the State Director will verify all above documents and submit the signed & stamped report to DGT within 07 days. After receipt of a report from the State Directorate, the case will be placed in the SCAA.	3. Total power available: 40KW, total power required for trade recommended is 22.62KW. 4. BCC from Executive engineer has been submitted. 5. Building plans for old and for extension of trade have been submitted.	

288

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रीक्षण महनिदेशावय/Directorate General of Training कौराल विकास और उद्यमिता मञालय Ministry of Skill Development and Entrepreneurship मारत सरकार, नई विल्ली/Govt. of India, New Delhi

2.3 State: Chhattisgarh

Sr. No.	ITI Name	Trade / units sought for affiliation	Remarks of previous SCAA meetings	Remarks of TC Section	13 th SCAA remarks
I	Ш	IV	V	VI	VII
1.	Agashe Industrial Training Centre, Raipur, Chhattisgarh MIS Code: PR22000056	Stenographer Secretarial Assistant (Hindi) -2 (1+1)	6th SCAA Remarks ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. BCC as per NCVT norms. 2. Undertaking to appoint CITS instructors before the start of session . 3. Availability of Drawing Hall 4. Availability of Lift and proper wiring as mentioned by RDSDE. The State Directorate will then verify the above reports and send a report along with recommendation	State has forwarded a letter of ITI as per which, ITI has informed that ITI has been constructed in 1991 Municipal Corporation Raipur issued building completion certificate through — case no 1722 dated 20-3-89 and order no 904 dated 25-4-1989. Since ITI is situated in old Raipur City (State capital of CG) and its master plan was implemented 20 years back, the area is marked residential. Now-a-days Municipal Corporation Raipur generates online BCC to new constructed cases are not entertained. Hence a certificate from registered Architect is being submitted.	ITI need to submit the BCC to concerned State Directorate as per Agenda 4 of this Minutes on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to the DGT within the next 15 days.

		[E- 64524]
for all the trades/units within 07 days .	AND TOTAL	[2-04024]
11th SCAA Remarks		
SCAA observed that BCC is not as per norms.		
ITI needs to submit the BCC as per norms (refer: page 108, Civil norms for establishment of ITI, in affiliation manual 2018) within 15 days.		
Thereafter State will verify the BCC and submit it to DGT(HQ) within 07 days.		
Then, this case will be reconsidered in next SCAA.		

2.4 State: Gujarat

Sr. No.	ITI Name	Trade / units sought for affiliation	Remarks of previous SCAA meetings	Remarks of TC Section	13 th SCAA remarks
I	11	IV	V	VI	VII
1.	Shagun Institute of Medical Sciences Private	Health Sanitary	5 th SCAA Remarks Rejected	As per documents received from the	Recommended for affiliation of

अमृत पाल सिंह, आई एस.डो.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director संयुक्त निदेशक/Joint Director प्रतिश्रण महिनदेशलप/Drectorate General of Training कोशल क्लिप्स अंद उद्योगना मात्रालय कोशल क्लिप्स अंद उद्योगना मात्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

				[E- 6452
		State will verify the following and submit signed and stamped report within 15 days from date of issue of this MoM 1. BCC as per norms (refer: page 108, Civil norms for establishment of ITI, in affiliation manual 2018) 2. Availability of Health Safety and Environment lab area as per norms. Thereafter, the case will be reconsidered in the next SCAA.		
I.S. Desai Institute of Medical Science Mahesana C/O. Gangaba B.Ed College Near Gaytri Mandir At & Post Bechraji Ta:- Bechraji Dist:- Mahesana - 384210 TMP24451PR164 7258252	1. Computer Operator and Programmi g Assistant (COPA) 2(1+1) 2. Health Sanitary Inspector 2(1+1) 3. Old Age Care 2(1+1 4. Radiology Technician 2(1+1)	1. BCC not as per norms. ITI will provide the BCC and submit the instructor details to the State Directorate within 07 days from issue of this MoM. Thereafter, the State Director will verify BCC as	As per documents received from the concerned State Directorate BCC issued by a registered engineer. and is issued on the name of society.	Recommended for affiliation of 1. Computer Operator and Programming Assistant (COPA) -2 (1+1) 2. Health Sanitary Inspector – 2 (1+1) 3. Old Age Care - 2 (1+1) 4. Radiology Technician – 2 (1+1)
·		**	संयुक्त निवेशक/Join परीक्षण महनिवेशाल/Directorate (काशाल विकास और उस Ministry of Skill Development and भारत सक्का सर्वे काशाल	Beneral of Training

[E-64524] stamped report to DGT within 07 days. Further Director- CD, along with RD, RDSDE, State Director of Gujarat State & Director- TC will submit the report within 07 days from the issue of this MoM, whether licence from concerned authority is required for purchasing the tools & equipment's of Radiology Technician trade. After receipt of report from State Directorate & Director - CD, DGT, case will be placed in the next SCAA. 11th SCAA Remarks State will verify the BCC as per norms (refer: page 108, Civil norms establishment of ITI, in affiliation manual 2018) and submit it to DGT within 15 days from the date of issue of this MoM Thereafter, the case will be reconsidered in the

24

next SCAA.

अमृत पाल सिंह, आई एस डी एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रोश्चण महिनेदेशाला/Director de Ceneral of Training कौशल विकास और उर्जाधनमा महालय Ministry of Skill Development and Entrepteneurship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

[E-64524]

11th SCAA Remarks	3.	R.J. International College Mahesana Near kaleshwari Temple opp. khodiyar Temple,dediyasa n 384002,Dist.MAH ESANA,Gujrat TMP24451PU164 7850139	2.	Health Sanitary Inspector - 6 (3+3+0) Physiothera py Technician - 2 (1+1+0) Early Childhood Educator - 2 (1+1+0) COPA - 2 (1+1+0)	The matter was discussed in SCAA and following deficiencies observed: 1.BCC is to be verified by the State Directorate. 2. Name mentioned on the Electricity bill is not as per norms. 3. Separate IT lab is required as per norms. 4. Separate entrance of ITI is required as per norms. 5. Building plans are not available. Applicants will rectify all the above deficiencies and submit the details to the State Directorate within 15 days from issue of this MoM. Thereafter, the State Director will verify BCC as per local building bye-laws & others above all documents and submit the signed & stamped report to DGT within 07 days. After receipt of the report from the State Directorate, the case will be placed in the next SCAA.	As per State Directorate report BCC is as per norm, and a valid Electricity bill is submitted with the name of Trust on it.	Recommended for affiliation of 1. Health Sanitary Inspector - 6 (3+3) 2. Physiotherapy Technician - 2 (1+1) 3. Early Childhood Educator - 2 (1+1) 4. COPA - 2 (1+1)
-------------------	----	--	----	---	--	---	---

	3011	[E- 64524
State will verify the following and submit signed and stamped report to DGT within 15 days from date of issue of this MoM		
1. BCC as per norms (refer: page 108, Civil norms for establishment of ITI, in affiliation manual 2018)		
2. Electricity Bill in the name of ITI/ organization at the ITI address		
Thereafter, the case will be reconsidered in the next SCAA.	Ais	
	314110	

277

AMRIT PAR सम्बद्धाः समुद्धाः निवशं के प्रतिकृति के प्रति के प्रतिकृति के प्रतिकृति के प्रतिकृति के प्रतिकृति के प्रतिकृति

2.5 State: Himachal Pradesh

	sought for affiliation	SCAA meetings	Remarks of TC Section	13 th SCAA remarks
II	IV	V	VI	VII
Doon Private ITI; Barotiwala- Baddi Society Complex (Above Jogindra Bank), Main Bazar Barotiwala Tehsil. Baddi Solan-174103 MIS Code:PR02000099	1. Fitter - 2 (1+1+0) 2. COPA - 2 (1+1+0) 3. Sewing Technology - 2 (1+1+0)	SCAA observed that only NCVT member present during the inspection of ITI. Since the SCVT member was not present during inspection. Hence proposal was not considered. State Director and RD, RDSDE to ensure in future that both NCVT and SCVT members should be present during the inspection. SCAA Recommended that RD, RDSDE should arrange joint inspection (SCVT and NCVT members etc.) of this ITI and send the report within 10 days from issue of this	Joint Inspection conducted by RDSDE and State Directorate, and observations based on the report is given below: 1. ITI has removed the deficiency of electric load, connected: 24.64KW, required load:19.2 KW. 2. Drawing hall and IT lab are available as per norms. 3. BCC as per norms.	Recommended for affiliation of 1. Fitter - 2 (1+1) 2. COPA - 2 (1+1) 3. Sewing Technology - 2 (1+1)
	Doon Private ITI; Barotiwala- Baddi Society Complex (Above Jogindra Bank), Main Bazar Barotiwala Tehsil. Baddi Solan-174103	II IV Doon Private ITI; Barotiwala- Baddi Society Complex (Above Jogindra Bank), Main Bazar Barotiwala Tehsil. Baddi Solan-174103 MIS IV 1. Fitter - 2 (1+1+0) 2. COPA - 2 (1+1+0) 3. Sewing Technology - 2 (1+1+0)	II Doon Private ITI; Barotiwala- Baddi Society Complex (Above Jogindra Bank), Main Bazar Barotiwala Tehsil. Baddi Solan-174103 MIS Code:PR02000099 1. Fitter - 2 (1+1+0) 2. COPA - 2 (1+1+0) 3. Sewing Technology - 2 (1+1+0) 4. Technology - 2 (1+1+0) 5. Technology - 2 (1+1+0) 6. Technology - 2 (1+1+0) 7. Since the SCVT member was not present during inspection. Hence proposal was not considered. State Director and RD, RDSDE to ensure in future that both NCVT and SCVT members should be present during the inspection. SCAA Recommended that RD, RDSDE should arrange joint inspection (SCVT and NCVT members etc.) of this ITI and send the report within	II Doon Private ITI; Barotiwala- Baddi Society Complex (Above Jogindra Bank), Main Bazar Barotiwala Tehsil. Baddi Solan-174103 MIS Code:PR02000099 Technology - 2 (1+1+0) Sewing Technology - 2 (1+1+0) Tode:PR02000099 Tode:

				A STATE OF THE PARTY OF THE PAR	[E- 04
			proposal will be placed in the next SCAA.	Extrac4 at	od fasti no rok a fist
2.	Maa Santoshi Private Industrial Training Institute Luharwin, Tehsil Ghumarwin BILASPUR-174021 PR02000070	Electrician -3 (1+1+1)	The matter was discussed in SCAA and following deficiencies observed: 1. Lease document not available. 2. Shortage of Drawing hall area, not as per norms. 3. Detail of CITS instructors for Electrician trade. ITI will rectify all the above deficiencies and submit the details to RD, RDSDE within 10 days from issue of this MoM. RD, RDSDE should arrange joint inspections in coordination with the State Director and send the report within 07 days. After receipt of the report from RD, the RDSDE case will be placed in the next SCAA.	provided trade	Signature of SCVT member is not visible on the documents submitted and dimensions of Drawing hall not visible in the documents submitted. Concerned State Directorate to resubmit the documents rectifying above mentioned deficiencies within 15 days from date of issue of this MoM.
3.	Shiv Hari Chadda Private ITI Harkukar	Electrician 2(1+1+0)	10th SCAA Remarks The matter was discussed in SCAA and	State has forwarded the compliance documents submitted by III afrom a the	SCAA observed that BCC is still not proper, name of issuing authority and

[E-	64524
-----	-------

	(Ghumarwin) BILASPUR-174021		following deficiencies observed: 1. Building plan not	document submitted the following observation are made:	date is not mentioned in BCC. Also, language of BCC is
	MIS Code PR02000189		 Building plan not available. BCC is not available. Biometric machine not available for staff & Student attendance. Details of CITS Instructor are required. Will rectify all the above deficiencies and submit the details to the State Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify all the above documents as per norms and submit the signed & stamped report to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the next 	BCC is issued on the letter head of ITI, counter signed by Assistant Engineer states that building is safe Building plan and Biometric machine photos provided Instructor details provided	not proper. ITI need to rectify above mentioned deficiencies and resubmit the BCC to concerned State Directorate as per Agenda 4 of this Minutes on the online compliance module within 1 month from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to the DGT within the next 15 days.
4.	Navneet ITI, Kunihar	Stenograp	SCAA. 10th SCAA Remarks	Joint inspection	SCAA observed that
	Solan Village Badori P.O Kunihar Teh Arki Distt Solan (Hp) 173207	her Secretarial Assistant (English) – 2 (1+1+0) 2. COPA - 2 (1+1+0)	The matter was discussed in SCAA and following deficiencies observed: 1. BCC not as per norms. 2. Building Plan is not as per norms.	conducted on dated 28.08.2023 and the following are the observation/ comments of the joint inspection team	BCC is still not proper. ITI need to re-submit the BCC to concerned State Directorate as per

TMP225PR1647340	0 Florida 0 5:		AND THE SHALL	
010	-2 (1+1+0) 4. Solar Technician (Electrical) -2 (1+1+0) 4. Applicant above def submit the Directorate from issue Thereafter will verify also verify above door norms and plan to be by RD, RD Directorate signed & sto DGT with After received the solution of the submit the Directorate from issue and plan to be by RD, RD Directorate signed & sto DGT with After received the place of the solution of the	tric machines ailable. of CITS tors for each will rectify all the ciencies and detail to State within 07 days of this MoM. State Director he BCC as per laws and will the other all uments as per the building jointly verified SDE & State and submit the tamped report hin 07 days. pt of report from ctorate, case will ed in the next SCAA.	provided by the applicant is verified by Junior Engineer Dev. Block & counter signed by Astt. Commissioner (Dev.)/BDO.	Agenda 4 of th Minutes on the onlin compliance modul within 1 month from the date of issue of this Minutes. Further, concerne State Directorate with werify the document submitted by the IT and submit the report to the DGT within the next 15 days.

2.6 State: Jharkhand

Sr.N o.	ITI Name	Trade / units sought for affiliation	Remarks of previous SCAA meetings	Remarks of TC Section	13 th SCAA remarks
------------	----------	--------------------------------------	-----------------------------------	-----------------------	-------------------------------

AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
पित्रातम्/Director ate Comerci of Training
कीशल विकास और उद्योगता मञ्जालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

	52	

					FE 04504
I	11	IV	V Suite 1	N St. VI	[E- 64524
1.	Om Prakash Jindal Community College Pvt ITI, Patratu Ramgarh 47p, Industrial Area, Patratu, Po- Soliya, Ps-Patratu, District - Ramgarh, State - Jharkhand - 829119 MIS Code: PR20000057	1. Mechanic Diesel – 2 (1+1+0)	The matter was discussed in SCAA and following deficiencies observed: 1. BCC is not as per norms. 2. Shortage of area for Mechanic Diesel trade workshop. 3. Biometric machine was not in use after covid. ITI will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify BCC as per local building bye-laws & instructor details and submit the signed & stamped report to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the next SCAA.	BCC is still not as per norms.	SCAA observed that BCC is not proper. ITI need to re-submit the BCC to concerned State Directorate as per Agenda 4 of this Minutes on the online compliance module within 1 month from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to the DGT within the next 15 days.
			11 OOAA Kelliarks	-31	

						[E- 64524
				SCAA observed that BCC is still not as per norms.	71	
				Hence ITI needs to submit		
				the BCC as per norms (refer: page 108, Civil		
				norms for establishment		
				of ITI, in affiliation manual		
				2018) to State Directorate		
				within 15 days from the date of issue of this MoM		
				Thereafter State will verify the BCC as per norms		
				and send the signed and		
				stamped copy to		
	ti.			DGT(HQ) within 07 days		
				Thereafter, the case will be reconsidered in the		
				next SCAA.		
2.	Maheshpur Private	1	Fitter	10th SCAA Remarks	BCC issued by	CCAA abaawaad that DOO :-
۷.	Industrial Training	1.	4(2+2)		BCC issued by Karyapal Abhiyant	SCAA observed that BCC is not proper.
	Institute Pakur	2.	Electrician	The matter was discussed in SCAA and	provided which states	8.5.50.4.0.5.06/
	Near Maheshpur Block Office	2	4(2+2) COPA	following deficiencies	that the constructed	ITI need to re-submit the BCC to concerned State
	Maheshpur, Dist-	٥.	2(1+1)	observed:	building is suitable for Maheshpur ITI.	Directorate as per Agenda 4
	Pakur, State-	4.	Sewing	BCC not as per		of this Minutes on the online
	Jharkhand-816106		Technolog	norms.	Arrest to the second second	compliance module within 1 month from the date of issue
	TMP20337PR1648		y 2(1+1)	Details of CITS instructors for all	State Assistant	of this Minutes.
	444289			trades.	Director has certified that BCC is issued by	Further, concerned State
				ITI will rectify all the	a competent authority.	Directorate will verify the
				above deficiencies and	As	documents submitted by the
				submit the detail to State	ZIVTK93	ITI and submit the report to
				Directorate within 07	ल सिंह, आई एस डी एस.	

***		[E- 64524]
days from issue of this MoM.		the DGT within the next 15 days.
Thereafter, State Director will verify all above documents and submit the signed & stamped report to DGT within 07 days.		
After receipt of report from State Directorate, case will be placed in the SCAA.		
11th SCAA Remarks		
SCAA observed that BCC is still not as per norms.		
Hence ITI needs to submit the BCC as per norms (refer: page 108, Civil norms for establishment of ITI, in affiliation manual 2018) to State Directorate within 15 days from the date of issue of this MoM.		
Thereafter, State will verify the BCC as per norms and send the signed and stamped copy to DGT(HQ) within 07days.Then the case will	N	
be reconsidered in next	स्पापि है समृत पाल सिंह, आई एस.डी एस समृत पाल सिंह, आई एस.डी एस SINGH, ISDS	

3.	Narayan Private			6th SCAA Remarks	Th	e state has	SCAA	observed that
	ITI	1.	Computer		su	omitted the		
			Operator	Not recommendedas	fol	owing compliance	i.	BCC is not proper.
	Saraikela		and	grading is low.	130000	tails:		BCC to be as per
	Kharsawan Nh-32,		Programmi		278,352			Agenda 4 of this
	Lupungdih,		ng	11th SCAA Remarks	1.	BCC issued by the	0	Minutes.
	Chandil, Po-		Assistant			executive engineer	ii.	Details of CITS
	Tankocha, Ps-		(COPA) - 2	SCAA observed the		submitted which		instructor not
	Nimdih Dist-		(1+1)	following deficiencies:		states that the		provided.
	Seraikella	2.	Electrician			construction is	ITI no	ada ta mastifications
	Kharswan		-4 (2+2)	BCC as per norms		physically		eds to rectify above
		3.	Electronics	(refer: page 108, Civil		completed and		oned deficiencies, and
	Pin-832401		Mechanic -	norms for	2.	looks satisfactory. State Assistant	submi	
			2 (1+1)	establishment of ITI,	۷.	Director has also		h concerned State
	MIS Code:	4.	Fitter - 4	in affiliation manual		certified that the		orate on the online
	φ.	1.1000	(2+2)	2018)		BCC is issued by a		iance module within 1
	PR20000199	5.	Sewing	CITS instructor		competent		from the date of issue
		30	Technolog	details for all trades.		authority.	of this	Minutes.
	Grading: 5.9		y – 2 (1+1)	Building plan.	3.	CITS instructor	Furthe	er, concerned State
1		6	Surveyor -	4. Fire Safety Certificate	203	details have been		orate will verify the
1		٥.	2 (1+1)	ET STATE OF THE ST		provided;		nents submitted by the
			_ ()	ITI will rectify all the		however, details		d submit the report to
1				above deficiencies and		for all trade unit		GT within the next 15
				submit the detail to State		(existing + new)	days.	OT WILLIAM LITO HOXE TO
				Directorate within 15 days		instructors are not	aayo.	
				from issue of this MoM.		available.		
					4.	Fire safety		
				State Directorate will		certificate has		
				submit the signed &	_	been provided.		
				stamped report along with	5.	The building plan		
				recommendation to DGT		is provided but not		
				within 07 days.		legible		
				STOCKED CONTROL OF CON				
				Thereafter, the case will				
				be reconsidered in next				
				SCAA.	_	िंद अर्थ एस के एस.		
				्रे' अमृत प् AMB	TP	सिंह, अर्ज एस से एस. AL SINGH, ISDS		

		_				[E- 64524]
4.	Shubham Institute of Technical Studies Pvt. ITI, Deoghar, Vill-Khaga Po + Ps-Khaga Block-Palojori Dis-Deoghar Jharkhand Pin Code- 814146 TMP20324PR1647 086389	3.	Electrician - 4 (2+2) Solar Technician (Electrical) - 2 (1+1) Radiology Technician - 2 (1+1) Physiother apy Technician - 2 (1+1)	9th SCAA Remarks SCAA observed that same information provided as in JHAB Pvt. ITI at SI. No. 1 above. All members agreed that RD, RDSDE Jharkhand and State Directorate member will physically visit the applicant institute and verify all the infrastructure available including power load and submit the report (annexure – III) within 15 days to DGT from the issue of this MoM. After that case will be placed in the next SCAA. 11th SCAA Remarks ITI needs to Submit BCC as per norms (refer: page 108, Civil norms for establishment of ITI, in affiliation manual 2018) to State Directorate within 15 days from date of issue of this MoM.	The BCC document issued by Manager cum Executive Engineer has been submitted which states that the building construction is in accordance with NBC 2005, is safe, earthquake-resistant, and suitable for ITI. The state Assistant Director has also certified that the BCC is issued by a competent authority.	Recommended for affiliation of 1. Electrician – 4 (2+2) 2. Solar Technician (Electrical) – 2 (1+1) 3. Radiology Technician – 2 (1+1) 4. Physiotherapy Technician – 2 (1+1)

ſΕ-	64524]
The same	OTOLTI

	[E- 04524
Thereafter State Directorate will verify the BCC as per norms and submit the signed and stamped report to DGT within 07 days.	241200 10 20 441
Thereafter, the case will be reconsidered in next SCAA.	

2.7 State: Karnataka

Sr. No.	ITI Name	Trade / units sought for affiliation	Remarks of previous SCAA meetings	Remarks of TC Section	13 th SCAA remarks
1	II	IV	V	VI	VII
1.	Jaybharat Private Industrial Training Institute, Belagavi, #689/1, Industrial Estate. Udyambag. Belagavi-590008 TMP29527PU15813 96813 and 1829018836	Trades sought for affiliation as per application TMP29527PU 1581396813 1. COPA -1 (1+0) 2. Electrician – 2 (1+1) 3. Fitter – 2 (1+1)	5 th SCAA Remarks ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. 3. Details of Trade/Units Sought for affiliation	ल सिंटertified by bs	Recommended for affiliation of 1. Electrician - 2 (1+1) 2. Fitter - 2 (1+1) 3. Foundryman - 1 (1+0) 4. Machinist - 2 (1+1) 5. Technician Mechatronics - 2 (1+1) 6. Tool & Die Maker (Dies & Moulds) - 2 (1+1)

N	124	
211		
ALLIP		
edito.		

	AW)		[E- 64524
5. Mach 2 (1+ 6. Tech	verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022. 7thSCAA Remarks For Application no TMP29527PU15813968 13 Trade unit sought for affiliation was- 1. COPA 1(1+0) 2. Electrician 2(1+1) 3. Fitter 2(1+1) 4. Welder 1(1+0) However, State Directorate recommended following	Executive Engineer, Belgaum City Corporation. 4. Fire safety recommendation is also attached. 5. State Directorate has recommended affiliation for the ITI.	
		असल पाल जिल्ल	

mentioned for Welder 1(1+0). As per State Recommendation only 2 trades in application no TMP29527PU15813968 13 Electrician 2(1+1), Fitter 2(1+1) recommended and COPA 1(1+0) Not Recommended, Welder 1(1+0) no remarks. Hence as discussed in committee, ITI is not meeting the minimum 4 trade criteria hence Not Recommended 9thSCAA Remarks State Officials informed that inspection was conducted for application no. 1829018836 wherein 7 trade sought for affiliation., however as per DGT record inspection is conducted for application no.TMP29527PU158139 6813 wherein only 4 trades sought for affiliation.

H

[E-64524]

the Beam	~ 4	FOA
II E	- 64	524

To clarify in this matter State to provide the inspection report for application no. 1829018836

within 7 days from date of issue of this MoM.

After that case will be placed in the next SCAA.

11thSCAA Remarks

During the SCAA meeting State Directorate has informed that the Joint inspection committee has conducted inspection as per; the Application No. 1829018836 wherein the applicant institution has sought affiliation for 7 trades.

As per State Director recommendation SCAA agreed to consider the trade units of application number 1829018836

SCAA suggested that State Director should check all the documents i.e., BCC, building plan etc. and submit report to DGT(HQ) within 07 days.

म्प्रीकृरं

r	64		2	A
- 11	 04	-	1	4

2.	Loyola Private ITI,	1. Electrician	Thereafter, the case will be reconsidering in next SCAA. 9th SCAA Remarks	1.	State Directorate	[E- 64524]
	Bijapur Ukkali Road, Bijapur - 580101 MIS Code: PU29001302	- 2 (1+1) 2. COPA – 2 (1+1)	State Directorate and RDSDE to carried out Physical Joint inspection within 04 weeks, State Directorate to send the report in annexure -III. 11th SCAA Remarks ITI needs to remove the following deficiencies and submit report to State Directorate within 15 days from date of issue of this MoM: 1. All instructors not CITS qualified. 2. BCC not provided Approved layout plan not provided 3. Fire safety certificate not provided State will verify the documents submit report to DGT within 07 days. Thereafter, the case will be reconsidered in next SCAA.	2. 3.	has submitted that ITI has fulfilled all the points raised by the 11th SCAA, and has recommended affiliation. BCC issued by commissioner, City Corporation, Vijaya Pura has been submitted by the Institute. The Layout Plan has been approved by the Commissioner, City Corporation, Vijaya Pura. Fire safety certificate has been issued by District Fire officer. Details of three instructors those who have undergone CITS, for rest values.	SCAA observed that in BCC submitted it written that it is for residential purposes which is not as per norms. ITI needs to rectify above mentioned deficiencies and re-submit the BCC to concerned State Directorate as per Agenda 4 of this Minutes on the online compliance module within 1 month from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to the DGT within the next 15 days.

	and the second second	and the second second
[E- 6	AF	247
15-1	040.	241

				1	[E- 04524]
				undertaking has been submitted.	0
3.	The National Institute of Industrial Education I.T.C No. 65 Industrial area, Visveswaraya Nagar Mysuru-570008 MIS Code: PU29000061	Mechanic Motor Vehicle (MMV) - 2 (1+1)	SCAA observed the following deficiencies: 1. NOC from AICTE. 2. Shortage of electricity load. 3. Detail of CITS instructors for each trade. 4. MMV trade workshop area. Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 15 days from issue of this MoM. Thereafter, State Director will verify all above documents along with also check the feasibility of running MMV trade and submit the signed & stamped report to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the SCAA.11 th SCAA Remarks	As per State Directorate report, ITI has submitted that it is being run on its own land on a separate campus. Institute has unique, separate building which is well equipped with workshop lab. So, NOC from AICTE may not be required.	Recommended for affiliation of Mechanic Motor Vehicle (MMV) - 2 (1+1)

and the state of the same of the party in the same of the same of

				WIT PALL STRICK, ISDS	[E- 64524
			During the meeting, it was discussed that it appears to be a case of ITI established within the spare capacity of a Polytechnic. However, the NOC from AICTE is not attached		
			ITI needs to submit the NOC from AICTE to State Directorate within 15 days from the date of issue of this MoM		
			Thereafter, State Directorate will forward the same documents to DGT (HQ) within 07 days and this case will be reconsidered in next SCAA.		
4.	Sri Devi Industrial Training Centre Maralenahally Maralenahally Sira Road TUMAKURU- 572106 Mis Code:	Turner 2 Units Surveyor 2 Units COPA 2 Units Physiother	9th SCAA Remarks As informed by Director TC that details of trades applied for affiliation is not available due to non-availability of annexure III.	As per State Directorate report Institute has submitted Building occupancy certificate issued by AEE Tumkur Mahanagar Palika, building	SCAA observed that BCC is not as per norms, ITI need to submit the BCC as per Agenda 4 of this Minutes. ITI needs to re-submit the BCC to concerned State Directorate as per Agenda 4 of this Minutes on the online
	PR29000883 Grading : 7.5	apy Technician 2 Units	SCAA suggested that Director TC will inform NIMI to provide the details of trades applied for affiliation.	Palika, building plan, Fire safety certificate by District Fire officer has been	compliance module within 1 month from the date of issue of this Minutes. Further, concerned State Directorate will verify the

AMRIT PAL SINGH, ISINGH, स्वयंत्र निवेशक/Joint Director संयुक्त निवेशक/Joint Director पश्चिम महानिवालय/Directorale General of Training कीशन विकास और उद्योगिता महालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिली/Govt. of India, New Delhi

IE-		

					WHEN THE SIME	104 [E- 64524]
			Thereafter, case will be placed in the SCAA. 11th SCAA Remarks State Director informed that trade units sought for affiliation are as follows Turner 2 Units Surveyor 2 Units COPA 2 Units Physiotherapy Technician 2 Units SCAA suggested that State Director should verify the following documents and submit report to DGT within 07 days from date of issue of this MoM 1. BCC as per norms 2. Building Plan 3. Fire safety certificate	2.	submitted by the Institute. State Directorate has recommended the affiliation of the ITI	documents submitted by the ITI and submit the report to the DGT within the next 15 days.
5.	V M Katti Pvt. ITI A/P: B Bagewadi Belgaum-591305	1. Machinist 2(1+1)	9 th SCAA Remarks In the SCAA meeting it was discussed ITI has not sought for additional units 2(1+1) of Fitter trade and has applied only for	Dir Ins su bill	per State rectorate report stitute has bmitted electricity s of two nnections bearing	Recommended for affiliation of Machinist – 2 (1+1)

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संगुक्त निदेशक/Joint Director प्रीप्तक क्षित्रक/Joint Director प्रीप्तक क्षित्रका/Joint Director प्रीप्तक क्षित्रका/Joint Security (Training Many Sulf See Spunger and Inter-

			L Starte
MIS Code:	Mochinist 2/4+4	DD No Loops and L	[E- 64524]
PR29001405 Grading: 8.1	Machinist 2(1+1). Hence additional Fitter trade / units 2(1+1) will not be considered.	3041.	
Grading, 6.1	SCAA observed the following deficiencies:		
	 BCC not as per norms. Shortage of electricity load. Detail of CITS instructors for each trade. 		
	Applicants will rectify all the above deficiencies and submit the details to the State Directorate within 07 days from issue of this MoM.		
	Thereafter, State Director will verify all above documents and submit the signed & stamped report to DGT within 07 days.		
	After receipt of report from State Directorate, case will be placed in the SCAA.		
	11th SCAA Remarks	N	
	SCAA observed that ITI has 02 electricity	उर्ग प्रिनेड	एस.



Test and the second sec	[E- 64524]
connections. Hence ITI needs to submit electricity bill of both the connections within 15 days from date of issue of this MoM	ē.
Thereafter State Director will verify both the bills and submit report to DGT(HQ) within 07days and the case will be reconsidered in next SCAA.	

264

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निवेशक/Joint Director पशिवाण महानिवेशाल्य/Directorate General of Linining कौराल विकास और उपमिता मञ्जालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govl. of India, New Delhi

2.8 State: Maharashtra

Sr. No.	ITI Name	Trade / units sought for affiliation	Remarks of previous SCAA meetings	Remarks of TC Section	13 th SCAA remarks
1	II	IV	V	VI	
1.	Ha.Bha.Pa Sopankaka Kele ITI Kelewadi, Taluka, Vashi Dist Osmanabad, Maharashtr-413503 Mis Code: PR27000986	 Fitter – 2 (1+1) COPA – 2 (1+1) Electrician – 2 (1+1) 	Remarks SCAA also observed following deficiencies: 1. BCC is not as per norms. 2. Building plan not available ITI will rectify all the above deficiencies and submit the details to State Directorate within 15 days from issue of this MoM. State Directorate will submit the signed & stamped report to DGT within 07 days. After receipt of report from State Directorate, case	As per State Directorates report, ITI has submitted a revised BCC, name of ITI is clearly visible in the BCC. State Directorate has recommended affiliation for i. Fitter – 2 (1+1) ii. COPA – 2 (1+1) iii. Electrician – 2 (1+1)	Recommended for affiliation of 1. Fitter – 2 (1+1) 2. COPA – 2 (1+1) 3. Electrician – 2 (1+1)

						[E- 64524
				will be placed in the next SCAA.	producting day	
				11 th SCAA Remarks		
				SCAA observed on BCC document ITI name is not mentioned.		
				ITI needs to submit BCC as per norms to State Directorate within 07 days from date of issue of this MoM		
				Thereafter State Directorate will verify the BCC as per norms and submit report to DGT within 05 days .Then, the case will be reconsidered in next SCAA		
2.	Shri Padmalaya Private Industrial Training Institute Jalgaon Ap. Kasoda Tal Erandol Dist. Jalgaon 425109	2.	Fitter -2 (1+1+0) Electrician - 2 (1+1+0)	10 th SCAA Remarks SCAA observed that there is shortage in plot area as per	As per State Directorate's report Building plan has been verified. Further State Directorate has recommended	Recommended for affiliation of i. Fitter - 2 (1+1) ii. Electrician - 2 (1+1)
	TMP27478PR1649960714	3.	Solar Technician (Electrical)	DGT norms. Hence Not Recommended	i. Fitter - 2 (1+1) ii. Electrician - 2 (1+1) iii. Solar Technician (Electrical) - 2 (1+1)	iii. Solar Technician (Electrical) - 2 (1+1)

				the problem of the problem	[E- 64524]
		- 2 (1+1+0)	11 th SCAA Remarks	iv. Health Sanitary Inspector – 2 (1+1)	iv. Health Sanitary Inspector – 2
		4. Health Sanitary Inspector - 2	SCAA observed that ITI has not submitted building plan.		(1+1)
		(1+1+0)	ITI needs to submit the building plan to the State Directorate within 15 days from the date of issue of this MoM.		
			Thereafter, the State Directorate will verify the building plan and submit a report on whether the ITI building is constructed as per the building plan within 7 days.		
			Afterward, the case will be reconsidered in the next SCAA meeting.		
Surve 5 NH	Hanuman Private ITI rey No. 76/1, Plot No. 4, H-6, Bhusawal GAON-425201	Electrician – 2 (1+1)	9th SCAA Remarks SCAA observed the following deficiencies: -	ITI was not recommended for affiliation of Electrician 2(1+1) based on the comments received	SCAA observed that ITI has been granted multiple opportunity to submit BCC as per
MIS o	code 7000798		1. BCC not available.	from the State.	norms and the affiliation is not recommended in

AMRIT PAL SINGH, ISDS
संयुक्त निवेशक/Joint Director
संयुक्त निवेशक/Joint Director
प्रीक्षण नहिनेदेशक/Joint Corate General of training
कीशल विकास और उद्योगिता मञालय
Ministry of Skill Development and Entrepreneurship
मत सरकार, नई दिली/Goxf. of India, New Delhi

[E-64524]

2. Details of CITS instructors.

Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.

After that State Directorate will arrange the joint inspection in association with RD. RDSDE and submit the report in annexure - III by verifying BCC also within 15 days.

After receipt of report from State Directorate, case will be placed in the SCAA.

10th SCAA Remarks

Compliance awaited from State as per 9th SCAA i.e.

1. BCC not available.

- 2. Now, the State has again sent the matter to DGT with recommendation for affiliation of Electrician 2(1+1). Following observations are made in this regard:
 - BCC is certified by an Architect who is registered with the Council for Architect.
 - ii. Permission for construction was given by SDO Bhusawal.
- iii. Recommendations were also given by SSDEC.

11th SCAA based on the remarks of concerned State Director.

Now also BCC submitted is issued by Architect, which is not as per norms. Hence, Not recommended.

Note that the second se	[E- 64524]
2. Details of CITS instructors	CHEST FRAME
10000012 0000 20000 10	
11th SCAA	
Remarks As per	
remarks of State	
Directorate, SCAA	
did not recommend	
the ITI	

786

अपना निर्माण निर्माण कर्ता एस. डो.एस.
ANGET PAL SINGH, ISDS
White Prehimmal Orector to General of training
White Prehimmal Orector to General of training
White Prehimmal Orector to General of training
White Prehimmal Orector to General of the Prehimmal Orector to General of the Prehimmal of State Development and Entrepreneurship
White Prehimmal Orector of India, New Delhimmal of State Orector of Reedly Govt. of India, New Delhimmal of The Prehimmal of The Preh

2.9 State: Uttar Pradesh

Sr. No.	ITI Name	Trade / units sought for affiliation	Remarks of previous SCAA meetings	Remarks of TC Section	13 th SCAA remarks
1	II	IV	V	VI	VII
1.	A S M, Private ITI, Aligarh 1809016735	1. Diesel Mechanic - 3 (1+1+1) 2. Electrician - 6 (2+2+2) 3. Fitter - 3 (1+1+1) 4. Plumber - 3 (1+1+1)	3rd SCAA Remarks Not Recommended due to deficiencies mentioned in column V & VI 11th SCAA Remarks During this SCAA meeting it is observed that the affidavit given by ITI regarding the deficiency's removal, is not signed by ICVC. Hence State Directorate and RDSDE will jointly give comments on the deficiencies mentioned in the	State Directorate has informed that state representative has verified the deficiencies and provided the report submitted in which following observation are made: The State representative has signed and verified the affidavit given by ITI regarding the removal of the deficiencies mentioned in the 3rd SCAA. It is also mentioned that an excess land of 10000 sqm is available with the ASM degree college, hence as per the consent of all trust members it was rented to for ITI purposes.	Recommended for affiliation of 1. Diesel Mechanic - 2 (1+1) 2. Electrician - 4 (2+2) 3. Fitter - 2 (1+1) 4. Plumber - 2 (1+1)

Page 49 of 116

[E-	64	5	2	4

					[E- 6452
			3rd SCAA and submit a report within 15 days from the date of issue of this MoM."	STILL STATE OF	
2.	Manjul Industrial Traning Institute, Araji No.1221, Meharban Singh Ka Purwa, Kanpur Nagar MIS CODE: PU09002153 Grading: 7	1. COPA – 3(1+1+1) 2. Electrician 3(1+1+1) 3. Fitter 3(1+1+1)	5th SCAA Remarks Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI 11th SCAA Remarks SCAA observed that BCC is not as per norms. Hence ITI needs to submit the BCC as per norms (refer: page 108, Civil norms for establishment of ITI, in affiliation manual 2018) within 15 days to State Directorate	State has provided the BCC issued by the Executive Engineer, rural engineering department	Recommended for affiliation of 1. COPA – 2 (1+1) 2. Electrician - 2 (1+1) 3. Fitter – 2 (1+1)

ΓE-	64524	1
	0-102-7	1

				Thereafter, the State Directorate will verify the BCC and submit the report to DGT(HQ) within 07 days from date of issue of this MoM.	
3.	Jeetendraa Singh Pvt. ITI, Rasoolpur Tappa, Sarai Akhil, Kaushambi- 212216 1809026579 New ITI,	3 (1 2. Fitte	1+1) PA - 3 1+1) NM - 2	Ath SCAA Remarks Not Recommended due to non- availability of equipment and uninstalled machinery (Fitter Lab Machines are not installed as per norms Electrical Lab connection switch are not as per load /Earthing Copa Lab, Some Equipment not available CH&NM lab	ICVC submitted clarification against the deficiencies mentioned in 4th SCAA, as per remarks given below: 1. Fitter: All machines are installed and working properly 2. Electrician Lab: Electric connection switches are as per load and earthing available with all electric points 3. Copa lab: all tools equipment are available and working properly 4. CH&NM lab: all equipment are available and working properly 5. Arc welding machine installed and working properly 6. Hence recommended for affiliation of

	1	[E- 64524]
some equipment	i. Electrician -2	
not working, arc	(1+1)	
welding not	ii. Fitter – 2 (1+1)	
functioning and	iii. COPA – 2 (1+1)	
not installation)	iv. CHNM -2 (1+1)	
11th SCAA		
Remarks		
During this		
SCAA meeting it		
is discussed that		
ICVC should		
give its the		
comments on	2	
the remarks		
mentioned in the		
4th SCAA MoM.		
Hence SCAA		
suggested that		
State		
Directorate and		
RDSDE will		
carry out the		
joint verification		
as per the		
remarks of 4th		
SCAA MoM and		
submit report to		
DGT(HQ) within		
15 days from		
the date of issue		
of this MoM.	A	
	WIN 'S	

[E-64524]

							[E- 6452
4	Ram Jiyawan Memorial ITC - Jaunpur SARJU NAGAR KATWAR JAUNPUR -222165 Uttar Pradesh PR09000838 Grading: 5.30	Electrician - 6 (2+2+2) Fitter - 3 (1+1+1)	9th SCAA Remarks SCAA observed the deficiencies mentioned in column – V & VI.	13 RE	spection report dated .09.2023 is submitted by DSDE: Electricity load is enhanced to 20 KVA, i.e., 18KW (20KVA *.9) Required load as per old syllabus of COPA= 17.36	foll	[E- 6452] CAA observed lowing deficiencies: Electric load shortage of 1.35 KW. Required:19.35 KW, available load:18KW.
			recommended for Electrician 6(2+2+2) and Fitter 3(1+1+1)	3.	KW. As per revised syllabus of COPA= 19.35KW. BCC is issued by Assistant Engineer ', PWD Machinery payment proof attached. Staff appointment details provided Drawing hall furniture available. Workshop and classroom area for Additional Electrician trade is not given	ITI about derivative sulfation of the state	

-	-	_	_	
ſΕ-	64	O	2	4

-		_			441	E- 645
					and submit the to the DGT with next 15 days	
5.	Shri Tirupatil Balaji Private Industrial Training Institute, Nagla Shroti Civil Line Firozabad-283203, UP TMP9143PU1580823454	3.	COPA - 3 (1+1+1) Electrician -6 (2+2+2) Fitter - 3 (1+1+1) Health Sanitary Inspector-3 (1+1+1)	Sth SCAA Remarks Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI 11th SCAA Remarks During this SCAA meeting, it was discussed that ICVC should provide its comments on the remarks mentioned in the 5th SCAA MoM. Hence, SCAA suggested that the State Directorate and RDSDE will conduct a joint verification in accordance with the remarks	per norms 3. BCC issued by Assistant Engineer PWD 4. CITS instructor appointed 5. Earthing is completed in Electrician and Fitter workshop 6. Gas welding set is available in Fitter lab 7. Computers are available in IT lab	+1) 1) ary



- [E-	644	524]
_			7 -

					[=- 04	102
			from the 5th SCAA MoM and submit a report within 15 days from the date of issuance of this MoM. Thereafter the case will be reconsidered in next SCAA			
6.	Kiran Pvt. ITI, Kutubpur chanora Kotla road Firozabad- 283203 PU09900073 Existing ITI Grading: 7.90	1. Fitter – 9 (3+3+3) 2. Electrician - 3 (1+1+1) (extension of existing trade)	2nd SCAA Remarks Joint Re- inspection by RDSDE along State Directorate. 10th SCAA Remarks The matter was discussed in SCAA and following deficiencies observed: 1. IT Lab infrastructure is not as per norms.	RDSDE sent an email dated 28.11.2023 and mentioned that RDSDE has verified the documents submitted by ITI and signed copies of all documents are provided. Clear photos of the IT lab and drawing hall are attached.	Recommended for affiliation of 1. Fitter – 6 (3+3) 2. Electrician - 2 (1+1)	

		[E- 64524]
 Drawing Hall is not available. Detail of CITS instructors for each trade. 	See a man all et la lage seemen a lage seemen a lage seemen and seemen all et lage seemen	
Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.		-
Thereafter, RD, RDSDE will verify the rectification of above deficiencies and submit the signed & stamped report to DGT within 07 days.		
After receipt of report from RD, RDSDE, case	Air	

250

अमृत पाल सिंह, आई एस औ एस. AMRIT PAL SINGH, ISDS स्मान्तर निदेशक / Joint Director प्रीक्षण महान्देशको जिल्लाको व Training कीशल विकास और उद्योगता महालय Ministry of Skill Development and Entrepreneurship भारत सरकार, गई बिल्ली/Govt. of India, New Delhi

					[E- 64524]
			will be placed in the next SCAA.		
			11thSCAA Remarks	8	
			SCAA observed that the IT lab photos are not clear and document submitted by ITI is not signed by RDSDE official.	*	
			Hence, RDSDE will verify the documents submitted by ITI and submit report to DGT(HQ) within 07 days from the date of issue of this MoM		
			Thereafter the case will be reconsidered in next SCAA.		
7.	Maa Durgawati I.T.I College Private Private Industrial Training Institute, Mirzapur	 Fitter – 3 (1+1+1) Electrician - 3 (1+1+1) Cutting & Sewing (VI & 	9thSCAA Remarks SCAA observed the following deficiencies:	Court case matter 44817/2023 Vide court order dated 12.01.2024 it is directed to decide the case within one month.	i. One of the instructors is short of experience in Electrician trade.

अमृत पाल सिंह, आई एस डी एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक Joint Director प्रीक्षण महानिदेशालय/Directorate General of Training कोशल विकास और उद्यमिता मञालय Ministry of Skill Development and Entrepreneurship

[E-64524]

	Pandri, Mirzapur-231304		OD) - 3	1.	Approved	1.	RDSDE submitted the	ii. Shortage of one
			(1+1+1)		building plan		compliance through	instructor in Cutting
	TMP9170PR1580290960	4.			is not		email dated 29.11.2023	& Sewing and Solar
			Technician		available.		and provided	Technician
1			(Electrical) -	2.	Detail of	2.	The layout plans photos	(Electrical) trade
1			3 (1+1+1)		CITS		of the drawing hall and	each.
1					instructors		Biometric machine	
1					for each	3.	The details of CITS	However,
1					trade.		instructor is provided	Recommended for
				3.	Biometric			affiliation of
					Machines			1. Fitter – 2 (1+1)
1					not available			2. Electrician - 2
					for trainees.			(1+1)
				4.	Drawing hall			3. Cutting & Sewing
1					furniture is			(VI & OD) - 2
1	_				not as per			(1+1)
					norms.			4. Solar Technician
1				An	plicant will			(Electrical) - 2
					tify all the			(1+1)
					ove			0.1:11-11
					iciencies and			Subject to the
					mit the detail			condition that the ITI
					State			applicant appoints
					ectorate			adequate instructors
					hin 07 days			with the required
								qualifications and submits the details of
				Sta				the same to DGT
					ectorate			
					icer will			within 15 days from date of issue of this
				700	sically visit			Minutes.
					ITI for			williules.
					ifying		1 -	
					awing hall		11/12	
				turi	niture.	-	3/4/17	
				_		. ,	/	



				0.1	[E- 64524
			Thereafter, State Director will verify all above documents and submit the signed & stamped report along with the recommendation to DGT within 07 days.		
			Thereafter the case will be placed in the next SCAA.		
			11th SCAA Remarks		
	*		SCAA recommended that RDSDE to send the compliance report again within 15 days from the date of issue of this MoM.		
8.	S.R.C.M. PRIVATE ITI Agra-Jaipur Road Sahara Agra Agra 283105	1. Electrician - 3 (1+1+1) 2. Fitter - 3 (1+1+1)	23rd RCM Remarks	The state has submitted, a report dated 18.10.2022 regarding the Electricity connection details	SCAA observed that ITI need to be re- inspected by RDSDE and concerned State Directorate as the

CLOSE OF	
	64524
	040/4
	0.10 -1

	400004=004	T		SHADE WAS SE	[E- 6452
	1809017804	3. COPA – 3 (1+1+1) 4. Asst. Tourist Guide – 3 (1+1+1)	Rejected, as not recommended by State Director 11th SCAA State Directorate will examine the report submitted by the Nodal Principal dated 18.10.2022 and will give its comments within 07 days from the date of issue of this MoM.	In the report dated 18.10.2022 it is mentioned by the State Principal that the ITI Electricity connection (18 KW) is in the name of ITI itself. The latest electricity bill is provided	initial inspection was conducted on 27.01.2021. The concerned State Directorate and RDSDE to conduct the Joint re-inspection of the ITI through NIMI app and submit the report within 1 month from the date of issue of this Minutes.
9.	Sri Bhagwat Balram Private ITI, Godhaura Ghazipur Road Azamgarh(Up)- 276131 PU09900528 Grading 6.40	 Electrician - 8 (4+4) COPA -2 (1+1) Basic Cosmetology – 2 (1+1) 	1st Rev. SCAA Remarks Not recommended.	1. Joint inspection report dated 06.11.2023 is submitted by State and observations of inspection members are as follows: Recommended I. Electrician (3+3) II. COPA -(1+1) III. Basic Cosmetology (1+1) 2. For the Electrician Trade, the number of existing units is 4 (2+2), and the new units sought for affiliation are 8 (4+4). However, the workshop	following deficiencies: 1. Power is a shortage for the recommended unit and existing units. Required 34.12 KW Available 33 KW. 2. BCC submitted is not as per norms, ITI to submit the BCC as per Agenda 4 of this Minutes

अमृत पाल सिंह, आई एस डी एस AMRIT PAL SINGH, ISDS संयुक्त निवेशक / Joint Director ग्रीसण महनिवेशक / Joint Director ग्रीसण महनिवेशक / William महानिवेशक कीशल विकास और उद्यमिता मत्रालय Ministry of Skill Development and Entrepreneutship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

I	E-	6	4	5	2	4

					[E- 6452
				area is in accordance with norms for 5 units of Electrician Trade. For the 6th unit of Electrician Trade, the required workshop area is 98 sqm, whereas the current area is 66 sqm. 3. Power is a shortage for the recommended unit and existing units Required 34.12 KW Available 33 KW 4. BCC is not as per norms	Electrician Trade is as per norms for 5 units however for 6th unit the workshop area is 66 sqm required is 98 sqm. ITI need to remove above mentioned deficiencies and submit required documents to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to the DGT within the next 15 days
10.	Chandra Pvt ITI, Meeranpur, Babhanpura,	Electrician – 7 (2+2+3)	10th SCAA Remarks	State has verified and submitted the compliance	Recommended for affiliation for
	Tanda, Ambedkar Nagar-	(21213)		report and mentioned that	
	224145		The matter was discussed in	मपासिंह	Electrician – 4 (2+2)
	PR09001403		SCAA and	अमृत पाल सिंह	
20 20			×	AMRIT PAL	

	[E- 64524
Grading - 7.2	following deficiencies Observed: 1. BCC is to be verified by State Directorate. 2. Electric bill is not in the name of the ITI / Society. 1. BCC issued by executive engineer rural engineering department. 2. Electricity bill on the name of Chandra Pvt ITI. 3. Details of CITS instructors provided. 4. Recommended for affiliation of Electrician – 4 (2+2)
	3. Details of CITS instructors for Electrician trade.
	Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.
	Thereafter, State Director will verify the BCC as per local bye- laws and also verify the above other documents and submit the

	Г	Ε-	6	45	2	41
--	---	----	---	----	---	----

					[E- 6452
			signed & stamped report to DGT within 07 days.		
			After receipt of report from State Directorate, case will be placed in the next SCAA.		
11	Dr. B.R. Ambedkar Private ITC - Allahabad KATAHARA HANDIA ALLAHABAD-221503 MIS Code: PR09000979 Grading -6.9	1. Electrician – 10 (3+3+4) 2. Fitter – 2 (0+0+2)	11th SCAA Remarks The SCAA has observed that the certificate issued by Lok Nirman Vibhag (PWD) mentions, it as NOC, however as per the language of the certificate it is BCC. The same certificate may please be got ratified by ITI from the Lok Nirman Vibhag (PWD) that this is BCC, within	State has verified and submitted BCC as per norms.	Recommended for affiliation of Electrician -6(3+3) Fitter – 2(0+0+2) not recommended Affiliation in third shift is granted in DST mode only.

				[E- 64524]
		07 days from date of issue of this MoM. Thereafter State Directorate to verify the same and send to DGT(HQ) within 07 days.		[2-04324]
12. Shree Baba Vishwanath Shiv Phool Private Industrial Training Institute TMP9140PR1582643661	1. Electrician - 9 (3+3+3) 2. Fitter - 2 (1+1+0) 3. Health Sanitary Inspector - 2 (1+1+0) 4. COPA - 2 (1+1)	10th SCAA Remarks The matter was discussed in SCAA and following deficiencies observed: 1. Building plan not proper. 2. Lease document not as per norms. Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM.	State Directorate representative has signed the affidavit regarding removal of deficiencies as indicated in 11th SCAA meeting	Recommended for affiliation of 1. Electrician - 6 (3+3) 2. Fitter - 2 (1+1) 3. Health Sanitary Inspector - 2 (1+1) 4. COPA - 2 (1+1)

N

AMPRIT
संयुक्त निर्माति प्रविश्वण महिनेद्राली कौशाल विभागति Ministry of Soft Do भारत सरकार, नहीं स्टिक्ट कार्य

Page **64** of **116**

		ભાન	[E- 64524]
	Thereafter,		•
	State Director		
	and RD, RDSDE		
	will verify the		
	above		
	documents and		
	ensure that no		
	other activities		
	like other		
	college / institute		
	is being run in		
	same building		
	and submit the		
	signed &		
	stamped report		
	to DGT within 07		
	days.		18
	After receipt of		
	report from		
	State		
	Directorate,		
	case will be	22	
42	placed in the		
	next SCAA.		
	11th SCAA		
	Remarks		
	Remarks		
	During this		
	SCAA meeting it		
	is observed that		
	the affidavit		
	given by ITI		
	regarding the		
	deficiencies	0.1-	
	removal, is not	133	26

ΓE-	64524
-----	-------

					[E- 6452
			signed by State Directorate Official.		
			Hence, State Directorate will again verify the deficiencies removal and submit report within 07 days from the date of issue of this MoM. Thereafter the case will be reconsidered in next SCAA.		
13.	Chandrashekhar Private Industrial Training Institute Ghazipur, Village Domanpura Post Balapur Ghazipur-233227 TMP9146PR1581430337	1. COPA - 3 (1+1+1) 2. Electrician - 3 (1+1+1) 3. Electronic mechanic - 3 (1+1+1) 4. Fitter - 3 (1+1+1)	4th SCAA Not recommended as per ICVC remarks. Due to deficiencies mentioned in column V and VI 11th SCAA Remarks During the SCAA meeting, it was observed that the	RD, RDSDE has submitted a letter dated 10.10.2023 and informed that joint inspection team visited the ITI on dated 01.06.2023 and conducted the joint inspection 1. Joint inspection report along with supporting documents signed by both the members. 2. In the compliance report it is mentioned that 3. Electricity connection and meter sealing report available and verified as per norms	Recommended for affiliation of 1. Electrician -2 (1+1) 2. Fitter - 2 (1+1) 3. Electronic Mechanic - 2 (1+1) 4. COPA - 2 (1+1)

documents
submitted by the
ITI only contain
the signature of
the State
representative,
and there is no
signature from
the RDSDE
representative.

As a result, SCAA recommended that the RD, RDSDE confirm whether both members visited the ITI. If they did, then all the documents should be signed and stamped by both members. Subsequently, RD, RDSDE should submit the signed and stamped report from both members within 15 days from the date of issue of this MoM.

- Drawing hall and IT lab as per norms available
- Approved layout plan verified and available a s per norms
- CITS instructors details available and recommended
 - i. Electrician -2 (1+1)
 - i. Fitter 2 (1+1)
 - iii. Electronic Mechanic - 2 (1+1)
 - iv. COPA 2 (1+1)

मप्रतिर्हे

[E-64524]

				DOMEST AND FRANCE	
14.	MAA Kripal Devi Pvt.ITI,Chakman Ganj Sorwara, Ayodhya Faizabad, Uttar Pradesh PR09900806	Electrician -3 (1+1+1)	10th SCAA Remarks The matter was discussed in SCAA and following deficiencies observed: 1. BCC is not as per norms. 2. Detail of CITS instructors for Electrician trade. Applicant will rectify all the above deficiencies and submit the detail	State has submitted compliance report and mentioned that NOC certificate stating that building is as per NBC code of India Details of CITS instructors provided	SCAA observed that language of BCC is not as per norms ITI need re-submit BCC as per Agenda 4 of this Minutes to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to the DGT within the next 15 days
			for Electrician trade. Applicant will		Further, concerned State Directorate will verify the documents submitted by the ITI
			above deficiencies and		to the DGT within the
			from issue of this MoM. Thereafter,		
		Più -	State Director will verify the BCC as per local bye- laws		
		N/	and also verify		

अमृत पाल सिंह, अर्ग एस डी.एस.
AMRIT PAI 15DS
अर्थान पाल सिंह, अर्ग एस डी.एस.

		_				[E- 64524]
				the above other documents and submit the signed & stamped report to DGT within 07 days.		
				After receipt of report from State Directorate, case will be placed in the next SCAA.		
15.	SUSHILA DEVI PRIVATE I T I Private Industrial Training Institute, Amethi Vill and Post Trisundi Amethi-228159 TMP9640PR1582449232	 3. 	Electrician -3 (1+1+1) Fitter - 3 (1+1+1) Sewing Technology - 3 (1+1+1) COPA - 3 (1+1+1)	11th SCAA Remarks During this SCAA meeting it is observed that the photos attached by State Directorate are not clear.	State Directorate has submitted clear photos of IT lab and drawing hall which are signed by state representative.	Recommended for affiliation of 1. Electrician - 2 (1+1) 2. Fitter - 2 (1+1) 3. Sewing Technology - 2 (1+1) 4. COPA - 2 (1+1)
				Hence, State Directorate will provide the clear photos of IT lab and drawing hall and submit report to DGT(HQ) within 15 days from the	A. A.	

M

	E- 6452
date of issue of this MoM.	
Thereafter this case will be reconsidered in next SCAA.	

4

अमृत अमृत अस्ति अ

[E-	6	4	5	2	4
	v	-	v	*	-

40	OUDI OLD IIII				_		E- 645
16.	SHRI SADANAND Private Industrial Training Institute, MAU Chakahirani, Amila, MAU U.P 275301 TMP9168PR1582652348	2.	Fitter -3 (1+1+1) Electrician – 3 (1+1+1) COPA – 3 (1+1+1) Plumber – 3 (1+1+1)	10th SCAA Remarks The matter was discussed in SCAA and following deficiencies	the me fac	The ITI submitted 02 applications. However, its application with the	SCAA observed that another application with reference number 1809019042 was debarred due to a fake bank guarantee issue.
				observed: 1. BCC is not as per norms. 2. Area of ITI is less, as per norms. 3. Electric bill is not available. 4. Details of CITS instructors. Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify the BCC as per local bylaws and	3.	reference number 1809019042 was debarred due to a fake bank guarantee issue. On the other hand, its application with the reference number TMP9168PR1582652348 was found to be in compliance with the bank guarantee requirements. The compliance remarks for this application are as follows: A Building Completion Certificate (BCC) issued by the Rural Engineering Department, with an Assistant Engineer provided. An electricity bill dated 14.07.2023 has been provided. The State representative has stated that the total available area is 4310 sqm and has attached the building plan.	The concerned State Directorate to provide the comments and recommendations to DGT in the matter within 15 days from the date of issue of this Minute.

	[E- 64524
also verify all the above documents and submit the signed & stamped report to DGT within 07 days.	-402 cm (1 - 1 half
After receipt of report from State Directorate, case will be placed in the SCAA.	
अमृत पाल सिंह, आई एस औएस. AMILIT PAL SINGH, ISDS	Page 72 of 116

Page **72** of **116**

г	E-	64	15	2	A
L		04		_	4

	DALBALON CONTROL					[E- 645
17.	RAMYASH COLLEGE OF ITI Private Industrial Training Institute TMP9120PR1580288309	1. COPA (1+1) 2. Electric 2 (1+1) 3. Fitter – (1+1) 4. Plumbo (1+1)	rian - The SC observe the cer issued Nirman (PWD) it as No howeved the language ratified from the that this within C from daissue of MoM. Therea Directo verify the and see is see in the certifican please is see in the certificant p	CAA has red that rifficate by Lok of Vibhag mentions OC, er as per guage of rifficate it is ame at a may be got by ITI se PWD is is BCC, or days at e of of this offer State or at to the same	State has submitted a document signed by executive engineer states that construction of building is as per NBC of India	Recommended for affiliation of 1. COPA – 2 (1+1) 2. Electrician - 2 (1+1) 3. Fitter - 2 (1+1) 4. Plumber - 2 (1+1)
18.	Pandit S.D Pandey Pvt.ITI, Jagdishpur, Jamunipur, Ambedkar Nagar, Uttar Pradesh	Electrician (1+1+1)	Remar	ks atter was	State has submitted compliance report and mentioned that:	Recommended for affiliation of Electrician -2 (1+1)

[E-64524]

DD00004000	T0044	[E- 64524]
PR09001609 Grading - 8.4	SCAA and the following deficiencies observed: Building Plan is not readable. 1. IT lab infrastructure is not as per norms. 2. Drawing Hall area and infrastructure is not as per norms. 3. Detail of CITS instructors for Electrician trade. Applicant will rectify all the above deficiencies and submit the detail to State	plan a and per ms.
	trade. Applicant will rectify all the above deficiencies and submit the detail	
	this MoM. Thereafter, RD, RDSDE will verify IT Lab	अपूर पाल सिंह

H

AMRIT PAL SINGUING CORPORTS
संयुक्त निदेशको Joint Corports
संयुक्त निदेशको Joint Corports
संयुक्त निदेशको Joint Corports
संयुक्त निदेशको Joint Corports
स्वित्र निदेशको निदेशको Page 74 of 116
स्वित्र निदेशको निदेशको Sup
Ministry of Skill Development and Entrephase Sup
सरकार, नह दिल्ली/Govt. of India, Navy Gelini

	- "flu	[E- 6452
2412	infrastructure and the area & infrastructure of Drawing Hall as per norms and also verify the above other documents and submit the signed & stamped report to DGT within 07 days. After receipt of report from RD, RDSDE, case will be placed in the next SCAA.	



अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रीक्षण महानिदेशालग/Directorate Cemeral of Training कीशाल विकास और उद्योगेता मञालाय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

2.10 State: West Bengal

Sr. No.	ITI Name	Trade / units sought for affiliation	Remarks of previous SCAA meetings	Remarks of TC Section	13 th SCAA remarks
1	II	IV	V .	VI	VII
1.	Atulia Private ITI Sadar Para, Jessure, Po, Habra 24 Paraganas North- 743233 MIS Code PR19000115 Grading - 8.7	1. Health Sanitary Inspector - 2 (1+1) 2. Advanced CNC Machining - 2 (1+1)	9th SCAA Remarks SCAA observed the following deficiencies: 1. BCC not as per norms. 2. Biometric attendance is not installed. 3. Drawing Hall not as per norms. 4. Details of CITS Instructor. ITI will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify all above documents and conduct joint inspection along with RDSDE and submit report (in annexure bill) within 15 days.	 BCC dated 15-05-2023 issued by Nirman Sahayak, Prithiba Gram Panchayat is enclosed stating —"all the rooms of building & workshop of Atulia Pvt ITI are fully completed & ready for use". CITS Certificate of the above instructors is not available. However, a declaration is received from the ITI stating that although they have tried but not found any CITS instructor for Health Sanitary Inspector Trade. The ITI has given application not to consider Advanced CNC Machining & Technician Trade for affiliation at present. For other existing Trades (Fitter & Electrician), status of CITS is enclosed. The size of Drawing hall is SQMT 64.2 sqmt (10.7m x 6m). 	SCAA observed that BCC is not as per norms. ITI need to re-submit BCC as per Agenda 4 to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to the DGT within the next 15 days. Advanced CNC Machining -2 (1+1) not recommended as per request of ITI.

After that case will be placed in the next SCAA. 10th SCAA Remarks SCAA observed that joint inspection needs to be carry out as per remarks of 9th SCAA meeting, Accordingly, State Directorate and RDSDE to conduct joint inspection and submit report within 15	5. The photograph & bills are enclosed.	
and submit report within 15 days from issue of this MoM		

M

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रीक्षण महितेशाल्य/Directorate General of Training कौशल विकास और उल्लोगना मञालय Ministry of Skill Development and Entrepreneurship मारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Annexure-II

SCAA remarks on affiliation proposals received in MoM of SSDEC of various states

3.1 SSDEC Assam: SCVT to NCVT proposal received from State Directorate Assam vide letter dated 22.11.2023.

As per letter dated 22.11.2023, State Directorate Assam has recommended SCVT to NCVT conversion for following ITIs:

Sr. No.	Name of ITI	Trade and units
1.	Morigaon	MMV – (0+1) Electrician – (0+1)
2.	ITI Women for Guwahati	Draughtman civil – (0+1) COPA – (0+1)

Table 1: SCVT to NCVT proposal from Assam State

RDSDE Assam has informed that joint inspection has not been conducted for these ITI.

SCAA remarks: Joint Inspection to be conducted for SCVT to NCVT conversion of trade/units for above ITIs, thereafter the observations of Joint Inspection team to be discussed in the SSDEC meeting and further the recommendation of SSDEC to be forwarded to DGT along with details in the standard format.

3.2 SSDEC Chhattisgarh: Addition of 2 (1+1) units in Mechanic Diesel trade in Government ITI, Berla, Bemtara, GR22000031.

The matter of addition of 2 (1+1) units in Mechanic Diesel trade in Government ITI, Berla, Bemtara, GR22000031 was initially discussed in 8th SCAA held on 13.04.2023. SCAA during 8th SCAA has given remarks "State and RDSDE - Chhattisgarh to conduct Joint Inspection of this ITI and send recommendation through SSDEC in the prescribed format issued by TC section".

Consequently, the joint inspection has been conducted by RDSDE and State on 25.04.2023 and further recommended by SSDEC Chhattisgarh in meeting conducted on 14.09.2023.

अगृत पाल सिंह, आई एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक', Joint Director संयुक्त विदेशक', Joint Director सिंहाण नहिन्देशक', Joint Director सिंहाण नहिन्देशक', Joint Director कोशल विकास और उद्योगिता मञ्जालय कोशल विकास और उद्योगिता मञ्जालय Ministry of Skill Development and Enterpreneurship

Page 78 of 116

Table 2: Addition of trade/unit in Government ITI, Berla

Name of the ITI and MIS Code	Trades & Units sought for affiliation	Remarks of previous SCAA meeting	SSDEC Recommendation
Govt. ITI, Berla – Bemtara, MIS Code: GR22000031 Grading: 9.10	Mechanic Diesel – 2 (1+1)	8 th SCAA Meeting State and RDSDE - Chhattisgarh to conduct Joint Inspection of this ITI and send recommendation through SSDEC in the prescribed format issued by TC section.	Recommended for affiliation of Mechanic Diesel – 2 (1+1)

SCAA remarks: SCAA has recommended affiliation for additional 2 (1+1) units in Mechanic Diesel trade in Government ITI, Berla, Bemtara (GR22000031).

3.3 SSDEC Himachal Pradesh (HP)

3.3.1 SCVT to NCVT conversion: SSDEC HP in its meeting on 01.08.2023 has recommended SCVT to NCVT affiliation for following ITIs.

SCAA remarks: Joint Inspection to be conducted for SCVT to NCVT conversion of trade/units for above ITIs, thereafter the observations of Joint Inspection team to be discussed in the SSDEC meeting and further the recommendation of SSDEC to be forwarded to DGT along with details in the standard format.

3.3.2 Affiliation in Dual System of Training (DST) mode: SSDEC HP in its meeting on 01.08.2023 has recommended affiliation in DST mode for following ITIs.

Table 3: DST proposal from HP State

Sr. No.	Name of the ITI	MIS Code	Name of the industry	Date of MoU	Name of the Trade	No. of units	Shift
1.	Govt. ITI, (Women) Nahan, District Sirmour	GR02000221	M/S Integrated Laboratories Pvt. Ltd.	21.06.2022	Electrician	1	3rd
			Vill-Moginand P.O.	21.06.2022	Fitter	1	3rd

अमृत पाल सिंह, आई एस डी एस. AMRIT PAL SINGH, ISDS

संयुक्त निदेशक/Joint Director प्राप्ताल महनिदेशाला/Directorate General of Training कोशल विकास और उत्पर्धता मञ्जालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, New Denis

			Kala Amb, Distt. Sirmour, H.P.				
2.	Govt. ITI Jogindernagar, District Mandi	GR02000094	M/S Indo Farm Equipment Ltd. EPIP, Phase-II VPO-Thana, Baddi, H.P. 173205	03.11.2022	Motor Mechanic Vehicle	1	3rd
3.	Govt. ITI Dehar, District Mandi	GR020000175	Cosmo Ferrities Ltd., P.OJabli, District Solan, H.P17309	24.02.2023	Electrician	1	3rd
4.	Govt. ITI Balh,District Mandi	GR020000256	Yash Fans & Appliances Ltd. Khasra No. 17/1 & 19, Baddi Solan (H.P. 173205)	05-04-2022	-2022 Motor Mechanic Vehicle	1	3rd
			Ram Hari Force Motors Ltd. V.P.O. Gutkar Mandi (H.P.)	16-03-2022		1	3rd
			Dev Bhoomi Hyundai Cars Pvt. Ltd. NH-21, Gutkar, Mandi (H.P.)	11-03-2022			
			River Pool Motor V.P.O. Bhangrotu Tehsil Balh District Mandi	08-04-2022			
			Anand Toyota (Anand Autocare Pvt. Ltd.) Village Lunapani, Nagchala Balh District Mandi	08-04-2022			
		उत्पारिं	Shimla Automobiles Pvt.Ltd. Nerchowk, Bhangrotu, HP,Mandi-175021	11-03-2022			
5.	Govt. ITI Shimla, District Shimla	GU02000980 प AMRI संयुक्त प्रशिक्षण गर्न	Solution Pvt. LTD. Shimla	05.07.2022	I&CTSM	1	3rd

Page **80** of **116**

			Devbhoomi Wheels LLP Shoghi (Shimla)	16.06.2023	Motor Mechanic Vehicle	1	3rd
6.	Govt. ITI Rail, District Hamirpur	GR02000108	Emmbros Autocomp Ltd.,Vill-Bhud,	30-06-2023	Fitter	1	3rd
			Nalagarh Road Baddi, Distt. Solan	30-06-2023	Machinist	1	3rd
			HPL Jabli, Tehsil- Kasauli, Distt. Solan	03-06-2023	Electrician	1 3rd 1 3rd 1 3rd	3rd
			(H.P.)173220	03-06-2023	Technician Power Electronic System	1	3rd
7.	Galaxy Pvt. ITI, Paonta Sahib District Sirmour	PR02000177	Superchem Nutri Formulation, located at jamniwala road near jamboo khala, badripur PaontaSahib Distt. Sirmour HP- 173025	28-02-2023	Fitter	1	3rd
8.	Ganpati Private ITI VPO- Bane Di Hatti. Tehsil- Dehra, District Kangra	PR02000092	Kangra Hydro Power Ventures Pvt. Ltd. Ranital, District kangra H.P. 176029	10-03-2023	Electrician	1	3rd
9.	Laxmi Narayan Privae ITI Vill-Saniyala. PO- Bankhandi, The-Dehra Distt. Kangra,177114	PR02000226	Pathania Katha Udyog Gaglu, PO- bane Di Hatti, The- Baroh, Distt. Kangra,177114	10-03-2023	Fitter	1	3rd
10.	Jaypee Private ITI, Samirpur District Hamirpur (H.P.)	PR02000141	Jaypee Hotels & Resorts Jaypee Vasant Continental, Vasant Vihar New Delhi-110057	27/09/2022	Electrician	1	3rd

44

11.	Shiv Adarsh Private ITI VPO. Lohara, Tehsil. Sadar, Distt.Mandi 175027	PR02000120	Yash Fans & Appliances Ltd. Khasra No. 17/1 & 19, Baddi Solan (H.P. 173205)	02/05/2023	Electrician	1	3rd
			MT Autocraft Khasra NO. 245 Haripur Road Barotiwala Distt. Solan H.P. 174103	20/05/2022	Fitter	1	3rd
12.	V.P.O. Barsar, Tehsil- Barsar Hamirpur-174305	PR02000073	Elin Electronics Ltd. Vill Bhelikhol, P.O Manpura, Tehsil- Nalagarh Distt. Solan, H.P.174101	08-10-2022	Electrician	1	3rd
13.	Jai Maa Sarasawati Private ITI Village-Baroh,P.O.Raja Ka Talab, Distt. Kangra	PR02000241	Cromption Greaves Consumer Electricals Ltd. Vill-Thana, Tehsil-Baddi, Distt.Solan, H.P.173205	27.06.2023	Electrician	2	3rd
			M/S Indo Farm Equipment Ltd. EPIP, Phase-II VPO-Thana, Baddi, H.P. 173205	06.06.2023	Fitter	1	3rd
14.	Dental College Sundernagar	PU02000223	Microtek New Technology Private Ltd. Baddi Himachal Pradesh	04.05.2023	Electrician	1	3rd
15.	Him Private ITI Harsour, Tehsil-Barsar, Distt. Hamirpur	PR02000052	Yash Fans & Appliances Ltd. Khasra No. 17/1 & 19, Baddi Solan (H.P. 173205)	20-07-2023	Electrician	1	3rd
				अमृत पाल वि AMRIT PA AMRIT PA संयुक्त किरेश पीषाण महिनेशाला कोशल विकास Ministry of Skill Den भारत सरकार, मुंह	ৰিছ, এনাই ঘকা জী ছব। L SINGH, ISDS TO Joint Director কি / Joint General of Training Directorals General of Training Jerothan Gener		Page 82 of 116

SCAA remarks: SCAA recommended affiliation in DST mode w.e.f. session 2024-25 in trade/ shift/ units for ITIs as mentioned in above table.

3.4 SSDEC Jammu & Kashmir: SSDEC J&K in its meeting dated 18.12.2023 has recommended SCVT to NCVT conversion of trade/unit(s) for following 18 ITIs.

Table 4: SCVT to NCVT conversion of trade/units for ITIs of J & K

Sr. No.	ITI Name and complete Address	MIS Code	Trade sought for Affiliation	Trade/units recommended by joint inspection team	Units recommended by SSDEC	13 th SCAA remarks
1.	Govt. ITI, R. S. Pura Tehsil R S. Pura District Jammu J & K Pin 181102 Grading: 7	GR01000031	Welder	1 (1+0)	1 (1+0)	Recommended as per SSDEC recommendations
2.	Govt. ITI Women Bhalessa malsar. Gandoh (Bhelessa) Distt. Doda (J&K) Pin code 182203 Grading: 3.8	GR01000048	Draughtman (Civil)	1 (1+0)	1 (1+0)	Not recommended due to low grading.
3.	Govt. Industrial Training Institute	GR01000002	Plumber	1 (1+0)	1 (1+0)	Recommended as per SSDEC
	jammu Tehsil District jammuy J&K Pin 180002		Front Office assistant	1 (1+0)	1 (1+0)	recommendations
	Grading: 7.6		Database System Assistant	1 (1+0)	1 (1+0)	

RH

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक /Joint Director पश्चिमण महान्दिशालय/Directorus Commai of Training कोशाल विकास और संद्यापाता मञालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई हिल्ली/Govt. of India, New Delhi

		*.	Data Entry Operator	1 (1+0)	1 (1+0)	
4.	Govt ITI gool Tehsil gool distric Ramban Grading: 6.5	GR01000010	Data Entry Operator	1 (1+0)	1 (1+0)	Recommended as per SSDEC recommendations
5.	Govt. ITI Kowbagh, Ramban Tehsil District: Ramban , 1821440199826662 4 Grading: 7.3	GR01000014	Mechanic Motor Vehicle	1 (1+0)	1 (1+0)	Recommended as per SSDEC recommendations
6.	Govt. ITI Samba pin 184121 Grading: 6.8	GR01000035	Sewing Technology	1 (1+0)	1 (1+0)	Recommended as per SSDEC recommendations
7.	Govt. ITI ,Hirangar District: Kathua J&K pin 184142 Tel.	GR01000006	Interior Design & Decoration	1 (1+0)	1 (1+0)	Recommended as per SSDEC recommendations
	01922274239 Grading: 7.5		Mechanic Consumer Electronic Appliance	1 (1+0)	1 (1+0)	recommendations
			Software Testing Assistant	1 (1+0)	1 (1+0)	

the

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS AMRIT PAL Joint Director पश्चिम निवेदान Joint Director पश्चिम निवेदान और उत्पादित प्रशासन कोषाल विकास और उत्पादित प्रशासन Ministry of Skill Development and Enterpreneurship मारत सरकार, मई दिल्ला/Gov. of India, New Dethi

8.	Govt ITI Sunderbani	GR01000027	Draughtman Civil	1 (1+0)	1 (1+0)	Recommended as per SSDEC
	District: Rajouri Pin 185153					recommendations
	Grading: 5.9					
9.	Govt ITI Rajouri Pin 185131	GR01000005	Software Testing Assistant	1 (1+0)	1 (1+0)	Recommended as per SSDEC recommendations
	Grading: 7.6		COPA	1 (1+0)	1 (1+0)	
			Plumber	1 (1+0)	1 (1+0)	
			Data Entry Operator,	1 (1+0)	1 (1+0)	
			Draughtsman Civil	1 (1+0)	1 (1+0)	
			Driver cum Mechanic	1 (1+0)	1 (1+0)	
10.	Govt Industrial Training Institute Poonch Near Dashnami Akhara, Opp Krishan Chander Park,	GU01000012	Computer Operator and Programming Assistant (Normal)	1 (1+0)	1 (1+0)	Recommended as per SSDEC recommendations
	Haveli Poonch Pin 185101 Grading: 6.2	9	Computer Operator and Programming Assistant (Women)	1 (1+0)	1 (1+0)	
			Plumber	1 (1+0)	1 (1+0)	

			Draughtman Civil,	1 (1+0)	1 (1+0)	
			ICTSM,	1 (1+0)	1 (1+0)	
			Driving Cum Mechanic,	1 (1+0)	1 (1+0)	
			Dairying	1 (1+0)	1 (1+0)	
11.	 Govt. ITI Kishtwar District Kisthwar Pin No. 182204 Grading: 7.2 	GR01000007	Plumber	1 (1+0)	1 (1+0)	Recommended as per SSDEC
			Software Testing Assistant	1 (1+0)	1 (1+0)	recommendations
			Mechanic Refrigeration & Air-Condition	1 (1+0)	1 (1+0)	
12.	Govt. ITI Udhampur Pin 182101	GU01000011	Electronic Mechanic	1 (1+0)	1 (1+0)	Recommended as per SSDEC recommendations
	Grading: 7.5		Data Entry Operator	1 (1+0)	1 (1+0)	
13.	Govt. ITI Bhaddu/ Billawar Grading: 8.2	GR01000024	Draughtman Civil	1 (1+0)	1 (1+0)	Recommended as per SSDEC recommendations
14.	Govt. ITI, Basholi village Plahi, Tehsil Basohli, district kathua J&K	GR01000032	Draughtman Civil	1 (1+0)	1 (1+0)	Recommended as per SSDEC recommendations
	Pin No. 184201		Welder	1 (1+0)	1 (1+0)	1
	Grading: 8.3				प्रपाति आई एस जी एस.	

romen GR01000049	Desktop Publishing Operator Software Testing Assistant	1 (1+0)	1 (1+0)	Not recommended due
12129	Testing	1 (1+0)	1 (1+0)	
				to low grading.
mulla GR01000004	Software Testing Assistant	1 (1+0)	1 (1+0)	Recommended as per SSDEC recommendations
ore GR01000038	Software Testing Assistant	1 (1+0)	1 (1+0)	Recommended as per SSDEC recommendations
	GR01000038	re GR01000038 Software Testing	re GR01000038 Software 1 (1+0) Testing Assistant	re GR01000038 Software 1 (1+0) 1 (1+0) Testing Assistant

SCAA remarks: Matter was discussed in detail and SCAA has recommended SCVT and NCVT conversion of trade/unit(s) for ITIs which are having grading above 4.

3.5 SSDEC Kerala: The matter of shifting of 8 Government ITIs had been discussed in SSDEC meeting held on 23.06.2023, and it was decided to send the information to DGT in the prescribed format. In relation to this, TC section informed the committee that the information is still not been received in DGT.

SCAA remarks: State Directorate to send the details about shifting of 8 Govt. IT is in standard format with the recommendation of SSDEC.

अमृत पाल सिंह, आई एस डी एस अमृत पाल सिंह, आई एस डी एस AMRIT PAL SINGH, ISDS संयुक्त निवेशक/Joint Director प्रीयाम महीनेशाल/Directorde General of Training कीराल विकास और उपामित महिलाय Ministry of Skill Development and Entrepreneurship मारत सरकार, गई दिल्ली/Govt, of India Many Conti-

Page 87 of 116

3.6 SSDEC Madhya Pradesh:

DGT has received recommendation of SSDEC Madhya Pradesh for SCVT to NCVT conversion for following ITIs. These SCVT to NCVT conversion were recommended by SSDEC in its meeting held on 13.10.2023. Matter of each ITIs has been discussed in detail, and remarks of SCAA are given in column VIII of below mentioned table.

Table 5: SCVT to NCVT conversion of trade/units of following ITIs

Sr. No.	ITI Name and complete Address	MIS Code	Trade sought for Affiliation	Units sough for Affiliation	Trade/units recommended by joint inspection team	Units recommended by SSDEC	13 th SCAA remarks
1.	Govt. ITI PATI, Barwani	GR23001140	Fitter	2(1+1)	2(1+1)	2(1+1)	Not recommended
	Bokrata Road Pati Dist Barwani MP.		Diesel Mechanic	2(1+1)	2(1+1)	2(1+1)	due to low grading
	MIS Code: GR23001140 Grading: 3.90		Welder	2(1+1)	2(1+1)	2(1+1)	grading
2.	Govt. ITI Bhimpur,Bajrang Colony Bhimpur, dist Betul (MP).	GR23001164	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
	MIS Code: GR23001164 Grading: 6.10						
3.	Govt. Divisional ITI Bhopal	GR23000005	Tool & Die Maker (Dies & Mould)	2(1+1)	2(1+1)	2(1+1)	Recommended
	Grading: 7.10 MIS Code:		Operator Advance Machine Tools	2(1+1)	2(1+1)	2(1+1)	
	GR23000005		MRAC	2(1+1)	2(0+0+2)	2(0+0+2)	


अन्त पाल सिंड आई एस की रखें। MRIT PAL SINGH ISDS AMRIT PAL GIONG (ISBN) परिवर्ण नियाल/Directoric Common (ISBN) परिवर्ण नियाल/Directoric Common (ISBN) परिवर्ण विकास और उत्पाद महाद्या को रखें Sisil Development and Enterpreneurally shared Sisil Development and Enterpreneurally

4.	Govt. ITI Nepanagar, Burhanpur, Camp	GR23000052	Motor Mechanic Vehice	1(1+0)	1(1+0)	1(1+0)	Recommended
	Ananda Nagar		Electronics Mechanic	1(1+0)	1(1+0)	1(1+0)	
	Grading: 4.90 MIS Code: GR23000052		Welder	2(1+1)	2(1+1)	2(1+1)	
5.	Govt. ITI Chhatarpur, Sharswati Nagar	GU23000006	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
	,Naya Panna Naka Panna road ,Chhat		Mechanic Motor Vehicle	2(1+1)	2(1+1)	2(1+1)	
	MIS Code: GU23000006						
	Grading: 8.40						
6.	Govt. ITI Pandhurna, Chhindwara	E	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
	,Amrawati ROAD Pandurna MIS Code: GU23000070 Grading: 8.20		Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	
7.	Govt. ITI Nohta,Tehsil- Jabera	GR23001161	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
	Dist Damoh (MP) MIS Code: GR23001161		Stenographer Secreterial Assistant (Hindi)	2(1+1)	2(1+1)	2(1+1)	
	Grading: 4.80						F
8.	Govt. ITI Mandleshwar,	GR23000055	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
	Khargone,kheriya		Fitter	2(1+1)	2(1+1)	2(1+1)	

M

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निवेशक/Joint Director प्रीक्षण महनिवेशक/Joint Director कोशल विकास और उत्पादन मंत्रालय Ministry of Skill Development and Society मंत्रालय

	keri road maheshwar, Mandleshwar		Welder	2(1+1)	2(1+1)	2(1+1)	
	MIS Code: GR23000055						
	Grading: 7.00						
9.	Govt. ITI Bhagwanpura,	GR23001172	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
	Khargone, Dhulkot road tehsil Bhagwanpura dist Khargone MP.		Mechanic Diesel	2(1+1)	Nil	Nil	
	MIS Code: GR23001172						
	Grading: 4.70						
10.	Govt. ITI Pipariya, Narmadapuram, Near	GR23001095	Welder	2(1+1)	2(1+1)	2(1+1)	Recommended
	Old cold storage, AKVN Industrial area		Mechanic Motor Vehicle	2(1+1)	2(1+1)	2(1+1)	
	Panchm		Fitter	2(1+1)	2(1+1)	2(1+1)	
	MIS Code: GR23001095		Refrigeration and. Air Conditioning	2(1+1)	2(1+1)	2(1+1)	
	Grading: 8.50		Technician				
11.	Govt. ITI Sailana, Sailana Kariya Road	GR23000272	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
	MIS Code: GR23000272 Grading: 6.00						
12.	Govt. ITI Deori, Sagar, Khanshkheda	GR23001174	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended



Page 90 of 116

	NH 26 Deori Dist Sagar, MP.		Electrician	2(1+1)	2(1+1)	2(1+1)	
	MIS Code: GR23001174						
	Grading: 6.00						
13.		GR23000246	Сора	2(1+1)	2(1+1)	2(1+1)	Recommended
			Fitter	2(1+1)	2(1+1)	2(1+1)	
	MIS Code: GR23000246						
	Grading: 6.40						
14.	Govt. ITI Tikamgarh MIS Code:	GR23000259	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
	GR23000259 Grading : 9.10		Fitter	2(1+1)	2(1+1)	2(1+1)	
15.	Govt. ITI Baldevgarh, Infornt of Model	GU23001152	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
	school baldeogarhi, Dist Tikamgar		Fitter	2(1+1)	2(1+1)	2(1+1)	
	MIS Code: GU23001152		Welder	2(1+1)	2(1+1)	2(1+1)	
	Grading: 6.10		Copa	2(1+1)	2(1+1)	2(1+1)	7

3.7 SSDEC Maharashtra: SSDEC Maharashtra in its meeting dated 07.08.2023 has recommended trade/ unit addition for following ITIs Table 6: Addition of trade/unit in Govt. ITI, Mouda, Dist Nagpur

Name of the ITI and MIS Code	Trades & Units	SSDEC Recommendation	SCAA Remarks	
		0.1828		

W

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निर्देशक/Joint Director परिभ्रण मानिशालय/Directorate Cerent of Training कीशल विकास और उत्तरिक्त मानालय Ministry of Skill Development and Enterpreneurship भारत सरवार, नई दिल्ली/Govt. of India, New Delhi

Govt. ITI, Mouda, Dist Nagpur	Electrician – 1 (0+1)	Electrician – 1 (0+1)	Recommended for affiliation
MIS Code:GR27000342			for Electrician – 1 (0+1) w.e.f
Grading: 8.30			session 2024-25

3.8 SSDEC Meghalaya: DGT has received recommendation of SSDEC Meghalaya for SCVT to NCVT conversion for following 6 ITIs. These SCVT to NCVT conversion were recommended by SSDEC in its meeting held on 13.10.2023. Matter of each ITIs has been discussed in detail, and remarks of SCAA are given in column VIII of below mentioned table.

Table 7: SCVT to NCVT conversion

Sr. No	ITI Name and Address	New/ Existing	Trade for which affiliation has been sought under NCVT	Units for which affiliation has been sought under NCVT	Trade/units recommended by Joint Inspection Team	Trade/ units recommended by SSDEC	13 th SCAA remarks
ı.	II.	III.	IV.	V.	VI.	VII.	VIII.
1.	Name: Govt ITI Baghmara	New	Mason (Building Constructor)	(1+0)	(1+0)	(1+0)	As per OM dated 21.08.2023, new
	District: South		Soil Testing & Crop technician	(1+0)	(1+0)	(1+0)	ITIs in North Eastern States can be opened with 2
	Galorinis	Wo Tec	Wood Word Technician	(1+0)	(1+0)	(1+0)	trades, but one unit
			Wireman	(1+0)	(1+0)	(1+0)	second shifts is
2.	Name: Govt ITI Williamnagar	New	Mason (Building Constructor)	(1+0)	(1+0)	(1+0)	mandatory. Accordingly, a
	POSE-LINE PLANTAGE PLANT STORM NOT LABOR.		Horticulture	(1+0)	(1+0)	(1+0)	revised proposal
	District: East Garo Hills		Soil Testing & Crop Technician	(1+0)	(1+0)	(1+0)	has to be submitted with 2 (1+1) units in
			Wireman	(1+0)	(1+0)	(1+0)	any of the two
			Stenography आई ए	न डी एस (1+0)	(1+0)	(1+0)	trades among the
			अमृत पाल अहर AMRIT PAL SINGI संयुक्त निदेशक/Journ प्रीक्षण पहिलेशाला पिन्ह कौशल विकास	raming -treated	иt		Page 92 of 116

			Mechanic Motor Vehicle	(1+0)	(1+0)	(1+0)	trades sought for affiliation.
3.	Govt ITI Tura District: West Garo	Existing	Fruits & Vegetable Processing	(1+0)	(1+0)	(1+0)	Recommended
	Hills MIS Code: GR17000005		Information & Communication Technology System Maintenance	(1+0)	(1+0)	(1+0)	
	Grading: 4.70		Draughtman (Mechanical)	(1+0)	(1+0)	(1+0)	
			Draughtman (Civil)	(1+0)	(1+0)	(1+0)	
			Surveyor	(1+0)	(1+0)	(1+0)	
			Operator Advance Machine Tools	(1+0)	(1+0)	(1+0)	
			Electronics Mechanic	(1+0)	(1+0)	(1+0)	
			Catering & Hospitality Assistant	(1+0)	(1+0)	(1+0)	
			Dress Making	(1+0)	(1+0)	(1+0)	
4.	Govt ITI Shillong District: East Khasi Hills	Existing	Information Communication Technology System Maintenance	(1+0)	(1+0)	(1+0)	Recommended
	MIS Code: GR17000007		Digital Photographer	(1+0)	(1+0)	(1+0)	

W

	Grading: 5.3		Silk & Woolen Fabrics		अपारित्र !	3	
	GR17000003		Weaving Technician for	(1+0)	(1+0)	(1+0)	
	Hills MIS code:		. Catering and Hospitality Assistant	(1+0)	(1+0)	(1+0)	
5.	Name: Govt ITI (Women), Shillong District: East Khasi	Existing	Computer Operator Programming Assistant	(1+0)	(1+0)	(1+0)	Recommended
			Driving Cum Mechanic (LMV)	(1+0)	(1+0)	(1+0)	
			Fruits & Vegetables Processing	(1+0)	(1+0)	(1+0)	
			Baker & Confectioner	(1+0)	(1+0)	(1+0)	
			Wood Work Technician	(1+0)	(1+0)	(1+0)	
			Electronics Mechanic	(1+0)	(1+0)	(1+0)	
			Solar Technician (Electrical)	(1+0)	(1+0)	(1+0)	
			Operator Advanced Machine Tool	(1+0)	(1+0)	(1+0)	
			Draughtman (Civil)	(1+0)	(1+0)	(1+0)	
	Grading: 6.8		Multimedia Animation & Special Effect	(1+0)	(1+0)	(1+0)	

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक Joint Director प्रशिक्षण महिनेदेशालय/Directorate General of Training कीशाल विकास और उद्योगिता मञ्जालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई विल्ली/Govt. of India, New Delhi

			Dress Making	(1+0)	(1+0)	(1+0)	
6. Name: Govt. ITI Jowai District: West	Name: Govt. ITI	Existing	Electrician	(1+0)	(1+0)	(1+0)	Recommended
		Motor Mechanic Vehicle	(1+0)	(1+0)	(1+0)	-	
	Jaintia Hills		Welder	(1+0)	(1+0)	(1+0)	_
MIS Code: GR17000002 Grading: 6.9			Fruits and Vegetable Processing	(1+0)	(1+0)	(1+0)	
	Grading: 6.9		Horticulture	(1+0)	(1+0)	(1+0)	
			Mason (Building Constructor)	(1+0)	(1+0)	(1+0)	

3.9 SSDEC Nagaland

DGT has received recommendation of SSDEC Nagaland for SCVT to NCVT conversion for following 7 ITIs. These SCVT to NCVT conversion were recommended by SSDEC in its meeting held on 31/10/2023. Matter of each ITIs has been discussed in detail, and remarks of SCAA are given in column VIII of below mentioned.

Table 8: SCVT to NCVT conversion of trade /units for ITIs of Nagaland State.

Sr.No	ITI Name and Complete Address	New/ Existing	Trade Sought for Affiliation	Units Sough for Affiliation	Trade/Units recommended by Joint Inspection team	Units recommended by SSDCE	13 th SCAA Remarks
I.	II.	III.	IV.	V.	VI.	VII.	VIII.
1.	Name: Govt ITI Mokochung, MIS Code: GR13000002 Grading: 8.5	Existing	Stenographer Secretarial Assistant	(1+0)	(1+0)	(1+0)	Recommended

4

AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director संयुक्त निदेशक/Joint Directors सिकाप महानिस्तातप/Drectors कियान महानिस्तातप/Drectors कियान महानिस्तातप/Drectors कियान महानिस्तातप/Drectors कियान महानिस्तातप्रकार कियान स्वाप्तातप्रकार कियान स्वाप्तातप्रकार, नई दिन्ती/Govt of India, New Delhi

2.	Govt ITI Wokha, Wokha, Nagaland MIS Code: GU13000005 Grading: 3.5	Existing	Sewing Technology	(1+0)	(1+0)	(1+0)	Not recommended due to low grading
3.	Govt ITI Phek, Phek, Nagaland MIS Code: GR13000003 Grading: 1.5	Existing	Sewing Technology	(1+0)	(1+0)	(1+0)	Not recommended due to low grading
4.	Govt ITI Kohima, Kohima, Nagaland	Existing	Sewing Technology	(1+0)	(1+0)	(1+0)	Recommended
	MIS Code: GR13000001 Grading: 6.5		Computer Operating and Programming Assistant	(1+0)	(1+0)	(1+0)	
			Basic Cosmetology	(1+0)	(1+0)	(1+0)	
			Mason	(1+0)	(1+0)	(1+0)	
			Plumber	(1+0)	(1+0)	(1+0)	
5.	Name: Govt ITI Dimapur, Chumukedima, Nagaland MIS Code: GU13000007 Grading: 3.4	Existing	Stenographer Secretarial Assistant	(1+0)	(1+0)	(1+0)	Not recommended due to low grading
6.	Name: Govt ITI. Mon MIS Code:	Existing	Sewing Technology	(1+0)	(1+0)	(1+0)	Recommended
	GU13000008 Grading: 4.7		Wood Work Technician	(1+0)	(1+0)	(1+0)	
7.	Name: Govt ITI, Tuensang	Existing	Electrician	(1+0)	(1+0) त पाल सिंह, आई एस.बी.ए PRIT PAL SINGH, ISI	स. (1+0) os	Recommended

M

स्पायल निवेशक / Joint Director प्रीड्रण बालेगातय/Directorate General of Training कोयाल विकास और उद्योगता मञ्जालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

MIS Code:			
GU13000004		77	
Grading: 5.60			

3.10 SSDEC Punjab

3.10.1 SCVT to NCVT conversion:

State Directorate vide. agenda No. 3.11 of minutes of SSDEC meeting held on 10.10.2023 has requested DGT to consider the SCVT to NCVT conversion in 25 new ITIs and 16 existing ITIs.

The matter was discussed in detail, and SCAA observed that since a joint inspection of these ITIs has not been conducted, the concerned State and RDSDE will first conduct a joint inspection of these ITIs. Subsequently, the matter will be discussed in the upcoming SSDEC meeting, and furthermore, the recommendations of SSDEC to be sent to DGT.

3.10.2 Affiliation of Dual System of Training in 5 ITIs

State Directorate vide agenda No. 3.10 of minutes of SSDEC meeting held on 10.10.2023 has requested DGT to flag DST units of 26 units affiliated vide DGT letter DGT-Aff011(51)/3/2023/-O/o DIR (TC) dated 01-08-2023 and 7 additional units given in below mentioned table

Table 9: DST affiliation in 5 ITIs of Punjab State

Sr. No.	Name of Institute with address	NCVT/MIS Code	Name of the industry	Name of the Trade for DST	Units	Shift	13 th SCAA Remarks
1	Industrial Training Institute, Nangal	GR03000037	NFL Naya	Fitter	1	3 rd shift	Recommended
1	Govt. ITI Nangal, Nangal Township,		Nangal	Electrician	1	3rd shift	
	Nangal, Distt.			Welder	1	3 rd shift	
	Rupnagar – 140124						
2.	Govt Industrial Teachers Training Institut(W) Chotti Bradri Behind Malwa Cinema, Patiala	GU03000007	Ankit Hair Express, patiala.	Cosmetology	1	3 rd shift	Recommended

			Stylen beauty, Patiala			1	
3.	Govt Industrial Training Institute (W) Phagwara PWD Back Side Rest House G.T. Road, Phagwara	GR03000319	sampurna Feed GT Road Phagwara near mauli	Computer Operator and Programming Assistant	1	3 rd shift	Recommended
4.	Goverment Institute of Garments Technology, HALL GATE, Amritsar D Block Ranjit Avenue Amritsar	GR03000319	Piyasa Exciusive, Batele Road, Amritsar	Fashion Design and Technology	1	3 rd shift	Recommended
5.	Industrial Training Institute, Otalon V.P.O. Otalan Ludhiana -141114	GR03000040	Kwality Weight(India), Mandi Gobindgarh	Mechanic Consumer Electronics Appliances	1	3 rd shift	Recommended

3.11 SSDEC Tamil Nadu

DGT has received proposal of SCVT to NCVT conversion of following ITIs from State of Tamil Nadu. SSDEC Tamil Nadu in its meeting dated 04.01.2024 has recommended SCVT to NCVT conversion for these ITIs. Matter of each ITIs have been discussed in detail, and remarks of SCAA are given in column VIII of below mentioned.

Table 10: SCVT to NCVT conversion of trade/units in ITIs of Tamil Nadu State.

Sr.No	ITI Name and Complete Address	New/ Existing	Trade Sought for Affiliation	Units Sough for Affiliation	Trade/Units recommended by Joint Inspection team	Units recommended by SSDCE	13 th SCAA Remarks
-------	-------------------------------------	------------------	---------------------------------	--------------------------------	--	----------------------------	----------------------------------

H

अमृत पाल सिंह, आई एस.डी एस. AMRIT PAL SINGH, ISDS संगुक्त निदेशाल/Director परिश्वाल महिन्देशालय/Directorate General of Training कीशाल विकास और उत्तरिक्त मन्त्रालय Ministry of Skill Development and Eulepteneurship मारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Page 98 of 116

l.	II.	III.	IV.	V.	VI.	VII.	VIII.
1.	Govt. ITI Kottur	New	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
			Fitter	2 (1+1)	2 (1+1)	2 (1+1)	
			Fashion Design and Technology	2 (1+1)	2 (1+1)	2 (1+1)	
			Refrigeration and Air Conditioning Technician	2 (1+1)	2 (1+1)	2 (1+1)	
			Welder	2 (1+1)	2 (1+1)	2 (1+1)	
2.	Govt. ITI,	New	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
	Gobichettipalayam		Fitter	2 (1+1)	2 (1+1)	2 (1+1)	
			Mechanic Motor Vehicle	2 (1+1)	2 (1+1)	2 (1+1)	
			Refrigeration and Air Conditioning Technician	2 (1+1)	2 (1+1)	2 (1+1)	
			welder	2 (1+1)	2 (1+1)	2 (1+1)	
3.	Govt. ITI, Vaniyambadi	New	Mechanic Motor Vehicle	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
			Refrigeration and Air Conditioning Technician	2 (1+1)	2 (1+1)	2 (1+1)	
			Fashion Design and Technology	2 (1+1)	2 (1+1)	2 (1+1)	

24

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशाय/John Director प्रीक्षण महिदेशाय/John Director प्रीक्षण महिदेशाय/John के किल्ला के किला कीशल विकास और राज्यों के मजल्य Ministry of Skill Development and En

			Lift and Escalator Mechanic	2 (1+1)	2 (1+1)	2 (1+1)	
			Leather Goods maker	2 (1+1)	2 (1+1)	2 (1+1)	
4.	Govt. ITI Trichy MIS Code: GR3000046	New	Lift and Escalator Mechanic	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
5.	Grading: 8.70 Govt. ITI Alathur MIS Code: GR33000661 Grading: 4.40	Existing	Solar Technician (Electrical)	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
6.	Govt. ITI Coimbatore MIS Code: GU33000058 Grading: 7.10	Existing	Remotely Piloted Air Craft (Pilot)	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
7.	Government ITI, Vadakarai	New	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
	vadakarar		Fitter	2 (1+1)	2 (1+1)	2 (1+1)	
			Mechanic Motor Vehicle	2 (1+1)	2 (1+1)	2 (1+1)	
			wiremen	2 (1+1)	2 (1+1)	2 (1+1)	

3.12 SSDEC Uttar Pradesh

3.12.1 DGT has received proposal of SCVT to NCVT conversion of following ITIs from State of Uttar Pradesh. SSDEC UP in its meeting dated 18.12.2023 has recommended SCVT to NCVT conversion for these ITIs. Matter of each ITIs have been discussed in detail, and remarks of SCAA are given in column VIII of below mentioned.

भारत संस्कार, नर विल्ली/GovL of India, New Delhi

gh.

Table 11: SCVT to NCVT conversion of ITIs of UP State

Sr. No.	Name of Institute	Trade for which affiliation is sought	Units for which affiliation has been sought	Units recommended by Joint Inspection Team	Units recommended by SSDEC	13 th SCAA remarks
L_	II.	III	IV	٧	VI	VII
1.	Govt Industrial Training Institute Koll, Aligarh MIS Code: GR09901077	Cosmetology	2 (1+1)	2 (1+1)	Recommended proposal for NCVT Affiliation	Recommended
	Grading: 7.40					
2.	Govt Industrial Training Institute Nagla Jalal,	Electrician Power Distribution	02 (1+1)		Not Recommended proposal for NCVT Affiliation	Not recommended
	Sikandrarao, Hathras	Computer Aided Embroidery Designing	02 (1+1)		Not Recommended proposal for NCVT Affiliation	Not recommended
	MIS Code: GR09000900 Grading: 9.70	Welder	02 (1+1)	02 (1+1)	Recommended proposal for NCVT Affiliation	Recommended
3.	Govt Industrial Training Institute	COPA	02 (1+1)	Trades are having own building but the	Not Recommended proposal for NCVT	Not Recommended
	Kisrauli, Kasganj	Cosmetology	02 (1+1)	post is not sanctioned	Affiliation	
	MIS Code: GR09000033			Λ	7	
	Grading: 8.30			27414	12	

4.	Govt. Industrial Training Institute Jalesar, Etah	Mechanic Consumer Electronic Appliances	02 (1+1)	02(1+1)	Recommended proposal for NCVT Affiliation	Recommended
	MIS Code: GR09901078	Electrician	02 (1+1)	02(1+1)	Recommended proposal for NCVT Affiliation	
	Grading: 7.30	Welder	02 (1+1)	02(1+1)	Recommended proposal for NCVT Affiliation	
		Dress Making	02 (1+1)	02(1+1)	Recommended proposal for NCVT Affiliation	
		Fashion Design Technology	02 (1+1)	02(1+1)	Recommended proposal for NCVT Affiliation	
		Basic Cosmetology	02 (1+1)	02(1+1)	Recommended proposal for NCVT Affiliation	
		Fitter	02 (1+1)	Trades are having own building but the post is not sanctioned	Not Recommended proposal for NCVT Affiliation	Not Recommended
5.	Govt. Industrial Training Institute Etah MIS Code: GR09000555 Grading: 8.50	Electrician (Power Distribution)	02 (1+1)	The trades is having own building but the post is not sanctioned as such cannot stand for affiliation	Not Recommended proposal for NCVT Affiliation	Not Recommended

6.	Govt. Industrial	CAED (Computer	01(1+1)	Electricity load is not	Not Recommended	Net Deserve
.55	Training Institute,	Aided Embroidery	01(1.1)	as per norms and	[18] [18] [18] [18] [18] [18] [18] [18]	Not Recommended
	Kalpi	and Designing)		also not supporting	proposal for NCVT Affiliation	r.
	MIS Code:	and Doolgining)		documents provided	Ailliation	
	GR09901195			to increase the load.		
	Grading: 6.50			Hence CAED trade		
	Grading. 0.00					
7.	Total and the state of the stat	CAED (Computer	01(1+1)	is not recommended Electricity load is not	Net December de l	NUD
	Govt. Industrial	Aided Embroidery	01(1+1)		Not Recommended	Not Recommended
	Training Institute,	and Designing)		as per norms and	proposal for NCVT	
	Madhogarh	and Designing)		also not supporting	Affiliation	
	MIS Code:			documents provided		
	GR09901193			to increase the load.		
	Grading: 7.60			Hence CAED trade		
8.	Govt. Industrial	Commuter Aided	04/4 . 4)	is not recommended		
0.	Training Institute,	Computer Aided	01(1+1)	Tools & Equipment's	Not Recommended	Not Recommended
		Embroidery and		are not available as	proposal for NCVT	
	Vishnupur Vishram,	Nidle Work		per the norms of	Affiliation	
	Pachperwa,			DGT		
	Balrampur MIS Code:					
	GR09901174					
^	Grading: 7.40					
9.	Govt. Industrial	Mechanic	02 (1+1)	Construction of	Not Recommended	Not Recommended
	Training Institute,	(Refrigeration		workshop and theory	proposal for NCVT	
	Katra Shankar	and Air-		room is still	Affiliation	
	Nagar, Balrampur	Condition)		incomplete		
	MIS Code:	Machinist	02 (1+1)			
	GU09901159	Mechanic Diesel	02 (1+1)			
	Grading: 4.20	Engine				
		Welder	02 (1+1)]		
		COPA	02 (1+1)			
10.	Govt. Industrial	Turner	02 (1+1)	Workshop is not	Not Recommended	Not Recommended
	Training Institute,	Mechanic Motor	02 (1+1)	active	proposal for NCVT	
	Utraula, Balrampur	Vehicle		VIKIS	Affiliation	

अमृत पाल सिंह, आई एस डी एस. AMRIT PAL SINGH, ISDS संयुक्त निवेशक/Joint Director प्रीक्षण महिनेशालप/Directorate Garage of Training कीयाल विकास और उपरोध्य म मञ्जलय Ministry of Skill Development and Extensive

	MIS Code: GR09901157 Grading: 7.20	COPA	02 (1+1)			
11.	Government ITI Kaisergang Behraich	Fitter	02 (1+1)	02(1+1)	Recommended proposal for NCVT Affiliation	Recommended
	MIS Code: GU09901127 Grading: 4.60	Turner	02 (1+1)	02(1+1)	Recommended proposal for NCVT Affiliation	
12.	Govt. Industrial Training Institute Rehuwa Mansoor Mahsi, Bahraich MIS Code:	Information Technology and Electronics System Maintenance	02 (1+1)	02(1+1)	02(1+1)	Recommended
	GU09901125 Grading: 4.20	Draughtsman Mechanical	02 (1+1)	02(1+1)	02(1+1)	
		Mechanic (Refrigeration and Air- Condition)	02 (1+1)	02(1+1)	02(1+1)	
13.	Govt. Industrial Training Institute Bahraich MIS Code:	Machinist	02 (1+1)	02(1+1)	02(1+1)	Recommended
	GU09001574 Grading: 6.40					
14.	Govt. Industrial Training Institute Nanpara Bahraich (220)	Information communication Technology System	02 (1+1)	02(1+1)	02(1+1)	Recommended
	MIS Code:	Draughtsman Mechanical	02 (1+1) ³¹ अमृत पाल सिंह. अ	02(1+1) र्च पस डी एस.	02(1+1)	

TH

	GU09901126	COPA	02 (1+1)	02(1+1)	02(1+1)	
	Grading: 5.00	Fashion Design Technology	02 (1+1)	02(1+1)	02(1+1)	
15.	Govt. Industrial Training Institute	COPA	02 (1+1)	02(1+1)	02(1+1)	Recommended
	Rasulabad, Kanpur Dehat 209204 MIS Code: GR09901069 Grading: 7.90	Mechanic Motor Vehicle	02 (1+1)	02(1+1)	02(1+1)	
16.	Govt. Industrial	Mechanic Motor Vehicle	02 (1+1)	02(1+1)	02(1+1)	Recommended
	Training Institute Sikandara Kanpur Dehat 209125	Technician Power Electronic System	02 (1+1)	02(1+1))	02(1+1)	
	MIS Code:	Turner	02 (1+1)	Tools & Equipment's	Not Recommended	Not Recommended
	GR09901068	Carpenter	02 (1+1)	are not available as	proposal for NCVT	
	GK09901000	Plastic	02 (1+1)	per the norms of	Affiliation	
	Grading: 7.90	Processing Operator	- : · · · ·	DGT		

3.12.2 DGT has received proposal of affiliation of trade(s)/unit(s) in DST mode for following ITIs, same has been recommended by SSDEC UP in its meeting dated 18.12.2023.

SCAA remarks: Recommended for DST affiliation for following ITIs as given in below mentioned table.

Table 12: DST proposal from UP State

Sr. No.	Name of the ITI	MIS Code	Name of the industry	Date of MoU	Name of the Trade for DST	No. of units	Shift
1.	Govt. ITI Gonda	GU09001575	Chawla Electric House	14-01-2023	Electrician	1	2
			Gonda	14-01-2023	Wireman	1	2
			Amit Motors, Pvt. Gonda	23.01.2023	Mechanic Auto Body Repair	2	1

^	0 1171	0000000000					2
2.	Govt.ITI	GR09001110	Amit Motors, Pvt. Gonda	23.01.2023	Fitter	1	1
	Mankapur Gonda		B.K. Electronics Mankapur, Gonda	02.02.2023	Refrigeration & Air Conditioning Technician	1	1
3.	Govt.ITI	GR09001161	Amit Motors, Pvt. Gonda	23.01.2023	Mechanic Diesel Engine	1	2
	Tarabganj- Gonda		Vishal Coputers world Gonda	21.01.2023	Computer Operator and Programming Assistant Mechanic Tractor	1	2
4.	Govt.ITI Coloneganj-	GR09001167	Steel Fabrication, Gonda	21.01.2023	Welder	1	1
	Gonda		Amit Motors, Pvt. Gonda	23.01.2023	Mechanic Motor Vehicle	1	1
			Novelty Tailor Gonda	24.01.2023	Sewing Technology	1	1
			-	24.01.2023	Fashion Technology	1	1
5.	Govt. ITI Bahraich	GU09001574	Cool Tech. Tikoni Bagh, Police Chowki Bahraich	27-02-2023	Refrigeration & Air Conditioning Technician	1	1
6.	Govt. ITI Bhinga	GU09901013	M/S Satush Agro Industries, Damoda Gilaula-Shriwasti	27-02-2023	Plumber	1	1
7.	Govt. ITI Jamunha	GU09901134	M/S Satush Agro Industries, Damoda Gilaula-Shriwasti	27-02-2023	Plumber	1	1
8.	Govt. ITI Hapur	GR09900631	Simbhovli Power Pvt. Ltd	27-01-2023	Welder	1	1
9.	Govt. ITI Garhmukteshwar	GR09900727	Simbhovli Power Pvt. Ltd	04-01-2022	Electrician	1	1
10.	Govt. ITI Dhaulana	GR099001072	Bharat Textile Mills, Hapur	18-01-2023	Textile Wet Processing Technician	1	1
11.	Govt. ITI Dadri	GR099001063	Sai Fire Appliances, Noida, G.B Nagar	18-01-2023	Painter General	1	1
12.	Govt.ITI Deoria	GU09001586	UPSRTC Deoria	01-09-2022	Mechanic Diesel	1	1

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संग्रकत निदेशक/Joint Director प्रिकाण गहीनेक्टम/Dreatorate General of Training कोग्राल विकास और उद्योगिता मञ्जालय Mindity of Skill Development and Entrepreneurship भारत संस्थार, गई दिल्ली/Govt. of India, New Delhi

				01-09-2022	Mechanic Rac	1	1
				01-09-2022	Fitter	1	2
				01-09-2022	Wireman	1	1
13.	Govt.ITI Lilapur Block Baitalpur	GR09901094	UPSRTC Deoria	01-09-2022	Electrician	1	1
14.	Govt.ITI Gauri	GR09901124	UPSRTC Deoria	01-09-2022	Welder	1	1
	Bazar			01-09-2022	Painter	1	1
15.	Govt. ITI	GR09001214	Puwa Industry Padrauna	28-02-2022	Fitter	1	1
	Padrauna		Purvanchal Vidyut Vitran	28-06-2022	Electrician	1	1
			Khand	28-06-2022	Wireman	1	1
			Om Sai Auto Mobile	14-03-2022	Mechanic Tractor	1	1
			Sweta Tractors	14-03-2022	Mechanic Tractor	1	1
			Amaan Steel Workshop	14-03-2022	Welder	2	1 2
			Utter Pradesh State	11-05-2022	Mechanic Motor Vehicle	1	1
			Road Transport Corporation	11-05-2022	Refrigeration & Air Conditioning Technician	1	1
				11-05-2022	Turner	1	1
			Shri Sidhnath Traders	17-05-2022	Sewing Tech,	2	1 2
16.	Govt. ITI Hata	GR09901149	Sakti Automobile Kasia	17-06-2022	Fitter	1	1
			Purvanchal Vidyut Vitran Khand	28-06-2022	Electrician	1	1
			Shri Sidhnath Traders	17-05-2022	Fashion Design	2	1 2
			Utter Pradesh State Road Transport Corporation	11-05-2022	Turner	1	1
17.	Govt. ITI Kasia	GR09001122	Utter Pradesh State	11-05-2022	Machinist Machinist	1	1
	Female		Road Transport	11-05-2022	Fitter	1	1

Page 107 of 116

			Corporation				
			Shri Sidhnath Traders	17-05-2022	Fashion Design	2	1 2
				17-05-2022	Dress Making	2	1 2
18.	Govt. ITI Seorahi	GR09901155	New Raghaw Agree Empaly Centre	28-06-2022	Fitter	1	1
			Simran Electronic, Tamkuhi road, kushinagar	28-06-2022	Electronic Mechanic	1	1
19.	Govt. ITI Naurangia	GR09001122	Uttar Pradesh State Road Transport	11-05-2022	Plumber	2	1 2
			Utter Pradesh State Road Transport Corporation	11-05-2022	Painter	1	1
			Utter Pradesh State Road Transport Corporation	11-05-2022	Refrigeration & Air Conditioning Technician	1	1
			Shri Sidhnath Traders	17-05-2022	Dress Making	2	1 2
				17-05-2022	Fashion Design	2	1 2
20.	Govt. ITI Chargawan	GR09000754	Regional Workshop, Utter Pradesh State Road	22-08-2022	Mechanic Auto Body Repair	2	1 2
			Regional Workshop, Utter Pradesh State Road Transport Corporation, Raptinagar, Gorakhpur.	06-05-2023	Fitter	1	1
			Regional Workshop, Utter Pradesh State Road	22-08-2022 ਸਾਰੂ ਦਕ ਤੀ ਦਰ	Mechanic Diesel Engine	2	1 2
			AMPIR PALS	22-08-2022	Mechanic Tractor	2	1

Page **108** of **116**

					T		10
			Regional Workshop, Utter Pradesh State Road Transport Corporation, Raptinagar, Gorakhpur.	22-08-2022	Painter General	1	2
			Regional Workshop, Utter Pradesh State Road	22-08-2022	Wireman	2	2
21.	Govt. ITI	GR09000181	Regional Workshop,	06-05-2023	Electrician Power Distribution	1	2
	Campierganj Gorakhpur		Utter Pradesh State Road Transport Corporation, Raptinagar, Gorakhpur.	06-05-2023	Refrigeration & Air Conditioning Technician	1	1
22.	Govt. ITI Khajani	GR09001582	Regional Workshop,	22-08-2022	Electrician	1	1
	Gorakhpur		Utter Pradesh State Road Transport Corporation, Raptinagar, Gorakhpur.	22-08-2022	Electrician Power Distribution	1	1
23.	Govt. I.T.I, Purwa, Unnao	GR09901147	Ellipsis Air Conditionge, Services, Khadra Lucknow	27-03-2023	Mech. RAC	1	2
			Vasishno Infotech Yoga and Computer Insitute, Maurawan Unnao	13-03-2023	Сора	1	1
24.	Govt. I.T.I,	GR09901188	M/S Narayani Enterprises	28-02-2023	Electronic Mechanic	1	2
	Bighapur,		Unnao		Mech. RAC	1	2
	Unnao		M/S Sharda Industries	24-01-2023	Draughtsman Civil	1	2
			M/S SK Shoes and Boots Pvt. Ltd.	24-01-2023	Dress Making	2	1 2
				24-01-2023	Sewing Technology	2	1 2

MY

अपृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रीक्षण महिनेदेशक/Joveta university of Iralning कौशल विकास और जन्मक्ति मञ्जालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Page 109 of 116

			M/S OM Auto Mobiles Pvt. Ltd.	28-01-2023	Mechanic Diesel Engine	2	1 2
				28-01-2023	Painter General	1	2
25.	Govt. I.T.I, Hasanganj,	GR09901184	Model Tanners Unnao	28-02-2023	Welder	2	1 2
	Unnao				Plumber	2	1 2
26.	Govt. ITI Lakhimpur Khiri	GU09001571	Ganesh Plywood Lakhimpur	30-01-2023	Welder	1	1
27.	Govt. ITI Mohammdi Khiri	GR09901169	One Stop Auto	27-01-2023	Painter General	1	1
28.	Govt. ITI Nighashan,	GR09901173	Ganesh Plywood Lakhimpur	30-01-2023	Welder	1	1
	Lakimpur Khiri		One Stop Auto	27-01-2023	Painter General	1	1
29.	GOVT. ITI Mohanlalganj Lucknow	GU09901093	Shuruaat Collection Pvt. Ltd, (Brand name - PANYA)	15-04-2023	Fashion Design Technology	2	1 2
30.	Govt. ITI Mirzapur		Provincial Division, Public works Department, Govt of Uttar Pradesh, Mirzapur.	13-12-2022	Draughtsman (Civil) (NSQF)	02	1st
			Contruction Division -2, Public works Department, Govt of Uttar Pradesh, Mirzapur.	10-01-2023	Surveyor (NSQF)	01	1st
	Govt. ITI Chhanbey Mirzapur	GR09001592	Infinity Hair and Beauty unisex Saloon Ganeshganj Mirzapur 231001 UP	23-01-2023	Cosmetology (NSQF)	1	1

AMRIT PAL STOCK ISDS
संयुक्त निर्वश्व के का किस्मिति के किस्मिति किस्मिति के किस्मिति किस्मिति के किस्मिति किस

32.	Govt. ITI Mehdawal	GR09001282	Goodluck Computer Technical Institute, Bhitwa Bazar, Sant Kabir Nagar	12-05-2023	Information Communication Technology System Maintenance	1	1
33.	Govt. ITI Khalilabad	GU09901023	Sardar Auto Mobile	08-05-2023	Draftsman CIVIL	1	1
34.	Govt. ITI Haisar Bazar	GU09901024	Arya Auto Wheels	15-05-2023	Draftsman Mechanical	1	1
35.	Govt. ITI Dumariyaganj	GR09001120	Suraj Traders, Itwa Sidharthnagar	22-12-2022	Fitter	1	1
36.	Govt. ITI Itwa-1	GR09901022	Suraj Traders, Itwa	15-12-2022	Fitter	1	1
			Sidharthnagar	16-05-2023	Welder	1	1
	GITI Harriya	GR09901014	Sunil Agency Harriya Basti	26-04-2023	Welder	1	1
38.	GITI SAHARANPUR	GR09001554	UM AUTO COMP	26-04-2023	Fitter	2	1
					Electronics Mechanic	2	1 2
			CCMC, Near Pul Jogiyan, Sahranpur		Fashion Design and Technology	1	1
39.	Govt. ITI Sarsawa (Saharanpur)	GR09000180	Amar Jyoti Industries, Delhi Road Saharanpur.	13-03-2023	Electrician	1	1
40.	Govt. ITI Deoband	GR09901012	CCMC (Center for Advance Studies in IT)	21-04-2023	Computer Operator and Programming Assistant	1	1
	(Saharanpur)		4/549 Chakrat Road Pul	21-04-2023	Cosmetology	1	1
			Jogiyan Saharanpur		Fashion Design Technology	1	1
	Government Industrial Training Institute MuzaffarNagar	GR09001485	Radha Govind Auto Mobiles, Ltd. NH-58 Near Transport Nagar,	20 April 2023	Refrigeration and Air Conditioning Technician	1	1

- Septi

W

अमृत पाल सिंह, आई. यस दी एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
परिकाण व्यक्तिशालप/Directors
कार्यल विकास दिवास कार्यलाव काराल विकास करियालप/Directors
कार्यल विकास करियालप/Directors
कार्यल विकास करियालप

			MuzaffarNagar, Pincode 251001				
			EUDC MUZAFFARNAGAR PVVNL MUZAFFARNAGR, Pincode-251001	20 April 2023	Electrician	1	1
42.	Government	GU09901130	Bajaj Hindustan Sugar	20 April 2023	Fitter	1	1
	Industrial Training Institute Budhana MuzaffarNagar	ning Institute	LTD Bhaisana-Budhana Pincode- 251305	20 April 2023	Machinist	1	1
			Hotel Plaza Bhopa Road Near Nath farms, Muzaffarnagar Pincode- 251001	27-Apr-23	Food Production General	1	1
			CAD Computer Centre Mahavir Chowk Muzaffarnagar Pincode251001	27-Apr-23	COPA	1	1
43.	Govt. ITI Shahpur	GR09901133	Aggarwal Duplex Board Mills limited, Muzaffarnagar	21-04-2023	Fitter	1	1
44.	Govt. ITI Morna	GU09901132	Meenu Paper Mills Private Limited,	06.05.2023	Welder	1	1
			The Ganga Kisan Sahkari Chini Mills Ltd. Morna Muzaff arnagar	08.05.2023	Turner	1	1
45.	Government Industrial Training Institute Kairana-Shamli	GR09900559	Charvi Enterprises, Industrial Area, Shamli	25-04-2023	Fashion Design & Technology	1	1

अमृत पाल सिंह, अर्ग्ह एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निर्देश कं/Joint Director विश्वा कर्मश्याम Directoria of Training प्रकार विकास और उद्योगिता मञ्जालय Minatry of Stall Development and Entrepreneurship भारत सरकर, नई दिल्ली/Govt. of India, New Delhi

46.	Government Industrial Training Institute Lisadh-Shamli	GR09901079	Charvi Enterprises, Industrial Area, Shamli	25-04-2023	Fashion Design & Technology	1	1
47.	Govt. ITI Pandu Nagar kanpur	GR09000007	Ganesh Shankar vidyarthi Memorial Medical College	28-01-2023	Information Communication Technology System Maintenance	1	2
			Kanpur Nagar 28	28-01-2023	Mech. (Refrigeration and Air Conditioner)	1	1
				28-01-2023	Wireman	1	1
				28-01-2023	Stenography & Secretarial Assistant (Hindi)	1	1
			Blue World Corporation	24-01-2023	Plumber	1	1
			Pvt.	24-01-2023	Welder	1	2
			Ltd. Kanpur Nagar	24-01-2023	Computer Operator And Programming Assistant (COPA)	1	1
			Ventech LLP Kanpur	25-01-2023	Draughtsman Mechanical	1	1
			Nagar	25-01-2023	Draughtsman Civil	1	1
			Super Precision	23-01-2023	Machinist	1	1
			Products Kanpur Nagar	23-01-2023	Machinist Grinder	1	1
			Vansal & Vansal Kanpur Nagar	23-01-2023	Electrician	1	1
	42		Industrial Instruments & Controls, Kanpur Nagar	25-01-2023	Electronics Mechanic	1	2
			Garware Paints Limited Kanpur Nagar	27-01-2023	Painter General	1	2
			Heat N Boilers Kanpur Nagar	25-01-2023	Fitter	1	1
			Divya Soft Toys Kanpur	27-01-2023	Fashion Design Technology	1	1
			Nagar	27-01-2023	Sewing Technology	1	1

NY

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रक्षिमण महानिदेशालय/Directorate General of Training कौशल विकास और उद्योगना प्रशालय Ministry of Skill Development and Edurepreneurship

				27-01-2023	Dress Making	1	1
48.	Govt. ITI	en	Ganesh Shankar vidyarthi	28-01-2023	COPA	1	1
	Women Lal bangla kanpur		Memorial Medical College Kanpur Nagar	28-01-2023	Plumber	1	1
			Heat N Boilers Kanpur Nagar	03-02-2023	Welder	1	1
			Kalra Cold Storage Kanpur Nagar	25-01-2023	Mech. (Refrigeration and Air Conditioner)	1	1
49.	Govt. ITI Bilhaur		Ganesh Shankar vidyarthi Memorial Medical College Kanpur Nagar	28-01-2023	Electrician	1	1
			Heat N Boilers Kanpur Nagar	25-01-2023	Draughtsman Mechanical	1	1
50.	Govt. ITI Ghatampur	atampur	Society Moters Ltd. G.T. Road Kanpur	25-01-2023	Electronics Mechanic	1	1
	kanpur		Harnam Moters and	23-01-2023	Mechanic Motor Vehicle	1	2
			Service Ltd. Patrsa Ghatampur Kanpur	23-01-2023	Electrician	1	2
51.	Govt. ITI G		Narayan International, Farrukhabad	30.01.2023 (SIGNED)	Sewing Technology	1	1
			1	31.01.2023 (SIGNED)	Fitter	2	1 2
			Dr. Nagendra singh (Raja Bhaiya) Cold Storege Arrah Awajpur, Farrukhabad	01.02.2023 (SIGNED)	Wireman	1	2
			Prakher Motors satanpur mandi rod farrukhabad	10/02/2023 (SIGNED)	Mechanic Diesel	1	1
			Tirupati Hyundai Service Pvt.Ltd Near RTO Office Farrukhabad	10/02/2023 (SIGNED)	Mechanic Motor Vehicle	1	2
			संस्थान क्रिकेट कर के प्राप्त के कि	in tuder	W	Page 11 4	of 11

52.	Govt. ITI, Kannauj	GR09901052	Mushtaq Cold Storage, Esmailpur, Gurshayaganj Kannauj	06-01-2023	Mechanic (Refrigeration and Air- Conditioning)	1	2
53.	Govt. ITI Tirwa, Kannauj	GR09901053	Janta Cold Storage, Gowerdhani Road Kannauj	06-01-2023	Mechanic (Refrigeration and Air- Conditioning)	1	2
	Govt. ITI Bidhuna Auriya	GR09901090	A.K. Trading Company, Bidhuna Auriya	27-01-2023	Fashion Design Technology	1	1
55.	Govt. ITI Agra	GR09001475	Voltas Limited House A Dr. Babasahab Ambedkar Road, Chhichpokli, Mumbai 400003 (Branch office Voltal Limited 11/48/3, Ram Bagh Agra-282009	13-04-2023	Electrician	1	1

3.13 SSDEC West Bengal

DGT has received following DST proposal from State Directorate West Bengal. These proposals were recommended by SSDEC WB in its meeting dated 06.10.2023. Matter was discussed and SCAA remarks are given in column VII of below mentioned table.

Table 13: DST proposal from West Bengal State

Sr. No.	Name of Institute with address	Name of the industry	Name of the Trade for DST	Units	Shift	13 th SCAA Remarks
1.	Government ITI Raninagar-I running under PTP	Prompt Castings Pvt. Ltd.	Fitter Electrician	01	3 rd shift 3 rd shift	Recommended Recommended
	MIS Code: GR19000165				o onme	recommended
2.	Government ITI Sagardighi running	Prompt Castings	Welder	01	3 rd shift	Recommended
	under PTP	Pvt. Ltd.	Fitter	. 02	3 rd shift	Recommended
	MIS Code: GR19000167			301	3 rd shift	Recommended

3.	Government ITI Gorubathan running under PTP MIS Code: GR19000287	Miltiplex appliance Pvt Ltd.	Fitter	01	3 rd shift	Recommended
4.	Government ITI Arambagh running under PTP	Unique Electricals	Electrician	01	3 rd shift	Recommended
	MIS Code: GR19000278	Miltiplex appliance Pvt Ltd.	Fitter	01	3 rd shift	Recommended

HY

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रशिक्षण महानिदेशालग/Directorate General of Training कौशल विकास और उद्यमिता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Act,