डीजीटी-एएफएफ/1/2024-ओ/ओ डीआईआर (टीसी) [ई- 65012]
भारत सरकार
कौशल विकास और उद्यमिता मंत्रालय
प्रशिक्षण महानिदेशालय

कौशल भवन, न्यू मोती बाग
चाणक्यपुरी, न्यू दिल्ली- 110023
दिनांक: 20.03.2024

सेवा में,

1. **राज्य निदेशक,**
   (आंध्र प्रदेश, बिहार, गोवा, गुजरात, हिमाचल प्रदेश, झारखंड, मध्य प्रदेश, महाराष्ट्र, राजस्थान, तमिलनाडु, उत्तर प्रदेश, तथा पश्चिम बंगाल)
2. **क्षेत्रीय निदेशक, आरडीएसडीई**
   (आंध्र प्रदेश, बिहार, गोवा, गुजरात, हिमाचल प्रदेश, झारखंड, मध्य प्रदेश, महाराष्ट्र, राजस्थान, तमिलनाडु, उत्तर प्रदेश, तथा पश्चिम बंगाल)

विषय: दिनांक 28.02.2024 को संपन्न हुई SCAA की 14वीं बैठक का कार्यवृत्त - तत्संबंधी।

महोदय/ महोदया,

"Standing Committee on Accreditation and Affiliation (SCAA)" की, दिनांक 28.02.2024 को संपन्न हुई, 14वीं बैठक के अनुमोदित कार्यवृत्त संलग्न हैं। तथापि, कार्यसूची मदवार कार्यान्वयन आदेश यथा समय जारी किए जाएंगे।

इसके अलावा, अनुपालन (compliance) रिपोर्ट, यदि कोई हो, को केवल OM DGT-11014/2/2023-TC SECTION दिनांक 26.06.2023 के अनुसार SCAA टिप्पणियों के अनुसार निर्धारित समय सीमा के भीतर NIMI अनुपालन (compliance) मॉड्यूल के माध्यम से प्रस्तुत करना होगा।

यह सक्षम प्राधिकारी के अनुमोदन से जारी किया जाता है।

भवदीय,

(उज्ज्वल विश्वास)
निदेशक, टीसी

UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

प्रतिलिपि:

1. पीएसओ डीजी/एएस, डीजीटी, दिल्ली
2. पीपीएस डीडीजी (मुख्यालय), पीपीएस से डीडीजी (दक्षिण), डीडीजी (पूर्व)।
3. एनसीवीटी एमआईएस पोर्टल प्रभारी, डीजीटी मुख्यालय, नई दिल्ली, -एनसीवीटी एमआईएस पोर्टल पर एमओएम अपलोड करने के अनुरोध के साथ।

20/03/24
(अमृत पाल सिंह)
संयुक्त निदेशक, टीसी

AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

नोट: - यह दिनांक 20.03.2024 को जारी डीजीटी पत्र संख्या डीजीटी-एएफएफ/1/2024-ओ/ओ डीआईआर (टीसी) [ई-65012] का हिंदी अनुवाद है। किसी भी प्रकार की विसंगतियों के संबंध में अंग्रेजी में जारी पत्र ही मान्य होगा ।

DGT-Aff/1/2024-O/o DIR (TC) [E- 65012]
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training
***

Kaushal Bhawan, New Moti Bagh
Chanakyapuri, New Delhi- 110023
Dated: 20.03.2024

To

1. **The State Directors,**
   (Andhra Pradesh, Bihar, Goa, Gujarat, Himachal Pradesh, Jharkhand, Madhya Pradesh, Maharashtra, Rajasthan, Tamil Nadu, Uttar Pradesh and West Bengal)

2. **The Regional Directors, RDSDEs**
   (Andhra Pradesh, Bihar, Goa, Gujarat, Himachal Pradesh, Jharkhand, Madhya Pradesh, Maharashtra, Rajasthan, Tamil Nadu, Uttar Pradesh and West Bengal)

Subject: Minutes of 14th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" held on 28.02.2024 - regarding.

Sir / Madam,

Please find enclosed approved Minutes of 14th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" held on 28.02.2024. However, implementation orders agenda item wise will be issued in due course of time.

Further, the compliance reports if any, have to be submitted only through NIMI compliance module as per OM DGT-11014/2/2023-TC SECTION dated 26.06.2023 within the stipulated time limit as per the SCAA remarks.

This issues with the approval of competent authority.

Yours faithfully,

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

(Ujjwal Biswas)
Director, TC

Copy to:
1. PSO to DG/AS, DGT, Delhi
2. PPS to DDG (HQ), PPS to DDG (South), DDG (East).
3. NCVT MIS Portal In charge, DGT HQ, New Delhi, with a request to upload MoM on NCVT MIS Portal.

20/03/24

(Amrit Pal Singh)
Joint Director, TC

अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

DGT-Aff/1/2024-O/o DIR (TC) [E- 65012]
Government of India
Directorate General of Training
Ministry of Skill Development and Entrepreneurship
Kaushal Bhawan, New Moti Bagh, Chanakyapuri, New Delhi- 110023
****

Minutes of 14th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" dated 28.02.2024

The following DGT Officers were present during the meeting:

1. Sh. Ishwar Singh, Deputy Director General
2. Sh. Ujjwal Biswas, Director, TC, DGT – Member
3. Sh. Amrit Pal Singh, Joint Director, TC-Section, DGT
4. Sh. Raju Kannam, Deputy Director, TC-Section, DGT
5. Sh. Rajesh Kumar-Assistant Director, TC-Section, DGT
6. Ms. Pooja Verma -Assistant Director, TC-Section, DGT
7. Ms. Kanika Kalhan, Training Officer, TC -section DGT

The following officers from RDSDEs and State Directorate attended the meeting (through VC):

Sr. No.	State	Name of RDSDE Officials	Name of State Officials
1.	Andhra Pradesh	Smt. D. Shanthi, Joint Director Sh. P. Mouli, Dy. Director	Sh. Satyanarayana, Joint Director (FAC)
2.	Bihar	Sh. Bijit Singha, Director, Sh. Abhishek Kumar Assistant Director	Sh. Pankaj Kumar, Assistant Director
3.	Goa	Sh. Abhay A. Mahishi, Dy. Director	Sh. S.S. Gaonkar, Director
4.	Gujarat	Sh. D Sudhakar, Dy. Director	Sh. H.B Kabaria, Technical Officer
5.	Himachal Pradesh	Sh. Mohinder Lal, Assistant Director	Sh. Sanjay Gupta, Deputy Director, DET Himachal Pradesh
6.	Jharkhand	Sh. B.K. Singha Regional Director Sh. Himanshu. Assistant Director	Sh. Devendra Prasad, Dy. Director

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

7.	Madhya Pradesh	Shri P. Marveldoss Joint Director Ms. Ankita Bansal, Assistant Director	Sh. Padam Kumar Assistant Director
8.	Maharashtra	Sh. C.S. Murthy, Director Sh. Abhay A. Mahishi, Dy. Director	Sh. Prashant Dongre, Assistant Director
9.	Rajasthan	Smt. Priyanka Somani, Assistant Director	Sh. Suresh Sharma, Assistant Director
10.	Tamil Nadu	Sh. P.M. Damodharam Assistant Director	Sh. Ravi Chandran, Additional Director Smt. Karpagam Dy. Director
11.	Uttar Pradesh	Sh. J.D. Masilamani, Director Sh Asheesh Shukla, Assistant Director	Sh. P K Shah, Deputy Director Ranjit Rao Assistant Director
12.	West Bengal	Sh. Abhishek Kumar, Assistant Director	Shri Prasenjit Bose, Assistant Director, DET

At the outset, Shri Ishwar Singh, DDG, DGT Chairperson of SCAA, welcomed all the committee members and participants. Thereafter Shri Ujjwal Biswas, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations, and agenda-wise decisions taken by the Chair, are placed below.

Agenda 1: Action Taken report of 13th SCAA meeting held on 30.01.2024 to 31.01.2024- regarding.
Minutes of 13th SCAA along with affiliation orders have been issued and uploaded on NCVT MIS Portal. The same has been informed to all members and ratified by the committee.

Agenda 2: New Accreditation/ Affiliation Proposals for Existing and New ITIs from 6 States/UT.
Inspection reports for 30 New Accreditation/ Affiliation Proposals for Existing and New ITIs from 06 States/ UTs have been received from 08.08.2023 to 31.08.2023, out of which 24 are from Existing ITIs (16 Govt. ITIs and 8 Pvt. ITIs) for the addition of Trades/Units and 06 are from New ITI (02 Govt. ITIs and 04 Pvt. ITIs).

Table 1: State wise summary of total inspection report received from 08.08.2023 to 31.08.2023

S. No.	State Name	Govt		Private		Grand Total
		Existing	New	Existing	New	
1	Andhra Pradesh	0	0	0	1	1
2	Gujarat	3	2	2	0	7
3	Jharkhand	0	0	1	2	3
4	Madhya Pradesh	0	0	1	0	1

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

5	Maharashtra	13	0	3	1	17
6	West Bengal	0	0	1	0	1
Grand Total		**16**	**2**	**8**	**4**	**30**

SCAA Remarks:

Inspection reports for above mentioned 30 ITIs have been discussed and the remarks by SCAA for each are attached at ***Annexure – I.***

Agenda 3 Affiliation proposal received through Minutes of Meeting of SSDECs

Various Affiliation proposal received through Minutes of Meeting of SSDECs of following states have been discussed in detail, final remarks of the SCAA are attached at ***Annexure-II***

I. Bihar
II. Goa
III. Maharashtra
IV. Rajasthan
V. Tamil Nadu
VI. Uttarakhand

Agenda 4: Complexity in the Certificate issued for Building Completion Certificate (BCC) of ITIs.

It has been observed that the Building Completion Certificate (BCC) is one of the crucial documents ensuring the safety of the building where the training is conducted. Although the affiliation norms, from 2018 provide clear instructions concerning the BCC, many institutes still submit incorrect BCC documents, leading to lingering compliance issues. To address this problem, there is a necessity to reiterate the instructions related to the BCC. The following points regarding BCC are clarified below:

I. **For New ITI and Existing ITI (in case additional construction is taken by ITI for additional trade units sought for affiliation):**
   a. If ITI falls in an area, where presently statutory physical plans like Master plan/ Development plan, regional plan, peripheral plan, zonal plan etc. exist then ITI need to submit a BCC with respect to name & address of the ITI, clearly stating that " the *building(s) is fully constructed and ready and safe in all respects for the intended use as Industrial Training Institute (ITI) as per the local building Byelaws related to ITIs/ Technical Institution Buildings or latest National Building Code (N.B.C) of*

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

अमृत पाल सिंह, आई.एस.डी.एस./AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi
20/03/24

India". This certificate should be issued from the Municipal Authority/ Development Authority/ Competent Authority clearly stating the aforesaid statement in the certificate.

b. If the ITI falls in an area, where presently no statutory physical plans like Master plan/ Development plan, regional plan, peripheral plan, zonal plan etc. then two documents are required:
   i. **No statuary plan**- from District Magistrate (Collector)/ Development Authority/ Municipal Authority/ Any other Competent revenue Authority clearly stating that this ITI falls in an area, where presently no statutory physical plans like Master plan/ Development plan, regional plan, peripheral plan, zonal plan etc., should be submitted.
   ii. **BCC** with respect to name & address of the ITI clearly stating that the Building(s) is fully constructed and ready and safe in all respects for the intended use as an Industrial Training Institute (ITI) as per the local building Byelaws related to ITIs/ Technical Institution Buildings or latest National Building Code (N.B.C) of India. This certificate should be issued from Government Civil/ Structural Engineer.

II. For Existing ITI where no additional construction is undertaken for additional trade units sought for affiliation

In this case, the existing Building Construction document is to be certified by the Municipal Authority/Development Authority or a Government Civil/ Structural Engineer. It should clearly state that the building is safe and sound, ready in all respects for the intended use as an Industrial Training Institute (ITI) as per the local building Byelaws related to ITIs/Technical Institution Buildings or the latest National Building Code (N.B.C.) of India.

Agenda 5: Fake Bank guarantee matters of UP State

1. State Directorate of Uttar Pradesh has submitted a list of ITIs vide its letter dated 17.08.2021 to act against the applicant ITIs who had deposited the fake bank guarantees. Subsequently, these cases were placed vide agenda point no. 3.8 in 3rd Standing Committee Accreditation and Affiliation (SCAA) meeting held on 07.09.2021 wherein it was decided to reject the applications, for which the fake bank guarantees were produced, vide order dated 17.09.2021 in each category as mentioned in table below.

2. Being aggrieved with aforesaid decision dated 17.09.2021, various applicant ITIs had approached the Hon'ble High Court of Uttar Pradesh bench at Allahabad and Lucknow for seeking relief to quash the decision and to accept the fresh bank guarantees. The Hon'ble court has granted the interim relief to these litigations in various orders, directing the respondents that no coercive action shall be taken against the Petitioner Institutes till the next date of hearing, in case if they deposit Rs. 50,000/- per unit within seven days from the date of the court order.

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

3. Subsequent to this, the State Directorate, Uttar Pradesh has shared a list of 79 ITIs on 11.01.2023 with DGT for necessary action. Moreover, various representations have been received by DGT to reconsider these applications based upon the fresh bank guarantee deposited by the litigants. So, the instant matter was discussed in 10th SCAA held on 16.06.2023 and State Directorate, Uttar Pradesh has informed during the meeting that a decision on Fake bank guarantee cases will be taken after the vigilance proceedings by the State Government on this matter are completed.
4. Here it is worth mentioning that DGT has nothing to say nor to decide anything in the matter of bank guarantees collected by the State Directorate. Further, the aforesaid decision in 3rd SCAA held on 07.09.2021 was taken based upon the recommendation of the State. Numerous representations are still being received by DGT to reconsider the applications which were rejected for affiliation during 3rd SCAA held on 07.09.2021. DGT cannot take further action until it receives recommendations and proposals from the State Directorate.
5. Accordingly, a letter has been sent to State Directorate, UP on dated 06.11.2023 to give their consolidated remarks and recommendation in the instant matter for each category mentioned in DGT order dated 17.09.2021. The State Directorate has sent numerous individual cases for reconsideration of the decision based upon fresh bank guarantee.

Remarks of SCAA:

The Matter was again considered and discussed in 14th SCAA held on 28.02.2024 with State Directorate and RDSDE, UP and the decision of the SCAA is tabulated in mentioned below table: -

Table: Category wise details of Bank Guarantee cases

Sl. No.	State's Representation/ Recommendation	Remarks of 3rd SCAA held on 07.09.2021	Remarks of 14th SCAA held on 28.02.2024
1	For 40 New ITIs, affiliated in session 2019 and 2020, and produced Fake BG, they should not be allowed admissions from 2021 session in the units affiliated in 2019 and 2020.	Committee approved for De-affiliation of these 40 ITIs are and de-barred for 3 years. No further admissions to be allowed to these ITIs.	SSDEC is empowered to make the recommendation in de-affiliation matters. So, SSDEC may follow the following steps- 1. Initial verification of bank guarantees deposited by applicants with the state, shall be conducted by the State Directorate at its own level. 2. The applicants willing to submit fresh bank guarantees shall be notified separately by the State Directorate within a period of 8 weeks from the issuance of this Minutes of Meeting (MoM). No such cases shall be considered further, if the
2	For 21 Existing ITIs, affiliated in session 2019 and 2020, and produced Fake BG, they should not be allowed admissions from 2021	For these ITIs, the Trades which got Affiliated during session 2019 and 2020, on submission of Fake Bank	

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

	session in the units affiliated in 2019 and 2020	Guarantee shall be de-affiliated.	applicants fail to submit fresh bank Guarantee within specified period. 3. Once the verification is completed successfully, the joint inspection may be conducted at the premises of the applicant for the trade/unit(s) which had been de-affiliated/ deactivated in this category. 4. SSDEC shall compile and present the consolidated list of ITIs to SCAA along with recommendation of trade/unit(s) to restore. Cases not recommended for restoration will include specified reasons. Following this, these cases will be presented for discussion in the upcoming SCAA meeting.
3	657 new applications which had used Fake BG shall not be considered further for Accreditation/ Affiliation	These applications produced Fake Bank Guarantee, thus they will be rejected from NIMI portal. To be debarred from applying on Online Affiliation Portal for 3 years.	SSDEC may follow the following steps- 1. Initial verification of bank guarantees deposited by applicants with the state, shall be conducted by the State Directorate at its own level. 2. The applicants willing to submit fresh bank guarantees shall be notified separately by the State Directorate within a period of 8 weeks from the issuance of this Minutes of Meeting (MoM). No such cases shall be considered further, if the applicants fail to submit fresh bank Guarantee within specified period. 3. Once verification is successfully completed, SSDEC shall compile and present the consolidated list of ITIs to SCAA along with its recommendation on whether to restore the application on the NIMI portal. Subsequently, these cases will be presented for discussion at the upcoming SCAA meeting.
4	For 160 Existing ITIs, applied and produced Fake BG, they should not be allowed affiliation in additional units/ trades for which they applied. No action maybe carried on existing units of these ITIs	As these ITIs did not get affiliation in the units for which they produced Fake BG, committee approved for allowing these 160 ITIs to take admissions in existing Trades/ units.	

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Annexure – I

1. **State**: Andhra Pradesh

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 14th SCAA
I	II	III	IV	V	VI	VII
1.	Vani Pvt. ITI, Nagaram Private Industrial Training Institute, Nagaram - Mandal, Guntur District – 522268 TMPP2005	New Polytechnic	1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Copa - 2(1+1) 4. Sewing Technology - 2(1+1)	Recommend for Electrician =1+1 unit. Fitter = 1+1 units, COPA= 1+1 units Sewing Technology- 1+1 units. 1. Electrician and Fitter trade trainees tool kit and General shop outfit tools and equipment are available for 1+1 units only. For Swing Technology and COPA available are as per norms for 1+1 units each. 2. Yes, Total 20 staff are available. Principal-1, to -1, Electrical - 4, Fitter -3 Sewing Technology-2, COPA- 2, WC&S-1, E.D -1, E.S -1, other staff-4, Total CITS holders 6 Nos. 3. ITI is having Infrastructure and staff for affiliation of following trades as per norms Electrical- 1+1 Units Fitter - 1+1 Units Sewing Technology- 1+1 Units COPA- 1+1 Units	1. BCC is not as per norms.	ITI needs to submit a fresh BCC, from the competent authority as given in Agenda 4 of this MoM and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, concerned State Directorate to verify the documents submitted by the ITI and send the recommendation to DGT within the next 15 days on the online compliance module.

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

2. **State**: Gujarat

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 14th SCAA
I	II	III	IV	V	VI	VII
1.	ITI, Kheda ITI, Kheda, Kheda Camp, Near Dysp Bunglow, Besides Police Training Camp, P.O.Ratanpur, Ta.Dist.Kheda-387411 TMP24450GR1681716509	New	1. Fitter - 3(1+2) 2. Electrician - 2(1+1) 3. Computer Operator and Programming Assistant (COPA) - 2(1+1) 4. Wireman - 3(2+1)	Recommended for affiliation of Fitter 3(1+2+0) and 2. Electrician 2(1+1+0) and 3. COPA 2(1+1+0) and 4. Wireman 3(2+1+0) 1. Total 10 Instructors were appointed as per NCVT norms and out of 10 instructors 2 of them holds (NCIC) essential qualification. 2. 90 to 95 percent of tools and equipment Available as per CTS curriculum for all Trade.	--	ITI needs to remove the deficiency of remaining tools equipment and submit the documents, ensuring the 100% tool equipment availability, on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, the concerned State Directorate to verify the availability and installation of machinery and send the recommendations to DGT within the next 15 days on the online compliance module.
2.	Industrial Training Institute, Mahemdabad (Government) Govt. ITI, Mahemdabad , Sardar Nagar, B/H Railway Station, Mahemdavad, Kheda- 387130	Existing	1. Computer Operator and Programming Assistant (COPA) - 1(0+1+0) 2. Fitter - 1(0+1+0)	Recommended 1. COPA Trade 1(0+1+0) 2. Fitter Trade 1(0+1+0).	ICVC has mentioned that there is a shortage of load in Annexure-III and No other adverse remarks given by ICVC	SCAA recommended following trades: 1. COPA 1(0+1+0) 2. Fitter 1(0+1+0).

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मन्त्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

	MIS Code: GU24000228				Power load required =34.81 KW Power load Available =45 KW	
3.	Sheth Shri R.V.Raval Private ITI, Gia Gozaria (Gra At.Po-Gozaria,Ta.Di-Mahesana-384470,Gujarat MIS Code: PR24000508	Existing	1. Solar Technician (Electrical) - 2(1+1)	Sheth Shri R.V.Raval Private ITI, Gia Gozaria (Granted) : PR24000508 and Shri Gozaria Kelavani Mandal Sanchalit Self Finance Private ITI, Sf Gozaria (Self Finance): PR24005515 Running In Same Campus Same Building. Recommended for Solar Technician (Electrical) For 1+1+0	BCC is issued by gram panchayat and less in power load (Required 80.1KW Available=44 KW)	SCAA observed following deficiencies: 1. Shortage of Electricity load/power for the recommended unit and existing units. (Required 80.1KW, Available=44 KW) 2. BCC submitted is not as per norms, ITI is required to submit the BCC as per Agenda 4 of this Minutes. ITI needs to remove above mentioned deficiencies and submit required documents to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned State Directorate to verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

						online compliance module.
4.	Govt. ITI, Gandhinagar (WOMEN) Sector-15, Ta. - Gandhinagar, Dist.- Gandhinagar-382015 MIS Code: GU24008129	Existing	1. Sewing Technology - 1(1+0+0)	Recommended for Sewing Technology (1+0+0)	No other adverse remarks mentioned by ICVC	SCAA recommended Sewing Technology - 1(1+0+0)
5.	Industrial Training Institute Maliya Miyana Chachavadarda-Pipaliya Chokdi, Maliya Miyana Highway, Chanchavadarda-363660 Morbi TMP24673GR16 81819550	New	1. Wireman - 3(1+1+1) 2. Computer Operator and Programming Assistant (COPA) - 2(1+1) 3. Welder - 2(1+1) 4. Fitter - 2(1+1)	1. Possession receipt dated 13.09.2019 given by Deputy Executive Engineer, civil completion certificate by Deputy Executive Engineer and electrical work completion certificate by Additional Assistant Engi 2. Affiliation is recommended for Wireman (1+2+0), Fitter (1+1), COPA (0+1+0), Welder (1+0+0) trades.	Mismatch in trade unit recommended by ICVC	SCAA observed that there is a mismatch in the trade units recommended by ICVC and the trade units sought by the applicant ITI, resulting in not fulfilling minimum four trade and eight units norms. The State Directorate informed that this is a new Government ITI's case for affiliation. Hence, the State Directorate needs to clarify the mismatch and submit the report on the availability of machinery, tools, equipment, and give its recommendations within 15 days from the date of issue of this MOM.

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-1 2/Govt. of India, New Delhi-12

20/03/24

अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

6.	Smt.B.H.Shah (Karjanwala) I.T.I.(P) College Campus, Nh 8,Po- Kamrej Char Rasta Surat- 394185 MIS Code: PR24000805	Existing	1. Solar Technician (Electrical) - 1(0+1)	Recommended for Solar Technician (Electrical) (0+1+0)	1. BCC not attached 2. 2nd unit without base unit	ITI needs to submit the following details to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of these Minutes: (i) BCC as per agenda 4 of this MOM. (ii) Clarification of the 2nd unit without the base unit (1st unit). Further, the concerned State Directorate to verify the documents, provide comments on the 2nd unit without the base unit, and submit the report on the online compliance module to DGT within the next 15 days on the online compliance module.
7.	Industrial Training Institute, Chikhli (Government) Govt. ITI, Chikhli Office Of The Principal, Khundh,Vansada Road Near Adarsh Nivasee School, Chikhli,	Existing	1. Wireman - 2(1+1) 2. Health Sanitary Inspector - 2(1+1)	Recommended For both Wireman (1+1+0) and Health Sanitary Inspector trades (1+1+0).	Electricity load/ Power is a shortage	SCAA observed that Shortage of Electricity load/power for the recommended unit and existing units. (Required 103.2 KW, Available=75 KW) ITI needs to remove the above mentioned deficiency and submit

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई एस डी एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

	Gujarat - 396521 MIS Code: GR24000425					required documents to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned State Directorate to verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.

3. **State**: Jharkhand

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 14th SCAA
I	II	III	IV	V	VI	VII
1.	Mandal Ji Private ITI, Ramgarh ITI Colony, Bangada, Near Indian Oil Petrol Pump - 829103 Ramgarh- Jharkhand TMP20607PU1680179216	New	1. Electrician - 6(3+3) 2. Fitter - 2(1+1) 3. Copa - 2(1+1) 4. Surveyor - 2(1+1)	NCVT and SCVT: Not recommended 1. Machinery bills available but payment receipt not available. And most of the equipment mentioned in the bills are not available in the institute at the time of inspection.	May not be recommended due to ICVC remarks and following 1. BCC not as per norms. 2. Adequate qualified instructors not available	SCAA 'Not Recommended' the ITI affiliation due to following reasons: 1. Building is not suitable for running ITI, workshop not as per norms (no gangway marking, ventilation and water logging problem in rains).

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई एस डी एस
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

				2. only 1 biometric system available for both staff and trainee. 3. Classroom were in detrimental condition. 4. For Electrician trade - proper installation was not done. For Fitter trade - many equipment are not available. For Surveyor trade - Equipment were packed at one place. For COPA trade - only 2nd hand systems were available, and no software was installed. 5. Some of the machinery were not in working condition. 6. Washroom conditions were very poor. 7. Qualified instructors not appointed. 8. Building is not suitable for running ITI, workshop not as per norms (no gangway marking, ventilation, water logging problem in rains. 9. Water logging problem situated in residential area. 10. Disagree, Not recommended for any trade (already served block, insufficient machinery and trainers, poor infrastructure). 11. only 1 CITS instructor (not available at the time of	for all trades/units sought for affiliation.	2. For Electrician trade - proper installation has not been done. For Fitter trade - many equipment are not available. For Surveyor trade -Equipment were packed at one place. For COPA trade - only 2nd hand systems were available, and no software was installed. 3. Classrooms were in detrimental condition. 4. Water logging problem and situated in residential areas. 5. Drawing hall not available. 6. IT Lab is not as per norms and systems are not installed. 7. Fire safety Certificate not available as per norms. 8. Some of the Equipment is not in working condition or properly installed for Electrician Trade. Workshop not as per norms. Equipment and Workshop not as per norms for Fitter and Surveyor trade Old systems were installed, (Projectors, printers,

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

				inspection), 3 diploma holders for electrician trade. 12. Drawing hall not available. 13. IT Lab not as per norms and systems are not installed. 14. Fire safety Certificate not available as per norms. 15. Some of the Equipment are not in working condition or properly installed for Electrician Trade. Workshop not as per norms. Equipment and Workshop not as per norms for Fitter and Surveyor trade Old systems were installed, (Projectors, printers, software were not installed or purchased).		software were not installed or purchased). 9. Some of the machinery was not in working condition. 10. Qualified instructors not appointed. 11. Only 1 CITS instructor (not available at the time of inspection) and 3 diploma holders for electrician trade. 12. Washroom conditions were very poor.
2.	Industrial Training Institute (Tata Steel Foundation Under PPP) Chandil Saraikela Kharsawan Industrial Training Institute (Tata Steel Foundation Under Ppp) Chandil At-Gangudih, P.O-Chandil, P.S-Chandil, Dist-Seraikella-Kharsawan, Jharkhand-832401 TMP20341PR16805	New	1. Tool & Die Maker (Press Tools, Jigs & Fixtures) - 4(2+2) 2. Advanced CNC Machining - 4(2+2) 3. Mechanic Electric Vehicle - 4(2+2) 4. Fitter - 4(2+2)	1. All machinery as per the trade syllabus are available but it is not yet installed, and it was mentioned that it is under process. 2. All the Machines are new, and available as per the syllabus but no one machine is connected to the electrical points. This is reported that it is in process, a letter collected from the management. 3. Safety measures not found. 4. Partially agreed, because of shortages of staff and machinery are not installed,	1. BCC not available as per norms. 2. Electricity Load not sufficient to run trades sought for affiliation. (Required= 147.02 KW Available= 64 KVA) 3. The area of the drawing hall is available	SCAA observed the following deficiency: 1. BCC not available as per agenda 4 of this MOM 2. Load not sufficient to run trades sought for affiliation. (Required= 147.02 kW Available= 64 kVA) 3. The area of the drawing hall is available without the furniture and other accessories. ITI need to remove above mentioned deficiencies along with the deficiencies

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

	94828		5. Machinist - 4 (2+2) 6. Welder - 2(1+1)	similarly safety is also important and it is believed that Tata Steel Foundation can fulfil as per their statement. 5. Total 11 TO appointed Rest shortlisted out of which 02 CITS trained rest appearing in CITS RPL. 6. Recommended only 2 Unit for each trade at S.No.1 to 5 and for S.No.6 also only 1 Unit due to shortages of the staffs against required no of trainers for which trade affiliation sought also there are no trainers for Employability Skills, Information Technology and Engineering Drawing at the time of Joint Inspection. Management informed to the Jt. Inspection team that, for appointments of Instructors are under process and the remaining staff will be available before session starts.	without the furniture and other accessories	mentioned in column V and to submit required documents to the concerned RDSDE on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned RDSDE will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.
3.	Sakshi Private ITI Gorathi Tilaiya, Baghmara, Dhanbad-828307 Jharkhand MIS Code: PR20000266	Existing	1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Copa - 2(1+1)	Recommended: 1. Electrician - 4(2+2), 2. Fitter – 4(2+2) 3. COPA - 2 (1+1).	1. Power is not sufficient. 2. Drawing hall pictures not attached. 3. BCC not as per norms.	SCAA observed the following deficiencies: 1. Load not sufficient to run trades sought for affiliation. (Required= 29.94 kW Available= 25.36 kW)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

						2. Drawing Hall not available as per norms 3. BCC not available as per agenda 4 of this MOM ITI needs to remove above mentioned deficiencies and submit required documents to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, the concerned State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-1 2/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

4. **State: Maharashtra**

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 14th SCAA
I	II	III	IV	V	VI	VII
1.	Government Industrial Training Institute, Gevrai, Dist: Beed Takadgaon Road Beed-431127 MIS Code: GR27000471	Existing	1. Computer Operator and Programming Assistant (COPA) - 1(0+1+0) 2. Welder - 1(0+1+0) 3. Fitter - 1(0+1+0) 4. Electrician - 2(1+1)	Disagree, not recommended as received request from ITI to extend date of inspection	ITI requested for inspection date extension by 2 weeks	The State Directorate shall inform RDSDE about the readiness of the ITI for inspection within 15 days. Thereafter, RDSDE and the State shall conduct the joint inspection within 30 days and submit the report on NIMI affiliation portal.
2.	Government Industrial Training Institute, Patur, Dist: Akola, Balapur Road, Akola-444501 MIS Code: GR27000453	Existing	1. Welder - 2(1+1) 2. Electrician - 2(1+1) 3. Mechanic Diesel - 2(1+1) 4. Fitter - 2(1+1)	Recommended New Trade: 1. Welder (1+1+0) Recommended for 2nd Unit 1. Electrician (1+1+0) 2. Fitter (1+1+0) 3. Mechanic Diesel (1+1+0)	1. Power shortage by 17.82 KW	SCAA observed shortage of electric load (Required= 52.82 kW Available= 35 kW) ITI needs to reassess electrical load as per affiliated trades/units and submit required documents after removing load deficiencies to the concerned RDSDE on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes.

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

State: Madhya Pradesh

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 14th SCAA
I	II	III	IV	V	VI	VII
1.	Shri Radhe Private Itipali Road, Raipura Sheopur – 476337 MIS Code: PR23000241	Existing	Stenographer Secretarial Assistant (Hindi) - 2(1+1)	1. SCVT: Computers are of i3 processor while specifications required is i5/i7,ram was 4gb while required id 8 GB which is key items hence not recommended. 2. NCVT: Affiliation of Stenographer not recommended as Desktop Computers available are not as per norms. 3. No biometric machine available. 4. Place name in registry and electricity bill differs. 5. In computer bill specification not mentioned In actual computers are not as per required specifications. 6. No instructor is CTI trained. 7. Computers are of i3 processor while specifications required is i5/i7, ram was 4gb while required id 8 GB. 8. Electrical consumption for six months is less. 9. Teachers record not maintained.	1. May not be recommended as per ICVC remarks and deficiency of Electric load of 4.8 KW 2. BCC is not as per norms	SCAA has not recommended the affiliation of Stenographer Secretarial Assistant (Hindi) - 2(1+1) due the deficiencies indicated in column V and VI

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110/Govt. of India, New Delhi-110

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

					Address on Portal: Near Bus Stand, Shirpur, Tal Shirpur, Dist Dhule 425405	the online compliance module.
5.	Government Industrial Training Institute, Nashik, Dist: Nashik,Babubhai Rathi Chowk, Trambak Road, Satpur,Nashik,422007 MIS Code: GR27000024	Existing	1. *Aeronautical Structure and Equipment Fitter - 2(1+1) 2. IoT Technician (Smart City) - 2(1+1)	Recommended for affiliation of sought trade	Huge power shortage (Required= 1053 KW Available= 247 KW)	*For Aeronautical Structure and Equipment Fitter - 2(1+1) affiliation is already granted vide DGT order no. dated 21.06.2023 SCAA observed that huge shortage of Electricity load (Required= 1053 kW Available= 247 kW) ITI needs to reassess electrical load as per affiliated trades/units and submit required documents after removing load deficiency to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24

अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

						Further, concerned RDSDE will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.
3.	Government Industrial Training Institute, Barshitakali, Dist: Akola, Ramnagar, Akola-444401 MIS Code: GR27000454	Existing	1. Fitter - 1(0+1) 2. Electrician - 1(0+1)	Recommended 1. Fitter (1+1+0) 2. Electrician (1+1+0)	SCAA may recommend this case however clarification from State regarding trade/units	SCAA recommended 1. Fitter - 1(0+1) 2. Electrician - 1(0+1)
4.	Kisan Vidya Prasarak Mandalache Industrial Training Center , Shirpur Dist-Dhule,Near Bus Stand, Shirpur, Tal Shirpur, Dist Dhule-425405 MIS Code: PR27000524	Existing (Shifting case)	Existing Trades 1. Fitter -1(1+0) 2. Wiremen-1(1+0) New trades 1. Electrician - 2(1+1) 2. Solar Technician (Electrical) - 2(1+1)	Yes, A school is functioning in this campus (It is in separate building) Yes, This ITI is already affiliated by DGT w.e.f August 2000 wide affiliation No.DGT-6/13/13/2000-TC(Pvt.) for Fitter one unit, wireman one unit. Now this ITI is shifted to new building. verified and recommended	1. BCC is given by Architect 2. Whether Shifting Within Block, Information Not Available **Address On Report:** Kisan Vidya Prasarak Sanstheche Industrial Training Institute (Private) Shirpur, Dhule Dhule, Old Tahasil Office Near Police Station Shirpur Tal.Shirpur Dist. Dhule	During the meeting, the State Directorate has informed that this ITI is shifted within the block, and the NOC is given by the State for shifting with existing trades only. ITI needs to submit BCC as per agenda 4 of this MOM to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, the concerned State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days, on

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

						next 15 days on the online compliance module.
6.	Vasantrao Kale (Private) Industrial Training Institute Dhondewadi, Post-Jainwdai, Tal-Pandharpur, D,At-Dhondewadi, Post-Jainwadi, Tal-Pandharpur,Dist-,Solapur,413310 MIS Code: PR27000637	Existing	1. Solar Technician (Electrical) - 2(1+1)	Solar Technician (electrical) Trade 1+1 unit Recommended	1. BCC is from Architect and Pvt. Engineer	ITI needs to submit BCC, from the competent authority as given in Agenda 4 of this MoM and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, the concerned State Directorate to verify the documents submitted by the ITI and send the recommendations to DGT within the next 15 days through an online compliance module.
7.	Pavanraje Nimbalkar Pvt. ITI,At. Govardhanwadi post. Dhoki, Tq-Dist. Osmanabad-413508 MIS Code: PR27000930	Existing	1. Electrician - 2(1+1) 2. Mechanic Diesel - 2(1+1)		No, ITI Not Ready for Inspection. Letter Given	The ITI is already under consideration of OM No. DGT-Aff011(14)/27/2022-O/o Dated 19.09.2023. If the applicant has expressed the willingness to conduct an inspection, then RDSDE can take action as per the provisions of this OM.
8.	Government Industrial Training Institute, Malkapur, Dist: Buldhana,National High No-6 In Front Of Sutgirni,Buldhana-443101	Existing	1. Fitter - 2(1+1) 2. Electrician - 2(1+1)	Recommended: 1. Fitter - 2(1+1) 2. Electrician - 2(1+1)	SCAA may recommend this case for affiliation	SCAA recommended following trades: 1. Fitter - 2(1+1) 2. Electrician - 2(1+1)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास
Ministry of Skill Develo
भारत सरकार, नई दिल्ली/Gov

	MIS Code: GR27000308					
9.	Government Industrial Training Institute, Dhamangaon Railway, Dist: Amravati, At. Dhamangaon Railway, Amravati,444709 MIS Code: GR27000591	Existing	Welder - 2(1+1)	Yes, Available 1 Instructor for Welder new trade is CITS trained Recommended for Affiliation Welder (New)1+1	No deficiencies observed, SCAA may recommend for affiliation	SCAA recommended the following trade: Welder - 2(1+1)
10.	Government Industrial Training Institute, Belapur, Dist: Thane, Sect-29, Agroli Gaon, C.B.D. Belapur, PO- Kokanbha, THANE-415611 MIS Code: GR27000076	Existing	1. Plumber - 1(1+0)	Recommended	Clarification regarding the plumber 2nd unit or shift may be taken from state	The State Directorate informed that 01 unit in 2nd shift is actually sought for affiliation. Hence, SCAA recommended the following trade: Plumber - 1(0+1)
11.	Government Industrial Training Institute, Warud, Dist: Amravati,Dhanodi Road,AMRAVATI-444906 MIS Code: GR27000509	Existing	1. Electrician - 2(1+1) 2. Computer Operator and Programming Assistant (COPA) - 2(1+1)	Agree, Recommended for Affiliation 1. Electrician (New) 1+1= 2 units in 1st and 2nd Shift 2. COPA (New) 1+1=2 Units in 1st and 2nd Shift 20/03/24	Power shortage but already applied for load extension (Required=48.21 KW Available= 43.46 KW)	SCAA observed the shortage of Electric load (Required=48.21 kW Available= 43.46 kW) ITI needs to reassess electrical load as per affiliated trades/units and submit required documents after removing load deficiency to the concerned State Directorate on the online compliance module in the NIMI affiliation portal

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

अमृत पाल सिंह, आई एस डी एस,
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और [illegible] मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

						within 30 days from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.
12.	Government Industrial Training Institute, Achalpur, Dist: Amravati,Vilayatpura, Amravati-444806 MIS Code: GR27000303	Existing	1. Wireman - 2(1+1)	Recommended Wireman (1+1)	Two EB submitted one on the name of ITI one on the name of School, undertaking from principal that both are in the same premises and applied for 90 KW load extension	SCAA observed shortage of Electric load (Required=60.48 kW Available= 40 kW). As per affiliation norms the connection is in the name of ITI/ Applicant organization at the ITI address. Hence ITI needs to remove deficiency of Electric load and submit required documents to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एव उद्यमशीलता मन्त्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास
Ministry of Skill Development
भारत सरकार, नई दिल्ली/Govt. of

						next 15 days on the online compliance module.
13.	Mangaldeep Private Industrial Training Institute Aurangabad Gut No. 229 Beed Road, Nipani Aurangabad-431008 Maharashtra TMP27469PR16800 69389	New	1. Electrician - 4(2+2) 2. Fitter- 2(1+1) 3. Wireman - 4(2+2) 4. Soil Testing and Crop Technician - 2(1+1) 5. Basic Cosmetology - 2(1+1)	Agree: 1. Electrician (2+2+0=4) 2. Wireman (2+2+0=4) 3. Fitter (1+1+0=2) 4. Basic Cosmetology (1+1+0=2) 5. Soil Testing and crop Technician (1+1+0=2) Are recommended for affiliation.	1. BCC not as per norms 2. Power shortage but applied for additional electricity load	SCAA observed the following deficiencies : 1. BCC not available as per agenda 4 of this MOM 2. Load not sufficient to run trades sought for affiliation. (Required= 26.71 kW Available= 22 kW) ITI needs to remove above mentioned deficiencies and submit required documents to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, the concerned State will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.
14.	Government Industrial Training Institute,	Existing	1. Welder (1+1)	Recommended 20/03/24	Shortage of Power (Required=48.01 KW	SCAA observed shortage of Electric load (Required=48.01 kW Available= 40 kW).

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

अमृत पाल सिंह, आई एस डी एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

	Zari-Jamani, Dist: Yavatmal,At. Zari-jamani, Shirola Road Zari Jamani, Yavatmal,445305 MIS Code: GR27000491				Available= 40 KW)	Hence ITI needs to remove deficiency of Electricity load and submit required documents to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.
15.	Government Industrial Training Institute, Chikhali, Dist: Buldhana,Near Bus Stop, Main Road, Chikhali Dist.Buldana,BULDHANA-443201 MIS Code: GR27000309	Existing	1. Wireman - 2(1+1)	wireman New 1+1 recommended Copa second unit recommend	Shortage of Electric Power (Required=78.3 KW Available= 60 KW) 1. Clarification from State regarding trade unit mismatch	SCAA observed the shortage of Electric load (Required=78.3 kW Available= 60 kW) ITI needs to reassess electrical load as per affiliated trades/units and submit required documents after removing load deficiencies to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes.

20/03/24

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एव उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-1 2/Govt. of India, New Delhi-12

अमृत पाल सिंह, आई एस डी एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

						Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.
16.	Government Industrial Training Institute, Mulshi,At- Bhare Post-Ghotavade Tal-Mulshi Dist-Pune, 412108 MIS Code: GR27000424	Existing	1. Electrician - 2(1+1)	Machineries foundation (Civil work) is under progress Yes, Recommend for electrician trade (2+2) subject to completion of foundation work.	1. Machineries foundation (Civil work) is under progress 2. Trade unit mismatch clarification from State Directorate	ITI needs to complete the Machineries foundation (Civil work) work and upload photos and required documents to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.
17.	Govt Industrial Training Institute Arni MIS Code: GR27000362	Existing	1. Computer Operator and Programming Assistant (COPA) - 2(1+1(2. Wireman - 2(1+1)	Recommended	SCAA may recommend this affiliation case	SCAA recommended following trades: 1. Computer Operator and Programming Assistant (COPA) - 2(1+1) 2. Wireman - 2(1+1)

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

5. **State**: West Bengal

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 14th SCAA
I	II	III	IV	V	VI	VII
1.	Asansol Pvt ITI, G.T. Road, Fatepur Barddhaman-713359 West Bengal MIS Code: PU19000114	Existing	1. Electrician - 6(2+2+2) 2. Fitter 6(2+2+2)	Recommended for affiliation of Fitter 4 (2+2), Electrician 4(2+2) by both SCVT and NCVT members. 1. All the machineries are as per norms available and installed. 2. Lease commencement 06/23 and duration for 15 years.	May be recommended	SCAA Recommended following trades: 1. Electrician - 4(2+2+0) 2. Fitter 4(2+2+0)

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

Annexure-II

SCAA remarks on affiliation proposals received in MoM of SSDEC of various states

3.1 SSDEC Bihar: SCVT to NCVT conversion

Proposal received from State Directorate Bihar regarding SCVT to NCVT conversion of 60 Govt. ITIs as per 4th SSDEC recommendation in its meeting dated 25.10. 2023.The matter was discussed in detail and SCAA has recommended SCVT and NCVT conversion of trade/unit(s) for ITIs which are having grading above 4, as per the DDGM. The details and SCAA remarks are given below:

Sr.no	ITI Name and Complete Address	MIS Code	Trade Sought for Affiliation	Units Sough for Affiliation	Trade/Units recommended by Joint Inspection team	Units recommended by SSDEC	14th SCAA Remarks
1.	ITI Digha Ghat, Patna Grading: 7.30	GR10000041	Internet of Things (IOT) Technician Smart City	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
			Mechanic Auto Body Painting	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
			Mechanic Auto Body Repair	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
			Plastic Processing Operator	(1+0)	(1+0)	(1+0)	Recommended as per SSDEC recommendation
2.	ITI Bhita Danapur, Patna Grading: 2.80	GU10001343	Technician Mechatronics	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

3.	ITI Barah, Patna Grading: 2.80	GR10001377	Technician Power Distribution	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
4.	ITI Gaya Grading: 4.60	GR10000032	Refrigeration and Air conditioning Technician	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
5.	ITI Makhar, Gaya Grading: 4.40	GR10001212	Solar Technician (Electrical)	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
6.	ITI Bhagalpur. Grading: 5.20	GR10000038	Internet of Things (IOT) Technician Smart City	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
			Internet of Things (IOT) Technician Smart Agriculture	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
7.	ITI Naugachia Grading: 2.80	GR10001354	Technician Mechatronics	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
8.	ITI Kahalgoan Grading: 2.90	GR10001383	Electrician Power Distribution	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
9.	ITI Dehri-On-Son, Rohtas	GR10000034	Mechanic Auto Body Painting	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

	Grading: 5.60		Mechanic Auto Body Repair	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
10.	ITI Rajauli, Nawada Grading: 2.80	GR10001315	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
11.	ITI Buxar Grading: 4.90	GR10000044	Electrician Power Distribution	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
12.	ITI Muzaffarpur Grading: 5.80	GR10000052	Internet of Things (IOT) Technician Smart City	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
			Mechanic Auto Body Painting	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
13.	ITI Pupri Grading: 2.80	GR10001376	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
14.	ITI Marhowarah Grading: 6.30	GR10000039	Electrician Power Distribution	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
15.	ITI Gopalganj Grading: 2.90	GR10001361	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
16.	ITI Mohihari Grading: 5.60	GR10000051	Internet of Things (IOT) Technician Smart Agriculture	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation

उज्ज्वल बिश्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

17.	ITI Raxaul Grading: 2.80	GR10001347	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
18.	ITI Bettiah Grading: 6.50	GR10000049	Mechanic Auto Body Painting	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
19.	ITI Darbhanga Grading: 4.90	GR10000037	Internet of Things (IOT) Technician (Smart Healthcare)	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
20.	ITI Benipur (Dharbhanga) Grading: 2.90	GR10001384	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
21.	ITI Shivnagar Bennipatti Grading: 2.70	GR10001327	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
22.	ITI Birpur Grading: 4.10	GR10000043	Mechanic Auto Body Painting	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
23.	ITI Triveniganj Grading: 2.60	GR10001340	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
24.	ITI Haweli Khargpur Grading: 2.90	GR10001344	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एव उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-1 2/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

25.	ITI Teghra Grading: 2.80	GR10001366	Electrician Power Distribution	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
26.	ITI Manjhaul Grading: 2.80	GU10001368	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
27.	ITI Araria Grading: 3.20	GU10001390	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
28.	ITI Hajipur Grading: 5.80	GR10000054	Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
			Mechanic Diesle	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
			Milk & Milk Product Technician	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
			Baker & Confectioner	(1+0)	(1+0)	(1+0)	Recommended as per SSDEC recommendation
			Food Beverage	(1+0)	(1+0)	(1+0)	Recommended as per SSDEC recommendation
29.	ITI Mahua, Vaishali Grading: 2.90	GR10001391	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
30.	ITI Hilsa Grading: 5.20	GU10001213	Plumber	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
31.	ITI Kalyanbigha, Nalanda	GR10001211	Machinist	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

	Grading: 7.10						
32	ITI Rajgir Grading: 4.20	GR10001268	Information & Communicatio n Technology System Maintenance (ICTSM)	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
			Internet of Thins (IoT) Technician Smart City	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
33.	ITI Kaimur (Bhabua) Grading: 2.80	GR10001291	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
34.	ITI Dhamdaha Grading: 2.80	GR10001302	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
35.	ITI Saharsa Grading: 2.80	GU10001326	Internet of Things (IOT) Technician Smart Agriculture	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
36.	ITI Simri Bakhtiyarpur Grading: 2.80	GR10001374	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
37.	ITI Jamui Grading: 3.60	GU10001226	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
38.	ITI Banka Grading:7.70	GU10001214	Plumber	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एव उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-1 2/Govt. of India, New Delhi

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship

			Solar Technician (Electrician)	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
39.	ITI bihiya (Bhojpur) Grading: 2.80	GR10001394	Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
			Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
40.	ITI Jehanabad Grading: 6.40	GU10001208	Plumber	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
41.	ITI Thakurganj Grading: 2.70	GR10001296	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
42.	ITI Siwan Grading: 2.90	GR10001364	Internet of Thins (IOT) Technician Smart Agriculture	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
43.	ITI Maharajganj Grading: 2.80	GR10001311	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
44.	ITI Madhepura Grading: 2.70	GU10001337	Machinist	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
45.	ITI Udakishungan j Madhepura Grading: 2.70	GR10001336	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
46.	ITI Sheikhpura Grading: 0	GR10001303	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-1 2/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New

47.	ITI Gogri Khagaria Grading: 2.80	GR10001346	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
48.	ITI Sheohar Grading: 3.30	GR10001352	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
49.	ITI Samastipur Grading: 2.70	GR10001325	Internet of Things (IOT) Technician Smart Agriculture	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
50.	ITI Rosera Grading: 2.80	GR10001396	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
51.	ITI Arwal Grading: 2.90	GR10001305	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
52.	ITI Aurangabad Grading: 4.90	GU10001276	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
			Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
			Informations & Communication Technology System Maintenance (ICTSM)	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
			Welder	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एव उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-1 2 /Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India

			Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
53.	ITI Daudnagar, Aurangabad Grading: 2.80	GR10001304	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
54.	ITI Lakhisari Grading: 2.90	GU10001275	Plumber	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
55.	WITI Digha Ghat Grading: 5.50	GR10000035	Internet of Things Technician (Smart Health Care)	2(1+1)	2(1+1)	2(1+1)	Recommended as per SSDEC recommendation
56.	WITI Siwan Grading: 1.70	GR10001380	Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
57.	WITI Purnea Grading: 1.70	GU10001293	Additive Manufacturing Technician (3d Printing)	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
58.	WITI Begusarai Grading: 3.20	GU10001390	Internet of Things Technician (Smart Health Care)	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
59.	WITI Katihar Grading: 2.20	GU10001345	Internet of Things Technician (Smart Health Care)	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading
60.	WITI Kishanganj	GU10001381	Internet of Things Technician	2(1+1)	2(1+1)	2(1+1)	Not recommended due to low grading

उज्ज्वल विश्वास/UJJWAL BISWAS
निदेशक/Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship

	Grading: 1.20		(Smart Health Care)				

3.2 SSDEC Goa: Conversion of trade/units from SCVT to NCVT

The State Directorate of Goa sent the proposal for the conversion of trade/units(s) from SCVT to NCVT, as recommended by its 3rd SSDEC meeting on 26.10.2023. The details of ITIs and remarks from SCAA are provided below:

Sr.no	ITI Name and Complete Address	MIS Code	Trade Sought for Affiliation	Units Sough for Affiliation	Units recommended by SSDCE	14th SCAA Remarks
1.	Vasco Govt Industrial Training Institute	GU30000015	Solar Technician	1(1+0)	1(1+0)	Recommended as per SSDEC recommendation
2.	Sattari Govt Industrial Training Institute, Sattari Goa	GR30000004	Electrician	2 (1+1)	2 (1+1)	Recommended as per SSDEC recommendation
			Electronics Mechanic	2 (1+1)	2 (1+1)	Recommended as per SSDEC recommendation
			Wireman	2 (1+1)	2 (1+1)	Recommended as per SSDEC recommendation
			Computer Operator and Programming Assistant	1 (0+1)	1 (0+1)	Recommended as per SSDEC recommendation
3.	Margao Industrial Training Institute, Borda Goa	GR30000010	Computer Hardware and Networking Maintenance	1(1+0)	1(1+0)	Recommended as per SSDEC recommendation
			Food Production (Gen) under DST *	1(1+0)	1(1+0)	Recommended as per SSDEC recommendation

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एव उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-1 2/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय

			Food & Beverage Assistant under DST*	1(1+0)	1(1+0)	Recommended as per SSDEC recommendation

*The details of DST MoU are as given below:

S. No.	Name of the ITI	MIS Code	Name of the industry	Date of MoU	Turnover of the Industry	Total no. of the employees in the industry	Name of the Trade for DST	No. of units	Shift	Session
1	Margao Government Industrial Training Institute	GR30000010	M/s The Leela Goa	29/10/2021	40Crore	180 nos	Food Production(Gen) DST	1	1	2024-2025
			M/s Holiday Inn Resort	29/10/2021	35Crore	150nos				
			M/s Beleza By the Beach	29/10/2021	24Crore	26 nos				
			M/s Varca Le Palms Beach Resorts	04-06-2023	5Crore	40 nos				
			M/s Sea Queen Beach Resort &Spa	23/02/2023	4Crore	21 nos				
			M/s Goan Hospitality, Caravela Cafe & Bistro	08-08-2023	1Crore	30 nos				
			M/s Beleza By the Beach	27/10/2021	24Crore	26 nos	Food and Beverages Service Assistant DST	1	1	2024-2025
			M/s Taj Exotica	27/10/2021	24Crore	150 nos				
			M/s Joecons Beach Resort	27/10/2021	5Crore	30 nos				
			M/s Varca Le Palms Beach Resorts	04-06-2023	5Crore	40 nos				

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

			M/s Heritage Village Resort & Spa	28/09/2022	13Crore	40 nos				
			M/s Sea Queen Beach Resort &Spa	23/02/2023	4Cores	21 nos				
			M/s Goan Hospitality, Caravela Cafe & Bistro	08-08-2023	1Crore	30 nos				

3.3 SSDEC Maharashtra-One-time relaxation from de-activation of trades/units whose seats are 100% vacant from 2 consecutive years:

With reference to the DGT-MIS011/1/2022-TC SECTION [53887] dated 10.11.2022 regarding one-time relaxation from De-activation of trades/units of ITIs whose 100% seats are lying vacant for 2 consecutive years, SSDEC Maharashtra has forward recommendations to the DGT for 05 ITIs. The details of ITIs and SCAA recommendation are given below:

[Total no of ITIs proposal received: 05 (Govt-01, Pvt- 04)]

S. No (1)	MIS Code (2)	ITI Name (3)	District (4)	Recommendations of SSDEC (5)	Recommendations of SCAA (6)
1	GU27000151	Govt. ITI Women, Nagpur	Nagpur	Electrician – 1(0+1)	**Recommended** Electrician – Shift2 / Unit1
2	PU27000886	Shri Dyaneshwar Thakre Private ITI, Khasra No. 25, Zingabai Taki, Nagpur	Nagpur	Electrician – 3(1+1+1)	**Recommended** Electrician – Shift1 / Unit2 Electrician – Shift2 / Unit1
3	PR27000776	Chetana Pvt ITI Wardha	WARDHA	Fitter-1(0+0+1) Not Recommended by SSDEC	**Not recommended** As SSDEC didn't recommended
4	PR27000675	Parshuram Private ITI, Nagpur Kordi, Road, PO. Kordi, Nagpur	Nagpur	Fitter – 2(0+0+2)	**Not Considered** As the Recommended units are not available in portal
5	PR27000751	Saibaba Private ITI, At Karanaja Tehsil / Mandal Gondia, Dist. Gondia	Gondia	Electrician - 1(0+1) Fitter – 02(0+2)	Electrician – Shift2 / Unit1 is already recommended in 12th

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship

					SCAA, hence not considered here. **Recommended** Fitter – Shift2 / Unit 1 Fitter – Shift2 / Unit 2

3.4 SSDEC Rajasthan

3.4.1. SCVT to NCVT conversion of 21 Govt. ITIs

SSDEC Rajasthan vide its 5th meeting dated 21.02.2024 sent the proposal for conversion from SCVT to NCVT for 21 Govt ITIs. The details of ITIs and SCAA remarks are as given below:

Sr.no	ITI Name and Complete Address	MIS Code	Trade Sought for Affiliation	Units Sough for Affiliation	Units recommended by SSDEC	14th SCAA Remarks
1.	Govt. ITI Raniwara Dist. Sanchor Grading: 5.20	GR08000994	Refrigeration & Air Conditioner Tech.	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
2.	Govt. ITI Phalodi Dist. Phalodi Grading: 8.90	GR08001047	Solar Technician (Electrical)	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
			Computer Operator & Programming Assistant	2(1+1)	2(1+1)	
			Fitter	2(1+1)	2(1+1)	
3.	Govt. ITI Mandore Dist Jodhpur Grading: 6.90	GR08001914	Computer Operator & Programming Assistant	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
4.		GR08000992	Mech. Diesel	2(1+1)	2(1+1)	

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-1 2/Govt. of India, New Delhi-11

अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मं...
Ministry of Skill Development and Entr...
भारत सरकार, नई दिल्ली/Govt. of ...

29/03/24

	Govt. ITI Siwana Dist. Balotra Grading: 7.40		Refrigeration & Air Conditioner Tech.	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
			Solar Technician (Electrical)	2(1+1)	2(1+1)	
5.	Govt. ITI Sojat City Dist. Pali Grading: 4.10	GR08000980	Mech. Diesel	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
			Refrigeration & Air Conditioner Tech.	2(1+1)	2(1+1)	
6.	Govt. ITI Toda Rai Singh Grading: 7.90	GR08000102	Electrician	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
7.	Govt. ITI Abu road Dist. Sirohi Grading: 7.30	GR08000983	Refrigeration & Air Conditioner Tech.	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
8.	Govt. ITI Nokha Dist. Bikaner Grading: 5.70	GR08000061	Mech. Diesel	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
			Refrigeration & Air Conditioner Tech.	2(1+1)	2(1+1)	
			Solar Technician (Electrical)	2(1+1)	2(1+1)	
9.	Govt. ITI Panchu Dist. Bikaner (New ITI) Running In SCVT	New ITI	Wireman	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
			Electrician	2(1+1)	2(1+1)	
			Computer Operator & Programming Assistant	2(1+1)	2(1+1)	
			Mech. Diesel	2(1+1)	2(1+1)	
			Welder	2(1+1)	2(1+1)	
10.	Govt. ITI Shergarh Dist. Jodhpur (New ITI)	New ITI	Electrician	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
			Fitter	2(1+1)	2(1+1)	

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-1 1 2/Govt. of India, New Delhi-12

अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता
Ministry of Skill Development
भारत सरकार

20/03/24

			Wireman	2(1+1)	2(1+1)	
			Computer Operator & Programming Assistant	2(1+1)	2(1+1)	
11	Govt. ITI, Bhopalgarh Dist. Jodhpur (New ITI)	New ITI	Electrician	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
			Fitter	2(1+1)	2(1+1)	
			Mechanic Motor Vehicle	2(1+1)	2(1+1)	
			Computer Operator & Programming Assistant	2(1+1)	2(1+1)	
12	Govt ITI Ramsar Dist. Barmer Rajasthan Grading: 4.40	GR08001936	Welder	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
			Mechanic Motor Vehicle	2(1+1)	2(1+1)	
			Refrigeration & Air Conditioner Tech.	2(1+1)	2(1+1)	
13	Govt ITI Chauhtan Distt. Barmer (New ITI)	(New ITI Running In SCVT)	Wireman	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
			Electrician	2(1+1)	2(1+1)	
			Fitter	2(1+1)	2(1+1)	
			Mechanic Diesel	2(1+1)	2(1+1)	
14	Govt ITI Gudamalani , Dist. Barmer (New ITI)	(New ITI Running In SCVT)	Electrician	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
			Mechanic Diesel	2(1+1)	2(1+1)	
			COPA	2(1+1)	2(1+1)	
			Welder	2(1+1)	2(1+1)	
15	Govt. ITI Rani Dist. Pali	(New ITI Running in SCVT)	Electrician	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
			Fitter	2(1+1)	2(1+1)	

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-1 2/Govt. of India, New Delhi

20/03/29
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

			COPA	2(1+1)	2(1+1)	
			Mech. Diesel	2(1+1)	2(1+1)	
16	Govt ITI Jaswantpura Dist Jalore	(New ITI Running in SCVT)	Electrician	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
			Electronics Mechanic	2(1+1)	2(1+1)	
			COPA	2(1+1)	2(1+1)	
			Mech. Diesel Engine	2(1+1)	2(1+1)	
17.	Old Address: Govt. Women ITI, Near Sofiya School, Kuwara Road, Bhilwara New Address: Govt. Women ITI Near Near pansal Choraha, Pratap Nagar Bilwara (Shifting of ITI) Grading: 7.50	GR08000974	Mech. Electronics (existing)	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
			Sewing Technology (existing)	2(1+1)	2(1+1)	
			Stenographer Secretarial Asst. (existing)	01 Units	01 Units	
			Stenographer Secretarial Asst. (New)	01 Units	01 Units	
			Cosmetology (New)	2(1+1)	2(1+1)	
			COPA (New)	2(1+1)	2(1+1)	
			Fashion Design & Technology (New)	2(1+1)	2(1+1)	
18	Govt ITI Baytu Dist. Balotra (New ITI)	New ITI Running in SCVT	Electrician	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
			Fitter	2(1+1)	2(1+1)	
			COPA	2(1+1)	2(1+1)	
			Welder	2(1+1)	2(1+1)	

उज्ज्वल बिस्वास/UJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

19	Govt ITI Chtalwana Dist Sanchore (New ITI)	New ITI Running in SCVT	Electrician	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
			Fitter	2(1+1)	2(1+1)	
			COPA	2(1+1)	2(1+1)	
			Mech. Diesel	2(1+1)	2(1+1)	
20	Govt ITI Pindwara Dist Siroh (New ITI)	New ITI Running in SCVT	Electrician	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
			Fitter	2(1+1)	2(1+1)	
			Mechanic Motor Vehicle	2(1+1)	2(1+1)	
			Welder	2(1+1)	2(1+1)	
21	Govt. ITI Reodar Dist Sirohi	New ITI Running in SCVT	Electrician	2(1+1)	2(1+1)	Recommended as per SSDEC remarks
			Fitter	2(1+1)	2(1+1)	
			COPA	2(1+1)	2(1+1)	
			Mech. Diesel	2(1+1)	2(1+1)	

3.4.2. One-time relaxation from de-activation of trades/units whose seats are 100% vacant from 2 consecutive years:

With reference to the DGT-MIS011/1/2022-TC SECTION [53887] dated 10.11.2022 regarding one-time relaxation from De-activation of trades/units of ITIs whose 100% seats are lying vacant for 2 consecutive years, SSDEC Rajasthan has forward recommendations to the DGT. The details of these ITIs and remarks of SCAA is given below:

Total no of ITIs proposal received: 34 (Govt-0, Pvt-34)

S. No (1)	MIS Code (2)	ITI Name (3)	District (4)	Recommendations of SSDEC (5)	Recommendations of SCAA (6)	Remarks of SCAA (7)

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

1	PR08001801	Shukla Private ITI, Thanagazi, Alwar, Rajasthan	Alwar	Electrician-Shift2/Unit1	**Recommended** Electrician-Shift2/Unit1	
2	PR08001875	Ranjeet Royal Private ITI, Pada, Alwar	Alwar	Electrician-Shift3/Unit1 Fitter - Shift3/Unit1	**Recommended** Electrician-Shift3/Unit1 Fitter - Shift3/Unit1	**DST MoU for 3rd shift (Fitter trade) with** 1. Allegiant Building Systems Private LTD. G – 232B, M.I.A. Alwar, Rajasthan, 301030. **DST MoU for 3rd shift (Electrician trade) with** 2. Karni Electrical Works, J-897, M.I.A. Alwar, Rajasthan, 301001
3	PR08001031	Shri Vishwakarma Pvt. ITI, Thana Rajaji, Alwar	Alwar	Electrician-Shift3/Unit 1,2,3 &4 Electronic Mechanic – Shift1/Unit1 Shift2/Unit1 Shift3/Unit1 Mechanic Diesel – Shift2 / Unit1 Shift3 / Unit1	**Recommended** Electrician-Shift3/Unit 1 Shift3/Unit2 Shift3/Unit 3 Shift3/Unit 4 Electronic Mechanic – Shift1/Unit1 Shift2/Unit1 Shift3/Unit1 Mechanic Diesel – Shift2 / Unit1 Shift3 / Unit1	**DST MoU for 3rd shift (Electrician trade) with** 1. Vishwakarma Laminatas Pvt. LTD., E-165 M.I.A. Alwar, Rajasthan – 301030 **DST MoU for 3rd shift (Electrician and Electronic Mechanic trade) with** 2. Shri Govind Power Converter Private Limited, 109, New RIICO Industrial area, Bapi, Dausa, Rajasthan – 303303

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय

						DST MoU for 3rd shift (Electrician trade) with 3. Shree Angiray Technology, GI-22 RIICO Industrial area, Bhiwadi, Alwar, Rajasthan – 301019 **DST MoU for 3rd shift (Mechanic Diesel trade) with** 4. Prime Autocare, C-51, Ranjeet Nagar, Alwar, Rajasthan - 301001
	PR08000413	Ranjeet Pvt. ITI, Tijara, Alwar	Alwar	Fitter – Shift3/Unit2	**Recommended** Fitter – Shift3/Unit2	**DST MoU for 3rd shift (Fitter trade) with** 1. Sagar Enterprises Khuskhera
5	PU08001436	Mahesh Pvt. ITI, Langera Road, Barmer	Barmer	Electrician – Shift 3 / Unit2	**Recommended** Electrician – Shift 3 / Unit2	**DST MoU for 3rd shift (Electrician) with** 1. Mehta Industries, Barmer
6	PR08001275	Akanksha Pvt. ITI, Nokha, Bikarner	Bikaner	Electrician – Shift 1 /Unit1 Shift2 / Unit4 Shift3/Unit1, 2, 3 &4	**Recommended** Electrician – Shift 1 /Unit1 Shift2 / Unit4 Shift3/Unit1 Shift3/Unit 2 Shift3/Unit 3 Shift3/Unit 4	**DST MoU for 3rd shift (Electrician trade) with** 1. Yashstar Solar Energy Pvt. Ltd.

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

7	PR08000660	Vivekanand Vidya Ashram Pvt. ITI, Katar Chhoti, Churu	Churu	Electrician – Shift 2 / Unit3	**Recommended** Electrician – Shift 2 / Unit3	
8	PR08000711	Shree Vinayak Pvt. ITI, Joshi Colony, Dausa	Dausa	Electrician – Shift 2 / Unit4 Shift 3 / Unit 3 &4	**Recommended** Electrician – Shift 2 / Unit4 Shift 3 / Unit 3 Shift3 / Unit 4	**DST MoU for 3rd shift (Electrician trade) with** 1. Deepak Transformer Industries, Sarna Dunger, RIICO Industrial Area, Jaipur.
9	PU08001944	Impulse Pvt. ITI, Dausa	Dausa	COPA – Shift1/Unit1 Shift2/Unit1 Shift3/Unit1 Electrician- Shift1/Unit2 Shift2/Unit1 &2 Shift3/Unit2 Fitter- Shift2/Unit1 Shift3/Unit1	**Recommended** COPA – Shift1/Unit1 Shift2/Unit1 Shift3/Unit1 Electrician- Shift1/Unit2 Shift2/Unit1 Shift2/Unit 2 Shift3/Unit2 Fitter- Shift2/Unit1 Shift3/Unit1	**DST MoU for 3rd shift (Electrician trade) with** 1. Arunam four wheels Pvt. Ltd. Agra Road, Dausa, Rajasthan. **DST MoU for 3rd shift (COPA trade) with** 2. Srija Enterprises, RIICO Industrial area, Dausa.
10	PU08000220	Maa Bhagwati Pvt. ITI, Ayodhya Nagar, Saithal Road, Dausa	Dausa	Electrician – Shift 2 /Unit1 Fitter – Shift2/Unit1 Shift3/Unit1	**Recommended** Electrician – Shift 2 /Unit1 Fitter – Shift2/Unit1 Shift3/Unit1	**DST MoU for 3rd shift (Fitter trade) with** 1. Dharmendra Electrical, Mandi Road, Dausa, Rajasthan

20/03/24

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-1 2/Govt. of India, New Delhi-12

20/03/24

अमृत पाल सिंह, आई एस डी एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

11	PU0800151 7	Deep Shikha Pvt. ITI, Chandpol, Jaipur	Jaipur	Electrician – Shift3/Unit 2, 3 &4	**Recommended** Electrician – Shift3/Unit 2 Shift3/Unit 3 Shift3/Unit 4	
12	PU0800151 4	Sarthak Pvt. ITI, Jagatpura, Jaipur	Jaipur	Electrician – Shift 2 / Unit 1 & 2 Shift 3 / Unit 1 &2	Electrician – Shift 2 / Unit 1 Shift 2 / Unit 2 Shift 3 / Unit 1 Shift 3 / Unit 2	**DST MoU for 3rd shift (Electrician trade) with** 1. Lumbini Switchers, 62 – A, Mahadev Nagar, Nandpuri Road, Jaipur - 302006
13	PU0800168 8	Shri Bawani Niketan Pvt ITI, Jaipur	Jaipur	Fitter – Shift2/Unit1	**Recommended** Fitter – Shift2/Unit1	
14	PR0800069 6	Maharaja Agrasen Pvt ITI, Hindaun City (Karauli)	Karauli	Electrician – Shift 2/Unit2 Shift3/Unit1&2	**Recommended** Electrician – Shift 2/Unit2 Shift3/Unit1 Shift3/Unit 2	**DST MoU for 3rd shift (Electrician trade) with** 1. Ramveer Electronical Pvt. Ltd., Plot no. 128/8 RIICO Area Hindaun City, Karauli, Rajasthan - 322230
15	PR0800049 8	Eklavya Pvt ITI RIICO Industrial Area, Karauli	Karauli	Electrician – Shift 2/Unit 2 & 3 Shift 3 / Unit 1, 2 & 3	**Recommended** Electrician – Shift 2/Unit 2 Shift 2/Unit 3 Shift 3 / Unit 1 Shift 3 / Unit 2 Shift 3 / Unit 3	**DST MoU for 3rd shift (Electrician trade) with** 1. Mahesh Electricals Pvt. Ltd., Karauli, Rajasthan.
16	PR0800039 5	Satyam Pvt ITI, Sikar	Sikar	Electrician – Shift 1 / Unit 1 & 2 Shift2 / Unit 1 & 2	**Recommended** Electrician – Shift 1 / Unit 1 Shift 1 / Unit 2 Shift2 / Unit 1	

20/03/24

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-1 2/Govt. of India, New Delhi-12

20/03/24

अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

				Fitter – Shift 1 / Unit 1 & 3	Shift2 / Unit 2 Fitter – Shift 1 / Unit 1 Shift 1 / Unit 3	
17	PR08000582	Lovely Pvt ITI, Kesrisinghpur (Sri Ganganagar)	Ganganagar	Electrician – S2/Unit1	**Recommended** Electrician – S2/Unit1	
18	PR08000191	Mahadev Pvt ITI, Malpura (Tonk)	Tonk	Electrician – Shift 3/Unit1	**Recommended** Electrician – Shift 3/Unit1	**DST MoU for 3rd shift (Electrician trade) with** 1. Shyam Engineering Workshop, Malpura, Tonk, Rajasthan
19	PR08001820	Sevanand Pvt ITI, Peeplu (Tonk)	Tonk	Electrician – Shift3/Unit 1 & 2	**Not Recommended** Electrician – Shift3/Unit 1 Shift3/Unit 2	**As per DGT order dated 9th Jan 2023, 3rd shift is allowed in DST only.**
20	PR08001877	Ashapura Pvt ITI, Kherwara Udaipur	Udaipur	Electrician – Shift2/Unit1 Wireman – Shift 3 / Unit1	**Recommended** Electrician – Shift2/Unit1 **Not Recommended** Wireman – Shift 3 / Unit1	**As per DGT order dated 9th Jan 2023, 3rd shift is allowed in DST only.**
21	PR08001179	A.R.M. Pvt ITI, Sangaria (Hanumangarh)	Hanumangarh	Electrician – Shift 2/Unit1 & 2	**Recommended** Electrician – Shift 2/Unit1 Shift 2/Unit2	
22	PR08001111	Mata Kitab Kaur Pvt ITI, Hanumangarh Jhu	Hanumangarh	Electrician – Shift 1 / Unit 1, 2 & 3 Shift 2/ Unit 1, 2, 3 & 4 Fitter – Shift 2 / Unit 1	**Recommended** Electrician – Shift 1 / Unit 1 Shift 1 / Unit2 Shift 1 / Unit 3 Shift 2/ Unit 1 Shift 2/ Unit 2 Shift 2/ Unit 3 Shift 2/ Unit 4	

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

					Fitter – Shift 2 / Unit 1	
23	PU08001621	Bilara Pvt ITI, Bilara (Jodhpur)	Jodhpur	Fitter - Shift 2 / Unit1	Fitter - Shift 2 / Unit1	
24	PR08001780	Shri Imrat Pvt ITI Osian (Jodhpur)	Jodhpur	Wireman - Shift 1/Unit1 Shift 2 / Unit1	**Recommended** Wireman - Shift 1/Unit1 Shift 2 / Unit1	
25	PU08001760	Shri Ratansingh Pvt ITI, Kumher (Bharatpur)	Bharatpur	Electrician – Shift 3 / Unit1 & 2 Fitter – Shift 3/Unit1 Health Sanitary Inspector – Shift 2 / Unit1	**Recommended** Electrician – Shift 3 / Unit1 Shift 3 / Unit2 Health Sanitary Inspector – Shift 2 / Unit1 **Not Recommended** Fitter – Shift 3/Unit1	**DST MoU for 3rd shift (Electrician trade) with** 1. Panwar Electrical, Kumher Bharatpur, Rajasthan. **DST MoU for 3rd shift (Electrician trade) with** 2. Ravi Enterprises, Near SBI Bank, Kumhar Bharatpur, Rajasthan **As per DGT order dated 9th Jan 2023, 3rd shift is allowed in DST only.**
26	PR08001194	Bhagat Singh Pvt ITI, Sikrai (Dausa)	Dausa	Electrician – Shift 2 / Unit1	**Recommended** Electrician – Shift 2 / Unit1	
27	PR08000058	Kalpana Chawala Memorial Pvt ITI,	Hanumangarh	Electrician – Shift 2 / Unit 2	**Recommended** Electrician – Shift 2 / Unit 2	

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-1 2/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of
कौशल विकास और उद्यमि
Ministry of Skill Development and
भारत सरकार, नई दिल्ली/Govt

		Bhadra (Hanumangarh)				
28	PU08001440	Genius Academy Pvt ITI, Sirsi Road Jaipur	Jaipur	Electrician – Shift 2 / Unit 2 Shift 3 / Unit1 &2	**Recommended** Electrician – Shift 2 / Unit 2 Shift 3 / Unit1 Shift 3 / Unit 2	**DST MoU for 3rd shift (Electrician trade) with** 1. Daksai Technology Pvt. Ltd., 101 Shri Ram Puri, Niwaru Road, Jhotwara, Jaipur, Rajasthan
29	PU08000310	CKRD Pvt ITI, Jhunjhunu	Jhunjhunu	Electrician – Shift1/Unit 1, 2 & 3 Shift 2 / Unit 2 & 3 Fitter – Shift1 / Unit1 Shift 2 / Unit1	**Recommended** Electrician – Shift1/Unit 1 Shift1/Unit 2 Shift1/Unit 3 Shift 2 / Unit 2 Shift 2 / Unit 3 Fitter – Shift1 / Unit1 Shift 2 / Unit1	
30	PR08000718	Bhaskar Pvt ITI, Merta Road (Nagaur)	Nagaur	Fitter – Shift2 / Unit1 Shift3 / Unit1	**Recommended** Fitter – Shift2 / Unit1 Shift3 / Unit1	**DST MoU for 3rd shift (Electrician, Fitter and Machinic Diesel trade) with** 1. Sathyam Green Power Private Limited, Vill- Punjiyas Jaroda Kallan, Post – Merta Road, Dist. – Nagaur, Rajasthan - 341511
31	PR08000635	Bhagwan Vishwkarma Pvt ITI, Gangapur City (Sawai Madhopur)	Sawai Madhopur	Electrician – Shift 2 / Unit1	**Recommended** Electrician – Shift 2 / Unit1	

20/03/24

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-1 2/Govt. of India, New Delhi-12

अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

32	PR0800063 4	Ganesham Pvt ITI, Gangapur City (Sawai Madhopur)	Sawai Madhopur	Electrician – Shift 2 / Unit1 Mechanic Diesel – Shift 2 / Unit1	**Recommended** Electrician – Shift 2 / Unit1 Mechanic Diesel – Shift 2 / Unit1	
33	PR0800016 8	Murti Devi Pvt ITI, Chak-4 SDS (Sri Ganganagar)	Sri Ganganagar	Electrician – Shift 2 / Unit 2, 3 & 4 Shift 3 / Unit 1, 2, 3 & 4	**Recommended** Electrician – Shift 2 / Unit 2 Shift 2 / Unit 3 Shift 2 / Unit 4 Shift 3 / Unit 1 Shift 3 / Unit 2 Shift 3 / Unit 3 Shift 3 / Unit 4	**DST MoU for 3rd shift (Electrician trade) with** 1. Narayan Dal and Oils Mills, 25 A, Industrial Area,
34	PR0800017 6	Golden Rays Pvt ITI, Chak-1(B) Choti (Sri Ganganagar)	Sri Ganganagar	Electrician – Shift 3 / Unit1	**Recommended** Electrician – Shift 3 / Unit1	**DST MoU for 3rd shift (Electrician trade) with** 1. Shree Balaji Cotton Mill, 16 ML, Sriganganagar, Rajasthan

3.5. SSDEC Tamil Nadu- One-time relaxation from de-activation of trades/units whose seats are 100% vacant from 2 consecutive years:

With reference to the DGT-MIS011/1/2022-TC SECTION [53887] dated 10.11.2022 regarding one-time relaxation from De-activation of trades/units of ITIs whose 100% seats are lying vacant for 2 consecutive years, SSDEC Tamil Nadu has forward recommendations to the DGT. The details of these ITIs and remarks of SCAA is given below:

Tamil Nadu [Total no of ITIs proposal received: 02 (Govt-0, Pvt-02)]

S. No (1)	MIS Code (2)	ITI Name (3)	District (4)	Recommendations of SSDEC (5)	Recommendations of SCAA (6)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

1	PR33000388	Vinayaga Private ITI, Minjur, Chennai	Chennai	Electrician 2(1+1)	**Recommended** Electrician – Shift1 / Unit1 Electrician – Shift2 / Unit1
2	PR33000029	Sri Balaji Private ITI, Gummidipoondi, Chennai	Chennai	Fitter 2(1+1)	Fitter – Shift1 / Unit1 Fitter – Shift2 / Unit1

3.6 SSDEC Uttarakhand - The proposal received from Uttarakhand couldn't be discussed in the SCAA meeting, as no officer from the State Directorate of Uttarakhand was present. SCAA suggested that RDSDE Uttarakhand ensure that a State Representative is present at the next meeting.

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

20/03/24
अमृत पाल सिंह, आई.एस.डी.एस.
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi