

भारत सरकार
कौशल विकास और उद्यमिता मंत्रालय
प्रशिक्षण महानिदेशालय

कौशल भवन, न्यू मोती बाग
चाणक्यपुरी, न्यू दिल्ली- 110023
दिनांक: 03.05.2024

सेवा में

1. राज्य निदेशक

(आंधरा प्रदेश, असम, बिहार, छत्तीसगढ़, गुजरात, हरियाणा, हिमाचल प्रदेश, झारखंड, कर्नाटक, मध्य प्रदेश, महाराष्ट्र, ओडिशा, पंजाब, राजस्थान, तमिल नाडु, तेलंगाना, उत्तर प्रदेश, उत्तराखंड, वेस्ट बंगाल)

2. क्षेत्रीय निदेशक, आरडीएसडीई

(आंधरा प्रदेश, असम, बिहार, छत्तीसगढ़, गुजरात, हरियाणा, हिमाचल प्रदेश, झारखंड, कर्नाटक, मध्य प्रदेश, महाराष्ट्र, ओडिशा, पंजाब, राजस्थान, तमिल नाडु, तेलंगाना, उत्तर प्रदेश, उत्तराखंड, वेस्ट बंगाल)

विषय: "मान्यता और संबद्धता संबंधी स्थायी समिति (SCAA)" की 15वीं बैठक दिनांक 03.04.2024 से 04.04.2024 तक का कार्यवृत्त - तत्संबंधी।

महोदय/महोदया,

कृपया "Standing Committee on Accreditation and Affiliation (SCAA)" दिनांक 03.04.2024 से 04.04.2024 की 15वीं बैठक के संलग्न अनुमोदित कार्यवृत्त देखें। तथापि, कार्यसूची मदवार कार्यान्वयन आदेश यथा समय जारी किए जाएंगे।

इसके अलावा, अनुपालन (compliance) रिपोर्ट, यदि कोई हो, को केवल OM DGT-11014/2/2023-TC SECTION दिनांक 26.06.2023 के अनुसार SCAA टिप्पणियों के अनुसार निर्धारित समय सीमा के भीतर NIMI अनुपालन (compliance) मॉड्यूल के माध्यम से प्रस्तुत करना होगा।

यह सक्षम प्राधिकारी के अनुमोदन से जारी किया जाता है।

भवदीय,

उज्ज्वल बिस्वास EJSWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
(उज्ज्वल बिस्वास)
मंत्रालय / Ministry of Skill Development and Entrepreneurship
भारत सरकार / Government of India, New Delhi-12
निदेशक, टीसी

प्रतिलिपि:

1. पीएसओ से डीजी/एएस, डीजीटी, दिल्ली
2. पीपीएस से डीडीजी (मुख्यालय), पीपीएस से डीडीजी (दक्षिण), डीडीजी (पूर्व)।
3. एनसीवीटी एमआईएस पोर्टल प्रभारी, डीजीटी मुख्यालय, नई दिल्ली, एनसीवीटी एमआईएस पोर्टल पर एमओएम अपलोड करने के अनुरोध के साथ।

पूजा वर्मा
3.5.24
(पूजा वर्मा)

सहायक निदेशक, टीसी

नोट: - यह दिनांक 03.05.2024 को जारी डीजीटी पत्र संख्या DGT-Aff/2/2024-O/o DIR (TC) [E- 65321]का हिंदी अनुवाद है। किसी भी प्रकार की विसंगतियों के संबंध में अंग्रेजी में जारी पत्र ही मान्य होगा।

DGT-Aff/2/2024-O/o DIR (TC) [E- 65321]
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Kaushal Bhawan, New Moti Bagh
Chanakyapuri, New Delhi- 110023
Dated:03.05.2024

To

1. **The State Directors**

(Andhra Pradesh, Assam, Bihar, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Madhya Pradesh, Maharashtra, Odisha, Punjab, Rajasthan, Tamil Nadu, Telangana, Uttar Pradesh, Uttarakhand, West Bengal)

2. **The Regional Directors, RDSDEs**

(Andhra Pradesh, Assam, Bihar, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Madhya Pradesh, Maharashtra, Odisha, Punjab, Rajasthan, Tamil Nadu, Telangana, Uttar Pradesh, Uttarakhand, West Bengal)

Subject: Minutes of 15th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" dated 03.04.2024 to 04.04.2024 - regarding.

Sir / Madam,

Please find enclosed approved Minutes of 15th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" dated 03.04.2024 to 04.04.2024. However, implementation orders agenda item wise will be issued in due course of time.

Further, the compliance reports if any, have to be submitted through NIMI compliance module only as per OM DGT-11014/2/2023-TC SECTION dated 26.06.2023 within the stipulated time limit as per the SCAA remarks.

This issues with the approval of competent authority.

Yours faithfully, BISWAS
निदेशक, DGT
प्रशिक्षण महानिदेशालय, Directorate General of Training
कोशल विभाग, नई दिल्ली Chanakyapuri, New Delhi-110023
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110023 Govt. of India, New Delhi-12
(Ujjwal Biswas)
Director, TC

Copy to:

1. PSO to DG/AS, DGT, Delhi
2. PPS to DDG (HQ), PPS to DDG (South), DDG (East).
3. NCVT MIS Portal In charge, DGT HQ, New Delhi, with a request to upload MoM on NCVT MIS Portal.

(Pooja Verma)
3.5.24
Assistant Director, TC

DGT-Aff/2/2024-O/o DIR (TC) [E-65321]
Government of India
Directorate General of Training
Ministry of Skill Development and Entrepreneurship
Kaushal Bhawan, New Moti Bagh, Chanakyapuri, New Delhi- 110023

Minutes of 15th Meeting of “Standing Committee on Accreditation and Affiliation (SCAA)” dated 03.04.2024 to 04.04.2024

The following DGT Officers were present during the meeting:

1. Sh. Ishwar Singh, Deputy Director General
2. Sh. Ujjwal Biswas, Director, TC, DGT – Member
3. Sh. Amrit Pal Singh, Joint Director, TC-Section, DGT
4. Sh. Raju Kannam, Deputy Director, TC-Section, DGT
5. Sh. Shramev Sharma, Assistant Director, TC-Section, DGT
6. Sh. Rajesh Kumar, Assistant Director, TC-Section, DGT
7. Ms. Pooja Verma, Assistant Director, TC-Section, DGT
8. Ms. Babita Prasad, Training Officer, TC -section DGT

The following officers from RDSDEs and State Directorate attended the meeting (through VC):

Sr. No.	State	Name of RDSDE Officials	Name of State Officials
1.	Andhra Pradesh	Sh. P. Mouli, Dy. Director	Sh. Balasubhramanyam, Additional Director
2.	Assam	Sh. Nizam Uddin Barbhuiya, Assistant Director	Mrs. Mausami Sen, Joint Director
3.	Bihar	Sh. Bijit Singha, Director, Sh. RC Mondal, Dy. Director Sh. Abhishek Singh, Assistant Director	Sh. Suman Kumar, Assistant Director
4.	Chhattisgarh	Sh. Shammi Jha, Assistant Director	Sh. R.B Tiwari, Deputy Director
5.	Gujarat	Sh. D Sudhakar, Dy. Director	Sh. H.B Kavadia, Technical Officer
6.	Haryana	Sh. Pranav Chaudhary, Deputy Director	Sh. Manoj Saini, Assistant Director




उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

7.	Himachal Pradesh	Sh. Mohinder Lal, Assistant Director	Sh. Sanjay Gupta, Deputy Director
8.	Jharkhand	Sh. B.K Singha, Regional Director Sh. Himanshu, Assistant Director,	Sh. Yogendra Prasad, Assistant Director
9.	Karnataka	Mrs. Subha Shree Deputy Director Ms. Sonaji Meghana, Assistant Director,	Dr. Nagendra Honalli, State Director
10.	Madhya Pradesh	Sh. P. Marveldoss Joint Director Ms. Ankita Bansal, Assistant Director	Sh. Austin Kumar Assistant Director
11.	Maharashtra	Sh. Abhay A. Mahishi, Dy. Director	Sh Dalvi, Director DVET Sh. Prashant Dongre, Assistant Director
12.	Odisha	Sh. Bishhnu Charan Sahoo Deputy Apprentice advisor	Sh. Arun Kumar Gupta, Assistant Director
13.	Punjab	Mrs. Swati Sethi, Regional Director Sh. Pramendra Tilanthe, Deputy Director	Sh. Paramjeet Singh, Assistant Director
14.	Rajasthan	Mrs. Priyanka Somani, Assistant Director	Sh. Suresh Sharma, Assistant Director
15.	Tamil Nadu	Sh. Ajay Bhagat Dy Director	Sh. Ravi Chandran Additional Director
16.	Telangana	Sh. Vidhyanand, Joint Director	Sh. Bhaskar, Assistant Director
17.	Uttar Pradesh	Sh. J.D. Masilamani, Director Sh. Asheesh Shukla, Assistant Director	Ranjit Rao Assistant Director
18.	Uttarakhand	Sh. C.H Chilukoti, Regional Director	Sh Pankaj, Deputy Director
19.	West Bengal	Sh. Asim Roy, Deputy Director	Surojit Mandal, Assistant Director Prasenjit Bose, Assistant Director

At the outset, Shri Ishwar Singh, DDG, DGT Chairperson of SCAA, welcomed all the committee members and participants. Thereafter Shri Ujjwal Biswas, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations, and agenda-wise decisions taken by the Chair, are placed below.



उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण निदेशालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

Agenda 1: Action Taken report of 14th SCAA meeting held on 28.02.2024.

Minutes of the 14th SCAA meeting held on 28.02.2024 have been issued and uploaded on NCVT MIS Portal. The same has been informed to all members and ratified by the committee.

Agenda 2: New Accreditation/ Affiliation Proposals for Existing and New ITIs from 16 States/UTs.

Inspection reports for 94 New Accreditation/ Affiliation proposals for Existing and New ITIs from 16 States/ UTs have been received from 01.09.2023 to 31.03.2024 , out of which 71 are from Existing ITIs (23 Govt. ITIs and 48 Pvt. ITIs) for the addition of Trades/Units and 23 are from New ITIs (03 Govt. ITIs and 20 Pvt. ITIs).

Table 1: State wise summary of total inspection report received from 01.09.2023 to 31.03.2024

S. No	State	Existing			New			Total Inspection Reports received on NIMI Portal
		Govt	Private	Total	Govt	Private	Total	
1	Andhra Pradesh	0	1	1	0	1	1	2
2	Assam	0	1	1	0	1	1	2
3	Bihar	0	2	2	0	0	0	2
4	Chhattisgarh	3	0	3	0	0	0	3
5	Gujarat	8	4	12	3	2	5	17




उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110 012/Govt. of India, New Delhi-12

6	Haryana	0	0	0	0	2	2	2
7	Himachal Pradesh	0	3	3	0	1	1	4
8	Jharkhand	0	3	3	0	0	0	3
9	Karnataka	0	4	4	0	0	0	4
10	Madhya Pradesh	0	1	1	0	1	1	2
11	Maharashtra	2	4	6	0	5	5	11
12	Odisha	7	7	14	0	2	2	16
13	Punjab	0	0	0	0	1	1	1
14	Telangana	3	5	8	0	2	2	10
15	Uttar Pradesh	0	12	12	0	2	2	14
16	Uttarakhand	0	1	1	0	0	0	1
Grand Total		23	48	71	3	20	23	94

SCAA Remarks:

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण निदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

(Pisang)

Inspection reports for above mentioned 94 ITIs have been discussed and the remarks by SCAA for each are attached at **Annexure – I.**

Agenda 3: Reports received in compliance of SCAA remarks of previous SCAA meetings

The report received in compliance of SCAA remarks of previous SCAA meetings through NIMI Compliance portal have been discussed in the meeting and final remarks of the SCAA are given in **Annexure-II**

Agenda 4: Reports received in compliance with Hon'ble court's direction.

The following are the court case matters discussed during the SCAA meeting to comply with the directions given by the Hon'ble High Courts. The remarks of SCAA are given against each case in the table below:

Sr. No.	Name/ Address/MIS Code of ITI	Brief facts of the case	Observations of TC section	15th SCAA remarks
I.	II.	III.	IV.	V.
1.	Ramashray Pvt ITI, New application 1. Electrician -4(2+2) 2. Fitter -4(2+2) 3. Plumber -2(1+1) 4. Mechanic Diesel-2(1+1)	The case was first put up in 1 st SCAA held on 03.04.2022 wherein the following remarks was given- i. It is informed to the committee that-ITI was 1 st inspected on 11.03.2022 and found that the institute was locked ii. ITI was inspected for the 2nd time on 26.03.2022. However, the ITI failed to provide any of the supporting documents for inspection.	i. In compliance to the 12th SCAA meeting remarks, RDSDE has rescheduled the joint verification on 07.03.2024 with a prior intimation to petitioner telephonically and vide email dated 05.03.2024. ii. The joint verification report has been	The petitioner institute has been given multiple opportunities and prior intimation to carry out the inspection on the dates 11.03.2022, 26.03.2022, 05.06.2023 and 22.07.2023. The inspection could only materialize on 07.08.2023, after rescheduling of the inspection batches multiple times.

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

	iii. The Committee has decided that 2 times opportunities were given to the petitioner ITI but ITI could not provide any documents which are necessary for inspection and hence "Not Recommended". The petitioner-institution, has filed writ petition W.P.(C) 12233/2022 being aggrieved by the decision of respondent no.1-Directorate General of Training in rejecting the application for grant of affiliation for opening four trades from the Academic Year 2018-19 in its 1st meeting of Standing Committee of Accreditation and Affiliation dated 5-6.04.2022. The petitioner-institution also prays for directions to conduct a fresh joint committee inspection and decide the application of the petitioner-institution dated 29.05.2018 for grant of affiliation for four trades afresh by following the principles of natural justice. Vide judgment dated 19.05.2023, the Hon'ble court has set aside the impugned decision dated 05-06.04.2022 and the application of the petitioner-institution dated 29.05.2018 was restored with the DGT. And passed the direction for DGT	received from RDSDE with the following observations. iii. ITI was found locked even after giving prior intimation by email by RDSDE. iv. Availability of Tool equipment and machinery could not be verified. v. No clear demarcation of ITI with nearby Marriage hall, even approach roads were the same. vi. Electricity meter was found to be not connected with the transformer. vii. The consumer number written was found not available on the electricity department website. viii. The joint verification team has not recommended the petitioner institute for affiliation.	That, the petitioner institute was afforded further opportunities to rectify the deficiencies with a prior intimation on dated 18.10.2023, 15.12.2023 (During 12th SCAA), 17.01.2024. The petitioner was supposed to be ready with verification of deficiencies after multiple intimation, yet the institute was kept closed on the day of verification. It is pertinent to mention here that the affiliation can only be granted after rectification of the deficiencies by the institute concerned. The recommendation of the joint inspection cum verification team is the primary criterion to grant any affiliation to the institute. That the officers deputed for the purpose of inspection have to cancel other
--	---	--	--



उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक, Directorate General of Training
कोशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

	to consider the said application afresh in accordance with law for grant of affiliation with respect to next Academic Year i.e. Academic Year 2023-24. In compliance to the Hon'ble court direction in WPC 12233/2022 to reconsider the application of ITI, the ITI has been intimated on 05.06.2023 to keep ready the infrastructure for inspection of ITI. The case was then put up in 10th SCAA held on 16.06.2023 and it was decided that RDSDE and state directorate Bihar to conduct the joint inspection and RD RDSDE submit the report within 30 days from the issue of the MoM. The fresh inspection was scheduled at the premises of Ramashray Private ITI on 22.07.2023. However, the petitioner has not cooperated again with the team and kept the institute closed deliberately stating that the confirmation of the inspection was not sent on its mail id ramashrayiticollegehatta1@gmail.com so the inspection couldn't be materialized. It is pertinent to mention here that the petitioner was already given prior	ITI has been given multiple opportunities to rectify the deficiencies, but still ITI has not cooperated for joint re-verification, affiliation application of the ITI may be rejected.	assignments in order to materialize the field visits at the premises of the institute. The lackadaisical approach of the Institute has resulted in the sheer wastage of the time and resources of DGT and the State Directorate of Bihar. Moreover, rescheduling the inspection batch repeatedly is not feasible, as it would disregard other pending affiliation applications awaiting inspection. That the Deficiencies identified and communicated to petitioner ITI vide email dated 18.10.2023, could not be verified due to reluctance of ITI, even after giving multiple opportunities and intimation by concerned State and RDSDE for inspection cum verification. That the Serious irregularities like existence of a marriage hall in the
--	--	---	--



उज्जवल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

	intimation from DGT on its registered email on 05.06.2023 and the inspection batch was formed vide state letter dated 13.06.2023 with duly communicated to the petitioner. Additionally, the petitioner was also communicated telephonically for verification. As a principle of Natural justice, the request of the petitioner for re inspection was again considered and the same was rescheduled on 07.08.2023. Thereafter the case was again put up in 11th SCAA held on 28.08.2023 wherein it was decided to submit the joint inspection report before SCAA. After scrutinizing the inspection report at DGT, in compliance to the Hon'ble court direction, the petitioner was afforded an opportunity to rectify the deficiencies vide email on 18.10.2023 on its registered email . Subsequent to rectification of the deficiencies, the joint verification report needs to be submitted by state and RDSDE within 15 days from the email. The case was again put up in 12th SCAA held on 15.12.2023 wherein it was decided that RDSDE and state directorate shall submit the re-verification	vicinity of the ITI and having no demarcation between the same, have been noticed by the inspection team during physical visit on date 07.03.2024. Therefore, the application of the petitioner institute for affiliation is hereby "Rejected"
--	--	--



उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण प्रशासकालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002 New Delhi-12

		report along with clear recommendation of trade/units within 15 days from issue of the MoM. The MoM of the 12th SCAA has been duly communicated to the petitioner vide email dated 17.01.2024. This MoM was also available in public portal.		
2.	Kalindra Private ITI, Ratanchak New Tola, Hathwa, Gopalganj GOPALGANJ-841436 MIS Code: PR10000714 Existing ITI with trade Electrician – (2+2) Trade/units sought for affiliation	The case was put up in 10th SCAA held on 16.06.2023 with following observation:- SCAA observed that ITI applied for Fitter 4(2+2) but ICVC Recommended Electrician trade. Hence the State Director will verify the trade/units sought for affiliation. SCAA also observed that the building plan is not available. ITI will rectify all the above deficiencies and submit the detail to the State Directorate within 07 days from issue of this MoM. The State Directorate will submit the signed & stamped report to DGT within 07 days. After receipt of a report from the State Directorate, the case will be placed in the next SCAA.	In compliance to 12th SCAA, Joint verification report has been received from RDSDE and State: - Tools and equipment have been installed but have not been used for a long time. - Less trainees were present in comparison to trainees enrolled. - CITS instructors were not available during inspection. - Inspecting members have recommended: Existing trade units i.e. Electrician- 4 (2+2) may be	During the meeting, RDSDE has informed that the petitioner institute is not interested in the addition of trade and units so the verification was not conducted for the same. Therefore, the Existing trade units i.e. Electrician- 4 (2+2) is allowed to continue for admission. And the additional trade and units sought for affiliation are not Recommended.

(Signature)

उज्ज्वल बिस्वास/UJJWAL B. SWAS
 निदेशक / Director
 प्रशिक्षण महामंडळ/ Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली- 12 / Govt. of India, New Delhi-12

	Fitter 4(2+2)	The petitioner submitted the reply on 25.07.2023 to the state directorate but a verified report was not received from state to DGT. The petitioner has approached the Hon'ble court in Cont Case 1559/2023 for the non compliance of the final judgment dated 29.07.2021 passed in WPC 7221/2021 to decide the petitioner application for affiliation of additional 4 Units (2+2) of Electrician Trade and 4 Units (2+2) of Fitter Trades. The Hon'ble court has dismissed the contempt on 30.10.2023 as the learned counsel for the petitioner seeks to withdraw the present contempt petition with liberty to respond to the show cause notice issued by the respondent on 27.10.2023. The Hon'ble court has given direction on 29.07.2021 that in the event the DGT finds any deficiencies or discrepancies in the petitioner-institution's case, it may issue notice to the institution. RDSDE and State Directorate have visited the ITI on 25.10.2023 but the ITI was found to be closed, although serious	continued for the upcoming session. v. No comments provided for trade sought for affiliation. vi. No comments are provided on the point raised in SCN.	
--	---------------	---	---	--



उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Director General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

		irregularities have been noticed by the inspection team. Further a SCN was issued to the ITI on 27.10.2023 wherein it was required from RDSDE and State requested to conduct the join inspection of the ITI for both existing as well as new trades sought for affiliation Thereafter the case was put up in 12th SCAA held on 15.12.2023 wherein it was decided that RDSDE and state directorate shall submit the reverification report along with clear recommendation of trade/units within 15 days from issue of the MoM.		
3.	Shri Sai Pvt. Industrial Training Institute Dausa Rajasthan S.B. Civil Writ Petition No. 9212/2023	The petitioner was granted affiliation in 04 trades of 1st and 2nd shift units in compliance to judgement dated 29.08.2023 in S.B. Civil Writ Petition No. 9212/2023 titled Shri Sai Pvt. Industrial Training Institute Vs State and Ors vide affiliation order dated 29.09.2023. Further, the affiliation for the remaining units in 3rd shift was not granted to the Petitioner since the same is allowed in Dual System Training (DST) mode only vide DGT order 09.01.2023.	1. SSDEC recommendations regarding DST, were not sent in prescribed format. 2. The following details were missing from the MOU, including: i. Turnover of the industry	The DST affiliation matter for this ITI has been discussed during Meeting and SCAA recommended that ITI needs to submit the revised DST details in the prescribed format along with DST MOU through RDSDE. Thereafter RDSDE shall verify MoU along with other guidelines of DST through industry site visit and submit

(Signature)

उज्जवल कुमार / UJJWAL B.SWAS
निदेशक / Director
एनएसईडी / Directorate General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
महानगर, नई दिल्ली-110012 / Govt. of India, New Delhi-12

		The MOU is a pre-requisite so that the DST category for the additionally affiliated trades can be flagged and identified. Petitioner has given representation to decide the 3rd shift affiliation. Accordingly the Petitioner was informed to follow the aforesaid guidelines to get the affiliation in the remaining units of 3rd shifts. Accordingly SSDEC Rajasthan, vide its 5th meeting dated 21.02.2024 sent proposal for DST in 3rd shifts .	ii. Total number of employees in the industry iii. Number of units MOUs signed for, categorized by trade. 3. It is also observed that the industry with which the MOU is signed is M/s RR Power and Transformer. In this context, how can a DST MOU for HSI trade be signed with this industry, clarification from Institute is needed	the report within 15 days from date of issuance of MOM
--	--	---	---	---

Agenda 5: Miscellaneous matters

Agenda 5.1: Matter pertaining to the de-affiliation of trade/units arising from Grading grievances

Following ITIs have raised grievances regarding mapping of additional trade/units apart from trade/units affiliated in the institutes.

SCAA remarks : Matter has been discussed and it has been decided that additional trade units mapped on NCVT MIS portal may be de-affiliated from NCVT MIS portal.

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाविद्यालय, Directorate General of Training
कोशल विकास एवं उद्यमशीलता, मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110011 (Govt. of India, New Delhi-12)

P. Singh

Sr. No.	Name of the ITI	Affiliation of trade/units as reflected on the NCVT MIS portal	Total Trades/units as per affiliation order	Observation of TC section	15th SCAA remarks
1	Barh ITC, PR10000223, Bihar	1. Electrician- 18(9+9) 2. Mechanic Diesel 2(1+1)	1. Electrician- 12 (6+6) 2. Mechanic Diesel - 2 (1+1)	i. Electrician – 6 (3+3) are mapped additionally on the NCVT MIS portal, ii. Mechanic Diesel - 2 (1+1) was de-affiliated vide 30.07.2015 but is still reflecting on the NCVT MIS portal.	Following trade units are recommended for de- affiliation from the portal i. Electrician – 6 (3+3) ii. Mechanic Diesel - 2 (1+1)
2	Hari Om Private Industrial Training Institute; PR27000772 Maharashtra	1. Electrician-- 4(2+2) 2. Fitter- 4(2+2)	1. Electrician- 4(2+2) 2. Fitter- 2(1+1)	Fitter -2 (1+1) units are mapped additionally on the NCVT MIS portal.	Following trade units are recommended for de- affiliation from the portal Fitter -2 (1+1) units

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली- 110 012, Govt. of India, New Delhi-12

3	Harsh Industrial Training Institute; PR27000708 Maharashtra	1. Computer Operator and Programming Assistant- 4(2+2) 2. Electrician- 4(2+2) 3. Fashion Design & Technology- 2(1+1) 4. Fitter- 4(2+2) 5. Welder- 4(2+2)	1. Computer Operator and Programming Assistant - 1(1+0) 2. Electrician- 1(1+0) 3. Fashion Technology- 1(1+0) 4. Fitter- 1(1+0) 5. Welder- 1(1+0)	The following trade/units are mapped additionally on the NCVT MIS portal i. Computer Operator and Programming Assistant - 3 (1+2) ii. Electrician- 3 (1+2) iii. Fashion Technology- 1(0+1) iv. Fitter- 3 (1+2) v. Welder- 1 (1+2)	Following trade units are recommended for de-affiliation from the portal i. Computer Operator and Programming Assistant - 3 (1+2) ii. Electrician- 3 (1+2) iii. Fashion Technology- 1(0+1) iv. Fitter- 3 (1+2) v. Welder- 1 (1+2)
4	OM Private Industrial Training Institute; PU08000597 Rajasthan	i. Electrician- 12 (4+4+4)	i. Electrician- 6 (2+2+2)	i. Electrician- 6 (2+2+2) are mapped additionally on the NCVT MIS portal. ii. A corrigendum dated 10.01.2018 was issued for an affiliation order dated 15.12.2016 for this	Following trade units are recommended for de-affiliation from the portal Electrician- 6 (2+2+2)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
नया दिल्ली New Delhi-12

				ITI, as per which the address of the ITI was changed instead of additional units of Electrician trade.	
--	--	--	--	--	--

Agenda 5.2: Merger of Pvt. ITIs (PR09001652 and PR09000085) in Uttar Pradesh State as recommended by SSDEC UP State Directorate in their meeting.

The matter pertaining to the merger of Siddharth Pvt. ITI (**PR09001652**) and J.S. Pvt. ITI, Palhipatti, Varanasi Pvt ITI (**PR09000085**) has been discussed and it has been decided that merger of ITIs involves de-affiliation of trades, addition of trades and Shifting of ITI and since there are no existing guidelines available for the merger of ITIs, the TC section will first formulate guidelines, within 15 days from the issue of this MoM, for the merger of ITIs with the due approval of the competent authority. Subsequently, the matter will be decided as per approved guidelines.

Agenda 5.3: Portal related matter for Jeya ITI(PR33000654), Tamil Nadu

With reference to the DGT-MIS011/1/2022-TC SECTION [53887] dated 10.11.2022 regarding one-time relaxation from De-activation of trades/units of ITIs whose 100% seats are lying vacant for 2 consecutive years, SSDEC Tamil Nadu. The same matter has been discussed in meeting and remarks of SCAA is given below:

S. No	MIS Code	ITI Name	District	Recommendations of SSDEC	Recommendations of SCAA	Remarks of SCAA
1	PR33000654	Jeya Pvt ITI, Sawyerpuram	Thoothukkudi	Fitter-Shift2/Unit1 Electrician-Shift2/Unit1	Fitter-Shift2/Unit1 Electrician-Shift2/Unit1	Recommended

(Signature)

उज्ज्वल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक, नई दिल्ली / Directorate General of Training
खौशाल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012, Govt. of India, New Delhi-12

Agenda 5.4: DST affiliation of 2 Pvt ITIs as recommended by SSDEC UP

DGT has received a proposal of affiliation of trade(s)/unit(s) in DST mode for following 02 Pvt ITIs, the same has been recommended by SSDEC UP in its meeting dated 18.12.2023.

SCAA remarks: Recommended for DST affiliation for following ITIs as given in below mentioned table:

Sr. No.	Name of the ITI	MIS Code	Name of the Industry	Name of the Trade for DST	No. of Units	Shift
1.	Gyanganga Pvt. ITI, Sonbhadra	PU09900257	M/s Navin Electrical & Engineering Associates Pannuganj Road, Robertsganj, Sonbhadra	Electrician	03	3 rd shift
			M/s Arya Veer Steel Chandi Hotel, Uttar Mohal Robertsganj, Sonbhara 231216	Fitter	01	3 rd shift
2.	Raghuveer Ram Pvt. ITI pasahi Khurd Tendu Robertsganj Sonebhadra	PR09901388	Apolo Construction Company Transport Nagar Chopan Sonbadra, U.P.-	Fitter	01	3 rd shift
				Electrician	01	3 rd shift
				Diesel Mechanic	01	3 rd shift
				Welder	01	3 rd shift



उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110, Govt. of India, New Delhi-12

New Accreditation / Affiliation Proposals from Existing and New ITIs

1. State: Andhra Pradesh

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 15th SCAA
I	II	III	IV	V	VI	VII
1.	Siva ITC Gavarapalem Anakapalli - 531002 Andhra Pradesh Existing ITI MIS Code : PR28000409 Grading: 8.3	Existing	1. Mechanic Diesel - 2(1+1) 2. COPA - 2(1+1)	Recommended for affiliation of Mechanic Diesel - 2 (1+1) and COPA - 2 (1+1)	IT lab is integrated with COPA lab and combined area available is 90 Sqm which is not sufficient. As per Norms Area required for COPA lab is 70 Sqm and area required for IT lab is 25 Sqm. Hence Area of the IT lab is not sufficient.	ITI needs to remove the deficiency of the area of IT Lab and COPA Lab and send the required document to the concerned State Directorate within 30 days from the date of issue of the minutes of this meeting through NIMI compliance portal. Thereafter the concerned State Director will verify the availability of required areas as per norms of both IT lab and COPA lab by physically visiting the ITI and submit the report to DGT with clear



उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक, Directorate General of Training
 कौशल विकास, एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

						recommendation within the next 15 days through NIMI compliance portal.
2.	Sree Vinayaka ITI, Chittoor, Sree Vinayaka Pvt Iti, Beside Govt Hospital, Shantipuram District - Chittoor- 517423 Andhra Pradesh TMP28503PR1 645423043	New	1. Electrician - 4(2+2) 2. Fitter - 2(1+1) 3. Copra - 2(1+1) 4. Sewing Technology - 2(1+1)	Not recommended for affiliation 1. Land conversion certificate is not available. (NALA). Ownership of Lessor documents are not available. Registered Valid Lease deed is not available. ITI proposed area is under cultivation. 2. ITI is established in the basement/cellar of Shopping complex and other commonly utilized infrastructure. ITI does not have dedicated civil infrastructure in the specified area. BCC is taken from MPDO. 3. Sanctioned load showing online 10	1. Workshop and classroom are not as per norms. 2. ITI building is not as per norms as it is established in the basement of a shopping complex. 3. Electricity load is not sufficient to run trade sough for affiliation.	Not recommended for affiliation due to deficiencies mentioned in column V and VI.

(Signature)

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाविद्यालय, उच्च शिक्षा विभाग
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
एन.डी.ए. भवन, ई. ब्लॉक-12, नई दिल्ली-110002
Govt. of India, New Delhi-12

				KW and consumed 175 units. 4. Valid Original invoices are not available during inspection. (Except computer items mentioned in Omkar enterprise). 5. All Electrical trades machinery/ equipment are and tools are old only. (Painted on old equipment.) Other trades Fitter, Sewing Technology equipment, computers and tools are also old only. 6. Equipment/ machinery are old items and painted on it. During testing 3 motors and a drilling machine burnt out. All other Equipment also cannot withstand even 15 min		
--	--	--	--	---	--	--

(Signature)

सज्जवल बिस्वास / JIJWAL BISWAS
 Director
 प्रशिक्षण महानिदेशक / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012

				continuously. Old computers. 7. Not available facilities like drinking water, toilets for trainees and staff, PH ramp etc. 8. COPA workshop, Sewing technology workshops, Drawing Hall, IT lab, two class rooms, library etc are established in the basement/cellar of Shopping complex. 3 class rooms are at other common buildings. 9. IT lab established at basement/cellar of shopping complex. IT lab having 13 old computers/laptops. 10. ITI is not established as per NCVT norms. Valid land ownership and registered lease document is not	
--	--	--	--	--	--

उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण भवन/ Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Skill Development and Entrepreneurship
 Ministry of New Delhi-12

				available. Old machinery and tools. valid Bills/invoices are not available during inspection. 11. Workshops of COPA Sewing Technology, IT lab, drawing hall and principal room are constructed in the cellar. Other classrooms are in shared accommodation.		
--	--	--	--	---	--	--

उज्जवल बिस्वास / UJJWAL BISWAS
निर्देशक / Director
प्रशिक्षण महानिदेशक, निदेशकालय, जनरल ऑफ ट्रेनिंग
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12, Govt. of India, New Delhi-12

(Signature)

2. State: Assam

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 15th SCAA
I	II	III	IV	V	VI	VII
1.	Ledo Industrial Training Institute Tinsukia, Mullang Road, Rod Gaon, P.O. & P.S.-Ledo, Block- Margherita, - 786182 Tinsukia Assm TMP18302PR16 47759922	New	1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Mechanic Diesel - 2(1+1) 4. Copa - 2(1+1) 5. Welder - 2(1+1)	Recommended Electrician 4(2+2), Fitter 4(2+2), Mechanic Diesel 2(1+1), COPA 2(1+1), Welder 2(1+1) for affiliation.	May be recommended	Already recommended in 13th SCAA meeting held from 30.01.2024 to 31.01.2024
2.	Ajmal Rural Technology & Demonstration Centre A.R.T.D.C, Under K.V.K, Padum Pukhuri, Kapashbari	Existing	1. Electrician - 2(1+1) 2. Fitter - 2(1+1)	Recommended for Electrician (1+1) and Fitter (1+1)	Drawing hall available but drawing tables not available.	ITI needs to remove deficiencies of drawing tables in the drawing hall and submit the documents to the concerned State Directorate within 30 days of the date of issue of minutes of meeting

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
परिक्षण महानिदेशक / Directorate General of Training
विकास एवं उद्यमशीलता मंत्रालय
Development and Entrepreneurship
Ministry New Delhi-12

	NAGAON- 782445 MIS Code: PR18000002 Grading: 7.50					through NIMI compliance portal. Thereafter, the State Directorate will have to verify the same and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.
--	---	--	--	--	--	---


उज्ज्वल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महा-संस्थान, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12



3. State: Bihar

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 15th SCAA
I	II	III	IV	V	VI	VII
1.	Urmila Hitaishi Private ITI- Vill+PO-Kasap (Arrah) Bhojpur - 802206 Bihar MIS Code: PR10000012 Grading: 6.80	Existing	Electrician - 8 (4+4)	Recommended for affiliation of Electrician - 8 (4+4)	Drawing hall area available is 43.4 SQM however required is 50 SQM, not as per norms.	ITI needs to remove the deficiency in the area of the drawing hall and submit the supporting documents to the concerned State Directorate within 30 days of the date of issue of minutes of this meeting through NIMI compliance portal. Thereafter, the State Directorate and RDSDE to verify the area of the drawing hall by physically visiting the ITI and submit the report with recommendation to DGT within the next 15 days through NIMI compliance portal.

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

(Signature)

4. State: Chhattisgarh

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 15th SCAA
I	II	III	IV	V	VI	VII
1.	Govt. ITI, Kondagoan Kondagoan 494226- Chhattisgarh MIS Code: GR22000072 Grading: 9.10	Existing	1. Stenographer Secretarial Assistant (Hindi) - 2(1+1) 2. Welder - 2 (1+1)	Recommended 1. Out of the sanctioned posts, more than thirty percent posts under support staff category are vacant, including instructors for Employability Skills. 2. biometric machine available but attendance being marked offline. 3. Student attendance is being marked offline	1. Boundary wall is incomplete. 2. Fire safety certificate not available.	ITI needs to remove the following deficiencies and send the supporting documents to the concerned State Directorate within 30 days from the date of issue of this minute through NIMI compliance portal. 1. Fire Safety Certificate not available. 2. Adequate Supporting staff and trainers not available. 3. Boundary wall is incomplete. Thereafter, the State Directorate to verify the documents submitted

(Signature)

उज्जवल बिस्वास / UJJWAL BISWAS
प्रशिक्षण महानिदेशक / Director
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

						and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.
2.	Govt. Industrial Training Institute, Aarang, Distt- Raipur Arang MIS Code: GR22000023 Grading: 8.60	Existing	1. COPA - 1(1+0) 2. Welder - 1(1+0)	Recommended for Affiliation: COPA (1+1) and Welder (1+1) 1. The State Govt has initiated appointments. 2. State to ensure appointment before commencement of training and admission	State has not appointed trainers for new trades.	ITI need to appoint the trainers for trades sought for affiliation and send the documents to the concerned State Directorate within 30 days from the date of issue of this minute. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.
3.	Govt. Mini ITI Basna, Distt- Mahasamund Basna MIS Code:	Existing	Mechanic Diesel - 2 (1+1)	NCVT: DisAgree ,do not agree for affiliation as major Equipment and Instructor for new proposed and existing.	As many deficiencies are pointed out by the inspection team, ITI may be asked to	ITI needs to remove the following deficiencies and submit the supporting documents to the concerned State Directorate within 30

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक/Director General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

				9. Trainers are not aware about training tools like lesson plans, syllabus etc. 10. Drawing hall is not as per norms.		the ITI and submit the report to DGT with recommendation within the next 15 days.
--	--	--	--	---	--	--

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण निदेशालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

(Signature)

5. State: Gujarat

Sr . N o.	ITI name	Type of applicati on	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 15th SCAA
I	II	III	IV	V	VI	VII
1.	Charotar Gas Private ITI, Bakrol, Bakrol-Vadtal Road, Near Knowledge Campus, Anand-388121 MIS Code: PU24008073 Grading: 5.70	Existing	1. Solar Technician (Electrical) - 2(1+1) a. 2. Basic Cosmetology - 1 (1+0)	Recommended: Cosmetology - 2(1+1) Solar Technician - 2 (1+1) 1. For Cosmetology 1 staff appointed and the remaining instructor appointed within affiliation. 2. Biometric machines are available but manually attendance is taken. 3. This is an existing ITI, total 06 Instructors were appointed as per NCVT norms and out of 06 instructors only 01	Instructors are not appointed for Solar Technician.	ITI needs to appoint instructors for both trades and send the supporting documents to the concerned State Directorate through NIMI compliance portal within 30 days from the issue of minutes. Thereafter, the State Directorate will verify the documents and send the same to DGT within the next 15 days through NIMI compliance portal.

(Purging)

उपनिर्देशक, DGT/NA/ SIS/NA/5
प्रशिक्षण महानिदेशालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110 012 / Govt. of India, New Delhi-12

				of them holds (NCIC) essential qualification. The ITI Admin take Undertaking as they will appoint 02 instructors for Solar Technician and 01 for Basic Cosmetology within affiliation.		
2.	Industrial Training Institute, Dharampur (Government) Govt. ITI, Dharampur Dashera Pati , Nasik Road, M Valsad-396050 Gujarat MIS Code: GR24000411 Grading: 8.60	Existing	1. Solar Technician (Electrical - 1(0+1+0) 2. Electrician - 1(0+0+1) 3. Computer Hardware & Network Maintenance - 1(0+0+1)	Recommended Trades/ Units 1. Solar Technician (Electrician) - 01 (0+1+0). 2. Electrician 01 (0+0+1) 3rd unit is recommended under DST Mode for Electrician Trade and MOU attached in the report. 3. Computer Hardware & Networking Trade not Recommended for Affiliation due non availability MoU at the time of inspection.	1. Power not sufficient for even existing trade/units Power Available: 55 KW, Required: 107.11 KW 2. Also, units are not uniformly distributed across shifts, if distributed required power may come down. 3. As per comments from	ITI needs to remove the following deficiency and submit the supporting documents to the concerned State Directorate through NIMI compliance portal within 30 days from the date of issue of minutes. 1. Power load is insufficient to run existing trade and units. 2. MoU not available for affiliation in

					inspecting members DST MoU available for electrician trade but details not available. third shift Computer Hardware & Networking Maintenance. Thereafter, the State Directorate will verify the documents and send the same to DGT within the next 15 days through NIMI compliance portal.
3.	Industrial Training Institute, Saraspur (Government) Opp. Gurudhwara, Saraspur, Ahmedabad -18, Gujarat-380018 MIS Code: GU24000109 Grading: 7.50	Existing	IoT Technician (Smart City) - 2(1+1)	Recommended For the trade of IoT Technician (Smart City) (1+1+0 units)	Power not sufficient for even existing trade/units. Required: 321.93 KW Available: 143.06 KW ITI needs to remove the following deficiency and submit the supporting documents to the concerned State Directorate through NIMI compliance portal within 30 days from the date of issue of minutes: 1. Power load is insufficient to run existing as

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार नई दिल्ली - 110002

						well as new trade sought for affiliation. Thereafter, the State Directorate will verify the documents and send the same to DGT within the next 15 days through NIMI compliance portal.
4.	Industrial Training Institute (Mahila), Jotana Harsiddh Vadi Chokadi, Jotana-Mitha Road, At Post - Mankanaj, Ta - Jotana Dist - Mahesana- 384421 Gujarat MIS Code: TMP24451GR1679980822	New	1. Computer Operator and Programming Assistant (COPA) - 3(1+2) 2. Fashion Design and Technology - 2(1+1) 3. Basic Cosmetology -2(1+1) 4. Sewing Technology - 2(1+1)	Recommended for 1. Computer Operator and Programming Assistant (COPA) - 2 (1+1) 2. Fashion Design and Technology - 2 (1+1) 3. Basic Cosmetology -2 (1+1) 4. Sewing Technology - 2 (1+1)	May be recommended	Recommended for affiliation 1. Computer Operator and Programming Assistant (COPA) - 2 (1+1) 2. Fashion Design and Technology - 2 (1+1) 3. Basic Cosmetology -2 (1+1)

सत्यपाल बिस्वास/UJJWAL BISWAS
 निदेशक, प्रशिक्षण महाविभाग
 कौशल विकास एवं प्रशिक्षण विभाग
 Ministry of Skill Development and Entrepreneurship
 नई दिल्ली-110012/Govt. of India, New Delhi 110012

						4. Sewing Technology - 2 (1+1)
5.	Industrial Training Institute Pavi Jetpur At Po Ta Pavi Jetpur Dist Chhotaudipur-391160, Gujarat MIS Code: TMP24668GR1681557768	New	1. Fitter - 3(1+2) 2. Electrician - 3(1+2) 3. Wireman - 3(1+2) 4. Mechanic Diesel - 3(1+2) 5. Welder - 3(1+2) 6. Copa - 4(2+2) 7. Sewing Technology - 2(1+1)	Agreed	1. Power is not sufficient. Available load 50 KW Required: 79.82 KW. 2. Drawing hall available but drawing table not available. 3. Trade units recommended are not mentioned in the Inspection report.	ITI needs to remove the following deficiencies and submit the supporting documents to the concerned State Directorate through NIMI compliance portal within 30 days from the date of issue of minutes. 1. Power load is insufficient. 2. Drawing hall available but drawing table not available. 3. Trade units recommended are not mentioned in the Inspection report.

Chhota

8
अजयल विकास / AJAYAL BORO
निदेशक / Director
प्रशिक्षण मन्त्रालय / Directorate General of Training
व्यवसाय विकास एवं उद्यमशीलता विभाग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002

						Thereafter, the State Directorate will verify the documents and send the same to DGT within the next 15 days through NIMI compliance portal. Apart from this, the State Directorate will have to give clear recommendations of trade/units recommended for affiliation by the inspection team.
6.	Industrial Training Institute, Gotri (Vadodara) Industrial Training Institute Gotri (Vadodara). Behind Zydex Industries Building, Gotri Sevasi Road, Vadodara- 390021	New	1. Wireman - 3(1+2) 2. Fitter - 3(1+2) 3. COPA - 2(1+1) 4. Welder - 2(1+1)	(1+1) units each in all the four trades recommended for affiliation 1. ITI has developed single workshop in wireman and fitter so 1+1 units each in all four trades sought for	May be recommended for affiliation.	Recommended for affiliation 1. Wireman - 2 (1+1) 2. Fitter - 2 (1+1) 3. Computer Operator and Programming Assistant

	MIS Code: TMP24461GU16817 21013			affiliation recommended 2. Tools and Equipment are available in all 4 trades sought for affiliation also ITI have signed MOUs with industries details have been uploaded on the app. 3. Institute has only a single workshop in Fitter and wireman therefore only (1+1) units each recommended along with COPA and welder trades.		(COPA) - 2 (1+1) 4. Welder - 2 (1+1)
7.	Paras Private ITI, Sabar Kantha At.Po. Lambadiya, Ta.Poshina, Dist. Sabarkantha -383270 MIS Code: TMP24458PR168059 7193	New	1. Health Sanitary Inspector - 2(1+1) 2. Computer Operator and Programming Assistant (COPA) - 2(1+1)	After the latest electricity bill submission and full staff appointment, affiliation can be given for Health Sanitary Inspector(1+1), Computer Operator and Programming Assistant (COPA)(1+1), Sewing Technology (1+1) and	1. Drawing board not available. 2. Adequate trainers not appointed yet.	ITI needs to remove the following deficiency and submit the supporting documents to the concerned State Directorate through NIMI compliance portal within 30

(Signature)

निदेशक / Director
 प्रशिक्षण महानिदेशक / Directorate General of Training
 कर्मचारी विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, 10, नई दिल्ली - 110002

			3. Sewing Technology - 2(1+1) 4. Basic Cosmetology - 2(1+1)	Basic Cosmetology (1+1) trades. Building completion certificate is given by Secretary, lambadiya group Gram Panchayat, Poshina, Sabarmantha dated 26.05.2023. plan not signed by Government authority. The bill uploaded has a sanctioned load of 9kW. The latest electricity bill has not yet been received. Currently the institute has 25kW load sanctioned. receipt of payment paid and application for 25kw is uploaded. Institute has hired only 4 instructors for 4 trades. Building plan not approved by Govt. Authorized planner.		days from the date of issue of minutes. 1. Drawing board not available. 2. BCC not signed by competent authority. 3. Building plan not approved by Govt. Authorized planner. 4. Adequate trainers not appointed yet. Thereafter, the State Directorate will verify the documents and send the same to DGT within the next 15 days through NIMI compliance portal.
--	--	--	---	---	--	---

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय (Directorate General of Training
कौशल विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

Purva

8.	Nachiketa Institute of Medical Science Banas Kantha Near Radhanpur Palanpur Road Bhabhar Cross Road Thara At & Post Thara Ta Kankrej Dist Banaskantha - 385560 TMP24441PR168094 8260	New	1. Health Sanitary Inspector - 2(1+1) 2. Old Age Care - 2(1+1) 3. Radiology Technician - 2(1+1). 4. Hospital Housekeeping - 2(1+1)	NCVT: Agree, Partially Agreed. 1. Electricity Bill is on Trusty Name and assurance to change the Electric meter as per Application Total Load 26KW for school and ITI combine. ITI required 15KW. 2. Machinery bills partially available, same vendor name on all bills. 3. Available as per syllabus but for Radiology Technician they have MOU with hospital for practical Training. 4. IT lab place Changed and school is already running in the same place. 5. In same campus secondary school is also running and the electricity connection also combined with secondary school.	1. Total land area 3822 SQM, whereas area required is 4291 SQMs. 2. The IT lab is the same for both school and ITI. 3. Electricity bill is combined for both school and ITI. ITI may be asked to remove the deficiency	ITI needs to remove the following deficiencies and submit the supporting documents to the concerned State Directorate through NIMI compliance portal within 30 days from the date of issue of minutes. 1. Total land area not as per norms. Available: 3822 Sqm, required 4291 Sqm. 2. Drawing hall available but drawing table not available. 3. The IT lab is the same for both school and ITI. 4. Electricity bill is combined for both school and ITI.
----	---	-----	---	---	---	--

(Signature)

उज्ज्वल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण निदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12, Govt. of India, New Delhi-12

				The IT lab is being shared with the school.		5. Machinery bills partially available, same vendor name on all the bills. Thereafter, the State Directorate will verify the documents and send the same to DGT within the next 15 days through NIMI compliance portal.
9.	Industrial Training Institute, Gandhidham (Government) Govt. Iti, Gandhidham G.I.D.C Area, Nr. Oslo Cine Kachchh-370201 MIS Code: GU24000307 Grading: 7.70	Existing	1. Welder - 1(0+1+0) 2. Carpenter 1(1+0+0) 3. Health Sanitary Inspector - 3(1+2+0)	Recommended for affiliation of Health Sanitary Inspector- 2(1+1+0)	BCC not available and power not sufficient. Required: 142.7 KW Available: 100KW	ITI needs to remove the following deficiency and submit the supporting documents to the concerned State Directorate through NIMI compliance portal within 30 days from the date of issue of minutes. 1. Power load is insufficient.

Ujjwal

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाविभाग / Directorate General of Training
कौशल विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

						2. BCC not available Thereafter, the State Directorate will verify the documents and send the same to DGT within the next 15 days through NIMI compliance portal.
10	Industrial Training Institute, Rajpipla (Government) Govt. Iti, Rajpipla , In Jeen Compound, Near Harsidhdhi Temple, Rajpipla, Ta- Nandod , Narmada, Gujarat- 393145 MIS Code: GU24000414 Grading: 7.10	Existing	1. Attendant Operator (Chemical Plant) - 3(1+1+1) 2. Copa - 3(1+2+0) 3. Fitter -2(1+1) 4. Electrician - 1(1+0+0) 5. Wireman - 1(1+0+0)	Recommended for 1. Attendant Operator (Chemical Plant) 2(1+1+0), 2. COPA - 3 (1+2+0) 3. Electrician - 1 (1+0+0), 4. Wireman 1(1+0+0). Fitter trade is not Recommended due to constraint of building area and Shortage of Tools and equipment as per NCVT norms.	1. Power Load Not Sufficient for Trades Sought for Affiliation. Required: 78.51 KW Available: 60 KW 2. ITI has Applied Under Shifting Category New Address: Industrial	ITI needs to remove the following deficiencies and submit the supporting documents to the concerned State Directorate through NIMI compliance portal within 30 days from the date of issue of minutes. 1. Power load is insufficient. 2. Deficiency of tools and equipment observed

Prerna

उज्ज्वल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय (Directorate General of Training)
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12, Govt. of India, New Delhi-12

				Machinery available as per NCVT norms. 2.90 to 95 percent of tools and equipment Available as per CTS curriculum for all Trade. But except for Fitter trade which holds only 30 to 40 percent of tools and no equipment on inspection day. Total 15 Instructors were appointed as per NCVT norms and out of 15 instructors only 02 of them held (NCIC) essential qualification.	Training Institute, Rajpipla, Near Vadiya Jakatnaka, At Po. Jeetnagar, Rajpipla, Ta. Nandod, Dist: Narmada Old Address: Govt. ITI, Rajpipla, In Jeen Compound, Near Harsidhdhi Temple, Rajpipla, Ta- Nandod, Narmada, Gujarat ITI	during inspection in all the trades sought for affiliation. Thereafter, the State Directorate will verify the documents and send the same to DGT within the next 15 days through NIMI compliance portal.
11	Govt. ITI, BHAVNAGAR (WOMEN) B/H BPTI college, Vidhyanagar,	Existing	1. Dressmaking - 3(1+1+1) 2. COPA - 1 (0+1)	Recommended: Dress Making-02 (1+1+0) units, COPA-01 (0+1+0) unit.	May be recommended	Recommended 1. Dress Making - 2 (1+1) 2. COPA - 1 (0+1)

उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण निदेशालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

	Bhavanagar - 364001 Gujarat MIS Code: GU24008133 Grading: 9.10					
12	Sf Jamiah Uttumal Private Iti, Jamiah Uttumal (Self Finance) Pvt. ITI, Jamiah Uttumal Darul Quran Campus, By Pass Road Jambusar, Darul Quran Campus, By Pass Road Jambusar, Dabha Chokdi Jambusar, Jambusar, Jambusar, -1, Gujarat MIS Code: PR24000851 Grading 3.9	Existing	1. Attendant Operator (Chemical Plant) - 2(1+1) 2. Mechanic Refrigeration and Air Conditioner -2(1+1) 3. Solar Technician (Electrical) -2(1+1) 4. Health Sanitary Inspector -2(1+1)	Recommended affiliation for	Grading is less than 4	Not Recommended as grading is less than 4.

(Signature)

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110011
Date: 11/01/2024

13	Govt. ITI, Jesavada Kharedi Dungari Atpo Jesavada, Ta Garbada Dohad- 389152 MIS Code: GR24008103 Grading: 6.20	Existing	Electrician - 2(1+1)	Recommended for affiliation Electrician - 2 (1+1)	May be recommended	Recommended for affiliation Electrician - 2 (1+1)
14	Cenka Samaj Kalyan Sanstha Rajashree Pvt ITI 478/A, AT Bamalla, Ta Zaghadiya, Gujarat. Bharuch- 393120 MIS Code: PR24008175 Grading: 4.90	Existing	Computer Operator and Programming Assistant (COPA) - 2 (1+1)	Recommendation for COPA 2 (1+1)	BCC not as per norms.	ITI needs to submit BCC, as per norms on the NIMI compliance portal within 30 days from the date of issue of this MoM. Further, the concerned State Directorate to verify the BCC submitted by the ITI and send the recommendations to DGT within the next 15 days through an online compliance module.

उज्जवल बिस्वास/UJJWAL BISWAS

निदेशक / Director

परिक्षण महाविद्यालय/Directorate General of Training
विकास एवं उद्यमशीलता मंत्रालय
Development and Entrepreneurship
मंत्रालय, नई दिल्ली-12

(Signature)

15	Becharaji Government ITI, ITI Becharaji Behind Radhika Guest House, Near Ugval, Viramgar Road, Becharaji Mahesana- 384210 MIS Code: GR24008044 Grading: 7.00	Existing	1. Mechanic Motor Vehicle (MMV) - 2(1+1) 2. Sewing Technolo gy - 1(0+1)	Recommended Sewing Technology (0+1+0) MMV Not Recommended 1. Machinery available for Sewing Technology but only partially available for MMV trade. 2.For MMV trade the area of workshop is not as per requirement. 3. for MMV trade Major Machinery and Tools are not available, Purchasing of Machinery for MMV trade is under process.	Sewing Technology (0+1+0) may be recommended	Recommended affiliation for: Sewing Technology (0+1+0) Not recommended for affiliation: Mechanic Motor Vehicle (MMV) - 2(1+1) due to following reasons: 1. Machinery partially available for MMV trade. 2. Area of the workshop is not as per requirement. 3. Major Machinery and Tools are not available, Purchasing of Machinery for
----	--	----------	---	---	---	--

संजय कुमार / Director
प्रशिक्षण महानिदेशक / Director of Training
विकास विभाग / Development and Entrepreneurship
Ministry of Skill Development and Entrepreneurship
भारत सरकार, ई. दिल्ली-12 / Govt. of India, New Delhi-12

(Signature)

						MMV trade is under process.
16	Industrial Training Institute, Bhiloda (Government) Ovt. ITI, Bhiloda Nr. Market Yard, Market Yard Arvalli- 383245 MIS Code: GR24000110 Grading: 7.60	Existing	1. Surveyor - 2 (1+1) 2. Health Sanitary Inspector - 2 (1+1)	Recommended for affiliation of 1. Surveyor - 2 (1+1) 2. Health Sanitary Inspector - 2 (1+1)	May be recommended	Recommended for affiliation of 1. Surveyor - 2 (1+1) 2. Health Sanitary Inspector - 2 (1+1)
17	Shri Saraswati Kelavani Mandal Ujada-Vadi Private ITI, Sf Saraswati Kelavani Mandal, Sampa (Self Fin Sf Saraswati Kelavani Mandal, Sampa, Panchmahal, Gujarat Panch Mahals MIS Code:	Existing	1. Sewing Technology - 2(1+1) 2. Health Sanitary Inspector - 2(1+1) 3. Fitter - 2(1+1) 4. Wireman - 2(1+1)	Sewing Technology, Fitter, Wireman, HSI (1+1) unit each trade recommended	1. Electricity bill not uploaded. 2. Instructors not appointed.	ITI needs to remove the following deficiency and submit the supporting documents to the concerned State Directorate through NIMI compliance portal within 30 days from the date of issue of minutes.

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाविद्यालय / Directorate General of Training
विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
Govt. of India, New Delhi-12

	PU24006115 Grading: 7.10					1. Electricity bill not uploaded. 2. Instructors not appointed. Thereafter, the State Directorate will verify the documents and send the same to DGT within the next 15 days through NIMI compliance portal.
--	--	--	--	--	--	--

Rupam

उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय, Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, 12, Govt. of India, New Delhi-12

6. State: Haryana

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 15th SCAA
I	II	III	IV	V	VI	VII
1.	C R MEMORIAL Private Industrial Training Institute, REWARI Village - Berli Kalan, PO - Musepur, Distt - Rewari (HR) 123401 REWARI Haryana TMP672PR15 81406857	New	1. Electrician - 4(2+2) 2. Computer Operator and Programming Assistant (COPA) - 2(1+1) 3. Radiology Technician - 2(1+1) 4. Fireman - 4(2+2) 5. Fire Technology and Industrial Safety Management - 4(2+2)	Not recommended 1. There is deficiency in the trade of Fireman and Fire Technology and Industrial safety i.e. as per STL item no. 50, 51 and 52. The RC of the Rescue van is in the name of the previous owner. 2. Map layout plan is not as per actual layout plan. 3. No inspection for COPA trade has been done. The institute has dropped this trade. 4. Labs/workshops are situated in the semi basement of the building. 5. Adequate lighting installation was not	Drawing hall not available. Many deficiencies have been pointed out by the inspection team and hence ITI may be asked to remove the deficiencies.	ITI needs to remove the deficiencies as mentioned in column V and VI, and submit the required documents to the concerned State Directorate within 30 days from the date of issue of this minute through NIMI compliance portal. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendation within the next 15 days.

				found in workshops and labs. 6. For Radiology Technician trade, all tools, equipment & Machineries found installed and in working condition, as per STL norms. - For Fireman & Fire Technology and Industrial Safety Management trades, the following items as per STL not found available: i. Desktop Computer- 08 nos., Computer table- 08 nos., and Computer Chairs- 08 nos. - IT Lab found available as per norms		
2.	Yaduvansh Private Industrial Training Institute, Mahendragarh Vpo Bassai Mahendragarh-123029 Haryana TMP669PR15803	New	1. Electrician - 4(2+2) 2. Wireman - 2(1+1) 3. Fitter - 2(1+1) 4. Health Sanitary	Not recommendation for affiliation 1. Fire safety certificate not available. Fire safety measurements are not fulfilled as per norms. Fire extinguisher and fire buckets not available.	As many deficiencies are noticed during inspection ITI may be asked to remove these	ITI needs to remove the deficiencies as mentioned in column V & VI, and submit the required documents to the concerned State Directorate within 30 days from the date of issue of this minute


 Jyoti Biswas
 Director / Director
 Directorate General of Training
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012, Govt. of India, New Delhi-12

	97273		Inspector - 2(1+1)	2. Without a proper drawing table/stand. Quantity of stand is less as per norms. Windows in rooms are not installed. 3. Toilet available but not in working condition. Water tank without water purification. Library without chair. 4. Attendance register is available. Biometric machine available but biometric attendance record not available. 5. Appointed instructor staff not having educational and experience criteria as per norms. 6. Raw material register is partially maintained. 7. Stoke register for HSI is not available and proper entry in the remaining Stoke register is not maintained with bill records and available physical material. Entries are missing.	deficiencies thereafter joint inspection may be conducted.	through NIMI compliance portal. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendation within the next 15 days.
--	-------	--	-----------------------	---	---	--

उज्ज्वल बिस्वास/UJJWAL BISWAS

निदेशक / Director

प्रशिक्षण महानिदेशालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12



				8. Machinery Bills seem to be fake. Payment proofs are partially available. 9. BCC certificate is not as per norms. Not signed by component authority. 10. Staff experience was not as per NCVT norms. Staff Attendance Registers were available. 11. The Drawing Hall was found not safe. In the drawing hall, there were openings for windows in the walls however windows were not fitted which make it unsafe. 12. BCC certificate was issued by some Pvt. engineer countersigned by Tehsildar.		
--	--	--	--	--	--	--

(Signature)

उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण, मानव संसाधन विकास / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

7. State: Jharkhand

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 15th SCAA
I	II	III	IV	V	VI	VII
1.	Indodanish tool room Gamharia, Jamshedpur SARAIKELA KHARSAWAN- 832108 Jharkhand MIS Code: PU20000041 Grading: 8.2	Existing	Electrician - 4(2+2)	1. Right format BCC not available. Indo Danish Tool room is a central institute by MSME, running diploma and ITI courses 2. Sufficient machinery is available for existing trades, sufficient machinery is available for electrician trade although needs to be properly installed with foundation to avoid vibrations and damage. 3. Recommended, subject to Trainers needs to be CITS certified in the next 3 yrs of appointment	BCC is not available but possession certificate is given from MSME.	ITI needs to submit BCC, as per norms within 30 days from the date of issue of this minute through NIMI compliance portal. Further, the concerned State Directorate to verify the BCC submitted by the ITI and send the recommendations to DGT within the next 15 days through an NIMI compliance portal.
2.	Vikram Private ITI At- Charadih, Koderma. 825410	Existing	1. Surveyor - 2(1+1)	NCVT - Dis agree and SCVT -Agree for recommendation	ICVC has mentioned shortage of	ITI needs to remove the following deficiency and submit the supporting

उज्जयिनी बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

	MIS Code: PR20000240 Grading: 6.8		2. Mechanic Diesel - 2(1+1) 3. Electrician - 4(2+2)	1. BCC is not as per the norms but the building plan is approved. 2. Based on the machinery bills and physical visit to the workshop/lab, and classrooms, the Joint inspection team has found shortages, hence, it is not as per the norms. 3. As per documents staff are not available and available staff fail to produce their bank details, hence, it is not as per norms. 4. Available only one biometric machine for staff which is not based on Aadhar, hence it is not as per norms. 5. The required number of Machinery as per the syllabus of the total existing and new trades is not available. 6. The required number of machineries and Toolkit as per syllabus of the total existing trade and	load but load is sufficient. BCC is not available as per norms. Condition of the drawing room is not as per norms and the Floor is also not tiled.	documents to the concerned State Directorate through NIMI compliance portal within 30 days from the date of issue of minutes. 1. BCC is not as per norms. 2. Machinery bill shortage/ deficiencies. 3. Adequate staff not available. 4. Machinery not available as per syllabus for both existing as well as new. 5. Deficiency of tools and equipment observed during inspection in all the trades sought for affiliation. 6. Drawing hall is not as per norms, floor is not tiled. Thereafter, the State Directorate and RDSDE
--	---	--	---	---	---	--

(Signature)

उज्ज्वल सिंह / Director
प्रशिक्षण मंत्रालय, Directorate General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, ई-14सी-12, Govt. of India, New Delhi-12

				new trades is not available. 7. Most of the amenities like Hostel, Canteen, accessibility of PWD are not available, so it is null. 8. As per norms for more than 12 units minimum 6802.4 Sq.M. area is required which is not available.		will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendation within the next 15 days.
3.	TSSDS Private ITI Nh-33, Salgadih, Tamar, Ranchi 835225 Mis Code: PR20000182 Grading: 8.7	Existing	1. Fitter - 2(1+1) 2. Electrician - 2(1+1)	All the existing trade trainers are CITS-trained and the proposed trade trainers are selected with the condition of joining after getting an affiliation of these trades Recommended for proposed new trades Electrician 1+1 (2 units) and Fitter 1+1 (2 units) based on the availability as per norms	BCC is issued by an architect which is not as per norms.	ITI needs to submit BCC, as per norms within 30 days from the date of issue of this minute through NIMI compliance portal. Further, the concerned State Directorate to verify the BCC submitted by the ITI and send the recommendations to DGT within the next 15 days through an NIMI compliance portal.

(Signature)

उज्जवल बिस्वास / UJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012, Govt. of India, New Delhi-12

8. State: Himachal Pradesh

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 15th SCAA
I	II	III	IV	V	VI	VII
1.	Green View Private ITI, Kangra TMP218PR16 80416463	New	1. Electrician - 2(1+1) 2. Fitter- 2(1+1) 3. Solar Technician (Electrical) - 2(1+1) 4. Fashion Design and Technology - 2(1+1)	Recommended 1. Application to convert consumer name has been given to the electricity department on dated 03/10/2023. 2. PWD Ramp is required as per norms.	Electricity bill not attached	ITI needs to remove the following deficiency and submit the document to the concerned State Directorate within 30 days from the date of issue of this MoM through NIMI compliance portal. 1. Electricity bill not attached. 2. PWD Ramp is required as per norms. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15

(Signature)


उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, १६ बिल्डिंग-12, Govt. of India, New Delhi-12

						days through NIMI compliance portal.
2.	Laxmi Narayan Pvt ITI, saniyala PO Bankhandi Kangra- 177114 Mis Code: Pr02000226 Grading: 8.2	Existing	Electrician - 4(2+2)	Recommended Electrician - 4(2+2)	May be recommended	Recommended for affiliation of Electrician - 4(2+2)
3.	Prayaas Pvt. ITI, V.P.O. Maira Kangra MIS Code: PR02000228 Grading: 6.7	Existing	Electrician - 2(1+1)	Recommended	May be recommended	Recommended for affiliation of Electrician - 2(1+1)
4.	Happy Young Industrial Training Institute Naya Bazar BBMB Colony Sunder nagar Mandi- 175019 MIS Code: PU02000147	Existing	Electrician - 2(1+1)	Recommended for Electrician - 2(1+1)	May be recommended	ITI is already affiliated vide file number DGT-HC019/1/2023-O/o DIR (TC) dated 10.10.2023 and SCAA has ratified this case.

Piering

उज्ज्वल बिस्वास/UJJWAL BISWAS
मिनिस्टर / Director
प्रशिक्षण महानिदेशक / Director General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

	Grading: 8					
--	------------	--	--	--	--	--



(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण, कौशल एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-110012

9. State: Karnataka

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 15th SCAA
I	II	III	IV	V	VI	VII
1.	Sri Guru Channamallikarjuna Private ITI Opp. Taluk Office, T.Narasipura Mysuru – 571124 MIS Code: PU29001293 Grading: 5.7	Existing	Electrician - 2 (1+1)	Recommended Electrician trade (1+1) 1. As per the DGT norms all staff are qualified however the Principal assured that staff will be enrolled for RPL/CITS in Electrician trade.	Documents in Kannada language not readable.	ITI needs to submit the translated copy of BCC (as per norms) and Electricity bill to the concerned State Directorate within 30 days from the date of issue of this minutes through NIMI compliance portal. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.



उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक, Director
प्रशिक्षण महानिदेशक, Director General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012, Govt. of India, New Delhi-12

2.	Hema Verma Sauste Dr. N.P. Patil ITI Kaidb , Agro tech park Industrial Estate Navanagar Bagalkot- 587103 MIS Code: PU29001559 Grading: 4.7	Existing	Fitter - 2(2+0)	Not recommended for affiliation 1. Staff appointment details are partially available. Trainers are not CITS qualified. 2. Manual attendance register is maintained. Biometric attendance not available. 3. Machineries are in working condition. 4. safety measures available.	ITI may be asked to remove deficiencies. 1. Power not sufficient for trade sought for affiliation. 2. Drawing hall space is not as per norms (30 sq.mtr is available instead of 50 sq.mtr). 3. Internet facility not available, UPS backup is partially available, Some computers are not working.	ITI will have to remove the deficiencies as mentioned in column V and VI and inform the concerned State Directorate about the same through the NIMI compliance portal within 30 days from the date of issue of minutes of this meeting. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendation within the next 15 days.
3.	Swamy Vivekananda Industrial Training Centre, Kollegala No. 496/36,	Existing	Shifting case	Recommended for existing all-Trades.	As Per Electricity Board Guidelines Education Institutions Can Connect Load	SCAA observed that ITI has applied for change of name and address for the ITI.

Pradyum

संयोजक निदेशक, प्रशिक्षण
निदेशालय, Directorate General of Training
कोशल विकास एवं उद्यमशीलता: मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

Mysore Kollegala Main Road, Kollegala Town - 571440 MIS Code: PR29001015 Grading: 5 Old Address: And Address: Swamy Vivekananda Industrial Training Centre, Kollegala No. 496/36, Mysore Kollegala Main Road, Kollegala Town - 571440 Chamarajanagara, Karnataka. New Address: SWAMY Vivekanand Pvt ITI, Chamarajanagara, #701/B, Mysore Kollegal Main Road, Kollegal Town - 571440,				Upto Four Times The Sanctioned Load). It Is A Shifting Matter As Well As Name Change Matter, New Name SWAMY Vivekanand Pvt ITI, Chamarajanagar, #701/B, Mysore Kollegal Main Road, Kollegal Town - 571440, Chamarajanagar Dist., Chamarajanagar, Karnataka. Old Name and Address: Swamy Vivekananda Industrial Training Centre, Kollegala No. 496/36, Mysore Kollegal Main	In this matter, the concerned State Directorate will have to 1. Verify whether all the documents of the ITI are in the new name or not. 2. Submit a verified true translated copy of documents which are in regional language.
---	--	--	--	---	--

(Perry)

उद्योग विभाग, नई दिल्ली-12
 Director
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

	Chamarajanagar Dist., Chamarajanagara, Karnataka.				Road, Kollegal Town - 571440 Chamarajanagar, Karnataka.	
4.	Shri Dharmasthala Manjunatheshwara Pvt. ITI For Women, Ujire Ujire Belthangady Dakshin Kannad- 574240 MIS Code: PR29000862 Grading: 7.4	Existing	Fashion Design and Technology - 2(1+1)	Recommended Fashion Design and Technology - 2(1+1)	Electricity bill not available	ITI needs to remove the following deficiency and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minute through NIMI compliance portal. 1. Electricity bill not available. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.

(Signature)

सज्जवल भोपाल / UJJWAL BISWAS
 सचिव / Director
 प्रशिक्षण महानिदेशालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12, Govt. of India New Delhi-12

10. State: Madhya Pradesh

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 15th SCAA
I	II	III	IV	V	VI	VII
1.	Gyanodaya Private Industrial Training Institute Behind gyansagar petrol pump,jaisinagar Sagar- 470225 MIS Code: PU23000550 Grading: 4.6	Existing	1. Solar Technician (Electrical) - 1(1+0) 2. Smartphone Technician Cum App Tester - 1(1+0) 3. Drone Technician - 1(1+0)	Not recommended for affiliation in all the 3 applied trades. 1. log book is not authenticated/signed by an authorized person. Wiring of the workshop is not proper. Machines are being run using extension boards. 2. Tools & equipment kept packed/unwrapped, specifications are not mentioned on the Tools and equipment & machineries, few tools & equipment are not available at ITI at the time of inspection. 3. The appointed instructors for the trades Smartphone Technician Cum App Tester, Drone	1. SCVT member has not submitted the report. 2. BCC is not as per norms. As a lot of deficiencies are mentioned ITI may be asked to remove the deficiencies and thereafter joint inspection may be conducted.	ITI will have to remove the deficiencies as mentioned in column V and VI and inform the concerned State Directorate about the same through the NIMI compliance portal within 30 days from the date of issue of minutes of this meeting. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with

उज्जयल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक, राज्य प्रमुख, राज्य प्रमुख, राज्य प्रमुख
कोशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

				Technician do not have required experience. 4. Machinery Bills are partially available.		recommendation within the next 15 days.
2.	Asmita Raisen House No 27, Khasra Number 296/4, 300 Sudarshan Nagar, Deori, Raisen (Udaipura)- 464477 TMP23421PU16 82177491	New	1. Mechanic Electric Vehicle - 2(1+1) 2. Solar Technician (Electrical) - 2(1+1) 3. Smartphone Technician Cum App Tester- 2(1+1) 4. Drone Technician - 2(1+1)	1. Machinery Bills:All bills do not have a GST number. Machinery and equipment are not as per DGT norms and revised syllabus. only for smartphone technician and tester trade equipments are complete 2. No, appointment letters are not available for any staff members, only resumes are available. 3. Machinery and equipment as per norms are not complete. No installation has been done. All equipment is just placed and many of them are not working. 4. Machinery and equipment have not been installed and are just placed in	As significant deficiencies are found during inspection and inspecting members have also not recommended the affiliation for this ITI. ITI may be asked to remove the deficiencies thereafter joint inspection may be conducted.	ITI will have to remove the deficiencies as mentioned in column V and inform the concerned State Directorate about the same through the NIMI compliance portal within 30 days from the date of issue of minutes of this meeting. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendation

(Signature)

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
आयुक्त मंत्रालय नई दिल्ली-110 012 / Govt. of India, New Delhi-12

				workshops. Only smartphone technician and tester trade equipment and tools are complete. The workshop of MEV has tin roof. 5. Class rooms are made from aluminum partitions and are not covered from roof to floor. 6. Maintenance chart not available for fire extinguisher 7. .Asmita Raisen ITI, Deori is a new ITI seeking affiliation. The website mentioned is of the society - ASMITA WOMEN AND WELFARE SOCIETY and does not mention Asmita ITI anywhere. 8. The society resolution for opening Asmita ITI is not signed by all members. The location of ITI is not mentioned in the resolution. The building completion certificate does not mention the name of the		within the next 15 days.
--	--	--	--	---	--	---------------------------------

(Signature)

उज्ज्वल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

				ITI and is not as per the DGT norms. No staff board and playground is present in the institute. 9. Many tools and equipment were not available across the 4 trade workshops. The roof of the mechanic electric vehicle is tin shed. No machinery/equipment has been installed in the workshop. Some machinery/equipment is in a damaged state. 10. Not recommended for affiliation		
--	--	--	--	---	--	--

Prerna

उज्जवल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण निदेशालय, Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110002, of India, New Delhi-12

11. State: Maharashtra

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 15th SCAA
I	II	III	IV	V	VI	VII
1.	SL Private ITI Mauji Takali (Khurd) Survey no. 72, Borgaon Road, Badnera-444701 Maharashtra MIS Code: PR27000877 Grading: 7.9	Existing	Solar Technician (Electrical) - 2(1+1)	Recommended for The New Trade Of Solar Technician (Electrical) Of Two Units (1+1+0)	BCC issued by Tehsildar based on the report submitted by structural Engineer, institute and architect. However, the report of the structural engineer is not attached with BCC. The license of the architect has already expired on the date of issue of BCC.	SCAA observed that the report of Structural engineer is not attached along with BCC and the registration certificate of the architect is also expired. ITI needs to submit BCC, as per norms within 30 days from the date of issue of this minute through NIMI compliance portal. Further, the concerned State Directorate to verify the BCC submitted by the ITI and send

(Signature)

उज्ज्वल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

						the recommendations to DGT within the next 15 days through an NIMI compliance portal.
2.	Sant Gajanan Maharaj Private ITI, Veltur Nagpur Veltur Tq. Kuhi Dist. Nagpur-441210 , Maharashtra TMP27484PR16 82343239	New	1. Electrician - 2(1+1) 2. Fitter - 2(1+1) 3. Computer Operator and Programmin g Assistant (COPA)- 2(1+1) 4. Dress Making - 2(1+1)	Recommended the the following Trades and Units 1. Electrician (1+1+0) 2. Fitter (1+1+0) 3. COPA (1+1+0) 4. Dress Making (1+1+0)	BCC is not as per norms	ITI needs to submit BCC, as per norms within 30 days from the date of issue of this minute through NIMI compliance portal. Further, the concerned State Directorate to verify the BCC submitted by the ITI and send the recommendations to DGT within the next 15 days through an NIMI compliance portal.

Deema

उज्ज्वल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

3.	P.G Private Industrial Training Institute Nandurbar Sant Bhumi Chaupale Tal Dist Nandurbar-425412 Maharashtra TMP27486PR16 49760883	New	1. Electrician - 2(1+1) 2. Fitter - 2(1+1) 3. Mechanic Refrigeration and Air Conditioner - 2(1+1) 4. Computer Operator and Programming Assistant (COPA) - 2(1+1) 5. Solar Technician (Electrical) - 2(1+1)	1. No Separate Energy Meter For P.G Private Industrial Training Institute Nandurbar Electricity Bill Is Not In The Name Of P.G Private Industrial Training Institute Nandurbar 2. As Per NCVT CTS NSQF Syllabus, Tools, Equipment, And Machines Are Available For All 5 Trades. Furthermore, It Has Been Observed That Essential Machineries Are Not Installed In The Electrician, Fitter, Mechanic Refrigeration And Air Conditioner, Computer Operator And	Electric load is less(Available-9.8 KW and required is 27.21 KW). Bill is in the name of society and the complete address is not mentioned fully on the bill. No approved plan is given by the gram panchayat. BCC is not available.	SCAA observed the following deficiencies: 1. Electricity Bill as per norms and Load not sufficient to run trades sought for affiliation. (Available-9.8 KW and required is 27.21 KW). 2. BCC not available as per norms 3. Proof of Machinery Installation is required ITI needs to remove above mentioned deficiencies and submit required documents to the concerned State Directorate within
----	---	-----	--	---	---	---

उज्जवल बिस्वास/UJJWAL BISWAS

निदेशक / Director

प्रशिक्षण महानिदेशक, उच्च शिक्षा विभाग
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

(Signature)

				Programming Assistant (Copa), And Solar Technician (Electrical) Workshops. 3. Hence All 5 Trades Are Not Recommended For Affiliation		30 days from the date of issue of this minutes through NIMI compliance portal. Further, the concerned State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.
4.	Swami Vivekanand Private Industrial Training Institute, Latur P-74, Midc, Kalamb Road, Latur 413512 MIS Code: PU27001013 Grading: NG	Existing	Electrician - 2(1+1)	Recommended for additional units of Electrician Trade- 2(1+1+0) Units.	1. The grading of ITI is in NG 2. As per DGT OM DGT-Aff011(14)/27/2022 -O/o DIR (TC) dated 16.10.2023 the ITI is having 60 and 82 admissions in session 2021 and 2022 respectively	ITI needs to submit BCC, as per norms within 30 days from the date of issue of this minutes through NIMI compliance portal. Further, the concerned State Directorate to verify

(Signature)

सुजयलाल बिस्वास / SUJAYALAL BISWAS
 निदेशक / Director
 प्रशिक्षण मन्त्रालय / Directorate General of Training
 कोशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012, Govt. of India, New Delhi-12

					which is more than 80% of sanctioned seats. 3. BCC issued by NDMC in 2014 in the name of society. However, the structural safety certificate to be given for ITI building.	the BCC submitted by the ITI and send the recommendations to DGT within the next 15 days through an NIMI compliance portal.
5.	KUMSS Private Industrial Training Institute At-Malwadi, Post-Karhati, Tal-Baramati, Dist-Pune 412204 MIS Code: PR27001025 Grading: 0	Existing	1. Multimedia, Animation & Special Effects- 2(1+1) 2. Human Resource Executive - 2(1+1) 3. Lift and Escalator Mechanic- 2(1+1) 4. Fire Technology and Industrial Safety Management - 2(1+1) 5. Mechanic Refrigeration	The following trades have been recommended for affiliation: Multimedia, Animation & Special Effects (1+1+0=2), Human Resource Executive (1+1+0=2), Lift and Escalator Mechanic (1+1+0=2), Fire Technology and Industrial Safety Management (1+1+0=2), Mechanic Refrigeration and Air Conditioner (1+1+0=2), Solar Technician	Less power load. (Available-80 KW and Required-83.08 KW). The institute has not been graded. However, the admission is 95 and 136 in session 2021 and 2022 which is less than 80% of sanctioned seats (180). BCC is issued by Town planner Baramati which is not as per norms.	ITI is not recommended for affiliation due to not meeting the criteria as the grading of ITI is in NG category and as per DGT OM DGT-Aff011(14)/27/2022 -O/o DIR (TC) dated 16.10.2023 and the deficiencies mentioned in column VI.

उज्ज्वल सिन्हा/UJJWAL BISWAS
निदेशक/Director
प्रशिक्षण महानिदेशालय/Director General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

			and Air Conditione - 2(1+1) 6. Solar Technician (Electrical) - 2(1+1) 7. Mechanic Motor Vehicle (MMV) - 2(1+1) 8. Industrial Painter - 2(1+1)	(1+1+0=2) Industrial Painter (1+1+0=2) Mechanic Motor Vehicle (MMV) (1+1+0=2) These affiliations are subject to the institutes submission of the latest electric bill, which clearly indicates the revised 85 KW power supply, within the next 15 days		
6.	Jijau Private Industrial Training Institute Bachoti Nanded At Post Bachoti Tq Kandhar Dist Nanded-431714 Maharashtra TMP27485PR1 649826969	New	1. Electrician - 2(1+1) 2. Fitter - 2(1+1) 3. Wireman - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1) 5. Fashion Design and Technology - 2(1+1)	Due to the medical emergency of the trust secretary, this ITI is not ready for Affiliation inspection on November 8, 2023. Request letter from ITI for extension of inspection date is attached	Inspection could not be carried out.	SCAA suggested that RDSDE may form the joint inspection batch in NIMI portal with a prior intimation to institute and carry out the inspection
7.	Government Industrial Training Institute, Kalamnuri, Dist:	Existing	1. Wireman - 1(0+1)	1. Wireman (1+1+0)	Electric bill is not available but ICVC has confirmed that 46 KW is sanctioned.	ITI needs to submit latest Electricity Bill ,and submit the

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक, Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110 012/Govt. of India, New Delhi-12

	Hingoli Midc Area Hingoli-431702 MIS Code: GR27000418 Grading: 6		2. Electronics Mechanic - 1(0+1) 3. Electrician - 2(1+1)	2. Electronics Mechanic (1+1+0) 3. Electrician (1+1+0)	- The trade and unit recommended by ICVC is extra as per application.	document within 30 days from the date of issue of this minutes through NIMI compliance portal. Further, the concerned State Directorate to verify the documents submitted by the ITI and provide clear recommendation regarding Trade/Unit applied by the ITI to DGT within the next 15 days through an online compliance module.
8.	Gurukul Education Society's Gurukul Private Industrial Training Institute ,34/1/B,34/2, Phulenagar, Manmad Road	Existing	Electrician - 2(1+1)	Recommended Electrician Trade 1+1+0=2 Units	1. BCC is not as per norms and same is issued by gram panchayat.	ITI needs to submit BCC, as per norms within 30 days from the date of issue of this minute through NIMI compliance portal.

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाविद्यालय, Directorate General of Training
कौशल विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

P. Sharma

	Nandgaon. Nashik- 423106 MIS Code: PR27000888 Grading: 7.50					Further, the concerned State Directorate to verify the BCC submitted by the ITI and send the recommendations to DGT within the next 15 days through an NIMI compliance portal.
9.	Samvedana Divyang Industrial Training Institute, Harangul (Bk), Tq. Dist. Latur. Latur Samvedana Divyang Industrial Training Institute, Laxmi Nagar, Barad Vasti, Harangul (Bk), Tq. Dist. Latur. TMP27481PR16 82349402	New	1. Electrician - 2(1+1) 2. Electronics Mechanic - 2(1+1) 3. Dress Making - 2(1+1) 4. Computer Operator and Programming Assistant (COPA) - 2(1+1)	Recommended for affiliation 1. Electrician 2 (1+1) Unit 2. Electronics Mechanic 2 (1+1) Unit. 3. Dress Making 2 (1+1)Unit COPA 2 (1+1) Unit.	The decision has already been taken on this case. Same may be ratified in SCAA.	Institute is already affiliated vide file number DGT-Aff011(23)/80/2023 -O/o DIR (TC) dated 9.10.2023 and SCAA has ratified this case

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण निदेशकालय/Directorate General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

10.	Government Industrial Training Institute (Adivasi) At. Maregaon Yavatmal-445303 MIS Code: GR27000416 Grading: 8.5	Existing	1. Wireman - 2(1+1) 2. Computer Operator and Programmin g Assistant (COPA) - 1(0+1)	Not found setup and civil space for Wireman trade, Not found tools and equipment and machinery installation for wireman trade 2. One additional unit in COPA is recommended, wireman is not recommended	Shortage of Power Available-42.96 KW Required-62.63 KW	SCAA observed shortage of electric load Available-42.96 KW Required-62.63 KW ITI needs to reassess electrical load as per affiliated trades/units and submit required documents after removing load deficiencies to the concerned State within 30 days from the date of issue of this minutes through NIMI compliance portal. Thereafter State Directorate will verify the documents
-----	--	----------	---	---	---	---

(Signature)

उज्जयल दिवस
विशेषज्ञ
प्रशिक्षण मन्त्रालय, भारत सरकार
कौशल विकास एवं उद्यमशीलता मन्त्रालय
Ministry of Skill Development and Entrepreneurship
आवास संख्या-12/Govt. of India, New Delhi-12

				These affiliations are subject to the institute's submission of the latest electric bill, which clearly indicates the revised 30 KW power supply, within the next 15 days.		compliance portal. 4. Further, the concerned State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.
--	--	--	--	---	--	---

(Pune)

राजेश कुमार बिस्वास
 Director
 पशुधन मंडल, दि. 12/01/2024
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012, Govt. of India, New Delhi-12

12. State: Odisha

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 15th SCAA
I	II	III	IV	V	VI	VII
1.	Institute of Engineering & Management ITC MIS Code: PR21000363 Grading: 5.8	Existing	1. Driver cum Mechanic- 2(1+1+0) 2. Welder 2(1+1+0) 3. Computer Operator and Programming Assistant (COPA)- 2(1+1+0) 4. Solar Technician (Electrical)- 2(1+1+0)	1. Machinery bills Not available as per norms 2. Staff appointments not available as per norms 3. Staff and Student attendance not maintained properly 4. Disagree, Existing trades are recommended but all new trades are not recommended for affiliation due to partially available of tools & equipment, machinery and workshop as per	1. Trade wise instructor engagement and qualification details not available 2. BCC is not as per norms 3. Land documents in the Odia language are not clear regarding the ownership and lease details of the land	ITI needs to remove the deficiencies as mentioned in column V & VI and inform the concerned RDSDE through the NIMI compliance portal within 30 days. Thereafter, the RDSDE shall schedule a fresh joint inspection within 15 days and submit the report on NIMI affiliation portal

Prerna

उज्ज्वल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110 012, Govt. of India, New Delhi-12

				norms, less room size as per specification		
2.	Govt. ITI, Kotpad MIS Code: GU21000612 Grading: 5.6	Existing	1. Mechanic Motor Vehicle- 2(1+1+0) 2. Mechanic Refrigeration and Air Conditioner - 2(1+1+0)	Recommended	1. Details of Instructor engaged for new trades is not given	ITI needs to submit details of Instructor engaged for new trades within 30 days from the date of issue of this minute through NIMI compliance portal. Further, the concerned State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.
3	Govt. Industrial Training Institute, Rayagada MIS Code:GR210004 97 Grading :6.5	Existing	Mechanic Electric Vehicle - 2(2+0+0)	Recommended	Shortage of power Power load required =90.82KW Power load Available =80 KW Clarification from state whether 2 units	During the meeting State has informed that ITI seek affiliation for Mechanic Electric Vehicle - 2(1+1) However still there is shortage of shortage of electric load (Power load required =90.82KW, Power load Available =80 KW) ITI needs to reassess electrical load as per

उज्जवल बिस्वास / UJJWAL BISWAS

प्रशिक्षण महानिदेशक / Directorate General of Training
कोशल विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

(Signature)

					in 1st shift or 1+1 in both shift is sought for affiliation	affiliated trades/units and submit required documents after removing load deficiencies to the concerned State within 30 days from the date of issue of this minutes through NIMI compliance portal. Thereafter State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.
4	P.N.S Pvt.ITI (Shifting Case- Purnananda Swin ITC,Purusottampu r) MIS Code: PR21000140 Grading: 6.8	Existing	Computer Operator and Programming Assistant - 2(1+1+0)	1. BCC document is available with the bank for loan purposes so they are able to produce at the time of inspection. 2. Machinery Bills is partially bought as per syllabus	As significant deficiencies are found during inspection and inspecting members have also not recommended the affiliation for this ITI. ITI may be asked to remove the deficiencies thereafter joint	ITI needs to remove the deficiencies as mentioned in column V and inform the concerned RDSDE through the NIMI Compliance portal within 30 days. Thereafter, the RDSDE shall schedule a fresh joint inspection within 15 days and submit the report on NIMI affiliation portal



उत्पादन विभाग / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण प्रशासनिक / Directorate General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, १६ दिल्ली-१२ / Govt. of India, New Delhi-12

				of COPA Trade and the balance is yet to be procured 3. Dead Stock Register is yet to be maintained. 4. Machinery installation is maintained but may be improved. 5. As their is no fire safety measures. 6. Drawing hall is being conducted in the classroom itself. 7. IT lab, it is very small to the strength of trainees 8. Existing trade staff info available but COPA trade	inspection may be conducted.	
--	--	--	--	---	------------------------------	--

उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महाविभाग / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110011 India, New Delhi-12

(Signature)

				staff details not available 9. Not prepared for inspection		
5	Technical Training Institute, Takatpur MIS Code: GU21000530 Grading: 8.3	Existing	Operator Advanced Machine Tool - 2(1+1+0)	Recommended	shortage of power/Electricity load Power load required =179.21 KW Power load Available = 134 KVA /120.6 KW	SCAA observed shortage of electric load (Power load required =179.21 KW) Power load Available = 134 KVA /120.6 KW) ITI needs to reassess electrical load as per affiliated trades/units and submit required documents after removing load deficiencies to the concerned State within 30 days from the date of issue of this minutes through NIMI compliance portal. Further, concerned State will verify the documents submitted by the ITI and

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महसिले/ Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110001, India, New Delhi-12

						submit the report to DGT within the next 15 days on the online compliance module.
6	Govt Industrial Training Institute, Umerkote MIS Code: GU21000508 Grading: 6.2	Existing	Computer Operator and Programming Assistant - 2(1+1+0)	Recommended	Shortage of Electricity load Power load required =49.98 KW Power load Available =25 KW	SCAA observed shortage of electric load (Power load required =49.98 KW Power load Available =25 KW ITI needs to reassess electrical load as per affiliated trades/units and submit required documents after removing load deficiencies to the concerned State within 30 days from the date of issue of this minutes through NIMI compliance portal. Further, concerned State will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
परिक्षण, महानिदेशन तथा निदेशन विभाग
कौशल विकास एवं प्रशिक्षण विभाग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012

Ujjwal

						on the online compliance module.
7	Purna Chandra ITI, Baripada MIS Code: GU21000503 Grading: 8.5	Existing	Solar Technician (Electrical)-2(1+1+0)	May be recommended for affiliation: Existing Trade additional units: Fitter -2 (1+1) New Trade: Solar Technician (Electrical)-2 (1+1)	In ITI application Fitter is mentioned as existing however ICVC has recommended Fitter additional units also. clarification required from State No other adverse deficiency observed	SCAA recommended Solar Technician (Electrical)- 2(1+1+0) In the ITI application, Fitter is mentioned as existing; however, ICVC has recommended additional (1+1) units for Fitter trade. The State Directorate required to provide clarification on whether the institute has applied for Fitter (1+1) and has sufficient infrastructure for additional (1+1) units for Fitter trade within 30 days from date of issue of this Minutes.
8	Siddheswar Industrial Training Centre MIS Code:	Existing	1. Computer Operator and Programming Assistant-2(1+1+0)	Building not completed The electric bill is not in the name of Sidheswar	The new place is situated in a different district i.e. Mayurbhanj	SCAA has not recommended the affiliation for the ITI due to following reason: 1. The new place is situated in a different

Purnima

उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण मंत्रालय, राष्ट्रीय निदेशकालय, कौशल विकास
 कोशल विभाग, कौशल विकास और उद्यमिता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

	PR21000451 Grading: 6.9		2. Warehouse Technician-2(1+1+0)	ITI.It is in the name of an individual. Tools bills are present but not machineries bills. Shifting of ITI premises is not permitted Third shift is not permitted without DST mode of the trade DGT-Aff0misc/19/20 22-TC SECTION dt 09.01.2023 Staff Appointment is not as per norms No, the machineries are partially installed in the Lab space as shown by the ITI. All	whereas the old location is in Balasore district. Inter district shifting is not permitted as per DGT Norms	district I.e. Mayurbhanj whereas the old location is in Balasore district. - Inter district shifting is not permitted as per DGT Norms - Building not completed - The electric bill is not in the name of Sidheswar ITI. It is in the name of an individual which is not as per norms - Tools bills are present but machineries bills are not available - Staff Appointment is not as per norms - Machineries are partially installed in the Lab space as shown by the ITI. All machineries are not in the working condition. - Dead stock and raw material register is not maintained adequately. Only few
--	----------------------------	--	----------------------------------	--	---	--

Ujjwal

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक, प्रशिक्षण
प्रशिक्षण महानिदेशालय/Director General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

				machineries are not in the working condition. Dead stock and raw material register is not maintained adequately. Only few items have been entered. Biometric attendance not available. Building plan is not proper No item and no document related to the proposed new trades like COPA and warehouse Technician		items have been entered. 9. Biometric attendance not available. 10. Building plan is not proper
--	--	--	--	---	--	--

P. Kumar

उज्ज्वल बिस्वास / UJJWAL BISWAS
 प्रशिक्षण निदेशक / Director
 प्रशिक्षण निदेशालय, Directorate, General of Training
 वनशाला, Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

				Shifting of ITI from one Dist. to other Dist. not permitted. COPA and Ware House Technician trade not shown during inspection. Not recommended.		
9	ITI RAYAGADA MIS Code: GR21000600 Grading: 7.8	Existing	1. Mechanic Motor Vehicle (MMV)-2(1+1+0) 2. Dress Making-2(1+1+0) 3. Surveyor-2(1+1+0)	Recommended	May be recommended	SCAA recommended the following Trades: 1. Mechanic Motor Vehicle (MMV)-2(1+1+0) 2. Dress Making-2(1+1+0) 3. Surveyor-2(1+1+0)
10	Krupajal Industrial Training Centre, Bhubaneswar MIS Code: PR21000434	Existing Cat-06	Category – 06	No, nobody was present at the location	Institute has applied for renewal of affiliation, policy regarding this is in process	Institute has applied for renewal of affiliation, formulation of policy regarding this is in progress. ITI may apply for renewal after new policy is released

P. B. Biswas

संजय बिसवास
जिला शिक्षा अधिकारी
प्रदेशीय मशीनरी विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

	Grading: 0					
11	Ganesh Institute of engineering & Technology-ITC, BHUBANESWAR MIS Code: PU21000378 Grading: 4.7	Existing	NA	1. In Fitter pneumatic and hydraulic not available May be recommended	No new trades mentioned for affiliation ITI applied in category 4 that is for shifting but address in portal and report are same Clarification required from state Whether this is case of shifting then old and new address	SCAA observed that the ITI applied in category 4, which is for shifting, but the address in the portal and the report remains the same. Hence, SCAA suggested that further verification of this institute is required to be carried out. Therefore, RDSDE and the State are required to reinspect this institute and cross-check all the facts regarding the shifting of this ITI, and submit the report on the NIMI affiliation portal within 30 days from date of issue of this MOM.
12	GOVT I.T.I, GAJABAHAL BISSAM CUTTACK MIS Code: GR21000602 Grading: 7.8	Existing	1. Computer Operator and Programming Assistant- 2(1+1+0) 2. Fireman- 2(1+1+0)	Machinery it is being procured through Gem remarks by NCVT No such comment by SCVT	Clarification from state regarding the procurement of machinery	The State Directorate has provided photos and videos of machinery for the COPA trade. Hence, SCAA recommended the addition of Computer Operator and

उज्ज्वल दिवस
निदेशक
प्रशिक्षण, मूलनिर्देशालय
वैशाल विकास एवं उद्यमिता
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002, Govt. of India, New Delhi-12

						Programming Assistant-2 (1+1+0). Regarding the Fireman (1+1) recommendation, not received from the State Directorate. Hence, the State Directorate is required to submit recommendations/comments for Fireman-2 (1+1+0) within 30 days from date of issue of this MOM
13	Centurion Industrial Training Institute Ganjam MIS Code: TMP21354PR164 6293848	New	1. Fitter - 2(1+1) 2. Electrician - 2(1+1) 3. Sewing Technology - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1)	Recommended for 1. Fitter 2(1+1), Electrician 2(1+1), 2. Sewing Technology 2(1+1) and 3. Solar Technician (Electrical) 2(1+1) units.	BCC is issued by Pvt civil engineer which is not as per norms	ITI needs to submit BCC, as per norms within 30 days from the date of issue of this minute through NIMI compliance portal. Further, the concerned State Directorate to verify the BCC submitted by the ITI and send the recommendations to DGT within the next 15 days through an NIMI compliance portal.

14	ITI BARSUAN SAIL SUNDARGARH MIS Code: TMP21373PR168 0844467	New	1. Fitter - 2(1+1) 2. Welder- 2(1+1) 3. Turner - 2(1+1) Plumber - 2(1+1)	1. Machinery bills not as per norms 2. Staff appointment details not available 3.No proper documentation of the Machineries installed in the Lab. 4. some tools are unavailable. few machines are not ready to run. 5. Building details Not Available in proper documentation . Calculations of area details not feasible.	1. BCC not attached 2. Electricity Bill is in name of RSP Sail 3. Building plan is for both ITI and high school, clear demarcation is not there. 4. Clarification required from ITI whether any MOU is signed between applicant ITI and SAIL , if so the details regarding this is required .	ITI needs to remove the deficiencies as mentioned in column V & VI and inform the concerned RDSDE through the NIMI compliance portal. within 30 days from date of issue of this minutes. Thereafter, the RDSDE shall schedule a fresh joint inspection within 15 days and submit the report on NIMI affiliation portal
----	---	-----	--	---	---	--

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण निदेशालय/Directorate General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12, Govt. of India, New Delhi-12

				6.No documentation i.r.o land, building & human and other resources of the ITI. Shortfall in tools and equipment. Poor/Nil amenities. 7.Not recommended for affiliation.		
15	Sai Private Industrial Training Institute MIS Code: PU21000395 Grading: 6.7	Existing	1. Electrician - 6(3+3) 2. Fitter - 6(3+3) 3. Solar Technician (Electrical) - 2(1+1) Computer Operator and Programming Assistant (COPA) - 4(2+2)	1. Machinery Bills, No, Tools invoice produced for Electrician 2(1+1), Fitter 2(1+1), Solar Tech. Elect. 1(1+0) 2. Machinery and Tools available for addl.	1. old BCC of 2010 is attached 2.In drawing hall stools are available but not the drawing benches	ITI needs to remove deficiencies mentioned in column V & VI and submit the supporting documents and compliance report within 30 days from the date of issue of this minutes through NIMI compliance portal. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT




उज्जवल बिस्वास / UJJWAL BISWAS
 Director
 निदेशक, प्रशिक्षण, निदेशक, प्रशिक्षण
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

				Electrician 2(1+1), Fitter 2(1+1), Solar Technician (Elect) 1(1+0) 3. Firefighting equipment Quantity as per norm not available Recommended for additional units of Electrician 2(1+1), Fitter 2(1+1) and Solar Technician Electrical 1(1+0)	3. Shortage of power Power load required =69.66KW Power load Available = 42 KW 4. Instructor qualification details not proper (experience is not adequate) 5. Fire safety certificate is not available	within the next 15 days through NIMI compliance portal.
16	Dalmia Private Industrial Training Institute MIS Code: PR21000357 Grading : 9.1	Existing	1. Solar Technician (Electrical) – 4(2+2) 2. Electrician - 6(2+2+2) 3. Fitter - 2(0+0+2)	Fitter 0+0+2 addl. Electrician 2+2+2addl. welder 0+0+1addl. COPA 0+0+1addl. Solar technician (Electrical) 2+2+0	1. Shortage of electricity Power load required =77.44 KW Power load Available =75 KW	ITI needs to remove deficiencies mentioned in column VI and submit the supporting documents and compliance report within 30 days from the date of issue of this minutes

(Signature)

उज्ज्वल बिस्वास / UJJWAL BISWAS
 प्रशिक्षण महानिदेशक / Director
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12

			4. Welder - 1(0+0+1) 5. Computer Operator and Programming Assistant (COPA) - 1(0+0+1)		2. Instructor experience details not provided 3. drawing hall area is not adequate required 75 sqm available 58.65 sqm	through NIMI compliance portal. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.
--	--	--	--	--	---	--



Prising

उत्तरांचल विभाग
18/07/2023
प्रशिक्षण सहायक निदेशक, प्रशिक्षण विभाग
प्रशिक्षण विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

13. State: Punjab

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 15th SCAA
I	II	III	IV	V	VI	VII
1.	Abhishek Private ITI Fazilka TMP3651PR168 1296051	New	1. Health Sanitary Inspector- 2(1+1) 2. Electrician- 8(4+4) 3. Computer Operator and Programming Assistant (COPA)- 2(1+1) 4. Solar Technician (Electrical)- 2(1+1) 5. Plumber- 2(1+1)	Recommended for 1. Electrician: 4+4 (8 Units); 2. Plumber: 1+1 (2 Units); 3. COPA: 1+1 (2 Units); 4. HSI: 1+1 (2 Units)	1. BCC not as per norms. 2. Fire safety certificate not available. 3. During the meeting the State Directorate has informed that ITI has not been granted NOC for Electrician- 8 (4+4) instead only for 6 (3+3).	ITI will have to remove the deficiencies as mentioned in column VI and inform the concerned State Directorate about the same through the NIMI compliance portal within 30 days from the date of issue of minutes of this meeting. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.

(Signature)

(Signature) **UJJWAL BISWAS**
 Director
 Directorate General of Training
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

14. State: Telangana

Sr. No	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 15th SCAA
I	II	III	IV	V	VI	VII
1.	Sri Sarathi ITI, Godavarikhani MIS Code PU36000271 Grading : 7.9	Existing	Welder - 4(2+2)	Agree , recommended for trade - welder 4 (2+2).	1. Electricity load is less than required. Required 42.4KW available 30 KW, shortage of 12.4 KW. 2. Building Plan not legible and not countersigned by competent authority. 3. BCC available but signing authority not clear.	ITI needs to remove the following deficiencies and submit the supporting documents to the concerned State Directorate within 30 days from the date of issue of this minutes through NIMI compliance portal. 1. Shortage of electric load of 12.4 KW. 2. Building Plan not legible and not countersigned by Govt. Officer. 3. BCC available but signing authority not clear.

उपजावल दिनांक 12/05/2023
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
महानिदेशालय विकास एवं स्वयमशिक्षिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

						Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.
2.	Govt. ITI Medchal MIS Code: GU36000024 Grading: 6.7	Existing	Electrician-2 (1+1)	Agree , Affiliation sought for Electrician trade existing 2 unis and recommended for additional new 1+1 unit	1. Electricity load is less than required load. Required load 80.6 KW, available 50 KW 2. Building Plan not countersigned by competent authority. 3. BCC not available.	ITI needs to remove the following deficiencies and submit the supporting documents to the concerned State Directorate within 30 days from the date of issue of this minutes through NIMI compliance portal. 1. Shortage of electric load of 30.6 KW. 2. Building Plan not countersigned by competent authority. 3. BCC not available.

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक, प्रशिक्षण
प्रशिक्षण महानिदेशक, प्रशिक्षण-सामान्य
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

						Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.
3.	Sri Vidyanjali ITI Ibrahimpattanam, Ranga reddy Dist Ranga Reddy TMP36518PU168233 9810	NEW	1. Computer Operator and Programming Assistant (COPA)-2 (1+1) 2. Electrician- 8 (4+4) 3. Health Sanitary Inspector - 2 (1+1) 4. Smartphone Technician Cum App Tester - 2 (1+1)	DisAgree, There are two buildings within a distance of 1.5 km and lease deed is only for 5 years. Original sale deed documents and building completion certificate for another building not submitted . 1. Approved Building Plan not available. 2. Building certificate is available only for one part i.e.	1. Building completion certificate is not available. 2. Electricity load is less than required. 3. No amenities available. 4. Drawing Hall area less than required area. 5. No safety measures available. 6. Approved Building Plan not available.	ITI will have to remove the deficiencies as mentioned in column V and VI and inform the concerned State Directorate about the same through the NIMI compliance portal within 30 days from the date of issue of minutes of this meeting. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with

(Signature)

				Admn building and non engg trades. Not produced for the second part i.e. workshop for engg trade i.e. electrical 3. For Admn building and three trades the required power is 10.5kW and availability is only 7kW (2kw single phase and 5kw three phase) 4. No, Certificates of few staff members are only available Original certificates not produced in respect of employees	7. Fire safety certificate not available.	recommendation within the next 15 days.
--	--	--	--	--	--	--

(Signature)

उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक, Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

4.	Devi Private ITI Karimnagar TMP36508PU168051 7017	New	1. Electrician-8(4+4) 2. Welder-2(1+1) 3. Mechanic Refrigeration and Air Conditioner-2(1+1) 4. Electronics Mechanic-2(1+1) 5. Foundryman-2(1+1) 6. Physiotherapy Technician-2(1+1)	1. Machineries , Tools and equipment are available as per norms for Electrician(4 units + 4 units), Hence recommended for affiliation 2. machineries, tools and equipment are not sufficient for mechanic refrigeration and air Conditioner(1 units + 1 units) and Foundryman(1 unit + 1 unit). 2. Hence not recommended for affiliation.	1. Building Plan not legible. 2. Power load less than the required power load. 3. As per the recommendations of Joint Inspection Committee M&E are not available for the trade of Mechanic R&A and Foundryman. 4. Fire safety certificate not available.	SCAA not recommended the Mechanic Refrigeration and Air Conditioner-2(1+1) and Foundryman-2(1+1) due to non availability of Machinery and Equipment . For the remaining trades ITI needs to remove the following deficiencies and submit the supporting documents to the concerned State Directorate within 30 days from the date of issue of this minutes through NIMI compliance portal. 1. Shortage of electric load of 30.6 KW. 2. Building Plan not countersigned by competent authority. 3. BCC not available. Thereafter, the State Directorate will have to verify the documents
----	--	-----	---	---	---	---

उज्जवल बिस्वास/USHWAL BISWAS
निर्देशक / Director

प्रशिक्षण मंत्रालय / Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

(Signature)

						submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.
5.	Viveka Industrial Training Centre MIS Code: PR36000080 Grading: 6.10	Existing	1. Electrician-6(3+3) 2. Mechanic Diesel-2(1+1)	Recommended Electrician Additional Units 6(3+3) and Existing 2(1+1) Total Electrician 8(4+4) Units Recommended Existing Fitter 2(1+1) Units Existing Mechanic Diesel 2(1+1) Units	Building Plan not available.	ITI needs to remove the following deficiency and submit the supporting documents to the concerned State Directorate within 30 days from the date of issue of this minutes through NIMI compliance portal. 1. Building Plan not available. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.

(Signature)

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाविद्यालय, निदेशक जनरल ऑफ ट्रेनिंग
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002, India, New Delhi-12

6.	Govt. ITI, Siricilla (Mandepally) MIS Code: GR3600050 Grading: 8.1	Existing	1. Computer Operator and Programming Assistant (COPA)- 2 (1+1) 2. Fashion Design and Technology - 2 (1+1)	Recommended 1. Computer Operator and Programming Assistant (COPA) - 2 (1+1) 2. Fashion Design and Technology - 2 (1+1)	May be recommended	Recommended for affiliation 1. Computer Operator and Programming Assistant (COPA) - 2 (1+1) 2. Fashion Design and Technology - 2 (1+1)
7.	Sri Vijay Sai Industrial Training Centre, Annaram MIS Code: PU36000133 Grading: 7.7	Existing	Health Sanitary Inspector-2(1+1)	Jointly recommended for the Following trades for affiliation) 1. Fitter additional - 2 (1+1)	1. Drawing hall area is not as per norms, available 25.90 Sqm whereas required area as per norms 50 Sqm. 2. ITI has not applied for	ITI needs to remove the deficiency of the area of drawing hall and submit the required document to the concerned State Directorate within 30 days from the date of issue of this minute through NIMI compliance portal.

P. V. S. S.

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक/Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

				2. New Trade Health & Sanitary Inspector 2 (1+1)	affiliation in fitter trade hence cannot be recommended.	Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal. Apart from this, affiliation for fitter trade is not considered, as ITI has not applied for affiliation of Fitter trade under the new trades category on NIMI affiliation portal.
8.	Govt Industrial Training Institute MIS Code: GU36000021 Grading: 6.5	Existing	Mechanic Auto Body Painting-2(1+1)	Agree, Recommended (1+1) Units Govt. ITI. old city Hyderabad having 2 no of Electric energy meters	Only one electricity bill is uploaded on NIMI Portal power load of 50 KW. Second bill power load of 61 KW is not uploaded on the portal.	ITI needs to submit the electricity bill of 2nd connection (61 KW) on NIMI compliance portal and send it to the concerned State Directorate within 30 days from the date of issue of this minutes.

समजवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक, Directorate General of Training
 कौशल विकास और उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012
 Govt. of India, New Delhi-12

				Service No. VZ018399, with connected load 50KW and 2. Service No. VZ023342 with connected load 61KW. Total connected load is 111KW Uploaded the E bill is Service No. VZ018399, with connected load 50KW for The Mechanic auto body painting workshop.		Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.
9.	Kaveri Industrial Training Center - Bheemanagar JOGULAMBA GADWAL- 509125 MIS Code: PR36000216 Grading: 7.3	Existing	1. Fitter - 2(1+1) 2. Health Sanitary Inspector - 2(1+1)	Agree , jointly recommended for the following trades for affiliation 1) new trade fitter 1+1+0=2 units	1. Drawing hall area not sufficient. Drawing Hall is available but area available is 431 SQ FT (40SQm),not as per norms,	ITI need to remove the following deficiencies: 1. Drawing hall area not sufficient. 2. BCC not as per norms. 3. No land document uploaded.

				2) new trade health sanitary inspector 1+1+0=2 units.	as 50 sqm are required as per norms 2. BCC not as per norms. 3. No land document uploaded.	ITI needs to remove above mentioned deficiencies and submit required documents to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, the concerned State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.
10.	Rajiv Gandhi Industrial Training Centre Sofi Nagar Nirmal 504106 MIS Code: PR36000067 Grading: 8.50	Existing	1. Solar Technician (Electrical) - 2(1+1) 2. Drone Technician - 2(1+1)	recommended	may be recommended	Recommended for affiliation of the following trades : 1. Solar Technician (Electrical) - 2 (1+1) 2. Drone Technician - 2 (1+1)

(P. Singh)

उज्जयल सिंह / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण मन्त्रालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मन्त्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

15. State: Uttarakhand

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 15th SCAA
I	II	III	IV	V	VI	VII
1.	Tibetan Private ITI MIS Code: PU05000011 Grading: 6.6	Existing	Mechanic Motor Vehicle (MMV) - 1(1+0)	Recommended for Mechanic Motor Vehicle (MMV) - 2 (1+1)	BCC not provided.	ITI needs to submit BCC, as per norms within 30 days from the date of issue of this minutes through NIMI compliance portal. Further, the concerned State Directorate to verify the BCC submitted by the ITI and send the recommendations to DGT within the next 15 days through an NIMI compliance portal.

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

(Signature)

16. State : Uttar Pradesh

Sr. No.	ITI name	Type of application	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 15th SCAA
I	II	III	IV	V	VI	VII
1	Axis private ITI MIS Code: PR09900480 Grading: 7	Existing	1. Electrician Power Distribution- 3(1+1+1) 2. Fashion Design and Technology- 3(1+1+1)	Agree for recommendation Electrician power distribution 2(1+1) and Fashion design Technology 2 (1+1)	No adverse deficiencies observed	SCAA recommended the following trades: 1. Electrician Power Distribution- 2(1+1) 2.Fashion Design and Technology-2(1+1)
2	T. N. P. S. Private ITC - Agra MIS Code: PR09000394 Grading: 5.6	Existing	1. Electrician- 4(2+2) 2. Fitter - 2(1+1) 3. Health Sanitary Inspector- 2(1+1)	1. Experience certificate of instructors not provided during the joint inspection time. 2. some machines are not proper installed Recommended by NCVT and Inst member	1. Shortage of power Power load required =21.42 KW Power load Available = 18 KW 2. Drawing Hall area is less required is 50 sqm available 32.5 sqm	ITI needs to remove the deficiencies of column V &VI and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minute through NIMI compliance portal.

(Signature)

उपज्योतिषा / JIJNAL BISWAS
निदेशक / Director
प्रशिक्षण मंत्रालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110 012 / Govt. of India, New Delhi-12

				Recommended by SCVT member		Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.
3	R B S PRIVATE ITI MIS Code: PR09900401 Grading: 6.2	Existing	Electrician- 6(2+2+2)	1. All machines are working properly. 2. recommended electrician 4 (2+2)	No adverse deficiencies observed	SCAA recommended the following trade: 1. Electrician 4 (2+2)
4	Lucknow City ITC - Lucknow MIS Code: PR09000272 Grading: 6.1	Existing	Electrician- 6 (2+2+2)	Recommended for Affiliation Electrician 4(2+2).	No adverse deficiencies observed	SCAA recommended the following trade: 1.Electrician 4 (2+2)
5	RABIYA ROSHAN PRIVATE ITI MIS Code: PR09900716 Grading: 5	Existing	Electrician-12(4+4+4)	The toilet should be clean. Drinking water should be better Recommended for Electrician trade only 2+2 units	1. Instructor appointment, qualification and experience details not available	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of

(Signature)

उज्जवल बिस्वास
Director
प्रशिक्षण महानिदेशालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

					2. Land lease validity is not clear from the land document 3. No statutory plan attached but BCC not attached 4. Shortage of Electricity power/load	issue of this minutes through NIMI compliance portal. 1. Instructor appointment, qualification and experience details not available 2. Land lease validity is not clear from the land document 3. Document for "No statutory plan" attached but BCC not attached 4. Shortage of Electricity power/load Power load required =19.11 KW Power load Available =11.5 KVA and applied for load extension upto 18 KVA 5. Toilet and Drinking water facility should be improved Thereafter, the State Directorate will have to verify the documents submitted and send the report with
--	--	--	--	--	--	---



उज्जवल् बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाविशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

						recommendation to DGT within the next 15 days through NIMI compliance portal.
6	Vivekanand Private ITC - Allahabad MIS Code: PR09000415 Grading: 6.9	Existing	Electrician-6(2+2+2)	Recommend to affiliation electrician 2+2	No adverse deficiency observed	SCAA recommended the following trade: Electrician 4 (2+2)
7	Tribhuwan Private ITC - Ambedkar Nagar MIS Code: PR09001041 Grading: 7.7	Existing	1. Electrician -6(2+2+2) 2. Fitter - 3(1+1+1)	1. Insulated mat not available on floor of Electrician Workshop 1 and 2. 2. Some more tube light and fan required in workshops. Agree for Affiliation Electrician 2+2	1. In the building plan there is only 1 workshop for Fitter whereas 02 workshop is required for existing and new units sought for fitter trade. 2. Shortage of classroom for trade and units sought for affiliation but for recommended unit (In building plan there are 4 classrooms	ITI will have to remove the deficiencies as mentioned in column V and VI and inform the concerned State Directorate about the same through the NIMI compliance portal within 30 days from the date of issue of minutes of this meeting. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to


 राजवेल बिस्वास / RAJWAL BISWAS
 निदेशक, प्रशिक्षण मंत्रालय
 Director, Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

					however as per norms there should be 5) 3. Shortage of Electricity power/load Power load required =17.42 KW Power load Available = earlier 10 KW then load extension 14 KW 4. BCC is not as per norms (letterhead, file number and date not mentioned on document)	DGT with recommendation for both the trades sought for affiliation within the next 15 days.
8	Devo Mahesh Private ITC - Sonebhadra MIS Code: PR09001674 Grading: 6.8	Existing	1. Electrician-8(2+2+4) 2. Fitter -2 (0+0+2)	Mats are not provided on the floor in the Electrician lab; this is a safety requirement. canteen, parking, hostel and	Fitter 3rd Shift can only be permitted in DST mode	For Electrician trade, ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minutes

उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण मन्त्रालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मन्त्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

				accessibility of PWD are not available Agree for affiliation. Electrician 2+2		through NIMI compliance portal. 1. Safety Mats are not provided on the floor in the Electrician lab 2. Accessibility of PWD are not available Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal. Regarding the 3rd shift, it can only be permitted in the Dual System Training (DST) mode. The ITI needs to sign the DST Memorandum of Understanding (MOU) and submit the recommendation through SSDEC.
--	--	--	--	---	--	---

(Signature)

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाविभाग / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

9	Awadh Vidya Private Industrial Training Institute, BALLIA MIS Code: TMP9126PR15827 24742	New	1. Electrician- 3(1+1+1) 2. Fitter-3(1+1+1) 3. Sewing Technology- 2(1+1+0) 4. Computer Operator and Programming Assistant (COPA)- 2(1+1+0)	Recommended 1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. Sewing Technology 2(1+1) 4. COPA 2(1+1).	No adverse deficiencies observed SCAA may recommend this case.	SCAA Recommended the following trades: 1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. Sewing Technology 2(1+1) 4. Computer Operator and Programming Assistant (COPA) - 2(1+1)
10	NEW P. N. memorial Private Industrial Training Institute, BALLIA Village- kishunipur post- janari Distic - ballia MIS Code: TMP9126PR15828 52306	New	1. Electrician - 6(2+2+2) 2. Fitter - 3(1+1+1) 3. Welder - 1(1+0+0) 4. Cutting & Sewing (VI & OD) - 1(1+0+0)	Machinery Bills Bill available but payment receipt not available. Principal have only CTS & CITs qualification and experience certificate not attached. machinery items installed properly. but welder and sewing technology trades have less	1. Inspection was conducted on 18.03.2024 however as on today the report is not submitted by SCVT Member 2. ITI has applied for Cutting & Sewing (VI & OD) which is designed for divyang trainees hence clarification is required from applicant institute regarding the	Applicant ITI needs to remove the deficiencies as mentioned in column V and VI and inform the concerned State Directorate about the same through the Nimi compliance portal within 30 days from the date of issue of minutes of this meeting. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and

				machines, over lock machines, zig zag multipurpose machines and pressing tables not available. Require amenities available but some improvement is required for the library. In the library books are not sufficient. Drinking water should be proper, R.O. system required for clean water. land available but welder workshop is not proper and library room is not proper also. Two side boundary wall not available. IT lab available and arranging by	provision of divyang trainees 3. NCVT member has recommended only 3 trades and 7 units which is not as per norms	submit the report to DGT with recommendation within the next 15 days.
--	--	--	--	--	--	--



उज्ज्वल बिस्वास/UJJWAL BISWAS
 डायरेक्टर / Director
 प्रशिक्षण महाविभाग/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110 012/Govt. of India, New Delhi 12

				laptops, printers and other Tools and equipment. projector not available. Drawing hall available but furniture and drawing tools not available. Recommended for Affiliation as - Electrician 4 (2+2) Fitter 2 (1+1) welder 0 cutting and swing OD & VI 1		
11	Sri Parsuram Private ITI Vill-Kavirajpur Post-Madhuban Near Daolapur Dist-MAU-221601 MIS Code: PR09900394 Grading: 8.2	Existing	1. Electrician-9(3+3+3) 2. Fitter -3(1+1+1)	1. For Machinery Bills : as per the purchase bill payment statement is not properly clarified. if it may be provided by ITI proper bank statement as invoice can be recommended 3+3	1 complete land document not provided 2. Electricity bill is not visible however in the load extension letter it is mentioned that institute has extended load from 10 KVA To 18 KVA , shortage of power	As there is shortage of Machinery and tool for Fitter trade hence SCAA not recommended Fitter 2(1+1) For Electrician trade ITI needs to remove the following deficiencies and submit the

(Signature)

				for electrician trade except new fitter unit. 2. At the time of inspection 3+3 units for electrician trade m/c found in working order except the new applied fitter unit. 3. Machinery and tool kit are found as per ncvt norms except new fitter units 4. As per application from ITI owner (attached) due to inspection only 3+3 units for electrician trade additional unit found as per norms except unable to provide proper invoice bill payment bank statement details. In fitter applying newly units tools items has shortage	Power load required =17.42 KW Power load Available =18 KVA= 16.2 KW 3. Instructor appointment, qualification and experience not provided	documents to the concerned State Directorate within 30 days from the date of issue of this minutes through NIMI compliance portal. 1 Complete land document not provided 2. Electricity bill is not visible however in the load extension letter it is mentioned that institute has extended load from 10 KVA To 18 KVA , shortage of power Power load required =17.42 KW Power load Available =18 KVA= 16.2 KW 3. Instructor appointment, qualification and experience not provided 4. For Machinery Bills : as per the purchase bill
--	--	--	--	--	---	---

Ujjwal

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Gov. of India, New Delhi-12

				therefore its inspection has not been done. 5. recommended only 3+3 for newly Applied electrician units except new fitter units.		payment statement is not properly clarified. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.
12	Rukmani Private ITC MIS Code: PR09001425 Grading: 4.8	Existing	1. Electrician - 10(3+3+4) 2. Fitter - 4(1+1+2)	Recommended for Electrician 6(3+3) and Fitter 2 (1+1)	1. land lease dated 2010 and for 15 years from that time , hence required to increase the lease 2. BCC not as per norms	ITI needs to remove the following deficiency 1. land lease dated 2010 and for 15 years from that time , hence required to renew the land lease 2. BCC not as per norms and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minutes

Puram

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

						through NIMI compliance portal. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.
13	Shri C P S Chhonkar Private ITI MIS Code: PU09900253 Grading: 7.6	Existing	1. Electrician - 8(4+4) 2. Computer Operator and Programming Assistant (COPA) - 2(1+1) 3. Health Sanitary Inspector - 2(1+1)	Recommended	1. Electricity bill is named on an individual and shortage of electricity load Load required = 40.12 KW Load available = 35 KW	ITI needs to remove the following deficiency 1. Electricity bill is named on an individual and shortage of electricity load Load required = 40.12 KW Load available = 35 KW and submit the documents to the concerned State Directorate within 30 days from the date of




 उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

			4. Sewing Technology - 2(1+1) 5. Solar Technician (Electrical) - 2(1+1)			issue of this minutes through NIMI compliance portal. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.
14	Shri Mati Neeta Devi Private ITI MIS Code: PR09900473 Grading: 6.8	Existing	Electrician-9(3+3+3)	Recommended for affiliation of trade Electrician-(3+3+0)	The inspection of the petitioner-ITI was conducted in compliance to the Hon'ble court order dated 22.08.2023 passed in writ bearing WP(C) 8364/2023 in the grading matter. No adverse deficiency observed in the report.	SCAA recommended the following trade Electrician-6(3+3)

(Signature)

(Signature)
 उज्जवल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110 012/Govt. of India, New Delhi-12


Reports received in compliance of SCAA remarks of previous SCAA meetings

1. Name of the State: Gujarat

Sl. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 15th SCAA
I	II	III	IV	V	VI
1.	Samarth Seva Sansthan Pvt ITI, Sabar Kantha MIS Code: PR24008173 Grading: 3.30 State: Gujarat Existing Trade 1. Physiotherapy Technician 2-(1+1)	1. Wireman - 2 (1+1) 2. Sewing Technology - 2 (1+1)	12th SCAA Remarks 12th SCAA Remarks ITI need to remove deficiencies as 1. Manual attendance register is maintained instead of biometric attendance for staff.	ITI has submitted documents against the NC's raised by the SCAA and remarks of State is given below: 1. Now Biometric machines are Running for staff at the Institute. 2. The Raw Material Register is now maintained by the Institute. 3. Now Biometric machine is	Not recommended as grading is less than 4.

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

2. Health Sanitary Inspector 2-(1+1) 3. Geriatric (Old Age) Care2-(1+1) 4. Computer Operator and Programming Assistant 2-(1+1)		2. Raw Materials register not maintained. 3. Biometric attendance is not available for students. 4. Few tools are old or missing. Applied for Change of site location, de-affiliation/ surrender of trades/units and addition of trades/units. and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Thereafter, the concerned State Directorate will have to	Running for students at Institute as per Prescribed Affiliation Norms and Photos provided by Institute. 4. All tools trade wise purchase bill provided by the Institute. 5. ITI Withdraw Application for Change of Site location/de-affiliation/surrender of trades/Units. STATE Remarks : ITI removed the all above deficiencies and attached all photos and bill of purchase items as NCVT Prescribed Affiliation Norms. also ITI Withdraw Application for Change of Site	
---	--	--	---	--




 उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महाविभाग/ Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India: New Delhi-12

			verify the documents submitted by the ITI and send the report on the documents along with a report on shifting of ITI (whether shifting is as per norms of not) with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal. Apart from this, for self-surrender of trades/units, ITI needs to send the proposal through SSDEC to DGT.	location/de-affiliation/surrender of trades/Units Photos attached here with submitted by Institute. Grading of ITI is less than 4.	
2.	Shri Ramkrishna Seva Mandal Sanchalit Anand Private ITI,(Sf) Anand MIS Code:	1. Health Sanitary Inspector -2 (1+1)	<u>12th SCAA Remarks</u> 12th SCAA Remarks	ITI has submitted compliance documents on 02-24-2024 and remarks of the State Directorate against each	SCAA recommended the following trades: 1. Health Sanitary Inspector -2 (1+1) 2. Welder -2 (1+1)

(P. Singh)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

PU24000656 Grading: 7.80 State: Gujarat Existing Trade 1. Wireman (NSQF) - 2(2+0) 2. Fitter4 (2+1+1) 3. Electrician- 4 (2+0+2) 4. Computer Operator and Programming Assistant -1(1+0)	2. Welder -2 (1+1)	1. ITI need to remove deficiencies 2. For HSI Trade: Both Staff have State Trade Certificates without prior experience. 3. Biometric attendance is not available for students and manual attendance is taken. 4. Two ITIs in the same campus. 5. And submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM.	document is as given below: 1. Within the same Campus, Ramkrishna seva mandal Trust Operates Self Finance ITI as well as Grant in aid ITI with different MIS Code. As per attached Map two Separates buildings and gates are mentioned as per prescribed Affiliation norms. 2. Now Bio-Metric Machine is Running for Students as per Prescribed Affiliation Norms. ITI upload Quotation of the purchased Bio-Metric machine and an image of it.
--	---------------------------	---	---

P. Desai

उज्ज्वल बिसवास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

			Thereafter, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal. Apart from these the State Directorate will also verify about two ITIs running in the same campus and submit the report along with above mentioned points.	3. For H.S.I Trade Both Staff have now NCVT Certificate and experiences letter provided by ITI State Recommendation: ITI Remove all deficiencies and attach all reports and bills of Bio-Metric machine and NCVT Certificate of the HSI trade staff as well as building plan of the same campus with two different gates for the two different ITI.	
--	--	--	---	--	--

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महा-निदेशालय/Directorate General of Training
विकास/विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

(Pueyng)

2. Name of the State: Himachal Pradesh

Sr. No.	ITI Name	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 15th SCAA
I	II	III	IV	V	VI
	Everest Pvt. ITI, Chati Kullu MIS Code: PR02000117 Grading: 7.30 Existing Trade Electrician-2(1+1) Old address: Everest Pvt. ITI Brow, Rampur Bsr. Brow, Rampur Bushahr New location:	Electrician – 2 (1+1) Existing Trades	12th SCAA Remarks 12th SCAA Remarks - ITI has to remove following deficiencies: - No separate toilets for boys and girls. - Ramp for Divyang not available. - As per NCVT MIS portal, address shown for Everest Pvt. ITI is Rampur Bushahr Dist Shimla- 172001 and as per affiliation order dated 30.11.2010 Rampur, Bushahr	ITI has submitted compliance documents on 02-10-2024 and remarks of the State Directorate against each document are as given below: - ITI has uploaded photos of different toilets for girls and boys which is countersigned by Tahsildar - ITI has provided photos of Ramps for PWD candidates and which is counter signed by Tahsildar	SCAA recommended the shifting of with existing trade Electrician – 2 (1+1)

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशकालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

	Village-Chat, P.O. Rampur, Teh-Nirmand (Kullu)-H.P.		Dist Kullu is mentioned. 6. And submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. 7. Further, the concerned State Directorate will have to verify the documents submitted by the ITI and send the recommendation to the DGT within the next 15 days through online compliance portal.	3. The places named Brow and Chatti, which situated in District Kullu alls under Jurisdi of Rampur Bushahr Postal Division and Rampur Bushahi, Postal Division is started in district Shimla and the mail of above both locations delivered through Head Pestial Rampur Bushahr. State Remarks: Verified and recommended for affiliation.	
2	Shiv Hari Chadda Private Industrial Training Institute Harkukar Ghumarwin Bilaspur	Electrician 2(1+1+0)	13th SCAA Remarks SCAA observed that BCC is still not proper, name of issuing authority and date is not mentioned	ITI has submitted revised BCC on 14-03-2024 bearing reference No. VSD/2023-24-38 dated 01.03.2024	SCAA recommended the following trades: Electrician 2(1+1)

(Signature)

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण निदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

	MIS Code: PR02000189 Grading : 7.10 Existing Trade 1. Sewing Technology 2(1+1) 2. Plumber 3(1+1+1) 3. Electronics Mechanic- 2(1+1) 4. .Electrician- 3(1+1+1)		in BCC. Also, the language of BCC is not proper. ITI need to rectify above mentioned deficiencies and re-submit the BCC to the concerned State Directorate as per Agenda 4 of this Minutes on the online compliance module within 30 days from the date of issue of this Minutes. Further, the concerned State Directorate will verify the documents submitted by the ITI and submit the report to the DGT within the next 15 days.	issued by the Structural Engineer, registered under the Department of Town and Country Planning, Government of Himachal Pradesh and signed by the Junior Engineer, Assistant Engineer and Executive Engineer Ghumarwin Division HPPWD Ghumarwin, Chairman Municipal Council Ghumarwin Remarks of State: State has mentioned that BCC is as per norms and Verified and recommended for affiliation.	
3.	Navneet ITI, Kunihar Solan	1. Stenographer Secretarial Assistant	13th SCAA Remarks SCAA observed that BCC is still not proper.	ITI has submitted revised BCC on 14-03-2024 in compliance portal .	SCAA recommended the following trades: 1. Stenographer Secretarial Assistant (English)- 2(1+1)



उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कीशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

	TMP225PR164734 0010	nt (English)- 2 (1+1+0) 2. COPA - 2 (1+1+0) 3. Electric ian - 2 (1+1+0) 4. Solar Techni cian - (Electri cal) 2(1+1+ 0)	ITI needs to re-submit the BCC to the concerned State Directorate as per Agenda 4 of this Minutes on the online compliance module within 30 days from the date of issue of this Minutes. Further, the concerned State Directorate will verify the documents submitted by the ITI and submit the report to the DGT within the next 15 days.	The BCC is signed by a Junior Engineer and Block development officer . State Remarks BCC is as per norms and Verified and recommended for affiliation.	2. COPA 2(1+1) 3. Electrician 2(1+1) 4. Solar Technician (Electrical) 2(1+1)
--	------------------------	---	--	--	---



उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाविभाग/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

3. Name of the State: Karnataka

Sl. No.	ITI Name	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 15th SCAA
I	II	III	IV	V	VI
1.	Shridevi ITI, Tumakuru MIS Code: PR29000883 Grading: 7.50 Existing Trade 1. Fitter-2(1+1) 2. Electronics Mechanic-2(1+1) 3. Electrician-2(1+1)	1. Turner 2 Units 2. Surveyor 2 Units 3. COPA 2 Units 4. Physiotherapy Technician 2 Units	13th SCAA Remarks SCAA observed that BCC is not as per norms, ITI need to submit the BCC as per Agenda 4 of this Minutes. ITI needs to re-submit the BCC to the concerned State Directorate as per Agenda 4 of this Minutes on the online compliance module within 30 days from the date of issue of this Minutes. Further, the concerned State Directorate will verify the documents submitted by the ITI and submit the report to the	ITI has submitted BCC on 14-03-2024 in the compliance portal. BCC is issued by Assistant Executive Engineer Mahanagra Palika Tumkara on letterhead of Tumkara City Corporation dated 23.02.2024 State Remarks: The state has given remarks as BCC is as per norms and Recommended releasing the affiliation.	SCAA recommended the following trades: 1. Turner 2(1+1) Units 2. Surveyor 2(1+1)Unit 3. COPA 2(1+1) Units 4. Physiotherapy Technician 2(1+1) Units

(Signature)

उज्जवल बिस्वास/UJJWAL BISWAS
निर्देशक / Director
प्रशिक्षण महानिदेशालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

			DGT within the next 15 days.		
2.	Loyola Private ITI, Vijayapura MIS Code: PU29001302 Grading: 7.70 Existing Trade 1. Mechanic (Motor Vehicle)- 2(1+1) 2. Electrician- 2(1+1)	1. Electrician 2(1+1) 2. COPA 2(1+1)	13th SCAA Remarks SCAA observed that in BCC submitted it written that it is for residential purposes which is not as per norms. ITI needs to rectify above mentioned deficiencies and re-submit the BCC to concerned State Directorate as per Agenda 4 of this Minutes on the online compliance module within 30 days from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to the DGT within the next 15 days.	ITI has submitted BCC on 14-03-2024 in the compliance portal ITI has admitted that they had made a mistake while translating the vernacular document of BCC to English. It has rectified and prepared the fresh affidavit. and uploaded the revised translated documents. State Remarks: Consider the document and request to release the affiliation.	SCAA recommended the following trades: 1. Electrician 2(1+1) 2. COPA 2(1+1)

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

4. Name of the State: Madhya Pradesh

Sl. No.	ITI Name	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 15th SCAA
I	II	III	IV	V	VI
	SBS Private ITI, Institute East Nimar MIS Code: PU23000858 Grading: 4.70 Existing Trade 1. Fitter- 3(1+1+1) 2. Electrician- 6(2+2+2)	1. Stenographer Secretarial Assistant (Hindi) – 2 (1+1) 2. Computer Operator and Programming Assistant (COPA) – 2 (1+1) 3. Data Entry Operator - 2 (1+1)	12th SCAA Remarks 12th SCAA Remarks 1. ITI need to remove following deficiencies: 2. Available power is not sufficient for trades sought for affiliation. Single phase power supply is not as per norms. Available load: 15KW, Required load: 28.15 KW. 3. Qualification documents for trainers are not available. 4. BCC provided is of 2007, hence cannot be considered. ITI need to submit a	ITI has submitted compliance report on dated 15-02-2024 and BCC on 14-03-2024 in the compliance portal and remarks of the State Directorate against each document are as given below: 1. The ITI has requested for affiliation in trades COPA and Setno Hindi or COPA and Data Entry Operator on the basis of electric load capacity of 20 KW. 2. Instructor qualification details checked and as per norms	During the SCAA meeting it is observed that the photographs provided by the ITI in compliance to Special arrangements for handicapped doesn't look genuine . Hence, RDSDE shall physically visit the institute and verify the documents submitted by the ITI and submit the report to DGT within 15 days from date of issue of MOM.

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

			fresh BCC, from the competent authority as given in Agenda 7 of this Minutes. 5. Special arrangements for handicapped students can also be provided. 6. And submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. 7. Further, the concerned State Directorate will have to verify the documents submitted by the ITI and send the recommendation to the DGT within the next 15 days through an online compliance portal.	3. Building safety certificate is issued by executive engineer checked and are as per norms 4. Special arrangements for handicapped students are provided. State Remarks: All documents checked & as per Increased electricity load capacity, ITI Wants Either Steno Hindi Trade or Data Entry Operator Trade. Existing trades: Electrician 2+2+2 Fitter 1+1+1 Power required: 8.71 Power required for new Units:	
--	--	--	---	--	--

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
शिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

				Stenographer Secretarial Assistant (Hindi)- 1+1 : 4 KW Computer Operator and Programming Assistant (COPA)-1+1: 5.5 KW Data Entry Operator-1+1 : 6 KW Power required for new trades: 15.5 KW Total power required for new Existing trades: 15.5+8.71= 24.21 KW	
--	--	--	--	--	--




 उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

5. Name of the State: Maharashtra

Sl. No.	ITI Name	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 15th SCAA
I	II	III	IV	V	VI
1	Netai Pvt ITI, Khat Nagpur MIS Code: PR27000257 Grading: 6.60 Existing Trade 1. Fitter-5(3+2) 2. Electrician-4(2+2) Old Address At+Post-Khat(Rly) Tah- Mouda Dist- Nagpur New Address At Post Khat Tah Mouda Dist Nagpur, Maharashtra.	Shifting case Existing Trades: 1. Electrician - 4 (2+2) 2. Fitter - 5 (3+2)	12th SCAA Remarks 12th SCAA ITI needs to remove deficiencies as mentioned in column VI and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online	ITI has submitted compliance report on online compliance portal dated 5.03.2024 and mentioned the following points: 1. Netai Industrial Training Institute Khat(Rly), Tehsil - Mouda, District-Nagpur, (MIS Code PR27000257) was Shifted long back from its old Premises ie house of Mr. Talmale, near Khat Railway Station to their own new building constructed at	SCAA Recommended the shifting of ITI with existing trades

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण निदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

			compliance portal. State Directorate shall also certify that the shifting is within the block / Municipal corporation area or not.	nearby Gaothan area, which is about 1.0 Km. within the Block area of Gram panchayat, Khau(Rly), Tehsil - Mouda, District - Nagpur. 2. ITI is located at village Khat which comes under Gram Panchayat, Khat as its Revenue Authority of Govt. of Maharashtra. The Gram panchayat has full authority to sanction building construction Plan in ius guo than village area and also issue Building Completion Certificate (BCC)	
--	--	--	--	--	--

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशकालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

				3. ITI has given an undertaking for constructing a boundary wall & Requested for the same time. State Remarks: State had verified documents. This ITI case is a shifting case within 1 Km & it has taken valid permission from the State. The ITI building is as per norms. ITI has given an undertaking for constructing a boundary wall & Requested for the same time. We recommend this ITI for affiliation.	
2.	Nashik District Maratha Vidya Prasarak Samaj Industrial Training Institute, Nandgaon Nashik	Electrician - 2 (1+1)	<u>12th SCAA Remarks</u> 12th SCAA Remarks ITI needs to submit a fresh BCC, from the competent authority as given in Agenda 7 of this	ITI has submitted compliance report on online compliance portal dated 16.02.2024 remarks of State Directorate is as given below:	SCAA recommended the following trades: Electrician - 2 (1+1)



 **उज्ज्वल बिस्वास/UJJWAL BISWAS**
 Director
 प्रशिक्षण निदेशक, केंद्र, Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110 012/Govt. of India, New Delhi-12

	MIS Code: PR27000485 Grading: 7.10 Existing Trade 1. Welder-2(1+1) 2. Fitter-2(1+1) 3. Electrician-2(1+1)		MoM and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, the concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through an online compliance portal.	1. The Institute has submitted the following documents. 1. Building Completion Certificate issued by Structural Engineer, Gunjal & Associates, Nashik dated 24.01.2024 2.. Building Completion Certificate issued by Sub Divisional Engineer, Public Works subdivision Office, Nandgaon, Nashik dated 02.02.2024. 2. The Directorate has verified, the institute's BCC certificate is as per norms Hence Recommended for Electrician 2(1+1) w.e.f Aug.2024 session	
3.	Sahakarratna Shamraoji Patil Yadavkar Private	Electrician - 2 (1+1)	12th SCAA Remarks	ITI has submitted a compliance report on the online compliance	SCAA recommended the following trades:

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक/General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

Industrial Training Institute Yadrav. Kolhapur MIS Code: PR27000566 Grading: 8.30 Existing Trade 1. .Welder-2(1+1) 2. .Mechanic (Motor Vehicle)-2(1+1) 3. Fitter-2(1+1) 4. Electrician -2(1+1)		ITI needs to remove deficiencies as mentioned in column VI (1. BCC as certifying the work completion, is given by Deputy Engineer Kolhapur. BCC may be provided as per the agenda -7 of this MoM. The Land lease is produced from the year 2009 and is semi commercial. Revised Land lease may be provided as per norms.) and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the	portal dated 16.02.2024 remarks of State Directorate is as given below: The Institute has submitted the following documents. 1. Building Completion Certificate issued by Structural Engineer, dated 17.01.2024 2.. Building Completion Certificate issued by Grampanchayat office, Yadrav Tal. Shirol Dist Kolhapur. 3. Proof has been submitted that the land lease can be used for public activities. State Remarks: The State Directorate has verified, that the institute's BCC certificate & land uses document are as per norms Hence Recommended for	Electrician - 2 (1+1)
--	--	---	---	------------------------------

(Signature)

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

			DGT within the next 15 days through online compliance portal.	Electrician 2(1+1) w.e.f Aug.2024 session	
4.	Jain Pvt. ITI, Verul Private Industrial Training Institute, Aurangabad MIS Code: PR27000700 Grading: 8.50 Existing Trade 1. Fitter-2(1+1) 2. Electrician-2(1+1) 3. Computer Operator and Programming Assistant-1(1+0)	Electrician – 2 (1+1)	12th SCAA Remarks ITI needs to remove deficiencies as mentioned in column V and VI and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, the concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through an online compliance portal.	ITI has submitted compliance documents on dated 09.02.2024 and remarks of State Directorate is as follows: 1. The Institute has submitted. Electricity bill & Power calculation sheet (Required Power 19.41 & Available -19.90) 2. Bills with Authorized signature of the supplier on the bills 3. Proof of Dead Stock Register as per formats signed by Principal. 4. Building Completion Certificate issued by Group Gram Panchayat office, Verul Tal. Khultabad	SCAA observed that the BCC is still not as per norms. Hence, SCAA granted ITI one last and final opportunity to submit the BCC in accordance with the norms to the Concerned State Directorate within one month from the date of issuance of these minutes through the NIMI compliance portal. Thereafter, the State Directorate will be required to verify the documents submitted and send the report with recommendations to DGT within the next 15 days through the NIMI compliance portal.

P. Singh

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाविद्यालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

				Dist Aurangabad- dated 19.01.2024 TC section observation Required power for new and Existing trades =14.21 KW ITI have connection= 19 KW Hence sufficient power is available with institute Recommendation of State: The Directorate has verified, the institute's All required documents & it is found as per norm Hence Recommended for Electrician 2(1+1) w.e.f Aug.2024 session	
5.	Hon.Ratnakarraoji Gutte Private Industrial Training Institute Parbhani	Electrician - 4 (2+2)	<u>12th SCAA Remarks</u> ITI needs to remove deficiencies	ITI has submitted the compliance report on dated 12.03.2024	SCAA observed that the BCC is still not as per norms. Hence, SCAA granted ITI one last and final

(Signature)

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
विश्वविद्यालय / Directorate General of Training
मंत्रालय विकास एवं उद्यमशीलता / Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

MIS Code: PR27000792 Grading: 7.10 Existing Trade 1. Wireman-2(1+1) 2. Welder-2(1+1) 3. Mechanic (Motor Vehicle)-2(1+1) 4. Fitter-2(1+1) 5. Electrician-4(2+2)		AC and Inverter available but not installed in IT Lab · BCC is issued from Gram Panchayat. BCC to be provided as per the agenda -7 of this MoM. and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, the concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through an online compliance portal.	Remarks of State: The Institute has submitted the following documents. 1. document proof of AC and Inverter installed . 2. Building Completion Certificate issued by Executive Engineer, Public Works Department, Parbhani dated 31.01.2024 This Directorate has verified the documents BCC Certificate & document of AC and Inverter installed is as per norms Hence Recommended for Electrician 4(2+2) w.e.f Aug.2024 session. BCC is still not as per norms.	opportunity to submit the BCC in accordance with the norms to the Concerned State Directorate within one month from the date of issuance of these minutes through the NIMI compliance portal. Thereafter, the State Directorate will be required to verify the documents submitted and send the report with recommendations to DGT within the next 15 days through the NIMI compliance portal.
--	--	--	---	--




 उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship

6.	Rajeev Gandhi Industrial Training Institute Udgir Private Industrial Training Institute, Latur MIS Code: PR27000933 Grading: 5.50 Existing Trade 1. Wireman-2(1+1) 2. Surveyor-2(1+1) 3. Fitter-2(1+1) 4. Electrician -2(1+1)	Electrician - 2 (1+1)	12th SCAA Remarks ITI needs to submit a fresh BCC, from the competent authority as given in Agenda 7 of this Minutes and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, the concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through an online compliance portal.	ITI has submitted compliance report on dated 07-02-2024 Remarks of State: The Institute has submitted the following documents. 1. Building Completion Certificate issued by Structural Consultant, Archivista Consultants Pvt LTD, Pune dated 27.02.2024 2. Building Completion Certificate issued by Grampanchayat office, Naglagaon Tal. Udgir Dist Latur. The Directorate has verified, the institute's BCC certificate is as per norms Hence Recommended for Electrician 2(1+1) w.e.f Aug.2024 session.	SCAA recommended the following trade: Electrician - 2 (1+1)
7.	DECCAN Private Industrial Training Institute, OSMANABAD	1. Computer Operator and Programming Assistant	12th SCAA Remarks ITI needs to submit a fresh BCC, from the	ITI has submitted BCC dated 09.03.2024 on the online compliance module.	SCAA observed that the BCC is still not as per norms.

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

		(COPA) – 2 (1+1) 2. Electrician - 2 (1+1) 3. Fitter – 2 (1+1) 4. Welder - 2 (1+1) 5. Wireman - 2 (1+1)	competent authority as given in Agenda 7 of this MoM and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, the concerned State Directorate will have to verify the documents submitted by the ITI and send the recommendation to the DGT within the next 15 days through an online compliance portal.	Remarks of State Directorate: The Institute has submitted the following documents. 1 Building Completion Certificate issued by Chief Executive Officer, Nagrapanchayat office, Washi Tal. Washi Dist Dharashiv The Directorate has verified, the institute's BCC certificate is as per norms Hence Recommended for Electrician 2(1+1) COPA 2(1+1) Fitter 2(1+1) Welder-2(1+1) Wireman-2(1+1) w.e.f Aug.2024 session TC action remarks: BCC is still not as per norms	Hence, SCAA granted ITI one last and final opportunity to submit the BCC in accordance with the norms to the Concerned State Directorate within 30 days from the date of issuance of these minutes through the NIMI compliance portal. Thereafter, the State Directorate will be required to verify the documents submitted and send the report with recommendations to DGT within the next 15 days through the NIMI compliance portal.
8.	Shaneshwar Private ITI, Sindhudurg	1. Electrician – 2 (1+1) 2. Wireman – 2 (1+1)	12th SCAA Remarks	ITI has uploaded documents on 5.03.2024 as given below:	SCAA recommended the following trades: 1. Electrician – 2 (1+1)

(Signature)

Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

	TMP27495PR164648552 5	3. Geo-Informatics Assistant - 2 (1+1) 4. Human Resource Executive - 2 (1+1)	ITI needs to remove deficiencies as mentioned For Geoinformatics assistant and Human Resource assistant manpower is available for only one unit. For Geoinformatics Asst Trade GIS software, Remote sensing software not available with ITI ICVC has recommended only 03 trades but minimum 04 trades are required to be recommended by ICVC for a new ITI. Required load: 17.65 KW, Available-5KW and it is mentioned that MSEDCL has sanctioned additional 25 KW load but the sanctioned load proof is not available. BCC is issued by the gram panchayat. BCC	1. Instructors appointed for 2 units, appointment order and documents attached and deficiency cleared 2. Human resources executive assistant instructor available and appointed for 2 units, appointment order and documents attached and deficiency cleared 3. Remote sensing software and GIS software purchased and available as per norms, bill and tax invoice attached and	2. Wireman – 2 (1+1) 3. Geo-Informatics Assistant - 2 (1+1) 4. Human Resource Executive - 2 (1+1)
--	--------------------------	--	--	---	--



उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाविभाग/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110 021/Govt. of India, New Delhi-12

			may be provided as per the agenda -7 of this MoM. and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further concerned State Directorate and RDSDE shall conduct the joint inspection and submit the report with recommendation of trade(s)/Units(s) to DGT within 15 days thereafter.	deficiency cleared 4. Electricity load required 17.65 KW, load 20 KW available more than required norms, latest bill attached and deficiency cleared 5. BCC available as per norms Accordingly, RDSDE conducted inspection on 22.03.2024 ICVC remarks: All compliance have been submitted as per norms. Recommended for Electrician -2(1+1) Wireman- -2(1+1) HR Executive - 2(1+1) Assistant Geo Informatics- 2(1+1)	
--	--	--	---	--	--

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक / Director General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110 012/Govt. of India, New Delhi-12

6. Name of the State: Tamil Nadu

Sl. No.	ITI Name	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 15th SCAA
I	II	III	IV	V	VI
	PAC Ramaswamy Pvt. ITI MIS Code: PR33000597 Grading: 8.50 Existing Trade 1. Welder-2(1+1) 2. Instrument Mechanic-2(1+1) 3. Fitter-4(2+2) 4. Electrician-4(2+2)	Computer Operator and Programming Assistant (COPA) - 1 (1+0+0)	12th SCAA Remarks 1. The concerned State Directorate will have to verify whether the power is supplied by self-generation plant of Ramco cement, supporting documents have to be submitted. 2. ITI will have to submit BCC as per Agenda 7 of these minutes. ITI needs to submit documents on above mentioned points on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM.	ITI uploaded compliance documents on portal on dated 16.02.2024 State Remarks: It is verified by our senior officer appointed by DET that power is supplied RAMCO cements. Since this ITI is running RAMCO cements. As per DGT instruction, Building completion certificate is attached TC section observation: BCC is issued by pvt Structural Engineer, which is not as per norms	SCAA observed that the BCC is still not as per norms. Hence, SCAA granted ITI one last and final opportunity to submit the BCC in accordance with the norms to the Concerned State Directorate within one month from the date of issuance of these minutes through the NIMI compliance portal. Thereafter, the State Directorate will be required to verify the documents submitted and send the report with recommendations to DGT within the next 15 days through the NIMI compliance portal.



उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

			Further, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.		
--	--	--	---	--	--




 उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महाविभाग/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

7. Name of the State: Uttar Pradesh

Sr. No.	ITI Name	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 15th SCAA
I	II	III	IV	V	VI
1.	Radhya Singh Singraur Private ITI, Private Industrial Training Institute, Kaushambi MIS Code: PR09900133 Grading: 7.00 Existing Trade 1. Fitter-3(1+1+1) 2. Electrician-3(1+1+1)	Electrician - 6 (2+2+2)	12th SCAA Remarks ITI needs to submit the following documents on the online compliance module on the NIMI affiliation portal within 30 days from the date of issue of this MoM. 1. BCC as mentioned in agenda 7 of this MoM. 2. Complete lease / land document 3. The latest Electricity bill for 03	ITI has submitted compliance documents on 2024-02-22. BCC issued by an Executive Engineer. Electricity bill attached. Land documents attached. ITI has done compliance with SCAA remarks, may be recommended for affiliation for trade sought for affiliation.	Recommended for affiliation Electrician - 4 (2+2)



उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाविभाग, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110 012 / Govt. of India, New Delhi-12

			months in the name of ITI Thereafter, the concerned State Directorate will verify and submit the report online in the compliance module within the next 15 days.		
2.	Pradeep Kumar Smarak Private ITI, Private Industrial Training Institute, Azamgarh MIS Code: PR09900736 Grading: 5.70 Existing Trade 1. Fitter-3(1+1+1) 2. Electrician-3(1+1+1)	1. Electrician – 3 (1+1+1) 2. Fitter – 3 (1+1+1)	12th SCAA Remarks ITI needs to submit the following documents on the online compliance module on the NIMI affiliation portal within 30 days from the date of issue of this MoM: 1. BCC as mentioned in agenda 7 of this MoM.	1. ITI has submitted compliance documents on 2024-02-13. 2. BCC issued by a Chartered engineer is submitted. 3. A letter from the Executive engineer is also attached, as per which building is as per NBC 2005. 4. Latest Electricity bill with name of ITI uploaded. 5. ITI has done compliance with	Recommended for affiliation 1. Electrician – 2 (1+1) 2. Fitter – 2 (1+1)



उज्ज्वल बिस्वास/UJJWAL BISWAS
निर्देशक / Director
प्रशिक्षण महानिदेशक (Director General of Training)
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

			2. The latest Electricity bill in the name of ITI . Thereafter, the concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through an online compliance portal.	SCAA remarks, may be recommended for affiliation for trade sought for affiliation.	
3.	Shri Krishna Private Industrial Training Institute, Prayagraj TMP9120PR1582816244	1. Electrician – 3 (1+1+1) 2. Fitter - 3 (1+1+1) 3. Wireman – 3 (1+1+1) 4. Computer Operator and Programming Assistant (COPA) - 2 (1+1)	12th SCAA Remarks ITI need to remove deficiencies as mentioned in column VI and submit following documents on the online compliance module in the NIMI affiliation portal	1. ITI has submitted compliance documents on 2024-02-09. 2. State Directorate remarks: Photos of the Drawing Hall are attached but BCC is not as per norms.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minutes through NIMI compliance portal.

(Signature)

(Signature) **उज्ज्वल बिस्वास / UJJWAL BISWAS**
 निदेशक / Director
 प्रशिक्षण महानिदेशालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

			within 30 days from the date of issue of this MoM: 1. BCC as per Agenda 7 of this MoM. 2. Photographs of Drawing hall with proper drawing Tables and chairs. Thereafter, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.	3. BCC submitted is not as per norms. 4. ITI may be given one last opportunity to submit the BCC as norms.	1. BCC not as per norms, it should be as given in Civil Norms (Page 108), Affiliation norms 2018. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.
4.	Dev Inrawati Private Industrial Training	1. Electrician – 6 (2+2+2)	12th SCAA Remarks	1. ITI has submitted compliance	Recommended for affiliation

P. Hemraj


 उज्जवल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक-2, Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110002 / Govt. of India, New Delhi-12

	Institute, Ambedkar Nagar TMP9121PR15 82796309	2. Fitter -2 (1+1) 3. Computer Operator and Programming Assistant (COPA) - 2 (1+1) 4. Sewing Technology - 2 (1+1)	ITI need to remove deficiencies as mentioned in column VI and submit following documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Latest electricity bill with enhanced load. Thereafter, the concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through an online compliance portal.	documents on 2024-02-20. 2. For Enhanced load of additional 4 KW, Letter of approval from Executive Engineer is attached. 3. ITI has done compliance with SCAA remarks, may be recommended for affiliation for trade sought for affiliation.	1. Electrician – 4 (2+2) 2. Fitter -2 (1+1) 3. Computer Operator and Programming Assistant (COPA) - 2 (1+1) 4. Sewing Technology - 2 (1+1)
--	--	--	---	---	--

(Signature)

(Signature)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110 029/Govt. of India, New Delhi-12

5.	Shri Krishna Private Industrial Training Institute, Kushi Nagar TMP9160PR1579958060	1. Electrician – 6 (2+2+2) 2. Fitter - 3 (1+1+1)	12 th SCAA Remarks ITI need to remove deficiencies as mentioned in column VI and submit following documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM: 1. Electricity bill with enhanced load. 2. BCC given by Architect not as per norms. BCC to be submitted as per Agenda 7 of this MoM. 3. NOC from the concerned State	ITI has submitted compliance documents on 2024-02-26. 1. Electricity bill with 6 KW load is attached, this load is not sufficient as the required load is 8.71 KW. 2. ITI has also submitted a resolution for surrender of 1 unit of fitter trade. 3. BCC issued by Executive engineer is attached but not as per norms as it is addressed to Basic Siksha Adhikari. 4. Letter signed by Joint Director Gorakhpur mandal stating that development block Tumkuhiraj is	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minutes through NIMI compliance portal. 1. Load is not sufficient for trades sought for affiliation. 2. BCC is not addressed to ITI, hence not as per norms. 3. ITI needs to submit a letter to the concerned State Directorate for surrender of Fitter trade.
----	--	---	---	---	--

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाविद्यालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

			Directorate for MSTI (i.e., ITI lying in an unserved block). 4. Undertaking for starting Short-Term course in the ITI. Thereafter, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.	an unserved block. 5. ITI has submitted TC/TP Id and other MSME related certificates.	Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.
--	--	--	--	---	---

(Signature)

(Signature)
 उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महाविभाग/ Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

8. Name of the State: West Bengal

Sl. No.	ITI Name	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 15th SCAA
I	II	III	IV	V	VI
1.	Purushottam Private Industrial Training Institute, Purulia MIS Code: PR19000213 Grading: 8.50 Existing Trade 1. Fitter-3(1+1+1) Electrician-3(1+1+1)	1. Electrician – 2 (1+1) 2. Fitter – 2 (1+1) 3. Smartphone Technician Cum App Tester – 2 (1+1)	12th SCAA Remarks ITI need to remove deficiencies as mentioned in column VI and submit the following documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM:	1. ITI has submitted compliance documents on 2024-02-28. 2. ITI has submitted BCC issued by Gram panchayat and Structural Engineer. 3. Photographs of Drawing hall uploaded. ITI has done compliance with SCAA remarks, may be recommended for	Recommended for affiliation 1. Electrician – 2 (1+1) 2. Fitter – 2 (1+1) 3. Smartphone Technician Cum App Tester – 2 (1+1)



उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण निदेशक/ Director General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

			i. BCC as per Agenda 7 of this MoM. ii. Photographs of Drawing hall with proper drawing Tables and chairs. Thereafter, concerned State Directorate will have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.	affiliation for trade sought for affiliation.	
2.	Sree Ramkrishna Private Industrial	1. Electrician -4 (2+2) 2. Fitter - 4 (2+2)	12th SCAA Remarks	1. ITI has submitted compliance	Recommended for affiliation for

Exem


 UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

	Training Institute Medinipur East TMP19317PR16820 81263	3. Sewing Technology – 2 (1+1) Early Childhood Educator – 2 (1+1)	ITI need to remove deficiencies as mentioned in column VI and submit the following documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM: i. BCC as per Agenda 7 of this MoM. ii. CITS documents for Sewing Technology. Thereafter, concerned State Directorate will	documents on 2024-02-28. 2. ITI has submitted BCC issued by Sub Assistant Engineer. 3. CITS documents for trainers of Sewing Technology trade submitted. ITI has done compliance with SCAA remarks, may be recommended for affiliation for trade sought for affiliation.	1. Electrician -4 (2+2) 2. Fitter - 4 (2+2) 3. Sewing Technology – 2 (1+1) 4. Early Childhood Educator – 2 (1+1)
--	---	---	---	--	--



उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण निदेशक/ Directorate General of Training
कौशल विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

			have to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.		
3.	Atulia Private ITI SADAR PARA JESSURE, PO, HABRA 24 PARAGANAS NORTH- 743233 MIS Code: PR19000115 Grading: 8.70 Existing Trade	1. Health Sanitary Inspector - 2 (1+1) 2. Advanced CNC Machining - 2 (1+1)	<u>13th SCAA Remarks</u> SCAA observed that BCC is not as per norms. ITI needs to re-submit BCC as per Agenda 4 to the concerned State Directorate on the online compliance module in the NIMI affiliation	1. ITI has submitted compliance documents on 2024-03-20. 2. BCC issued by Nirman Sahayak, Gram Panchayat. ITI has done compliance with SCAA remarks, may be recommended for affiliation for trade sought for affiliation.	Recommended for affiliation 1. Health Sanitary Inspector – 2 (1+1) 2. Advanced CNC Machining – 2 (1+1)



उपज्योतिष विदेशिक
प्रशिक्षण महानिदेशक
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

	1. Fitter- 6(2+2+2) 2. Electrician- 3(1+1+1)		portal within 30 days from the date of issue of this Minutes. Further, the concerned State Directorate will verify the documents submitted by the ITI and submit the report to the DGT within the next 15 days. Advanced CNC Machining - 2 (1+1) not recommended as per request of ITI.	
--	--	--	--	--

(Signature)


 उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय, Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

