DGT-Aff011(1)/2024-O/o DIR (TC) Government of India Ministry of Skill Development and Entrepreneurship Directorate General of Training

Kaushal Bhawan, New Moti Bagh Chanakyapuri, New Delhi- 110023

Dated: 12.03.2024

To

The State Directorate

Jammu Kashmir, Madhya Pradesh, Meghalaya, Nagaland, Tamil Nadu, Uttar Pradesh

Subject: Affiliation of Trades/Units after conversion from SCVT to NCVT - reg.

Sir/Madam.

As decided during the 13th meeting of the Standing Committee on Accreditation and Affiliation (SCAA) held from 30.01.2024 to 31.01.2024, the trades/units recommended/Not Recommended for conversion from SCVT to NCVT for ITIs starting from the 2024 session are mentioned in the attached list.

The affiliation of Trade/Units stated above are further subjected to that,

The ITI must comply with DGT norms/guidelines issued from time to time.

- ii. For better performance & training ITI can be inspected any time by DGT & State Officers.
- iii. ITI must display logo of ITI at the main gate.
- 3. The said information is also available under "News & Updates" on NCVT MIS Portal at https://ncvtmis.gov.in.

Yours faithfully,

Copy along with enclosures for information to:

- PSO to DG/AS, DGT, New Delhi
- 2. PPS to DDG (Affiliation), DDG (South Zone) and DDG (East Zone).
- The officer dealing with NCVT MIS Portal To upload and Necessary mapping in the NCVT MIS portal.

egg, receipt top tom their

4. All RDSDE for Information

(Amrit Pal Singh) Joint Director, TC

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रशिक्षण महानिदेशालय/Directorate General of Training कोशाल विकास और उन्हारीन मा माजालय Ministry of Skill Development and Entretreneurship भारत सरकार, नई दिल्ली/Govl. of India, New Delhi





STATE: Jammu & Kashmir Total – 18, (New-00, Existing-18)

Meeting Date: 30.01.2024 to 31.01.2024

SCVT to NCVT

SI. no.	Name of Institute with address and Type of	Trade for which affiliation sought	Units fo	Units for which affiliation sought/ recommended by				
	Application New/ Existing		Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT			
1.	Govt. ITI, R. S. Pura Tehsil R S. Pura District Jammu J & K Pin 181102 Grading: 7 MIS Code: GR01000031 Existing ITI	Welder	1(1+0)	1(1+0)	1(1+0)	Recommended as per SSDEC recommendations		
2.	Govt. ITI Women Bhalessa malsar. Gandoh (Bhelessa) Distt. Doda (J&K) Pin code 182203 MIS Code: GR01000048 Grading: 3.8 Existing ITI	Draughtman (Civil)	1(1+0)	1(1+0)	Not Recommended	Not recommended due to low grading.		
3.	Govt. Industrial Training Institute jammu Tehsil District jammuy J&K Pin 180002	Plumber Front Office assistant	1(1+0) 1(1+0)	1(1+0) 1(1+0)	1(1+0) 1(1+0) 1(1+0)	Recommended as per SSDEC recommendations		

12 MR PRESIDENT SINGH SPECIAL SPECIAL

STATES AND STATES AND THE STATES AND





STATE: Jammu & Kashmir Total – 18, (New-00, Existing-18)

Meeting Date: 30.01.2024 to 31.01.2024

SCVT to NCVT

SI. no.	Name of Institute with address and Type of	Trade for which affiliation sought		Units for which affiliation sought/ recommended by				
	Application New/ Existing		Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT			
	MIS Code: GR01000002	Database System Assistant	1(1+0)	1(1+0)	1(1+0)			
	Grading: 7.6 Existing ITI	Data Entry Operator	1(1+0)	1(1+0)	1(1+0)			
4.	Govt ITI gool Tehsil gool distric Ramban MIS Code: GR01000010 Grading: 6.5 Existing ITI	Data Entry Operator	1(1+0)	1(1+0)	1(1+0)	Recommended as per SSDEC recommendations		
5.	Govt. ITI Kowbagh, Ramban Tehsil District: Ramban, 18214401998266 624 MIS Code: GR01000014 Grading: 7.3 Existing ITI	Mechanic Motor Vehicle	1(1+0)	1(1+0)	1(1+0)	Recommended as per SSDEC recommendations		

AMRIT PATER JOIN DIRECTOR

SUNGER PROPERTY OF STATE OF ST





STATE: Jammu & Kashmir Total – 18, (New-00, Existing-18)

Meeting Date: 30.01.2024 to 31.01.2024

001	1			0	17
SCI	<i>/</i> I	TO	N	C	v I

SI. no.	Name of Institute with address and Type of	Trade for which affiliation sought		r which affiliatio recommended	by	Remarks by SCAA / DGT
	Application New/ Existing		Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT	
6.	Govt. ITI Samba pin 184121 Grading: 6.8 MIS Code: GR01000035 Existing ITI	Sewing Technology	1(1+0)	1(1+0)	1(1+0)	Recommended as per SSDEC recommendations
7.	Govt. ITI ,Hirangar District: Kathua J&K pin 184142 Tel.	Interior Design & Decoration	1(1+0)	1(1+0)	1(1+0)	Recommended as per SSDEC recommendations
	01922274239 Grading: 7.5 MIS Code GR01000006	Mechanic Consumer Electronic Appliance	1(1+0)	1(1+0)	1(1+0)	
	Existing ITI	Software Testing Assistant	1(1+0)	1(1+0)	1(1+0)	
8.	Govt ITI Sunderbani District: Rajouri Pin 185153 Grading: 5.9 MIS Code: GR01000027 Existing ITI	Draughtman Civil	1(1+0)	1(1+0)	1(1+0)	Recommended as per SSDEC recommendations
	GR01000027				BISWAS	

अमृत पाल सिंह, आई एस.डी एस. ATVRIT PAL SINGH, ISOS ATVRIT PAL SINGH, ISOS संयुक्त तिवेशक/Joint Director संयुक्त तिवेशक/Joint Core of Training संयुक्त तिवेशक अर्थ किशत विकास अर्थ Ministry of Skill Developmen and Entrepreneurship भारत सरकार, गई बिल्ली/Govt. of India, New Delhi STORE TO SAIL OF STORE OF STORE AND STORE AND STORE OF ST





STATE: Jammu & Kashmir Total – 18, (New-00, Existing-18)

Meeting Date: 30.01.2024 to 31.01.2024

		122			
SC		40	NI	\sim	/T
	~ .	163	IV		, ,

SI. no.	Name of Institute with address and Type of	Trade for which affiliation sought	Units fo	Units for which affiliation sought/ recommended by			
	Application New/ Existing		Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT		
9.	Govt ITI Rajouri Pin 185131 Grading : 7.6	Software Testing Assistant	1(1+0)	1(1+0)	1(1+0)	Recommended as per SSDEC recommendations	
	MIS Code: GR01000005	COPA	1(1+0)	1(1+0)	1(1+0)		
	Existing ITI	Plumber	1(1+0)	1(1+0)	1(1+0)		
		Data Entry Operator	1(1+0)	1(1+0)	1(1+0)		
		Draughtsman Civil	1(1+0)	1(1+0)	1(1+0)		
		Driver cum Mechanic	1(1+0)	1(1+0)	1(1+0)		
10.	Govt Industrial Training Institute Poonch Near Dashnami Akhara, Opp Krishan Chander Park, Haveli	Computer Operator and Programming Assistant (Normal)	1(1+0)	1(1+0)	1(1+0)	Recommended as per SSDEC recommendations	
	Poonch Pin 185101 Grading: 6.2 MIS Code: GU01000012	Computer Operator and Programming Assistant (Women)	1(1+0)	1(1+0)	1(1+0)		
	Existing ITI	Plumber	1(1+0)	1(1+0)	1(1+0)		

SUNGER PROPERTY CON OF INDEA HOW DOWN TO SHIP OF THE STATE OF THE SHIP OF THE





STATE: Jammu & Kashmir Total – 18, (New-00, Existing-18)

Meeting Date: 30.01.2024 to 31.01.2024

SCVT to NCVT

SI. no.	Name of Institute with address and Type of	Trade for which affiliation sought		Units for which affiliation sought/ recommended by			
	Application New/ Existing	Sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT		
		Draughtman Civil,	1(1+0)	1(1+0)	1(1+0)		
		ICTSM,	1(1+0)	1(1+0)	1(1+0)		
		Driving Cum Mechanic,	1(1+0)	1(1+0)	1(1+0)		
		Dairying	1(1+0)	1(1+0)	1(1+0)		
11.	Govt. ITI Kishtwar District Kisthwar Pin No. 182204	Plumber Software Testing	1(1+0)	1(1+0)	1(1+0)	Recommended as per SSDEC recommendations	
	Grading: 7.2 MIS Code: GR01000007	Assistant Mechanic Refrigeration & Air- Condition	1(1+0)	1(1+0)	1(1+0)		
12.	Govt. ITI Udhampur Pin 182101	Electronic Mechanic	1(1+0)	1(1+0)	1(1+0)	Recommended as per SSDEC recommendations	
	Grading : 7.5 MIS Code: GU01000011	Data Entry Operator	1(1+0)	1(1+0)	1(1+0)		







STATE: Jammu & Kashmir Total – 18, (New-00, Existing-18)

Meeting Date: 30.01.2024 to 31.01.2024

SCVT to NCVT

SI. no.	Name of Institute with address and Type of	Trade for which affiliation sought	Septimization contribution contribution	Units for which affiliation sought/ recommended by				
	Application New/ Existing		Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT			
13.	Govt. ITI Bhaddu/ Billawar Grading: 8.2 MIS Code: GR01000024	Draughtman Civil	1(1+0)	1(1+0)	1(1+0)	Recommended as per SSDEC recommendations		
14.	Govt. ITI, Basholi village Plahi, Tehsil Basohli, district kathua J&K Pin No. 184201 Grading: 8.3	Draughtman Civil Welder	1(1+0) 1(1+0)	1(1+0)	1(1+0) 1(1+0)	Recommended as per SSDEC recommendations		
. B	MIS Code: GR01000032							
15.	Govt. ITI anantnag. Ashajipora 18002	Software Testing Assistant	1(1+0)	1(1+0)	1(1+0)	Recommended as per SSDEC recommendations		
	Grading: 7.9 MIS Code: GR01000003	Desktop Publishing Operator	1(1+0)	1(1+0)	1(1+0)			

अमृत पाल सिंह, आई एस डी एस . AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS at a state of Training with the first of the state of Training with the state of the st







STATE: Jammu & Kashmir Total – 18, (New-00, Existing-18)

Meeting Date: 30.01.2024 to 31.01.2024

SCVT to NCVT

SI. no.	Name of Institute with address and Type of	Trade for which affiliation sought	Units fo	Units for which affiliation sought/ recommended by				
	Application New/ Existing		Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT			
16.	Govt ITI for women Seer Hamdan 12129 Grading: 3.8 MIS Code: GR01000049	Software Testing Assistant	1(1+0)	1(1+0)	1(1+0)	Not recommended due to low grading.		
17.	Govt ITI Baramulla 193101 Grading: 6.6 MIS Code: GR01000004 Existing ITI	Software Testing Assistant	1(1+0)	1(1+0)	1(1+0)	Recommended as per SSDEC recommendations		
18.	Govt ITI Sopore 193201 Grading: 8 MIS Code: GR01000038	Software Testing Assistant Plumber	1(1+0)	1(1+0)	1(1+0)	Recommended as per SSDEC recommendations		

अमृत पाल सिंह, आई तस आपत.

AMRIT PAL SINGH, ISOS
AMRIT PAL SINGH, ISOS
संगुक्त निकंशक / Joint Director
पश्चिम महिस्साल्य/Director (अस्मुक्त निकंशक अर्थे अस्मित स्वार्थिक स्वार्यिक स्वार्थिक स्वार्थिक स्वार्थिक स्वार्थिक स्वार्थिक स्वार्थिक स्वार्यिक स्वार्यिक स्वार

STOTICE RECENT OF CONTROL OF TOWNING THE PROPERTY OF T





STATE: Madhya Pradesh Total – 15, (New-00, Existing-15)

Meeting Date: 30.01.2024 to 31.01.2024

SCVT to NCVT

SI.	Name of Institute		VT to NCVT			Remarks by	
no.	Type of Application	Trade for which affiliation		Units for which affiliation sought/ recommended by			
	New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT		
1.	Govt. ITI PATI, Barwani Bokrata Road Pati Dist Barwani MP. MIS Code:	Fitter Diesel Mechanic	2(1+1)	2(1+1) 2(1+1)	Not Recommended Not Recommended	Not recommended due to low grading	
	GR23001140 Grading: 3.90	Welder	2(1+1)	2(1+1)	Not Recommended		
2.	Govt. ITI Bhimpur,Bajrang Colony Bhimpur, dist Betul (MP). MIS Code: GR23001164 Grading: 6.10	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended	
3.	Govt. Divisional ITI Bhopal Grading: 7.10 MIS Code:	Tool & Die Maker (Dies & Mould)	2(1+1)	2(1+1)	2(1+1)	Recommended	
	GR23000005	Operator Advance Machine Tools	2(1+1)	2(1+1)	2(1+1)	Recommended	
		MRAC	2(1+1)	2(0+0+2)	2(0+0+2)*	Recommended *Subject to submission of DST MoU details through State as 3 rd shift is permitted in DST mode only	

अपूर्व पाल सिंह, आई एस.डी एस. 12/ अपूर्व पाल सिंह, आई एस.डी एस. अपूर्व निवेशक /Joint Director समुज्य निवेशक /Joint Director पशिलण महिनेशालय /Directorate General जे पतालय स्थान विकास और उद्यक्तित स्थान








STATE: Madhya Pradesh Total – 15, (New-00, Existing-15)

Meeting Date: 30.01.2024 to 31.01.2024

SCVT to NCVT

SI.	Name of Institute		/I to NCVI	or which affiliation		Dame I. I.
no.	with address and Type of Application	Trade for which affiliation	Units t	on sought by	Remarks by SCAA / DGT	
	New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT	
4.	Govt. ITI Nepanagar, Burhanpur, Camp Ananda Nagar	Motor Mechanic Vehice	1(1+0)	1(1+0)	1(1+0)	Recommended
	Grading: 4.90 MIS Code: GR23000052	Electronics Mechanic	1(1+0)	1(1+0)	1(1+0)	
		Welder	2(1+1)	2(1+1)	2(1+1)	
5.	Govt. ITI Chhatarpur, Sharswati Nagar ,Naya Panna Naka Panna road ,Chhat	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
	MIS Code: GU23000006 Grading: 8.40	Mechanic Motor Vehicle	2(1+1)	2(1+1)	2(1+1)	
6.	Govt. ITI Pandhurna, Chhindwara ,Amrawati ROAD	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
	Pandurna MIS Code: GU23000070	Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	
	Grading: 8.20					
7.	Govt. ITI Nohta,Tehsil- Jabera Dist Damoh (MP)	COPA Stenographer	2(1+1)	2(1+1)	2(1+1)	Recommended
	MIS Code: GR23001161	Secreterial Assistant (Hindi)	2(1+1)	2(1+1)	2(1+1)	
	Grading: 4.80				. c	









STATE: Madhya Pradesh Total – 15, (New-00, Existing-15)

Meeting Date: 30.01.2024 to 31.01.2024

SCVT to	N/CV/T	٠.
DL VIIO	INC.VI	

SI. no.	Name of Institute with address and Type of Application	Trade for which affiliation		Units for which affiliation sought/ recommended by				
	New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT			
8.	Govt. ITI Mandleshwar, Khargone,kheriya	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended		
	keri road maheshwar, Mandleshwar	Fitter	2(1+1)	2(1+1)	2(1+1)			
	MIS Code: GR23000055	Welder	2(1+1)	2(1+1)	2(1+1)			
9.	Grading: 7.00 Govt. ITI Bhagwanpura, Khargone, Dhulkot	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended		
	road tehsil Bhagwanpura dist Khargone MP.	Mechanic Diesel	2(1+1)	Not Recommended	Not Recommended			
	MIS Code: GR23001172							
10.	Grading: 4.70 Govt. ITI Pipariya,	Welder	2(1+1)	2(1+1)	2(1+1)	Daggerandad		
10.	Narmadapuram, Near Old cold	Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended		
	storage, AKVN Industrial area Panchm	Motor Vehicle	2(1+1)	2(1+1)	2(1+1)			
	MIS Code:	Fitter	2(1+1)	2(1+1)	2(1+1)			
	GR23001095	Refrigeration and. Air	2(1+1)	2(1+1)	2(1+1)			
	Grading: 8.50	Conditioning Technician						

ANNERS OF SUPERIOR DESCRIPTION OF TRAINING AND ANNERS OF SUPERIOR DESCRIPTION OF TRAINING AND ANNERS OF SUPERIOR O







STATE: Madhya Pradesh Total – 15, (New-00, Existing-15)

Meeting Date: 30.01.2024 to 31.01.2024

SCVT to NCVT

Name of Institute with address and Type of Application	Trade for which affiliation	Units f	Remarks by SCAA / DGT		
New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT	
Govt. ITI Sailana, Sailana Kariya Road	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
MIS Code: GR23000272 Grading: 6.00					
Govt. ITI Deori, Sagar, Khanshkheda NH 26 Deori Dist	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
Sagar, MP.	Electrician	2(1+1)	2(1+1)	2(1+1)	
MIS Code: GR23001174					
Govt. ITI Shahdol,	Сора	2(1+1)	2(1+1)	2(1+1)	Recommended
GOVT. ITI , Shahdol , Rewa Road (M.P.)	Fitter	2(1+1)	2(1+1)	2(1+1)	×
MIS Code: GR23000246					
Grading: 6.40					
MIS Code:	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
Grading: 9.10	Fitter	2(1+1)	2(1+1)	2(1+1)	
	with address and Type of Application New/ Existing Govt. ITI Sailana, Sailana Kariya Road MIS Code: GR23000272 Grading: 6.00 Govt. ITI Deori, Sagar, Khanshkheda NH 26 Deori Dist Sagar, MP. MIS Code: GR23001174 Grading: 6.00 Govt. ITI Shahdol, GOVT. ITI, Shahdol, Rewa Road (M.P.) MIS Code: GR23000246 Grading: 6.40 Govt. ITI Tikamgarh MIS Code: GR23000259	Name of Institute with address and Type of Application New/ Existing Govt. ITI Sailana, Sailana Kariya Road MIS Code: GR23000272 Grading: 6.00 Govt. ITI Deori, Sagar, Khanshkheda NH 26 Deori Dist Sagar, MP. MIS Code: GR23001174 Grading: 6.00 Govt. ITI Shahdol, GOVT. ITI, Shahdol, Rewa Road (M.P.) MIS Code: GR23000246 Grading: 6.40 Govt. ITI Tikamgarh MIS Code: GR23000259 Electrician Electrician Electrician Electrician Electrician	Name of Institute with address and Type of Application New/ Existing Govt. ITI Sailana, Sailana Kariya Road MIS Code: GR23000272 Grading: 6.00 Govt. ITI Deori, Sagar, Khanshkheda NH 26 Deori Dist Sagar, MP. MIS Code: GR23001174 Grading: 6.00 Govt. ITI Shahdol, GOVT. ITI, Shahdol, Rewa Road (M.P.) MIS Code: GR23000246 Grading: 6.40 Govt. ITI Tikamgarh MIS Code: GR23000259 Electrician Units for which affiliation sought Instt. Units for which affiliation sought Instt. COPA 2(1+1) 2(1+1) COPA 2(1+1) 2(1+1) COPA 2(1+1) Electrician 2(1+1) Electrician 2(1+1) Electrician 2(1+1) MIS Code: GR23000246 Grading: 6.40 Govt. ITI Tikamgarh MIS Code: GR23000259	Name of Institute with address and Type of Application New/ Existing	Name of Institute with address and Type of Application New/ Existing



TOTAL PROPERTY OF THE CONTROL OF THE PROPERTY OF THE CONTROL OF TH





STATE: Madhya Pradesh Total – 15, (New-00, Existing-15)

Meeting Date: 30.01.2024 to 31.01.2024

SCV	T 40 1	MO	/T
SUV	1 10 1	MC.	<i>v</i> .

SI. no.	Name of Institute with address and Type of Application	with address and which		Units for which affiliation sought/ recommended by				
	New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT			
15.	Govt. ITI Baldevgarh, Infornt of Model	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended		
	school baldeogarhi, Dist Tikamgar	Fitter	2(1+1)	2(1+1)	2(1+1)			
	MIS Code: GU23001152	Welder	2(1+1)	2(1+1)	2(1+1)			
	Grading: 6.10	Сора	2(1+1)	2(1+1)	2(1+1)			





STATE: Meghalaya

Total – 06, (New-02, Existing-04)

Meeting Date: 30.01.2024 to 31.01.2024

C	01	IT	4-	MI	01	17
J	C1	<i>,</i> .	to	IN	\sim 1	<i>/</i> I

SI. no.	Name of Institute with address and Type of Application	Trade for which affiliation		which affiliati recommended		Remarks by SCAA / DGT
	New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT	
1.	Govt ITI Baghmara District: South Garo Hills	Mason (Building Constructor)	1(1+0)	1(1+0)	1(1+0)	As per OM dated 21.08.2023, new ITIs in North Eastern States can be opened with 2 trades, but one
	New ITI	Soil Testing & Crop technician Wood Word	1(1+0)	1(1+0)	1(1+0)	unit in both first and second shifts is mandatory. Accordingly, a revised proposal has
		Technician	1(1+0)	1(1+0)	1(1+0)	to be submitted with 2 (1+1) units in any of
		Wireman	1(1+0)	1(1+0)	1(1+0)	the two trades among the trades sought for affiliation.
2.	Govt ITI Williamnagar	Mason (Building Constructor)	1(1+0)	1(1+0)	1(1+0)	As per OM dated 21.08.2023, new ITIs in North Eastern
	District: East Garo Hills New ITI	Horticulture Soil Testing &	1(1+0)	1(1+0)	1(1+0)	States can be opened with 2 trades, but one unit in both first and second shifts is
	New TT	Crop Technician	1(1+0)	1(1+0)	1(1+0)	second shifts is mandatory. Accordingly, a revised proposal has to be submitted with 2
		Wireman Stenography	1(1+0)	1(1+0)	1(1+0)	(1+1) units in any of the two trades among the trades sought for
		Mechanic Motor Vehicle	1(1+0)	1(1+0)	1(1+0)	affiliation.
3.	Govt ITI Tura District: West Garo Hills	Fruits & Vegetable Processing Information & Communication	1(1+0)	1(1+0)	1(1+0)	Recommended
	अमृत पाल क्रिक्ट आ AMRIT क्रिक्टामा अ संयुक्त क्रिक्टामा अ प्रमुक्त क्रिक्टामा अ क्रिक्टामा अप Ministry of क्रिक्टामा अ Ministry of क्रिक्टा अ	हे एस. डी एस. NGH, ISDS P. Director P. Director स्टिश्च of Training उद्योगना मजालय ते and Entrepteneurship thand Entrepteneurship wt. of India, New Delhi wt. of India, New Delhi		उज्जवल विस्था प्रकाश महिल्ला क्रिकार अंडिंग स्थार अंडिंग स्थार अंडिंग स्थार स्थार, में	Director Director Director Transfer Director Transfer Director Transfer Director Transfer Tra	nip H-12

AMRIA PAL SINGH, ISDS
संयुक्त निकारी प्राप्त Director
संयुक्त निकारी प्राप्त Director मनालय संस्थान विकास और उद्योगित मनालय कोराल विकास और उद्योगित Entrepreneurship Ministry of Skill Development and India, New Dehi सात सरकार, मह दिल्ली/Govt. of India, New Dehi





STATE: Meghalaya Total – 06, (New-02, Existing-04)

Meeting Date: 30.01.2024 to 31.01.2024

SCV	T +~	NICI	/T
SUV	LO	INC	v i

SI. no.	Name of Institute with address and Type of Application	Trade for which affiliation		which affiliation	Remarks by SCAA / DGT	
	New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT	
	MIS Code: GR17000005 Grading: 4.70	Technology System Maintenance	1(1+0)	1(1+0)	1(1+0)	
	Existing ITI	Draughtman (Mechanical)	1(1+0)	1(1+0)	1(1+0)	
		Draughtman (Civil)	1(1+0)	1(1+0)	1(1+0)	
		Surveyor	1(1+0)	1(1+0)	1(1+0)	
		Operator Advance Machine Tools	1(1+0)	1(1+0)	1(1+0)	
		Electronics Mechanic	1(1+0)	1(1+0)	1(1+0)	
		Catering & Hospitality Assistant	1(1+0)	1(1+0)	1(1+0)	
		Dress Making	1(1+0)	1(1+0)	1(1+0)	







STATE: Meghalaya

Total – 06, (New-02, Existing-04) Meeting Date: 30.01.2024 to 31.01.2024

SCVT to NCVT

SI. no.	Name of Institute with address and Type of Application	Trade for which affiliation		which affiliation	Remarks by SCAA / DGT	
	New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT	
4.	Govt ITI Shillong District: East Khasi Hills MIS Code:	Information Communication Technology System Maintenance	1(1+0)	1(1+0)	1(1+0)	Recommended
	GR17000007 Grading: 6.8	Digital Photographer	1(1+0)	1(1+0)	1(1+0)	
	Existing ITI	Multimedia Animation & Special Effect	1(1+0)	1(1+0)	1(1+0)	
		Draughtman (Civil)	1(1+0)	1(1+0)	1(1+0)	
		Operator Advanced Machine Tool	1(1+0)	1(1+0)	1(1+0)	
		Solar Technician (Electrical)	1(1+0)	1(1+0)	1(1+0)	
		Electronics Mechanic	1(1+0)	1(1+0)	1(1+0)	
		Wood Work Technician	1(1+0)	1(1+0)	1(1+0)	



SUNTAN REPORT OF TRAINING AND AND SHIP TO SHIP





STATE: Meghalaya

Total - 06, (New-02, Existing-04)

Meeting Date: 30.01.2024 to 31.01.2024

S	C	V	Т	to	N	C	V.	Г

SI. no.	Name of Institute with address and Type of Application	Trade for which affiliation		which affiliatio	Remarks by SCAA / DGT	
	New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT	
		Baker & Confectioner	1(1+0)	1(1+0)	1(1+0)	
		Fruits & Vegetables Processing	1(1+0)	1(1+0)	1(1+0)	
		Driving Cum Mechanic (LMV)	1(1+0)	1(1+0)	1(1+0)	
5.	Govt ITI (Women), Shillong District: East Khasi Hills	Computer Operator Programming Assistant	1(1+0)	1(1+0)	1(1+0)	Recommended
	MIS code: GR17000003 Grading: 5.3	Catering and Hospitality Assistant	1(1+0)	1(1+0)	1(1+0)	
	Existing ITI	Weaving Technician for Silk & Woolen Fabrics	1(1+0)	1(1+0)	1(1+0)	9
		Dress Making	1(1+0)	1(1+0)	1(1+0)	

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director पहाला पहानिदेशालय/Directorate General of Training कीशाल विकास और उत्पानिता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, गई दिल्ली/Govt. of India, New Delhi SUTTEN TRANSPORT TO SUBJECT OF THE PROPERTY OF





STATE: Meghalaya

Total - 06, (New-02, Existing-04)

Meeting Date: 30.01.2024 to 31.01.2024

SCVT			~ 1	
S	TO		- 1	
3 C V I	LU	14	$\sim v$	

SI. no.	Name of Institute with address and Type of Application	Trade for which affiliation		which affiliatio	Remarks by SCAA / DGT	
	New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT	
6.	Govt. ITI Jowai	Electrician	1(1+0)	1(1+0)	1(1+0)	Recommended
	District: West Jaintia Hills MIS Code: GR17000002	Motor Mechanic Vehicle	1(1+0)	1(1+0)	1(1+0)	
	Grading: 6.9	Welder	1(1+0)	1(1+0)	1(1+0)	
	Existing ITI	Fruits and Vegetable Processing	1(1+0)	1(1+0)	1(1+0)	
		Horticulture	1(1+0)	1(1+0)	1(1+0)	
		Mason (Building Constructor)	1(1+0)	1(1+0)	1(1+0)	

अमृत पाल सिंह, आई एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director पशिक्षण महानिदेशालय/Directornte General of Training कौशल विकास और उद्योगता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत संरकार, नई दिल्ली/Govt, of India, New Delhi SUNGER STEEL DULIWAL BISWAS

OF THE PROPERTY O





STATE: Nagaland

Total - 07, (New-00, Existing-07)

Meeting Date: 30.01.2024 to 31.01.2024

SI. Name of Trade for Units for which recomn address and affiliation				or which affiliat recommended		Remarks by SCAA / DGT
	Type of Application New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT	
1.	Name: Govt ITI Mokochung, MIS Code: GR13000002 Grading: 8.5 Existing ITI	Stenographer Secretarial Assistant	1(1+0)	1(1+0)	1(1+0)	Recommended
2.	Govt ITI Wokha, Wokha, Nagaland MIS Code: GU13000005 Grading: 3.5	Sewing Technology	1(1+0)	1(1+0)	Not Recommended	Not recommended due to low grading
3.	Govt ITI Phek, Phek, Nagaland MIS Code: GR13000003 Grading: 1.5	Sewing Technology	1(1+0)	1(1+0)	Not Recommended	Not recommended due to low grading

अमृत पाल सिंह, आई एस डी एस. AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS अम्प्रेट्स निवेशक/Joint Director संयुक्त निवेशक/Joint Director संयुक्त निवेशक/Joint Director प्रीमाण निविद्याय और उत्पाधित मंत्रालय कीशाल विकास और उत्पाधित मंत्रालय आastry of Stall Development and Entrepreneurship मारा त्राकार, मुझे हिल्ली/Govt. of India, New Delhi SUNTAR PROPERTY OF THE PROPERT





STATE: Nagaland

Total - 07, (New-00, Existing-07)

Meeting Date: 30.01.2024 to 31.01.2024

SCVT to NCVT

SI. no.	Name of Institute with address and	Trade for which affiliation		or which affiliat recommended	by	Remarks by SCAA / DGT
	Type of Application New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT	
4.	Govt ITI Kohima, Kohima, Nagaland	Sewing Technology	1(1+0)	1(1+0)	1(1+0)	Recommended
	MIS Code: GR13000001 Grading: 6.5	Computer Operating and Programming Assistant	1(1+0)	1(1+0)	1(1+0)	
	Existing ITI	Basic Cosmetology	1(1+0)	1(1+0)	1(1+0)	
		Mason	1(1+0)	1(1+0)	1(1+0)	
		Plumber	1(1+0)	1(1+0)	1(1+0)	
5.	Name: Govt ITI Dimapur, Chumukedima, Nagaland	Stenographer Secretarial Assistant	1(1+0)	1(1+0)	Not Recommended	Not recommended due to low grading
	MIS Code: GU13000007				n.	
	Grading: 3.4					
	Existing ITI					
6.	Name: Govt ITI. Mon	Sewing Technology	1(1+0)	1(1+0)	1(1+0)	Recommended
	MIS Code: GU13000008	Wood Work Technician	1(1+0)	1(1+0)	1(1+0)	
	Grading: 4.7	· Johnnolan			eg.	
	Existing ITI					









STATE: Nagaland

Total – 07, (New-00, Existing-07)

Meeting Date: 30.01.2024 to 31.01.2024

SC	/T	40	NI	2	/T
30	v I	LO	IN	6	<i>v</i> .

SI. no.	Name of Institute with address and	Trade for which affiliation	Units fo	or which affiliati recommended	Remarks by SCAA / DGT	
Type of Application New/Existing		sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT	
7.	Name: Govt ITI, Tuensang MIS Code: GU13000004 Grading: 5.60 Existing ITI	Electrician	1(1+0)	1(1+0)	1(1+0)	Recommended

अमृत पाल सिंह आपनी एस. AMRIT PAL SINGH ISDS AMRIT PAL SINGH ISDS संगुक्त निवेषाल/Joint Director प्रोच्याल Joint Of Talning प्रोच्याल प्रिकार और उद्योजना मञ्जाला कोगल किकार और उद्योजना मञ्जाला Ministry of Skill Development and Entrepreneurship मारत सरकार, नह बिल्ली/Govt. of India, New Delhi SUNTACT PARTY DIFFERENCE CONCENTRATION OF THE PROPERTY OF STATE OF THE PROPERTY OF THE PROPERT





STATE: Tamil Nadu

Total - 07, (New-04, Existing-03)

Meeting Date: 30.01.2024 to 31.01.2024

SCI	/T	to	N	CI	/T
361	v	LO	IN	U	

SI. no.	Name of Institute with address and Type of Application	Trade for which affiliation	re	which affiliation	Remarks by SCAA / DGT	
	New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT	
1.	Govt. ITI Kottur	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
	New ITI	Fitter	2(1+1)	2(1+1)	2(1+1)	
		Fashion Design and Technology	2(1+1)	2(1+1)	2(1+1)	
		Refrigeration and Air Conditioning Technician	2(1+1)	2(1+1)	2(1+1)	
		Welder	2(1+1)	2(1+1)	2(1+1)	
2.	Govt. ITI, Gobichettipalayam	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
	Cobionettipalayam	Fitter	2(1+1)	2(1+1)	2(1+1)	
	New ITI	Mechanic Motor Vehicle	2(1+1)	2(1+1)	2(1+1)	
		Refrigeration and Air Conditioning Technician	2(1+1)	2(1+1)	2(1+1)	de .
		welder	2(1+1)	2(1+1)	2(1+1)	
3.	Govt. ITI, Vaniyambadi	Mechanic Motor Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
	New ITI	Refrigeration and Air Conditioning Technician	2(1+1)	2(1+1)	2(1+1)	
				- Carolia	BISWAS	









STATE: Tamil Nadu

Existing ITI

Total - 07, (New-04, Existing-03)

Meeting Date: 30.01.2024 to 31.01.2024

lota	I – 07, (New-04, Existir	• ,	to NCVT	Meeting Da	te: 30.01.2024	to 31.01.2024
SI. no.	Name of Institute with address and Type of Application	Trade for which affiliation	Units for	which affiliation		Remarks by SCAA / DGT
Ne	New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT	
		Fashion Design and Technology	2(1+1)	2(1+1)	2(1+1)	
		Lift and Escalator Mechanic	2(1+1)	2(1+1)	2(1+1)	
		Leather Goods maker	2(1+1)	2(1+1)	2(1+1)	
4.	Govt. ITI Trichy MIS Code: GR3000046	Lift and Escalator Mechanic	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
	Grading: 8.70 Existing ITI					
5.	Govt. ITI Alathur MIS Code: GR33000661 Grading: 4.40	Solar Technician (Electrical)	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
6	Existing ITI	Damatak	0 (4 : 4)	0 (4 : 4)	0 (4 : 4)	
6.	Govt. ITI Coimbatore MIS Code: GU33000058	Remotely Piloted Air Craft (Pilot)	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
	Grading: 7.10					
	Eviation ITI					

अमृत पार्च सिंह, आई एस.डी एस. अमृत पार्च सिंह, आई एस.डी एस. AMRIT PAL SINGH. ISDS AMRIT PAL SINGH. ISDS संग्रुवन निरंपक /Joint Director स्वायुक्त निरंपक /Joint Director प्रायुक्त निरंपक /Joint Director प्रायुक्त निरंपक अप 



STATE: Tamil Nadu

Total - 07, (New-04, Existing-03)

Meeting Date: 30.01.2024 to 31.01.2024

CCIL	T 4-	NIC	VIT
SCV	l to	NC	V I

SI. no.	Name of Institute with address and Type of Application	Trade for which affiliation		which affiliation	Remarks by SCAA / DGT	
	New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT	
7.	Government ITI, Vadakarai	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Fitter	2(1+1)	2(1+1)	2(1+1)	
	New ITI	Mechanic Motor Vehicle	2(1+1)	2(1+1)	2(1+1)	
		wiremen	2(1+10	2(1+10	2(1+10	

अमृत पाल सिंह, आई एस डो एस.
अमृत पाल सिंह, आई एस डो एस.
AMRIT PAL SINGH, ISDS
AMRIT PAL Joint Director
पश्चिम महित्याल्या/Director
पश्चिम महित्याल्या/Director
पश्चिम महित्याल्या/Director
पश्चिम सिंहा सिंहा असे उत्तर अस्ति।
की राल सिंहार असे उत्तर असे प्रस्ति।
की राल सिंहार से दिल्ली/Gov. of India, New Delhi
मारा सरकार, मई दिल्ली/Gov. of India, New Delhi

प्राप्तिकार प्राप





STATE: Uttar Pradesh

Total - 16, (New-00, Existing-16)

Meeting Date: 30.01.2024 to 31.01.2024

CC	VT	40	NI	0	/T
SC	V I	w	1.4	0	<i>v</i> ı

SI. no.	Name of Institute with address and	Trade for which affiliation	Units fo	Units for which affiliation sought/ recommended by		
	Type of Application New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT	2)
1.	Govt Industrial Training Institute Koll, Aligarh MIS Code: GR09901077 Grading: 7.40 Existing ITI	Cosmetology	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
2.	Govt Industrial Training Institute Nagla Jalal, Sikandrarao, Hathras MIS Code:	Electrician Power Distribution Computer Aided Embroidery Designing Welder	02 (1+1)	Not Recommended Not Recommended	Not Recommended Not Recommended	Not Recommended Not Recommended
	GR09000900 Grading: 9.70 Existing ITI	7.75 (20.4 0 + 6000000)	02 (1+1)	2(1+1)	2(1+1)	Recommended
3.	Govt Industrial Training Institute Kisrauli,	COPA	2(1+1)	Not Recommended	Not Recommended	Not Recommended
	MIS Code: GR09000033 Grading: 8.30 Existing ITI	Cosmetology	2(1+1)	Not Recommended	Not Recommended	Not Recommended









STATE: Uttar Pradesh Total – 16, (New-00, Existing-16)

Meeting Date: 30.01.2024 to 31.01.2024

00	-	4		~	-
SC	V/ I	*^	NI		/

SI. no.	Name of Institute with address and	Trade for which affiliation	Units f	Units for which affiliation sought/ recommended by			
	Type of Application New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT		
4.	Govt. Industrial Training Institute Jalesar, Etah	Mechanic Consumer Electronic Appliances	2(1+1)	2(1+1)	2(1+1)	Recommended	
	MIS Code: GR09901078	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended	
	Grading: 7.30	Welder	2(1+1)	2(1+1)	2(1+1)	Recommended	
	Existing ITI	Dress Making	2(1+1)	2(1+1)	2(1+1)	Recommended	
		Fashion Design Technology	2(1+1)	2(1+1)	2(1+1)	Recommended	
		Basic Cosmetology	2(1+1)	2(1+1)	2(1+1)	Recommended	
		Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended	
5.	Govt. Industrial Training Institute Etah MIS Code: GR09000555	Electrician (Power Distribution)	2(1+1)	Not Recommended	Not Recommended	Not Recommended	
	Grading: 8.50						
6.	Existing ITI Govt. Industrial Training Institute, Kalpi MIS Code: GR09901195	CAED (Computer Aided Embroidery and Designing)	2(1+1)	Not Recommended	Not Recommended	Not Recommended	

3141 W72

Face SINCIPLE CONTROL OF A STATE OF THE SINCIPLE CONTROL OF THE SINC

उज्जवल विस्तास WWAL BISM प्रकार का किसान प्रकार के अपना के अप





STATE: Uttar Pradesh

Total - 16, (New-00, Existing-16)

Meeting Date: 30.01.2024 to 31.01.2024

SI. no.	Name of Institute with address and	Trade for which affiliation	which recommended by			Remarks by SCAA / DGT
	Type of Application New/ Existing	ype of sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT	
	Grading: 6.50 Existing ITI					
7.	Govt. Industrial Training Institute, Madhogarh MIS Code: GR09901193 Grading: 7.60	CAED (Computer Aided Embroidery and Designing)	2(1+1)	Not Recommended	Not Recommended	Not Recommended
8.	Existing ITI Govt. Industrial Training Institute, Vishnupur Vishram, Pachperwa, Balrampur MIS Code: GR09901174 Grading: 7.40	Computer Aided Embroidery and Nidle Work	2(1+1)	Not Recommended	Not Recommended	Not Recommended
9.	Existing ITI Govt. Industrial Training Institute, Katra Shankar Nagar,	Mechanic (Refrigeration and Air- Condition)	2(1+1)	Not Recommended	Not Recommended	Not Recommended
	Balrampur MIS Code:	Machinist	2(1+1)	Not Recommended	Not Recommended	Not Recommended
	GU09901159	Mechanic Diesel Engine	2(1+1)	Not Recommended	Not Recommended	Not Recommended









STATE: Uttar Pradesh

Total - 16, (New-00, Existing-16)

Meeting Date: 30.01.2024 to 31.01.2024

CC	VT	40	NI	0	/T
SC	VI	LO	IA	C	V I

SI. no.	Name of Institute with address and	Trade for which affiliation	Units f	Units for which affiliation sought/ recommended by			
	Type of Application New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT		
	Grading: 4.20 Existing ITI	Welder	2(1+1)	Not Recommended	Not Recommended	Not Recommended	
		COPA	2(1+1)	Not Recommended	Not Recommended	Not Recommended	
10.	Govt. Industrial Training Institute,	Turner	2(1+1)	Not Recommended	Not Recommended	Not Recommended	
	Utraula, Balrampur	Mechanic Motor Vehicle	2(1+1)	Not Recommended	Not Recommended	Not Recommended	
	MIS Code: GR09901157 Grading: 7.20 Existing ITI	COPA	2(1+1)	Not Recommended	Not Recommended	Not Recommended	
11.	Government ITI Kaisergang Behraich	Fitter	02 (1+1)	02(1+1)	02(1+1)	Recommended	
	MIS Code: GU09901127 Grading: 4.60 Existing ITI	Turner	02 (1+1)	02(1+1)	02(1+1)	Recommended	
12.	Govt. Industrial Training Institute Rehuwa Mansoor Mahsi, Bahraich	Information Technology and Electronics System Maintenance	02 (1+1)	02 (1+1)	02 (1+1)	Recommended	
		Draughtsman Mechanical	02 (1+1)	02 (1+1)	02 (1+1)	Recommended	

WALD Training Toront of Training Toront of Training Toront of Training Toront of Training Training Toront of Training Tr





STATE: Uttar Pradesh Total – 16, (New-00, Existing-16)

Meeting Date: 30.01.2024 to 31.01.2024

SCVT to NCVT

SI. no.	Name of Institute with address and	Trade for which affiliation	SCVT to NCVT Units fo	Units for which affiliation sought/ recommended by Remar			
	Type of Application New/ Existing	sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT		
	MIS Code: GU09901125 Grading: 4.20 Existing ITI	Mechanic (Refrigeration and Air- Condition)	02 (1+1)	02 (1+1)	02 (1+1)	Recommended	
13.	Govt. Industrial Training Institute Bahraich MIS Code: GU09001574 Grading: 6.40 Existing ITI	Machinist	02 (1+1)	02 (1+1)	02 (1+1)	Recommended	
14.	Govt. Industrial Training Institute Nanpara	Information communication Technology System	2(1+1)	2(1+1)	2(1+1)	Recommended	
	Bahraich (220) MIS Code:	Draughtsman Mechanical	2(1+1)	2(1+1)	2(1+1)	Recommended	
	GU09901126 Grading: 5.00	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended	
	Existing ITI	Fashion Design Technology	2(1+1)	2(1+1)	2(1+1)	Recommended	
15.	Govt. Industrial Training Institute	COPA	02 (1+1)	02(1+1)	02(1+1)	Recommended	
	Rasulabad, Kanpur Dehat 209204	Mechanic Motor Vehicle	02 (1+1)	02(1+1)	02(1+1)	Recommended	

12/03/AZNALT PRETIDENCE OF THE PROPERTY OF THE

Windly of Section of





STATE: Uttar Pradesh Total – 16, (New-00, Existing-16)

Meeting Date: 30.01.2024 to 31.01.2024

SCVT to NCVT

SI. no.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation	Units	for which affiliatio recommended b			
		sought	Instt.	Recomme nded by SSDEC	Trade/units Approved by SCAA/DGT		
3 22	MIS Code: GR09901069 Grading: 7.90 Existing ITI						
16.	Govt. Industrial Training Institute	Mechanic Motor Vehicle	02 (1+1)	02(1+1)	02(1+1)	Recommended	
	Sikandara Kanpur Dehat 209125	Technician Power Electronic System	02 (1+1)	02(1+1))	02(1+1)	Recommended	
	MIS Code: GR09901068	Turner	02 (1+1)	Not Recommended	Not Recommended	Not Recommended	
	Grading: 7.90	Carpenter	02 (1+1)	Not Recommended	Not Recommended	Not Recommended	
	Existing ITI	Plastic Processing Operator	02 (1+1)	Not Recommended	Not Recommended	Not Recommended	

STORE REPORT OF THE PARTY OF TH