DGT-Aff/4/2024-O/o DIR (TC) Government of India Ministry of Skill Development and Entrepreneurship Directorate General of Training

Kaushal Bhawan, New Moti Bagh Chanakyapuri, New Delhi- 110023 Dated: 04.07.2024

To

1. The State Directors

(Andhra Pradesh, Assam, Bihar, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Odisha, Rajasthan, Uttarakhand, Uttar Pradesh, West Bengal)

2. The Regional Directors, RDSDEs

(Andhra Pradesh, Assam, Bihar, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Odisha, Rajasthan, Uttarakhand, Uttar Pradesh, West Bengal)

Subject: Minutes of 16th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" dated 05.06.2024 to 06.06.2024 - regarding.

Sir / Madam,

Please find enclosed approved Minutes of 16th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" dated 05.06.2024 to 06.06.2024. However, implementation orders agenda item wise will be issued in due course of time.

Further, the compliance reports, if any, have to be submitted through the NIMI compliance module only as per OM DGT-11014/2/2023-TC SECTION dated 26.06.2023 within the stipulated time limit as per the SCAA remarks.

This issues with the approval of Competent Authority.

Yours faithfully

उज्जवल बिस्वास/UJJWAL BISWAS

मिदेशक / Director

प्रिक्षण मसनिदेशालय/Directorate General/Of Training Ujjwal Biswas)

कोशाल विकास एवं उद्यमशीलता मंत्रालय कोशाल विकास एवं उद्यमशीलता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, गई बिल्ली-12/Goxt. of India, New Delh-12

Copy to:

1. PSO to DG/AS, DGT, Delhi

PPS to DDG (HQ), PPS to DDG (South), DDG (East).

3. NCVT MIS Portal In charge, DGT HQ, New Delhi, with a request to upload MoM on NCVT MIS Portal

(Amrit Pal Singh) Joint Director, TC

अमृत पाल सिंह, आई रस डा एस. AMRIT PAL SINGH, ISDS संयुक्त निवेशक/Joint Director प्रक्षिम महनियालय/Directorate General of Training कौशल विकास और उद्योगिया मन्नालय Ministry of Skill Development and Entrepreneurship भारत संस्कार, गई दिली/Govt. of India, New Delhi

DGT-Aff/4/2024-O/o DIR (TC)

Government of India

Directorate General of Training

Ministry of Skill Development and Entrepreneurship Kaushal Bhawan, New Moti Bagh, Chanakyapuri, New Delhi- 110023

Minutes of 16th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" dated 05.06.2024 to 06.06.2024

The following DGT Officers were present during the meeting:

- 1. Sh. Ishwar Singh, Deputy Director General
- 2. Sh. Ujjwal Biswas, Director, TC, DGT Member
- 3. Sh. Amrit Pal Singh, Joint Director TC-Section, DGT
- 4. Sh. Raju Kannam, Deputy Director, TC-Section, DGT
- 5. Sh. Rajesh Kumar, Assistant Director, TC-Section, DGT
- 6. Ms. Pooja Verma, Assistant Director, TC-Section, DGT
- 7. Ms. Babita Prasad, Training Officer, TC -section DGT
- 8. Ms. Kanika Kalhan, Training Officer, TC -section DGT

The following officers from RDSDEs and State Directorate attended the meeting (through VC):

S. No.	State	Name of RDSDE Officials	Name of State Officials	
1.	Andhra Pradesh	Sh. P. Mouli, Dy. Director	Sh. Balasubhramanyam, Additional Director	
2.	Assam	Sh. G. C. Deka, Joint Director	Sh. Pranjit Das, Joint Director DECT	
3.	Bihar Sh. B.K Singha, Regional Direct Sh. R.C Mandal, Dy. Director			
4.	Chhattisgarh	Sh. B.K Singha, Regional Director Sh. Shammi Jha, Assistant Director	Sh. R B Tiwari Deputy Director	
5.	Gujarat	Sh. D Sudhakar, Dy. Director	Smt. Shilpa Parmar Deputy Controller (Exam)	
6.	Haryana	Sh. Pranav Chaudhary, Deputy Director	Sh. Nishant Sharma, Assistant Director	
7.	Himachal Pradesh	Sh. Rajnish Kumar Jha, Joint Director	Sh. Sanjay Gupta, Deputy Director	
8.	Jharkhand	Sh. B.K Singha, Regional Director	Sh. Devendra Prasad, Dy Director	
9.	Karnataka	Ms. Sonaji Meghana, Assistant Director	Sh. Umesh Rao, Assistant Director, DITE Karnataka	



AMERICAN SINGH, ector rating and rest of the state of the

10	Kerala	Sh. P G Rajendran · Deputy Director	Sh. Vinod Kumar, Assistant Director
11	Madhya Pradesh	Sh. P. Marveldoss Joint Director	Sh. D.S Thakur Director, Joint Director
12	Maharashtra	Shri. C. S. Murthy, Regional Director Sh. Abhay A. Mahishi, Joint Director	Sh. Prashant Dongre, Assistant Director
13	Odisha	Sh. B. Ravi, Joint Director	Sh. Deepak Patnaik Dy. Director
14	Rajasthan	Sh. S.S Naik, Regional Director	Sh. Suresh Sharma, Dy Director
15	Uttar Pradesh	Sh Asheesh Shukla, Assistant Director	Ranjit Rao Assistant Director
16	Uttarakhand	Sh.Avinash Kishore, Dy. Director	Sh Pankaj Kumar, Deputy Director
17	West Bengal	Dr. Nawal Kishore Arora, Regional Director Sh. Ashim Roy, Dy. Director	Shri Prasenjit Bose, Assistant Director, DET

At the outset, Shri Ishwar Singh, DDG, DGT Chairperson of SCAA, welcomed all the committee members and participants. Thereafter Shri Ujjwal Biswas, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations, and agenda-wise decisions taken by the Chair, are placed below.

Agenda 1: Action Taken report of 15th SCAA meeting held from 03.04.2024 to 04.04.2024.

Minutes and Affiliation orders of the 15th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" dated 03.04.2024 to 04.04.2024 have been issued and uploaded on NCVT MIS Portal. The same has been informed to all members and ratified by the committee.

Agenda 2: New Accreditation/ Affiliation Proposals for Existing and New ITIs from 5 States

Inspection reports for 33 New Accreditation/ Affiliation Proposals for Existing and New ITIs from 05 States have been received till 20.05.2024. State Wise summary is given below:

Table 1: State wise summary of total inspection report received

	Inspection report received from 01.04.2024-20.05.2024									
S. No.	State	E	xisting	Existing Total	New		New Total	Grand Total		
		Govt	Private		Govt	Private	-	Grana rotar		
1	Jharkhand	0	0	0	0	2	2	2		
2	Kerala	0	1	1	0	0	0	1		
3	Odisha	17	0	17	2	0	2	1		
4	Uttar Pradesh	0	6	6	0	1	2	19		
5	West Bengal	0	2	2	0	-	1	7		
50	Grand Total	47		2	U	2	2	4		
		17	9	26	2	5	7	33		

¹⁶th SCAA remarks: Inspection reports for above mentioned 33 ITIs have been scrutinized and discussed in meeting. The remarks by SCAA for each are given in *Annexure–I*.

Agenda 3: Reports received in compliance of SCAA remarks of previous SCAA meetings

The report received in compliance of SCAA remarks of previous SCAA meetings through Compliance module on NIMI affiliation portal have been discussed in the meeting and final remarks of the 16th SCAA are given in *Annexure-II*

Agenda 4: Ratification of cases which have been decided in compliance of various court order

Page 3 of 225

The following affiliation matters have been decided in compliance to various court judgment and put up for ratification of SCAA.

S. No.	ITI Name and Address	State	MIS Code	Court case no	Trade and Unit Which sought for Affiliation	Trads and Units Recommended/Rej ected by DGT	Concern File No
1.	Mandar Pvt ITI Lilavaran, Post Aouriya, Ps- Barahat, Dist- Banka- 813103	Bihar	PR10000999	W.P No 10104/2021	1. Electrician 8(4+4) 2. Fitter 4(2+2)	Recommended 1. Electrician 8(4+4) 2. Fitter 4(2+2)	DGT- HC044/90/2021- O/o-0 DIR(TC) Dated: 08.05.2024 E-File-45869
2.	Maa Santoshi Pvt ITI	Bihar	TMP 408 MSTI	W.P.C 14570/2022	Electrician 4(2+2)	Recommended Electrician 4(2+2)	DGT- HC044/17/2022- O/o Dir (TC) Dated: 11.08.2023
3.	Gyanti Devi Pvt ITI	Bihar	TMP10197P R158028053 3	W.P.C 2497/2022	 Electrician 4(2+2) Fitter 4(2+2) 	Recommended 1. Electrician 4(2+2) 2. Fitter 4(2+2)	E-File- 50096 DGT- Aff011(14)/4/2023 O/o Dir (TC), Dated: 14.03.2023 E- 58178
4.	ITI, Katihar Gram	Bihar JWAL BISWAS	TMP10201P R158125344 0	W.P No. 4878/2020	1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. COPA 2(1+1 4. Plumber 2(1+1)	Rejected 1. Electrician 2(1+1) 2. Fitter 2(1+1)	DGT-HC- 047/1/2021-O/o DIR(TC) Dated: 01.04.2024 E-File- 41008

S. No.	ITI Name and Address	State	MIS Code	Court case no	Trade and Unit Which sought for Affiliation	Trads and Units Recommended/Rej ected by DGT	Concern File No
5.	Ram Janki Pvt ITI, Begusarai Vill Bank, P.s Dandari, P.o Bank, Dist Begusarai- 851211	Bihar	TMP10191P R157987619 6	W.P No. 4878/2020	 Electrician 4(2+2) Fitter 4(2+2) 	Rejected 1. Electrician 4(2+2) 2. Fitter 4(2+2)	DGT-HC- 047/1/2021-O/o DIR(TC) Dated: 01.04.2024 E-File- 41008
6.	Tejaswi Pvt ITI, Vaishali Vill+ P.O. Rampur Shayamchand, P.S Raghopur 844508	Bihar	TMP10224P R158288832 7	W.P No. 4878/2020	 Electrician 4(2+2) Fitter 4(2+2) 	Rejected 1. Electrician 4(2+2) 2. Fitter 4(2+2)	DGT-HC- 047/1/2021-O/o DIR(TC) Dated: 01.04.2024 E-File- 41008
7.	Vaishali Pvt ITI, Vaishali Vill, Pranpur Berai, P.O Sarai, - 844125	Bihar	PR10000440	W.P No. 4878/2020	Electrician 6 (3+3)	Rejected Electrician 6 (3+3)	DGT-HC- 047/1/2021-O/o DIR(TC) Dated: 01.04.2024 E-File- 41008
8.	Dr. R D Y Pvt ITI At Near NH-82 Gaya- Nawada Road, Near Kaeya P.S- Gaya- 823003	Bihar Bihas	PU10000885	W.P.(C) 13585/2023	Electrician 16(8+8)	Recommended Electrician 12(6+6)	DGT- HC044/25/2023- O/o-DIR(TC) Dated: 03.05.2024 E-File- 62846

S. No.	ITI Name and Address	State	MIS Code	Court case no	Trade and Unit Which sought for Affiliation	Trads and Units Recommended/Rej ected by DGT	Concern File No
9.	Brij Pvt ITI	Bihar	PR10000912	Con Case 1541/2023 in CWP No. 13652/2021	Electrician 8(4+4)	Recommended Electrician 8(4+4)	DGT- HC044/8/2022- O/o DIR(TC) Dated: 19.10.2023 E-file- 46899
10.	Hazaribagh Pvt ITI Near mandi kalan panchayat bhawan Gas Godam road, Hazaribagh- 825301	Jharkhand	PU20000234	W.P No 12704/2023	 Electrician 4(2+2) Surveyor 2(1+1) 	Recommended 1. Electrician 4(2+2) 2. Surveyor 2(1+1)	DGT- HC044/20/2023- O/o DIR(TC) Dated: 10.05.2024 E-File- 62624
11.	Happy Young Industrial Training Institute Naya Bazar BBMB Colony, Sundar Nagar Mandi Himachal Pradesh- 175019	Himachal Pradesh	PU02000147	W.P.C 5000/2023	Electrician- 3(1+1+1)	Electrician-2(1+1)	DGT- HC019/1/2023- O/o DIR(TC) Dated: 10.10.2023 E-file-61827
12.	Shivalik Pvt ITI Una VPO badhera tehsail haroli	Himachal Pradesh	TMP226PR1 582605036	Not Applicable	1. Basic Cosmetology 2(1+1)	Recommended	RDSDE-T- 11011/4/2023-Trg (SCAA/Complianc e) Dated:

S. No.	ITI Name and Address	State	MIS Code	Court case no	Trade and Unit Which	Trads and Units Recommended/Rej	Concern File No
	distt una- 177209				2. Electrician 3(1+1+1) 3. Fitter 3(1+1+1) 4. Plumber 2(1+1)	ected by DGT 1. Basic Cosmetology 2(1+1) 2. Electrician 2(1+1) 3. Fitter 2(1+1) 4. Plumber 2(1+1)	08.12.2023 E-File- 61664
13.	New Vivekanand Pvt ITI	Himachal Pradesh	TMP226PR1 646715254	CWP No. 4963/2023	 Electrician 3(1+1+1) Fitter 2(1+1) COPA 2(1+1) Solar Technician (Electrical) 2(1+1) 	Recommended: 1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. COPA 2(1+1) 4. Solar Technician (Electrical) 2(1+1)	DGT- HC019/2/2023- O/o DIR(TC) Dated: 22.09.2023 E-File-61836
14.	Optech Vidya Pvt ITI Old Address: Above City heart Hotel, The-Amb Dist-Una, Himachal Pradesh New Address: Takrala Chururu, The- Amb, District	Himachal Pradesh	PR02000077	W.P No. 7671/2023	 Electrician 3(1+1+1) Electronic Mechanics 3(1+1+1) Mechanic Computer Hardware 2 (1+1+0) Sewing Technology 1(1+0+0) 	Recommended for shifting with existing trades/units	DGT- HC019/4/2023- O/o DIR(TC) Dated: 08.12.2023 E-File- 62906

S. No.	ITI Name and Address	State	MIS Code	Court case no	Trade and Unit	Trads and Units Recommended/Rej	Concern File No
					sought for Affiliation	ected by DGT	
	Una, Himachal Pradseh						
15.	Unique Pvt ITI	Karnataka	New ITI (SCVT to NCVT)	W.P NO. 111831/2019	Electrician 1(1+0) Fitter 1(1+0)	Rejected 1. Electrician 1(1+0) 2. Fitter 1(1+0)	DGT- HC022/7/2021- O/on DIR(TC) Dated :16.05.2024 E-File- 42523
16.	Rammurat PVT	Uttar Pradesh	New ITI	CONT.CAS(C) 1092/2023	1. Electrician 6(2+2+2) 2. Fitter 6(2+2+2)	Recommended 1. Electrician 4(2+2) 2. Fitter 4(2+2) The affiliation order needs to be issued in standard format.	OM no: DGT- HC044/28/2021- O/o DIR(TC) Dated: 31.08.2023 E-File- 41005
17.	Shree Ram Pvt ITI	Uttar Pradesh	1809024027	W.P.(C) 3772/2023	 Copa 1(0+0+1) Electrician 6(2+2+2) Fitter 3(1+1+1) Mechanic Diesel 2(1+1+0) 	Recommended 1. Copa 1(1+0) 2. Electrician 4(2+2) 3. Fitter 2(1+1) 4. Mechanic Diesel 2(1+1)	DGT- HC044/8/2023- O/o DIR(TC) Dated: 10.10.2023 E-File-59378
18.	Maa Saraswati Pvt ITI	Uttar Pradesh	TMPOLD312	Cont Case 1392/2023 in WPC 11602/2022	Electrician Power Distribution 4(2+2) Early Childhood Educator 4(2+2)	Rejected 1. Electrician Power	DGT- HC044/34/2022- O/o DIR(TC)

S.	ITI Name and	State	MIS Code	Court case no	Trade and Unit	Trads and Units	Concern File No
No.	Address				Which	Recommended/Rej	
					sought for Affiliation	ected by DGT	
						Distribution	Dated: 10.10.2023
						4(2+2)	E-File- 54631
						2. Early Childhood	
						Educator 4(2+2)	
19.	Durga Pvt ITI	Uttar	TMPOLD320	CONT.CAS(C)	1. Electrician 4(2+2)	Rejected	DGT-
		Pradesh	MSTI	895/2022 in WPC	2. COPA 2(1+1)	1. Electrician	HC044/31/2022-
	ll l			6302/2022		4(2+2)	O/o DIR(TC)
						2. COPA 2(1+1)	Dated: 19.04.2024
		-1					E-file- 53936
20.	PR Memorial	Uttar	PR09900579	WPC 14341/2023	Electrician 4(0+0+4)	Rejected	DGT-
	Pvt ITI	Pradesh				Electrician 4(0+0+4)	HC044/602/2017
						10	O/o DIR(TC)
							Dated: 12.04.2024
							E-File 6165
21.	Tapobhumi Pvt	Uttar	PR09000528	CONT.CAS(C)	Electrician 8(2+2+4)	Rejected	DGT-
	ITI	Pradesh		1089/2023 in		Electrician 8(2+2+4)	HC044/11/2023-
				W.P.C 8341/2023			O/o(TC) Dated:
							21.09.2023
							E-file- 60497
22.	Govt ITI,	Tamilnadu	Not	Not Applicable	1. Mechanic (Motor	Recommended	DGT-
	Vadakari		Available		Vehicle) 2(1+1)	1. Mechanic (Motor	Aff011(32)/4/2023
15					2. Electrician 2(1+1)	Vehicle) 2(1+1)	-O/o DIR Dated:
					3. Wireman 2(1+1)	2. Electrician	21.12.2023
		24		T to	4. Fitter 2(1+1)	2(1+1)	E-File- 63497
		SISMAG	<u></u>	ATT 8	5. Welder 2(1+1)	3. Wireman 2(1+1)	Number of Section 1. Control of the Section 1.

S. No.	ITI Name and Address	State	MIS Code	Court case no	Trade and Unit Which sought for Affiliation	Trads and Units Recommended/Rej ected by DGT	Concern File No
						4. Fitter 2(1+1) Not Recommended 1. Welder 2(1+1)	

16th SCAA remarks: The aforesaid cases have been ratified in SCAA meeting

Agenda 5 De-affiliation matters

Agenda 5.1 De-affiliation of 33 ITIs of Rajasthan State: The matter of de-affiliation of 33 ITIs have been discussed and recommended in 5th SSDEC meeting of Rajasthan state held on 21.02.2024.

16th SCAA remarks: Each case has been discussed in detail and remarks of SCAA are given in column V of Annexure-III.

Agenda 5.2: The De-affiliation/ Self -surrender of 04 ITIs of Himachal Pradesh State: The matter of De-affiliation/ Self -surrender of 04 ITIs have been discussed and recommended in 2nd SSDEC of Himachal Pradesh State held on 01.08.2023.

16th SCAA remarks: Each case has been discussed in detail and remarks of SCAA are given in column V of Annexure-IV.

Agenda 5.3: De-affiliation matters of 02 ITIs of Uttarakhand State: The matter of De-affiliation of 02 ITIs have been discussed and recommended in SSDEC of Uttarakhand State held on 06.03.2023 and 29.03.2023.

16th SCAA remarks: Each case has been discussed in detail and remarks of SCAA are given in column V of Annexure-V.

Agenda 6: Matter of self-surrender of trade/units

Agenda 6.1:The Self -surrender matters of 11 Govt. ITIs of Uttarakhand State: The matter of Self -surrender of 11 Govt. ITIs have been discussed and recommended in SSDEC of Uttarakhand State held on 06.03.2023 and 29.03.2023.

16th SCAA remarks: Each case has been discussed in detail and remarks of SCAA are given in column V of Annexure-VI



Agenda 6.2: The Self -surrender matters of 02 ITIs of Uttar Pradesh State: The matter of Self -surrender of 02 ITIs have been discussed and recommended in 04th SSDEC of Uttar Pradesh State held on 18.12.2024.

16th SCAA remarks: Each case has been discussed in detail and remarks of SCAA are given in column V of Annexure - VII

Agenda 7: Miscellaneous matter

Agenda 7 1: The de-affiliation matter of 01 ITI of Rajasthan State: The matter of 01 ITI has been discussed and recommended in 5th SSDEC meeting of Rajasthan state held on 21.02.2024.

16th SCAA remarks: The case has been discussed in detail and remarks of SCAA are given below in column V

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	SCAA Remarks
	II	111	IV	V
	Shree Jee Pvt.ITI Near,DEEG Road, Choki Chungi, Ward no.20, nagar, (Bharatpur) -321205 PR08001072	Electrician - 05(2+2+1) Fitter-2(1+1) Mechanic Diesel -2 (1+1)	1. The de-affiliation proceedings start due to the irregularities found during the NCVT annual exam held on NOV.2021. 2. The two Show Cause Notices were issued to the ITI one by DTE Rajasthan and another by DGT and the ITI replied to the SHOW CAUSE NOTICE issued by DGT. 3. After that the joint inspection was carried out. 4. The case was placed in the SSDEC and SSDEC recommended following trades: a) Electrician -05(2+2+1) b)Fitter -02 (1+1) SSDEC not recommended as ITI self surrender the Mechanic Diesel - 02	The matter was discussed in the meeting and based on SSDEC recommendations, SCAA decided to recommend the following trades/units of the ITI:- a) Electrician -05(2+2+1) b)Fitter -02 (1+1) Also, as per SSDEC recommendations, SCAA not recommended the Machania Biases.

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	SCAA Remarks
			(1+1) trade because Tools & Machinery of mechanic diesel Trade is not available. Trade may be de-affiliated at NCVT MIS Portal as requested by the institute.	

Agenda 7.2: The matter of Govt. ITI Lowar Bazar (GU05000063) was discussed in the meeting in which the discrepancy was found regarding merging of Weaving of Woolen Fabrics – 1 (1+0) trade. As per DGT merging order dated 02.08.2023 does not mentioned with Weaving of Woolen Fabrics trade but as per portal ITI is still affiliated with this trade.

Also, the clarification was required about existing trainees undergoing training in GU05000063 along with supplementary trainees to be appeared in the upcoming examination because after the merger of said ITI, it will be de-affiliated and the trades will also de-affiliated from NCVT MIS portal.

16th SCAA remarks: - SCAA decided that State Directorate will send the clarification in the above matter within 15 days and after that the case will be decided as per the clarification received by State Directorate.

Agenda 7.3: Decision on compliance cases with lapsed submission periods on the Compliance online portal The State Directorates were informed during the 12th, 13th, and 14th SCAA meetings to expedite these matters.

S. No.	MIS CODE	Name of ITI	State/ UT
SWAS 1.	PR09900806	Maa Kripal Devi Pvt ITI	Uttar Pradesh

उज्जीवल विस्तास / UJWAL प्र निवेशक / Director प्रशिक्षण महारिवेशालय/Directorate Geometal of Trainipe प्रशिक्षण महारिवेशालय/Directorate Geometal of Trainipe कोषाल विकास एवं उद्दानशीलको संज्ञानीय Ministry of Skill Development and Entrepreneurs up भारत सरकार, नई विस्ती-12/Govt. of India. New Disheld AND THE PROPERTY OF THE PROPER

2.	PR19000248	Pranabananda Pvt. ITI	West Bengal
3.	PR22000056	Agashe Central Pvt. ITI	Chhattisgarh
4.	PR23000193	Paramhans Pvt.ITI	Madhya Pradesh
5.	TMP20322GU1648283092	Gimit Women ITI College	Jharkhand
6.	TMP20322PR1648735100	Vfres Private ITI	Jharkhand
7.	TMP20337PR1648444289	Maheshpur Pvt. ITI	Jharkhand
8.	TMP20607PU1648371862	Jan Jyoti Pvt ITI Ramgarh	Jharkhand

SCAA remarks: These cases have been discussed with State and RDSDE and granted one last opportunity to address the deficiencies, as per the respective SCAA remarks, and submit the compliance on the Compliance Portal within 15 days from the issuance of these minutes. If the applicant institute fails to do so, the affiliation application shall be rejected.

Agenda 7.4: Miscellaneous Affiliation matter-court case compliance

7.4.1 Maa Pitambara ITI (PR09901411)- Compliance of the Hon'ble court judgement dated 01.11.2023 passed in WPC 17682/2022 titled Maa Pitambara ITI Vs DGT at Delhi High court

The brief fact of the case is mentioned below:

1. The present petition was filed by petitioner Maa Pitambara ITI having code TMP9161PR1580055807 with a prayer: "Quashing of decision taken by the respondent in respect of the petitioner institution to the extent that it only grants affiliation in the trade of electrician [2 (1+1)] which is not as per the trade applied by the petitioner institution and direct the respondent to issue affiliation to petitioner institution for the Trades of Computer Operator & Programming Assistant [2 (1+1)] and Electrician [4 (2+2)], as has been recommended by the competent authority vide letter dated 17.08.2022; from the ensuing session; and/or any other relief."



- 2. The Hon'ble court disposed of the matter on 01.11.2023 with the direction for respondent to inspect the petitioner institution for grant of affiliation for remaining trades (Electrician and COPA) units as prayed. The decision may be taken on the application within a period of four weeks from the date of receipt of the inspection report. The petitioner-institution undertakes to cooperate with the joint inspection.
- 3. Previously, the petitioner case was put up in 9th SCAA meeting held on 16.05.2023 with a decision stating that-" As ITI is not agreeing for joint inspection, SCAA committee has not recommended its request for affiliation of COPA (1+1)."
- 4. In compliance to above judgement dated 01.11.2023, the petitioner had been communicated the prior intimation vide email dated 08.11.2023 to give its willingness for inspection and to keep the infrastructure ready for carrying out the joint inspection.
- 5. Thereafter, this case was again put up in 12th SCAA held on 15.12.2023 with a remarks stating that- "RDSDE will create the batch for joint inspection in coordination with the petitioner and state directorate within 01 month from issue of this MoM and submit the report thereafter. The inspection report shall be placed in ensuing next SCAA."
- 6. In compliance to the 12th SCAA MoM, the petitioner has submitted its reply vide letter dated 05.01.2024 that it has no grievance in compliance with the judgment dated 01.11.2023 and denied any further inspection. Currently, the petitioner i.e Maa Pitambara ITI is affiliated in Electiraician-2(1+1) bearing the permanent code PR09901411.

16th SCAA Remarks:

The petitioner has no grievance with reference to judgement dated 01.11.2023 and is not ready for further inspection. Accordingly, the prayer for Trades of Computer Operator & Programming Assistant [2 (1+1)] and remaining unit of electrician [2 (1+1)] are hereby Rejected.

7.4.2 Chandrakanta Industrial Training Centre (PR09000062)- Compliance of the judgement dated 26.09.2023 passed in W.P.(C) 2831/2020 & CM APPL 9855/2020 titled Chandrakanta Industrial Training Centre Vs DGT at Delhi High Court

The brief fact of the case is mentioned below:

- 1. The present writ petition had been filed by the petitioner i.e, Chandrakanta Industrial Training Centre Mirhachi Etah UP (PR09000062) seeking relief to direct the Respondent to conduct inspection and decide the application of the Petitioner for shifting of its ITI from its old premises at "Mirhachi, Block Marhara, Tehsil & District Etah, Uttar Pradesh" to its new premises at "Block Sheetapur, Tehsil & District Etah, Uttar Pradesh" unhindered by the decision taken by the Respondent in its 7th Recommendation Committee meeting held on 27.08.2019 and vide its Communication dated 18.09.2019.
- 2. That the petitioner has made application on NIMI portal on 26.02.2020 for shifting of its premises to a new block at "Block Sheetapur, Tehsil & District Etah, Uttar Pradesh". The petitioner application was not considered as ITI is shifting its premises from outside block.
- 3. That the Hon'ble court vide its judgement dated 26.09.2023 has set aside the impugned decision taken vide communication dated 18.09.2019 and the matters are remitted back to the respondent-DGT to be decided afresh within four weeks. Currently, the petitioner institute is active on portal, but trades/units are de-affiliated since 23.10.2020.

Page 14 of 225

4. In compliance to above judgement, the petitioner Institute was given a prior intimation on 10.10.2023 for carry out the inspection at new location with existing trades and units. Thereafter, RDSDE UP vide its email dated 29.12.2023 and 01.05.2024 has further afforded the opportunities to the petitioner for materializing the inspection. However, the petitioner vides its reply mail dated 15.05.2024 has expressed its unwillingness to run the institute and denied the inspection.

16th SCAA Remarks:

The petitioner has expressed its willingness to close the institute and is not ready for further inspection. Accordingly, the petitioner ITI shall be de-affiliated completely.

7.4.3 S. S. Private ITC - Etah (PR09000523)- Compliance of the judgement dated 04.10.2023 passed in W.P.(C) 12009/2019 titled S S Private ITI Vs DGT

The brief fact of the case is mentioned below:

- 1. The above Writ petition was filed by petitioner i.e S. S. Private ITC Etah (PR09000523) inter alia praying to restrain the respondent from conducting Joint Inspection of premises of the petitioner institute at its old location at "Tondapur, District Etah, UP" in pursuance of its communication dated 22.10.2019; and to conduct joint inspection at its new location at "Himmatganj, Tehsil Bilsi, District Badayn, UP" and to decide its application for shifting of premises. The petitioner made an application on 30.05.2019 for shifting the ITI at new location at district Badaun along with addition of trade and units.
- 2. The present petition was disposed of along with connected matters (SS Pvt ITI and Jai Bajrang Bali ITI) on 04.10.2023 inter alia directing the respondents to carry out the inspection at new site and take a decision within 04 weeks from the inspection.
- 3. Further the Hon'ble court has also passed the direction that till the application of the petitioners-institutions are decided after the joint inspection at their new locations, no coercive steps shall be taken against the petitioners-institutions by the respondent-DGT.
- 4. As per TC section email 04.10.2023, the petitioner had already been intimated to keep ready the infrastructure ready for inspection. RDSDE and state directorate was informed to create the batch for inspection and submit the report.
- Thereafter, the case was again put up in 12th SCAA held on 15.12.2023 and it was decided that RDSDE UP shall create the batch for inspection for the institute. Accordingly, RDSDE UP has intimated the petitioner on 29.12.2023 for carry out the inspection.
- 6. The petitioner vide its reply mail dated 20.01.2024 has denied the inspection stating that NOC was not issued to the institute for shifting so the institute was not willing to shift the ITI.

16th SCAA Remarks:

The petitioner has expressed its willingness not to shift the institute so the inspection could not be carried out. Accordingly, the petitioner application made on 30.05.2023 for shifting is hereby Rejected.

काराल प्रकार जार जगभग मुत्रालय Ministry of Skill Development and Enfrequenceship भारत सरकार, गई दिल्ली/Govt. of India, New Delhi

प्रधावल बिस्वास / UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
पारव सरकार, नई विल्ली-12/Govt. of India, New Delbi-12

Page 15 of 225

7.4.4 Ram Kishor Private ITI-Compliance of the judgement dated 06.03.2023 passed in W.P.(C) 1058/2021 titled RamKishor Private ITI v/s DGT

The brief fact of the case is mentioned below:

- 1. The present petition had been filed with the prayer-"[a] Issue a writ of certiorari and quash the decision taken by the Respondent in its 14th Recommendation Committee Meeting held on 10.11.2020 qua the Petitioner at Agenda No.14.1.1[S.No.2] vide which the application (1809017918) of the Petitioner for seeking affiliation for 3 units each in Electrician; Fitter; Sewing Technology and COPA Trades has been rejected; and[b] Issue a writ of mandamus and direct the Respondent to grant affiliation to the Petitioner for 3 units each in Electrician; Fitter; Sewing Technology and COPA Trades;"
- 2. The Hon'ble High Court vide its order dated 06.03.2023 in connected matter of CWP No 1058/2021 has disposed of this writ petition with the direction that the impugned decisions in the present petitions rejecting the applications of the petitioners for the concerned Academic Year are set aside, and directed DGT to inspect the subject site and consider the applications of the petitioners-institutions for affiliation with new ITI College for the next Academic Session by 30.06.2023.
- 3. In compliance to above judgement, the petitioner was intimated via email dated 29.03.2023 to get the inspection done. Thereafter ITI has requested 02 months' time for inspection vide its letter dated 27.05.2023. The case was put up in 10th SCAA held on 16.06.2023 and SCAA agreed to give 02 months' time as per request of ITI.
- 4. Thereafter, the case was again put up in 12th SCAA held on 15.12.2023 and the last and final opportunity was granted to petitioner in order to keep the infrastructure ready as per norms and get the inspection done. The petitioner was intimated the minutes of meeting on 17.01.2024 from TC section. Thereafter, RDSDE UP has finally scheduled the batch of inspection on 14.06.2024. However, the petitioner has denied the inspection vide its letter 05.06.2024 stating that its unwillingness to open the ITI.

16th SCAA Remarks:

The petitioner has expressed its willingness not to open the ITI. Accordingly, the prayer for affiliation to the Petitioner for 3 units each in Electrician; Fitter; Sewing Technology and COPA Trades is hereby Rejected.

7.4.5 Balaji Private ITI (PU08001888)-Compliance of the judgement passed by the Hon'ble High court of Delhi in WP 5903/2020 titled Balaji Pvt ITI Vs DGT

The brief facts of the case are mentioned below-

उज्जावल बिस्वास/UJJWAL BISWAS निदेशक / Director प्रशिक्षण मक्षनिदेशालय/Directorale General of Training कौशल विकास एवं उद्यमशीलता मंत्रालय Ministry of Skill Development and Entrepreneurship पारत सरकार नई दिन्हीं AMRIT PAL SINGH, SOS AMRIT PAL SINGH, SOS AMRIT PAL SINGH, SOS AMRIT PAL SINGH, SOS AMRIT PAL SINGH SINGH SOS AMRIT PAL SINGH SOS AMRIT PAL SINGH SOS AMRIT SOS AMRIT

- The petitioner i.e Balaji Private ITI (PU08001888) has filed WP no. 5903/2020 at the juncture of the Hon'ble court of Delhi inter alia challenging
 this office letter/OM dated 25.08.2020 vide which application of the petitioner ITI regarding shifting its premises to another District has been
 declared as "Not Eligible" to be considered further for shifting since the extant policy decision taken in meeting of the Recommendation
 Committee dated 27.08.2019 does not permit shifting of the institute from one District to another or from a Rural District/ Block to an Urban
 District/Block.
- 2. The Hon'ble High Court vide its order dated 26.09.2023 in WPC 5903/2020 and other connected matters, granted relief to the petitioner for getting the inspection done at new location. The matters were remitted back to the respondent to be decided afresh within four weeks, on the basis of the observations made by this court on 26.05.2023 in W.P.(C) 15570/2022.
- 3. The state directorate has conducted the routine inspection of the several ITIs in Rajasthan including the petitioner. The petitioner had already shifted its location to another district, so it was found closed at old location. Therefore, based upon the decision taken in 4th SCAA meeting held on 26.10.2021, the de-affiliation order was issued against petitioner by DGT on 20.12.2021 and the petitioner was disallowed for further admission.
- 4. Therefore, in compliance of the order dated 26.09.2023 passed by the Hon'ble Court of Delhi, a prior intimation was sent to the petitioner on 04.01.2024 in order to carry out the joint inspection at the premises of the institute. Thereafter, the case was supposed to be put up in SCAA for final decision.
- 5. Accordingly, as per availability of the committee members, RDSDE has scheduled the inspection on 15.05.2024. The team visited the premises of the petitioner institute, but no institute was found at the location. The team has tried to contact the owner, but no right location was shared. Further, the petitioner vide its letter dated 15.05.2024 has submitted that it is not interested in any joint inspection through WhatsApp to the team members. The state directorate vide its letter dated 24.05.2024 has not recommended the affiliation at new location based upon the joint inspection report.

16th SCAA Remarks:

The petitioner has denied to carry out further inspection at the new location. Accordingly, the status quo of DGT order dated 20.12.2021 is maintained and the petitioner ITI shall be treated as de-affiliated completely.

7.4.6 RN PVT ITI (TMP 416 MSTI)-Compliance of the judgement passed by the Hon'ble High court of Delhi in W.P.(C) 3270/2024 titled RN PVT ITI Vs DGT

1. Petitioner i.e R N Pvt ITI (TMP 416 MSTI) from Bihar filed writ petition W.P.(C) 3270/2024 with prayer to quash the decision taken in its 7th meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 22-23.11.2022 and to decide the application submitted

उपजिल विस्वास/UJJWAL BISWAS
निवेशक / Director
पश्चिमण महनिवेशकल्य/Directorale General of Training
कोशल विकास एवं उद्यानशीलला मंत्रालय
Ministry of Skill Development and Entrepreneutship
मारा संकार, नई दिली-12/Govt. of India. New Delhi-12

THE PARTY OF THE PROPERTY OF THE PARTY OF TH

- by the petitioner institution for grant of affiliation for 4 Units (2+2) of Electrician Trade, 4 Units (2+2) of Fitter Trade and Short Term Course (Electrician Technician) from the academic session 2024-25 in a time bound manner
- 2. That the Petitioner submitted its application dated 19.10.2019 to the Respondent seeking permission for establishment of its Multi Skill Training Institute (MSTI) in unserved block for grant of affiliation for 4 Units (2+2) of Electrician Trade, 4 Units (2+2) of Fitter Trade and MSME Short Term Course (Electrician Technician) from the academic session 2019-20.
- 3. That the matter was placed before SCAA in its 1st meeting held on 05-06.04.2022 wherein, it was decided not to recommend the petitioner's application for affiliation on the ground that the MSTI falls in served block and applicant ITI has to apply as per affiliation norms of ITIs i.e. minimum for 4 trades.
- 4. Thereafter, the petitioner case was again placed in 7th SCAA meeting held on 22.11.2022 based upon the representation from state/RDSDE wherein the impugned decision was taken stating that "As MSTI has not removed deficiency roof of workshop drawing hall and classroom MSTI not recommended for affiliation."
- 5. The Hon'ble court vide its judgement dated 04.03.2024 disposed of the matter with a direction to withdraw the impugned decision within 24 hrs and thereafter to proceed the application in accordance with law.
- 6. In compliance with the aforesaid judgment and scrutinizing the petitioner's application, the following deficiencies are observed:
 - a. BCC is not as per norms.
 - b. The workshop, drawing hall, Classroom, and IT Lab roof are made of Tin. (Visible in photos and Video) which is not as per norms.
- 7. And the petitioner was given a Show Cause Notice to rectify the above deficiencies within 04 weeks from 27.03.2024 and RDSDE was asked to carry out the joint inspection. The Joint inspection team recommended for the trades Electrician-2+2=4 units and Fitter -2+2=4 units for new MSTI Institute.
- 8. The matter was placed in 16th SCAA and the following observation has been made against the report.

TC section remarks

- i. BCC is still not provided only no approved plan is given. BCC should be in the name & address of the ITI clearly stating that the Building(s) is fully constructed and ready and safe in all respects for the intended use as an Industrial Training Institute (ITI) as per the local building Byelaws related to ITIs/ Technical Institution Buildings or latest National Building Code (N.B.C) of India. This certificate should be issued from Government Civil/ Structural Engineer. (Please refer page no.108 of affiliation norms 2018)
- ii. Fire safety certificate is not available.

16th SCAA Remarks:

Ministry of EXIII Development and Emireprament.
With ARMS, 74 (2001) 12 (Gov. of India, New Delh

Page 18 of 225

SCAA granted one last and final opportunity to remove the deficiencies of BCC and Fire safety as mentioned above within 15 days from the date of issue of this minute in Compliance module on NIMI affiliation portal. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through Compliance module on NIMI affiliation portal. If ITI fails to do so then this application shall be rejected.

7.4.7 Shri Sai Pvt. Industrial Training Institute

Brief facts of the case

- 1. The petitioner was granted affiliation in 04 trades of 1st and 2nd shift units in compliance to judgement dated 29.08.2023 in S.B. Civil Writ Petition No. 9212/2023 titled Shri Sai Pvt. Industrial Training Institute Vs State and Ors vide affiliation order dated 29.09.2023.
- 2. Further, the affiliation for the remaining units in 3rd shift was not granted to the Petitioner since the same is allowed in Dual System Training (DST) mode only vide DGT order 09.01.2023. The MOU is a pre-requisite so that the DST category for the additionally affiliated trades can be flagged and identified.
- 3. Petitioner has given representation to decide the 3rd shift affiliation. Accordingly, the Petitioner was informed to follow the aforesaid guidelines to get the affiliation in the remaining units of 3rd shifts.
- 4. Accordingly SSDEC Rajasthan, vide its 5th meeting dated 21.02.2024 sent proposal for DST in 3rd shifts .SSDEC recommendations regarding DST, were not sent in prescribed format. The following details were missing from the MOU, including:
 - i. Turnover of the industry
 - ii. Total number of employees in the industry
 - iii. Number of units MOUs signed for, categorized by trade.
- 5. It is also observed that the industry with which the MOU is signed is M/s RR Power and Transformer. In this context, how can a DST MOU for HSI trade be signed with this industry, clarification from Institute is needed
- 6. The DST affiliation matter for this ITI has been discussed during 15th SCAA Meeting and SCAA recommended that ITI needs to submit the revised DST details in the prescribed format along with DST MOU through RDSDE. Thereafter RDSDE shall verify MoU along with other guidelines of DST through industry site visit and submit the report within 15 days from date of issuance of MOM

16th SCAA Remarks:

The DST matter of this aforesaid ITI was discussed in meeting with State and RDSDE and SCAA recommended the following trade/units under DST as per table given below:

S. No	Name of the ITI / MIS Code	Name of the Industry	Date of MoU	Number of year MoU Signed for	Name of the DST Trade for affiliation	No. of Units	Shift	Whether already affiliated unit(For conversion only)/New Unit	Session	16 th SCAA Remarks
1.	Shri Sai Pvt ITI, Village Jairampura,	Atlantic Power Solution Private Limited	05.04.2024	6 Years	Electrician	4	3	New Unit	2024	Recommended
	Tehsil Lawan District, Dausa Rajasthan	Near Nagouri, Puliya, Lalsot Road, Dausa Rajasthan			Solar Technician (Electrician)	1	3	New Unit	2024	Recommended
	PR080001961	***					1			

Agenda 7.5: Affiliation matter of Uttarakhand State: The affiliation matter of Uttarakhand state has been discussed in the meeting

6.5.1 Affiliation for 2nd unit in popular trades in 5 Govt. ITIs- SSDEC Uttarakhand in its meeting dated 26.09.2023 has put up the agenda that in some institutions in the State, two-year trade is being conducted in which due to getting only one-unit affiliation, admission in the said trade is one year and admission is not done the next year, due to which there is no continuity of admission in the institute. Hence recommended for affiliation of 2nd units in the following ITIs as per the details given below;



S. No.	ITI name and complete address	MIS Code (In case of Existing ITI)		New Grading (In case of Existing ITI)		Existing Trade and units running under NCVT (In case of Existing ITI)	Shift wise Trade and Units sought for affiliation	Shift wise Trade and Units recommended by SSDEC Committee
1	Govt. Industrial Training Institute Sitarganj District- Udham Singh Nagar Pin code- 262405	GU05000111	Govt.	5.80		Fitter - 01 Unit Mechanic Motor Vehicle (MMV)- 01 Unit	Fitter-shift-2 unit 01 Mechanic Motor Vehicle (MMV)-shift-2 unit 01	Fitter- 0+1 Mechanic Motor Vehicle (MMV)- 0+1
2	Govt. Industrial Training Institute Gadarpur District- Udham Singh Nagar	GU05000116	Govt.	8.30	4	Electrician- 01 Unit	Electrician shift-2 unit 01	Electrician- 0+1

	Pin code- 263152							
3	Govt. Industrial Training Institute	GR05000112	Govt.	4.60	Electronics Mechanic- 01 Unit	Electronics Mechanic shift-2 unit 01	Electronics Mechanic-	0+1
	Khetikhan District- Champawat Pin code- 262528				Electrician- 01 Unit	Electrician shift-2 unit 01	Electrician- 0+1	
4	Govt. Industrial Training Institute Uttarkashi District- Uttarkashi Pin code- 249193	GU05000088	Govt.	7.30	Electronics Mechanic- 01 Unit	Electronics Mechanic shift-2 unit 01	Electronics Mechanic-	0+1
5	Govt. Industrial Training Institute Pokhra District- Pauri	GR05000079	Govt.	7.40	Electronics Mechanic- 01 Unit	Electronics Mechanic shift-2 unit 01	Electronics Mechanic-	0+1

Garahwal Pin code-				
Pin code-				
246169				
			1	

16th SCAA remarks: The matter has been discussed in SCAA meeting and it has been decided that State Directorate require to submit undertaking regarding the availability hand tools and additional instructors for the 2nd unit, thereafter this matter will be discussed in next SCAA meeting.

6.5.2 Affiliation matter of addition of trade MMV in Tibetan Private ITI, Uttarakhand (PU05000011)

The affiliation matter of MMV trade in Tibetan Private ITI, Uttarakhand (PU05000011) was discussed in 15th SCAA and deficiencies were identified by SCAA. Subsequently, ITI has removed the said deficiencies and affiliation has been granted vide order dated 03.06.2024 for MMV 1(1+0) as per its application. This order was placed in 16th SCAA for ratification by the SCAA.

Further, the State and RDSDE informed that due to typographical error institute had applied for affiliation of 1+0 units in the MMV trade instead of 1+1 and possesses sufficient tools and instructors to run 1+1 units of this trade. The inspection was carried out for 1+1 units and accordingly, the ICVC members recommended the MMV 1+1 trade during inspection.

SCAA discussed that for running 1+0 or 1+1 of any trade infrastructure, power and machinery requirement is same only the tools and instructor are required additionally. ICVC has already verified the availability of additional tools and instructor during the inspection.

16th SCAA remarks: SCAA ratified affiliation order dated 03.06.2024 and based on the remarks from the ICVC, State and RDSDE, the SCAA recommended the additional 2nd unit in the MMV trade also

Agenda 7.6: SSDEC Proposal

The following proposals regarding Affiliation/DST were received from SSDEC Kerala, Maharashtra, and Madhya Pradesh and were discussed during the 16th SCAA meeting. The details of these proposals are as given below:

Page 23 of 225

7.6.1 SSDEC Kerala

SSDEC Kerala sent the proposal for shifting of 08 Govt ITIs vide its second meeting. This proposal was discussed in meeting and remarks of SCAA against each case is given in *Annexure-VIII*

7.6.2 SSDEC Maharashtra: SSDEC Maharashtra sent the proposal for conversion of trades/ units under DST. DST proposal was discussed in meeting and remarks of SCAA are given in *Annexure-IX*

7.6.3 SSDEC Madhya Pradesh: SSDEC Madhya Pradesh vide its meeting dated 04.06.2024 sent the proposal for conversion of trades/ units under DST. DST proposal was discussed in meeting and remarks of SCAA are given in *Annexure-X*

SCOTCET CETTE | U.I.WAL BISWAS

TOTCET CONTROL OF THE CONTROL OF T

Page **24** of **225**

(Annexure as referred in Agenda 2- New Accreditation/ Affiliation Proposals for Existing and New ITIs from 5 States)

Name of the State: Jharkhand

S. ITI name No.	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
I II	III	IV	V	VI
1. Puna Mahto Pvt ITI, Dhanbad Vill-Ledhidumar, P.O- Jhagrahi, P.S-Barora, Dist- Dhanbad, JHARKHAND, 828125 TMP20325PR1 648617129 New ITI	1. Fitter- 4(2+2+0) 2. Electrician- 4(2+2+0) 3. Welder- 2(1+1+0) 4. Information Technology- 2(1+1+0)	NCVT member: Not recommended for affiliation due to non-availability of trainers, ITI board, Main Gate, insufficient furniture, equipment, and insufficient facility as per norms in all the classrooms. SCVT Member: agree Remarks 1. No, All the machinery in Electrical W/shop looks old; SI.	deficiencies are	ITI needs to remove the deficiencies as mentioned in column IV, and

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
1	11	III	IV	V	VI
			were not working and were found disconnected from the electric connection. In Fitter shortages of Machinery SI. No.175. also, ITSE. 2. Not even single		ž
			appointed staff were present on the day of Jt. inspection. 3. Most of the machinery was not installed properly in the workshop/Lab.		
			Most of the machinery looks old in all the 4 applied trades.		
	٨	WAL BISWAS	5. IT lab is not equipped as per norms, has no internet connectivity,	Air mark	s. 95

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
1	II	III	IV	V	VI
		WAS BISWAS	Projector without a Screen. 6. Drawing Hall without furniture. And equipment. 7. Fire extinguishers Available only in the Electrician Workshop not in another workshop. 8. All the Tools & Equipment looks old most of the machinery are not properly installed, some machinery were disconnected from power supply. In Fitter workshop SI. No. 175 only 2 SS and SC center lathe are available shortages of 2 SS and SC center lathe for 2+2 Units.		

The state of the s

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
1	II	III	IV	V	VI
		AL BISWAS	9. And in ITSE lab, shortages of no. of equipment, e.g. Sl. No. :41, 42 to 44, 81, 90 to 92, 108, 117, 119 to 122, 177,179, 187, 220 to 228. Also, Software are not purchased/ installed Sl. No. 229 to 250. 10. Website is not working, improper access to the institution, no main gate, no ITI display board, all the machinery looks old, no alternate arrangement of power supply, facility of drinking water not available.	And and	•••

		sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
1	II	III	IV	V	VI
			 11. All the Toilets were not in hygienic condition. 12. All the classrooms with insufficient facility of furniture and equipment. 		
Ir S ar D	nternational Private ndustrial Training Institute Sahebganj at-mehti pokhar, ponaharajpur,ps-taljhari, Dis-Sahinganj TMP20340PR1680615918	1. Electrician - 4(2+2+0) 2. Fitter - (2+2+0) 3. Computer Operator and Programming Assistant (COPA)-2(1+1+0) 4. Hospital Housekeeping - 2(1+1+0)	has to resolve discrepancy first such as instructor appointment for	1. IT lab not available in the institute, as per norms IT lab is mandatory. 2. BCC is not as per Standard language as mentioned in norms of 2018. 3. land registration document not available. 4. Drawing tables not available, not as per norms. As many	ITI needs to remove the deficiencies as mentioned in column IV and V, and submit the required documents within 30 days from the date of issue of this minute in Compliance module on NIMI affiliation portal and inform RDSDE Thereafter, the State Directorate and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI. RDSDE will then submit the report to DGT with recommendations within the next 15 days in the Compliance module on the NIMI affiliation portal.

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
1	II	111	IV	V	VI
		CWAS	housekeeping trade. 2. Biometric available but not Aadhar based. 3.working machinery, but needs maintenance. gangway marking and exhaust-ventilation is required in workshops. 3. Machinery available to run Electrician to run 1+1 units, fitter 1+1 units, fitter 1+1 units, COPA 1+1 units, Hospital Housekeeping trade 1+1 trade.	Thereafter joint inspection will be conducted by	

Name of the State: Kerala

S. ITI name No.	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
1 11	III	IV	V	VI
1. R Ganesh Memorial Victory Private Industrial Training Institute Ollukkara P O, Thrissur – 680655 MIS Code: PR32000254 Grading: 6.10 Existing ITI	1. Mechanic Auto Electrical and Electronics - 2(1+1+0) 2. Fashion Design and Technology - (1+1+0) 3. Computer Operator and Programming Assistant (COPA) - (1+1+0)	Agree	Instructors for COPA and FDT trade not available. No recommendation provided by ICVC There is no mention of FDT and COPA trade anywhere in the report. Building Completion certificate not available.	ITI needs to remove the following deficiency and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal. 1. Instructors for COPA and FDT trade not available. 2. Building Completion certificate not available 3. During the meeting State Directorate has informed that ITI is not willing to run the FDT and COPA trade. ITI needs to give the undertaking stating the same.

Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through Compliance module on NIMI affiliation portal.

Name of the State: Odisha

S. No.	ITI name	for affiliation		Remarks of TC Section	Remarks of 16 th SCAA
	II	III	IV	V	VI
1.	Govt. ITI, Balugaon, Khurda Balugaon Khurda- 752034 Odisha MIS Code: GR21000642 Grading: NG Existing ITI	Mechanic Motor Vehicle (MMV)- 2(1+1)	New trade: MMV(1+1) may be recommended	Grading is not generated as the institute is opened in 2023. No other deficiencies are mentioned.	SCAA observed that as ITI is established in year 2023 due to this grading is not generated hence DGT order dated 16.10.2023 should not be applied on this ITI. Hence SCAA recommended the following trade MMV (1+1)
2.	Madhusudan Industrial Training Institute, Cuttack, At-Gandhi Chhal PO- Choudwar Cuttack-753007 MIS Code: GU21000500 Grading: 8.90 Existing ITI	1. Mechanic Electric Vehicle 2(1+1) 2. Electrician 4(2+2)	2+2 Unit for Electrician and 1+1 Unit for Mechanic Electric Vehicle may be recommended	Power is not sufficient (Required-78.86 KW and Avavilable-13 KW)	SCAA observed shortage of electric load (Required-78.86 KW and Available -13 KW) ITI needs to reassess electrical load as per affiliated trades/units

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
					and trade/units mapped
					on NCVTMIS portal and
					submit required documents after
	a contract of				removing load
					deficiencies to the
					concerned State within
					30 days from the date of
			84		issue of these minutes
					through Compliance
					module on NIMI
					affiliation portal .
	*				Thereafter concerned
					State will verify the
					documents submitted by
					the ITI and submit the
				V	report to DGT within the
					next 15 days on the online
					compliance module.
					Further, if any correction
					is required to carried out in mapping of trade/units
					on NCVTMIS portal then
				8	clear recommendation for
		L BISWAS	1	न हा युर्व	such trade units should be
	Air.	Bis	The state of the s	FTE 3,505	Such trade dring criedia s

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
3.	Govt Industrial Training Institute, Bhubaneswar, Nayapali Bhubaneswar Khordha- 752106 MIS Code: GU21000510	Basic Cosmetology - 2(1+1)	Recommended Basic Cosmetology - 2(1+1)	No adverse comments are mentioned	forwarded to DGT by State Director SCAA Recommended Cosmetology 2(1+1)
4.	Grading: 7.70 Existing ITI Govt Industrial Training Institute, Puri, Shree Vihar, Water Works Road, Talabania Puri-752003 MIS Code: GU21000529 Grading: 8.10	A 1111	1+1- Mechanic RAC 1+1- Information Technology is recommended	MRAC trade has been revised as RACT trade in CTS course.	SCAA Recommended the following trades 1. Refrigeration and Air Conditioner Technician 2(1+1) 2. Information Technology 2(1+1)

S. No.	ITI name	Trade / units sought for affiliation	Verification Committee (ICVC)	Remarks of TC Section	Remarks of 16th SCAA
5.	Govt. I.T.I,Jajpur, AT:Upper Baruhan.P.O:Kabir Pur, Dt:Jajpur JAJAPUR- 755009 MIS Code: GU21000593 Grading: 8.60 Existing ITI	1. Basic Cosmetology- 2(1+1) 2. Solar Technician (Electrical)- 2(1+1) 3. Fitter-4(2+2) Existing 4. Electrician- 4(2+2)- Existing	remarks Addl- 2+2 units- Electrician 2+2 units - Fitter and New- 1+1 units- Basic Cosmetology , 1+1 units- Solar Technician (Electrical) are recommended as per norms	Electrician and fitter trade for which ITI has applied in existing category. May be	meeting that ITI has applied and inspected for
	Government Industrial Training Institute, Malkangiri At- Pragati Vihar Po-Pradhiniguda - Malkangiri – 764048 MIS Code: GR21000514		Agree for partially affiliation due to power supply and machinery installation under process.	Power is as per norms but ICVC has not provided clear recommendation.	State has informed that the computer and other equipment are installed and electrification has been completed Hence SCAA recommended

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
7.	Grading: 6.30 Existing ITI Govt ITI Barbil At -Barbil	1. Mechanic	recommended for	Mech. Repair &	Information Technology - 2(1+1+0) State Directorate informed that Govt. ITI,
	Po:- Matkambeda, Kendujhar—758036 MIS Code: GU21000498 Grading: 9.00 Existing ITI	Mining Machinery - 2(1+1+0) 2. Mechanic Electric Vehicle - 2(1+1+0) 3. Information Technology- 2(1+1+0)	affiliation	Mech. Repair & Maintenance of Heavy Vehicles has been deleted from CTS trade list. The mapping should be revised on NCVT portal. Power is not sufficient (Required-248.52 KW and Available-204 KVA)	Barbil has applied for IT, Mech. Mining Machinery, MEV. (New trades) and Additional units of Fitter and Electrician. The old obsolete trades like Mech. Radio & TV., Stenographer and Secretarial Assistant, Mechanic Repair and Maintenance of Heavy Vehicles, Machinist (Grinder) & Mechanic (R&AC.) are showing in the NCVT MIS portal in which no trainees have been admitted since last two years. Therefore, affiliation to the newly/additional applied

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
			A.	STE SH. CLOS.	trades may be given as per Electric load available. Separate letter is being sent for self surrender of trades in which there is no admission since last two years. No admission are been done in the obsolete trades mentioned above. The existing contract demand of the transformer is 204KVA (204x0.9= 183.6KW). Steps are in progress for enhancement of additional 100KVA transformer load against our ITI, which is expected to be completed by coming month. Further in case of not consideration for all new trades, affiliation may be allowed for all other trades except

S. ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16th SCAA
8. Govt. Industrial Trai Institute, Kuchinda At-Kundaposhi Po- Kuchinda Pin-76822 Sambalpur Odisha- 768222 TMP21371GU17120 New ITI	4(2+2+0) 2. Machinist- 2(1+1+0) 3. Information Technology- 2(1+1+0)	No physical infrastructure found during the inspection of Govt ITI Kuchinda at the proposed site. The Sub collectors letter copy attached under inspection interaction team section.	Inspection could not be carried out.	Mechanic Mining Machinery trade to meet power norms. Hence SCAA Recommended: 1. Mechanic Electric Vehicle -2(1+1+0) 2. Information Technology- 2(1+1+0) SCAA observed that, as mentioned by ICVC, no physical infrastructure was found during the inspection. Hence, this affiliation application is not recommended for affiliation. After creating the physical infrastructure as per affiliation norms, the ITI may reapply on the portal.

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
9.	Government Industrial Training Institute,Patrapur,Ganjam At/Po-Kelua Ps-Jarada Block-Patrapur Dist- Ganjam Pin-761004 TMP21354GR1712741645 New ITI	 Solar Technician (Electrical)- 2(1+1+0) Electrician- (2+2+0) Warehouse Technician- (1+1+0) Mechanic Refrigeration and Air Conditioner- 2(1+1+0) 	Building work of ground floor is in progress. Disagree for affiliation of all trades	Building is under construction.	SCAA observed that, as mentioned by ICVC, building is under construction. Hence, this affiliation application is not recommended for affiliation. After completion of building and all infrastructure as per affiliation norms, the ITI may reapply on the portal
10.	Govt Industrial Training Institute, Berhampur Po: -Engineering School Berhampur, GANJAM- 760010 MIS Code: GU21000525 Grading: 7.70 Existing ITI	1. Instrument Mechanic - 2(1+1+0) 2. Mechanic Refrigeration and Air Conditioner- 3(1+1+1) 3. Solar Technician (Electrical)-	Recommended	No adverse remarks are mentioned in report	SCAA recommended the following trades: 1. Instrument Mechanic - 2(1+1+0) 2. Refrigeration and Air Conditioner Technician - 2(1+1+0) 3. Solar Technician (Electrical)- 2(1+1+0)

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16th SCAA
		4. Lift and Escalator Mechanic-2(1+1+0) 5. Computer Operator and Programming Assistant (COPA) -1(0+0+1) 6. Mechanic Electric Vehicle -1(0+0+1) 7. Sewing Technology -1(0+0+1) 8. Mechanic Motor Vehicle (MMV) -1(0+0+1)			4. Lift and Escalator Mechanic-2(1+1+0) As per the DGT order dated 09.01.2023, the 3rd shift is only recommended in DST mode. Hence for 3rd shift ITI can sign the DST MOU and submit the recommendation through SSDEC
11.	Gandhamardan	Electrician- (1+1+0)	Undertaking is given		SCAA suggested fresh
	Government ITI, Titlagarh		for installation of	the workshop and lab shall	Joint inspection may be
	At-Larkipalli Po-Rajendra		100kva power supply	be completed by Aug 2024.	carried out at earliest and
	College, BALANGIR – 767002		by August	Electricity bill is not available.	the recommendation of

उपपोदेश कियोस / UJJWAL BISWAS
पशिक्षण महिनेद्रोतन / Director
पशिक्षण महिनेद्रोतन / Directorate General of Training
कोशल विकार। एवं जरमार्थः लता भंत्रालय Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई हिल्ली—12/Gov. of India, New Delhi-12

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
	MIS Code: GU21000507 Grading: 6.90 Existing ITI		2024.Recommended for affiliation		SSDEC may be sent to DGT.
12.	Govt ITI Gajabahal, Bissamcuttack Gajabahal,Bissam Cuttack,Rayagada— 765019 MIS Code: GR21000602 Grading: 7.80 Existing ITI	 Dress Making -2(1+1+0) Mechanic Refrigeration and Air Conditioner- 2(1+1+0) Mechanic Motor Vehicle (MMV)- 2(1+1+0) 	MMV machinery available as per norms . Dress making machinery is not available as per norms but procurement is under process. RAC machinery is not available as per norms. MMV trade is working condition but other trade not available as per norms. Agree for MMV trade and not recommended for Dress making and RAC trade.	MRAC trade has been revised as RACT trade by CD section.	SCAA recommended Mechanic Motor Vehicle (MMV)-2(1+1+0) For Dress Making and Refrigeration and Air Conditioner Technician ITI needs to remove the deficiencies as given In column IV and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal.
(अजनवल विन्दास UJWAL BI अजनवल विन्दास UJWAL BI स्वेशन श्रीवान अपराज्य Seneral स्वीशन विकास वर्ष ज्यान का हार्य स्वीशन विकास वर्ष ज्यान का हार्य स्वीशन विकास वर्ष व्यान का का का		3	AMRIT PALSING SEASON OF TRAIN THE PARTY OF T	Page 42 of 225

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
					Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through Compliance module on NIMI affiliation portal.
13.	Govt. Industrial Training Institute, Hirakud, Sambalpur At/PO: Hirakud, Sambalpur - 768016 MIS Code: GU21000528 Grading: 8.80 Existing ITI	Solar Technician (Electrical) -2(1+1+0)	Disagree, Tools, Equipment, machineries for Solar Technician (1+1) are physically not present during inspection. Principal has submitted undertaking requesting for time to comply T&E deficiencies on GeM	Tools and equipment are not available. Power is not sufficient (Required-241.06 KW and Avavilable-200 KVA)	ITI needs to remove the following deficiency and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal. 1. Tools and equipment are not available for Solar Technician (Electrical). 2. Power is not sufficient (Required-241.06 KW

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
14.	Government ITI Kotagarh At- Kotagarh, Near Sani Temple, Block Office Road Po- Kotagarh Dist- Kandhamal—762105 Mis Code: Gr21000632 Grading: NG Existing ITI	2(1+1+0)	Recommended 2(1+1) units for Information Technology Trade (New).	No other deficiencies are mentioned in report	and Avavilable-200 KVA) Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through Compliance module on NIMI affiliation portal. State has informed that ITI is having 100 % admission in last 2 academic sessions hence SCAA recommended Information Technology - 2(1+1+0)
15.	Govt. ITI Sheragada	Technology - 2(1+1+0) _{SWAS}	Agree for affiliation of Information Technology (1+1+0)	No other deficiencies are mentioned in report	SCAA recommended Information Technology - 2(1+1+0)
	प्रजावलं विस्वासं निरंपाकः प्रतिसाग गर्गानेशास्त्रः। स्क्रीशतः तिकस्य Ministy of Skill Day भागाः तरकार, स्वे हिले	DIPECTOR DIPECTOR DIPECTOR ANTERIA ANTERIA BEODMENT ANTERIA BEODMENT ANTERIA ANTERIA ANTERIA BOOK of India, New Delth-12 ANTERIA ANTERIA BOOK of India	A	TIC PAL JOIN DIRECTOR AMPIT PALE JOIN DIRECTOR AMPIT PALE JOIN General Creations of the Control	Page 44 of 225

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16th SCAA
	At-Bhusunda, Near Model School, Post: - Bhuund, Ganjam- 761106	9		÷	
	Mis Code: GR21000614 Grading: 7.60				
16.	Existing ITI Govt I.T.I., Barkote At- Barkote Deogarh- 768108 MIS Code: GU21000606 Grading: 6.80 Existing ITI	1. Welder - 2(1+1) 2. Architectural Draughtsman - 2(1+1) 3. Solar Technician (Electrical) - 2(1+1) 4. Mechanic Refrigeration and Air Conditioner - 2(1+1)	Welder, Mr&C , Solar technician and Architectural Draftsman civil Machinery are not available. Information Technology (1+1) and Electrician (1+1) may be recommended.	No other deficiencies are mentioned in report	SCAA recommended following trades: 1. Welder - 2(1+1) 2. Architectural Draughtsman - 2(1+1) 3. Solar Technician (Electrical) -2(1+1) 4. Refrigeration and Air Conditioner Technician

उज्जवल बिस्वास/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण महिनेशालय/Directorate General of Training
कौशाल विकास एवं उद्दानशीलामा मञ्जालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, मई बिल्ली-12/Govt. of India, New Delhi-12

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
47	Oct ITI November 1	5. Information Technology - 2(1+1)		В	2(1+1) 5. Information Technology - 2(1+1)
17.	Govt. ITI, Nayagarh At-Khuntubandha, Po-Khuntubandha, P.SNayagarh NAYAGARH-752079 MIS Code: GU21000587 Grading: 6.00 Existing ITI	Fire Technology and Industrial Safety Management - 2(1+1)	Recommended for 2(1+1) units of Fire Technology and Industrial Safety Management Trade(New).	SCVT members has not submitted report. Power is not sufficient (Required-45.02 KW and Available-44.44 KVA)	ITI needs to remove the following deficiency 1. Power is not sufficient (Required-45.02 KW and Available-44.44 KVA) and submit the documents to the concerned RDSDE within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendation within the next 15 days.

प्रजावल विस्वास/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण महानिदेशाल / Director
प्रशिक्षण महानिदेशाल / Director प्रशिक्षण महानिदेशाल / प्रवास निवास महानिद्या
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई हिल्ली-12 Gerf of India New Direction

all Section of India Page 46 of 225

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
18.	Govt. Industrial Training Institute, Balasore O.T Road, Angaragadia, Balasore - 756001 ODISHA MIS Code: GU21000524 Grading: 8.10 Existing ITI	Solar Technician (Electrical) - 2(1+1)	Recommended for Solar Technician 2 units (1+1)	Power is not sufficient (Required-248.34 KW and Avavilable-250 KVA)	State Directorate informed that All equipment Machinery are available for Solar Technician -2 (1+1) trade. The electric power load available is 250 KVA and the requirement is 248.34 KW including the obsolete/inactive trades. Therefore, the Solar Technician - 2 (1+1) may be recommended & affiliated. Separate letter is being sent for self-surrender of trades in which there is no admission since last two years. Hence SCAA
				17	recommended Solar

प्रजावल बिस्वास/UJJWAL BISWAS
निवेशक / Director
- प्रशिक्षण महनिवेशालय/Directorate General of Training
कोशल विकास एवं उद्यागनी(जारा मंत्रीलाय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिली-12/Govt. of India, New Delhi-12

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
19.	Govt Industrial Training Institute, Talcher At/Po- Hatatota, Talcher ANUGUL- 759100	Information Technology - 2(1+1)	Recommended for 2(1+1) units of Information Technology Trade (New)	No other deficiencies are mentioned in report	Technician (Electrical) - 2(1+1) SCAA recommended Information Technology - 2(1+1)
	MIS Code: GU21000531 Grading: 7.30 Existing ITI		(NOW)	Dis	

उज्जवल विस्वास (UJJWAL BISWAS
उज्जवल विस्वास / Director
प्रशासण महिनेशाला (Director of Training
प्रशासण महिनेशाला (Director of Section of Training
कोशाल विकास (Section of Section of Sect

Name of the State: Uttar Pradesh

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
1	II	III	IV	V	VI
1.	Sarvodaya Private Industrial Training Institute, Rae Bareli Vill- Gauwa Bazar Suchi, Salon, Distt-Raebareli- 229128 TMP9175PR1582731452 New ITI	1. Electrician- 3(1+1+1) 2. Fitter - 3(1+1+1) 3. Computer Operator and Programming Assistant (COPA) - 3(1+1+1) 4. Painter (General) - 3(1+1+1)	1. Inspecting members mentioned that instructors are available but all the instructors are not CITS qualified. An affidavit submitted by ITI to engage instructors as per norms before the start of session. 2. Recommended (subject to increase in the electrical load of 1.26 KW)	1. BCC is not as per norms 2. Power shortage (Required= 19.21 KW, Available= 18 KW) 3. Trade wise Instructor appointment details for all instructor, experience certificate not provided	ITI needs to remove the following deficiency and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal. 1. BCC is not as per norms 2. Power shortage (Required= 19.21 KW, Available= 18 KW) 3. Trade wise Instructor appointment details for all instructor, experience certificate not provided

पण्णवल विस्वास/UJJWAL BISWAS
निवंशक / Director
प्रशिवाण गढिनिवंशकय/Directorate General of Training
काशक विकास एवं उद्याग्द्रीयवर्ग नव्यव्यय Ministry of Skill Development अर्थ Entrenneneusanp
भारत सरकार, गई विल्ली-12/Govi. or indeb. New Delh-12

Page 49 of 225

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
2.	K. S. Private ITC - Bijnor Village Kadrabad Khurd, Seohara, Bijnor, UP, Bijnor- 246746 MIS Code: PR09000419 Grading: 5.60 Existing ITI	Electrician - 6(2+2+2)	Agree, Electrician (1+1+1) old existing Electrician (2+2+0) New Fitter (1+1+1) old existing	BCC is not as per norms	Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through Compliance module on NIMI affiliation portal. ITI needs to submit BCC, as per norms (Please refer page no.108 of affiliation norms 2018) on the Compliance module on NIMI affiliation norms 2018) on the Compliance module on NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, the concerned State Directorate to verify the BCC submitted by the ITI and send the recommendations to DGT
			Air	SOS SOS	within the next 15 days through an online compliance module.

प्रजावल बिस्वास/UJIWAL BISWAS
निवेशक / Director
प्रशिक्षण महिनेदेशालय/Directorale General of Training
कौशल विकास एवं उन्हमसी जन्म ग्रीन्स्य Ministry of Skill Development and Entreme Burning
भारत सरकार, नह बिल्ली - 12/Gov. of roa. New Dallin 12 AMERICAN AND COLD INC. AND COL

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16th SCAA
3.	Sri Vishwanath Private Industrial Training Institute Vill & Damp; amp; amp; Post- Kalan, Sultanpur, SULTANPUR-222101 MIS Code: PR09900591 Grading: 8.20 Existing ITI	1. Electrician - 6(2+2+2) 2. Basic Cosmetology - 3(1+1+1) 3. Fashion Design and Technology - 3(1+1+1)	Recommendation the following trades: 1. Electrician 4(2+2+0) 2. Cosmetology-2(1+1+0) 3. Fashion Technology-2(1+1+0)	The institute has applied for Electrician trade 6(2+2+2) in existing category, However, ICVC has recommended. Power is not sufficient (Required-28.42 KW and Avavilable-28 KW)	ITI needs to remove the following deficiency and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal. 1. Power is not sufficient (Required-28.42 KW and Avavilable-28 KW) Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through Compliance module on NIMI affiliation portal.

उपजिल् जिस्साम / UJJWAL BISWAS निक्राक / Director प्रिक्षण महानिवेशांतय/Directorate General of Training कौशल विकास एवं उद्यामशीलता मजालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिली-12/Govt. of India. New Deini-12

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16th SCAA
Su 226 MIS PR Gra	am Charitra Mishra Sultanpur ndela Kadipur npur, Sultanpur- 5 ode: 001106 ng: 7.20	6(2+2+2) 2. Fitter - 6(2+2+2)	Available 01 Instructor of Electrician trade (diploma holder) and 02 Instructors of Fitter trade (B.Tech/diploma holder) are not trained CITS course. However Manager has given undertaking for nomination in RPL training from next batch. Recommended for Electrician (2+2) units and Not Recommended for Fitter (2+2) unit due to shortage of power load.		following deficiency and submit the documents to the concerned State

THE PARTY OF THE P

S.	ITI name	Trade / units sought	Inspection Cum	Remarks of TC	Remarks of 16th SCAA
No.	According to the control of the cont	for affiliation	Verification Committee	Section	
			(ICVC) remarks		
5.	Ram Milan Yadav Gulba Devi Private ITC - Basti Nonha (Panditpur), Ajgaiwa, Jungal, Basti, U.P., Basti- 272163 MIS Code: Grading:6.80 Existing ITI	Electrician-6(2+2+2)	1. Biometric attendance is not available offline attendance register is available and uploaded 2. Deadstock register incomplete 3. and both SCVT and NCVT members recommended Electrician trade 4(2+2)	been given 30 days' time from 09.05.2024 to remove the following deficiencies identified in inspection report: 1. Biometric attendance is not available offline attendance register is available 2. Deadstock register incomplete 3. BCC is not as per norms. 4. In the building plan, the classroom and workshop for	The petitioner ITI has intimated RDSDE regarding the removal of deficiencies. Hence RDSDE, with prior intimation to the petitioner institute, shall verify the removal of the aforementioned deficiencies and submit the report within 7 days.
	\land		A S M SOS	existing (already affiliated trade) Fitter	

प्रियास / UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण महनिवेशक्य / Director
प्रशिक्षण महनिवेशक्य / Directorate General of Training
क्षांशल विकास एवं उद्याग्दी लेला मंत्रालय
Ministry of Skill Davelopment and Entrapreneuship
भारत सरकार, मई विल्ली- 1 2/Gov. of India, New Delbi-12

		trade 2+2 are not there. 5. In the building plan, no provision for the IT lab and Drawing	
J.P Private ITI Vill Gagaha(Hatawa) Post Gagaha Tahsil Basgav Gorakhpur, Gorakhpur-273411 MIS Code: PR09900089 Grading: 5.40 Existing J.H.		hall. 6. The electricity bill is in the name of an individual however as per affiliation norms "Electricity connection should be in the name of ITI/ Applicant organization at the ITI address" Only No approved plan is provided by SDM Gorakhpur. BCC is issued by architect which is not as per norms.	

प्रभूपवल पिस्पास/UJJWAL SISWAS
नियंशक / Director
प्रशिक्ताम्बर्गित्वार (Director)
प्रशिक्ताम्बर्गित्वार (Director)
कौशालः विवास एवं उदामशीलांश मञ्जालय
Ministry of Skill Development and Entrapreneutship
भारत सरकार नई बिस्ती-12/Govi. of India, New Dehl-12

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA the BCC submitted by the
	© Control of the cont				ITI and send the recommendations to DGT within the next 15 days through an online compliance module.
7.	Sri Shiv Das ITC - Varanasi Bachchaon varanasi, Varanasi- 221011 MIS Code: PR09000188 Grading: 7.70 Existing ITI	1. Electrician - 3(1+1+1) 2. Computer Operator and Programming Assistant (COPA) - 3(1+1+1)	7 desktop computers system configuration i3,4GB RAM, 3.60 GHz,32 bit processor which do not justify the current training needs and 3 laptops are also available. Manger, 8 instructors out of that 6 are CITS qualified but experience details are not as per norms and experience documents also not available. furniture is not as per norms. Area is 7.4m*5.2m=39.33sqm. Drawing hall, ES lab and WCS room in	1. Power is not sufficient (Required-14.21 KW and Avavilable-14 KW) 2. The details of instructors along with experience certificates are not available. 3. Land lease details in the name of institute is not available. 4. The furniture and the PC configuration are not as per norms. 5. The area of drawing hall is not as per norms (Reqired-50 sqm and avavilable-39.33 sqm)	ITI needs to remove the deficiencies as mentioned in column IV and V, and submit the required documents within 30 days from the date of issue of this minute in Compliance module on NIMI affiliation portal and inform RDSDE. Thereafter, the State Directorate and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI. RDSDE will then submit the report to DGT with recommendations within the next 15 days in the

उज्जावल बिस्वास/UJJWLLBISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कोशाल विकास एवं उपपारीलाता मंत्रालय
Ministry of Skill Development and Entrepreneurs up
भारत सरकार, मई हिल्ली-12/Govt of India, New Dean-12

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
		,	same lab. Machinery bills are, partially available. Several bills only photo copy available Recommended Electrician but Not Recommended Computer Operator and Programming Assistant (COPA)	A.	Compliance module on the NIMI affiliation portal.

Name of the State: West Bengal

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
1	II	III	IV	V	VI
1.	Bagula Pvt ITI Vill+P.O. Bagula, PS Hanskhali, West Bengal. NADIA ,741502	Mechanic Diesel 6(3+3)	Machinery per Available but some item of fitter, electrician and diesel mechanic trade not avail	BCC is issued by Panchayat Samiti and not as per norms Required Power= 76.45 i. ITI has submitted	ITI needs to remove the deficiencies as mentioned in column IV and V, and submit the required documents within 30 days from the date of issue of this minute in Compliance
	MIS Code: PR19000263	Ais	ST SOS	02 EB 42.35	6

उण्जवलं बिस्वासं/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण महानिवेशक / Directorse General of Training
कोशल विकास एवं ज्यानशीकता मनालय
Ministry of Skill Development and Entrepreneurship
पारत सरकार, गृहं दिल्ली—1 2/Gov. of India, New Delhi-12

Page 56 of 225

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
_1	II II	III	IV	V	VI
	Grading: 5.30 Existing ITI		2. Supervisor and foreman staff are not available 3. A few of machinery yet to install. 4. Area of 56.72 sq meter is shortage 5.24 computer available in IT Lab which is less as per requirement. 5. Drawing Hall not available 6. Safety measure Inadequate needs to improve. Symbol of emergency exit missing. 7. Machine tools, equipment Partially Available 8. No internet connectivity with Biometric Machine. unable to export data in front of us	KVA/38.11 KW(on name of ITI) ii. Manjudebi Memorial Trust, con id:900006826 power 78.4 kw (On name of trust) No undertaking is submitted by Trust president that ITI can use the Electricity connection of trust. 3. Building plan is not	module on NIMI affiliation portal and inform RDSDE Thereafter, the State Directorate and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI. RDSDE will then submit the report to DGT with recommendations within the next 15 days in the Compliance module on the NIMI affiliation portal.

उज्जवल बिस्तास/UJJWA निर्देशक / Directo प्रशिक्षण गठनिदेशातम/Directorate Garashi of Training कौशरू विकास एवं उद्यवशीलना मंत्रालय Ministry of Skill Development and Entrepreneurship मारव सरकर, नई विली-12/Got. of Inda, New Deili-12 STEATER SIANDICON OF THE STEAT OF THE STEAT

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
1	II	III	IV	V	VI
2.	Nibedita Private ITI Murshidabad Bagmara, D- Parashpur, Jalangi, Murshidabad -742305 West Bengal TMP19319PR1711011461 New ITI	 Fitter - 4(2+2) Electrician - 4(2+2) Mechanic Diesel - 2(1+1) Computer Operator and Programming Assistant (COPA) - 2(1+1) 	,	name trust: 64.25 KVA 2nd on the name of Nevidita Polytechnic college: 7.06 KVA 2. Staff qualification and experience	deficiencies as mentioned in column IV and V, and submit the required documents within 30 days from the date of issue of this minute in Compliance module on NIMI affiliation portal and inform RDSDE

प्रणावल बिस्वास / UJJWAL BISWAS निवेशक / Director प्रशिक्षण महानिदेशालय/Directorate General of Training कौशलः विकास एवं ज्यानशीलाता पंजालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली-12/Govt. of India, New Delin-12

अमृत पाल सिंह, आई एस डी एस. AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS प्रशास किंद्रपत Judies breaker प्रशास किंद्रपत Judies breaker कींग्रस किंद्रपत Judies Judies breaker कींग्रस किंद्रपत Judies Judies breaker

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
-	II	III	IV	V	VI
		8			RDSDE will then submit the report to DGT with recommendations within the next 15 days in the Compliance module on the NIMI affiliation portal.
3.	Panskura Aalo Private ITI Medinipur East Vill+P.O- Brindabanchak, P.S- Panskura, Dist- Purba Medinipur, Pin- 721641 Medinipur Eastwest Bengal TMP19317PR1711344435 New ITI	1. Fitter - 3(1+1+1) 2. Electrician - 3(1+1+1) 3. Health Sanitary Inspector - 3(1+1+1) 4. Driver cum Mechanic - 3(1+1+1)	Agree recommended	1. Fire Safety Certificate not available	ITI needs to remove the

उण्जावल बिस्दास/USWAL BISWAS निवेशक / Director प्रशिक्षण महानिशालय/Directorate General of Training कौशल विकास एवं उद्यामशीलता मञ्जालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई विल्ली—12/Govt. of India, New Delhi-12

अमृत पाल सिंह, आई एस डी एस । AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS प्रमुक्त निदेशक Joint Director प्रोह्मण महिन्देशका Joint General of Training प्रोह्मण महिन्देशका जो र उद्योग प्राप्त ने आहार कीशल विकास और उद्योग मिल्ला की का स्वाप्त स्वाप्त अपने अस्ति हैं। आहं सरकार, गई दिल्ली/Govl. of Irola, New Delhi

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 16 th SCAA
1	ll.	III	IV	V	VI
4.	Arambagh Pvt. ITI Ward No-15, (Opp. Doulatpur Ration Shop), Arambagh Road, HOOGHLY - 712601 WEST BENGAL MIS Code: PU19000089 Grading: 4.50 Existing ITI	Electrician - 2(1+1)	Agree Recommended	Fire Safety Certificate not available	ITI needs to remove the following deficiency and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal. 1. Fire Safety Certificate not available Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through Compliance module on NIMI affiliation portal.

उज्यावल बिस्ट्राम् JUWAL BISWAS

ानवश्क / Director प्रिक्षण गहनिरसाला/Directorate General of Training कौशक गिकास एवं उद्यागनीलका नंत्रालय Ministry of Skill Development and Entrapreneurship भारत संस्कर, नई पिली-12/Govt. of India, New Delbi-12 अमृत पाल सिंह, आई एस डी एस. AMRIT PAL SINGH, ISDS संग्रुपत नियंशक/Joint Director परिधान महानियंशका/Decision General of Toking कांशल विकास और उद्योगित नियालय Ministry of Skill Development and Enterpretainship मारत सरकार, नई Reelt/Govt. of India, New Debi (Annexure as referred in Agenda 3- Reports received in compliance of SCAA remarks of previous SCAA meetings)

Name of State: Andhra Pradesh

S. No.	. I i i i i i i i i i i i i i i i i i i		Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
I	П	Ш	IV.	v	VI
1	Rajanna ITI; Near Check Post, Ravipadu Village; Narsaraopet Mandal; Guntur District; Andhra Pradesh – 522603 TMPSP085	 Electrician – 8 (4+4) Fitter – 4 (2+2) Mechanic Diesel – 2 (1+1) Draughtsman (Civil) – 2 (1+1) Computer Operator and Programming Assistant (COPA) - 2 (1+1) 	12th SCAA remarks ITI has to remove deficiencies as mentioned in column V and VI and submit the documents fulfilling four trade criteria on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, concerned State Directorate and RDSDE will conduct joint re-inspection of the ITI and submit the		SCAA observed that ITI was given an opportunity in 12th SCAA to remove the deficiency however as indicated in column V, ITI is unable to remove the deficiencies SCAA decided to give one last and final opportunity to remove the deficiencies mentioned in column V and submit the required documents within 15 days from the date of issue of this minute in Compliance module on NIMI affiliation portal.

प्रिज्ञां विस्तास/UJANA BISWAS
निपेशक / Director
प्रशिक्षण महनिदेशालय/Directorato Ceneral of Training कीशाल विकास एवं उद्यानशीलका मञ्जालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई विल्ली-12/Gow. of India. New Delhi-12

अमृत पाल सिंह, लाई एस की एस. AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS पंडाबत निदेशका/Joint Director पंडाबत निदेशका/Joint Director पंडाबत किरोज और जार किरानिया निज्ञालय श्रीवाल निकास और जार किरानिया निज्ञालय Ministry of Skill Develoy ment and Europeanaurship प्राप्त सरकार, गई किली/Gov. of India, New Delhi

Page 61 of 225

S. No.	lo. details sought				Remarks of 16 th SCAA	
1	11	III	IV	v	VI	
		- Partie Hill Hale D	report to the DGT within the next 15 days.	and discrepancy may be removed. 4. The required electrical power for four trades & base units, Electrician-02 units (5.2kW), Fitter-02 units (3.51x2=7.02kW), COPA- 01 unit (3.45kW) and Draughtsman Civil01 unit (5kW) together the total electrical load is 20.67kW and the connected load is 31kW. The ITI management has provided the required documents, hence discrepancy may be removed. 5. The Rajanna Pvt ITI, Ravipadu, Palnadu has not removed the deficiencies for recommending the 4th trade 4th trade Draughtsman (Civil) — 02 (01+01) the deficiency		
	u e h	निवेशक / Director भिक्ता अस्तिनेतालाः Diboto ate Ceneral होशाल विकास एवं उधान अञ्चल finistry of Skill Development and Enter tinistry of Skill Development and Enter मारत सरकार, न्हें हेल्ली–12/Gov. of puba. t	a start NIP	AI AI	त्र पाल सिंह, आई तर्ग डी उर्ज स्त्र पाल सिंह, SINGH. ISDS MRIT PAL SING Direct Page 62 of 22 MRIT PAL SING Direct Page 62 of 22 स्त्र पाल महामेशाल्य Directorale General of Half पाल सिंहिए के स्त्र अपने Entrepreneurship	

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
I	II	Ш	IV	v	VI
				tool machinery equipment is indicated in report 6. The Rajanna Pvt ITI, Ravipadu, Palnadu district has submitted the proof for appointing instructional staff (One TO another ATO) for Draughtsman Civil trade and none of them possesses CITS qualification. The documents are herewith attached as enclosure-VI (10 pages). Standard size of sign board has not been provided in the building 7. As the Rajanna Pvt ITI, Ravipadu, Palnadu district has not removed the deficiencies mentioned at point no. 1 (NALA) and point no. 5 (Draughtsman Civil trade) of the MoM of 12th SCAA, the joint re-inspection	Air

उप्जवल बिस्वास/UJIWAL BISWAS
निदेशक / Director
प्रिक्षण महनिदेशालग/Directorate General of Training
कौशल विकास एवं उद्यानशीलना मञ्जलय
Ministry of Skill Development and Entrepreneurship
मारत बरकार, नई दिल्ली-12/Goxt, of India. New Cashi-12

अमृत पाल सिंह आई एस आ स्मा अमृत पाल सिंह आ दिन, ISOS AMRIT PAL SINGH, ISOS संयुक्त निवेशक/Joint Director पश्चिम महानिव्यालग् Directorate General of IraPage 63 of 225 पश्चिम पहानिव्यालग् Directorate General of IraPage 63 of 225 पश्चिम पहानिव्यालग् और जहानित्य नजालम् को बाल विकास और जहानित्य नजालम् Ministry of Skill Development and Entrepreseurship मारत सरकार, नई दिल्ला/Govt. of India, New Delhi मारत सरकार, नई दिल्ला/Govt. of India, New Delhi

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1	11	III	IV	V	VI
				committee is NOT recommending the 4th trade to award of affiliation to ITI.	
		*	5	TC Section Remarks 1. BCC is still not as per norms 2. The 4 th trade Draughtsman Civil deficiency not removed by the ITI and inspecting member have not recommended this trade hence ITI is not fulfilling four trade criteria for opening new ITIs	
				The ITI management is not provided the NALA certificate	
				Standard size of sign board has not provided in the building	
2	Vani Pvt. ITI,	1. Electrician – 4 (2+2)	14 th SCAA Remarks	State Directorate has submitted the BCC document submitted by ITI which issued by deputy	SCAA recommended the following trades:

उज्जवल बिस्वास/UJJWAL BISWAS निवेशक / Director प्रशिक्षण गहानेरेगालय/Directorate Gomenal of Training कौशाल विकास एवं उद्यानसीलका मंत्रालय Ministry of Skil! Development and Entrepreneurship भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

अमृत पाल सिंह, आहं एस. AMRIT PAL SINGH, ISDS संग्रक्त निवेशालग/Directorate General of Training कोशल विकास और उपाणिता मंत्रालय Ministry of Skill Development and Entrepresurship भारत सरकार, नई बिल्ही/Govl. of India, New Delhi

Page 64 of 225

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1	II	III	IV	v	VI
	Nagaram -Mandal, Guntur District - 522268 MIS Code: TMPP2005	 Fitter – 4 (2+2) COPA – 2 (1+1) Sewing Technology - 2(1+1) 	ITI needs to submit a fresh BCC, from the competent authority as given in Agenda 4 of this MoM and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, concerned State Directorate to verify the documents submitted by the ITI and send the recommendation to DGT within the next 15 days on the online compliance module.	Andhra Pradesh which as per norms dated 02.04.2024	 Electrician - 4(2+2) Fitter - 4(2+2) COPA - 2(1+1) Sewing Technology - 2(1+1)
	\wedge			Air	

उपपादल विस्वास/UJJWAL BISWAS निवेशक / Director प्रशिक्षण गलिनेदेशालय/Directorate General of Training कोशाल विकास एवं उद्यमगीलता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई विली-12/Govt. of India, New Dethi-12

Name of State: Assam

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1	II	III	IV ,	V	VI
4/Direct	Samaguri Nagaon Pvt. ITI, Assam Vill Rangapara, Behind Suraksha Cement Factory P.O Rangapara P.S Samaguri Distt- Nagaon - 782140 MIS Code: TMP18297PR1648017 143	 Electrician 2(1+1+0) Fitter 4(2+2+0) Plumber 2(1+1+0) Stenographer Secretarial Assistant (English) 2(1+1+0) 	The matter was discussed in SCAA and following deficiencies observed: The lease agreement is going to expire on 14.10.2023, ITI is informed to submit the renewed lease agreement and submit the detail to State Directorate within 07 days from issue of this MoM. State Directorate will submit the signed & stamped report to DGT within 07 days.		SCAA observed that the land lease details provided by the ITI is not in name of Samaguri ITI During meeting State Directorate informed that Samaguri Nagaor Pvt. ITI is in agreement under PPF mode with DET Assam. Hence, SCAA granted one last and final opportunity to submit the valid land lease within 15 days from the date of issue of this minute in Compliance module on NIMI affiliation portal Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through Compliance module on NIMI affiliation portal.

प्रजावल

परिश्वाक / Director
परिश्वाण मसनिक्तालय/Directorate General of Transley
कोशाल किलान एवं उत्पारकार मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत संख्वार, नई दिल्ली—1 2/Govt. of India, New Delhi-12

Page 66 of 225

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1	II	III	IV	V	VI
		2	After receipt of report from State Directorate, case will be placed in the next SCAA.		If ITI fails to do so then this application shall be rejected.
			11th SCAA SCAA observed that State Directorate has not submitted active lease agreement. Therefore, State Directorate needs to submit the active lease		
	^		agreement within 15 days from date of issue of this MoM After receiving the same, case will be reconsidered in next SCAA.	Air a.	

उज्जवल बिस्वास/UJJWAL BISWAS নিব্যাক / Director प्रशिक्षण महानिवेशाल्ग/Directorate General of Training কীशত विकास एवं उद्यागती जना मंत्रालय Ministry of Skill Development and Entrepreneurship भारत হার্ডার, गई दिली-12 Govt of Inda, New Delhi-12

Name of State: Gujarat

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
1	II	m	IV	V	VI
1	Industrial Training Institute, Chikhli (Government) Govt. ITI, Chikhli Office Of The Principal, Khundh, Vansada Road Near Adarsh Nivasee School, Chikhli, Gujarat - 396521 MIS Code: GR24000425 Grading: 8.40		SCAA observed that Shortage of Electricity load/power for the recommended unit and existing units. (Required 103.2 KW, Available=75 KW) ITI needs to remove the above-mentioned deficiency and submit required documents to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes.	and provided the details of trade units running in ITI according to which total load required is 69.81 KW and available with the institute 75.00 KW	trade/units mapped on NCVT MIS Portal Hence, state directorate required to reverify the trades/units mapping on NCVT

प्रणावल बिस्वास/UJJWA BISWAS
विदेशक / Director
प्रशिक्षण गतिनेदेशक्य / Director
प्रशिक्षण गतिनेदेशक्य एवं उद्यानशीलाक्य चलाले कीश्याल पिकारस एवं उद्यानशीलाक्य चलालेय Ministry of Skill Development and Entrepreneurship भारत गरकार, नृहं विल्ली-12/Gov. of India, New Delhi-12 अमृत पाल सिंह, आई एस.के.एस. AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS संग्रहम निवेशक Joint Director सीयल निवेशक Joint Director सीयल कियाल अस्ट कर्म क्षित्र महाने सीयल कियाल अस्ट कर्म क्षेत्र महाने Ministry of Skill Development on Entry Laneurship मात संस्कार, नई दिल्ली/Govt. of India, New Delhi

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1	II	III	IV	V	VI
			Further, concerned State Directorate to verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.	3	
2	Sheth Shri R.V.Raval Private ITI, Gia Gozaria (Gra At.Po-Gozaria, Ta.Di- Mahesana-384470, Gujarat MIS Code: PR24000508 Grading: 7.20	Solar Technician (Electrical) - 2(1+1)	14th SCAA remarks SCAA observed following deficiencies: 1. Shortage of Electricity load/power for the recommended unit and existing units. (Required 80.1KW, Available=44 KW) 2. BCC submitted is not as per norms, 4	Electricity bill ITI (MIS Code PR24000508) has 44 kw load as per norms. ITI (MIS Code PR24005515) in same campus but separate bill having 10 KW load. State Remarks The Institute has submitted following documents. 1. Electricity load/power bill for the	SCAA observed on NCVT MIS Portal for each trade 02 Units mapped in 1st shift because of this power requirement is doubled Hence, ITI needs to give undertaking regarding the affiliated units, mapping on NCVTMIS portal and submit to the state directorate within 30 days in compliance module of NIMI affiliation portal. Further, if any correction is required to carried out in

निवेशक / Director प्रोत्राम पहानिकालय, Directorie General of The कीशल विकास एवं उध्यमकीकता मंत्रालय Ministry of Skill Development and Entrepreneurship पारत सरकर, नई दिल्हीं-12/Govt. of India, New Deibi-12

STEET TEN SINGH. SOS

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1	П	III	IV	V	VI
			ITI is required to submit the BCC as per Agenda 4 of this Minutes. ITI needs to remove above mentioned deficiencies and submit required documents to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned State Directorate to verify the documents submitted by the ITI and submit the report to DGT within the	PR24000508 having 44 KW power load. And required power load as per NCVT MIS Portal Trade/units total required load 41.55 and available 44power load. (Two separate ITI bills are attached). 2. BCC submitted as per norms with sign and stamp of Government approve Structural designer having AUDA license number/certificate is as per norms hence recommended for w.e.f Aug.2024 session.	NCVTMIS portal then clear recommendation for such trade units should be forwarded to by State Director

प्रणावल विद्यास/UJJWAL BISWAS
निवंशक / Director
परिक्रण गडिनेक्शलगडिकटारक Ceneral of Training
कीशक विकास एक उत्पाद शिल्मक जिल्लाम Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिस्सी-12/Got of India, New Delhi-12 MINITY OF SWITCH OF THE STATE OF THE SWITCH OF THE SWITCH

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1	II	Ш	IV	V	VI
	•		next 15 days on the online compliance module.	TC section remarks On NCVT Mis portal for each trade 02 Units mapped in 1st shift because of this power requirements are doubled	
3	Smt.B.H.Shah (Karjanwala) I.T.I.(P) College Campus, Nh 8,Po- Kamrej Char Rasta Surat- 394185 MIS Code: PR24000805 Grading: 7.60	Solar Technician (Electrical) - 1(0+1)	14th SCAA remarks ITI needs to submit the following details to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of these Minutes: (i) BCC as per agenda 4 of this MOM.	State has submitted compliance report and which following point mentioned 1. ITI has submitted BCC issued by pvt. Structural engineer whose license is expired 2. ITI submitted clarification of the run 2nd unit without base	remove the deficiencies of BCC. Hence, SCAA granted one last and final opportunity to submit BCC, as per norms (Please refer page no.108 of affiliation norms 2018) on the Compliance module on NIMI affiliation portal

उज्जावल बिस्वास/UJJWAL by VAS निदेशक / Director प्रशिक्षण महानिदेशालय/Directorate General of Training कौशल विकास एवं उद्दागरी लिला मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिली-12/Govi. of India, New Delhi-12

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1	11	III	IV	V	VI
			(ii) Clarification of the 2nd unit without the base unit (1st unit). Further, the concerned State Directorate to verify the documents, provide comments on the 2nd unit without the base unit, and submit the report on the online compliance module to DGT within the next 15 days on the online compliance module.	unit is also attached here with. hence recommended w.e.f. 2024.	the next 15 days through an online compliance module.
4	ITI, Kheda ITI, Kheda, Kheda Camp, Near Dysp Bunglow, Besides Police Training Camp, P.O.Ratanpur, Ta.Dist.Kheda-387411	3. Computer	14 th SCAA remarks ITI needs to remove the deficiency of remaining tools equipment and	submitted following	

ত্ততাবল বিংবাস / UJJWAL BSWAS
নিবহাক / Director
पशिकाण महानिवंशाल / Director বিকাশ পর জন্ম শীলেনা মান্স বি
Ministry of Skill Development and Entrepreneur by
भारत সংকাर, নই মিন্সী-12/Govt. of India, New Delhi-12

अपूर्ण पार्टी सिंह, आई.प्रसं हिन्ही AMRIT PAL SINGH, ISDS संस्थान किर्याम Joint Distriction प्रमाण किर्याम Joint Distriction of the state किर्याम किर्याम अप्रतास कर प्रमाण किर्याम किर्मान क

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
I	II	Ш	IV	V	VI
	TMP24450GR168 1716509	Assistant (COPA) - 2(1+1) 4. Wireman - 3(2+1)	submit the documents, ensuring the 100% tool equipment availability, on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, the concerned State Directorate to verify the availability and installation of machinery and send the recommendations to DGT within the next 15 days on the online compliance	them 1 instructor have NCIC RPL exam passed certificate and 1 instructor have NCVT certificate year-1994.	 Computer Operator and Programming Assistant (COPA) - 2(1+1) Wireman - 2(1+1)

उठ्जंवल बिस्वास/UJJWAL BISWAS
निवेशक / Director
पशिक्षण महानिवेशालय/Directorate General of Training
की शारत विकास एवं उद्यानशीरता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत शहबर, गई हिल्ली—12/Govt of India, New Delhi-12

Page **73** of **225**

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1	II	III	IV	v	VI
5	Cenka Samaj Kalyan Sanstha Rajashree Pvt ITI MIS Code: PR24008175 Grading: 4.90	and Programming Assistant (COPA) - 2 (1+1)	15th SCAA Remarks ITI needs to submit BCC, as per norms on the Compliance module on NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, the concerned State Directorate to verify the BCC submitted by the ITI and send the recommendations to DGT within the next 15 days through an online compliance module.	ITI Summitted BCC is as per Norms with Duly Signed by Deputy Executive Engineer R & B Subdivision Bharuch so State Directorate Recommended w.e.f 2024.	SCAA recommended: Computer Operator and Programming Assistant (COPA) - 2 (1+1
	Charotar Gas Private ITI MIS Code: PU24008073	Solar Technician	15th SCAA Remarks	Now Concern ITI : appointed Solar t	SCAA recommended following trades:

उज्जवल बिस्वास/UJJWAL BISWAS
प्रतिकार / Director
प्रतिकार पर अस्मानीकान महान्य
Ministry of Skill Development and Entrapreneurahip
भारत सरकार, नई दिली-12/Cox, of india, New Dalli-12

Page 74 of 225

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
ı	II	III	IV	V	VI
	Grading: 5.70	2. Basic Cosmetology- 1(1+0)	ITI needs to appoint instructors for both trades and send the supporting documents to the concerned State Directorate through Compliance module on NIMI affiliation portal within 30 days from the issue of minutes. Thereafter, the State Directorate will verify the documents and send the same to DGT within the next 15 days through Compliance module on NIMI affiliation portal.	per NCVT Affiliation Norms 2018 hence State Directorate Recommended w.e.f 2024.	1. Solar Technician (Electrical)-2 (1+1) 2. Cosmetology-1(1+0)

उण्जावल बिस्तास/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण पहिनेदेशालय/Directorate General of Training कौशता विकास एवं उद्यमशीलता मंत्रालय Ministry of Skill Development and Entreprensurship भारत सरकार, नई विली-12/Gov. of India, New Delhi-12

Page **75** of **225**

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1	11	III	IV	V	VI
7	Nachiketa Institute of Medical Science, Near Radhanpur palanpur road bhabhar cross road thara at & post thara ta kankrej dist banaskantha-385560 MIS Code: TMP24441PR1680948260	1. Health Sanitary Inspector - 2(1+1) 2. Old Age Care - 2(1+1) 3. Radiology Technician - 2(1+1). 4. Hospital Housekeeping - 2(1+1)	15th SCAA Remarks ITI needs to remove the following deficiencies and submit the supporting documents to the concerned State Directorate through Compliance module on NIMI affiliation portal within 30 days from the date of issue of minutes. 1. Total land area not as per norms. Available:	ITI has submitted building plan in that it is mentioned 3822 SQ MTR area is on First floor 473 SQ MTR area Is on ground floor office & staff room is on ground floor total build up area 4295.00 SQ MTR TC Section remarks 1. As per the Affiliation norms of 2018, new ITIs could be opened with a minimum of 4 trades only, with a dedicated plot and land area	and final opportunity to remove all the deficiencies within 15 days from the date of issue of this minute in Compliance module on NIMI affiliation portal Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT
			3822 Sqm, required 4291 Sqm. 2. Drawing hall available but	requirements as follows: I. ITI with a maximum of 4 trades and a maximum of up	Air -

उज्जावल बिस्वास/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण गवनिवेशालग/Directorale General of Training
प्रमेशल निकार एवं जहामशीनला मंत्रालय
Ministry of Skill Development and Entrapementship
भारत सरकार, नई दिल्ली-12/GovL of India, New Dails-12

अनुत पाल सिंग अपने प्रति । अपने अस्य । अस्य

S. ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1 11	III	IV	V	VI
		drawing table not available. 3. The IT lab is the same for both school and ITI. 4. Electricity bill is combined for both school and ITI. 5. Machinery bills partially available, same vendor name on all the bills. Thereafter, the State Directorate will verify the documents and send the same to DGT within the next 15 days through	require 4291.4 sq. meters,	

उज्जवलं बिस्वास/UJJWAL BIGWAS निवेशक / Director प्रशिक्षण महानिदेशालय/Directorate General of Tohnin कोशका विकास एवं उद्यानशीलका संज्ञालय Ministry of Skill Development and Entrepreneurahip भारत सरकार, नई विदली-। 2/Govl. of India, New Delit-12 अन्त पाल सिंह अस्ति । SDS AVARIT PAL SH SH, ISDS संयुक्त निदेशक / John Director संयुक्त निदेशक / John Director कोशल विकास और अस्ति । पंजालय कोशल विकास और अस्ति । पंजालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई विल्लो/Gowl, of India, New Delhi

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
ı	II	III	IV	V	VI
0	David Division in the second		Compliance module on NIMI affiliation portal .		
8	Paras Private ITI Sabarkantha At.Po. Lambadiya, Ta.Poshina, Dist. Sabarkantha- 383270 MIS Code: TMP24458PR1680597193	 Health Sanitary Inspector - 2(1+1) Computer Operator and Programming Assistant (COPA) - 2(1+1) Sewing Technology - 2(1+1) Basic Cosmetology - 2(1+1) 	ITI needs to remove the following deficiency and submit the supporting documents to the concerned State Directorate through Compliance module on NIMI affiliation portal within 30 days from the date of issue of minutes. 1. Drawing board not available. 2. BCC not signed by	1. Building Plan Duly Signed by Add.Assistant Engineer Taluka Panchayat pohina is as per Norms. 2. BCC is Duly Signed by Add.Assistant Engineer Taluka Panchyat Poshina is as per Norms 3. Instructor Now appointed and as soon as CITS exam is announced the needy	SCAA recommended following trades: 1. Health Sanitary Inspector - 2(1+1) 2. Computer Operator and Programming Assistant (COPA) - 2(1+1) 3. Sewing Technology - 2(1+1) 4. Cosmetology - 2(1+1)

उज्जवल बिस्तास/UJJWAL BISWAS निवेशक / Director प्रशिक्षण महानिदेशालय/Directorate General of Training कौशाल विकास एवं उद्यस्थीलना भंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली-12/Govt. of India, New Deshi-12

शानु भार स्थित अपन प्रस्ति । SDS
AMRIT PAL SINGH, ISDS
सम्मद्धा निवेदाका / Joint Director
प्रिक्षण गर्दा निवेदाका / Joint Director
प्राधान निवेदाका / Joint Director
प्राधान निवेदाका अपन सम्मद्धा अपन निवेदाका अपन स्थापन निवेदाका अपन स्थापन निवेदाका अपन स्थापन स्यापन स्थापन स

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
I	II	- 111	IV	V	VI
			competent authority. 3. Building plan not approved by Govt. Authorized planner. 4. Adequate trainers not appointed yet. Thereafter, the State Directorate will verify the documents and send the same to DGT within the next 15 days through Compliance module on NIMI affiliation portal	will be send to take them 4. Now Drawing board is available at ITI as per Norms. State remarks ITI remove the all Deficiencies and submitted copy on portal state directorate Recommended w.e.f 2024.	
9	Industrial Training Institute Jetpur	 Fitter -3(1+2) Electrician - (1+2) Wireman -3(1+2) 	15th SCAA Remarks	State remarks Govt ITI removed all deficiencies and	SCAA recommended following trades:
प्रशिक्षणं च की संस्त	लि विस्वास/UJJWAL BISWAS निवंशक / Director होनेदेशलः/Directorate General of Training विकास एव उद्यमगीलाता मंत्रालय I Skill Development and Entrepreneurship र नई विलोग 12/Gov. of India, New Delhi-12	<i>(</i> ,	अमृत पान ALS AMERIT PALS AMERITARIAN Direct कीवाम महीनेहरावा Direct कीवाम महीनेहरावा Direct कीवाम श्री केहरावा भीतावाभ of Skill Develop	SINGH. ISO JOINT DIRECTOR JOINT DIRECTOR JOINT DIRECTOR THAT THE THE PARENTS IN T	Page 79 of 225

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1	II	Ш	IV	v	VI
	At Po Ta Pavi Jetpur Dist Chhotaudepur- MIS Code: TMP24668GR1681557768	 Mechanic Diesel 3(1+2) Welder -3(1+2) Copa - 4(2+2) Sewing Technology - 2(1+1) 	ITI needs to remove the following deficiencies and submit the supporting documents to the concerned State Directorate through Compliance module on NIMI affiliation portal within 30 days from the date of issue of minutes. 1. Power is not	has applied for load enhancement by consumer no 120220026660 and application number 472468 from 50 KW to 80 KW. Tables are available in the drawing hall as per norms.	 Fitter -2(1+1) Electrician - 2(1+1) Wireman -2(1+1) Mechanic Diesel - 2(1+1) Welder -2(1+1) COPA - 4 (2+2) Sewing Technology - 2 (1+1)
			sufficient. Available load 50 KW Required: 79.82 KW. 2. Drawing hall available but drawing table	All deficiency is removing by Concern ITI and State Directorate Recommended w.e.f. 2024 the following trades: 1. Fitter -2(1+1) 2. Electrician - 2(1+1) 3. Wireman -2(1+1)	क रास

उज्जावल बिस्वास/UJJWAL BISWAS
निवेशक / Durector
प्रशिक्षण गहानिवेशालय/Directorate Garrial of Training
कींगांडी प्रवेश एक उद्ध्यात्मा मानाविध्य
भारत संस्कार, गृह दिली—12/GoV. of Insia, New Duth-12

STETET PARTY AND THE TOP OF THE T

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1	II	III	IV	V	VI
			recommended are not mentioned in	 Mechanic Diesel – 2(1+1) Welder -2(1+1) COPA – 4 (2+2) Sewing Technology – 2 (1+1) 	

उपजेवल विस्वास / UJJWAL BISWAT प्रिक्षण महानिदेशक / Director प्रिक्षण महानिदेशक / Directorate General of Training की बार एक जिल्ला में अल्या मिला में अल्या मिला में अल्या भी किया एवं उद्यानमी लेता में अल्या भी मिला में अल्या भी किया है है किया है है किया है है किया है

Page 81 of 225

Name of State: Haryana

S. ITI Name and No. details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1 11	111	IV	v	VI
Maharishi Markandeshwar Pvt. I.T.I. MIS Code: PR06000228 Grading: 5.20	 Basic Cosmetology - 2 (1+1) Food and Beverage Service Assistant -2 (1+1) 	ITI has to remove deficiencies as mentioned in column V and VI (i. Drawing tables are not proper. ii. Only one trainer is CITS certified. iii. BCC is issued by Sarpanch and Tehsildar. iv. No facilities for PwDs. v. Total load requirement is 22.71KW, total available load is	1. ITI has submitted Electricity bill with sanctioned load 23.50 KW 2. Provided the instructor qualification 3. BCC issued by Architect is provided 4. Photos of drawing hall is attached STATE Remark: Documents uploaded by the concerned ITI have been checked and found inline. Re- inspection may be scheduled for checking the compliance. TC section remarks BCC is not as per norms	SCAA observed that ITI did

उण्जेवल बिस्वास/UJAW BISWAS निवेशक / Director प्रशिक्षण महानिवेशकाल/Directorate Contrait of Training कौशक विकास एवं उद्यमशीलना मजल्य Ministry of Skill Development and Entropreneurship भारत सरकार, गई निल्हों-12/God, of India, New Delhi-12

Page 82 of 225

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
ı	Ш	III	IV	V	VI
			applied for additional 9.5 KW, but that will also be insufficient to run trades Basic Cosmetology and Food and Beverage Service Assistant. and submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM.)		
			Further, concerned State Directorate will verify the documents submitted by the ITI and send the recommendation to the DGT within the next 15		

उज्जवल बिस्तास/UJJWAL WAS. निदेशक / Director प्रशिक्षण महानिदेशालय/Directorate General of Training वैभेयाल विकास एवं उद्यानशीलना मञ्जालय Ministry of Skill Development and Entrepreneurship भारत करकार, नइ दिल्ली-12/Goxt of India, New Delhi-12 STEET THE STEET SOS

STEET THE PAL SINGH, ISOS

AMRIT PAL Join Directoring

AMRIT PAL Join Directoring

THE STEET AND PROPERTY FREED

WHEN THE PARTY OF THE PROPERTY FREED

WHINISTY OF SWILL DEVELOPMENT AND ENDING

WHINISTY OF SWILL DEVELOPM

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1	II	III	IV	V	VI
			days through online compliance portal.	J	

उज्जवल विस्वास/UJJWAL BISWAS
নিৱসক / Director
पश्चिमण महानिदेशालय/Directorate General of Training
कोशाल विकास एवं उदासभी करना मंजान्य
Ministry of Skill Development and Entrapreneurship
पास गरकार, गई बिली-12/Govl of coda, New Deth-12

Name of the State: Himachal Pradesh

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1	П	Ш	IV	V	VI
1	Green View Private ITI Kangra Village Bundla, P.O. Nachhier, Tehsil Palampur, District Kangra, H.P 176061 MIS Code: TMP218PR1680416463	 Electrician - 2(1+1) Fitter- 2(1+1) Solar Technician (Electrical) - 2(1+1) Fashion Design and Technology - 2(1+1) 	15th SCAA ITI needs to remove the following deficiency and submit the document to the concerned State Directorate within 30 days from the date of issue of this MoM through Compliance module on NIMI affiliation portal. 1. Electricity bill not attached. 2. PWD Ramp is required as per norms. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through Compliance module on NIMI affiliation portal.	1. ITI has submitted Electricity bill with name on ITI with sanctioned load 31 KVA 2. Ramp photograph is provided counter signed by Tehsildar STATE Remark: Recommended.	SCAA recommends following trade: 1. Electrician - 2(1+1) 2. Fitter- 2(1+1) 3. Solar Technician (Electrical) - 2(1+1) 4. Fashion Design and Technology - 2(1+1)

निदेशक / Director
प्रिक्षण पढ़िनेशालगं/Directors General of Training
कौशल विकास एवं चडामशीलना मंत्रालय Ministry of Skill Development and Entrepreneurship
पार्व ग्रह्मार, नई देखी-। 2/Gov. of India, New Delhi-12 अमृत पाल किल्ला अपिता अपूर्व अपूर अपूर्व अपूर्व अपूर्व अपूर्व अपूर्व अपूर्व अपूर्व अपूर्व अपूर्व अप

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
2.	II Maa Santoshi Private	III	IV	V	VI
	Maa Santoshi Private Industrial Training Institute Luharwin, Tehsil Ghumarwin BILASPUR-174021 MIS Code: PR02000070 Grading - 7.7	Electrician 3(1+1+1)	SCAA observed that Signature of SCVT member is not visible on the documents submitted and dimensions of Drawing hall not visible in the documents submitted. Concerned State Directorate to resubmit the documents rectifying above mentioned deficiencies within 15 days from date of issue of this MoM.	State Directorate sent the compliance report dated 03.04.2024 and mentioned that 1. Institute has submitted report duly sign by state member 2. Submitted a approved layout plan verified by the state representative wherein the drawing hall area is 61.51 sqm	SCAA Recommended: Electrician 2(1+1+0) As per the DGT order dated 09.01.2023, the 3rd shift is only recommended in DST mode. Hence for 3rd shift ITI will have to sign the DST MOU and submit the recommendation through SSDEC.

जिस्वास / UJJWAL BISWAS
निवेशक / Director
प्रिक्षण महिनेशालय/Directorate General of raining
कौशल महिनेशालय/Directorate General of raining
कौशल विकास एवं उद्यानशीलना महालय
Ministry of Skill Development and Entrepreneurship
गारत उरकार, नई विल्ली-12/Govl. of India, New Delhi-12

Name of State: Jharkhand

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1	II	III	IV	V	VI
1	Om Prakash Jindal Community College Pvt ITI, Patratu Ramgarh 47p, Industrial Area, Patratu, Po- Soliya, Ps-Patratu, District - Ramgarh, State - Jharkhand - 829119 MIS Code: PR20000057 Grading: 7.70		SCAA observed that BCC is not proper. ITI need to re-submit the BCC to concerned State Directorate as per Agenda 4 of this Minutes on the online compliance module within 1 month from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to the DGT within the next 15 days.	is issued by Karpalak Abhiyanta , PWD	SCAA recommended: Mechanic Diesel – 2 (1+1+0)

उज्जावल बिस्वास/UJJWAL BISWAS निदेशक / Director प्रशिक्षण महानिदेशालय/Directorate General of Training कीशल विकास एवं उद्यमशीलना मंत्रालय Ministry of Skill Development and Entrepreneurship पारत सरकर, नई दिल्ली-12/Govt. of India, New Delhi-12

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
2	Narayan Private ITI Saraikela Kharsawan Nh- 32, Lupungdih, Chandil, Po-Tankocha, Ps-Nimdih Dist-Seraikella Kharswan Pin-832401 MIS Code: PR20000199 Grading: 5.9	 Computer Operator and Programming Assistant (COPA) - 2 (1+1) Electrician - 4 (2+2) Electronics Mechanic - 2 (1+1) Fitter - 4 (2+2) Sewing Technology - 2 (1+1) Surveyor - 2 (1+1) 	SCAA observed that BCC is not proper. BCC to be as per Agenda 4 of this Minutes. 1. Details of CITS instructor not provided. 2. ITI needs to rectify above mentioned deficiencies, and submit the documents through concerned State Directorate on the online compliance module within 1 month from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to the DGT within the next 15 days.	BCC issued by executive engineer building division seraikella	SCAA Recommended following trades: 1. Computer Operator and Programming Assistant (COPA) – 2 (1+1) 2. Electrician – 4 (2+2) 3. Electronics Mechanic – 2 (1+1) 4. Fitter – 4 (2+2) 5. Sewing Technology – 2 (1+1) 6. Surveyor – 2 (1+1)

अज्जवल बिस्वास/UJJWAL BISWAS निदेशक / Director प्रिकाण महिनिदेशाल्य/Directorain General of Training कोशक विकास एवं ज्यामणीलतः गल्लालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिली-12/Govt, of India, New Delhi-12



S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
3	TSSDS Private ITI MIS Code: PR20000182 Grading: 8.70	1. Fitter - 2(1+1) 2. Electrician - 2(1+1)	15th SCAA remarks ITI needs to submit BCC, as per norms within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal. Further, the concerned State Directorate to verify the BCC submitted by the ITI and send the recommendations to DGT within the next 15 days through an Compliance module on NIMI affiliation portal.	ITI has submitted the BCC document through state Directorate which is counter Signed by Assistant Engineer DRDA	SCAA recommended following trades: 1. Fitter - 2(1+1) 2. Electrician 2(1+1)
4	Vikram Private ITI MIS Code: PR20000240 Grading: 6.80	1. Surveyor - 2(1+1) 2Mechanic Diesel - 2(1+1) 3Electrician - 4(2+2)	15th SCAA Remarks` ITI needs to remove the following deficiency and submit the supporting documents to the concerned State Directorate through Compliance module on NIMI affiliation portal within 30 days from the date of issue of minutes.	Joint Inspection conduct on 22.05.2024 by RDSDE and state representative and the following remarks are given: 1. BCC issued by karyapalak abhiyanta PWD 2. All machines bill and payments are	SCAA recommended following trades: 1. Surveyor - 2(1+1) 2. Mechanic Diesel - 2(1+1) 3. Electrician - 4(2+2)

उज्जवल बिस्वास/UVIVIVISWAS निवेशक / Director प्रतिक्षण महनिदेशालय/Directorale General of Training कोशाल विकास एवं उद्यानशीलता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत संदेशक, गई दिल्ली-12/Govt, of India, New Deliu-12 SINCH SCOTON

SI

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case Compliance re from State aga the NC raised SCAA	ninst	
			BCC is not as per available as norms.		
			Machinery bill shortage/ 3. All staffs deficiencies. available are actificated as a staff and a s	are nd as	
			3. Adequate staff not per norms available. 4. Machinery not available Installed pr	s are operly	
			as per syllabus for both and availab existing as well as new.	1.30-2.500.000	
ı			5. Deficiency of tools and equipment observed Available as	Hall s per	
			during inspection in all norms the trades sought for 6. Affiliation management of the desired as the during inspection in all norms.		
			6. Drawing hall is not as proposal sub per norms, floor is not tiled.	mitted	
			Thereafter, the State Directorate and RDSDE will		
			have to conduct a fresh joint inspection of the ITI and submit		
			the report to DGT with recommendation within the next 15 days.		

उज्जवल बिस्वास/UJJWAL BISWAS
मिन्नेशक / Director
प्रिक्षण महोत्वेशालम, Director कि काला के निवासिक मिला पर्व विकास के निवासिक मिला पर्व विकास के निवासिक मिला मात्रालय Ministry of Skill Development and Entrapreneurship भारत सरकार, वह विकी-12/Govi, of निविह, New Deibi-12

Page 90 of 225

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
5	Indodanish tool room	Electrician - 4(2+2)	15th SCAA Remarks	ITI has submitted BCC issued by adhikshan	SCAA recommended:
	MIS Code: PU20000041		ITI needs to submit BCC, as per norms within 30 days from the	abhiyanta and	Electrician - 4(2+2)
	Grading: 8.20		date of issue of this minute through Compliance module on NIMI affiliation portal. Further, the concerned State Directorate to verify the BCC submitted by the ITI and send the recommendations to DGT within the next 15 days through an Compliance module on NIMI affiliation portal.	Certificate issued by executive engineer CPWD	
6	Sakshi Private ITI	 Electrician - 4(2+2) 	14 th SCAA remarks	ITI has submitted the following documents	SCAA recommended following trades:
	MIS Code:		SCAA observed the following	through state	
	PR20000266	2. Fitter - 4(2+2)	deficiencies:	Directorate in	1. Electrician 4(2+2)
	Grading: 7.60	2 Cone 2/414)	Load not sufficient to run trades sought for affiliation. Descripted 20.04 MW.	compliance portal: 1. BCC issued by	2. Fitter - 4(2+2)
		3. Copa - 2(1+1)	(Required= 29.94 kW Available= 25.36 kW) 2. Drawing Hall not available	prabhdank sha karya palak abhiyanta	3. Copa - 2(1+1)
			as per norms	building construction	

उपजीवल बिस्वास JWAL BISWAS निवेशक / Director प्रशिक्षण महानिदेशालय/Directorale General of Training कौशाल विकास एवं उद्यासशीलता मंत्रालय Ministry of Skill Development and Entrepreneurship माता सरका, नई दिली-12/Govi, of India, New Delh-12

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
			3. BCC not available as per agenda 4 of this MOM ITI needs to remove above mentioned deficiencies and submit required documents to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, the concerned State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.	department Dhanbad 2. Load extension for 41 HP receipt provided by institute 3. Attached photograph of drawing hall State Remarks Verified	
7	Industrial Training Institute (Tata Steel Foundation Under PPP) Industrial Training Institute (Tata Steel Foundation Under PPP) Chandil At	Tool & Die Maker (Press Tools, Jigs & Fixtures) - 4(2+2) Advanced CNC Machining	14 th SCAA remarks SCAA observed the following deficiency: 1. BCC not available as	Machineries Installed and	SCAA recommended the following trades: 1. Tool & Die Maker (Press Tools, Jigs & Fixtures) - 2(1+1)
	Under PPP) Chandil At- Gangudih, P.Q- Chandil,	Machining - 4(2+2)	per agenda 4 of this MOM	Working	

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
	P.S- Chandil, Dist- Seraikella-Kharsawan, Jharkhand-832401 MIS Code: TMP20341PR1680594828	 Mechanic Electric Vehicle - 4(2+2) Fitter - 4(2+2) Machinist - 4 (2+2) Welder - 2(1+1) 	2. Load not sufficient to run trades sought for affiliation. (Required= 147.02 kW Available= 64 kVA) 3. The area of the drawing hall is available without the furniture and other accessories. ITI need to remove above mentioned deficiencies along with the deficiencies mentioned in column V and to submit required documents to the concerned RDSDE on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned RDSDE will	2. Power load is enhanced from 64KW to 84 KW which are fulfilled only for grant of 1+1 unit instead of 2+2 unit for all the trades 3. BCC signed by Assistant Engineer, 4. Drawing hall available RDSDE Remarks Based on enhanced power recommended for 1+1 unit of (i) Tool & Die Maker (Press Tools Jigs & Fixtures), (ii) Advanced CNC Machining, (iii) Mechanic Electric	 Advanced CNC Machining – 2(1+1) Mechanic Electric Vehicle – 2(1+1) Fitter - 2(1+1) Machinist 2(1+1) Welder - 2(1+1)
	काशास्त्र महानिदेशालय। काशास्त्र विकास	RT/UJJWAL BISWAS ह / Director Directorate General of Training বুৰ বৃহম্মিলনা শসাল্য alopment and Entrepreneurship —12/GovL of India. New Dalh-12	verify the documents submitted	Vehicle, (iv) Fitter, (v) अन्य पान	oint Director Oi

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
			by the ITI and submit the report to DGT within the next 15 days on the online compliance module.		

प्रजावल विस्वास / USIWAL BISWAS
प्रजावल विस्वास / Director
सिदेशक / Director
प्रशासम् महानेदेसाव / Director
प्रशासम् महानेदेसाव / Director हे General करणार मार्गिया कर्मा होत्य करणार प्रशासक है जिस्सा करणार प्रशासक है असे प्रशासक करणार करणार करणार करणार करणार है है से से 12/Gov of hule New Divide 18 महारा वर्गार, महिन्सी में से से 12/Gov of hule New Divide 18

子では、またで、またでは、よりない。 を作を、またで、よりでは、よりない。 を作べ、またでは、よりでは、ないでは、ないでは、 本名では、たったでは、ないでは、ないでは、 本名では、たったでは、ないでは、 を表すでは、ないでは、ないでは、 を表すでは、ないでは、ないでは、 を表すでは、ないでは、ないでは、 を表すでは、ないでは、ないでは、 を表すでは、ないでは、ないでは、 を表すでは、ないでは、ないでは、 を表すでは、またでは、ないでは、 Ministry of Skill Development and Enter New Delhi

Name of State: Karnataka

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
. 1	II	III	IV	V	VI
1	Sri Guru Channamallikarjuna Private ITI MIS Code: PU29001293 Grading: 5.70	Electrician - 2 (1+1)	ITI needs to submit the translated copy of BCC (as per norms) and Electricity bill to the concerned State Directorate within 30 days from the date of issue of this minutes through Compliance module on NIMI affiliation portal. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15	Town Municipal Council of T. Narasipura 2. ITI has submitted	

अमृत पाल सिंह, आई एस डी एस . AMRIT PAL SINGH, ISDS AMRIT PAL SINGH Director संग्रुक्त निदेशक / Joint Director परिका गानियाला/Directors Careers में निवाल परिका निवास और उत्तर प्रकार महालय कोशल विकास और उत्तर प्रकार महालय Ministry of Skill Development and Enterpaneurship भारत सरकार, गई दिल्ली/Gov. of India, New Dehi भारत सरकार, गई दिल्ली/Gov.

प्रजावल बिस्वास/UJJWAL BISWAS
Page 95 of 225
परिक्षण महानिदेशाला/Disectorate General of Training
कीशाल विकास एवं जन्मानी लगा मानावाय
Ministry of Skill Development and Entrepreneurship
मारत सरकार, गई विल्ली-12/Gox, of India, New Debl-12

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1	II	III	IV	V	VI
	. 433		days through Compliance module on NIMI affiliation portal .		

अमृत पाल सिंह, आई.पस.डि.SS AMRIT PAL SINGH, ISDS AMRIT निवेषाक / Joint Director क्रियाल निवेषाक / Joint Director परिवाण स्थितिकार अंग उससिया निवास परिवाण स्थितिकार अंग उससिया निवास क्रियाल विकास Ministry of Still Development and Entrepreneurship भारत सरकार, नई दिल्ली/Gort of India, New Delhi भारत सरकार, नई दिल्ली/Gort of India, स्पावल विस्वास / UJJWAL BISWAS
निवेशक / Director
प्रशेशण गर्जिक्शक (Director)
प्रशेशण गर्जिक्शक (Director)
केशल निवेशक (Director)
केशल निवेशक एवं प्रदार्थिक । महाराज्य कीशल निवेशक एवं प्रदार्थिक । महाराज्य Ministry of Skill Divisionment and Enhancemonishing
भागा गर्जिस, में हिस्सी-12 (Gov. of India, New Delhi-12)

Name of State: Maharashtra

Sr. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
1	II	Ш	IV	V	VI
1	Government Industrial Training Institute, Nashik, Dist: Nashik,Babubhai Rathi Chowk, Trambak Road, Satpur,Nashik,422007 MIS Code: GR27000024 Grading: 7.00	1. Aeronautical Structure and Equipment Fitter - 2(1+1) 2. IoT Technician (Smart City) - 2(1+1)	*For Aeronautical Structure and Equipment Fitter - 2(1+1) affiliation is already granted vide DGT order no. dated 21.06.2023 SCAA observed that huge shortage of Electricity load (Required= 1053 kW Available= 247 kW) ITI needs to reassess electrical load as per affiliated trades/units and submit required documents after removing load deficiency to the concerned State Directorate on the online compliance module	State Remark: The Institute has submitted following documents. 1. Calculation sheet of required Power load. (Required Power load 447.95 & Available -450) 2. The institute requires a total power load of 447.95 KW. ITI has submitted a sanction power load of 450 KW letter dated 25.04.2024 from Superintending	SCAA observed that there is mis match in the trade unit mapped on NCVTMIS portal and as given by ITI in compliance. Hence State Directorate have to examine this case and if any correction is required to carried out in mapping of trade/units on NCVTMIS portal then clear recommendation for such trade units should be forwarded to by State Director to DGT

अमृत पाल सिंह, आई एस.डी एस. AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS संग्रवत निवेदाक /Joint Director संग्रवत निवेदाक /Joint Graning प्रीक्षण महीनेशालय/Directorate Graning कीशाल विकास और कीशाल विकास और मारत सरकार, नई दिल्ली/Govt. of India, New Delhi मारत सरकार, नई दिल्ली/Govt. of India, New Delhi

उज्जावल बिस्वास/UJJWAL BISWAS निदेशक / Director पशिज्ञण महानिदेशतम Directorate General of Training कौशल विकास एवं ज्ञानकी लोग नेकालय Ministry of Skill Development and Entrepreneuship भारत महकार, मह विस्ती-12/Gov. of India, New Delhi-12

Page 97 of 225

Sr. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
1]]	III	IV	V	VI
			in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.	Engineer Nashik, Mandal, Nashik MSED, Co. Ltd The Directorate has verified, the institute's required & available power load & it is found as per norms Hence Recommended for LoT Technician (Smart City) 2(1+1) w.e.f Aug.2024 session	
2	Government Industrial Training Institute, Achalpur, Dist: Amravati,	Wireman - 2(1+1)	14 th SCAA remarks SCAA observed shortage of Electric load	State Remark: The Institute has submitted following documents. 1.	SCAA recommended Wireman - 2(1+1)
	Vilayatpura, Amravati-444806 MIS Code:		(Required=60.48 kW Available= 40 kW). As per affiliation norms the connection is in the name	Electricity bill of 62 KW (Required=60 kW Available= 62) The Directorate has verified,	
	GR27000303	किंद्र आई एस डी एस	of ITI/ Applicant	the institute's required &	

अमृत पाल सिंह, आई एस अपस AMRIT PAL SINGH, ISDS संयुक्त निदेशक / Joint Director प्रोत्राण निदेशक / Joint Director प्रोत्राण निदेशकाय/Directorate Ceneral of Training कीशल विकास और एसमिता मंत्रालय Ministry of Skill Development and Entrepreneurship मारत सरकार, नई दिल्ली/Govt. of India, New Delhi

उप्पादल बिस्तास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महिन्देशक / Director र्वे प्रशिक्षण महिन्देशक / Director र्वे प्रशिक्षण महिन्देशक / प्रशिक्षण महिन्देशक / प्रशिक्षण महिन्द्र एवं उद्दान्ध्री भारत महिन्द्र प्रशिक्षण का प्रशिक्षण का प्रशिक्षण का अविकास के किल्प का प्रशिक्षण का प्रशिक

Page 98 of 225

Sr. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
ı	II	III	IV	V	VI
	Grading: 9.10			available power load & it is found as per norms Hence Recommended for Wireman 2(1+1) w.e.f Aug.2024 session	
			organization at the ITI address. Hence ITI needs to remove deficiency of Electric load and submit required documents to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the	उज्जवल चिरवास /UJJWAL BISWAS मिद्धान / Director मिद्धान / Director	

अमृत पाल सिंह, आई एस.डी एस. AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS संगुक्त निदेशक/Joint Director संगुक्त निदेशक/Joint Training प्रतिकाण महानिशालय/Directorate General of Training कोशल विकास और उद्यमिता मंत्रालय कोशल विकास और उद्यमिता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, मई विल्ली/Govt. of India, New Delhi पश्चिमण मुख्य तालम् (Disecurate प्रमालना मुख्यालम् । काराल स्वापन एवं चंदान्यालना कार्यालना Ministry of Skill Development and Entrepreneurship भारत सरकार, गई दिली-12/Govt. of India, New Deibi-12

Sr. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
I	11	III	IV	V	VI
3			next 15 days on the online compliance module.		
	Government Industrial Training Institute, Chikhali, Dist: Buldhana,Near Bus Stop, Main Road, Chikhali Dist.Buldana, Buldhana-443201 MIS Code: GR27000309	Wireman - 2(1+1)	14 th SCAA remarks SCAA observed the shortage of Electric load	State Remarks The Institute has submitted following documents. 1.	 SCAA recommended: Wireman - 2(1+1) COPA 1(0+1)
	Grading: 9.10	पाल सिंह, आई.एस.डी.एस.	(Required=78.3 kW Available= 60 kW) ITI needs to reassess electrical load as per affiliated trades/units and submit required documents after removing load deficiencies to the concerned State Directorate on the online	Firm Quotation/Demand note of 92 Kw power load The Directorate has verified, the institute's required & available power load & it is found as per norms Hence Recommended for Wireman 2(1+1) COPA	

अमृत पाल तिंह आई एस डा.एस. AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS पर्यापन नियेशक/Joint Director पर्यापन नियेशक/Joint General of Training पर्यापन विकास और उदाविता महात्य कीशल विकास और उदाविता महात्य Ministry of Skill Development and Entreposeurship भारत सरकार, नह विल्ली/Govt, of India, New Outli प्रिप्तास / UJJWAL BISWAS
निदेशक / Director
पश्चिम गर्भनिदेशास्य / Director
पश्चिम गर्भनिदेशास्य / Directorse General of Trairing
कौशक विकास एवं उद्यमशीक्ता मंत्रालय
Ministry of Skill Development and Entrapreneurship
भारत शरका , गई मिली-12 / Good of India, New Delbi-12

Page 100 of 225

Sr. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
1	II	III	IV	V	VI
			compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.	TC Section remarks	
4	Government Industrial Training Institute,	Electrician - 2(1+1)	14 th SCAA remarks	ITI has informed that M/s Bharat Electronics Ltd	SCAA recommended:
-60	Mulshi,At- Bhare Post-Ghotavade Tal- Mulshi Dist-Pune, 412108		ITI needs to complete the Machineries foundation (Civil work) work and upload photos and required	. Pashan, Pune provided all machineries and equipment required for	Electrician - 2(1+1)

अमृत पाल सिंह, आई रूप विशेष AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS संगुक्त निदेशक/Joint Director प्रशिक्षण महानिदेशालप/Directorial Chemeral of Training प्रशिक्षण महानिदेशालप/Directorial Chemeral of Training कोशाल विकास असर समाधिक में माजालाय कोशाल विकास असर समाधिक माजालाय Ministry of Skill Development and Emprenductory भारत संस्कार, नई दिल्ली/Goyt. of India, New Day



Page 101 of 225

Sr. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
1	II	III	IV	V	VI
	MIS Code: GR27000424 Grading: 6.70		NIMI affiliation portal within 30 days from the date of issue of this Minutes.	Trade and requested to approve 2+2 units of Electrician Trade as all infrastructures is available in this ITI.	

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रशेशन महिदेशाल्य/Directorate General of Training महोशाल विकास और उद्यक्तिता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, News

उज्जादल बिरवास /UJJWAL BISWAS
निदेशक / Director
प्रिक्षण महानिदेशालय/Directorate General of Training
कौराल विकास एवं उद्यागशीलना नजालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, गई विल्ली-12/Govt. of India, New Dolhi-12

Sr. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
ı	II	III	IV	v	VI
				that the Institute has completed the Machineries foundation (Civil work) work. it is found as per norms Hence Recommended for Electrician 4 (2+2) w.e.f	
				Aug.2024 session	
5	Government Industrial Training Institute, Patur, Dist: Akola, Balapur Road, Akola- 444501	 Welder - 2(1+1) Electrician - 2(1+1) 	14 th SCAA remarks SCAA observed shortage of electric load (Required= 52.82 kW	ITI has submitted compliance documents where in it is mentioned (Required= 44.51kW Available= 45 KW)	SCAA observed that there is mis match in the trade unit mapped on NCVTMIS portal and as
	MIS Code: GR27000453	3. Mechanic Diesel - 2(1+1)	Available= 35 kW) ITI needs to reassess	State Remarks Compliance has been	given by ITI in compliance.
	Grading: 8,40	4. Fitter - 2(1+1)	electrical load as per affiliated trades/units and submit required documents	received from Govt.ITI, Nashik & govt ITI,Patur, Akola and same is	Hence State Directorate have to examine this case and if any correction is

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS संयुक्त निवेशक /Joint Director परिमण महिन्देशक /Joint Director परिमण महिन्देशक /Joint Senatel of Training कोशल विकास और अपना अध्यास अध्यास

उज्जावल बिस्वास/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण महानिवेह्यलये Directorate General जिल्लामा क्यानिवेह्यलये Directorate General जिल्लामा क्यानिवा क

Page 103 of 225

Sr. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
1	II	111	IV	V	VI
	46		after removing load deficiencies to the concerned RDSDE on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned RDSDE will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.	forwarded for further necessary action please.(As per 14th SCAA MoM) There is mismatch in the trade unit mapped on the portal and list provided by State	required to carried out in mapping of trade/units on NCVTMIS portal then clear recommendation for such trade units should be forwarded to by State Director to DGT
6	Government Industrial Training	Welder (1+1)	14th SCAA remarks	State Remarks	SCAA recommended:
	Institute, Zari-Jamani, Dist: Yavatmal,At. Zari- jamani, Shirola Road Zari Jamani, Yavatmal,445305	ह, आ ईरम क्षे एस.	SCAA observed shortage of Electric load (Required=48.01 kW Available= 40 kW). Hence ITI needs to remove deficiency of Electricity	The Institute has submitted following documents. 1.The institute requires power load of 48.01 KW. ITI has submitted a sanction power load of 50	Welder (1+1)

अमृत पाल सिंह, आई स्व हो एस.
AMRIT PAL SINGH, ISDS
संगुक्त निदेशक / Joint Director
संगुक्त निदेशक / Joint Director
पशिक्षण महोदेशाल्यो Directorate General of Training
कोषाल महोदेशाल्यो Directorate General of Training
कोषाल विकास और उद्योगिता मंत्रालय
कोषाल विकास और उद्योगिता मंत्रालय
सारा सरकार, नई दिल्ली/Govt. of India, New Dehl

उपजीवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
परिवाण मातनिदेशातव/Directorate General of Training
को राज । व्यक्तास एवं डाव्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
मारत सरकार, गई बिरजी-12/Govt. of India, New Delit-12

Page 104 of 225

Sr. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
1	П	III	IV	v	VI
	MIS Code: GR27000491 Grading: 7.70		load and submit required documents to the concerned State Directorate on the online	KW letter dated 25.04.2024 from Dy. Executive Engineer MSEDCL Zari S/dn. The Directorate has	
		इंग्स डी एस.	compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned State Directorate will verify the	required & available power load & it is found as per norms Hence	94

अनृत पाल सिंह, आई पल डी एलं -AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS संग्रक्त निवेशक/Joint Director संग्रक्त निवेशक/Joint Director संग्रक्त निवेशक/Directorate General of Training संग्रकार किया और उद्योग निवास की पाल किया और उद्योग निवास Ministry of Skill Development and Entrepreneurship भारत सरकार, मह दिल्ली/Govt. of India, New Delhi

उप्पोवल विस्वास/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण ग्रहानिदेशका/Directorate General of Training
कोशाल विकास एवं उद्यानीताला नेजालय Ministry of Still Davelopment and Enveroneurship शास सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

Sr. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
1	11	III	IV	V	VI
			documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.	2(1+1) w.e.f Aug.2024 session	
7	Government Industrial Training Institute, Warud, Dist: Amravati, Dhanodi Road, AMRAVATI- 444906 MIS Code: GR27000509 Grading: 8.30	1. Electrician - 2(1+1) 2. Computer Operator and Programming Assistant (COPA) - 2(1+1)	SCAA observed the shortage of Electric load (Required=48.21 kW Available= 43.46 kW) ITI needs to reassess electrical load as per affiliated trades/units and submit required documents after removing load deficiency to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes.	Electrical load extended form 43.86 KW to 54.93 KW (sanction letter of Executive Engineer O & M, provided) State Remark: The Institute has submitted following documents.	SCAA recommended following trades: 1. Electrician - 2(1+1) 2. Computer Operator and Programming Assistant (COPA) - 2(1+1)

उपजावल बिस्वास/UJJWAL BISWAS निवेशक / Director प्रशिक्षण महानिदेशालय/Directorate General of Training कौशाल विकास एवं जरामशीहाला मन्त्रालय Ministry of Skill Development and Envergeneurship भारत सरकार, नई दिल्ली- 12/Govt, of India, New Delbi-12

Sr. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
ı	П	III	, IV	V	VI
			Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.	Available= 55) . The Directorate has	
8	Vasantrao Kale (Private) Industrial Training Institute MIS Code: PR27000637	Solar Technician (Electrical) - 2(1+1)	14 th SCAA Remarks ITI needs to submit BCC, from the competent authority as given in	ITI has submitted BCC issued by Grampanchayat office, Dhondewadi Tal. Pandharput Dist Solapur	SCAA recommended: Solar Technician (Electrical) - 2(1+1)

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS संप्रकल निदेशक/Joint Director प्रमुक्त निदेशक/Joint Director प्रमुक्त निदेशक्य/Directoria General of Training प्रमाल विकास और उपाधिता मंत्रालय कौशल विकास और उपाधिता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई बिल्ती/Govt, of India, New Delhi

उज्जावल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशाल विकास एवं जदामशीलाजा मंत्रालय
Ministry of Skin Development and Entrepreneurship
भारत सरकार, गई बिल्ती-12/Govt. of India, New Delbi-12

Page 107 of 225

- 1		for affiliation	¥	Compliance report from State against the NC raised by SCAA	
1	II	III	IV	V	VI
Grading	: 7.80		submit the documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, the concerned State Directorate to verify the documents submitted by the ITI and send the recommendations to DGT within the next 15 days through an online compliance module.	Consulting Structural & Civil Engineers, dated 28.03.2024 The Directorate has verified, the institute's BCC certificate is as per norms Hence Recommended for Solar Technician	

Man Mis

अमृत पाल सिंह, आई एस छी एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रीक्षण महानिदेशालप/Directorate General of Training कौशल विकास और उद्यमिता नंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

प्रकावल विस्तास / UNIVAL BISWAS निदेशक / Director प्रशिक्षण महानिदेशालय/Directorate General of Training कौशक विकास एवं उद्यमशीलना मंत्रालय Ministry of Skill Devolopment and Entrepreneurship नारत सरकार, नई दिली-12/Govt. of India, New Deibi-12

Page 108 of 225

Sr. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
I	II	III	IV	V .	VI
2				certificate is as per norms Hence Recommended for Solar Technician (Electrical) 2(1+1) w.e.f Aug.2024 session.	
9	Mangaldeep Private Industrial Training	1. Electrician - 4(2+2)	14 th SCAA Remarks	State Remarks	SCAA recommended following trades:
	Institute	681. 1/2	SCAA observed the	The Institute has submitted	J
	Gut No. 229 beed Road, Nipani	2. Fitter- 2(1+1)	following deficiencies: 1. BCC not available as	following documents.	1. Electrician - 4(2+2)
	Aurangabad- 431008	3. Wireman - 4(2+2)	per agenda 4 of this MOM	Building Completion Certificate issued by	2. Fitter- 2(1+1)
		4. Soil Testing and	2. Load not sufficient to	Structural & Consulting	3. Wireman - 4(2+2)
	MIS Code:	Crop Technician -	run trades sought for	Engineers, dated	(12 2)

अमृत पाल सिंह, आई एस डी एप. 693 AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS परिवार निदेशक/Joint Director परिवार महिला (Directorate General of Training परिवार महिला (Directorate General of Training परिवार महिला (Directorate General of Training महारा परिवार (Directorate General of Training कौशल विकास और उद्योगिता महालय कौशल विकास और उद्योगिता (Rew Delhi भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

प्रणावल बिस्वास/UJJWAL BISWAS निवेशक / Director प्रशिक्षण महानिवेशालय/Directorale General of Training कौशल विकास एवं जहामगीलता मञाल्य Ministry of Skill Development and Entrepreneurship भारत सरकार, नई विली-12/Govt of India, New Delhi-12

Page 109 of 225

Sr. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
1	11	III	IV	v	VI
		5. Basic Cosmetology - 2(1+1)	ITI needs to remove above mentioned deficiencies and submit required documents to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, the concerned State will verify the	Certificate issued by Architect, dated 14.05.2024	5. Cosmetology - 2(1+1)
ाई एस.ड <u>े</u>	इ.स.		documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.	4. Electricity bill of 40 KW (Required=26.71 kW Available= 40 KW) The Directorate has	

अमृत पाल सिंह, आई एस डी एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रीक्षण महिनेशालग्/Directorate General of Training कीशल विकास और उद्योगता मंत्रालय Ministry of Skill Development and Entrepreneurship गारत सरकार, नई दिल्ली/Govt. of India, New Delhi

उपजायल विस्वास/UJJWAL BISWAS
निवेशक / Director
प्रोशेशण महानिदेशातवर/Directoral General of Training
वीश्वारा विकास एवं उद्यासशीलात मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरवर, नई श्रेंत्सी-12/Govl. of India, New Delhi-12

Page 110 of 225

Sr. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
ı	11	Ш	IV	v	VI
				verified, the institute's BCC certificate & required power load.	
				It is as per norms Hence Recommended for Electrician- 4(2+2) Fitter- 2(1+1) Wireman- 4(2+2)	
			×	Soil Testing and Crop Technician-2(1+1) Basic Cosmetology-2(1+1) w.e.f Aug.2024 session.	
10	Jai Hanuman Private ITI Survey No. 76/1, Plot No. 4, 5 NH-6, Bhusawal Jalgaon- 425201	Electrician 2(1+1)	9th SCAA Remarks SCAA observed the following deficiencies: - 1. BCC not available. 2. Details of CITS instructors.	State Directorate sent the compliance report dated 03.04.2024 and submitted BCC issued by chief officer Bhusawal Municipal Council dated 11.02.2024	SCAA observed that ITI has been granted multiple opportunity to submit BCC as per norms However, ITI could not produce the BCC as per norms
्रस SDS		आई एस जिस्स		2	

अमृत पाल सिंह, आई एस डी एस AMRIT PAL SINGH, ISOS संयुक्त निदेशक/Joint Director प्रीक्षण महिनेदेशालय/Directorate General of Training कीशल विकास और उपलब्ध कीशलाय Ministry of Skill Development and Entrepreneurship भारत संरकार, नहें दिल्ली/Govt, of India, New Dolhi

अमृत पाल सिंह, आई तस अग्रत.

Ministry of Skill Development of India, New Delhi भारत सरकार, नई दिल्ली/Govt. of India, New Delhi उज्जवल बिस्तास/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कोशल विकास एवं उद्यमशीला मत्राराय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, गई विस्ती-12/Gov. of India, New Dalth 12

Page 111 of 225

Sr. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
1	II	Ш	IV	v	VI
	MIS code PR27000798 Existing Trade Welder- 2(1+1) Fitter – 2(1+1) Grading: 8.30		Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. After that State Directorate will arrange the joint inspection in association with RD, RDSDE and submit the report in annexure – III by verifying BCC also within 15 days. After receipt of report from State Directorate, case will be placed in the SCAA. 10th SCAA Remarks Compliance awaited from State as per 9th SCAA i.e. 1. BCC not available. 2. Details of CITS instructors	TC Section Remarks BCC is still not as per norms i.e. does not indicate that construction of building is as per NBC code and	Hence, SCAA not recommended trades/Units addition of Electrician 2(1+1) ITI may apply a fresh for trade/unit addition.

अमृत पाल सिंह, आई एस डी एस.
AMRIT PAL SINGH, ISDS
संग्रक्त निवेशक / Joint Director
संग्रक्त निवेशक / Joint Joint Hamilton
स्वाक्त निवेशक / प्रस्तिमा अभावन्य
स्वाक्त निवेशक / प्रस्तिमा अभावन्य
स्वाक्त संग्रक्त निवेशक / Joint Joint Hamilton

INITE JACOTTO

पिणावल विस्वासं/UJJWAL BISWAS निवेशक / Director प्रतिक्षण गढ़िनदेशलय/Directorate General of Training कौशाल विकास एवं ज्ञानशीलया मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, गई विल्ली-12/Govt. of India, New Delhi-12

Page 112 of 225

Sr. 17 No.	TI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
1	II	Ш	IV ,	v	VI
				*	
			11 th SCAA Remarks_As per remarks of State Directorate, SCAA did not recommend the ITI		
			13 th SCAA Remarks		
			SCAA observed that ITI has been granted multiple opportunity to submit BCC		
			as per norms and the affiliation is not recommended in 11th		
		74.	recommended in 11 th SCAA based on the	1	

ANI PAL Joint Director

ANI PAL Joint Canada d Transpar

ANI PAL Joint Canada d Transpar

ANI PAL JOINT CANADA

ANI PAL JOINT CANADA

ANI PART TO THE PART OF THE

उज्जावल बिस्वासं/UJJWAL BISWAS
पशिक्षण महानिदेशान्य / Director
पशिक्षण महानिदेशान्य / Directorite General of Training
काराल विकास एवं उद्यावशीलाता मन्त्रालय म Ministry of Skill Development and Entreprensurally
भारत सरकार, नई विल्ली-12/Gov. of India, New Delhi-12

Sr. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
1	II	Ш	IV	V	VI
			remarks of concerned State Director. Now also BCC submitted is issued by Architect, which is not as per norms. Hence, Not recommended	2	,

उज्जादल बिस्वास / UJJWAL BISWAS
प्रकार निवंशक / Director
प्रकार निवंशक / Director
कीशल किलान प्रवे उद्यानी लेला भेजावय
कीशल विकास एवं उद्यानी लेला भेजावय
आतिक्षण of Skill Development and Entrepreneurship
मारत सरकार, मह दिल्ली-12/Gov. of India, New Delhi-12

Name of State: Odisha

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
1	П	III	IV	V	VI
1	Govt. Industrial Training Institute, Rayagada MIS Code: GR21000497 Grading: 6.50	Mechanic Electric Vehicle - 2(2+0+0)	During the meeting State has informed that ITI seek affiliation for Mechanic Electric Vehicle - 2(1+1) However still there is shortage of shortage of electric load (Power load required =90.82KW, Power load Available =80 KW) ITI needs to reassess electrical load as per affiliated trades/units and submit required documents after removing load deficiencies to the concerned State within 30 days from the date of issue of this minutes		KW. Therefore, the MEV trade in favour of ITI, Rayagada may be recommended for affiliation. Separate letter is being sent for self-surrender of trades in which there is no admission since last two years. SCAA recommended Mechanic Electric Vehicle —

ANALY PROPERTY AND THE PARTY A

उज्जवल बिस्तास/UJJWAL BISWAS निदेशक / Director प्रशिक्षण महानिदेशालय/Directorate General of Training कौशल विकास एवं उद्यागशीलता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, गई बिल्ली-12/Govt. of India, New Delhi-12

Page 115 of 225

s. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
			through Compliance module on NIMI affiliation portal. Thereafter State Directorate will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.	admission is for Welder is 1+1 State Remark: As the modified letter shows the load requirement is 71.76KW & available load is 80KW the MEV trade recommended may be affiliated.	
2	Govt Industrial Training Institute, Umerkote MIS Code: GU21000508 Grading: 6.20	Computer Operator and Programming Assistant - 2(1+1+0)	SCAA observed shortage of electric load (Power load required =49.98 KW Power load Available =25 KW ITI needs to reassess electrical load as per affiliated trades/units and submit required documents	State Remark: The estimate submitted by Executive Engineer, TPSODL, Nabrangpur for enhancement of load from 25 KW to 60 KW and fund has been given to Principal, ITI, Umerkote by Director of Technical Education	SCAA recommended: Computer Operator and Programming Assistant –2 (1+1+0)

अमृत पाल सिंह आई एस डि प्रिप्ति । Subbrand प्राप्ति । Subbrand प्राप्ति । Subbrand | AMRIT PAL SINGH, Included | AMRIT PAL SINGH, Included | Amrit Pal Sund | Joint Director | क्यांचित्र | क्यांचित्र

उपपादल विस्वास /UJJWAL BISWAS निवेशक / Director परिप्राण गडानिदेशाल/Directorate General of Training कोशाल विकास एवं उद्यामशीलला मंत्राख्य Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिली-1 2/Govt. of India, New Delhi-12

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
			after removing load deficiencies to the concerned State within 30 days from the date of issue of this minutes through Compliance module on NIMI affiliation portal. Further, concerned State will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.	& training Odisha, Cuttack. Therefore COPA(1+1+0) may be affiliated.	
3	Govt. ITI Takatpur MIS Code: GU21000530 Grading: 8.30	Operator Advanced Machine Tool - 2(1+1+0)	SCAA observed shortage of electric load (Power load required =179.21 KW Power load Available = 134 KVA /120.6 KW) ITI needs to reassess electrical load as per affiliated trades/units and submit required documents after removing load	The load addition receipt has been uploaded by Principal Takatpur The copy of Agreement with the TPNODL (Tata Power North Odisha Distribution Division Ltd) has been uploaded by Principal Takatpur	SCAA recommended: Operator Advanced Machine Tool - 2(1+1+0)

अमृत पाल सिंह, आई प्रस. डि. एस. अमृत पाल सिंह, आई प्रस. ISDS
AMRIT PAL SINGH. ISDS
AMRIT PAL SINGH Director
समुक्त प्रतिकार्गा Joint Ceneral of Training
समुक्त प्रतिकार्गा (Director) Joint Ceneral of Training
प्रतिकार्ग महिन्देशाला (Director) प्रतिकार उत्पादि प्रतिकार्गा प्रतिकार अगर उत्पादि प्रतिकार्गा कर्ण Deliver (Training Vision Development and Enterpression)
भारत सकर, नई दिल्ली/Govt. of India, New Deliver (Training Vision Development and Enterpression Development and Development

उण्जावल विस्टास/UJIWAL BISWAS
प्रिसिक्षण महन्तिकाल / Director
प्रिसिक्षण महन्तिकाल / Directorate General of Training
वर्षेत्राल विकास एवं उद्यमशीराजा गंजालय
Ministry of Skill Development and Entrepreneurship
पारत सरकार, गई विल्ली-12/Cong of tash New Park 12

Page 117 of 225

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
			deficiencies to the concerned State within 30 days from the date of issue of this minutes through Compliance module on NIMI affiliation portal. Further, concerned State will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.	State Remark: The power has been enhanced to 550KVA & deficiency has been complied for affiliation.	
4	Govt. ITI, Kotpad MIS Code: GU21000612 Grading: 5.60	1. Mechanic Motor Vehicle- 2(1+1+0) 2. Mechanic Refrigeration and Air Conditioner - 2(1+1+0)	ITI needs to submit details of Instructor engaged for new trades within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal. Further, the concerned State Directorate will verify the documents submitted by the ITI and submit the report to	STATE/RDSDE Remark: The ITI has submitted the document related to the Instructors for MMV trade for final affiliation of new trade. TC Section Remarks	SCAA recommended: Mechanic Motor Vehicle- 2(1+1+0)

अमृत पील AL Joint Durant of Training AMRIT क्रियं के Joint Durant of Training क्रियं के अपना कर्म क्रियं कर क्रियं

उपजेवल बिरवास/UJJWAL BISWAS निदेशक / Director प्रशिक्षण महानिदेशालय/Directorate General of Training कौशाल विकास एवं उद्यमशीलता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, गई विल्ली- 1 2/Govt. of India, New Delin-12

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
			DGT within the next 15 days on the online compliance module.	State has only provided instructor details for MMV trade	
				No Remarks from State Directorate have been received for Mechanic Refrigeration and Air Conditioner -2(1+1+0)	
5	Dalmia Private Industrial Training Institute MIS Code: PR21000357 Grading: 9.10	1. Solar Technician (Electrical) - 4(2+2) 2. Electrician - 6(2+2+2) 3. Fitter - 2(0+0+2) 4. Welder - 1(0+0+1)	compliance report within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal. Thereafter, the State Directorate will have to verify	ITI has submitted the compliance report through State Directorate and submitted the following points 1. Regarding power calculation ITI has submitted list of trade units running in ITI and informed that required power is 71.94 KW and available is 75 KW.	SCAA recommended following trades: 1. Solar Technician (Electrical) – 4(2+2) 2. Electrician - 4(2+2) As per the DGT order dated 09.01.2023, the 3rd shift is only recommended in DST mode. Hence for 3rd shift ITI can sign the DST MOU and submit the recommendation through SSDEC

AMRIT PAL SINCE DIRECTOR AMRIT PAL SINCE DIRECTOR AMRIT PAL SINCE DIRECTOR SINCE

उज्जयल बिस्वास/UJJWAL BISWAS निवंशक / Director प्रशिक्षण महनिवंशाल/Directorate General of Training कौशल विकास एवं उद्यमशीलता मंत्रालय Ministry of Skill Development and Entrepreneurship प्रता स्टब्स्, पूर्व विकास कार्य क Page 119 of 225

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
	अपूर्व पाल सिंह, आई.ए SING	5. Computer Operator and Programming Assistant (COPA) - 1(0+0+1)	and send the report with recommendation to DGT within the next 15 days through Compliance module on NIMI affiliation portal."	Earlier had drawing hall of 58.65 Sqm.	

AMRIT PAL SING Director
AMRIT PAL Joint Director
प्राप्तक निवेशक/Joint Director
प्राप्तक निवेशक/Joint Director
प्राप्तक निवेशक/Joint Director
प्राप्तक प्राप्तक प्राप्तक प्राप्तक प्राप्तक प्रवित्त विकास

उण्जावल बिस्वास/UJJWAL BISWAS निवेशक / Director प्रशिक्षण महानिवेशालय/Directorate General of Training कौशल विकास एवं उद्यमशीलता मंत्रालय Ministry of Skill Development and Entrepreneurship मारत सरकार, नई बिल्ली-12/Govl. of India, New Delbi-12

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
				authority and complied. 4. ITI has provided Instructor experience details TC Section Remarks ITI has removed the deficiencies hence may	
				be recommended	
6	Sai Private Industrial	1. Electrician -	15th SCAA	ITI has submitted only	ITI has not remove the
	Training Institute	6(3+3) 2. Fitter - 6(3+3)	ITI needs to remove	an undertaking stating that fire safety	deficiencies as indicated in
	MIS Code: PU21000395	2. Titlet - 0(3+3)	ITI needs to remove deficiencies mentioned in	that fire safety certificate could not be	15 th SCAA.
	Grading: 6.70	3. Solar	column V & VI and submit the	obtained it is under	Hence, SCAA granted one
	Grading, 6.70	Technician (Electrical) -	supporting documents and compliance report within 30	process	last and final opportunity to
		2(1+1)	days from the date of issue of	TC Section Remarks	remove the deficiencies as mentioned in 15th SCAA
		_()	this minutes through	10 decilor remarks	within 15 days from the date
		4. Computer	Compliance module on NIMI	ITI had following	of issue of this minute in
		Operator and		deficiencies in 15 th	Compliance module on NIMI
		Programming	Thereafter, the State	SCAA	affiliation portal
		Assistant	Directorate will have to verify	Section (1994) 21 (24) (25) (25)	Thereafter, the State
		(COPA) -	are accumente capmitted	1. Machinery Bills,	Directorate will have to
		4(2+2)	and send the report with	Tools invoice	verify the documents

अमृत पाल सिंह, आई एस.डी.एस. AMRIT PAL SINGH, ISDS चंगुवरा निवेशक/Joint Director प्रशिक्षण गठानिवेशालप/Directorate General of Training कोशल विकास और उद्योगिता मंत्रालय Ministry of Skill Development and Entrepreneurship गारत सरकार, गई दिल्ली/Govt. of India, New Delhi

प्रजावल बिस्वास/UJJWAL BISWAS
निवंशक / Director
प्रशिक्षण महानिवंशालय/Directorate General of Training
कौशल विकास एवं जध्यमशीलला गंजालय
Ministry of Skill Development and Entrepreneurship
मारत सरकार, नई विल्ली-12/Govt. of India, New Delhi-12

Page 121 of 225

S. ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
		recommendation to DGT within the next 15 days through Compliance module on NIMI affiliation portal .	produced for Electrician 2(1+1), Fitter 2(1+1), Solar Tech. Elect. 1(1+0) 2. Machinery and Tools available for addl. Electrician 2(1+1), Fitter 2(1+1), Solar Technician (Elect) 1(1+0) 3. Firefighting equipment Quantity as per norm not available 4. Old BCC of 2010 is attached 5. In drawing hall stools are available but not the drawing benches 6. Shortage of power power load required =69.66KW	portal. If ITI fails to do so then this application shall be rejected.

अमृत पाल सिंह, आई एस डी एस. AMRIT PAL SINGH, ISOS संयुक्त निदेशक/Joint Director मोताण महिनेशालय/Directorate General of Training कोशल विकास और उद्यमिता मञालय Ministry of Skill Development and Entrepreneurship भारत सरकार, महं दिल्ली/Govt. of India, New Delhi

उपजवल बिस्वास/UJIWAL BISWAS -

प्रिकार | Directorate General of Training प्रकार प्रविकास एवं उद्यान शिलाता मंत्रालय स्थार प्रविकास एवं उद्यानशीलता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकर, नई दिली-। 2/Govt. of India, New Delhi-12

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
				Power load Available = 42 KW 7. Instructor qualification details not proper (experience is not adequate) 8. Fire safety certificate is not available However, ITI did not provide any supporting documents for the removable of the other deficiencies	
				State Remark:	
				The deficiency of Fire safety certificate couldn't be complied by the Sai Pvt ITI & the	

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS रोडेचरा निवेशाम/Joint Director प्रविश्वम महिपेशास्त्र/Directorate General of Training प्रविश्वम सहिपेशास्त्र/Directorate General of Training प्रविश्वम त्रिकास और उद्योगता मञ्जालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

उज्जवल बिस्वास/UJJWAL BISWAS निदेशक / Director प्रशिक्षण महानिवेशालप/Directorate General of Training कौशल विकास एवं उद्यमशीलता मञालय Ministry of Skill Development and Entrepreneurship भारत हरकार, नई दिल्ली-12/Govl. of India, New Delhi-12

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
7	Centurion Industrial	1. Fitter -	15th SCAA	ITI has uploaded letter saying that they will comply in the coming year. Therefore, the ITI may not be affiliated. STATE Remark:	
	Training Institute Ganjam At: Sri Ramachandrapur, Kaliabali Chhak PO: Banabulapalli, Chatrapur Block Dist: Ganjam PIN: 761045 MIS Code: TMP21354PR1646293848	2(1+1) 2. Electrician -2(1+1) 3. Sewing Technology -2(1+1) 4. Solar	ITI needs to submit BCC, as per norms within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal. Further, the concerned State Directorate to verify the BCC submitted by the ITI and send	The Centurion Pvt ITI, Berhampur has submitted the BCC from the IDCO, Berhampur as per the SCAA requirement. Therefore complied the deficiency.	following trades: 1. Fitter - 2(1+1) 2. Electrician -2(1+1) 3. Sewing Technology 2(1+1) 4. Solar Techniciar (Electrical) - 2(1+1)
•		Technician (Electrical) - 2(1+1)	the recommendations to DGT within the next 15 days through an Compliance module on NIMI affiliation portal.		
	Govt I.T.I, Gajabahal	1. Computer एसः ©pe rator and	15th SCAA	State Directorate vide letter dated 30.05.2024	COPA (1+1+0) is already affiliated in 15th SCAA

भाग स्थापन मिर्टेशक / Joint Director स्थुक्त निदेशक / Joint Director प्रयुक्त निदेशक / Joint Director प्रयोग विकास और उद्योगिता में जालय Ministry of Skill Development and Entrepreneurship भारत सरकार, गई दिल्ली/Govt, of India, New Delhi

प्रीतां प्रवासिकारण प्राप्त कर के प्राप्त कर के स्थान किया है। प्रीप्त प्रवासिकारण पत्र ज्वामार्थी स्थान स्

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
	MIS Code: GR21000602	Programming	The State Directorate has	and informed that the	
		Assistant-	provided photos and videos	Principal of this ITI has	Now as per State
	Grading: 7.80	2(1+1+0)	of machinery for the COPA	not procured the tools	Directorate
			trade. Hence, SCAA	& equipment and not	recommendation
		2. Fireman-	recommended the addition of	ready with other	SCAA not recommended
		2(1+1+0)	Computer Operator and	infrastructure for	Fireman-2(1+1+0)
			Programming Assistant-2	Fireman (1+1)	
			(1+1+0).	Therefore only	
	*		Regarding the Fireman (1+1)	COPA (1+1+0) may be	
			recommendation, not	affiliated.	
			received from the State	April 2007 000 NOVER THE SECTION OF THE PROPERTY OF THE SECTION OF	
			Directorate. Hence, the State	TC Section Remarks	
			Directorate is required to	COPA is already	
			submit	affiliated in 15th SCAA	
			recommendations/comments	and now as per State	
			for Fireman-2 (1+1+0) within	Directorate	
			30 days from date of issue of	recommendations,	
			this MOM	Fireman-2(1+1+0) may	
9	Purna Chandra ITI,	Solar Technician	15th SCAA	not be recommended	
9	Baripada	(Electrical)-	TOTAL SCAA	State Directorate vide	SCAA recommended:
	Daripada	2(1+1+0)	SCAA recommended	letter dated 30.05.2024	4 Color Technisis
	MIS Code: GU21000503	2(17170)	Solar Technician (Electrical)-	and informed that the	Solar Technician (Electrical)
	5546. 552100000	Fitter 2(1+1)	2(1+1+0)	institute has applied for	(Electrical)-
	Grading: 8.50		2(17170)	additional (1+1) unit of	2(1+1+0)
	Grading: 8.50	50S			

अगुल पाल सिंह, आदिन, ISOS
अगुल पाल सिंह, SNGH, ISOS

उज्जेवल विस्वास/UJJWAL BISWAS निवंशक / Director पश्चिमण महानिवंशालय/Directorale General of Training कौशाल विकास एवं ज्वामशीलाम मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई हिल्ली-12/Govt. of India, New Delhi-12

Page 125 of 225

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
			In the ITI application, Fitter is mentioned as existing; however, ICVC has recommended additional (1+1) units for Fitter trade. The State Directorate required to provide clarification on whether the institute has applied for Fitter (1+1) and has sufficient infrastructure for additional (1+1) units for Fitter trade within 30 days from date of issue of this Minutes.	be affiliated along with 2(1+1+0) units of Solar Technician.	2. Fitter 2(1+1)
10	Ganesh Institute of engineering & Technology-ITC MIS Code: PU21000378 Grading: 4.70	Shifting Case Shifti	SCAA observed that the ITI applied in category 4, which is for shifting, but the address in the portal and the report remains the same. Hence, SCAA suggested that further verification of this institute is required to be carried out Therefore, RDSDE and the	Recommended by the Team (RDSDE & State during re-inspection on dt-22.5.2024 & submitted recommendation in NIMI affiliation APP) fo	not submitted the compliance report mentioned in the 15th SCAA. Hence, a complete verification of this institute is required regarding the
	अपने स्वाप्त	Again General Tares Again Again and Enveryment But Price Pri	उप्कावल बिस्वास/U निवेशक / Di प्रशिक्षण महानिवेशक राज्य करा कीराश / विकास एवं उस Ministry of Skill Development भारत सरकार, वह दिल्ली-12/Govt	fector हे अन्यक्ति taming निर्मालना मञ्चालय	Page 126 of 2

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16 th SCAA
			State are required to reinspect this institute and cross-check all the facts regarding the shifting of this ITI, and submit the report on the NIMI affiliation portal within 30 days from date of issue of this MOM.	shifted to new address in 2020.Third party also	required to cross-check all the facts regarding the shifting of this ITI, and submit the report within 15 days from the date of issue of this MoM.

उज्जवल बिस्वास/UJJWAL BISWAS निवेशाक / Director प्रशिक्षण महानिवेशालय/Directorale Central of Training कौशाक विकास एक खटानशीकिया मंत्राटाय Ministry of Skill Development and Entrepreneurship भारत सरकार, गई विल्ली - 12/God of odd New Delhi-12

Name of State: Uttar Pradesh

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
1	П	Ш	IV	V	VI
1	Ram Jiyawan Memorial ITC - Jaunpur Sarju Nagar Katwar Jaunpur - 222165 Uttar Pradesh PR09000838 Grading: 5.30	1. Electrician - 6 (2+2+2) 2. Fitter - 3 (1+1+1)	SCAA observed following deficiencies: 1. Electric load shortage of 1.41 KW. Required:19.41 KW, available load:18KW. 2. Shortage of workshop area for Electrician trade. Workshop area available for 2 existing and one new unit only.	ITI has submitted Compliance report through state directorate and mentioned the following point: 1. Attached the approved building plan 2. In that building plan 198.4 Sqm (Electrician 2+2 for new) & 108.5 Sqm (Electrician 1+1 for existing) is mentioned for Workshop. 3. Electricity Bill Document is not attached. 4. ITI has requested to surrender New Electrician 1+1+1.	The ITI has requested to surrender 3 (1+1+1) units of Electrician trade. However, the surrender of the Electrician 3 (1+1+1) trade units will not reduce the power requirement. Hence, the SCAA granted one last and final opportunity to remove the deficiencies of power requirement within 15 days from the date of issue of these minutes on the Compliance module on NIMI affiliation portal. Thereafter, the State Directorate will have to verify the documents submitted and

अमृत पाल सिंह, माई प्रसं हो एस.
AMRIT PAL SINGH, ISDS
पंजुक्त निदेशक/Joint Director
पंजुक्त निदेशक/Joint Director
पंजुक्त निदेशक/Joint American पंजालिक महानिदेशका/Directorate General of Training
काश्रास दिकारा और उद्योगिता मंत्रालय
काश्रास दिकारा और उद्योगिता मंत्रालय
मारत सरकार, नई दिली/Govl. of India, New Delhi

उज्जवल बिस्तास/UJJWAL BISWAS निवेशक / Director प्रशिक्षण मसनिवेशालय/Directorate General of Training कौशाल निकास एवं उद्यानशीलना मंत्रालय Ministry of Skill Development and Entrepreneuship भारत सरकार, महं हिल्ली-12/Govt. of Insa, Now Delhi-12

Page 128 of 225

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
			3. Approved Building plan not provided. ITI need to remove above mentioned deficiencies and submit the supporting documents to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to the DGT within the next 15 days		recommendations to the DGT within the next 15 days through the Compliance module on NIMI affiliation portal. If the ITI fails to do so, then this application shall be decided based on the available power load and workshop capacity in the ITI.

अमृत पाल सिंह, आई एस डो एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director परिशाण महानिदेशालय/Directorate General of Training कौशल विकास और उद्योगिता मञ्जालय Ministry of Skill Development and Entrepreneurship भारत सरकार, गई दिल्ली/Govt. of India, New Delhi

उपजावल बिस्वास/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण महानिवेशक / Director
प्रशिक्षण महानेवेशक / Directorate General of Training
को साल विकास एवं उपास्पराज्ञाता मंत्रास्त्या
Ministry of Skill Devalopment and Enturprensurable
पारत सरकार, नई हितली-12/Govt. of India New Polit-12

Page 129 of 225

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
2	Devo Mahesh Private ITC MIS Code: PR09001674 Grading: 6.80	1. Electrician-8(2+2+4) 2. Fitter -2 (0+0+2)	For Electrician trade, ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minutes through Compliance module on NIMI affiliation portal. 1. Safety Mats are not provided on the floor in the Electrician lab 2. Accessibility of PWD are not available Thereafter, the State Directorate will have	ITI has submitted Compliance report through state directorate and mentioned the following point: 1. Safety Mats are provided on the floor in the electrician as per attached document. 2. Accessibility of PwD are available in toilets and workshop as per attached document. State Remark: As per attached documents mentioned compliance has been resolved by the respective institute.	Electrician- 4(2+2+0) As per the DGT order dated 09.01.2023, the 3rd shift is only recommended in DST mode. Hence for 3 rd shift, IT can sign the DST MOU and

AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रशिक्षण महिनेदेशालय/Directorate General of Training कौशाल विकास और उद्यमिता मन्नालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

प्रिकार कि माना है 'मार्ग प्रकार के कार्याव के रिवाणायु कोशाल विकास ए। उन्हारीलना मञ्जालय Ministry of Skill Development and Enuepreneurship भारत गरकार, नई विली-12/Govl. of India, New Deih-12

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
			to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through Compliance module		
			on NIMI affiliation portal. Regarding the 3rd shift, it can only be		
			permitted in the Dual System Training (DST) mode. The ITI needs to sign the		
			DST Memorandum of Understanding (MOU) and submit the recommendation through SSDEC.		
3	Shri Sadanand Private Industrial Training	1. Fitter 3(1+1+1)	13 th SCAA Remarks	State Directorate sent the compliance report dated	The matter has been discussed in detail and it is
	Institute, MAU Chakahirani, Amila, MAU U.P 275301	2. Electrician 3(1+1+1) आई.एस.डी.एस.	SCAA observed that another application with reference	A STATE OF THE STA	decided that state need to provide the clarification on the following points:

AMRIT PAL SINGH, ISDS
AMRIT PAL SINGH, ISDS
संयुक्त निर्देशक/Joint Director
संयुक्त निर्देशक/Joint Director
स्थायन महानिर्देशलय/Directorate General of Training
कौशल विकास और उद्योगिता मन्त्रालय
Ministry of Skill Development and Entrepreneurship
भारत संरकार, नई विल्ली/Govt, of India, New Delhi

उज्जवल बिस्वास/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण महाविदेशाल्य/Directorle General of Training
कीशाल विकास एवं उद्यागशीरणता मजान्य
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई हिली-12/Gov. of India, Now Devil-12

Page 131 of 225

i. Io.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
	TMP9168PR1582652348	3. COPA 3(1+1+1) 4. Plumber 3(1+1+1)	number 1809019042 was debarred due to a fake bank guarantee issue. The concerned State Directorate to provide the comments and recommendations to DGT in the matter within 15 days from the date of issue of this Minute.	2. The application no. 1809019042 the bank guarantee submitted to	is debarred by the state as the consequences of rejection of application no. 1809019042 Institute 3. Comments Recommendations of state on affiliation matter of current application in question TMP9168PR158265234
4	Annie Besant Tech.Pvt.ITI ,Doohri	1. Electrician 6(2+2+2)	10 th SCAA Remarks	State Directorate sent the compliance report date	e As the complete compliance of report was not provided by

अमृत पाल सिंह, आई.एस.औ.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रसित्तर्ग महनिदेशालय/Directorate General of Training कीशाल विकास और उद्योग महालय Ministry of Skill Development and Entrepmentarip भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

र्ज्जावल बिस्वास/UJJWAL BISWAS
निवेशक / Director
पश्चिम मान्यालय/Directorate General of Training
कौशाल चिकास एवं जहामशीलाल मंत्रालय
Ministry of Skill Development and Envergeneurship
मारा सरकार, गई विलो-12/Govt of India, New Dalhi-12

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
	Pilkhua,Hapur, Uttar Pradesh PU09900879 Grading - 5.6 Existing Trade Fitter - 6(2+2+2) Electrician -6(2+2+2)	2. COPA 2(1+1+0)	The matter was discussed in SCAA and following deficiencies observed: 1. BCC is not as per norms. 2.Drawing Hall infrastructure is not as per norms. Applicant will rectify all the above deficiencies and submit the detail to State Directorate within 07 days from issue of this MoM. Thereafter, State Director will verify the BCC as per local bye laws and also verify the above other documents along with trades/units wise CITS instructors	Drawing hall furniture available as per norms. Invoices copy provided	the state, pages 10 to 12 armissing. Hence, the state needs to submit the complete compliance report within 1 days from the date of issuance of these minutes. Therefore, this case will be placed in next SCAA meeting.

AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director प्रशिवन महोनिशालय/Directorate General of Training कौशल विकास और उद्यमिता मञ्जालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

उप्पोवल बिस्वास/UJJWAL BISWAS निदेशक / Director प्रशिक्षण महिनिदेशालय/Directorate General of Training कीशाल विकास एवं स्थानवीकिता गेजालय Ministry of Skill Revelopment and Entrepreneurship मारत सरकार, नई विक्शी-12/Govt, of India, New Delth-12

S. ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
Jeetendraa Singh Pvt. ITI, Rasoolpur Tappa, Sarai Akhil, Kaushambi 212216 1809026579 New ITI,	1. Electrician – 3 (1+1+1) 2. Fitter – 3 (1+1+1) 3. COPA – 3 (1+1+1) 4. CHNM – 2 (1+1+0)	details and submit the signed & stamped report to DGT within 07 days. After receipt of report from State Directorate, case will be placed in the next SCAA. 13th SCAA Remarks SCAA observed that BCC submitted is issued by Architect which is not as per norms. ITI need to submit the BCC to concerned State Directorate as per Agenda 4 of this Minutes on the online compliance module in the NIMI affiliation portal within 30 days	State Directorate sent the compliance report dated	SCAA recommende following trades: 1. Electrician 2(1+1+0) 2. fitter 2(1+1+0) 3. COPA 2(1+1+0) 4. CHNM 2 (1+1+0)

अमृत पाल सिंह, आई एस. AMRIT PAL SINGH, ISDS संयुक्त निवेशक/Joint Director पश्चिम शाहित्याल/Directorate General of Training कौशल विकास और उद्योगिता मन्त्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई विल्ली/Govt. of India, New Delhi

उज्जवल बिस्वास/UJJWAL BISWAS

निदेशक / Director प्रशिक्षण महानिदेशात्व / Directors प्रशिक्षण महानिदेशात्व / Directorate General of Training च्छाला विकास एवं उद्यानशीलका मात्रालय Munistry of Skill Development and Entrepreneurship भारत सरकार, नई दिली–12/Govt, of India, New Delhi-12

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
			from the date of issue of this Minutes. Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to the DGT within the next 15 days.		
6	Sri Bhagwat Balram Private ITI, Godhaura Ghazipur Road Azamgarh(Up)- 276131 MIS Code: PU09900528 Grading 6.40 Existing Trade Fitter – 4(2+2) Electrician – 4(2+2)	 Electrician - 8 (4+4) COPA -2 (1+1) Basic Cosmetology - 2 (1+1) 	13 th SCAA Remarks SCAA observed following	State Directorate sent the compliance report dated 18.03.2024 and submitted the following point 1. Submitted load extension letter dated 28.02.2024 for 35Kw 2. Submitted BCC issued by Assistant engineer dated 05.03.2024 3. ITI has mentioned that area of work shop available at present for 05 Units in 01 shift so requested for affiliation of	ITI has workshop for additional units for Electrician trade 6 (3+3) only. Hence, SCAA recommended following trades: 1. Electrician - 6 (3+3) 2. COPA -2 (1+1) 3. Cosmetology -2 (1+1)

अमृत पाल सिंह, आई एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director बीशण महानिदेशक/Directorate General of Training कौशल विकास और उद्योगिता मन्त्रालय Ministry of Skill Development and Entrepreneutship भारत सरकार, नई दिल्ली/Govl. of India, New Delhi



जिजवल बिस्वास/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण महानिवेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Stall Development and Entrepreneurship

Page 135 of 225

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
			Agenda 4 of this Minutes. 3. The workshop area for Electrician Trade is as per norms for 5 units however for 6th unit the workshop area is 66 sqm required is 98 sqm. ITI need to remove above mentioned deficiencies and submit required documents to the concerned State Directorate on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this	joint inspection team i.e. 03 units additions in electrician	
	Oir and		Minutes.	SAWara	

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निवेशक/Joint Director प्रीक्षण महानियास्त्र/Directorate General of Training कौशल विकास और उधारिता गन्नालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई विल्ली/Govt. of India, New Delhi उपपादल विरवार / UJJWAL BISWAS
मिनेराक / Director
प्रिक्षण महितेराक / Director
प्रिक्षण महितेराक्य (Director) प्रकार प्रकार स्वारा प्रकार प्रकार स्वारा प्रकार स्वारा प्रकार स्वारा प्रकार स्वारा प्रकार स्वारा प्रकार स्वारा स्वा

S. ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
		Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to the DGT within the next 15 Days	\$	
Hazi Abdullah ITI, - Ambedkar Nagar Sultanpur Kabirpur Baskhari Ambedkar Nagar Up Ambedkar Nagar - 224129 Uttar Pradesh MIS Code: PR09001210 Grading :8.30 Existing Trade Fitter - 4(2+2) Electrician - 4(2+2)	Electrician - 6 (2+2+2)	ITI needs to remove deficiencies as mentioned in column VI and submit the documents following documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM: 1. Latest electricity bill after load extension.	ITI has submitted electricity bill on name of Hazi Abdullah ITI with 18Kw work load verified by the state directorate	09.01.2023, the 3rd shift is only recommended in DST mode. Hence for 3rd shift, ITI can sign the DST MOU and submit the recommendation

अमृत पाल सिंह, आर्क्स H, ISDS AMRIT PAL SINGH, ISDS संयुक्त निवेशक/Joint Director पश्चिम महाविशाला/Directorale General of Training पश्चिम महाविशाला/Directorale General of Training पश्चिम महाविशाला और उद्यक्तिता मंत्रालय

अज्ञावल विश्वास/UJJWAL BISWAS विशेषक / Districtor प्रतिका प्रतिकार Districtor प्रतिका प्रतिकार Districtor प्रतिका प्रतिकार प्रति

ानंद राक / Directors
प्रीक्षण मानिद्रसाल्य Directors General of Training
की स्टार विकास एवं उपान्य स्टार्स्स मान्यस्य
Ministry of Stat Development and Entropreneurs np
भारत सरकर, गई सिस्ती - Lz, Govit of India, New Gents 12

Page 137 of 225

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
			Approved layout plan as per norms. Documents related to land transfer in the	-	
			name of the ITI. Thereafter, the concerned State Directorate will have to verify the documents submitted		
			by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through		
			online compliance portal.		
	Rameshwar Singh IT Syambar Naga अर्थ पर्स्त आई एस	I 1. Electrician -4	12 th SCAA remarks	State Directorate sent the compliance report dated	1 1

AMRIT PAL SINGH ISDS
AMRIT PAL SINGH ISDS
संयुक्त निवेशक / Joint Director
संयुक्त निवेशक / Joint प्राप्तिक निवास अगर किश्य किश्य और उटा निवास निवास के Ministry of Skill Development and Entrepreneurship
मारत संरकार, नई विली/Govt. of India, New Dalhi

उज्जवल विस्वास/UJJWAL BISWAS निदेशक / Director प्रशिक्षण पहानिवेशालय/Directorate General of Training कौशल विकास एवं उद्यानशीलाम मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकर, नई दिली-12/Govt. of India, New Delhi-12

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
	Dalpatpur Ayodhya Uttar Pradesh, Maya, Faizabad, Uttar Pradesh. TMPOLD337 MSTI	2. Fitter – 4 (2+2)	ITI need to remove deficiencies as mentioned in column VI and submit following documents on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM: 1. NOC from the concerned State Directorate for MSTI (i.e., ITI lying in unserved block). 2. Undertaking for starting Short-Term course in the ITI. Thereafter, concerned State Directorate will have	mentioned that Rameshwar Singh ITI Syambar Nagar Dalpatpur Ayodhya Uttar Pradesh this is already affiliated ITI in 2009 so no need for NOC for MSTI	however as per the available records in DGT this institute has applied as new MSTI. Since this is TCS portal application hence ITI needs to provide the following details to state Directorate within 15 days from date of issue of this minute: 1. Copy of application submitted by applicant on TCS portal 2. MIS code of already affiliated institute 3. Reason for applying under MSTI category when it was already affiliated Thereafter, state will examine the case and give its comments within 15 days

अमृत पाल सिंह, आई एस.डी.एस AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS प्रमुक्त निवेशक/Joint Director प्रमुक्त निवेशक/Joint Director प्रमुक्त निवेशक/Joint मिला प्रमुक्त निवेशक/Joint मिला प्रमुक्त निवेशक/Joint मिला कौशल विकास और उद्योगना मलाइमा Ministry of Skill Development and Entreprenauship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

प्रिक्षण विस्वास / UJJWAL BISWAS
(निदेशक / Director
प्रिक्षण महिनेबालय/Directorate General of Training
कोशल विकास एवं उद्यानशास्त्रमा मंत्रालय
Ministry of Skill Development and Endephase usanp
भारत सरकार, नई विस्ती-12/Gov. of India, New Dieth-12

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
*			to verify the documents submitted by the ITI and send the report with recommendation of trade(s)/ unit(s) to the DGT within the next 15 days through online compliance portal.		
9	G.B.R.L. Private Industrial Training Institute, Barabanki Village- Sandwa, Post- Paliya, Tehsil- Haidargarh, District- Barabanki, Uttar Pradesh, Pin Code- 225125 TMP9129PR1581409542	 COPA-3 (1+1+1) Electrician-3 (1+1+1) Fitter-3 (1+1+1) Plumber-3 (1+1+1) 	9th SCAA remarks As per report received from State Directorate following document is not attached: 1. Verified BCC by the State Director. State will submit the signed & stamped report to DGT within 15 days from issue of this MoM	18.03.2024 and submitted BCC issued Assistant	SCAA recommended 1. COPA-2 (1+1) 2. Electrician-2(1+1) 3. Fitter-2 (1+1) 4. Plumber-2 (1+1)

अमृत पाल सिंह, आई एस जे एस. AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS संयुक्त निदेशक / Joint Director संयुक्त निदेशक / Joint Director प्राच्या महिनेशालय/Directoral General of Training प्राच्या महिनेशालय/Directoral General of Training क्षेत्रण विकास और उत्पादना गलाय Ministry of Skill Development and Entrepreneurship मारत सरकार, गई दिल्ली/Gov. of India, New Delhi मारत सरकार, गई दिल्ली/Gov. of India, New Delhi

मुज्यल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिस्वाय/Director General of Training
कौराल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Davelopment and Entrepreneurship
भारत सरकार, नई हिल्ली—12/Govt. of India, New Delhi-12

S. No.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	Remarks of 16th SCAA
			After that case will be placed in the next SCAA		

(Annexure as referred in Agenda 5.1-De-affiliation of 33 ITIs of Rajasthan State)

S.	Name, Address and MIS code	Trade /units as per NCVT	TC section Observations	16th SCAA Remarks
No.	of ITI	MIS portal		
ı	II	III	IV	V
1.	Sony Tech Pvt ITI, Plot No. 2&3, Vishnu Vihar, Behind BSNL, New Grain Mandi, SKIM Chittor Road, Bundi PU08000937	Electrician - 6 (2+2+2)	a self-center for AITT NCVT exam in August 2022. 2. It was informed by the institute that it has been shifted to another place. From: Plot No. 2&3, Vishnu Vihar, Behind BSNL, New Grain Mandi, SKIM Chittor Road, Bundi. To: Plot no. 100, Gate no.7, Naveen colony, behind Vardhaashram Nainwa Road, Bundi. 3. The Show Cause Notice was issued by State Directorate to ITI and the reply was also submitted by the ITI. 4. After that the inspection	The matter was discussed in the meeting and SCAA has recommended de-affiliation of the ITI for Electrician 6 (2+2+2) trade/units. The ITI is de-affiliated based on the SSDEC recommendations as ITI was not found at the affiliated location and has been shifted to another location without permission which is not as per norms.
	अमृत पाल सिंह, आई।	H ISDS	was carried out at State	40 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

AMRIT PAL SINGH, ISDS
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्राक्षण महानिदेशाला/Directorate General of Training
कोशाल विकास और उद्योगिता मञ्जालय
कोशाल विकास और उद्योगिता मञ्जालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govl. of India, New Delhi

निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate Community Training
कोशाला निरातको एवं प्रशिक्षण महानिद्धालय/Directorate Community Training
कोशाला निरातको एवं प्रशिक्षण मान्य प्रशिक्षण मान्य सरकार, नई बिल्ली—12/Govt. of India, New Delhi-12

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
I	II	III	IV	V
			level at- Sony Pvt.ITI, plot no.3 , Vishnu Vihar Chittor Garh Road, Bundi.	
			 5. During inspection it was informed by the inspection committee that Sony tech Pvt ITI was not found at the affiliated place. A Senior Secondary School Banner was hanged on ITI Building. 6. The case was placed in SSDEC and SSDEC recommended deaffiliation of ITI as ITI was not found at the affiliated place and has been shifted to another place without 	
2.	Lakshay Pvt ITI, Suket Road,	Electrician -6(2+2+2)	permission. 1. The ITI was designated as	The matter was discussed in the
	Ramganjmandi, Dist. Kota	热	a self-center for AITT NCVT exam in October	meeting and SCAA has recommended de-affiliation for
	PR08000326		2022. 2. During the exam irregularities were found	Electrician 6(2+2+2) trade/units. The ITI is de-affiliated based on the
	पाल सिंह, आई एस औ एस. SINGH ISDS	0	such as- Machinery and	SSDEC recommendations due to following reasons:

अमृत पाल सिंह, आई एस अपित ISDS
AMRIT PAL SINGH ISDS
संग्रका निवेशक / Joint Director
संग्रका मार्गिवेशक / Joint Director
प्रीक्षण मार्गिवेशक / Joint Grant जी राजांगित संग्रकार और उद्धानित मन्त्रालय
स्थान विकास और उद्धानित मन्त्रालय
स्थान विकास अपित उद्धानित मन्त्रालय
स्थान विकास अपित संग्रकार अपित अपित संग्रकार विकास स्थानित संग्रकार, नई दिल्ली/Goyt. of India, New Delhi मारा सरकार, नई दिल्ली/Goyt. of India, New Delhi

प्रिज्ञवल बिस्वास/UJJWAL BISWAS निवेशक / Director

निदेशक / Director प्रशिक्षण महानिदेशालय/Directocate General of Training कौशाल विकास एवं उद्यमगीलाना मञ्जालय Ministry of Skill Development and Endepreneuration भारत सरकार, गई विल्ला-12/Govi, of those, New Delli-12

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
1	II	III	IV	V
			equipment were not in working condition during the practical examination. 3. The two Show Cause Notices were issued by State Directorate to the ITI and no reply received from the ITI. 4. The case was placed in SSDEC and SSDEC recommended deaffiliation of ITI due to: - i. Irregularities found in AITT NCVT Exam October 2022. ii. ITI did not respond to the both Show Cause Notices issued by the State Directorate.	Irregularities found in AITT NCVT Exam in October 2022 which is in violation of DGT letter no. MSDE-18011/DGT/2017-TTC(Pt-III) dated -19.12.2019. ITI did not respond to the both Show Cause Notices issued by the State Directorate.
3.	Rajasthan Pvt ITI Danta Ramgarh Dist. Sikar	Electrician – 6 (2+2+2)	The ITI was designated as a self-center for AITT NCVT exam in August 2022.	The matter was discussed in the meeting and SCAA has recommended de-affiliation of ITI for Electrician 6(2+2+2) trade/units.
	PR08000592	0.5	During the exam irregularities were found	The ITI is de-affiliated based on

अमृत पाल सिंह, आई एस अर्थ।
AMRIT PAL SINGH, ISDS
AMRIT PAL SINGH, ISDS
प्रमुख्य निदेशक/Joint Director
प्रयुक्त निदेशक/Joint Director

সিবিধাল / Director
प्रतिक्षण महिन्देशाल / Director
प्रतिक्षण महिन्देशाल / Director
प्रतिक्षण महिन्देशाल / Director
प्रतिक्षण महिन्देशाल । प्रतिक्रा एवं उद्यमशीलता मंत्रालय
Ministy of Skill Development and Entrepreneurship
भारत सरकार, नई दिली–1 2/GovL of India, New Delhi-12

S.	Name, Address and MIS code	Trade /units as per NCVT	TC section Observations	16 th SCAA Remarks
No.	of ITI	MIS portal		
1	II	III	IV	V
			such as-Raw Material and equipment were not available during the practical examination. 3. The two Show Cause Notices were issued by State Directorate to the ITI and no reply received from the ITI. 4. The case was placed in SSDEC and SSDEC recommended deaffiliation of ITI due to: i. Irregularities found in NCVT Exam in August 2022. ii. ITI did not respond the both Show Cause Notices issued by the State Directorate.	SSDEC recommendations due to following reasons: 1. Irregularities found in AITT NCVT Exam in August 2022 which is violation of DGT letter no. MSDE-18011/DGT/2017-TTC(Pt-III) dated -19.12.2019. 2. ITI did not respond the both Show Cause Notices issued by the State Directorate.
4.	Maa Saraswati Private ITI, Village Tilanesh, Tehsil Degana,Dist. Nagour-341503	 COPA- 3 (1+1+1) Electrician- 6 (2+2+2) Health Sanitary Inspector -3 (1+1+1) 	The ITI was designated as a self-center for AITT NCVT exam in February 2023.	The matter was discussed in the meeting and SCAA has recommended de-affiliation of following Trade/Units of the ITI:
	PR08001839		2. It was informed by the institute that it is not	1. COPA- 3 (1+1+1)

अमृत पाल सिंह, आई.स्स.ही.ग्रज्ञ
AMRIT PAL SINGH, ISDS
संगुक्त निदेशक/Joint Director
प्रीक्षण महिनेशालय/Directorate General of Training
कौशल विकास और उद्यमिता मञ्जालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

उज्जावल बिस्दास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशाल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship

S.	Name, Address and MIS code	Trade /units as per NCVT	TC section Observations	16th SCAA Remarks
No.	of ITI	MIS portal		
1	II	III	IV	V
			operating at its designated address at- Village Tilanesh, Tehsil Degana, Dist. Nagour and the institute is unable to conduct the said examination. 3. The two Show Cause Notices were issued by State Directorate to the ITI	2. Electrician- 6 (2+2+2) 3. Health Sanitary Inspector -3 (1+1+1) The ITI is de-affiliated based on SSDEC recommendations due to following reasons:- i. Irregularities found in AITT NCVT Exam February
			and no reply received from the ITI. 4. The case was placed in SSDEC and SSDEC recommended deaffiliation of ITI as ITI was not operating at its designated address and has been shifted from Village Tilanesh, Tehsil Degana, Dist. Nagour to another place without permission.	2023.which is violation of DGT letter no. MSDE-18011/DGT/2017-TTC(Pt-III) dated -19.12.2019. ii. ITI did not respond the both Show Cause Notices issued by the State Directorate. iii. ITI was not operating at its designated address and has been shifted to another place without permission, which not as per norms.
5.	Hanuman Garh BRC Pvt. ITI New Dhaan Mandi, Hanumangarh अमृत पाल सिंह, आई एस.डी	Electrician- 3(1+1+1)	The ITI was designated as a self-center for AITT NCVT exam in February 2023.	The matter was discussed in the meeting and SCAA has recommended de-affiliation of the ITI with Electrician- 3(1+1+1) trade/
	AMRIT PAL SINGH, IS	एस.	ZOZO.	MA

319/1/25

AMRIT PAL SINGH, ISDS संयुक्त निवंशक/Joint Director प्रशिक्षण महानिदेशालय/Directorate General of Training कोशल विकास और उद्यमिता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत संस्कार, नई दिल्ली/Govt. of India, New Delhi उप्पादल बिस्वास/UJJWAL BISWAS

मिदेशक / Diract

प्रिकाश महानिश्चार प्रकार प्रकार में अलग का अलग का

Page 146 of 225

S.	Name, Address and MIS code	Trade /units as per NCVT	TC section Observations	16 th SCAA Remarks
No.	of ITI	MIS portal		
I	II	III	IV	V
	PR08000517		2. It was informed by the institute that institute has stopped taking admissions from the session 2020. Therefore, the institute should not be made a self-center this time. 3. The two Show Cause Notices were issued by State Directorate to the ITI and no reply received from the ITI. 4. The case was placed in SSDEC recommended deaffiliation of ITI.	units. The ITI is de-affiliated based on the SSDEC recommendations due to following reasons: i. Irregularities found in AITT NCVT Exam February 2023.which is violation of DGT letter no. MSDE-18011/DGT/2017-TTC(Pt-III) dated -19.12.2019. ii. ITI did not respond the both Show Cause Notices issued by the State Directorate.
6.	Shree Nath Pvt. ITI, Shivpura, Buhana (Jhunjhunu) PR08001208	 Electrician- 2(1+1) Mechanic Diesel 2(1+1) Fitter - 2 (1+1) COPA- 2(1+1) 	1. The ITI was designated as a self-center for AITT NCVT exam in February 2023. 2. It was informed by the institute that the institute is closed from the session 2022. And due to non-availability of machinery,	The matter was discussed in the meeting and SCAA has recommended de-affiliation of following Trade/Units of the ITI: 1. Electrician- 2(1+1) 2. Mechanic Diesel - 2(1+1) 3. Fitter - 2 (1+1) 4. COPA- 2(1+1)
	AMRIT PAL SING	स.डी.एस. न. ISDS	equipment and tools in	41,

AMRIT PAL SINGH, ISBS
संयुक्त निवेशक/Joint Director
प्रकारण महीस्थान / Joint Director
प्रकारण महीस्थान / Joint Director
प्रकारण महीस्थान / जिल्लामा / जिल्ला/ जिल्लामा / जिलामा / जिल्लामा / जिल्लामा / जिल्लामा / जिल्लामा / जिल्लामा / जिलामा / जिल्लामा / जिल्लामा / जिल्लामा / जिल्लामा / जिल्लामा / जिलामा / जिल्लामा / जिल्लामा / जिल्लामा / जिल्लामा / जिल्लामा / जिलामा / जिल्लामा / जिल्लामा / जिल्लामा / जिल्लामा / जिल्लामा / जिल

जिज्ञास/UJJWAL BISWAS
निदेशक / Director
पशिक्षण महानिदेशक / Director
पशिक्षण महानिद्यालया / Director

Page 147 of 225

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
I	11	III	IV	V
25			the institute, the institute is unable to conduct the said examination. 3. The two Show Cause Notices were issued by State Directorate to the ITI and no reply received from the ITI. 4. The case was placed in SSDEC and SSDEC recommended deaffiliation of ITI due to:-	The ITI is de-affiliated based on SSDEC recommendations due to following reasons:- i. Irregularities found in AITT NCVT Exam February 2023.which is in violation of DGT letter no. MSDE-18011/DGT/2017-TTC(Pt-III) dated -19.12.2019. ii. ITI did not respond the both Show Cause Notices issued by the State Directorate.
			i. Irregularities found in NCVT Exam in February 2023. ii. ITI did not respond to the both Show Cause Notices issued by the State Directorate.	
7.	Metro Private Industrial Training Institute, 636, Khora Bisal, Dist. Jaipur Rajasthan – 302012 PU08001371	Electrician- 10 (4+4+2)	The ITI was designated as a self-center for AITT NCVT exam in February 2023. According to the report of the flying squad	The matter has been discussed in the SCAA meeting and it is recommended that State Directorate may re-examine the matter as 02 affiliation orders were issued by DGT in year 2014 and 2019 with different addresses, therefore, State

AMRIT PAL SINGH, ISOS
AMRIT PAL SINGH, ISOS
संयुक्त निवेशक/Joint Director
पश्चिमण गरिनेशालप/Directorate Ceneral of Training
पश्चिमण गरिनेशालप/Directorate Ceneral of Training
की शाल विकास और उद्योगिता मञालय
Ministry of Skill Development and Enterpreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

प्रित्यास/UJJWAL BISWAS

पशिक्षण महानियाला/Directorate General of Training कोराल विकास एवं उद्यानगीलाता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत संस्कार, नई दिल्ली-12/Govt. of India, New Delhi-12

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
I	II	ıii	IV	V
			inspection team, the institute is not operating at the recognized place. The institute has shifted to another place without permission. From: Metro Private ITI, 42-43, Pratap Vihar Colony, Govind Pura, Kardhani Kalwar Road, Dist. Jaipur Rajasthan To:- Institute, 636, Khora Bisal, Dist. Jaipur Rajasthan — 302012.	Directorate may resend the proposal to DGT with SSDEC recommendations.
	सिंह, आई एस	कु एस.	3. The two Show Cause Notices were issued by State Directorate to the ITI and no reply received from the ITI. 4. The case was placed in SSDEC and SSDEC recommended de-	

अमृत पाल सिंह, आई.एस डि.एस. AMRIT PAL SINGH. 1908 AMRIT PAL SINGH. 1908 संयुक्त तिरेशक /Joint Director संयुक्त तिरेशक /Joint Director पश्चिम मानियाला/Directorate General मंत्रालय पश्चिम मानियाला/Directorate General मंत्रालय कीयाल विकास और उद्यक्तिमा मंत्रालय कीयाल विकास और उद्यक्तिमा मंत्रालय भागा सन्वार, गई दिल्ली/Govt. of India, New Delhi

प्रसिद्धान / DITBUTOF TRANSPORT (ARTHUR THE PROPERTY OF GREEN VICTOR TRANSPORT OF GREEN VICTOR TRANSPORT OF GREEN VICTOR TO THE TRANSPORT OF THE TRA

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16th SCAA Remarks
1	II	III	IV	V
0	heati Dut ITI Vill Domininosi		affiliation of ITI as ITI was not operating at a recognized place and has been shifted to another place without permission.	
8.	Jyoti Pvt. ITI VillPamlakheri, TehSangod, DistKota PR08000266	Electrician - 9 (3+3+3)	 The ITI was designated as a self-center for AITT NCVT exam in July 2023. It was informed by the institute that the condition of the building of the institute is dilapidated, the institute has not taken admissions in the session 2022,hence the institute is unable to conduct the said examination. The two Show Cause Notices were issued by State Directorate to the ITI and no reply received from the ITI. The case was placed in SSDEC and SSDEC recommended de-affiliation of ITI due to:- 	The matter was discussed in the meeting and SCAA has recommended de-affiliation of the ITI with Electrician-9(3+3+3) trade/ units. The ITI is de-affiliated based on the SSDEC recommendations:- 1. Irregularities found in AITT NCVT Exam July 2023 which is in violation of DGT letter no. MSDE-18011/DGT/2017-TTC(Pt-III) dated -19.12.2019. 2. ITI did not respond to the both Show Cause Notices issued by the State Directorate.

अमृत पाल रिष्ट, आई एम डा एस.
AMRIT PAL SINGH, ISDS
AMRIT PAL SINGH, ISDS
संगुक्त निवेशक/Joint Director
प्रोवशक महानिवेशक्याक/Joint Director
प्रोवशक महानिवेशक्या/Directorate General of Training
प्रोवशक महानिवेशक्या/Six उत्पर्धिम सम्मालय
Ministry of Skill Development and Entrepleneurship
मारत सरकार, गई दिल्ली/Govt. of India, New Delhi

भिजेवल विस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण मडानिवेसालय/Directorate General of Training कौशल विकास एवं जवागरी लिला मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, गई विल्ली-12/Govt. of India, New Delhi-12

S.	Name, Address and MIS code	Trade /units as per NCVT	TC section Observations	16th SCAA Remarks
No.	of ITI	MIS portal		
1	II	III	IV	V
9.	Rajnish Pvt. ITI Near Amar Garden, Uniara, Dist. Tonk PU08001849	1. Electrician 6(2+2+2) 2. Fitter- 3(1+1+1)	 i. Irregularities found in NCVT ii. AITT Exam July 2023. iii. ITI did not respond to the both Show Cause Notices issued by the State Directorate. 1. The ITI was designated as a self-center for AITT NCVT exam in February 2023. 2. It was informed by the institute that the institute is running in a rented building and the lease agreement has expired. Also, the institute has been locked by the building owner and has not taken admission in the session 2022. Therefore, the institute is unable to conduct the said 	The matter was discussed in the meeting and SCAA has recommended de-affiliation of following Trade/Units of the ITI: 1. Electrician 6(2+2+2) 2. Fitter- 3(1+1+1) The ITI is de-affiliated based on SSDEC recommendations due to following reasons: 1. The Institute is running in rented building and lease has been expired. 2. The institute was found locked
			examination. 3. The two Show Cause Notices were issued by	during inspection. 3. ITI did not respond to the both Show Cause Notices, issued by
	सिंह, आई एस डी एस.	Α	State Directorate to the	the State Directorate.

अमृत पाल सिंह, आई ग्रस डी एस. AMRIT PAL SINGH, ISDS AMRIT लिदेशक/Joint Director संग्रस लिदेशक/Joint Director प्रशास महिला होड़ा मंत्रालय प्रशास महिला और उद्योगिता मंत्रालय कोराल विकास और उद्योगिता मंत्रालय Ministry of Skill Development and Entrepreneursh भूतत सरकार, महं दिल्ली/Govl. of India, New Delhi

प्रशासन विस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महिन्देशालय/Directorian Consecutor I January
कीशाल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurshlp
पारत सरकार, गई दिली-12 (Cost of

Page 151 of 225

S.	Name, Address and MIS code	Trade /units as per NCVT	TC section Observations	16th SCAA Remarks
No.	of ITI	MIS portal		
1	II	III	IV	V
			ITI and no reply received from the ITI. 4. The case was placed in SSDEC and SSDEC recommended deaffiliation of ITI due to: i. The Institute is running in rented building. The lease has been expired and the institute is locked. ii. ITI did not respond to the both Show Cause Notices issued by the State Directorate.	
10.	Shri Annapurna Pvt. ITI Lakheri Road, C.A.D. Colony Kaprun, Teh K.Patan, DistBundi	Electrician- 12(4+4+4)	The ITI was designated as a self-center for AITT NCVT exam in July 2023. It was informed by the institute that the condition of the building of the institute is dilapidated, hence the institute is unable to conduct the said examination.	The matter was discussed in the meeting and SCAA has recommended de-affiliation of the ITI with Electrician-12(4+4+4) trade/ units. The ITI is de-affiliated based on the SSDEC recommendations: 1. Irregularities found in AITT NCVT Exam July 2023 which is

प्रिकार के स्टिश्क Unrectain and I training प्रिकार के स्टिश्क प्राप्त के स्टिश्क के स्टिशक क

Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
II	III	IV	V
		3. The two Show Cause Notices were issued by State Directorate to the ITI and no reply received from the ITI. 4. The case was placed in SSDEC 5. and SSDEC recommended deaffiliation of ITI due to: i. Irregularities found in NCVT Exam in July 2023. ii. ITI did not respond to the both Show Cause Notices issued by the State Directorate.	in violation of DGT letter no. MSDE-18011/DGT/2017- TTC(Pt-III) dated -19.12.2019. 2. ITI did not respond to the both Show Cause Notices issued by the State Directorate.
Sagar Private ITI, Madanganj, Tehsil Kishangarh, Dist. Ajmer	Electrician- 6(2+2+2)	The ITI was designated as a self-center for AITT NCVT exam in July 2023. It was informed by the	The matter was discussed in the meeting and SCAA has recommended de-affiliation of the
PR08001560		institute that the institute is closed so the examination is not conducted in the institute.	ITI with Electrician-6(2+2+2) trade/ units. The ITI is de-affiliated based on the SSDEC recommendations: 1. The institute was closed.
	Sagar Private ITI, Madanganj, Tehsil Kishangarh, Dist. Ajmer	Sagar Private ITI, Madanganj, Tehsil Kishangarh, Dist. Ajmer PR08001560 MIS portal III Electrician- 6(2+2+2)	II III IV 3. The two Show Cause Notices were issued by State Directorate to the ITI and no reply received from the ITI. 4. The case was placed in SSDEC recommended deaffiliation of ITI due to: i. Irregularities found in NCVT Exam in July 2023. ii. ITI did not respond to the both Show Cause Notices issued by the State Directorate. Sagar Private ITI, Madanganj, Tehsil Kishangarh, Dist. Ajmer Electrician- 6(2+2+2) PR08001560 Electrician- 6(2+2+2) 1. The ITI was designated as a self-center for AITT NCVT exam in July 2023. 2. It was informed by the institute that the institute is closed so the examination is not conducted in the

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director पशिक्षण महीवेशालप/Directorals General of Training कौशल विकास और उद्योगिता नित्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, New Date

MINISH! मरकार, नहें ।

प्रणावल बिस्वास UJWAL BIONAS
प्रशासन किरोपक / Director
प्रशासन नहीं निवेशक / Director
प्रशासन नहीं निवेशक प्रवासनी स्थापक के ज्ञान किरोपक प्रवासनी स्थापक के ज्ञान किरोपक प्रवासनी स्थापक के ज्ञान किरोपक अध्यापक के ज्ञान किरोपक अध्यापक के ज्ञान के ज्ञान के अध्यापक के ज्ञान के ज्ञान के अध्यापक के ज्ञान के

Page 153 of 225

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16th SCAA Remarks
1	II	III	IV	V
			3. The two Show Cause Notices were issued by State Directorate to the ITI and no reply received from the ITI. 4. The case was placed in SSDEC and SSDEC recommended deaffiliation of ITI due to: i. The institute is closed ii. ITI did not respond to the both Show Cause Notices issued by the State Directorate.	ITI did not respond to the both Show Cause Notices issued by the State Directorate.
12.	Vikas Pvt. ITI, Suratgarh, Dist. Sri Ganganagar PR08001290	Electrician- 4(2+2)	The ITI was designated as a self-center for AITT NCVT exam in July 2023. It was informed by the institute that the institute is running in rented building due to the expiry of lease agreement and the institute is being established in another place. Also, the construction work is going on other building. Hence, there is no arrangement	The matter was discussed in the meeting and SCAA has recommended de-affiliation of the ITI with Electrician-4(2+2) trade/ units. The ITI is de-affiliated based on the SSDEC recommendations as the institute is not currently operating at the recognized location and shifted to another place without permission which is not as per norms.

अमृत पाल सिंह, अहिंदि AMRIT PAL SINGH, ISDS संयुक्त निवेशक / Joint Director प्रीयान महिन्देशक / Joint Director प्रीयान महिन्देशक / Joint Director प्रीयान महिन्देशक / Joint Hammar के निवास और अहिंदि महिन्द्र महिन्द्र मिला है कि स्वीत के प्राप्त महिन्द्र महिन्द्र मिला / Govt. of India, New Delhi भारत संस्कार, नई दिल्ली/Govt. of India, New Delhi

जिजवल विस्तास / UJIWAL BISTAND निवेशक / Director प्रशिक्षण महितेशालगं/Directorate General of Training को शरण विकास एवं उध्यमशीलता मञ्जालय Ministry of Skill Development and Entrepreneurship शरत सरकार, नई विज्ञी-12/Gov. of India, New Delhi-12

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
I	II	III	IV	V
			for conducting the said examination. 3. The Show Cause Notice was issued to ITI by State Directorate and the ITI replied to Show Cause Notice that institute has shifted to plot no. 23, Rico Industrial area of the institute and the training is being conducted in Laksh Pvt.ITI Suratgarh. 4. The case was placed in SSDEC and SSDEC recommended deaffiliation of ITI as the institute is not currently operating at the recognized location and shifted to another place	
13.	New Lal Bahadur Shastri Pvt. ITI F.38, Riico Gangapurcity, Dist. Sawai Madhopur PR08000645	 Electrician- 6(2+2+2) Mechanic Diesel - 2(1+1) 	without permission. 1. The ITI was designated as a self-center for AITT NCVT exam in July 2023. 2. It was informed by the institute that maintenance work is going on in the institute due to which is no	The matter was discussed in the meeting and SCAA has recommended de-affiliation of following Trade/Units of the ITI: 1. Electrician- 6(2+2+2) 2. Mechanic Diesel - 2(1+1)
ी.एस. ISDS	1	-	arrangement is available for	

अमृत पाल सिंह, आई एस हो एस. AMRIT PAL SINGH, ISDS संगुक्त निदेशक/Joint Director प्रिष्मण महिदेशालप/Directortle General of Training कौशल विकास और स्टाक्त मंत्रिक Ministry of Skill Development and Entrecteneutship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

उज्जावल विस्वास/UJIWAL BISWAS
निदेशक / Director
प्रशिक्षण महिनेदेशलय/Directorale General of Tractung
कौराल विकास एवं उद्यानमीकाल मञ्जालय
Ministry of Skill Development and Entrepresentable
भारत सरकार, नई हिली-12/Govt of India, New Omb-12

Page 155 of 225

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
ı	II	III	IV	V
			conducting the said examination. 3. The Show Cause Notice was issued to ITI by State Directorate and the ITI replied to Show Cause Notice that maintenance has been completed in the institute. 4. After that the inspection was conducted at state level and during the inspection the institute was found locked. 5.The case was placed in SSDEC and SSDEC recommended de-affiliation of ITI, as the institute was found locked during inspection.	The ITI is de-affiliated based on SSDEC recommendations as ITI was found locked during inspection.
14.	Monish Pvt. ITI, Lalsot Road Kotkhawada The. Cvhaksu Distt Jaipur PR08000622	1. Mechanic Diesel- 2(1+1) 2. Electrician- 2(1+1) 3. Health Sanitary Inspector -2(1+1)	The ITI was designated as a self-center for AITT NCVT exam in July 2023. According to the report of inspection team, during the practical examination the work of the center superintendent was found to be unsatisfactory as the raw material was	The matter was discussed in the meeting and SCAA has recommended de-affiliation of following Trade/Units of the ITI: 1. Mechanic Diesel- 2(1+1) 2. Electrician- 2(1+1) 3. Health Sanitary Inspector - 2(1+1)

अमृत पाल चित्त, आई एस डी एस . ISDS AMRIT PAL SINGH ISDS AMRIT PAL SINGH ISDS समुक्त निवेशक/Joint Director समुक्त निवेशक/Joint Director समुक्त निवेशक/Joint General of Training महिनेशालय/Directorate General of Training महिनेशालय/Directorate General of Training समामित विकास और उपालिक माना समामित विकास और उपालिक John Ministry of Skill Development and Enterpreneurship मारत सरकर, नई दिल्ली/Govt. of India, New Delhi मारत सरकर, नई दिल्ली/Govt. of India, New Delhi

उण्जिल विस्तास / UJJWAL BISWAS
उण्जिल विस्तास / Director
क्रिकेशन / Director
क्रिकेशन / Director
क्रिकेशन विकास एवं ज्ञासामा निर्माण निर्माण क्रिकेशन एवं ज्ञासामा निर्माण निर्माण क्रिकेशन एवं ज्ञासामा निर्माण निर्माण क्रिकेशन एवं ज्ञासामा क्रिकेशन विकास एवं ज्ञासामा क्रिकेशन विकास हो क्रिकेशन हो है क्रिकेशन हो क्रिकेशन हो क्रिकेशन हो है क्रिकेशन है क्रिकेशन हो क्रिकेशन हो क्रिकेशन है क्रिकेशन

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
1	II	III	IV	V
			incomplete. The condition of the building was also not found to be good. 3. The Show Cause Notice was issued to ITI by State Directorate and the ITI replied to SHOW CAUSE NOTICE. 4. After that the inspection was conducted by State level and during the inspection institute was found unsatisfactory as per the DGT norms. 5. The case was placed in SSDEC recommended de-affiliation of ITI as the institute was not found satisfactory as per the DGT norms.	- [- [- [- [- [- [- [- [- [- [
15.	Tagore Shiksha Niketan Pvt. ITI Bhasislana The. Phulera Distt. Jaipur PR08000662	 COPA- 2(1+1) Electrician- 2(1+1) Stenographer & Secretarial Assistant (Hindi)- 2(1+1) Mechanic Diesel - 2(1+1) 	 The ITI was designated as a self-center for AITT NCVT exam in July 2023. According to the report of inspection team during the practical examination, the the center superintendent 	The matter was discussed in the meeting and SCAA has recommended de-affiliation of following Trade/Units of the ITI: 1. COPA- 2(1+1) 2. Electrician- 2(1+1)

AVIND पाल विस् आई तम डी तम. ISDS
TO THE SING H. ISDS
AMRIT PALE Joint Director
AMRIT PARTICIPATION OF THE SING HER THE SING HE SING HER THE SING HE SING HER THE SING HER THE SING HER THE SING HER THE SING HER THE

अण्णवल बिस्वास / UJJ WAL BISWAS
निवेशक / Director
प्रशिक्षण महिनेशालग/Directorate General of Training
कीशल विकास एवं उद्यानशीलाला महालय Ministry of Skill Davelopment and Entrepreneutable
भारत सरकार, नई विल्ली- 1 2/Govt. or India, New Usibi 12

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
1	II	III	IV	V
	अमृत पाल सिंह, आई एर AMRIT PAR JOINT DI		was absent, the tools, equipment and raw materials were not available. A School and the ITI both were running in the same premises. 3. The Show Cause Notice was issued to ITI by State Directorate and the ITI replied to Show Cause Notice. 4. After that inspection was conducted by State level and during inspection institute was found unsatisfactory as per the DGT norms and also a school was found running there till class 8th. 5. The case was placed in SSDEC recommended deaffiliation of ITI as the institute was not found satisfactory as per the DGT norms and also a	3. Stenographer & Secretarial Assistant (Hindi)- 2(1+1) 4. Mechanic Diesel - 2(1+1) The ITI is de-affiliated based on SSDEC recommendations due to following reason: i. Irregularities found in AITT NCVT Exam July 2023 which is in violation of DGT letter no. MSDE-18011/DGT/2017-TTC(Pt-III) dated -19.12.2019. ii. Institute was not found satisfactory as per the DGT affiliation norms. iii. Also, a school was found running in the ITI.

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निवेशक/Joint Director मीश्रण महान्दिशाल्य/Directorate General of Training कोशल विकास और प्रशासना माञालय Ministry of Skill Development and Engageneurship मारत सरकार, नई बिल्ली/Govt. of India, New Delhi

ব্যানাল বিবেশে/UJJWAL BISWAS
ব্যানাল বিবেশে/UJJWAL BISWAS
কিইখাল / Director
বিবেশন / Director
বিবেশন / Director
বিবেশন / বিবেশন প্রবাদিন কিলাল
কীয়াল বিবেশন প্রবাদ্যালার বিবেশন প্রবাদ্যালার বিবেশন প্রবাদ্যালার and Entrepreneuship
Ministry of Skill Development and Entrepreneuship
বার্মান্য ক্রেম্বন্ধ্য বুলিনানান্ত্র (বুলিনানান্ত্র)

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
1	II	III	IV	V
16	Conicoveni Dut ITI Lainus Dan L		school was found running there till class 8th.	
16.	Sanjeevani Pvt ITI Jaipur Road Dist. Sikar PR08000549	 Fire Technology and Industrial Safety Management - 3(1+1+1) Electrician - 6(2+2+2) 	1. The ITI was designated as a self-center for AITT NCVT exam in July 2023. 2. According to the report of inspection team during the practical examination, FTMS centrifugal pump was not available. 3. The Show Cause Notice was issued to ITI by State Directorate and the ITI replied to Show Cause Notice. 4. After that inspection was conducted by State level and during inspection the institute was found unsatisfactory as per the DGT norms asattendance register, Instructors, trainees, superintendent were not	The matter was discussed in the meeting and SCAA has recommended de-affiliation of following Trade/Units of the ITI: 1. Fire Technology and Industrial Safety 2. Management - 3(1+1+1) 3. Electrician - 6(2+2+2) The ITI is de-affiliated based on SSDEC recommendations due to following reasons 1. Irregularities found in AITT NCVT Exam July 2023 which is in violation of DGT letter no. MSDE-18011/DGT/2017-TTC(Pt-III) dated -19.12.2019. 2. Institute was not found
			available at the time of inspection. 5. The case was placed in SSDEC and SSDEC	satisfactory as per the DGT norms. 3. During inspection trainers and trainees were not present.

अमृत पाल सिंह, आई एस,डी एस.
AMRIT PAL SINGH, ISDS
AMRIT PAL SINGH, ISDS
संयुक्त निदेशक/Joint Director
प्रशिक्षण महिनियालप/Directorate General of Training
प्रशिक्षण महिनियालप/Directorate General of Training
प्रशिक्षण महिनेयालप/Directorate General of Training
कौराल विकास और उद्योगभाग मजलय
कौराल विकास और उद्योगभाग मजलय
कौराल विकास और उद्योगभाग मजलय
भारत सरकार, गई दिल्ली/Govt. of India, New Delhi

सङ्ग्राच । वासी स्वाप स्वाप्त उज्जावल बिस्पास/UJJWAL BISWAS निवस्त्र निवेशक / Director प्रशिक्षण महानिवेशालय/Directorate General of Training कौशल विकास एवं उद्यामशीलता मन्त्रालय Ministry of Skill Development and Entreproneurship मारत सरकार, नई बिस्ली-12/Govt. of India, New Debt 12

Page 159 of 225

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
1	II	III	IV	V
			recommended de-affiliation of ITI as the institute was not found satisfactory as per the DGT norms.	Attendance register was not produced.
17.	Ideal Pvt ITI Khatu Shyamji Road, Dist Sikar PR08000816	Electrician- 3(1+1+1)	1. The ITI was designated as a self-center for AITT NCVT exam in July 2023. 2. According to the report of inspection team during the practical examination,80 % tools, equipment and raw materials were not available. The Lab was also not installed properly. 3. The Show Cause Notice was issued to ITI by State Directorate and the ITI replied to Show Cause Notice. 4. After that inspection was conducted by State level and during inspection the institute was found unsatisfactory as per the DGT norms.	The matter was discussed in the meeting and SCAA has recommended de-affiliation of following Trade/Units of the ITI: 1. Electrician- 3(1+1+1) The ITI is de-affiliated based on SSDEC recommendations due to following reason: 1. Irregularities found in AITT NCVT Exam July 2023 which is in violation of DGT letter no. MSDE-18011/DGT/2017-TTC(Pt-III) dated -19.12.2019. 2. Institute was not found satisfactory as per the DGT norms.

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director परिश्रण गृहितेपालय/Diservice कि.का.स्ट्रांग्याला प्रकार विकार की. कि.स्ट्रांग्यालय Ministry of Skill Develor Feet and Little, eneurship मारत सरकार, गई दिल्ली/Govt. of India, New Delhi अञ्जवल विस्वासं/UJJWAL BISWAS
Pम्हेशक / Director
प्रशिक्षण महानिर्देशालगं/Obsecturate General of Training
क्षेत्रालगं स्विकास एवं जहामशीलता मंत्रालय
क्षेत्रालगं स्विकास एवं जहामशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
पाता सरकार, नई विल्ली-12/Gov. of India, New Delhi-12

Page 160 of 225

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
ı	II	III	IV 5. The case was placed in SSDEC and SSDEC recommended deaffiliation of ITI as the institute was not found satisfactory as per the DGT norms.	V
18.	Safal Pvt. ITI Laxmangarh Dist. Sikar PR08000587	Electrician- 6(2+2+2)	1. The ITI was designated as a self-center for the NCVT exam in July 2023. 2. According to the report of inspection team during the practical examination various following deficiencies were found: i. The condition of the electrician lab was very bad. It seems that the workshop was not being used for a long time. ii. There was no air and light in the workshop.	The matter was discussed in the meeting and SCAA has recommended de-affiliation of following Trade/Units of the ITI: 1. Electrician- 6(2+2+2) The ITI is de-affiliated based on SSDEC recommendations due to following reason: 1. Irregularities found in AITT NCVT Exam July 2023 which is in violation of DGT letter no. MSDE-18011/DGT/2017-TTC(Pt-III) dated -19.12.2019.

प्राप्ति विस्तास / UJJWAL BISWAS
प्रिक्षण महिन्देशक / Director
प्रिक्षण महिन्देशक / Director
विदेशक / Director
विदेशक / Director
विदेशक / प्रिक्षण महिन्देशक / प्रिक्षण महिन्देशक विदेशक । प्रिक्षण महिन्देशक । प्रिक्षण महिन्द्र । प्राप्ति महिन्द्र

Page 161 of 225

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
1	II	III	IV	V
	अमृत पाल सिंह, आई प	सं.डी.एस. H. ISDS	iii. The boys admitted that they had never been to SAFAL college but confessed that they got admission in Sunderdevi Pvt. ITI, Laxmangarh (Sikar). They had only come to SAFAL college for practical examination purpose. 3. The Show Cause Notice was issued to ITI by State Directorate and the ITI replied to Show Cause Notice. 4. After that the inspection was conducted by State level and during inspection the institute was found unsatisfactory as per the DGT norms. 5. The case was placed in SSDEC recommended deaffiliation of ITI as the institute was not found	Institute was not found satisfactory as per the DGT norms.

AMRIT PAL SINGH ISDS
AMRIT PAL SINGH ISDS
चंद्रकर निदेशक Joint Director
पंडिकर निदेशक Joint Director
पंडिकर निदेशक Joint Director
पंडिकर निदेशक Joint Singh
की पार्टिकर के प्राप्त प्रमुख्य अप्रेर अद्योगना मंत्रलय
की पार्टिकर के Skill Development and Entrepreneurship
भारत सरकार, गई दिल्ली/Govt. of India, New Delhi

उज्जवलं बिस्वास/UJJWAL BISWAS निदेशक / Director परिक्षण महानिदेशालय/Directorate General of Training कोशल विकास एवं उद्यमशीलता मंत्रालय Ministry of Skill Development and Entreproneuts big. भारत सरकार, गई दिली-12/GovL of India, New Delhi-12

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
I	II	III	IV	V
			satisfactory as per the DGT norms.	
19.	Shri Radhey Private Industrial Training Institute,Plot No.2 Jain Colony Behind Gayatri Cinema Kanota TehBassi DistJaipur Rajasthan-303012 PU08001456	Electrician- 6(2+2+2)	1. The de-affiliation proceedings started due to complaint/information given by the building owner of Radhey Private ITI that the ITI operator/manager has vacated the ITI on 10-08-2023 and shifted it to some other place. 2. The two Show Cause Notices were issued by State Directorate to the ITI and the ITI replied to the Show Cause Notice. 3. After that the inspection was conducted by state level and during the inspection the institute is being run at other place without DGT permission. 4. The case was placed in SSDEC recommended to de-	The matter was discussed in the meeting and SCAA has recommended de-affiliation of the ITI with Electrician- 6(2+2+2) trade/ units. The ITI is de-affiliation based on SSDEC recommendations as the ITI shifted to some other place without permission which is not as per norms.

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS प्रमुख निवेशक/Joint Director प्राथम निवेशक/Joint Director प्रियम महिनेशका, Directorith, Cheneral of Training प्रमुख्य निवेशका, Directorith, Cheneral of Training स्रोधान विकास और Gallar of Marie and Ministry of Skill Devalopment of the postacuration भारत चरकार, नई किली/GaA. of India, New Dahl

उज्जवल बिस्वास/UJJWAL BISWAS
निवेशक / Director
परिक्षण गरुनिवेशक / Director
परिक्षण गरुनिवेशका पिकार्यका - अभिन्य कीशका विकास एक जन्मार्थक जा स्त्रास्थित Ministry of Skill Development and Estrephynous ship भारत सरकार जो विज्ञीन 12 Soot of the (1908-12

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
1	II	III	IV	
	- us		IV	V
			affiliate the ITI because	
			the ITI shifted to some	
			other place from -Plot No.2	
			Jain Colony Behind	
			Gayatri Cinema Kanota	
			TehBassi DistJaipur to	
			some other place without	
			permission.	
20.	Jai Kalyani Private ITI, Behind	1. Electrician - 2(1+1)	SSDEC recommended for	SCAA has accepted ITI's request
	Hotel Ratanprabha Keshav	Fire Technology and	self-surrender of trades due	for self-surrender of following
	Nagar, Agra Road, Dist. Dausa	Industrial Safety	to voluntary request by ITI	trades/units:
		Management-	1007 100	
	PU08001637	6(2+2+2)		1. Electrician - 2(1+1)
		Health Safety &		Fire Technology and Industrial
		Environment- 4(2+2)		Safety Management- 6(2+2+2)
				3. Health Safety & Environment-
				4(2+2)
21.	Rise Private ITI NH-12, Pech Ki	Electrician- 12(4+4+4)	SSDEC recommended for	SCAA has accepted ITI's request
	Bawadi, Tehsil Hindoli, Dist.	45	self-surrender of trades due	for self-surrender of following trade
	Bundi- 323601		to voluntary request by ITI	units:
			5	
	PR08001661			Electrician- 12(4+4+4)
				20 20
22.	Rajasthan Pvt. ITI, New	Draughtsman Civil	Proposed De-affiliation due to	SCAA has accepted ITI's request
	Sanganer Road, Mansarover,	-2(1+1)	following reasons:	for self-surrender of following
	Jaipur	2. Electrician - 12 (trades/units:
	Circ and pur	4+4+4)		

अमृत पाल सिंह, आई.स.स.स.स. AMRIT PAL SINGH, ISDS संयुक्त निर्देशक/Joint Director प्रक्रिश पालिकेशल्य, Directorate General of Training कांशल विकास और उत्पादिन मन्त्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, मह हिस्सी/Govl. of India, New Delhi

তত্যবল বিশ্বাস / UJJWAL BISWAS
নিইয়ক / Director

থবিজ্ঞাল দ্বানিগ্রাকে/Desetbrate General of Training
কীখাল বিক্রাস প্র বিশ্বাস শীলোলা দ্বান্ত্রন Ministry of Sall Development and Entreprensusable
দারে মংক্রা, দুই বিশ্বা-12 Pevil, of India, New Debh-12

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
I	II	III	IV	V
	PU08001084		The Irregularities were found in NCVT Exam July 2023. The Show Cause Notice was issued to the institute and ITI replied to the Show Cause Notice. The Self closure proposal was given by the Institute. The case was placed in SSDEC and SSDEC recommended self closure of the ITI.	Draughtsman Civil -2(1+1) Electrician - 12 (4+4+4)
23.	The Rajasthan Pvt. ITI Badlawala Bara Phool Bagh, Mandore, Dist.Jodhpur PR08000542	1. Electrician- 12(4+4+4) 2. Mechanic Diesel - 3(1+1+1)	Proposed De-affiliation due to following reasons:- 1. The Irregularities were found in NCVT Exam July 2023. 2. The Show Cause Notice was issued to the institute and ITI replied to the Show Cause Notice. 3. The Self closure proposal was given by the Institute.	SCAA has accepted ITI's request for self-surrender of following trades/units: 1. Electrician- 12(4+4+4) 2. Mechanic Diesel - 3(1+1+1)

अमृत पाल सिंह, आई एस डी एस, AMRIT PAL SINGH, ISDS संयुक्त निवेशक/Joint Director पीक्षण मानिवेशका/Directorate General of Training कीशल विकास और अधानित मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi प्रजापल विस्तास /UJJWAL BISWAS
निनेशक / Director
प्रशिक्षण महीदेकान्य / Director
प्रशिक्षण महीदेकान्य / Director
प्रशिक्षण महीदेकान्य / Director
प्रशिक्षण महीदेकान्य / प्रशासनी क्षित्रकार महिलान्य
Ministry of Salt General and Entrapheneusarup
प्रश्च सरकार, मह विस्ती - 12, Gont of Insid, New Delta-12

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
I	II	III	IV	V
			The case was placed in SSDEC and SSDEC recommended self closure of the ITI.	
24.	J.I.T.S. Private Industrial Training Institute, Box No-20, Medi City,N.H12,Jaipur Road, Deoli Dist-Tonk -304804 PR08000880	 Electrician- 4(2+2) Mechanic Diesel - 2(1+1) Fitter - 2 (1+1) 	SSDEC recommended for self-surrender of trades due to voluntary request by ITI	SCAA has accepted ITI's request for self-surrender of following trades/units: 1. Electrician- 4(2+2) 2. Mechanic Diesel - 2(1+1) 3. Fitter - 2 (1+1)
25.	Rajasthan Private Industrial Training Institute, -Village Bhavli, Tehsil Masalpur, Distt Karauli RAJASTHAN-322242 PR08000126	 Electrician- 24(8+8+8) Mechanic Diesel - 2(1+1) Fitter - 3 (1+1+1) 	SSDEC recommended for self-surrender of trades due to voluntary request by ITI	SCAA has accepted ITI's request for self-surrender of following trades/units: 1. Electrician- 24(8+8+8) 2. Mechanic Diesel - 2(1+1) 3. Fitter - 3 (1+1+1)
26.	New Sorabh Private Industrial Training Institute, Khasara No. 309, Village Madhosingh Pura, Jamwaramgarh, Jaipur - 303109 PR08000908	Electrician- 12(4+4+4) Health Sanitary Inspector -3(1+1+1)	SSDEC recommended for self-surrender of trades due to voluntary request by ITI	SCAA has accepted ITI's request for self-surrender of following trades/units: 1. Electrician- 12(4+4+4) 2. Health Sanitary Inspector – 3 (1+1+1)

अमृत पाल सिंह, आई एस डी एस. AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS परिवार किरेपाक/Joint Director परिवार किरेपाक/Dectorate General of Training परिवार विकास और Gerifard केलिय कोशल विकास और Gerifard केलिय भीति परिवार केलियां (Gov. of India, New Dehl पारत सरकार, महित्सी/Gov. of India, New Dehl

उज्जवल विस्वास/UJJWAL BISWAS निवेशक / Director प्रविद्याल / Director General of Training कौशल विकास एवं उध्यशीलका मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, गई विल्ली-1 2/Govi. of India, New Desti-12

Name, Address and MIS code	Trade /units as per NCVT	TC section Observations	16 th SCAA Remarks
	•		
Ш	III	IV	V
Sorabh Private Industrial Training Institute, Khasara No. 506, Saran Tihara, Near Railway Fhatak, Tunga Road, Bassi (Jaipur)	Electrician- 16(8+8) Mechanic Diesel - 4(2+2)	SSDEC recommended for self-surrender of trades due to voluntary request by ITI	SCAA has accepted ITI's request for self-surrender of following trades/units:
PR08001094			 Electrician- 16(8+8) Mechanic Diesel - 4(2+2)
Saurabh Private Industrial Training Institute, Khasara No. 1682, Gudasi Road, Sawai Madhopur PR08000039	Electrician- 36(12+12+12)	SSDEC recommended for self-surrender of trades due to voluntary request by ITI	SCAA has accepted ITI's request for self-surrender of following trade/units: Electrician- 36(12+12+12)
Rajasthan Private Industrial Training Institute Kheda, Distt. Karauli-322234 PR08000443	Electrician- 42(14+14+14)	SSDEC recommended for self-surrender of trades due to voluntary request by ITI	SCAA has accepted ITI's request for self-surrender of following trade/units: Electrician- 42(14+14+14)
Govindam Private Industrial Training Institute, Village & Post Office Kapren, Distt. Bundi- 323301 PR08000702	Electrician- 2(1+1)	SSDEC recommended for self-surrender of trades due to voluntary request by ITI	SCAA has accepted ITI's request for self-surrender of following trade/units: Electrician- 2(1+1)
	of ITI II Sorabh Private Industrial Training Institute, Khasara No. 506, Saran Tihara, Near Railway Fhatak, Tunga Road, Bassi (Jaipur) PR08001094 Saurabh Private Industrial Training Institute, Khasara No. 1682, Gudasi Road, Sawai Madhopur PR08000039 Rajasthan Private Industrial Training Institute Kheda, Distt. Karauli-322234 PR08000443 Govindam Private Industrial Training Institute, Village & Post Office Kapren, Distt. Bundi-323301	II III III III III III III III III III	II III IV Sorabh Private Industrial Training Institute, Khasara No. 506, Saran Tihara, Near Railway Fhatak, Tunga Road, Bassi (Jaipur) PR08001094 Saurabh Private Industrial Training Institute, Khasara No. 1682, Gudasi Road, Sawai Madhopur PR08000039 Rajasthan Private Industrial Training Institute Kheda, Distt. Karauli-322234 PR08000443 Govindam Private Industrial Training Institute, Village & Post Office Kapren, Distt. Bundi-323301 MIS portal III IV SSDEC recommended for self-surrender of trades due to voluntary request by ITI SSDEC recommended for self-surrender of trades due to voluntary request by ITI Flectrician- 42(14+14+14) SSDEC recommended for self-surrender of trades due to voluntary request by ITI SSDEC recommended for self-surrender of trades due to voluntary request by ITI

अमृत पाल सिंह, आई एस डी एस.
AMRIT PAL SINGH, ISDS
AMRIT PAL SINGH, ISDS
संयुक्त निवेषाक/Joint Director
पश्चिम महिनेशाला/Directorate General of Training
कौशल विकार और जनाराना निवास कौशल विकार और जनाराना निवास Ministry of Skill Development and Editorianship
मारत सरकार, नई दिल्ली/Govt, of India, New Delhi

उज्जवल बिस्वास/UJJWAL BISWAS

निवेशक / Director प्रतिक्षण गहनियान्य/Directorate General of Training कोशल विकास एवं उद्यमशीलता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, गई दिल्ली-12/Govl. of India, New Delhi-12

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT	TC section Observations	16 th SCAA Remarks
1	II	MIS portal	IV	V
31.	Virat Private Industrial Training Institute, Near Bus Stand, Kathuwas, The. Behror (Alwar) 301704	1. COPA- 2(1+1) 2. Electrician- 2(1+1) 3. Fitter- 2(1+1) 4. Welder - 2(1+1)	This is the case of self closure of partially trade closure for following trades:	SCAA has accepted ITI's request for self-surrender of following partially trades/units:
	PR08001156	No.	i) COPA- 2(1+1) ii) Welder - 2(1+1) SSDEC recommended for self-surrender of trades due to voluntary request by ITI.	1. COPA- 2(1+1) 2. Welder - 2(1+1)
32.	Kamal Rathan Private Industrial Training Institute, Plot No.223(Ab) , Industrial Area, Shitepura Ramchanpura(East), Dist. Jaipur Rajasthan PU08001471	 MMV- 2(1+1) Electrician- 8(4+4) Fitter-2(1+1) Mechanic Diesel - 4(2+2) 	This is the case of self closure of partially trade closure for the trade i. Mech. Diesel - 02(1+1) {02nd unit of 1st and 2nd Shift }. SSDEC recommended for self-surrender of trades due to voluntarily request by ITI.	SCAA has accepted ITI's request for self-surrender of following partially trade/units: 1. Mech. Diesel - 02(1+1) {02nd unit of 1st and 2nd Shift }.
33.	New Jatin Private Industrial Training Institute,253, Ekling Pura, Near Aravali College, Dist. Udaipur - 313003 PR08001319	Electrician- 8(4+4)	1. This is a case of self closure of partially Trade Closed for Electrician 04(2+2). { 3rd and 4th unit of lst and 2nd shift }	SCAA has accepted ITI's request for self-surrender of following partially trade / units: 1. Electrician 04(2+2)

अमृत पाल सिंह, आई एस डी.प्स.
AMRIT PAL SINGH, ISDS
संयुक्त निवेशक / Joint Director
संयुक्त निवेशक / Joint Director
संयुक्त निवेशक / Joint Director
प्रक्षिण महिनेकाल।/Directorate General of Training
प्रकार किकास और उन्हें के महाद्ये
Ministry of Skill Development and Enterpreneurship
मार्स सरकार, महं सिल्ली/Gov! of India, New Delhi

उज्जवल विस्वास/UJJWAL BISWAS निवेशक / Director प्रशिक्षण महानिवेशालय/Directorate General of Training कोशाल विकास एवं उद्याशीलिया गंभारत्य Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिली-12/Govi. of India, New Delhi-12

Page 168 of 225

S. No.	Name, Address and MIS code of ITI	Trade /units as per NCVT MIS portal	TC section Observations	16 th SCAA Remarks
1	II	III	IV	V
			SSDEC recommended for self-surrender of trades due to voluntary request by ITI	{ 3rd and 4th unit of 1st and 2nd shift }

अमृत पाल सिंह, आई एस डो एस. AMRIT PAL SINGH, ISDS AMRIT PAL Joint Director स्वारत निवेदाला/Declarate General निवाला प्रतिवर्ण महीवेदाला/Declarate General निवाला स्वारत विकास (Declarate General) स्वारत विकास (Declarate General) स्वारत विकास (प्रतिवर्ण (Govl. of India, New Delhi पात वर्षण, प्रतिवर्ण (Govl. of India, New Delhi

ত্ততাবল বিশ্বান / UJIWAL BISWAS
অমিকা গুলিবসাল / Director
লবিসাল / Director
কামাল কিবসাল হব প্রস্থানার নামালের
কামাল বিকাশ হব প্রস্থানার চিনালার
মানালার বিকাশ হব প্রস্থানার মানালার
মানালার বিকাশ বিশ্বানার মানালার
মানালার বিকাশ বিশ্বানার হিলোঁ - 12 (Gov. of India, New Deshirt)
মানালার মানালার বিলোঁ - 12 (Gov. of India, New Deshirt)

(Annexure as referred in Agenda 5.2: The De-affiliation/ Self -surrender of 04 ITIs of Himachal Pradesh State)

S. No	Name & Address of ITI / MIS Code	Trade / Units to be surrendered	SSDEC recommendations (if any)	SCAA remarks
Ţ	II	III	IV	V
1	Bhuvneshwari Pvt. ITI, Village Bahot, P.O. & Tehsil Sundernagar, District Mandi, H.P. (PU02000078)	1. Electronics Mechanic-2(1+1) 2. Surface Ornamentation Technique-1(1+0) 3. Sewing Technology-1(0+1) i.e- Shift 2 unit 1	SSDEC recommended for self- surrender of trades due to voluntary request by ITI	SCAA has accepted ITI's request for self-surrender of following trades/units: 1. Electronics Mechanic-2(1+1) 2. Surface Ornamentation Technique-1(1+0) 3.Sewing Technology-1(0+1) i.e- Shift 2 unit 1
2	Maa Jawala Pvt. ITI, Near Majheen Chowk at Ghurkal, P.O. Bharoli, Tehsil Jawalamukhi, District Kangra, H.P. (PR02000154)	1. Electronic Mechanic- 3(1+1+1) 2. Sewing Technology - 2(1+1)	SSDEC recommended for self- surrender of trades due to voluntarily request by ITI	SCAA has accepted ITI's request for self-surrender of following trades/units: 1. Electronic Mechanic-3(1+1+1) 2. Sewing Technology - 2(1+1)

अमृत पाल सिंह, आई एस डी एस. AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS संयुक्त किरेपाक / Joint Director परिकाश महिन्देशाला / Directorate General of Training परिकाश महिन्देशाला / Directorate General of Training परिकाश निकास असर अस्परिता निकास महिन्देशाला / Directorate General of Training Ministry of Skill Development and Entersteadurable परिकाश निकास के किरोसिंग / Govt. of India, New Delhi उज्जवल बिस्वास / UJJWAL BISWAS
उज्जवल बिस्वास / Director
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कोशल विकास एवं ज्ञास्त्री मंत्रालय Ministry of Skill Development and Entrepreneurship
मारत सरकार, गृहं बिस्ती-12/Gov. of India. New Delh-12

S. No	Name & Address of ITI / MIS Code	Trade / Units to be surrendered	SSDEC recommendations (if any)	SCAA remarks	
1	IL	III	IV	V	
3	Modern Private ITI, Pragpur, Tehsil Dehra, District Kangra, H.P. (PR02000135)	1. Electronics Mechanic - 2(1+1) 2.Welder- 2(1+1) 3.Sewing Technology - 1(1+0)	SSDEC recommended for self- surrender of trades due to voluntarily request by ITI	SCAA has accepted ITI's request for self-surrender of following trades/units: 1. Electronics Mechanic - 2(1+1) 2.Welder- 2(1+1) 3.Sewing Technology - 1(1+0)	
4	New Angel Private ITI, Barda Complex, P.O. Jankaur, Pekhubela, District Una, H.P. (PR02000144)	Sewing Technology -2(1+1)	SSDEC recommended for self- surrender of trades due to voluntarily request by ITI	SCAA has accepted ITI's request for self-surrender of following trade/units: Sewing Technology - 2(1+1)	

अमृत पाल सिंह, आई एस. 1905 AMRIT PAL SINGH. 1905 महारा निवेदावा/Joint Director प्रहारत निवेदावा/Joint Director प्रहारत निवेदावा/Joint Seath प्रशासन प्रहारत निवेदावा/Joint Seath प्रशासन क्षेत्राचा विकास और उठा प्रशासना Ministry of Suil Development as Care, new Dethi प्राप्त सर्वार, वह हिल्लो/Cov. of India, New Dethi प्राप्त सर्वार, वह हिल्लो/Cov. of India, New Dethi

उज्जीवर्ग विस्वास/UJIWAL BISWAS
परिकार महोत्रियां / Director
परिकार महोत्रियां / Director
परिकार महोत्रियां र / परिकार
परिकार महोत्रियां र / परिकार
भागत सरकार, महितान 12 (Govt. of India, New Delhi-12)

(Annexure as referred in Agenda 5.3: De-affiliation matters of 02 ITIs of Uttarakhand State)

S. No.	Name, Address and MIS code of ITI	Trade units as per NCVT MIS portal	Brief	SCAA Remarks
- 1	ll ll	111	IV	V
1.	Uttarakhand Private ITI, Haldwani, Nainital PU05000159	1. Fitter-6(2+2+2) 2. Health Sanitary Inspector - 6(2+2+2)	1. The de-affiliation proceedings were initiated due complaint received for which Show Cause Notice was issued to the ITI. 2. During the visit of RDSDE officers various following deficiencies were found: i. ITI was operating from a small office room in a residential premise with two office staff. ii. Neither the Principal & Instructors of ITI nor any trainee were available on the day of visit. iii. No related documents were available in above-stated office room (like Electric bills, Affiliation documents, Attendance register, Biometric system & record of attendance of Principal, instructors and the trainees etc., Land documents. iv. The ITI has no premises, no labs, no classrooms, no equipment for training purpose. v. On enquiring, the two office staff present led the team to an adjacent building with signage of "Uttarakhand Institute of Paramedical Science" with classroom/lab marked as	The matter was discussed in the meeting and SCAA has recommended de-affiliation of following Trade/Units of the ITI: 1. Fitter-6(2+2+2) 2. Health Sanitary Inspector 6(2+2+2) The ITI is de-affiliated based on SSDEC recommendations due to following reasons: 1. ITI board was there but no ITI was running at that place. 2. No staff, no trainees & faculty, no labs, no classrooms, no equipment, no documents related to ITI were present on the day of inspection.

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निवेशक/Joint Director प्रशिक्षण महानिवेशाल्य/Directorate General of Training कोशाल विकास और उत्पर्शनात मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई विल्ली/Govl. of India, New Delhi प्राण्डावल विस्वास / UJJWAL BISWAS
निवेधाक / Director
प्रशिक्षण महानेनसात्व / Director
प्रशिक्षण महानेनसात्व / Director स्थान का प्राथ्य का स्थान स्य

Page 172 of 225

S.	Name, Address and MIS	Trade units as per	Brief	SCAA Remarks
No.	code of ITI	NCVT MIS portal		
		III	"Anatomy/Physiology" and no related machineries/ equipment were available. It was informed that for the affiliated trades of Electrician, Fitter & Health & Sanitary Inspector in the ITI, the classes/ practical were being conducted from the said classrooms / labs. 2. The Show Cause Notice was issued to ITI and ITI has given reply to Show Cause Notice. 3. The case of ITI was placed in the SSDEC held on 06.03.2023 in which the reply of Show Cause Notice submitted by ITI was also placed. The reply was found not satisfactory and SSDEC decided to conduct joint inspection of the ITI. 4. The joint inspection was again carried out. 5. The case was again placed in SDDEC held on 26.09.2023 and SSDEC recommended the ITI for deaffiliation based on the Joint Inspection report. The comments of Joint inspects are as follows: a. ITI board was there but no ITI was running at that place. b. There were no staff, trainees present at the time of inspection. c. It was inquired by nearby ayurvedic center persons regarding the ITI but no information was given by them.	V

प्राप्त पाल सिंह, आई एस डि एस AMBIT PAL SINGH, ISDS AMBIT PAL SINGH, ISDS संयुक्त निदेशक Joint Director उज्जवल बिस्वासं/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशाल विकास एवं उद्यागरीलिया मञ्जालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-। 2/Govt. of India, New Delin-12

S. No.	Name, Address and MIS code of ITI	Trade units as per NCVT MIS portal	Brief	SCAA Remarks
1	11	III	IV	V
		NCVT MIS portal		
			2. The Show Cause Notice was issued to the ITI and ITI has given reply of Show Cause Notice. 3. The case of ITI was placed in the SSDEC held on 06.03.2023 in which the reply of SHOW CAUSE NOTICE	

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS संग्रुवत निवेशक/Joint Director प्रीक्षण गणिनेशाला/Directorate General of Training कीशल विकास और उद्योगिता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi प्रणावल बिस्वास/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण महानिवेशालय/Directoralse-Contrainor
को हाला जिल्हामा महा उद्याग प्राप्त मंत्रालय
Ministra प्राप्त प्रमुख्या प्रमुख्य प्रणावना मंत्रालय
भारत सरकार, वह बिल्ला-12/Govt. of India, New Delhi-12

Page 174 of 225

S.	Name, Address and MIS	Trade units as per	Brief	SCAA Remarks
No.	code of ITI	NCVT MIS portal	n.	
			submitted by ITI was also placed. The reply was found not satisfactory and SSDEC decided to conduct joint inspection of the ITI. 4. The joint inspection was again carried out. 5. The case was again placed in SDDEC held on 26.09.2023 and SSDEC recommended the ITI for deaffiliation based on the Joint Inspection report. The comments of Joint inspects are as follows: a) No machinery ,no tools & equipment's were there. b) No trainees & Faculty were found at the time of inspection. c) It was inquired by the nearby person related to ITI has informed that the ITI has shifted all the material. d) The person nearby shop has informed that ITI has been closed for last two months and they have taken their all material from there. e) As per the telephonic conversation held with staff of the said ITI informed that the ITI has been closed and not in running. f) The joint inspection committee recommended that immediately closed the ITI.	V

अमृत पाल सिंह, आई एस डॉ एस. AMRIT PAL SINGH, ISDS संयुक्त निवेशक/Joint Director संयुक्त निवेशक/Joint Director प्राप्तक महिनेशका/Directorate General of Training प्राप्तक विकास और उपारिक्त मन्त्रालय Ministry of Skill Development and Entreprensurship भारत सरकार, नई विल्ली/Govt. of India, New Delhi

उज्जावल विस्वास/UJJWAL BISWAS निदेशक / Director प्रशिक्षण महानिदेशालय/Directorale General of Training कौशल निवास एवं उद्ययशीलाता मंत्रालय Ministry of Skill Development and Entrepreneuship मारत सरकार, नई दिल्ली-12/Govl. of India, New Delhi-12

Annexure -VI

(Annexure as referred in Agenda 6.1: The Self -surrender matters of 11 Govt. ITIs of Uttarakhand State)

S. No	Name & Address of ITI / MIS Code Trade / Units to be surrendered		rrendered	SSDEC recommendations (if any)	SCAA remarks	
1	II		III		IV	V
		Trades	Unit	Shift		
1	Govt. Industrial Training Institute Women Kashipur GU05000096	Electronics Mechanic Secretarial Practice (English)	1	1	SSDEC recommended for self-surrender	SCAA has accepted ITI's request for self-surrender of following trades/units: 1. Electronics Mechanic – (1+0) 2. Secretarial Practice (English)- (1+0)
2	Govt. Industrial Training Institute Women Dehradun GU05000065	Sewing Technology	3	Shift 1 in 2 & Shift 2nd in 01 (2+1)	SSDEC recommended for self-surrender	SCAA has accepted ITI's request for self-surrender of following trade/units: . 1. Sewing Technology-3 (2+1)
3	Govt. Industrial Training Institute Haridwar GU05000082	1. Foundryman	1	1	SSDEC recommended for self-surrender	SCAA has accepted ITI's request for self-surrender of following trade/units: 1. Foundryman-1(1+0)
4	Govt. Industrial Training Institute Boy's Haldwani GU05000070	 Mechanic Diesel Mechanic Tractor 	1	1	SSDEC recommended for self-surrender	SCAA has accepted ITI's request for self-surrender of following trades/units: 1. Mechanic Diesel- 1(1+0) 2. Mechanic Tractor- 1(1+0)

प्राप्त माल सिंह, आई एस डो एस AMRIT PAL SINGH, ISDS भस्रका निदेशक/Joint Director पहिल्ला महीनेशाला/Directore General of Training कीशल किकार और वस्त्रित गंजालय Ministry of Skill Development and Entrepreneurship भारत सरकार, गई दिल्ली/Govt. of India, New Delhi प्रणावल बिस्वास/UJJWAL BISWAS
प्रशिक्षण महानिदेशक / Director
कौशल विभाग महानिदेशक / Director कौशल कियानिक विभाग एवं ज्यामरी लगा मंत्रालाव आश्रीकां प्रशास एवं ज्यामरी लगा मंत्रालाय आश्रीकां प्रशास कियानिक कियानिक कियानिक कियानिक मार्गी स्थानिक कियानिक कि

S. No			ts to be surrendered		SSDEC recommendations (if any)	SCAA remarks
I	II		Ш		IV	V
		Trades	Unit	Shift		
5	Govt. Industrial Training Institute Bhowali GU05000087	Surface Ornamentation Techniques (Embroidery)	1	1	SSDEC recommended for self-surrender	SCAA has accepted ITI's request for self-surrender of following trades/units: 1. Surface Ornamentation Techniques (Embroidery) 1(1+0)
6	Govt. Industrial Training Institute Betalghat GR05000109	1. Wireman	2	1+1	SSDEC recommended for self-surrender	SCAA has accepted ITI's request for self-surrender of following trade/units: 1. Wireman-2(1+1)
7	Govt. Industrial Training Institute Sitarganj GU05000111	1. Diesel Mechanic	1	1	SSDEC recommended for self-surrender	SCAA has accepted ITI's request for self-surrender of following trade/units: 1. Diesel Mechanic-1(1+0)
8	Govt. Industrial Training Institute Doiwala GU05000103	Electrician Sewing Technology Stenographer Secretarial Assistant (English)	1 1 1 1 1	1 1 1 1	SSDEC recommended for self-surrender	SCAA has accepted ITI's request for self-surrender of following trades/units: 1. Electrician-1(1+0) 2. Sewing Technology-1(1+0) 3. Stenographer Secretarial Assistant (English)- 1(1+0)

अप्राचित्र वाल सिंह, आई एस डी एस . AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS प्रियक्त किरोहक / Joint Director प्रियक्त किरोहक / Joint Director प्रियक्त किरोहक अपर अपरिया क्लाय कीराल विकास और अधिकात किरोहक Ministry of Skill Development and Entrepreneurship भारत सरकार, नई किली/Govt, of India, New Delhi

उज्जावन विस्तास/JUJWAL BISWAS
निवेशक / Director
परिक्षण ग्रहानिक्षणक्ष / Director
परिक्षण ग्रहानिक्षणक्ष एवं उद्यागशीलका मंत्रालय स्क्रीशाल विश्वास एवं उद्यागशीलका मंत्रालय Ministry of Skill Development and Entrepreneurship प्राप्त सरकार, गृई हिल्ली-12/Govt. of India, New Delhi-12

S. No	Name & Address of ITI / MIS Code	I / MIS Code			SSDEC recommendations (if any)	SCAA remarks
1	II		111		IV	V
		Trades	Unit	Shift		
		Electronics Mechanic Wireman				4. Electronics Mechanic-1(1+0) 5. Wireman- 1(1+0)
9	Govt. Industrial Training Institute Lowar Bazar Srinagar GU05000063	Sewing Technology	1	2nd shift	SSDEC recommended for self-surrender	SCAA has accepted ITI's request for self-surrender of following trade/units: 1. Sewing Technology-1(0+1)
10	Govt. Industrial Training Institute Vikasnagar GU05000097	1. Wireman	1	1	SSDEC recommended for self-surrender	SCAA has accepted ITI's request for self-surrender of following trade/units: Wireman- 1(1+0)
11	Government ITI Kamoli Dhokane GR05000145	Sewing Technology	2	1+1	SSDEC recommended for self-surrender	SCAA has accepted ITI's request for self-surrender of following trade/units: 1. Sewing Technology-2(1+1)
				0		***S % 97

अमृत पाल सिंह, आई एस डी एस.

अग्नित पाल सिंह, आई एस डी एस.

ANTELL PAL SINGH, ISDS

संग्रका निवेशक / Joint Director

संग्रका निवेशक / Joint Director

संग्रका निवेशक / Joint Director

संग्रका निवेशक और उसारमा निजाय

सौशन विकास और उसारमा निजाय

सौशन सिकास और जिल्ली/Gov. of India, New Delhi

भारत सरकार, नई दिल्ली/Gov. of India, New Delhi

उज्जवल बिस्वास/UJJWAL BISWAS निवेशक / Director प्रशिक्षण महानिदेशालय/Directorate General of Training कोशाल विकास एवं उद्धानशालया मन्त्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली—12/Govt of India, New Deals—12

(Annexure as referred in Agenda 6.2- The Self -surrender matters of 02 ITIs of Uttar Pradesh State)

S. No	Name & Address of ITI / MIS Code	Trade / Units to be surrendered	SSDEC recommendations (if any)	SCAA remarks	
I	II	III	IV	V	
1.	S.R Pvt. ITI. Village- Alawal. Sonkh., Govardhan Road , Mathura (PR09001111)	1. Electrician- 4(2+2) 2. Fitter-4(2+2)	Recommended for self-surrender of trades due to voluntary request by ITI	SCAA has accepted ITI's request for self-surrender of following trade/units: 1. Electrician- 4(2+2) 2. Fitter-4(2+2)	
2.	Pt. Murlidhar Tripathi Pvt. ITI, Payagipur, Sultanpur,U.P (PR09000286)	1. Fitter-9 (3+3+3) 2. Sewing Technology - 3(1+1+1)	Recommended for self-surrender of trades due to voluntary request by ITI	SCAA has accepted ITI's request for self-surrender of following trade/units: 1. Fitter-9 (3+3+3) 2. Sewing Technology - 3(1+1+1)	

अमृत पाल सिंह, आई राया है हो। AMRIT PAL SINGUI मंत्रका निवेशक/Joni भीवन निवेशक/Joni भीवन विकास और अंध कोशन विकास और अंध Ministy of Skill Devolutions उज्जीवर्ग विस्तिस् UJIWAL BISWAS
उज्जीवर्ग विस्तिस् UJIWAL BISWAS
पश्चिम महिनेश्चालम् Directorate Gancia of Training
कोशाल विस्तास पूर्व प्रधानम्भीत्वाम मुजातम्
अभागाल विस्तास पूर्व प्रधानम्भीत्वाम मुजातम्
अभागाल विस्तास पूर्व प्रधानम्भीत्वाम असे Entrapreneurship
भारत वार्त्वस, महिनीन 12 (Gov. of India, New Dolli-12

Annexure-VIII

(Annexure as referred in Agenda 7.6.1 SSDEC Proposal from Kerala)

S. No	ITI Name & Complete Address	MIS Code (In the case of existing ITI)	Whether this is case of shifting (Yes/No) (1. If yes then complete old and new address	Existing Trade and units running under NCVT (In case of Existing ITI)	Shift wise Trade and Units sought for Affiliation	Shift wise Trade and units recommend by Joint Inspection Team	Shift wise Trade and units recommen d by SSDEC Team	16 th Remarks of SCAA
1	Govt ITI Kuthuparamb a Nirmalagiri PO, Kuthuparamb a, Kannur, Kerala- 670701.	GU32000623	Old address Govt ITI Kuthuparamba, Kuthuparamba PO, Kannur, Kerala-670643 New address Govt ITI Kuthuparamba	1. Computer Operator and Programming Assistant- 2(1+1) 2. Draughtsman (Civil) - 2(1+1) 3. Fitter-2(1+1)	 Computer Operator and Programming Assistant-2(1+1) Draughtsman (Civil) -2(1+1) Fitter-2(1+1) 	1. Computer Operator and Programming Assistant- 2(1+1) 2. Draughtsman (Civil) -2(1+1) 3. Fitter-2(1+1)	 Comput er Operato r and Progra mming Assista nt-2(1+1) Draught sman (Civil) -2(1+1) Fitter-2(1+1) 	Recommended shifting with existing trades as recommended by SSDEC

अगृत पाल कि आ एस औरस.
SINGH, ISDS
AMRIT PA SINGH, ISDS
AMRIT PA SINGH, ISDS
पंग्रस्त निवेशक Lolht Director
पंग्रस्त निवेशक अग्रित General प्रात्वाम स्रोत्य विकास और उद्योगिता मजालय आश्राम विकास और उद्योगिता मजालय Ministry of Skill Development and Entreprenental Part स्रोति प्राप्त सरकार, गई दिली/Govt. of India, New Delin

उण्जवल विस्वास/UJJWAL BISWAS निवेशक / Director प्रीक्षण गहनिदेशालप/Directorate General of Training कौशल विकास एवं उद्यमशीलता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई बिली-12/Govt. of India, New Delhi-12

S. No	ITI Name & Complete Address	MIS Code (In the case of existing ITI)	Whether this is case of shifting (Yes/No) (1. If yes then complete old and new address	Existing Trade and units running under NCVT (In case of Existing ITI)	Shift wise Trade and Units sought for Affiliation	Shift wise Trade and units recommend by Joint Inspection Team	Shift wise Trade and units recommen d by SSDEC Team	16 th Remarks of SCAA
			Nirmalagiri P O, Kuthuparamba Kannur, Kerala -670701 (within the same Block)					
2. ন জী ফ ন , ISC irecto	Govt ITI Peringome Aravanchal, CRPF Camp (PO)Payyanur , Kannu r-670353	GR32000673	Old Address (a)Govt ITI Peringome Aravanchal, CRPF Camp (PO)Payyanur, Kannur-670353	1. Mechanic (Motor Vehicle)-2(1+1) 2. Welder-2(1+1)	 Mechanic (Motor Vehicle)-2(1+1) Welder-2(1+1) 	1. Mechanic (Motor Vehicle)- 2(1+1) 2. Welder-2(1+1)	 Mechan ic (Motor Vehicle) -2(1+1) Welder-2(1+1) 	Recommended shifting with existing trades as recommended by SSDEC

अमृत पाल सिंह, आई.एम.डी.एम. AMRIT PAL SINGH, ISDS संयुक्त निवेशक/Joint Directo प्रीक्षण महानेवेशालय/Directorate General of Training कोशल विकास और उट्योगित गंजालय Ministry of Skill Development and Entrepreneurship भारत सरकार, गई विल्ली/Govt. of India, New Delhi

उज्जवल बिस्वास/UJJWAL BISWAS निदेशक / Director प्रशिक्षण गण्डानिदेशालय/Directorate General of Training कौशाल विकास एवं उद्यानशीलता नजालय Ministry of Skill Development and Entreprenducibilip भारत सरकार, नई दिल्ली-12/Gevt of India, New Dalh-12

S. No	ITI Name & Complete Address	MIS Code (In the case of existing ITI)	Whether this is case of shifting (Yes/No) (1. If yes then complete old and new address	Existing Trade and units running under NCVT (In case of Existing ITI)	Shift wise Trade and Units sought for Affiliation	Shift wise Trade and units recommend by Joint Inspection Team	Shift wise Trade and units recommen d by SSDEC Team	16 th Remarks of SCAA
			New Address (b)Govt ITI Peringome, Peringome (PO), Payyanur(via), Kannur-670353 (within the same Block)					
3	Govt ITI Vaniyamkula m, Velliyad, Mannannur (Po), Kavalappara Ottapalam, Palakkad (D T), Kerala Pin - 679523	GR32000574	YES. OLD ADDRESS: Govt ITI Vaniyamkulam Vaniyamkulam	Draughtsman (Civil)-2(1+1) Fashion Design & Technology-2(1+1)	1. Draughtsman (Civil)-2(1+1) 2. Fashion Design & Technology-2(1+1)	1. Draughtsman (Civil)-2(1+1) 2. Fashion Design & Technology-2(1+1)	1. Draught sman (Civil)-2(1+1) 2. Fashion Design & Technol ogy-2(1+1)	Recommended shifting with existing trades as recommended by SSDEC

अमृत पाल सिंह, अस्ति, ISDS
AMRIT PAL SINGH, ISDS
अधुक्त निदेशक/Joint Director
महानिदेशालय/Directorate Consenal of Training
अरल विकास और स्टास्ट्रिंग महान्द्र Minacry of Skill Development and Engepreneurship
भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

प्रजावल बिस्वास/UJJWAL BISWAS
निदेशक / Durector
प्रशिक्षण गक्षीनेदेशालय/Directorate General of Training
कोशल बिकास एवं ख्यान्यीरलया नजान्य
Ministry of Skill Development and Entrepreneurship
गारस सरकार, गई विल्ली-। 2/Govt. of India, New Deira-12

S. No	ITI Name & Complete Address	MIS Code (In the case of existing ITI)	Whether this is case of shifting (Yes/No) (1. If yes then complete old and new address	Existing Trade and units running under NCVT (In case of Existing ITI)	Shift wise Trade and Units sought for Affiliation	Shift wise Trade and units recommend by Joint Inspection Team	Shift wise Trade and units recommen d by SSDEC Team	16 th Remarks of SCAA
			(PO), Ottapalam, Palakkad (D T), Kerala Pin - 679522 New Address: Govt ITI Vaniyamkulam, Velliyad, Mannannur (Po), Kavalappara Ottapalam, Palakkad (D T), Kerala Pin - 679523 (within the same Block)					
4 ई.एस:		GR32000664	Yes Old Address Govt ITI Cheriyamundam	1. Draughtsman (Civil)- 2(1+1)	1. Draughtsman (Civil)- 2(1+1)	1. Draughtsman (Civil)- 2(1+1)	1. Draught sman (Civil)-2(1+1)	Recommended for shifting with existing trades as

अमृत पाल सिंह, अई.एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निवेशक /Joint Director परिक्रण महाविद्याल/Directorate General d'Inning कोशल विकास और उद्योगित मन्द्रिक Ministry of Skill Development and Entrepredictally भारत सरकार, मई दिल्ली/Govl. of Lander Delin

AMRIT PAL Street Director AMRIT Payer / Joint Director of Training संयुक्त निवेशालय | Directorate General of Training संयुक्त निवेशालय | Directorate General जनावालय

उज्जवलं बिस्वास/UJJWAL BISWAS निवंशक / Director प्रशिक्षण मकिवेशालय/Directorale General के Trailing कोशाल विकास एवं ज्यानशीलाना मञ्जालय Ministry of Skill Development and Entreprenourship मारत सरकार, नई विल्ली-1 2/Gord of India, New Defili-12

Page 183 of 225

S. No	ITI Name & Complete Address	MIS Code (In the case of existing ITI)	Whether this is case of shifting (Yes/No) (1. If yes then complete old and new address	Existing Trade and units running under NCVT (In case of Existing ITI)	Shift wise Trade and Units sought for Affiliation	Shift wise Trade and units recommend by Joint Inspection Team	Shift wise Trade and units recommen d by SSDEC Team	16 th Remarks of SCAA
	Nariyarakkunn u Cheriyamund am P O Pin 676107, Thanur Block Malappuram Dist		Thalakadathoor P O PIN 670103 Thanur Block, Malappuram Dist	2. Electrician- 2(1+1)3. Mechanic Diesel- 2(1+1)	2. Electrician- 2(1+1)3. Mechanic Diesel-2(1+1)	2. Electrician- 2(1+1)3. Mechanic Diesel-2(1+1)	2. Electrici an- 2(1+1) 3. Mechan ic Diesel- 2(1+1)	recommended by SSDEC
			New Address Govt ITI Cheriyamundam Nariyarakkunnu Cheriyamundam P O PIN 676107, Thanur Block, Malappuram Dist (within the same Block)				*	

अमृत पाल सिंह, आई एस की एस. AMRIT DAL SINGH, ISDS जार जिल्हा की प्रसार विकास Ministry of Skill Develor भारत सरकार, गई दिल्ली/Govt. or India, New Debt

प्राप्तिक विस्तास / UJIWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशलग/Directorate General of Training
कोशल विकास एवं उद्यमशीलाला मञ्जानय
Ministry of Skill Development and Envergeneurship
पारत सरकार, नई विलो-12/Govt. of India, New Debi-12

S. No	ITI Name & Complete Address	MIS Code (In the case of existing ITI)	Whether this is case of shifting (Yes/No) (1. If yes then complete old and new address	Existing Trade and units running under NCVT (In case of Existing ITI)	Shift wise Trade and Units sought for Affiliation	Shift wise Trade and units recommend by Joint Inspection Team	Shift wise Trade and units recommen d by SSDEC Team	16 th Remarks of SCAA
5	Govt ITI Elamad Elamad P O Ayoor Kollam Pin- 691533	GR32000568	Yes Govt ITI Elamad Elamad P O Ayoor Kollam Pin - 59153 (Old & New Address Same)	1. Computer Hardware & Network Maintenance -2(1+1) 2. Plumber - 2(1+1)	1. Computer Hardware & Network Maintenance - 2(1+1) 2. Plumber -2(1+1)	1. Computer Hardware & Network Maintenance - 2(1+1) 2. Plumber - 2(1+1)	1. Comput er Hardwa re & Network Mainten ance - 2(1+1) 2. Plumbe r - 2(1+1)	recommended with

उज्जवल बिस्वास/UJJWAL BISWAS
निवेशक / Director
प्रिक्षण महनिवेशक Directoria General of Topining
कीशाल विकास एवं स्टाग्यन्ताला महान्यस्य
Ministry of Skill Development and Entrepreneutship
भारत सरकार, नई हेल्ली-12/Gov. of India, New Dalhi-12

S. No	ITI Name & Complete Address	MIS Code (In the case of existing ITI)	Whether this is case of shifting (Yes/No) (1. If yes then complete old and new address	Existing Trade and units running under NCVT (In case of Existing ITI)	Shift wise Trade and Units sought for Affiliation	Shift wise Trade and units recommend by Joint Inspection Team	Shift wise Trade and units recommen d by SSDEC Team	16 th Remarks of SCAA
6	Govt ITI Cherpu Kizhakkumuri P.O., Peringottukar a, Thrissur District. Pin-680571	GR320006 61	Yes Old Address: Govt ITI Cherpu, Kizhakkumuri P.O., Peringottukara, Thrissur District. Pin-680571 New Address: Govt. ITI Cherpu Kolothumkadavu, Kurumbilavu P.O, Thrissur District Ptn-680554. (within the same Block)	 Electrician - 2(1+1) Surveyor - 2(1+1) 	1. Electrician - 2(1+1) 2. Surveyor - 2(1+1)	1. Electrician -2(1+1) 2. Surveyor - 2(1+1)	1. Elec trici an - 2(1+ 1) 2. Sur vey or - 2(1+ 1)	Recommended shifting with existing trades as recommended by SSDEC

अमृत पाल सिंह, आई एस डी रूब AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS पश्चरा निवेशक / Joint Director पश्चरा निवेशक / Joint Director पश्चरा निवेशक । अस्ति प्राप्त महालय कोशल निवेशक । अस्ति प्राप्त महालय Ministry of Skill Development of Section & Delhi भारत सरकार, नई दिल्ली/Govl. of India, Rus Delhi निदेशक Threattor प्रशिक्षण महिन्देशल्या/Directorale Ganeral of Transing कौशल विकास एवं उद्यमगीलता निज्ञालय Ministry of Skill Development and Emrepreneurship भारत सरकार, नई विली-12/Govt, of India, New Daint-12

S. No	ITI Name & Complete Address	MIS Code (In the case of existing ITI)	Whether this is case of shifting (Yes/No) (1. If yes then complete old and new address	Existing Trade and units running under NCVT (In case of Existing ITI)	Shift wise Trade and Units sought for Affiliation	Shift wise Trade and units recommend by Joint Inspection Team	Shift wise Trade and units recommen d by SSDEC Team	16 th Remarks of SCAA
7	Govt. ITI Arakuzha Arakuzha P O Muvattupuzha Ernakulam Pin 686672	GR320006 27	Old address Govt. ITI Arakuzha Arakuzha P O Muvattupuzha Ernakulam Pin 686672 Address to be changed Govt. ITI Arakuzha Meenkunnam P O Aaroor Muvattupuzha Ernakulam Pin 686672 (within the same Block)	 Plumber- 2(1+1) Draughtsman (Civil)- 2(1+1) 	 Plumber- 2(1+1) Draughtsman (Civil)- 2(1+1) 	1. Plumber- 2(1+1) 2. Draughtsm an (Civil)- 2(1+1)	1. Plu mbe r- 2(1+ 1) 2. Dra ught sma n (Civi I)- 2(1+ 1)	Recommended shifting with existing trades as recommended by SSDEC

अमृत पाल सिंह, आई.एस.डी एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director परिश्ला महिरोत्तरियाल/Directoral Canada of States कीराल विकास और उठ. स्थान महिराल Ministry of Skill Development and Enter-analysis भारत सरकार, गई हिल्ली/Govl. of India, New Delhi

विस्वास / Director
प्रिकाण महानिदेशात / Director
प्रिकाण महानिदेशातम / Director
प्रिकाण महानिदेशातम / Director
प्रिकाण महानिदेशातम / Director
प्रिकाण महानिद्धातम / Director
प्रिकाण महानिद्धातम / Director
प्रकार पर्वे प्रकार पर्वे प्रकार महानिद्धातम / प्रकार मह

S. No	ITI Name & Complete Address	MIS Code (In the case of existing ITI)	Whether this is case of shifting (Yes/No) (1. If yes then complete old and new address	Existing Trade and units running under NCVT (In case of Existing ITI)	Shift wise Trade and Units sought for Affiliation	Shift wise Trade and units recommend by Joint Inspection Team	Shift wise Trade and units recommen d by SSDEC Team	16 th Remarks of SCAA
8	Govt ITI Vengoor Nedungara PO Ernakulam Pin 683545	GR320006 38	(Old address) Govt.ITI Vengoor, Nedungara PO Ernakulam Pin 683545 Address to be changed Govt, ITI Vengoor, Thungali, Vengoor P O Ernakulam Pin 683546 (Yes within the same Block)	1. Computer Operator ar Programmin Assistant - 2(1+1) 2. Draughtsma -2(1+1) 3. Electrician - 2(1+1)	Programming Assistant -2(1+1) 2. Draughtsman -	1. Computer Operator and Programming Assistant - 2(1+1) 2. Draughtsman -2(1+1) 3. Electrician - 2(1+1)	1. Comput er Operato r and Progra mming Assista nt - 2(1+1) 2. Draught sman - 2(1+1) 3. Electrici an - 2(1+1)	Recommended shifting with existing trades as recommended by SSDEC

अमृत पाल सिंह, आई एता जापरा AMRIT PAL SINGH, ISDS मिदेशक/Joint Director कीणार प्रिकार Ministry of Skill Design भारत सरकार, गई दिल्ला/Covi. व have

उज्जवल विस्वास/LUWAL BISMAS
निवेशक / D. कार्या प्रशिक्षण महानिवेशालग/Daestonale General of Training कोशल विकास एवं उद्यानशालया मन्त्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, मई विल्ली-12/Gow. of India, New Dashi-12

(Annexure as referred in agenda 7.6.2 SSDEC Maharashtra)

S. No	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	MoU End Date	Remarks by SSDEC	Remarks by SCAA
	Pimpri Chinchwad Municipal Corporation Pvt Industrial Training	Sheet Metal Worker	1st & 2nd Shift	2 Unit	M/s TATA Motors Ltd, Address: Pimpri Pune-411018 Dist. Pune Maharashtra			As Institute fulfills the required criteria, it is recommended	
1	Institute, Morwadi, Pimpri-411018	Welder	Shift	4 Unit		09.06.2023	1		Recommended as per remarks of SSDEC
	ITI Type: Private MIS Code: PR27000194	Fitter	1st & 2nd Shift	2 Unit				from session Aug.2024	
		Mechanic Motor Vehicle	Shift	4 Unit					
		Painter General	1st & 2nd Shift	2 Unit					

STET TIE PAL SINGH ISOS

AMRIT PAL SINGH ISOS

THE PAL SINGH ISOS

MINGH ISOS ISOS

THE PAL SINGH ISOS

MINGH ITOR IT FREE ISOS

THE PAL SINGH ISO

उण्जावल विस्वास/UJIWAL BISWAS निदेशका/ Otrector प्रशिक्षण माजिर्देशालय/Ovectorate General of Training कौशाल विकास एवं उद्यानशीलामा मंत्रालय Ministry of Skill Development and Entrepreneurship भारत सरकार, गई विल्ली-12/Gow. of India, New York

S. No.	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	MoU End Date	Remarks by SSDEC	Remarks by SCAA
2	Training Instituted,	Welder (GMAW and GTAW)	1st & 2nd Shift	2Unit	M/s Sharda Motor Industries Ltd, Address: A 1/8 Mahindar Vendor, MIDC Park, Chakan Phase IV, Village Nighoje, Dist. Pune Maharashtra			As Institute fulfills the required criteria, it is recommended for the conversion of existing affiliated units into DST units from session Aug.2024	Recommended as per remarks of SSDEC
3	Industrial Training Institute, Wadala Tal. North Solapur, Dist. Solapur-413222 ITI Type: Private MIS Code: PR27000567	Wheeler	1st Shift	1 Unit		19.03.2024		units into DST units from session Aug.2024	Recommended as per remarks of SSDEC
		Mechanic Diesel	1st Shift	1 Unit	Maharashtra	٥		Pune Punce	Not Recommended as per remarks of SSDEC

पाल सिंह, आई एवं डी तरही, अपूर्ण पाल सिंह, आई एवं डी तरही, AMRIT PAL SINGH, ISDS मिला निवेशक / Joint Director प्रीक्षण निवेशक / Joint Director कोशल विकास Ministry of Still Date भारत सम्बार, नहें हिल्ला, अपने प्र

उज्जावल विस्वासं/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालग/Directorate General of Training
कौशाल विकास एवं चहामशीलना मंत्राज्यय Ministry of Skill Development and Entrepreneursmp भारत सरकार, गई दिली-12/Govi. of India, New Dolhi-12

S. No	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	MoU End Date	Remarks by SSDEC	Remarks by SCAA
	Solapur Tal North	Mechanic Motor Vehicle	3rd Shift	1 Unit	MSRTC, Address: Divisional	23.03.2024	22.03.2027	As Institute fulfills the required criteria, it is recommended	
4	Solapur Dist. Solapur ITI Type: Govt	Mechanic Diesel	2nd Shift	1 Unit	Controller, Dist. Solapur Maharashtra		l	for the conversion of existing affiliated units into DST units from session Aug.2024	Recommended as per remarks of SSDEC
	MIS Code: GR27000022								
5	Training Institute, Malegaon (BK) Tal Baramati Dist. Pune	Mechanic Motor Vehicle	2nd Shift	1 Unit	MSRTC, Divisional Workshop, MIDC Baramati, Dist. Pune	18.04.2024		As Institute fulfills the required criteria, It is recommended for the conversion of existing affiliated	Recommended as per
3		Mechanic Diesel	2nd Shift	1 Unit	Maharashtra			units into DST units from session Aug.2024	remarks of SSDEC
6	Training Institute,	Mechanic Motor Vehicle	3rd Shift	1 Unit	MSRTC, Work Manager, Address: Central	18.03.2024		As Institute fulfills the required criteria, it is recommended for the conversion of	Recommended However, State
	& Tal Chattrapati	Mechanic Diesel	2nd Shift	1 Unit	Workshop,			existing affiliated	informed that the Maharashtra state

AMRIT RESTORMENT STATES AMENDED TO TRAINING TO TRAININ

ভাতাবল बिस्वास/UJJWAL BISWAS
কিইবাল / Director

থটাএল ন্যানিব্যালন/Directorate General of Training
কীয়াকা বিকাশ তে ব্যাহমনীকালা স্থাতাব Ministry of Skill Development and Entreprehensing
স্থানা মন্বাৰ, সৰ্ভ বিকৌ-12/Govl of India, New Delbi-12

S. No.	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	MoU End Date	Remarks by SSDEC	Remarks by SCAA
	ITI Type: Govt MIS Code: GU27000016	Welder (GMAW and GTAW)	1st Shift	1 Unit	Dist. Chhatrapati Sambhaji Nagar Maharashtra			from session Aug.2024	government has changed the name of Aurangabad district to Chhatrapati Sambhajinagar. For change of district name on NCVT MIS portal state may send a proposal to DGT
7		Mechanic Diesel	1st Shift	1 Unit	MSRTC, Sub Divisional Controller, Address: Tal Sillod, Dist. Chhatrapati Sambhajinagar Maharashtra	18.03.2024		As Institute fulfills the required criteria, it is recommended for the conversion of existing affiliated units into DST units from session Aug.2024	Employee strength is not as per norms of DST guidelines. Hence, revised proposal may be send as per DST guidelines
8	Training	Mechanic Motor Vehicle	1st Shift	1 Unit	MSRTC, Divisional Controller, Dist. Jalna Maharashtra	21.03.2024		the required criteria, it is recommended for the conversion of	Recommended as per remarks of SSDEC

प्राप्त पाल सिंह, आई एस डी एस. ADAIT PAL SINGH, ISDS संयुक्त निर्देशका/Jonet Director प्रश्लेषा कार्यक्रियाला/Director कौराल विकास कार्यक्रियाल विकास कार्यक्रियाल विकास कार्यक्रियाला Ministry of Skill Development and integrameurship पाल सरकार, गई दिल्ली/Govt. of India, New Delhi

प्रजावल बिस्वासं/UJJWAL BISWAS
निवेशकः / Director
प्रशिक्षण महानेदेशक्य/Directorale General of Traichely
कीशकः विकास एवं अध्या शीरक्यः महानेद्रामा ।
Ministry of Skill Development and Enterpreneurs is
भारत करकर, वह किली-12/Gost of code Tapa Data 1/8

Page 192 of 225

S. No	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	MoU End Date	Remarks by SSDEC	Remarks by SCAA
	MIS Code: GR27000062							from session Aug.2024	
	Government Industrial Training Institute, Parbhani,	Mechanic Motor Vehicle	1st Shift	2 Unit	MSRTC, Sub Divisional Controller,	18.03.2024	17.03.2027	As Institute fulfills the required criteria, it is recommended	
9	Dist.: Parbhani ITI Type: Govt MIS Code: GR27000036	Mechanic Diesel	2nd Shift	2 Unit	Dist.Parbhani- 431401 Maharashtra			for the conversion of existing affiliated units into DST units from session Aug.2024	Recommended as per remarks of SSDEC
10			1st Shift	1 Unit	MSRTC, Divisional Controller, Address: Regional Office Dist. Nanded Maharashtra	21.03.2024		As Institute fulfills the required criteria, it is recommended for the conversion of existing affiliated units into DST units from session Aug.2024	Recommended as per remarks of SSDEC
11	personal control of the personal person	Sheet Metal Worker	2nd Shift	1 Unit	MSRTC, Divisional Controller, Address: Regional	13.03.2024			Recommended as per remarks of SSDEC

अपूर्व पार सिंह आई.प्स. डी.प्यून. अपूर्व पार निर्देश SINGH, ISOS AMRIT PAL Joint Director समुक्त क्रियाचा Director (Sensing) प्रमाण महिल्लाचा Director (Sensing) प्रमाण महिल्लाचा Sing Sing (Sensing) अभ्यात (Sensing) Osyl, ul India, New Delia

चंद्रजादल विस्तास/UJJWAL BISWAS निदेशक / Director प्रशिक्षण गणानेदेशका/Directorate General of Training क्षेत्रक किलास एवं ज्यागणीताता राजालय Ministry of Skill Development and Entrepreneurship पारत परकार, गई विस्ति-12/Govt. of India, New Delbi-12

Page 193 of 225

S. No	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	MoU End Date	Remarks by SSDEC	Remarks by SCAA
	ITI Type: Govt				Office Dist. Nanded Maharashtra			existing affiliated units into DST units from session Aug.2024	
	GR27000010								
12	Training Institute,	Mechanic Motor Vehicle	2nd Shift	1 Unit	MSRTC, Divisional Controller, Dist. Latur Maharashtra	02.04.2024			Recommended as per remarks of SSDEC
13		Mechanic Motor Vehicle	2nd Shift	1 Unit	MSRTC, Divisional Controller, Dist. Dharashiv Maharashtra	01.04.2023		the required criteria, it is recommended for the conversion of existing affiliated units into DST units from session Aug.2024	Recommended However, State directorate has informed that the Maharashtra state government has changed the name of Osmanabad district to Dharashiv. For change of district name on NCVT MIS portal state

प्राप्ता पाल सिंह, आई एस डी एस. AMPH PAL SINGH, ISDS संयुक्त निवेशक/Joint Director प्रिमण महिवेशला/Dectable के अन्य स्वातान कौशल विकास और दोलीकर एक्स्स्य Ministry of Skill Development and Entirepeneurship मारत सरकार, नई दिली/Govt, of hours, New Delhi उज्जावल विस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण गहानिवेशालग/Directorate General of Training
कोशाल विकास एवं उद्यापशीकाणा शत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई बिली-12/Govt. of India, New Dethi-12

Page 194 of 225

S. No	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	MoU End Date	Remarks by SSDEC	Remarks by SCAA
									may send a proposal to DGT
14	Govt Industrial Training Institute, Basmatnagar Tal Basmatnagar Dist. Hingoli ITI Type: Govt MIS Code: GR27000108	Mechanic Motor Vehicle	2nd Shift	1 Unit	MSRTC, Divisional Controller, Dist. Parbhani Maharashtra	03.03.2024		linite into LIST linite	Recommended as per remarks of SSDEC
	Govt Industrial Training Institute, Bhandara , Tal &	Mechanic Motor Vehicle	2nd Shift	1 Unit	MSRTC, Divisional Office,	01.04.2024		the required criteria, it is recommended	
15	Dist. Bhandara	Mechanic Diesel	2nd Shift	1 Unit	Dist.: Bhandara			PROPERTY OF THE PROPERTY OF THE PARTY OF THE	Recommended as per
170.000	ITI Type: Govt MIS Code: GR27000083	Electrician	2nd Shift	1 Unit	Maharashtra			units into DST units from session Aug.2024	remarks of SSDEC
16	Govt Industrial Training Institute,	A.	2nd Shift		MSRTC, Divisional Workshop,	12.04.2024			Recommended as per remarks of SSDEC

चिप्पावल बिस्वास/UJJWAL BISWAS
निर्देशक / Director
प्रशिक्षण गुजीनेदेशलग/Directorate General of Training कौशल विकास एवं सहमजीलाल गुजाराव Ministry of Sidl Divelopment and Entrepreneurship भारत सरकार, नई हेन्सी-12/Covt. of Iradia, New Deith-12

S. No.	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	MoU End Date	Remarks by SSDEC	Remarks by SCAA
	Wardha Dist. Wardha ITI Type: Govt MIS Code: GU27000078	Mech. Diesel	Shift	01 Unit	Dist. Wardha Maharashtra			for the conversion of existing affiliated units into DST units from session Aug.2024	
17	Training Institute ,Umred Dist. Nagpur	Mech. Diesel	1st Shift	01 Unit	MSRTC, Divisional Workshop, Nagpur Maharashtra	20.04.2024			Recommended as per remarks of SSDEC

अमृत प्राप्त सिंह, आई एस .डी एस . AMRIT PAL INGH, ISDS संयुक्त निर्देशाव पश्चिमा महिनेशाव सीयाल विकास अन सोयाल विकास अन Ministry of Skill Development a भारत सरकार, नई दिली/Govl. O India, New Delhi

उज्जवल विस्वास/UJJWAL BISWAS

निदेशक / Derector प्रशासन महोत्तर अपिकारत के General of Transpo कोशक विकास एवं अध्यक्तिकात पंजाबात Ministry of Skill Development and Encape assurable भारत सरकार, के विस्ती-12/Govt.et India, New Dalal-12

S. No.	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	MoU End Date	Remarks by SSDEC	Remarks by SCAA
		Mechanic Motor Vehicle	1st Shift	01 Unit	MSRTC, Divisional Controller, Dist. Chandrapur	12.04.2024			Recommended as per remarks of SSDEC
	ITI Type: Govt	Mech. Diesel	1st Shift	01 Unit	Maharashtra			existing affiliated units into DST units	
18	MIS Code: GU27000032	Mech Auto Electrical & Electronics	1st Shift	01 Unit				from session Aug.2024	E
		Vehicle	1st Shift & 2nd Shift	02 Unit	MSRTC, Divisional Controller, Dist. Nagpur	10.04.2024			Recommended as per remarks of SSDEC
		Mech. Diesel	1et	01 Unit	Maharashtra			units into DST units from session Aug.2024	

अमृत पाल सिंह, आई एस डी एस AMRIT PAL SINGH, ISDS AMRIT PAL Joint Director स्पार्थ निवेदावर/Joint Director प्रतिमा मार्गिकीलप्/Directorale General वाजालप् प्रतिमा मार्गिकीलप्/Directorale General वाजालप् प्रतिमा मार्गिकीलप्/Directoral control वाजालप्रम प्रतिमा प्रतिभाग अपिता अप्रतिमा प्रतिमा प्

उपजीवल बिस्वास/UJJWAL BISWAS निदेशक / Director प्रतिक्षण गतन्देशालय/Directorale General of Laining कीशल विकास एवं उद्यागशीलतः, मंत्रालय Ministry of Still Development and Entrepreneurship पता गरवर, नई तिली-12/Govt. of India, New Delhi-12

S. No	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	MoU End Date	Remarks by SSDEC	Remarks by SCAA
20	Govt Industrial Training Institute, Pawani, Tal Pawani Dist. Bhandara ITI Type: Govt MIS Code: GR27000213	Mechanic Motor Vehicle	1st Shift	1 Unit	MSRTC, Divisional Office, Dist. Bhandara Maharashtra	01.04.2024			Recommended as per remarks of SSDEC
	Govt Industrial Training Instituted, Dindori, Dist. Nashik	Machinist	1st Shift	1 Unit	Address: Plot No C-18, MIDC Satpur	20.04.2023		As Institute fulfills the required criteria, It is recommended	Recommended as per remarks of SSDEC
21	ITI Type: Govt	Electrician	1st Shift	1 Unit	Dist. Nashik- 422007			for the conversion of existing affiliated	
	MIS Code: GR27000063	Sheet Metal Worker	1st Shift	1 Unit	Maharashtra			units into DST units from session Aug.2024	

निर्मा किंद्र अपर्व तस जी तस . AMRIT PALS INGIA, ISDS

AMRIT PALS I Joint General of Francis of F

उण्जेवल विस्वास/UJIWAL BISWAS
मिदेशक / Director
प्रशिक्षण गरिनेदेगालय/Directorsite General of Training
क्षणां प्रतिदेगालय/Directorsite General of Training
क्षणां प्रतिदेगालयं/Directorsite General of Training
क्षणां परिकार एवं उज्ज्ञानशीलात मंत्रालय
Ministry of Skill Development and Envertementship
भारत सरकार, गई विस्थी-12/Gov. of India, New Delhi-12

S. No	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	MoU End Date	Remarks by SSDEC	Remarks by SCAA
22	Govt Industrial Training Institute, Nashik (Woman), Tal & Dist. Nashik ITI Type: Govt MIS Code: GU27000155	Electronic Mech	1st & 2nd Shift	2 Unit	Gogate Electrosystems(N) Pvt Ltd, Address: Plot No B-78, MIDC Satpur Dist. Nashik- 422007 Maharashtra	25.04.2024		As Institute fulfills the required criteria, It is recommended for the conversion of existing affiliated units into DST units from session Aug.2024	Recommended as per remarks of SSDEC
23	Training Institute,	Mechanic Motor Vehicle	2nd Shift		MSRTC, Divisional Office, Dist. Dhule Maharashtra	19.03.2024		Automotive and a second a second and a second a second and a second and a second and a second and a second an	Recommended as per remarks of SSDEC

अमृत पाल सिंह, आई एस डी एस. AMRIT PAL SINGH, ISDS AMRIT PAL Joint Director संयुक्त किश्रेरक/Joint Director प्रीवण महोनेशालय/Directorate General of Training प्रीवण महोनेशालय/Directorate General of Training प्रीवण सिकार और उद्यानिका महालय किश्रेर किश्री Development and Entertaneurship Ministry of Skill Development and Entertaneurship भारत सरकार, गई दिखी/Govt. of India, New Delhi

उण्जवल बिस्वास/UJJWAL BISWAS निदेशक / Director प्रशिक्षण महानिदेशालग/Directorate General of Training कोशाल विकास एवं उद्यासशीलता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत भएकाए, गई विस्ती-12/Govl. of India, New Delhi-12

S. No.	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	Remarks by SSDEC	Remarks by SCAA
	, Ahmednagar Tal &	Mechanic Motor Vehicle	1st Shift	1 Unit	MSRTC, Divisional Office, Dist. Ahmednagar	30.04.2024	As Institute fulfills the required criteria, It is recommended	Recommended as per remarks of SSDEC
	Dist. Ahmednagar- 414001	Diesel Mechanic	2nd Shift	1 Unit	Maharashtra		for the conversion of existing affiliated	
24	ITI Type: Govt MIS Code: GR27000023	Sheet Metal Worker	1st Shift	1 Unit			units into DST units from session Aug.2024	
25	Govt Industrial Training Instituted, Rahuri Dist. Ahmednagar ITI Type: Govt MIS Code: GR27000499	Sewing Technology	1st Shift	1 Unit	Kalki Manufacturing & Industrial Service, MIDC Dist. Ahmednagar Maharashtra	18.03.2024	As Institute fulfills the required criteria, It is recommended for the conversion of existing affiliated units into DST units from session Aug.2024	Recommended as per remarks of SSDEC
	S1127000433	Fitter	1st Shift	1 Unit			THE ROOM THE LIBRORY WHEN COLOR IN LIBRORY LAND OF BUILDING	Not Recommended as per remarks of SSDEC

अमृत पाल सिंह, आई एस.डी एस. अमृत पाल सिंह, आई एस.डी एस. अमृत पाल सिंह, SINGH, ISDS प्राथित निदेशक Joint Director प्राथित निदेशक Joint General of Training प्राथित विकास और उधानिया निवास Ministry of Skill Development and Entrepreneurship भारत सरकार, नई दिल्ली/Govt. of India, New Delhi

प्रजावल विस्वास / UJJWAL BISWAS
निवेशक / Director
प्रिकाम महिन्देशक / Director मंत्राताव कीशक परिकाल (Duectorale Constraint कीशक किया मंत्राताव कीशक विकास एक करामद्रीर का मंत्राताव Ministry of Sant Development and Entrepress John मान करवर, नहें बिली-12 (Gart of Last Low Land-12

S. No	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	MoU End Date	Remarks by SSDEC	Remarks by SCAA
26	Ujjwal Shaishanik & Samajik Pvt Industrial Training Institute, Nashirabad Tal & Dist. Jalgaon	Electrician	3rd Shift	2 Unit	Mass-Tech Contraol Pvt Ltd, MIDC Dist. Jalgaon Maharashtra	16.10.2023	15.10.2026	is not in Electric	Not Recommended as per remarks of SSDEC
	ITI Type: Private MIS Code: PR27000441	Fitter	3rd Shift	1 Unit				are affiliated in DST	Not Recommended as per remarks of SSDEC
	Jalgaon Dist. Jalgaon ITI Type: Govt	Diesel Mechanic	2nd Shift	1 Unit	MSRTC, Divisional Office, Dist. Jalgaon Maharashtra			MoU is not in Prescribed Format, Industry Registration Certificates,	Not Recommended as per remarks of SSDEC
27	GU27000015	Mechanic Motor Vehicle	3rd Shift	1 Unit					
		Electronic Mech	1st Shift	01 Unit	Dhoot Autocomponents	19.03.2024		Not Recommended MoU is not in	Not Recommended as
		Wireman	Still	02 Unit	Pvt Limited			Industry Registration	nor remarks of
		Fitter	1st Shift	02 Unit	Dist. Aurangabad			Certificates, Turnover &	00020

अमृत पाल सिंह, आई रूप है। Shift
अमृत पाल सिंह, आई रूप है।
AMRIT PAL SINGH, ISDS
AMRIT PAL Joint Director
अस्मित निदेशका/Joint Director
परिवार निदेशका/Joint British परिवार
परिवार निदेशका/Joint British परिवार
अस्मित निदेशका/अस्मित अस्मित अस्मित स्थान

प्रशास / UJJWAL BISWAS

निदेशक / Director

निदेशक / Director

प्रशासम महानिवेशकाय Directorale General of Training

कौरान दिखान ए प्रशास के सम्बद्धित । स्वास्त्रात्य ।

कौरान दिखान ए प्रशास के प्रशास के Entertaine Ship

Maristry of Saith Development and Entertaine Ship

कुछ सरकार, वह विस्त्री—12 (Gov. of India, New Delh-12

S. No	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date		Remarks by SSDEC	Remarks by SCAA
		Copa	2nd Shift	02 Unit	Maharashtra			Employee Detail Not Attached, Industry Dist.ance is more than Norms (100Kms)	
28	Lakpanchayat Rural Tech Institute Pvt Industrial Training Institute, Kurkundi Tal Sangmeshwar Dist. Ahmednagar ITI Type: Private MIS Code: PR27000848	Electrician	1st Shift	01 Unit	Monk Automation Pvt Ltd,MIDC Ambad Dist. Nashik Maharashtra	08.12.2023		Not Recommended, as 2 Units already Affiliated Under DST as well as MoU is not in Prescribed Format Industry Distance is more than Norms(100KM)	Not Recommended as per remarks of SSDEC
		Electrician	2nd Shift	01 Unit	Prescient Automation, Khed Dist. Pune-410501 Maharashtra	10.11.2023	09.11.2026		

अमृत पाल सिंह, आई एस डी एस. AMRIT PAL SINGH, ISDS प्रतिशास निवेशक Joint Director प्रतिशास मिलियासम् Director स्त्रास्त्र विकार के प्रतिभाग मिलियासम् Director अर्थ उत्तर स्त्रास्त्र में अर्थ के प्रतिभाग मिलियास अर्थ उत्तर स्त्रास्त्र में स्त्रास्त्र स्त्र स्त्रास्त्र स्त्रास्त्र स्त्र स्त्रास्त्र स्त्रास्त्र स्त्रास्त्र स्त्र स्

उप्जियलं विस्वास/UJJWAL BISWAS
जियालं/ Director
नियंशकः/ Director
प्रिप्तालं महानिशालंश Directoral जिल्लाका हो प्रकारतातु
कोशका निर्मासं एक जिल्लाका निर्मासं एक जिल्लाका निर्मासं एक जिल्लाका तर्ने किर्मासं एक जिल्लाका तर्ने किर्मासं एक जिल्लाका तर्ने किर्मासं प्रकार प्रकार

S. No	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	MoU End Date	Remarks by SSDEC	Remarks by SCAA
		Welder	1st Shift	01 Unit	Neel Metal Products Ltd, Khed, Dist. Pune-410501 Maharashtra	Charles and a supplementation of the state o		Not Recommended, MoU is not in Prescribed Format, Industry Dist.ance is More than Norm (100Km)	Not Recommended as per remarks of SSDEC
		Mechanic Motor Vehicle	1 Shift	01 Unit	Shaan Cars Pvt Ltd, Dist. Sangamner- 422605 Maharashtra	12.03.2024		Not Recommended MoU is not in Prescribed Format	Not Recommended as per remarks of SSDEC
29	Vamanrao Ithape Institute Pvt Industrial Training Instituted, Sangamner Dist. Ahmednagar ITI Type: Private	Fitter	2nd Shift 1st Shift		Sahyadri Agrovat, Tal Sangamner Dist. Ahmednagar Maharashtra	18.03.2024		Not Recommended, MoU is not in Prescribed Format, Last 3 Year Audit Reports & Employee Details Not attached	Not Recommended as per remarks of SSDEC
	MIS Code: PR27000831	Turner	2nd Shift	01Unit	,				Or Or
30	Samarth Pvt Industrial Training Institute, Maskawad (BK) Tal Raver Dist. Jalgaon	Fitter	1st Shift & 2nd Shift	2 Unit	Dhoot Transmission Pvt Limited Dist. chatrapati Sambhajinagar	19.03.2024		MoU is not in Prescribed Format,	Not Recommended as per remarks of SSDEC

अमृत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS प्रमुक्त निवेशक/Joint Director प्रमुक्त निवेशक/Joint General of Training प्रमुक्त अप उटा में निवास Ministry of Shill Davelopment and Engeneurship असत सरकार, नई दिल्ली/Govt. of India, New Delhi



S. No.	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	The second second second second	Remarks by SSDEC	Remarks by SCAA
	ITI Type: Private MIS Code: PR27000857	Electrician	1st Shift & 2nd Shift	2 Unit	Maharashtra			Reports & Employee Details Not attached	
	Arun Bajirao	Fitter	3rd Shift	2 Unit	Dhoot Electrical System Pvt	19.03.2024		Not Recommended, MoU is not in	
31	Chaudhari Pvt Industrial Training Instituted, Tal Erandol Dist. Jalgoan ITI Type: Private MIS Code: PR27000918	Welder	3rd Shift	1 unit	Limited, MIDC Dist. chatrapati Sambhajinagar Maharashtra			Details Not attached	Not Recommended as per remarks of SSDEC
	Training Instituted,	Mechanic Motor Vehicle	2nd Shift	01 Unit	MSRTC, Divisional Work, Dist. Yavatmal	07.05.2024			Recommended as per remarks of SSDEC
32	i i i i ype. Govi	Mech. Diesel	2nd Shift	01 Unit	Maharashtra			units into DST units from session Aug.2024	

अनुत पाल सिंह, आई.एस.डी.एस. AMRIT PAL SINGH, ISDS AMRIT PAL SINGH, ISDS संयुक्त निवेशक / Joint Director पश्चिम महिद्याल / Directorals forward L. raining काशल विकास आहे उन्हें में स्वानात्य Ministry of Skill Developmen and Electromourship मृत्त संरक्तर, नई विक्ती/Govt. of India, New Cellis उज्जवन विस्वास UJJWAL BISWAS
उज्जवन विस्वास Director
प्रिक्शका Directorale General of Training
प्रिक्षण विकारन एवं जारा प्राप्तिकारी मानावास
कोशन विकारन एवं जारा प्राप्तिकारी आसावास
Ministry of Skill Development and Entremel automo
भागावास सरकार, मुँ हिल्लीम 2 (Gov. of Inca. New Devil-12

S. No	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	MoU End Date	Remarks by SSDEC	Remarks by SCAA
33	Govt Industrial Training Instituted, Buldhana Dist. Buldhana	Mechanic Motor Vehicle	1st Shift & 2nd Shift	02 Unit	MSRTC, Divisional Work, Dist. Buldhana Maharashtra	15.03.2024		As Institute fulfills the required criteria, it is recommended for the conversion of existing affiliated	Recommended as per remarks of SSDEC
33	ITI Type: Govt MIS Code: GR27000080	Mech. Diesel	1st	01 Unit				units into DST units from session Aug.2024	
34	Govt Industrial Training Institute, Akola Dist. Akola ITI Type: Govt	Mechanic Motor Vehicle	2nd Shift		MSRTC, Divisional Regional Work, Dist. Akola Maharashtra	16.03.2024	15.03.2027	& Turnover not mention Proper & Employee Details Not available	As per SSDEC remarks Industry Certificates & Turnover not mention Proper & Employee Details Not available. Hence, revised
	MIS Code: GR27000012					1			proposal may be send as per DST guidelines

अमृत पाल सिंह, आई एस डी एस.
अमृत पाल सिंह, आई एस डी एस.
AMRIT PAL SINGH, ISDS
संगुक्त निश्चक/Joint Director
प्रोयक निश्चक/Joint Of Training
प्रोयक निश्चक/Joint Six प्रभाग प्रभावन्य
की गाल निश्चक अगर अस्ति स्थाप प्रभावन्य
स्थापल कियान अगर अस्ति स्थापन स्यापन स्थापन स्

प्राणविल विस्वास / UJJWAL BISVIAS
प्रमानण निवेशक / Director
प्रमानण मानविद्यालय/Directorsie General of Training
क्षिण्टल विकास एवं वहरण्यों करता मं प्राण्य मानविद्यालय / Directorsie General of Training
क्षिण्टल विकास एवं वहरण्यों करता मं प्राण्य मानविद्यालय है है जिल्ली - 12 (Gov. Gi india, New District 2)
भारत सरकार, नई विल्ली - 12 (Gov. Gi india, New District 2)

S. No.	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	MoU End Date	Remarks by SSDEC	Remarks by SCAA
35	K.J.Somaiya Pvt Industrail Training Institute, Vidhavihar, Mumbai -400077 ITI Type: Private MIS Code: PR27000189	Electronic Mech	1st Shift	1 Unit	M/s. Cadetronics 205. Shivshakti Ind Estate Opp Damodar park LBS Marg, Ghatkopar(West), Mumbai-400086 Maharashtra	10.05.2024	09.05.2027	Turnover of the Industry is not as per norms for F2021-22	Not Recommended as per remarks of SSDEC
			1st Shift		Vital Electronics and Manufacturing Co, EL-104 Electronic Zone, MIDC, TTC Inds Area Mahape, Navi Mumbai-400701 Maharashtra	10.05.2024	09.05.2029	As Institute fulfills the required criteria, it is recommended for the conversion of existing affiliated units into DST units from session Aug.2024	Recommended as per remarks of SSDEC
36	Ahmed Abdulla Garib Private Industrial Training Institute, Almas Colony, Behind Wafa park Kausa, Mumbra, Dist. Thnae-400612	Сора	1st Shift	1 Unit	M/s. Faina Universal Co. Vijay Bhavan, CTS 61, Prabhat Coony Road, Santazcruz (East) Mumbai 400055	18.03.2024	17.03.2027	25 Employee	Not Recommended as per remarks of SSDEC

प्राप्त पाल सिंह, आई एस डो एस. Adrikit PAL SINGH, ISDS संग्रकर निवेशक/Joint Director प्रीक्षण मिल्यालग/Durector Superior of Training की पाल विकास और उक्षण अध्यान में अपना का माना Ministry of Shill Development and Entherraneum in ग्राप्त सरकार, गई विकास Good, of India, New Delhi प्रभावन विस्वास / UJJWAL BISWAS

सिद्धान / Director
प्रशासन मानिकासन (Director)
प्रशासन मानिकासन (Director)
को शास विस्तास एवं उध्या और तात मन्त्रासम् गोगाला विस्तास एवं उध्या और तात मन्त्रासम् भागा प्रस्तु के अल्लो-12/Gon directa, New Dahl-12

S. No.	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	MoU End Date	Remarks by SSDEC	Remarks by SCAA
	MIS Code: PR27000525				*		6		
37	Lalji Mehrotra Pvt Industrial Training Institute, Sarvoday Nagar, jogeshwari (E), Mumbai-4000 60	Lift & Escalator	1st Shift	1 Unit	M/s Schindler India Pvt Ltd, Schindler House, Main Street, Hiranandani Gardens Powai Mumbai-400076			units into DST units	Recommended as per remarks of SSDEC
	ITI Type: Private MIS Code: PR27000508	Electrician	3rd Shift	1 Unit	Maharashtra		I	from session Aug.2024	
38	Govt Industrial Training Instituted, Soygaon Dist. Chhatrapati Sambhajinagar ITI Type: Govt MIS Code: GR27000409	Electrician	1st Shift	1 Unit	M/s Sydler Electronics Pvt Ltd, I-24, Waluj, Dist. Chhatrapati Sambhajinagar Maharashtra	20.04.2024			Not Recommended as per remarks of SSDEC

मृत पाल सिंह, आई एस.डी.एस. AMRIT PAL SINGH, ISDS संयुक्त निदेशक/Joint Director पीड़का महानिदेशक/Joint Director पीड़का महानिदेशक/Joint चार्याकाय की यहा विकास और नहीं दिना मुत्रालय Ministry of Skill Development and Entrepreneurship पात सरकार, नई दिली/Govt, of India, New Delhi उप्पादल विस्तार (United bis MS)
सिदेशक / Directors
प्रिक्षण गहीनेदेशाल्य/Directorate General of Training
कीशल विकास एवं ज्यामशीलका मंत्रालय
Ministry of Skill Development and Entrapreneurs) p

S. No	ITI Details	Trade	Shift	Unit	Industry Name	MoU Start Date	MoU End Date	Remarks by SSDEC	Remarks by SCAA
39	Industrail Training	Refrigeration & Air Conditioner	3rd Shift	1 Unit	M/s ONYX Air Cool Service,Shop No 02 Sayadri Cottage Natwar nagar Road No 05, Near Bhandari Bank, Jogeshwari (E) Mumbai -400060 Maharashtra			Affiliation for DST in 2021. The ITI has proposed for change industry's Partner Hiver to ONYX As Institute fulfills the required criteria,	Recommended as per remarks of SSDEC

STATE ATTENDED OF THE STATE OF

प्रजावल विस्वास / UJJWAL BISWAS
प्रजावल विस्वास / Director
प्रक्षेत्रण महिन्देशक / Director
प्रक्षेत्रण महिन्देशक जिल्ला ने महान्य कोशल विकास एवं च्हामशील महान्य Ministry of Skill Development and Enterpreneurship भारत सरकार, मह विक्ली-12 (Gow. of India, New Deith-12

Annexure-X

(Annexure as referred in Agenda7.6.3 SSDEC Madhya Pradesh)

S. No.	Details of ITI	Name and address of the industry	MOU start date	MOU end date	Name of The Trade For DST	Shift	No. of units	Whether already affiliated unit (for conversio n only)/ New Unit	Recommendatio n of SSDEC	16 th SCAA Remarks
1.	Divisional ITI Indore ITI Type: Govt MIS Code GR23000082	Friends Automech, Indore (Ashok Leyland) 501-B, NRK Business Park Block B 01, PU4, Scheme No 54, Vijaynagar Square, Indore Madhya Pradesh	20-05- 2024	19-05- 2027	Mechanic Diesel	3	1	already affiliated unit (for conversio n only)	Recommended	Recommended
2.	Divisional ITI Jabalpur ITI Type: Govt MIS Code GR23000011	Premsons Enterprises (I) Pvt Ltd, Jabalpur Plot No 02, EMC IT park, Bargi Hills, Village Purva, Jabalpur	24-05- 2024	23-05- 2027	Electrician	3	1	already affiliated unit (for conversio n only)	Recommended	Recommended

अमृत पाल सिंह, आई एस জो एस.
AMRIT PAL SINGH, ISDS
AMRIT PAL SINGH, ISDS
सङ्ख्य निवेशक/Joint Director
पश्चिम गिर्मित अस्मित अस्मित भन्नालय
कोशल गिर्मित वी अस्मित अस्मित अस्मित अस्मित अस्मित वी अस्मित अस्मि

उर्द्धावर विस्वास / UJJWAL BISWAS निवेशक / Director प्रशिक्षण गाउनिकाल (General of Training कोशल विकास एवं अध्यमशीलादा मंत्रालय Ministry of Skill Development and Entrepreneurship भारत गरकर, नई हिल्ली- I 2/Govt, of India, New Deals 12

Page 209 of 225

S. No.	Details of ITI	Name and address of the industry	MOU start date	MOU end date	Name of The Trade For DST	Shift	No. of units	Whether already affiliated unit (for conversio n only)/ New Unit	Recommendatio n of SSDEC	16 th SCAA Remarks
		Madhya Pradesh								
3.	Divisional ITI Jabalpur ITI Type: Govt MIS Code GR23000011	Commercial Automobiles Pvt Ltd, Jabalpur 124 Shashtri Bridge Road, Nepier Town, Jabalpur Madhya Pradesh	23-05- 2024	22-05- 2027	Mechanic (Motor Vehicle)	3	1	already affiliated unit (for conversio n only)	Recommended	Recommended
4.	Divisional ITI Jabalpur ITI Type: Govt MIS Code GR23000011	KEC International Limited, Jabalpur Deori Post Panagar Jabalpur Madhya Pradesh	04-05- 2024	03-05- 2027	Welder	3	1	already affiliated unit (for conversio n only)	Recommended	Recommended

अमृत पाल सिंह, आई एस डी एस.
अमृत पाल सिंह, आई एस डी एस.
AMRIT PAL SINGH, ISDS
वर्गाय महोत्र पाला मार्गाय अस्ति स्वार के क्षेत्र स्वार स्व

ভততাবল ন্দিবার্ম/UJJWAL BISWAS নিবয়ক / Director মহিলে মহিলেম/Directorate General of Training

प्रशिक्षण पहानिदेशालय/Directorate General of Training कोशारा विकास एवं उत्पारशिक्सा मञ्जालय Ministry of Skill Development and Entrepreneurship भारत सरकार, नई विल्लान 12/Govt of India, New Delhi-12

S. No.	Details of ITI	Name and address of the industry	MOU start date	MOU end date	Name of The Trade For DST	Shift	No. of units	Whether already affiliated unit (for conversio n only)/ New Unit	Recommendatio n of SSDEC	16 th SCAA Remarks
5.	Divisional ITI Gwalior ITI Type: Govt MIS Code GR23000010	Takshila Textiles Pvt Ltd, Gwalior Bidla Nagar, Gwalior Madhya Pradesh	24-05- 2024	23-05- 2026	Sewing Technolog y	3	1	already affiliated unit (for conversio n only)	Recommended	Recommended
6.	Divisional ITI Gwalior ITI Type: Govt MIS Code GR23000010	Sumedha Vehicle Pvt Ltd, Gwalior (JCB) Shivpuri Link road, Lashkar, Gwalior Madhya Pradesh	23-05- 2024	22-05- 2027	Electrician	3	1	already affiliated unit (for conversio n only)	Recommended	Recommended
7.	Divisional ITI Gwalior ITI Type: Govt	Modern Home Comforts Pvt Ltd, Gwalior Cimmpo Tiraha Bidla Nagar, Gwalior	17-05- 2023	16-05- 2026	Welder	3	1	already affiliated unit (for conversio n only)	Recommended	Recommended

अमृत पाल सिंह, आई एस.जे.एस. AMRIT PAL SINGH, ISDS AMRIT PAL SINGH Director प्रशास निर्देशक /Joint Director प्रशास ना निर्देशक /Joint Der drai of Training प्रशास ना निर्देशक /Joint Der drai of Training प्रशास ना निर्देशक /Joint Der drai of Training Maistry of Skil Development of India, New Dehi जात सरकार, गई हिल्ला/Govt. of India, New Dehi

उज्जंबल बिस्वास/UJJWAL BISWAS निवेशक / Director प्रशिक्षण महानिवेशालय/Directorale General of Training कोशाल विकास एवं उद्यानशालामा मञ्जालय Ministry of Skill Development and Entrepreneurship मास्त सरकार, नई दिल्ली-12/Govt of India, New Dehi-12

Page 211 of 225

S. No.	Details of ITI	Name and address of the industry	MOU start date	MOU end date	Name of The Trade For DST	Shift	No. of units	Whether already affiliated unit (for conversio n only)/ New Unit	Recommendatio n of SSDEC	16 th SCAA Remarks
	MIS Code GR23000010	Madhya Pradesh								
8.	Divisional ITI Gwalior ITI Type: Govt MIS Code GR23000010	Techieshubhdeep IT Solutions Pvt Ltd, Gwalior Incubation -02 S TPI, Gwalior Madhya Pradesh	27-05- 2024	26-05- 2026	Computer Operator and Programm ing Assistant	3	1	already affiliated unit (for conversio n only)	Recommended	Recommended
9.	Govt ITI - Bamania, Dist - Jhabua ITI Type: Govt MIS Code GR23001104	Sanatan Bus Body Builders Pvt Ltd, Indore Plot No- sarve-80 /2 /1 / Vardari, Indore Madhya Pradesh	28-05- 2024	27-05- 2027	Fitter	3	1	already affiliated unit (for conversio n only)	Recommended	Recommended
10.	Govt ITI - Bamania, Dist - Jhabua	Sanatan Bus Body Builders Pvt Ltd, Indore	28-05- 2024	27-05- 2027	Welder	3	1	already affiliated unit (for	Recommended	Recommended

मार्च प्रस्त होता है। उस है। उस है। उस होता है। उस है। उस होता है। उस हो है। उस होता है। उस है। उस होता है। उस है

प्रणापल विस्तास/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण गविनिदेशक / Director
प्रशिक्षण गविनेदेशक प्रवासकी हिल्ला नाजालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई विदेशी-12/Govt. of India, New Ociti-12

S. No.	Details of ITI	Name and address of the industry	MOU start date	MOU end date	Name of The Trade For DST	Shift	No. of units	Whether already affiliated unit (for conversio n only)/ New Unit	Recommendatio n of SSDEC	16 th SCAA Remarks
	ITI Type: Govt MIS Code GR23001104	Plot No- sarve-80 /2 /1 / Vardari, Indore Madhya Pradesh						conversio n only)		
11.	Govt ITI - Alirajpur, Dist - Alirajpur ITI Type: Govt MIS Code GU23000276	Sanatan Bus Body Builders Pvt Ltd, Indore Plot No- sarve-80 /2 /1 / Vardari, Indore Madhya Pradesh	28-05- 2024	27-05- 2027	Fitter	3	1	already affiliated unit (for conversio n only)	Recommended	Recommended
12.	Govt ITI Pithampur ITI Type: Govt MIS Code GR23001108	Adroit Drive Shafts Pvt Ltd, Pithampur Plot No-99 Smart Industrial Area, Pithampur Dist. Dhar	29-05- 2024	28-05- 2027	Fitter	3	1	already affiliated unit (for conversio n only)	Recommended	Recommended

अप्राप्त सिंह, आई.सं.डी.सं. अमृत पाल सिंह, आई.सं.डी.इ.ड. AMRIT PAL SINGH, ISDS स्वयान स्थित कार्य प्राप्त स्थापन स्वयान स्थापन कार्य स्थापन स्थापन कार्य स्थापन स्थापन स्थापन कार्य स्थापन स्य

उज्जवल बिस्वास/UJIWAL BISWAS
निर्देशक / Elifector
प्रशिक्षण महानिदेशालय/Directoration General of Transing
कीशाल बिकास एवं जहारशी निर्माण मात्रिक्त के Ministry of Skill Development and Entreplace of this
भारत सरकार, नई बिल्ली-12/Gov. of India, New Duite 12

Page 213 of 225

S. No.	Details of ITI	Name and address of the industry	MOU start date	MOU end date	Name of The Trade For DST	Shift	No. of units	Whether already affiliated unit (for conversio n only)/ New Unit	Recommendatio n of SSDEC	16 th SCAA Remarks
		Madhya Pradesh								
13.	Govt ITI Pithampur ITI Type: Govt MIS Code GR23001108	Adroit Drive Shafts Pvt Ltd, Pithampur Plot No-99 Smart Industrial Area, Pithampur Dist. Dhar Madhya Pradesh	29-05- 2024	28-05- 2027	Machinist	3	1	already affiliated unit (for conversio n only)	Recommended	Recommended
14.	Divisional ITI Jabalpur ITI Type: Govt MIS Code GR23000011	Voltas Limited, Mumbai Voltas House "A" Dr. BabasahabRoad, Chichpokli Mumbai Maharashtra	21-05- 2024	20-05- 2027	Refrigerati on and Air Conditioni ng Technicia n	3	1	New Unit (should have base unit affiliation)	Recommended	It appears that distance between Industry and ITI is significantly large (around 1000 KM) hence State needs to provide the clarification how the OJT

प्रजावल विस्वास/UJJWAL BISWAS
निवेशक / Director
पशिक्षण महनिवेशालय/Brectorale General of Training
कीशाल विकास एवं प्रधानगी लाता मंत्रालय Ministry of Skill Development and Entrepreneurship भारत करकार, गई मिली-12/Govt, of India, New Delhi-12

S. No.	Details of ITI	Name and address of the industry	MOU start date	MOU end date	Name of The Trade For DST	Shift	No. of units	Whether already affiliated unit (for conversio n only)/ New Unit	Recommendatio n of SSDEC	16 th SCAA Remarks
1.										component of DST training will be carried out
15.	Divisional ITI Gwalior ITI Type: Govt MIS Code GR23000010	Takshila Textiles Pvt Ltd, Gwalior Bidla Nagar, Gwalior Madhya Pradesh	24-05- 2024	23-05- 2026	Dress Making	3	1	New Unit	Recommended	Recommended
16.	Divisional ITI Gwalior ITI Type: Govt MIS Code GR23000010	Takshila Textiles Pvt Ltd, Gwalior Bidla Nagar, Gwalior Madhya Pradesh	24-05- 2024	23-05- 2026	Fashion Design & Technolog y	3	1	New Unit	Recommended	Recommended
17.	Divisional ITI Gwalior	Garima Motors Pvt Ltd, Gwalior (TVS Motos)	23-05- 2024	22-05- 2027	Mechanic (Motor Vehicle)	3	1	New Unit	Recommended	Recommended

s oli

उज्जावल बिस्वास/UJJWAL BISWAS
निवेशक / Enractor
प्रशिक्षण गवानिदेशाता/Directorate General of Training
कीशक विकास एक उद्याप सीविश्या भावा स्थाप
Ministry of Skill Development and Entreprene काम्या
भारत सरकार, नई दिली- 12/Gov. of add. New Delta-12

Page 215 of 225

S. No.	Details of ITI	Name and address of the industry	MOU start date	MOU end date	Name of The Trade For DST	Shift	No. of units	Whether already affiliated unit (for conversio n only)/ New Unit	Recommendatio n of SSDEC	16 th SCAA Remarks
	ITI Type: Govt	Padav circle, Gwalior								×
	1	Madhya Pradesh								
	MIS Code GR23000010									
18.	Divisional ITI	Modern Home								
	Gwalior	Comforts Pvt Ltd, Gwalior								
	ITI Type		17-05-	16-05-	Fitter	3	1	Marri Hait	Danaman dad	Danamanadad
	Govt:	Cimmpo Tiraha	2023	2026	ritter	3	1	New Unit	Recommended	Recommended
	MIC Code	Bidla Nagar,								
	MIS Code GR23000010	Gwalior Madhya Pradesh		- 1						
19.	Divisional ITI	Modern Home								
	Gwalior	Comforts Pvt Ltd,								
		Gwalior								
	ITI Type:		17-05-	16-05-	Turner	3	1	New Unit	Recommended	Recommended
	Govt	Cimmpo Tiraha	2023	2026	Turrier	3		New Onit	Recommended	Recommended
		Bidla Nagar,								
	MIS Code	Gwalior	1 2-							
	GR23000010	Madhya Pradesh	113			-0				

अमृत वाल सिंह, आई एवं की एवं. अमृत वाल सिंह, आई एवं की एवं. AMRIT PAL SINGH. ISDS परिवास स्थापना Joint Director परिवास स्थापना अस्ति अस्ति स्थापना अर्थे परिवास स्थापना अस्ति स्थापना स्थापना अस्ति स्थापना स्यापना स्थापना स्यापना स्थापना स्थापना स्थापना स्थापना स्थापना स्थापना स्थापना स्यापना स्थापना स्थापना स्थापना स्थापना स्थापन स्थापना स्था

Boulder विस्तासं /UJJWAL BISWAS
मिलेशांस / Director
प्रशिक्षण गर्छानेदेशातम्/Jacotorate General of Training
कीशांस विकास एवं पहां मशीनांसा नजात्त्वर Ministry of Skill Development and Entrepreneurship भारत संकार, गई दिली—12/Govl. of India, New Deiti-12

S. No.	Details of ITI	Name and address of the industry	MOU start date	MOU end date	Name of The Trade For DST	Shift	No. of units	Whether already affiliated unit (for conversio n only)/ New Unit	Recommendatio n of SSDEC	16 th SCAA Remarks
20.	Divisional ITI Gwalior ITI Type: Govt MIS Code GR23000010	Voltas Limited, Mumbai Voltas House "A" Dr. BabasahabRoad, Chichpokli Mumbai Maharashtra	20-04- 2023	19-04- 2026	Refrigerati on and Air Conditioni ng Technicia n	3	1	New Unit	Recommended	It appears that distance between Industry and ITI is significantly large (around 1000 KM) hence State needs to provide the clarification how the OJT component of DST training will be carried out
21.	Govt. ITI - Barwani, Dist - Barwani ITI Type: Govt MIS Code GU23001147	Sanatan Bus Body Builders Pvt Ltd, Indore Plot No- sarve-80 /2 /1 / Vardari, Indore Madhya Pradesh	20-05- 2024	19-05- 2027	Electrician	3	1	New Unit	Recommended	Recommended

प्रणावल विस्वासं/UJJWAL BISWAS
निवेशकः/ Director
प्रशिक्षण महनिवेशकय/Directorte General of Teamin कीशकः विकास एवं स्वध्यम् हीरकाः। प्रश्नास्य Ministry of Skill Development and Shirl Harder of Hind Heat Res. 74 हिन्दी-12, Gov. of 1888 New Dear 12

S. No.	Details of ITI	Name and address of the industry	MOU start date	MOU end date	Name of The Trade For DST	Shift	No. of units	Whether already affiliated unit (for conversio n only)/ New Unit	Recommendatio n of SSDEC	16 th SCAA Remarks
22.	Govt. ITI - Khandwa, Dist - Khandwa ITI Type: Govt MIS Code GU23000248	Adroit Drive Shafts Pvt Ltd, Pithampur Plot No-99 Smart Industrial Area, Pithampur Dhar Madhya Pradesh	24-05- 2024	23-05- 2027	Machinist	3	1	New Unit	Recommended	Recommended
23.	Govt Women ITI - Khandwa, Dist - Khandwa ITI Type: Govt MIS Code GR23000141	New Zeel Fashion Wear Pvt Ltd, Badnawar Dhar Village Chaayan, Survey No 879/ 01/ badnawar Dhar Madhya Pradesh	27-05- 2024	26-05- 2026	Sewing Technolog y	3	1	New Unit	Recommended	Recommended

STET TIET FRE STETE STEDS

AMRIT PALSING II. ISOS

AMRIT PALSING II. ISTORIA

AMRIT PALSING II. ISTORIA

AMRIT PALSING II. ISTORIA

AMRIT PALSING II. ISTORIA

AMRIT PART II. ISTORIA

MINISTRUM, TE TREMI SERIO II. IN TREMI SERIO III. IN TREMI SERIO II. IN TREMI SERIO II

उपजिला विस्तास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण मधीनदेशातण/Directorable General of Training
कोशात विकास एवं उद्यागताता मञ्जालय
Ministry of Sill Development and Entrepreserable
भारत गर्निस, नई बिली-12/Cov. of India, New Delhi-12

S. No.	Details of ITI	Name and address of the industry	MOU start date	MOU end date	Name of The Trade For DST	Shift	No. of units	Whether already affiliated unit (for conversio n only)/ New Unit	Recommendatio n of SSDEC	16 th SCAA Remarks
24.	Divisional ITI Bhopal ITI Type: Govt MIS Code GR23000005	Voltas Limited, Mumbai Voltas House "A" Dr. BabasahabRoad, Chichpokli Mumbai Maharashtra	02-03- 2023	01-03- 2026	Refrigerati on and Air Conditioni ng Technicia n	3	1	New Unit	Recommended	It appears that distance between Industry and ITI is significantly large (around 650 KM) hence State needs to provide the clarification how the OJT component of DST training will be carried out
25.	Govt ITI - Mandidep, Dist - Raisen ITI Type: Govt MIS Code GR23000139	CG Power and Industrial Solutions Limited (Division T3 & TMS), Mandideep Plot No D5 MPAKVN	01-04- 2023	31-03- 2026	Electrician	3	1	New Unit	Recommended	Recommended

STEEL THE FALL SINGLE ISDS

STEEL THE FALL SINGLE ISDS

AMRIT PALL SINGLE ISDS

THE FRANCE ISDS

THE FRANCE ISDS

THE FRANCE ISDS

MINISTER FRANCE ISDS

THE FRANCE ISDS

MINISTER FRANCE ISDS

THE FRANCE ISDS

MINISTER FRANCE ISDS

THE FRANCE IS

उपजवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
पशिक्षण महानिदेशलय/Drectorate General of Training
वर्गशल विकास एवं उद्यागशीलतः नामान्य
Ministry of Skill Development and Entreplaneuss up
भारत शरकार, गई विल्ली-12/Govt of India, New Deith-12

Page 219 of 225

S. No.	Details of ITI	Name and address of the industry	MOU start date	MOU end date	Name of The Trade For DST	Shift	No. of units	Whether already affiliated unit (for conversio n only)/ New Unit	Recommendatio n of SSDEC	16 th SCAA Remarks
		Industrial Area, Mandideep Raisen Madhya Pradesh								
26.	Govt ITI - Mandideep, Dist - Raisen ITI Type: Govt MIS Code GR23000139	VE Commercial Vehicles Limited, Bhopal Khasara No 698, Bagroda Hujur, Bhopal Madhya Pradesh	04-09- 2023	03-09- 2026	Mechanic (Motor Vehicle)	3	1	New Unit	Recommended	Recommended
27.	Govt ITI - Pandhurna, Dist - Pandhurna ITI Type: Govt	Jalaram Industries, Pandhurna Railway Station Road, Pandurna Madhya Pradesh	27-05- 2024	26-05- 2027	Fitter	3	1	New Unit	Recommended	Recommended

THE PAL SINGH SON OF HUMB NOW DELLA MANUAL THE PALS OF THE PALS OF

उप्पादल विस्तास / UJJWAL BISWAS
विदेशक / Director
प्रशिक्षण नहीं क्रिक्टाल ग्रेशिक्षण पूर्व ज्ञानस्थालना मंत्रालय स्रोताल ग्रेशिक्षण पूर्व ज्ञानस्थालना मंत्रालय स्रोताल ग्रेशिक्षण Development and Entrepreneurship मारत सरकर, नह दिल्ली-12/Govt. of India, New Delbi-12

S. No.	Details of ITI	Name and address of the industry	MOU start date	MOU end date	Name of The Trade For DST	Shift	No. of units	Whether already affiliated unit (for conversio n only)/ New Unit	Recommendatio n of SSDEC	16 th SCAA Remarks
	MIS Code GU23000070									
28.	Govt ITI - Satna, Dist - Satna	Badrika Automobiles, Satna								
	ITI Type: Govt	19/01 Goyal Building Opposite Kalyan Petrol	27-05- 2024	26-05- 2027	Mechanic (Motor Vehicle)	3	1	New Unit	Recommended	Recommended
	MIS Code GR23000252	Pump, Panna Road, Satna Madhya Pradesh								
29.	Govt Women ITI- Singhana, Dist – Dhar	New Zeel Fashion Wear Pvt Ltd, Badnawar Dhar			Sowing					
	ITI Type: Govt	Village Chaayan, Survey No 879/ 01/ badnawar	27-05- 2024	76-(15-	Sewing Technolog y	3	1	New Unit	Recommended	Recommended
	MIS Code GR23000256	Dhar Madhya Pradesh	THE STATE OF THE S	क राज		0 5		ALLIWAL B	S.VAS	

जिजवल हिस्तास /UJJWAL BISWAS
निवेशक / Director
प्रिक्षण गर्धानिवेशस्व /Director
प्रिक्षण गर्धानिवेशस्व /Director
कोशल विकास पर्व उद्यक्त शिल्ला मुज्यस्य मु

Page 221 of 225

S. No.	Details of ITI	Name and address of the industry	MOU start date	MOU end date	Name of The Trade For DST	Shift	No. of units	Whether already affiliated unit (for conversio n only)/ New Unit	Recommendatio n of SSDEC	16 th SCAA Remarks
30.	Divisional ITI Ujjain ITI Type: Govt MIS Code GR23000256	Pratibha Swaraj Pvt Ltd, Ujjain Village Ninora Ujjain Madhya Pradesh	27-05- 2024	26-05- 2026	Dress Making	3	1	New Unit	Recommended	Recommended
31.	Divisional ITI Ujjain ITI Type: Govt MIS Code GR23000256	Pratibha Swaraj Pvt Ltd, Ujjain Village Ninora Ujjain Madhya Pradesh	27-05- 2024	26-05- 2026	Fashion Design & Technolog y	3	1	New Unit	Recommended	Recommended
32.	Divisional ITI Ujjain ITI Type: MIS Code GR23000256	Tata International Limited, Dewas Industrial Area, AB road Dewas Madhya Pradesh	27-05- 2024	26-05- 2027	Electrician	3	1	New Unit	Recommended	Recommended

उज्जवल विरदास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशाका/Directorale General of Training
कोशाक विकास एवं उद्यानशीतनका मंत्रालय Ministry of Skill Development and Entrepreneurship
भारत सरकार, गई बिली- 1 2/Govi, of India, New Dalhi-12

S. No.	Details of ITI	Name and address of the industry	MOU start date	MOU end date	Name of The Trade For DST	Shift	No. of units	Whether already affiliated unit (for conversio n only)/ New Unit	Recommendatio n of SSDEC	16 th SCAA Remarks
33.	Divisional ITI Ujjain ITI Type: Govt MIS Code GR23000256	Tata International Limited, Dewas Industrial Area, AB road Dewas Madhya Pradesh	27-05- 2024	26-05- 2027	Fitter	3	1	New Unit	Recommended	Recommended
34.	Divisional ITI Ujjain ITI Type: Govt MIS Code GR23000256	Gajra Differential Gears Limited, Dewas Near Kshipra Lohar piplya, AB Road, Dewas Madhya Pradesh	27-05- 2024	26-05- 2027	Machinist	3	1	New Unit	Recommended	Recommended
35.	Divisional ITI Bhind ITI Type: Govt	SRF Limited, Malanpur Bhind Malanpur Industrial Area Bhind Madhya Pradesh	28-05- 2024	27-05- 2027	Fitter	3	1	New Unit	Recommended	Recommended

अमृत पाल तिंह अपई प्रस के प्रस अमृत पाल तिंह अपई प्रस के प्रस AMRIT PAU of Joint Director अपुरत कियान Joint Director पतिका कि कियान कि किया के अपहर्ण का अपहर्ण कियान कियान कि अपहर्ण का अपहरण का अपहरण का अपहरण Ministy of Skill Daveloomen, and Skill See nau Delhi भूता स्वता, वह दिल्ली/Gox. of India, New Delhi भूता स्वता, वह दिल्ली/Gox. of India

उज्जावल बिस्वास/UJJWAL BISWAS
निवेशक / Director
प्रशिक्षण महानिदेशक / Directorate General of Training
कौशल विकास एवं उद्यागशीलता मञ्जालय
Ministry of Skill Development and Entrepreneurolip
भारत सरकार, नई तिल्ली - 1 2/Govi. of India. New Death 12

Page 223 of 225

S. No.	Details of ITI	Name and address of the industry	MOU start date	MOU end date	Name of The Trade For DST	Shift	No. of units	Whether already affiliated unit (for conversio n only)/ New Unit	Recommendatio n of SSDEC	16 th SCAA Remarks
	MIS Code GR23000247									
36.	Govt ITI Mandsaur	Mukesh Agro Tech Pvt Ltd, Mandsaur							0	
	ITI Type: Govt	Mhow neemach Road, Guradiya	29-05- 2024	28-05- 2027	Fitter	3	1	New Unit	Recommended	Recommended
	MIS Code GR23000265	Deda road, mandsaur Madhya Pradesh	2,1							4
37.	Govt Women ITI Ratlam	New Zeel Fashion Wear Pvt Ltd, Badnawar Dhar			Fashion					
	ITI Type: Govt	Village Chaayan, Survey No 879/	29-05- 2024	28-05- 2026	Design and Technolog	3	1	New Unit	Recommended	Recommended
	MIS Code GR23000020	01/ badnawar Dhar Madhya Pradesh			у					
38.	Govt ITI Tonkkhurd	VE Commercial Vehicles Limited, Dewas	21-05- 2024	20-05- 2027	Welder	3	1	New Unit	Recommended	Recommended

अपूर्व पान सिंह, आईएस ISOS
अपूर्व पान सिंह, आईएस ISOS
अपूर्व पान सिंह, SINGH, ISOS
AMRIT PAL SINGH, Orrector
अध्यावन सिंहानी Joint Director
अध्यावन सिंहानी अप्ता अप्ता अध्यावन सिंहानी अप्ता अध्यावन अध्यावन

S. No.	Details of ITI	Name and address of the industry	MOU start date	MOU end date	Name of The Trade For DST	Shift	No. of units	Whether already affiliated unit (for conversio n only)/ New Unit	Recommendatio n of SSDEC	16 th SCAA Remarks
	ITI Type:									
	Govt	78/ 86 AB Road,								
		Dewas								
	MIS Code	Madhya Pradesh								
	GR23000085	An								

SONONING MASSAGES

उज्जवल विस्वास / USJWAL BISWAS
उज्जवल विस्वास / Director
प्रिकाण महिनेशाला Directorale General of Training
कोशाल महिनेशाला Directorale General of उज्जानम् कोशाल विश्वास प्रदेशिया कार्य ज्ञानम् कार्य कार्यास्था कार्यास्थ