

DGT-Aff011/5/2024-O/o DIR (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Kaushal Bhawan, New Moti Bagh,
 Chanakyapuri, New Delhi - 110023

Dated: 31/07/2024

To,

The Director,
 Directorate of Skill Development,
 4th Floor, Gas Rahat ITI Building,
 Govindpura Bhopal.

Sub: De-Affiliation of trades/units of 65 Private ITIs of Madhya Pradesh State- regarding.

Sir / Madam,


This is in reference to minutes of meeting of 5th Skill Development and Entrepreneurship Committee (SSDEC) of Madhya Pradesh State held on 22.05.2024, vide which the de-Affiliation of trade/units of 65 Pvt. ITIs were recommended and sent to DGT.

The matters were discussed in 17th Standing Committee on Accreditation and Affiliation (SCAA) held on 15.07.2024 to 16.07.2024 and based on the recommendations of SSDEC, SCAA has recommended the de-affiliation of trade/units of 65 Private ITIs w.e.f. session 2024-25, and same has been approved by the competent authority. The details of 65 ITIs are attached at Annexure - 1.

The Recommendation of de-affiliation of ITIs, as mentioned in attached list must be read in conjunction with the minutes of 17th SCAA meeting

The Institutes and the State Directorate shall ensure that all the trainees who were already enrolled in the previous sessions, complete the training duration and no fresh trainees are admitted.

Yours faithfully



(Ujjwal Biswas)
 Director -TC

Encl.: As mentioned

Copy To: -

1. PSO to DG/AS, DGT.
2. PPS to DDG (DGT), DDG (South & East).
3. Regional Director, RDSDE Madhya Pradesh, RDSDE, 4th Floor, Gas Rahat ITI Building, Govindpura, Bhopal – 462023.
4. The officer dealing with NCVT MIS Portal to upload this order on NCVT MIS Portal & update the data as recommendation please.
5. Concerned ITIs.

उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण मन्त्रालय / Directorate General of Training
 कोशल विकास एवं उद्यमशीलता मन्त्रालय
 भारत सरकार, नई दिल्ली-12, Govt. of India, New Delhi-12


(Kanika Kalhan)
 Training Officer -TC

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
1.	Chanakya Private ITI, Ashoknagar MIS Code: PR23000952	1. Electrician - 3 (1+1+1) 2. Fitter -3 (1+1+1)	i. The joint inspection of the ITI was carried out on 06.06.2023. During the inspection various deficiencies were found. ii. A SCN was issued to the ITI by State Directorate vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. After that the 2nd Joint inspection was carried out on 11.09.2023. During which, ITI was found closed and locked and nobody from ITI management was present. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC recommended de-affiliation of the ITI and the proposal was sent to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 14.02.2024 and during the inspection the ITI was found closed and school was functioning at the ITI address. viii. The matter was again discussed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI is found closed during inspection and a school is functioning at ITI building.

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
2.	Shri Radhe Private ITI PU23000726	1. Electrician -6 (2+2+2)	i. The joint inspection of the ITI was carried out on 07.06.2023 and during the inspection various deficiencies were found. ii. The SCN was issued to the ITI Vide email dated 10.08.2023. The ITI has given reply to the SCN. iii. After that the 2nd Joint inspection was carried out on 09.09.2023. During 2nd joint inspection the ITI did not allow for inspection. iv. The matter was discussed in 4th SSDEC meeting held on 18.09.2023. SSDEC recommended de-affiliation of the ITI and the proposal was sent to DGT for final decision. v. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vi. Thereafter, the joint inspection was again conducted on 13.02.2024 and during the inspection it was found that ITI was not functioning and all rooms of the ITI were found closed vii. The matter was again discussed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: i. ITI not found functioning during the inspection. ii. All the rooms of the ITI are found closed.
3.	Maa Mangla Devi Private ITI, Datia PR23000579	1. Electrician 6(2+2+2) 2. Stenographer & Secretarial Assistant	i. The joint inspection of the ITI was carried out on 05.06. 2023 and during the inspection ITI was not found at the address mentioned on NCVT MIS portal.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
		(Hindi)- 3(1+1+1)	ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. After that the 2nd Joint inspection was conducted on 12.09.2023, but ITI did not allow for inspection. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC recommend-affiliation of the ITI and sent the proposal to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 13.02.2024 and during the inspection the ITI was not found at the location as per NCVT MIS Portal address viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI.	Reason for de-affiliation: i. ITI not found at the address mentioned on NCVT MIS portal.
4.	Shri Radhe Private ITI, Shivpuri PR23000197	1. Electrician 6(2+2+2)	i. The Joint inspection was carried out on 06.06.2023 and during inspection the various deficiencies were found. ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. After that the 2 nd Joint inspection was carried out on 11.09.2023 but the ITI did not allow inspecting team for joint inspection.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not found at the address mentioned on NCVT MIS portal.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			v. The matter was discussed in 4th SSDEC held on 18.09.2023 SSDEC had recommended the de-affiliation of the ITI and sent the proposal to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 13.02.2024 and during the inspection it was found that the ITI is not functioning at this address. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI.	
5.	Shikha Private ITI, Gwalior PR23001009	1. Electrician 6(2+2+2) 2. Fitter 3(1+1+1)	i. The Joint inspection was carried out on 07.06.2023 and during the inspection various deficiencies were found. ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. After that the 2nd Joint inspection was carried out on 11.09.2023 but ITI requested for joint inspection on another date i.e- 14.09.2023. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC recommended de-affiliation of the ITI and sent the proposal to DGT for final decision.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Main electricity supply is found to be disconnected to the ITI building. ii. No Power supply is available in Electrician and Fitter lab. iii. In Fitter lab only one lathe machine is found.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 15.02.2024 and during the inspection following deficiencies were again found a) Main electricity supply is found to be disconnected to the ITI building. b) No Power supply is available in Electrician and Fitter lab. c) In Fitter lab only one lathe machine is found. d) All the machineries are not in working condition. e) Computers not available in IT Lab, as per norms Availability: only 05 monitors are available without Desktop (CPU). f) Drawing hall is not available in the ITI. g) Documents such as Land documents, building certificate, Electricity Bills, Machinery Bills, Dead Stock register, Raw materials register, staff appointment information, staff & student attendance, student & teacher records, building detailed information, were not available at the time of inspection. h) Only one ITI staff is available during the inspection.	iv. All the machineries are not in working condition. v. Computers not available in IT Lab, as per norms Availability: only 05 monitors are available without Desktop (CPU). vi. Drawing hall is not available in the ITI. vii. Documents such as Land documents, building certificate, Electricity Bills, Machinery Bills, Dead Stock register, Raw materials register, staff appointment information, staff & student attendance, student & teacher records, building detailed information, were not available at the time of inspection. viii. Only one ITI staff is available during the inspection.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI.	
6.	Sai Kripa Private ITI, Singrouli PR23000176	1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. Welder 2(1+1)	i. The Joint inspection was carried out on 20.06.2023 and during inspection ITI was found closed ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. After that the 2 nd Joint inspection was carried out on 11.09.2023 in which ITI was found closed, main gate was locked, no person available in the institute campus. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC had recommended de-affiliation of the ITI and sent the proposal to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 11.03.2024 and during the inspection the ITI was found closed. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of ITI.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI found closed during the inspection.
7.	Maa Kunti Private ITI, Singrouli	1. Electrician 3(1+1+1)	i. The Joint inspection was carried out on 20.06.2023 and during inspection ITI found closed.	SCAA recommended de-affiliation of the ITIs based

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
	PU23000945	2. Fitter 3(1+1+1)	ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. After that the 2nd Joint inspection was carried out on 11.09.2023. in which ITI was found closed, main gate was locked, no person available in the institute campus, the notice was displayed on the main gate of the institute & some school board was there and it was also found closed. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC recommended de-affiliation of the ITI and sent the proposal to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 13.03.2024 and during the inspection it was found that the ITI is closed and a School board has been installed at the ITI location. No staff was available during the day of inspection. viii. The matter was discussed in 5th SSDEC held on 22.05.2024 and SSDEC has recommended de-affiliation of the ITI.	on the recommendations of SSDEC. Reason for de-affiliation: i. The ITI was found closed during inspection. ii. No one was present in the institute campus during inspection. iii. A school board was installed at the ITI location and it was also closed.
8.	Siyaram Private ITI, Gwalior	1. Computer Operator and Programming Assistant	i. The Joint inspection was carried out on 07.06.2023 and during the inspection various deficiencies were found.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
	PU23000400	3(1+1+1) 2. Electrician 12(4+4+4) 3. Fitter 6(2+2+2)	ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. After that the Joint inspection was carried out on 11.09.2023 but ITI didn't allow for Joint Inspection. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC had recommended de-affiliation of the ITI and sent the proposal to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted 16.02.2024 and again various deficiencies were observed during the inspection such as a) No Staff member was present in the institute campus during inspection. b) The security guard has shown the ITI to the inspection team, no workshops / labs were available. c) Machinery not installed as per norms d) Other documents like Building certificate, EB Bills, Machinery Bills, Dead Stock register, Raw materials register, staff appointment info, staff attendance, student attendance, student	Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. No Staff member was present in the institute campus during inspection. ii. Workshops / labs are not available as per norms. iii. Machinery not installed as per norms iv. IT lab and Drawing hall not available as per norms. v. Other documents like Building certificate, Electricity Bill, Machinery Bills, Dead Stock register, Raw materials register, staff appointment info, staff attendance, student attendance, student records, teacher records, building detailed info, safety measures are not available at the time of inspection.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			records, teacher records, building detailed info, IT Lab, drawing hall, safety measures are not available at the time of inspection. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC has recommended de-affiliation of the ITI.	
9.	The Vatsalya Private ITI, Sagar PR23000888	1. Electrician 3(1+1+1) 2. Fitter 3(1+1+1)	i. The Joint inspection was carried out on 22.06.2023 and during the inspection ITI was found locked and a Go -down like structure was noticed however the name of ITI was seen in front wall of building. ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. After that the 2nd Joint inspection was carried out on 14.09.2023 in which various deficiencies were found. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC had recommended de-affiliation of the ITI and the proposal was sent to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 13.02.2024 and the again various deficiencies were observed during the inspection such as	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Land lease not renewed since 2017 ii. ITI building in Tin sheet building. iii. Dead Stock Register and Raw Materials Register not maintained, iv. Staff and Student attendance not maintained. v. Machinery not installed as per norms. vi. Lath machines and some electrical motors are found to be not working, vii. IT lab not available: viii. Safety measures not adequate, shortage of safety

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			a) Land lease not renewed since 2017 b) ITI building in Tin sheet building. c) Less units consumed for training, d) Dead Stock Register and Raw Materials Register not maintained, e) Staff and Student attendance not maintained. f) Machinery not installed as per norms. g) Lath machines and some electrical motors are found to be not working, h) IT lab and drawing hall not available: i) Safety measures not adequate, shortage of safety equipment is noticed. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC has recommended de-affiliation of the ITI.	equipment is noticed. ix. Drawing hall not available.
10	Aacharya Pvt ITI, Katni PU23000484	1. Electrician 6(2+2+2)	i. The Joint inspection was carried out on 12.06.2023 and during inspection it was found that ITI was not located as per NCVT MIS portal address and it was observed that ITI location has been changed. Additionally, 03 other colleges were running in the same premises and infrastructure were shared with them. It has been also observed that other ITI of same name of Katni ITI was there and also various deficiencies were present. ii. The SCN was issued to the ITI vide email dated 10.08.2023.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Electricity Bills not available. ii. Three phase connection not available

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			iii. The ITI has given reply to the SCN. iv. After that the 2nd Joint inspection was carried out on 12.09.2023 and again various deficiencies were found during inspection. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC had recommended de-affiliation of the ITI and sent the proposal to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 13.02.2024 and again the deficiencies were observed during the inspection such as –, a) Electricity Bills not available. b) Three phase connection not available c) Dead stock register and: Raw materials register not available. d) Staff not present as per attendance resister, e) Trade instructors are absent at the time of joint inspection f) No trainees admitted since last 2 years. g) Machinery not installed as per norms. h) All machines are not in working condition. i) Computers not in working condition in IT Lab j) Drawing hall not available.	iii. Dead stock register and: Raw materials register not available. iv. Staff not present as per attendance register, v. Trade instructors are absent at the time of joint inspection vi. No trainees admitted since last 2 years. vii. Machinery not installed as per norms. viii. All machines are not in working condition. ix. Computers not in working condition in IT Lab x. Drawing hall not available. xi. Refilling date not available on fire extinguisher. xii. Machinery bills are available but address is different from current location. xiii. Building completion certificate not provided.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			k) Refilling date not available on fire extinguisher. l) Machinery bills are available but address is different from current location. m) Building certificate not provided. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC has recommended de-affiliation of the ITI.	
11	Ekjut Private ITI, Katni PU23000975	1. Electrician 6(2+2+2) 2. Health Sanitary Inspector 2(1+1)	i. The Joint inspection was carried out on 12.06.2023 and during the inspection various deficiencies were found and other training activities were going in the same premises. ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. After that the 2nd Joint inspection was carried out on 12.09.2023 in which the various deficiencies were again found and it seems that ITI was closed for longer time and opened due to visit. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC recommended de-affiliation of the ITI and sent the proposal to DGT for final decision. vi. The case was placed in 12th SCAA and as per SCAA decision one more opportunity was provided to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 14.02.2024 and again the	The De-affiliation order already issued on 30.07.2024.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			deficiencies were observed during the inspection such as a) BCC is not available b) Plan layout is not approved by Government authority c) Dead stock register and raw materials register not available. d) Staff Appointment information not available. e) Shortage of instructors noticed. f) All machinery are not in working condition. g) No accessibility for PwD candidates. h) Teachers records not available. i) Some computers in IT lab are not working properly. j) Drawing hall not available. k) Fire extinguisher date expired l) Student records not available. m) No admissions since last two years viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI.	
12	Sun Pvt. ITI, Balaghat PU23000995	1. Computer Operator and Programming Assistant - 3(1+1+1) 2. Stenographer & Secretarial Assistant (Hindi) - 3(1+1+1)	i. The Joint inspection was carried out on 15.06.2023 and during inspection various deficiencies were found. ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. After that the 2nd Joint inspection was carried out on 12.09.2023 and the matter was discussed in	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed:

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			4th SSDEC held on 18.09.2023. SSDEC had recommended de-affiliation of the ITI and the proposal was sent to DGT for final decision. v. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vi. Thereafter, the joint inspection was again conducted on 12.02.2024 and again the deficiencies were observed during the inspection such as a) ITI was located in commercial building. b) Electricity consumption is less than norms. c) Dead stock register and raw material register are not properly maintained. d) Staff appointment information not available. e) Biometric system is not available. f) Student records are not available. g) MySQL software is not installed. SSD is of 128 GB, not 1TB. RAM capacity is 2 GB or 4 GB. h) UPS is not working. i) Interactive board not available. j) Computers are not configured as per norms. k) Headphone and mic are not available.	i. ITI is located in commercial building. ii. Dead stock register and raw material register are not properly maintained. iii. Staff appointment information not available. iv. Biometric system is not available. v. Student records are not available. vi. MySQL software is not installed. SSD is of 128 GB, not 1TB. RAM capacity is 2 GB or 4 GB. vii. UPS is not working. viii. Interactive board not available. ix. Computers are not configured as per norms. x. Headphone and mic are not available. xi. Many of tools and equipment are packed. their bills are also not available. xii. Teacher records not properly maintained. Whitener has been applied on many pages. xiii. No library room available, Principal room and staff room are not as per Norms. xiv. Classroom of COPA is only 22.5 sq meter. xv. IT lab is not available. xvi. Fire extinguishers are not properly installed. Only one fire extinguisher is present. Also, Refill date is not

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			l) Many of tools and equipment are packed. their bills are also not available. m) Also, one of laptop ram capacity is 4 GB only. n) No toilet for PwD candidates. o) Teacher records not properly maintained. p) Whitener has been applied on many pages, q) No library room available, Principal room and staff room are not as per Norms. Classroom of COPA is only 22.5 sq meter. r) IT lab is not available, s) Fire extinguishers are not properly installed. Only one fire extinguisher is present. Also, Refill date is not mentioned on fire extinguisher. No fire bucket is present at the time of inspection, vii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC has recommended de-affiliation of the ITI .	mentioned on fire extinguisher. No fire bucket is present at the time of inspection,
13	Radhey Govind Private ITI, Chhatarpur PU23001110	1. Electrician 6(2+2+2) 2. Health Sanitary Inspector 2(1+1)	i. The Joint inspection was carried out on 22.06.2023 and during inspection the various deficiencies were found. ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. The 2nd Joint inspection was carried out on 13.09.2023 and as per 2nd joint inspection various deficiencies were again found and the ITI was not found	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Electricity is shared with the shops

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			as per Geo tag and address as per NCVT MIS Portal address. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC had recommended de-affiliation of the ITI and the proposal was sent to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 27.02.2024 and again various deficiencies were observed during the inspection such as – a) Electricity Bills are shared by shops in the same building. b) Dead stock registers: and Raw materials registers are not available. c) Staff and student's attendance not available, d) Machinery not installed as per norms. e) Earthing not found in lab, f) Students and Teachers Records not available as per norms. g) Computers in the IT lab are out of order mostly. h) Drawing Hall is not available. i) Earthing in lab and mains distribution panel not found. Unsafe open-ended electric holders are present. j) Girls toilet not proper.	present in the same building. ii. Dead stock registers: and Raw materials registers are not available. iii. Staff and student's attendance not available, iv. Machinery not installed as per norms. v. Earthing not found in lab, vi. Students and Teachers Records not available as per norms. vii. Computers in the IT lab are out of order mostly. viii. Drawing Hall is not available. ix. Earthing in lab and mains distribution panel not found. Unsafe open-ended electric holders are present. x. Girls toilet not proper. xi. Qualification of some instructors are not as per norms.

उज्जवल बिस्वास/UJJWAL BISWAS

निदेशक / Director

प्रशिक्षण महानिदेशालय/Directorate General of Training

कौशल विकास एवं उद्यमशीलता मंत्रालय

Ministry of Skill Development and Entrepreneurship

भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			k) Qualification of some instructors are not as per norms. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC has recommended de-affiliation of the ITI.	
14	Unique Pvt. ITI PR23000442	1. Electrician 6(2+2+2) 2. Fitter 3(1+1+1)	i. The Joint inspection was carried out on 20.11.2023 and during the inspection various deficiencies were found. ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. The 2nd Joint inspection was carried out on 15.09.2023 and again deficiencies were found. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC recommended de-affiliation of the ITI and sent the proposal to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 15.02.2024 and again deficiencies were observed during the inspection such as a) Rent agreement is expired there is overwriting on the agreement. b) Building completion certificate not available.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Rent agreement is expired. ii. Electric load is less than the required load and not available as per norms. iii. Workshop not available for fitter trade. iv. Dead stock register and raw materials register not available. v. Staff not available as per appointment order. vi. Student attendance not available. vii. Student and teachers record not available as per norms. viii. Machinery not installed as per norms.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			c) Electric load is less than the required load and not available as per norms, d) Workshop not available for fitter trade. e) Dead stock register and raw materials register not available. f) Staff not available as per appointment order. g) Only one staff member was present at the of inspection. h) Student attendance not available. i) Student records not available as per norms. j) Machinery not installed as per Norms. k) Machinery not in working condition. l) Teachers records not available m) Buildings detailed information not available as per norms, n) IT Lab and Drawing Hall not available. o) Some rooms are rented in same building and one bank is available in same building premises. p) Safety Measures are not available. q) Only one person is available during inspection. Principal and other staff members not available at the time of inspection. viii. The matter was discussed in 5th SSDEC held on 22.05.2024 and SSDEC has recommended de-affiliation of the ITI.	ix. Machinery are not in working condition. x. Building detailed information not available as per norms. xi. IT Lab and Drawing Hall not available. xii. Some rooms are rented in same building and one bank is available in same building premises. xiii. Safety Measures are not available. xiv. Only one person is available during inspection. Principal and other staff members not available at the time of inspection.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
15	Mesco Pvt ITI, Gwalior PU23000607	1. Electrician 3(1+1+1)	i. The joint inspection was carried out on 22.06.2023 and during the inspection, ITI was not found at the address mentioned on NCVT MIS portal. Also no one was present from ITI management during inspection and URL website address was not working. ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. The 2nd Joint inspection was carried out on 08.09.2023. During 2nd joint inspection the inspection Committee did not find the board or any other activity related to said ITI at the location. No one from ITI is present time of Joint Inspection. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC recommended de-affiliation of the ITI and sent the proposal to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 12.03.2024 and during inspection it was informed by the ITI director that the ITI was running in the earlier building but now has been shifted to another place due to issues with the owner.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not found at the address mentioned in NCVT MIS portal, ITI shifted its location without approval of DGT and State.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			viii. The matter was discussed in the 5 th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI.	
16	Mahavir Pvt. ITI ,Shahdol PR23000159	1. Electrician 2(1+1) 2. Fitter 2(1+1)	i. The joint inspection was carried out on 19/6/2023 and during the inspection it was found that the ITI was running in a rice mill Godown, and other various deficiencies were found. ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI had given reply to the SCN. iv. The 2nd Joint inspection was carried out on 15.09.2023 and during the inspection ITI was found locked. Also, the chairman/owner refused to get the ITI inspected to the inspection team telephonically a day before the inspection. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC had recommended de-affiliation of the ITI and the proposal was sent to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 16.02.2024 and during inspection it was found that ITI was closed and locked and no one was available there.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI found closed and locked during inspection.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			viii. The matter was discussed in 5th SSDEC held on 22.05.2024 and SSDEC has recommended de-affiliation of the ITI.	
17	STR Pvt. ITI, Gwalior PU23000841	1. Electrician 6(2+2+2) 2. Fitter 3(1+1+1)	i. The joint inspection was carried out on 08.06.2023 and during the inspection various deficiencies were found, few area of ITI used for residential purpose and also ITI denied for inspection. ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. The 2nd Joint inspection was carried out on 11.09.2023 but the ITI found locked on day of inspection. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC recommended de-affiliation of the ITI and the proposal was sent to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 15.02.2024 and following deficiencies were found during the inspection: a) Some portion of ITI is used as residential purpose. b) 3 Phase electrical connection not available.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Some portion of ITI is used as residential purpose. ii. 3 Phase electrical connection not available. iii. Instructors are not having relevant experience as per norms. iv. Machinery for all trades are not in working Condition and not as per NCVT affiliation norms. v. IT lab and drawing hall not available. vi. Safety Measures not available as per NCVT affiliation norms. The ITI is in very Hazardous condition it seems ITI was closed from long time and opened due to visit.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			c) Instructors are not having relevant experience as per norms. d) Machinery for all trades are not in working Condition and not as per NCVT affiliation norms. e) IT lab and drawing hall not available. f) Safety Measures not available as per NCVT affiliation norms. The ITI is in very Hazardous condition it seems ITI was closed from long time and opened due to visit. g) Teacher records not available. viii. The matter was discussed in 5th SSDEC held on 22.05.2024 and SSDEC has recommended de-affiliation of the ITI.	vii. Teacher records not available.
18	Gurukul Private ITI, Manpura, Bhind PU23000418	1. Electrician 6(2+2+2)	i. The joint inspection was carried out on 13.6.2023 and during inspection various deficiencies were found. ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. The Joint inspection was carried out on 13.09.2023 during 2nd joint inspection ITI was found locked/Closed. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC had recommended de-affiliation of the ITI and the proposal was sent to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: No ITI was found at the location.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 11.03.2024 and during the inspection ITI found locked. viii. The matter was discussed in 5th SSDEC held on 22.05.2024 and SSDEC has recommended de-affiliation of the ITI.	
19	Excellence Private ITI, Bhopal PR23000213	1. Electrician 3(1+1+1) 2. Fitter 3(1+1+1)	i. The joint inspection was carried out on 30.05.2023 and during inspection the ITI board was found on 2nd floor of building but no ITI was there and no official was present. Other activities were going on and also various deficiencies were found. ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. The 2nd Joint inspection was carried out on 08.09.2023 and during 2nd joint inspection again various deficiencies were found other activities was going on, A school name Krishna Play School was working in the ground floor, On first floor library was functional and on the third floor, ESAF bank was working. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC had recommended de-affiliation of the ITI and the proposal was sent to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. No Electricity consumption in last month bill. ii. Staff appointment information not available. iii. Instructor for fitter trade not available. iv. Staff and student attendance not available, v. All Machinery in Electrical workshop are not installed as per norms. vi. In Fitter workshop lathe is not working and workshop setup is incomplete.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 13.02.2024 during the inspection again deficiencies were found such as - No Electricity consumption in last month bill. - Staff appointment information not available. - Instructor for fitter trade not available. - Staff and student attendance not available, - All Machinery in Electrical workshop are not installed as per norms. - In Fitter workshop lathe is not working and workshop setup is incomplete. - All machinery are not in working condition. - Teachers records are not available. - Fitter workshop is used as junk room - IT Lab not is as per norms. - Drawing Hall is not available. - Safety measures not available as per norms.	vii. All machinery are not in working condition. viii. Teachers records are not available. ix. Fitter workshop is used as junk room x. IT Lab is not as per norms. xi. Drawing Hall is not available. xii. Safety measures not available as per norms. xiii. Shopping complex is functioning in the campus.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			m) Shopping complex is functioning in the campus. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC has recommended de-affiliation of the ITI.	
20	Atash Private ITI, Chhindwara PR23000498	1. Electrician -3 (1+1+1) 2. Electronic Mechanic – 3 (1+1+1) 3. Fitter – 3 (1+1+1)	i. The joint inspection was carried out on 13.06.2023 and during the inspection the ITI was not found located as per NCVT portal address. An Orange city Nursing college functioning there and they informed that the ITI has been shifted on other location 4 km away. On new location workshops of Fitter& electrician was located in one premises i.e backside of another college and other classrooms, principal room, staff room were located in another college building. ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. The 2nd Joint inspection was carried out on 12.09.2023. During 2nd joint inspection- No sign board in vicinity of the location for ITI was found and ITI has been shifted to a new location 4 KM away from the present location. And at new location another degree college and other more deficiencies were found. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC had recommended de-affiliation of the ITI and the	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI shifted its location without approval of DGT and State.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			proposal was sent to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 14.02.2024 and during the inspection it was found that ITI has shifted to another place. viii. The matter has been placed in 5th SSDEC held on 22.05.2024 and SSDEC has recommended de-affiliation of ITI.	
21	Vee Academy Pvt. ITI, Gwalior PU23000953	1. Electrician - 6 (2+2+2) 2. Plumber - 3(1+1+1)	i. The joint inspection was carried out on 07.06.2023 and during the inspection no sign board /banner of ITI was found and no ITI related activities were going on at the ITI location. ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply of SCN. iv. The 2nd Joint inspection was carried out on 11.09.2023 and during inspection the ITI Found locked v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC recommended de-affiliation of the ITI and sent the proposal to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: No ITI found at the location mentioned on NCVT MIS portal. Instead ADS Nursing college is found in same campus.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 19.02.2024 and during the inspection nothing related to ITI is found at the location. Instead time table of ADS Nursing college is found which is in same campus. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC has recommended de-affiliation of ITI.	
22	Molecular Pvt. ITI, Gwalior PU23000612	i. Computer Operator and Programming Assistant -3 (1+1+1) ii. Electrician - 6 (2+2+2) iii. Fitter -3 (1+1+1)	i. The joint inspection was carried out on 08.06.2023 and during inspection it was found that Electrical connection (3phase) was disconnected since 2021 and other training coaching centers were running in the ITI ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. The 2nd Joint inspection was carried out on 11.09.2023 and during inspection the ITI found locked. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC had recommended de-affiliation of the ITI and the proposal was sent to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Layout of the building is not as per Actual construction of the building. ii. Same Electricity connection is used by coaching center also. iii. As per old rent agreement, whole building is for ITI, but as per new agreement only workshop is given to ITI.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 12.03.2024 and during the inspection various deficiencies were found such as- a) Layout of the building is not as per Actual construction of the building. b) Same Electricity connection is used by coaching center also. c) As per old rent agreement, whole building is for ITI, but as per new agreement only workshop is given to ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC has recommended de-affiliation of the ITI.	
23	Ramraja Private ITI, Chatarpur PU23000989	1. Electrician 3(1+1+1) 2. Fitter 3(1+1+1)	i. The joint inspection was carried out on 23.06.2023 and during the joint inspection the ITI was not located as per NCVT portal address, and has been shifted to other location various deficiencies were found ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. The 2nd Joint inspection was carried out on 12.09.2023 and during inspection it was found that ITI not exist at the given address and Other organization in name of Prakash Dharmakanta Exist at the given address where ITI Affiliated, ITI	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Land lease is expired. ii. Electricity connection not available. iii. Dead stock register and raw materials register not available.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			Shifted to other location without prior approval of competent authority and also other deficiencies found during the inspection at new place. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC recommended had de-affiliation of the ITI and the proposal was sent to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 06.03.2024 and again various deficiencies were observed such as a) Land lease is expired. b) Electricity connection not available. c) Dead stock register and raw materials register not available. d) Staff and Student attendance records not available. e) Student records not maintained f) Three phase power supply not available in institute and unable to check working condition. g) Many machineries like DG set, Hydraulic and pneumatics, 30 percent machinery in electrician trade are not available.	iv. Staff and Student attendance records not available. v. Student records not maintained vi. Three phase power supply not available in institute and unable to check working condition. vii. Many machineries like DG set, Hydraulic and pneumatics, 30 percent machinery in electrician trade are not available. viii. Proper earthing not available. ix. Specification of computers in IT lab not as per norms. x. No proper earthing, Machinery. xi. Machinery bill are partially available. xii. ITI shifted to new premises at old address other activities like Prakash Dharmakanta are running. xiii. Drawing hall not available. xiv. Safety measures not proper, no grills are available on the staircase.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			h) Proper earthing not available. i) Specification of computers in IT lab not as per norms. j) No proper earthing, Machinery. k) Machinery bill are partially available. l) ITI shifted to new premises at old address other activities like Prakash Dharmakanta are running. m) Drawing hall not available. n) Safety measures not proper, no grills are available on the staircase. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC has recommended de-affiliation of ITI.	
24	Samrat Private ITI, Chhindwara PR23000163	1. Electrician 4(2+2) 2. Fitter 4(2+2) 3. Mechanic Diesel 2(1+1)	i. The joint inspection was carried out on 13.06.2023 and during the inspection the ITI was found closed and has been shifted to another location without approval. ii. The SCN was issued to the ITI vide email dated 10.08.2023. iii. The ITI has given reply to the SCN. iv. The 2nd Joint inspection was carried out on 12.09.2023 During 2nd joint inspection it was found that no sign board in vicinity of the location for ITI and ITI has been shifted to a new location 2 KM away from the present location. At new location the workshop of fitter and electrician of the ITI was in the basement and was filled with	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI shifted to another location without the due approval of DGT and not functioning at the address mentioned on NCVT MIS portal.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			water at new location and the other more various deficiencies were found during inspection. v. The matter was discussed in 4th SSDEC held on 18.09.2023. SSDEC had recommended de-affiliation of the ITI and the proposal was sent to DGT for final decision. vi. The case was further discussed in 12th SCAA meeting held on 15.12.2023 and committee has decided to grant one more opportunity to the ITI as per the 'Principal of Natural Justice'. vii. Thereafter, the joint inspection was again conducted on 12.03.2024 and during the inspection it was found that the ITI has been shifted to another location without approval and no official was available there. viii. The case was placed in 5th SSDEC held on 22.05.2024 and SSDEC has recommended de-affiliation of the ITI	
25	Shri Girrajji Pvt. ITI, Datia PU23000721	Electrician - 6(2+2+2)	i. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. ii. The ITI has given no reply to the SCN. iii. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. iv. Thereafter, again SCN was issued on 10.11.2023. ITI did not reply to the SCN.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI is found to be locked during inspection carried out by RDSDE and State.

उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रधान महानिदेशक / Directorate General of Training
 कौशल विकास एवं उद्यमिता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110002, New Delhi-12

31/3/24

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			v. After that 02 reminders dated 30.11.2023 and 12.12.2023 were issued to the ITI and ITI replied to the SCN . vi. The reply was considered and vii. joint inspection was conducted on 15.02.2024 and during the joint inspection the ITI found locked and the building seems to be residential house and nearby area is also residential area. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI.	
26	Maharana Pratap ITI, Gwalior PU23000042	1. COPA- 2 (1+1) 2. Stenographer & secretarial Assistant (Hindi) - 1(1+0)	i. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. ii. The ITI has given no reply to the SCN. iii. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. iv. Thereafter, again SCN was issued on 10.11.2024. v. The ITI reply to the SCN. vi. The reply was considered and vii. joint inspection was conducted on 13.02.2024 and during the joint inspection only name of ITI was mentioned but no ITI was found there. The school was running at the building. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: No ITI is found at the address mentioned on the affiliation order, instead a school is found to be running at the address of the ITI

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
27	Laxmi Pvt. ITI, Morena PU23000981	1. Electrician - 6(2+2+2) 2. Stenographer & secretarial Assistant (Hindi) — 3(1+1+1)	i. As per 4 th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. ii. The ITI has given no reply to the SCN. iii. The matter was again discussed in 4 th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. iv. Thereafter, again SCN was issued on 10.11.2023. ITI did not reply to the SCN. v. After that 01 reminder dated 30.11.2023 was issued to the ITI and ITI replied to the SCN. vi. The reply was considered and joint inspection was conducted on 20.02.2024 and during the joint inspection the following deficiencies were found: a) ITI was not found located as per the address mentioned in NCVT MIS portal. b) Dead stock register, Raw material register were not available. c) Staff attendance and student records were not available. d) Original land documents not available. e) Some portion of ITI building is given on rent and a coaching center is found to be running in the ITI.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Dead Stock register not Available, ii. Raw Materials register is not available. iii. Material consumption register not available. iv. All staffs including principal were not present at the time of inspection v. Student records not available. vi. Some portion of ITI building is given on rent and a coaching center is found to be running in the ITI. vii. Drawing hall is not available. viii. Some computers are not in working condition.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			f) All staffs including principal were not present at the time of inspection g) Drawing hall is not available. h) Some computers are not in working condition. i) Original Land documents not available. j) All machines are not in working condition vii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI .	ix. Original Land documents not available. x. Institute is found at a location other than as mentioned in the MIS Portal. xi. All machines are not in working condition
28	Vijay Pvt. ITI, Sheopor PU23000965	1. Electrician - 6(2+2+2)	i. As per 4th SSDEC MoM , the SCN was issued to the ITI by State vide email dated 10.08.2023. ii. The ITI has given no reply to the SCN. iii. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI . iv. Thereafter, again SCN was issued on 10.11.2023. ITI did not reply to the SCN. v. After that 01 reminder dated 30.11.2023 was issued to the ITI and ITI replied to the SCN . vi. The reply was considered and joint inspection was conducted on 12.02.2024 and during the joint	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Dead Stock Register and Raw Materials Register are not available. ii. Attendance record of staff and trainees not maintained. iii. Some machineries are not in working condition. iv. Machinery not installed as per norms.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			inspection the following deficiencies were found: a) Less consumption of electricity. b) Dead stock register, Raw material register were not available. c) Staff attendance and student records were not available. d) Machinery not fully installed. e) IT lab not as per norms. vii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI .	v. IT lab, although available but not as per norms.
29	S.S. Pvt. ITI, Chhindwara PU23000663	1. Electrician - 3(1+1+1)	i. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. ii. The ITI has given no reply to the SCN. iii. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. iv. Thereafter, again SCN was issued on 10.11.2023. ITI did not reply to the SCN. v. After that 01-reminder dated 30.11.2023 was issued to the ITI and ITI replied to the SCN. vi. The reply was considered and joint inspection was conducted on 12.03.2024 and during the joint inspection the following deficiencies were found:	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Proper land documents not submitted. ii. ITI not functioning from 2019. iii. In the bills ITI name is not mentioned. iv. Tools and Equipment not procured as per revised syllabus. v. Dead Stock Register and Raw

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			a) Proper land documents not submitted. b) ITI not functioning from 2019 onwards, in bill ITI name not mentioned. 2018 bills not available, Machinery Bills not available, Purchase receipts as on 2014 only. c) Dead stock register, Raw material register were not available. d) Student attendance records not available. e) Teaching staff not available. f) Teaching record not available. g) Drawing hall not available. h) Only 5 computers are available in IT lab. i) Some portion of the ITI is rented to third party for residential purposes. j) Adequate safety measures not available. vii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI.	Materials Register not available. vi. Teaching staff not available. vii. Teaching record not available. viii. Trainees attendance records not available. ix. Machinery not in working condition. x. Only 5 computers are available in IT lab. xi. Drawing hall not available. xii. Some portion of the ITI is rented to third party for residential purposes. xiii. Adequate safety measures not available.
30	Disha Pvt. ITI, Chhindwara PR23000963	1. Stenographer & secretarial Assistant (Hindi) - 2(1+1)	i. As per 4 th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. ii. The ITI has given no reply to the SCN. iii. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed : i. Dead Stock Register and Raw

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			iv. Thereafter, again SCN was issued on 10.11.2023. ITI did not reply to the SCN. v. After that 01-reminder dated 30.11.2023 was issued to the ITI and ITI replied to the SCN. vi. The reply was considered and joint inspection was conducted on 15.02.2024 and during the joint inspection the following deficiencies were found: a) Dead Stock Register and Raw Materials Register not available. b) Student and teacher records not maintained. c) Attendance records not available. d) Anti-virus software is not installed. e) Tool kit hand tools is not available. f) FAX machine is not available. g) Fire safety certificate not available. h) Principal room area is less than Norms. i) Electricity consumption is quiet less. j) No seating arrangement for students in library. k) UPS is not working. l) Fire extinguisher filling date is not mentioned. Fire extinguisher bill is also not available. vii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI.	Materials Register not available. ii. Student and teacher records not maintained. iii. Attendance records not available. iv. Anti-virus software is not installed. v. Tool kit hand tools is not available. vi. FAX machine is not available. vii. Fire safety certificate not available. viii. Principal room area is less than Norms. ix. Electricity consumption is quiet less. x. No seating arrangement for students in library. xi. UPS is not working. xii. Fire extinguisher filling date is not mentioned. Fire extinguisher bill is also not available.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
31	Reva Pvt.I.T.I, Agarmalwa PU23000658	1. Electrician - 3(1+1+1)	i. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. ii. The ITI has given no reply to the SCN. iii. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. iv. Thereafter, again SCN was issued on 10.11.2023. ITI did not reply to the SCN. v. After that 01-reminder dated 30.11.2023 was issued to the ITI and ITI replied to the SCN. vi. The reply was considered and joint inspection was conducted on 14.02.2024 and during the joint inspection the following deficiencies were found: a) Land lease expired. b) Power connection not available. c) Dead Stock Register and Raw Materials Register not available. d) Students and Staff attendance not available. e) No machine is in working condition. f) Machinery are partial available. g) Workshop is made under tin shed. h) Drawing hall not available. i) Fire safety equipment not available.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Land lease expired. ii. Power connection not available. iii. Dead Stock Register and Raw Materials Register not available. iv. Students and Staff attendance not available. v. No machine is in working condition. vi. Machinery are partial available. vii. Workshop is made under tin shed. viii. Drawing hall not available. ix. Fire safety equipment not available. x. Computers available in IT Lab but not in working condition. xi. Lan connection not available.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			j) Computers available in IT Lab but not in working condition. k) Lan connection not available. vii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI .	
32	Veerangana Laxmi Bai Pvt. ITI, Datia PR23000782	Fitter- 2(1+1)	i. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. ii. The ITI has given no reply to the SCN. iii. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. iv. Thereafter, again SCN was issued on 10.11.2023. ITI did not reply to the SCN. v. After that 01-reminder dated 30.11.2023 was issued to the ITI and ITI replied to the SCN. vi. The reply was considered and joint inspection was conducted on 16.02.2024 and during the joint inspection the following deficiencies were found: a) Land lease not renewed. b) Electricity bill not available. c) Dead Stock Register and Raw Materials Register not available. d) Students and Staff attendance not available. e) Teacher and Students records not available. f) Drawing hall not available.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Land lease not renewed. ii. Electricity bill not available. iii. Dead Stock Register and Raw Materials Register not available. iv. Students and Staff attendance not available. v. Teacher and Students records not available. vi. Drawing hall not available. vii. Safety Measures not available. viii. Machinery not in working condition.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			g) Safety Measures not available. h) Machinery not in working condition. i) Amenities not available. vii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI.	
33	Uma Pvt. ITI, Rajgarh PU23000358	1. Electrician - 6(2+2+2)	i. As per 4 th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. ii. The ITI has given no reply to the SCN. iii. The matter was again discussed in 4 th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. iv. Thereafter, again SCN was issued on 10.11.2023. ITI did not reply to the SCN. v. After that 02 reminders dated 30.11.2023 and 12.12.2023 were issued to the ITI and ITI replied to the SCN. vi. The reply was considered and joint vii. inspection was conducted on viii. 11.03.2024 and during the joint inspection the following deficiencies were found: a) No land document for ITI is available. b) No Electricity bill not produced during inspection. c) Dead Stock Register and Raw Materials Register not available.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. No land document for ITI is available. ii. No Electricity bill is produced during inspection. iii. Dead Stock Register and Raw Materials Register not available. iv. Student and trainer records not found v. Staff and Students attendance not maintained. vi. Machinery, as per syllabus of trades is not installed. vii. Available machineries are not in working condition viii. IT lab is not available as per norms.


 उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			d) Student and trainer records not found e) Staff and Students attendance not maintained. f) Machinery, as per syllabus of trades is not installed. g) Available machineries are not in working condition h) IT lab is not installed. i) Drawing hall not available. j) Other activities like shops and godown are found to be functioning in the ITI campus. k) No safety measures are available in the ITI. ix. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI.	ix. Drawing hall not available. x. Other activities like shops and godown are found to be functioning in the ITI campus. xi. No safety measures are available in the ITI.
34	Nityanand Pvt. ITI, Rajgarh PU23001050	1. Computer Operator and Programming Assistant - 3(1+1+1) 2. Electrician- 3(1+1+1)	i. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. ii. The ITI has given no reply to the SCN. iii. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. iv. Thereafter, again SCN was issued on 10.11.2023. ITI did not reply to the SCN. v. After that 02 reminders dated 30.11.2023 and 12.12.2023 were issued to the ITI and ITI replied to the SCN. vi. The reply was considered and joint	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: During inspection, ITI is found to be locked and not functioning.

उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110 012, New Delhi-12

31/7/24

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			vii. inspection was conducted on 03.02.2024 and during the joint as ITI is found to be locked and not functioning. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI .	
35	Jija Mata Pvt. ITI, Chhindwara PR23000302	1. Electrician - 6 (2+2+2) 2. Fitter - 6 (2+2+2) 3. Mechanic Diesel - 3 (1+1+1)	i. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. ii. The ITI has given no reply to the SCN. iii. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. iv. Thereafter, again SCN was issued on 10.11.2023. ITI did not reply to the SCN. v. After that 02 reminders dated 30.11.2023 and 12.12.2023 were issued to the ITI and ITI replied to the SCN. vi. The reply was considered and joint vii. Inspection was conducted on 13.03.2024 and during the joint as the following deficiencies were found: a) Power supply not available. b) Machinery, Tools and Equipment are not available as per latest syllabus. c) Dead Stock Register and Raw Materials Register not available.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Power supply not available. ii. Machinery, Tools and Equipment are not available as per latest syllabus. iii. Dead Stock Register and Raw Materials Register not available. iv. Only 7 computers are available in IT lab but as per norms, 10 are required. v. Original documents for land and building are not available. vi. Expired Fire Extinguishers were found in the

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			d) Only 7 computers are available in IT lab but as per norms, 10 are required. e) Original documents for land and building are not available. f) Expired Fire Extinguishers were found in the institute and are not functional. g) Working Status of machinery could not be verified as power was not available. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI	institute and are not functional. vii. Working Status of machinery could not be verified as power was not available.
36	Gyan Ganga Pvt. ITI, Rajgarh PR23000940	1. Electrician — 6(2+2+2) 2. Fitter — 3(1+1+1)	i. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. ii. The ITI has given no reply to the SCN. iii. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. iv. Thereafter, again SCN was issued on 10.11.2023. ITI did not reply to the SCN. v. After that 02 reminders dated 30.11.2023 and 12.12.2023 were issued to the ITI and ITI replied to the SCN. vi. The reply was considered and joint inspection was conducted on 20.02.2024 and during the joint as the following deficiencies were found:	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Dead Stock Register and Raw Materials Register not available. ii. Attendance records of staff and students are not available. iii. School is found to be functioning in the same campus. iv. Safety measures not proper, earthing not provided. v. Drawing hall not available.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			a) Dead Stock Register and Raw Materials Register not available. b) Attendance records of staff and students are not available. c) School is found to be functioning in the same campus. d) Safety measures not proper, earthing not provided. e) Drawing hall not available. f) Around 50 percent of machinery are not in working condition. g) Latest Electricity bill not available. vii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI .	vi. Around 50 percent of machinery are not in working condition. vii. Latest Electricity bill not available.
37	Krishna Private ITI PU23001111	1. Electrician – 3(1+1+1) 2. Fitter - 3(1+1+1)	i. The Joint inspection was conducted on 05.06.2023. ii. During the inspection ITI found closed. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 02 reminders were issued to the ITI on- 30.11.2023	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reasons for de-affiliation: i. Institute requested for self-closure.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			&12.12.2023, but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI as institute requested for self-closure.	
38	Maharani Laxmi Bai ITI Institute Rampaily, Balaghat PR23000594	Electrician – 2(1+1)	i. The Joint inspection was conducted on 16.06.2023. ii. During the joint inspection various deficiencies were found. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 03 reminders were issued to the ITI on- 30.11.2023, 12.12.2023 & 13.01.2024 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) No ITI Instructors were present at the time of inspection.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. No ITI Instructors were present at the time of inspection. ii. Machineries are not connected to power supply i.e not installed. iii. The tools & equipment & machineries are not available as per NCVT norms. iv. School is found to be running in the same premises. v. Outside the classrooms, physics, chemistry, biology, labs was written. vi. Electrical workshop not available. vii. ITI did not provide a reply to multiple Show Cause

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			b) Machineries are not connected to power supply i.e not installed. c) The tools & equipment & machineries are not available as per NCVT norms. d) School is found to be running in the same premises. e) On the outside wall of classrooms, Physics, Chemistry, Biology, labs were mentioned. f) Electrical workshop not available. g) Joint inspection members reached at address shown at web-site of NCVT MIS Portal. h) Chairperson from ITI is present here at the time of joint inspection. ITI did not provide a reply within the time line against the multiple opportunities in respect of Show Cause Notices issued to the ITI.	Notices issued to the ITI.
39	Gurunanak Pvt. ITI, Shehdol PU23000546	Electrician – 6(2+2+2)	i. The Joint inspection was conducted on 23.06.2023. ii. During the joint inspection various deficiencies were found. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. The institute premises is being used as TCS exam centers and

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			opportunity to be given to the ITI vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) The institute premises is being used as TCS exam centers and diploma college (DCA, BCA) computer application books found in bulk quantity in the library. b) Trainers are not available as per NCVT norms. Diploma college faculty were claimed to be teaching ITI students as well. c) Raw material bills were not available. d) The workshop is not functional. e) IT lab is found to be closed. f) The condition of the workshop was such that it has not been used since a long time. g) The institute premises is being used as a godown for the plumbing business.	diploma college (DCA, BCA) computer application books found in bulk quantity in the library. ii. Trainers are not available as per NCVT norms. Diploma college faculty were claimed to be teaching ITI students as well. iii. Raw material bills were not available. iv. The workshop is not functional. v. IT lab is found to be closed. vi. The condition of the workshop was such that it has not been used since a long time. vii. The institute premises is being used as a godown for the plumbing business. viii. There were no students present in the ITI on the day of the inspection. ix. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			h) There were no students present in the ITI on the day of the inspection. i) ITI did not provide a reply within the time line against the multiple opportunities in respect of Show Cause Notices issued to the ITI.	
40	Maa Jageshwari Pvt. ITI, Ashoknagar PU23000983	1. Electrician – 6(2+2+2) Stenographer & Secretarial Assistant (Hindi) - 3(1+1+1)	i. The Joint inspection was conducted on 07.06.2023. ii. During the joint inspection ITI was not found at the address mentioned in the NCVT MIS portal. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) The ITI is not found at the address mentioned in NCVT	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI is not found at the address mentioned in NCVT Portal and as per geo map location. The owner of ITI informed through mail to Govt ITI, Ashok Nagar that he has already closed the ITI and not interested for inspection. Also, ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशकालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			Portal and as per geo map location. b) The owner of ITI informed through mail to Govt ITI, Ashok Nagar that he has already closed the ITI and not interested for inspection. c) Also, ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	
41	Shri Kashi Pvt. ITI Khapa, Ashoknagar PR23000722	1. Electrician – 6(2+2+2) Fitter – 3(1+1+1)	i. The Joint inspection was conducted on 06.06.2023. ii. During the joint inspection the ITI is not found at the address mentioned in NCVT Portal and geo location shows that ITI located at Katangi, Balaghat district. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI is not found at the address mentioned in NCVT Portal and geo location shows that ITI located at Katangi, Balaghat district. The ITI owner was contacted telephonically regarding inspection; however, he refused to undergo the inspection of the institute.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			SSDEC recommended de-affiliation of the ITI due to following reasons: a) The ITI is not found at the address mentioned in NCVT Portal and geo location shows that ITI located at Katangi, Balaghat district. b) The ITI owner was contacted telephonically regarding inspection; however, he refused to undergo the inspection of the institute. c) Also, ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	
42	Shri Kanta Technical Pvt. ITI, Mandsoor PR23000212	Electrician - 3(1+1+1)	i. The Joint inspection was conducted on 02.06.2023. ii. During the joint inspection various deficiencies were found. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Electrician workshop, classroom and IT lab not available. ii. Electricity power not available. iii. Sign board of ITI not available. iv. No representative from ITI was present during inspection. v. In the same premises other PVT ITI (PU23000457)


 उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 सरकार, नई दिल्ली - 12, Govt. of India, New Delhi - 12


 31/7/24

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: ITI not adhering to affiliation norms, as following deficiencies are noticed: - Workshops, classroom, IT lab and Electricity Power not available. - Sign board of ITI not available. - No representative from ITI was present during inspection. - In the same premises other PVT ITI (PU23000457) with same name but different affiliation number exist with same longitude and latitude. (Latitude: 24.5125 Longitude 75.7530). - ITI management has telephonically informed that the institute has been closed and no admission are there since last three years. - Owner of the building informed that no training activities are going on and ITI has been vacated and no rent agreement exists with the ITI. - ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	with same name but different affiliation number exist with same longitude and latitude. (Latitude: 24.5125 Longitude 75.7530). vi. ITI management has telephonically informed that the institute has been closed and no admission are there since last three years. vii. Owner of the building informed that no training activities are going on and ITI has been vacated and no rent agreement exists with the ITI. viii. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
43	Shri Kanta Technical Pvt. ITI, Mandsoor PU23000457	Electrician – 6(2+2+2)	i. The Joint inspection was conducted on 02.06.2023. ii. During the joint inspection various deficiencies were found. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State wide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was discussed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: ITI not adhering to affiliation norms, as following deficiencies are noticed: a) Workshops, classroom, IT lab and Electricity Power not available. b) Sign board of ITI not available. c) No representative from ITI was present during inspection.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Workshops, classroom, IT lab and Electricity Power not available. ii. Sign board of ITI not available. iii. No representative from ITI was present during inspection. iv. In the same premises other PVT ITI (PU23000457) with same name but different affiliation number exist with same longitude and latitude. (Latitude: 24.5125 Longitude 75.7530). v. ITI management has telephonically informed that the institute has been closed and no admission are there since last three years. vi. Owner of the building informed that no training

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			d) In the same premises other PVT ITI (PU23000457) with same name but different affiliation number exist with same longitude and latitude. (Latitude: 24.5125 Longitude 75.7530). e) ITI management has telephonically informed that the institute has been closed and no admission are there since last three years. f) Owner of the building informed that no training activities are going on and ITI has been vacated and no rent agreement exists with the ITI. g) ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	vii. activities are going on and ITI has been vacated and no rent agreement exists with the ITI. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.
44	Mangal ITI, Gohad , Bhind PU23000796	Electrician 3(1+1+1) -	i. The Joint inspection was conducted on 05.06.2023. ii. During the joint inspection no board/name of ITI is found in vicinity of the location for ITI. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. Sign board of ITI not available at the address of the ITI. ii. No one from ITI management was present during the joint inspection. iii. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) As Joint. Joint inspection members reached at address shown at web-site of NCVT MIS Portal by asking people as there is no sign board in vicinity of the location for ITI inspection members reached at address shown at web-site of NCVT MIS Portal by asking people as there is no sign board in vicinity of the location for ITI. b) Joint inspection members asked the person working nearby about the existence of said ITI in the premises or in nearby area. He confirmed that there was an ITI in the same name in this building. c) No board/name of ITI is found in that building and No one from ITI is present there during inspection	
45	Jagriti Pvt. ITI Mangawan , Reva PR23001060	1. Electrician – 3(1+1+1) Health Sanitary Inspector – 2(1+1)	i. The Joint inspection was conducted on 20.06.2023. ii. During the joint inspection ITI was not found at the address mentioned in NCVT MIS portal	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC.

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण विकास विभाग, 14, सराफा निवासा राजभारत
कोशाल, विकास और प्रशिक्षण विभाग
14, सराफा निवासा राजभारत, नया दिल्ली-110016

31/3/24

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			for this ITI and other shop & skill center found at the address. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was discussed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) No ITI is found at the address mentioned on NCVT MIS portal for this ITI. b) Gopal Skill Centre is written on the front wall of 1st Floor at the site and nothing related to ITI is available at the address. c) On the ground floor, a shop is opened and inside the shop, Principal room is mentioned on the wall of inner room of the shop.	Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. No ITI is found at the address mentioned on NCVT MIS portal for this ITI. ii. Gopal Skill Centre is written on the front wall of 1st Floor at the site and nothing related to ITI is available at the address. iii. On the ground floor, a shop is opened and inside the shop, Principal room is mentioned on the wall of inner room of the shop. iv. No one was present from the ITI management during inspection. v. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			d) No one was present from the ITI management during inspection. e) ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	
46	Shiv Ganesh Pvt. ITI, Reva PR23000226	Fitter -2(1+1)	i. The Joint inspection was conducted on 19.06.2023. ii. During the joint inspection no ITI found at the address mention as per NCVT MIS portal for this ITI. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was discussed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) No ITI is found at the address mentioned on NCVT MIS portal for this ITI.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reason for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. No ITI is found at the address mentioned on NCVT MIS portal for this ITI. Signboard of ITI not found at the location of the ITI. ii. Local people at the location of the ITI informed that no ITI is running at this address. iii. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महसुलेक्षण, डिपार्टमेंट ऑफ ट्रेनिंग
कोशल विकास एवं सर्वशिक्षा अभियान
Ministry of Skill Development and Entrepreneurship
आर.डी. सिटी-12, नोएडा-2013012, यूपी

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			Signboard of ITI not found at the location of the ITI. b) Local people at the location of the ITI informed that no ITI is running at this address. c) ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	
47	Vasishta Pvt. ITI, Reva PR23000810	Electrician – 6(2+2+2)	i. The Joint inspection was conducted on 21.06.2023. ii. During the joint inspection no ITI found at the address mention as per NCVT MIS portal for this ITI and at present a marriage garden has been established in that premises. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was discussed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons:	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reasons for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. ITI not found at the address mentioned on NCVT MIS portal (affiliated address). ii. Owner of the building confirmed that ITI was running till 2019 only, at present ITI is not functioning at this address and a marriage garden has been established in that premises. iii. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			a) ITI not found at the address mentioned on NCVT MIS portal (affiliated address). b) Owner of the building confirmed that ITI was running till 2019 only, at present ITI is not functioning at this address and a marriage garden has been established in that premises. c) ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	
48	Focus Pvt. ITI, Dhar PU23000848	1. Computer Operator and Programming Assistant - 3 (1+1+1) 2. Electrician - 6(2+2+2)	i. The Joint inspection was conducted on 01.06.2023. ii. During the joint inspection various deficiencies were found. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reasons for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. No training activities are taking place in the ITI from a long time. ii. No workshop is available. iii. Electrical connection not available. iv. No tool equipment machinery and furniture are available in the Institute. v. Trainees and staff were not present during the visit. vi. ITI did not provide a reply to multiple Show

उज्जयिनी बिस्वास / Director
निदेशक / Directorate General of Training
प्रशिक्षण महानिदेशालय, उद्योग और उद्यमिता मंत्रालय
कौशल विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012, Govt. of India, New Delhi-12

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			viii. The matter was discussed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) No training activities are taking place in the ITI from a long time. b) No workshop is available. c) Electrical connection not available. d) No tool equipment machinery and furniture are available in the Institute. e) Trainees and staff were not present during the visit. f) ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	Cause Notices issued to the ITI.
49	Anupreet Pvt. ITI, Shehor PU23000344	Electrician – 15(5+5+5)	i. The Joint inspection was conducted on 01.06.2023. ii. During the joint inspection various deficiencies were found. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reasons for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. ITI was not found on the address mentioned on NCVT MIS portal. ii. Classroom and workshop were not available in the ITI. iii. Marriage function was going on in the premises. iv. Electricity meter records as shown were not found

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			again no replies received from the ITI. viii. The matter was discussed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) ITI was not found on the address mentioned on NCVT MIS portal. b) Classroom and workshop were not available in the ITI. c) Marriage function was going on in the premises. d) Electricity meter records as shown were not found installed in the premises. The serial number of the electricity meter were not matching with the paper shown. e) Land lease expired. f) No class room and workshop were found. g) The institute was not in a functional state h) Society registration was not provided. i) Document such as attendance register, raw material bills, issue register pay slips of employees, joining letter for the training staff and principal were not provided. j) No student was present in the institute on the day of inspection.	installed in the premises. The serial number of the electricity meter were not matching with the paper shown. v. Land lease expired. vi. No class room and workshop were found. vii. The institute was not in a functional state viii. Society registration was not provided ix. Document such as attendance register, raw material bills, issue register pay slips of employees, joining letter for the training staff and principal were not provided x. No student was present in the institute on the day of inspection. xi. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.

उज्जवल बिस्वास / Director
 प्रशिक्षण महानिदेशक / Directorate General of Training
 कौशल विकास एवं उद्यमिता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 पता: बरकत, नई दिल्ली-110006, फोन: 2612312

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			k) ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	
50	Pioneer ITC, Shivpuri PR23000114	Computer Operator and Programming Assistant - 4 (2+2)	i. The Joint inspection was conducted on 06.06.2023. ii. During the joint inspection the ITI institute was found closed as per the address and as informed by ITI Principal by email that for surrendering the units. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State wide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was discussed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) The institute was found closed as per the address. b) An email has been received by the Principal Pioneer	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reasons for de-affiliation: i. The institute was found closed as per the address. ii. An email has been received by the Principal Pioneer ITC for surrendering of units. iii. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			ITC for surrendering of units. c) ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	
51	Apex Pvt. ITI, Narsinghpur PR23000942	1. Electrician – 6(2+2+2) 2. Fitter - 6(2+2+2)	i. The Joint inspection was conducted on 12.06.2023. ii. During the joint inspection the ITI not found at the address mentioned on NCVT MIS portal and also No ITI student and instructors were present at the time of inspection. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State wide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was discussed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons:	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reasons for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed i. ITI not found at the address mentioned on NCVT MIS portal. ii. No ITI student and instructors were present at the time of inspection. iii. Local people informed the Joint inspection team that ITI existed on the site but now has been vacated. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			a) ITI was not found on the address mentioned on NCVT MIS portal. b) No student and instructors were present at the time of inspection. c) Local people informed the Joint inspection team that ITI existed on the site but now has been vacated. d) ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	
52	Maa Rewanchal Pvt. ITI, Shivni PR23000583	1. Electrician – 6 (2+2+2)	i. The Joint inspection was conducted on 16.06.2023. ii. During the joint inspection the ITI not found at the address mentioned on NCVT MIS portal and other Dharmshala was found there. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reasons for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. ITI not found at the address mentioned on NCVT MIS portal (address on which affiliation is provided). ii. At the given location, Shri Ram Dharmshala Avadhiya Samaj Dharmshala is found. iii. No Student, staff and instructor were present at the time of inspection. iv. ITI management informed telephonically that they have closed the

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) ITI not found at the address mentioned on NCVT MIS portal (address on which affiliation is provided). b) At the given location, Shri Ram Dharmshala Avadhiya Samaj Dharmshala is found. c) No Student, staff and instructor were present at the time of inspection. d) ITI management informed telephonically that they have closed the institute two years ago, and no trainees were admitted in last two years. Also, there is no plan to run the institute in the future, so institute may be closed. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	institute two years ago, and no trainees were admitted in last two years. Also, there is no plan to run the institute in the future, so institute may be closed. v. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.
53	Akshay Gyan Prabodhini Pvt. ITI, Khargon PU23000898	1. Draughtsman (Mechanical) – 3(1+1+1) 2. Electrician - 3(1+1+1)	i. The Joint inspection was conducted on 20.06.2023. ii. During the joint inspection various deficiencies were found. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reasons for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed:

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) No sign board of ITI found at the location. b) Society documents, lease agreement, drawing of the building, student and staff attendance register, Electricity payment receipts, staff details were not provided. c) No computers are available in the IT lab. d) IT lab is available without of any computer. e) Only one Electrician trade workshop was available but tools were not available as per NCVT norms. f) No Instructor, trainees were present at the time inspection. g) No training activities are found in the institute as per norms.	i. No sign board of ITI found at the location. ii. Society documents, lease agreement, drawing of the building, student and staff attendance register, Electricity payment receipts, staff details were not provided. iii. No computers are available in the IT lab. iv. IT lab is available without of any computer. v. Only one Electrician trade workshop was available but tools were not available as per NCVT norms. vi. No Instructor, trainees were present at the time inspection. vii. No training activities are found in the institute as per norms. viii. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.

उज्जवल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महसिलेवालय, Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			h) ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	
54	Eklavya Pvt. ITI Mohbatta, Balaghat PR23000533	Electrician - 6(2+2+2)	i. The Joint inspection was conducted on 15.06.2023. ii. During the inspection the ITI was found closed . iii. As per 4th SSDEC MoM ,the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI . vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) The ITI found closed during inspection. b) No reply was provided by the institute to the multiple show cause notices issued.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reasons for de-affiliation: ITI was found closed and no reply was provided by the institute to the multiple show cause notices issued.
55	Sri Hare Krishna	Electrician - 6(2+2+2)	i. The Joint inspection was conducted on 08.06.2023.	SCAA recommended de-affiliation of the ITIs based

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
	Pvt. ITI, Ashoknagar, PR23000920		ii. During the inspection the no sign board of ITI was found at the location and kids play school board was found there. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons:- a) No signboard of ITI found at the location. b) Board of Krishna kids play school/ K.C. Sharma science & Technical school was seen at the location. c) ITI in its letter dated 08.06.2023 addressed to CEO MPSSDEGB has stated that ITI is closed since 2021-22.	on the recommendations of SSDEC. Reasons for de-affiliation: i. No signboard of ITI found at the location. ii. Board of Krishna kids play school/ K.C. Sharma science & Technical school was seen at the location. iii. ITI in its letter dated 08.06.2023 addressed to CEO MPSSDEGB has stated that ITI is closed since 2021-22. iv. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक / Directorate General of Training
शिक्षण विभाग / Skill Development and Entrepreneurship
मंत्रालय / Ministry of Skill Development and Entrepreneurship
नई दिल्ली-110012 / New Delhi-110012

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			d) ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	
56	Krishna Pvt. ITI, Dewas PU23000477	Electrician 6(2+2+2)	- i. The Joint inspection was conducted on 06.06.2023. ii. During the inspection the no ITI was found at the location and a hardware shop found at building address. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 03 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons:- a) No ITI found at the address mentioned on NCVT MIS portal. b) A Hardware shop is found to be running in the building at the address.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reasons for de-affiliation: i. No ITI found at the address mentioned on NCVT MIS portal. ii. A Hardware shop is found to be running in the building at the address. iii. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			c) ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	
57	Krishna Pvt. ITI, Dewas PU23000474	Electrician - 9(3+3+3)	i. The Joint inspection was conducted on 06.06.2023. ii. During the inspection the no ITI was found at the location and a school was found at building address. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State wide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 03 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) ITI not found at the address mentioned on NCVT MIS portal instead a school is found to be running at that address.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reasons for de-affiliation: i. ITI not found at the address mentioned on NCVT MIS portal instead a school is found to be running at that address. ii. School Management informed that ITI has been closed during covid. iii. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			b) School Management informed that ITI has been closed during covid. c) ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	
58	Fortune Pvt. ITI, Indore PU23000535	Electrician - 6(2+2+2)	i. The Joint inspection was conducted on 01.06.2023. ii. During the inspection the no ITI was found closed. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) ITI is found closed, no training activity is found at the given address.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reasons for de-affiliation: i. ITI is found closed, no training activity is found at the given address. ii. Management had informed State Directorate about closure of the ITI. iii. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			b) Management had informed State Directorate about closure of the ITI. c) ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	
59	Shri Rawatpura Sarkar Pvt. ITI, Satna PR23000201	1. Electrician – 2(1+1) 2. Fitter – 2(1+1) Welder – 2(1+1)	i. The Joint inspection was conducted on 20.06.2023. ii. During the inspection the ITI requested for self-closure. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI to reply. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 03 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI as ITI requested for self-closure.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reasons for de-affiliation: ITI requested for closure of the Institute.
60	SNM Pvt. ITI, Narsinghpur	Electrician – 12 (4+4+4)	i. The Joint inspection was conducted on 12.06.2023. ii. During the inspection the no ITI was found at the address.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
	PU23000825		iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 03 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) No ITI was found at the address. b) ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	Reasons for de-affiliation: i. No ITI was found at the address. ii. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.
61	Narmada Private ITI, Shehor PU23000615	Electrician - 3 (1+1+1)	i. The Joint inspection was conducted on 2.06.2023. ii. During the inspection the ITI was found nonfunctional and a furniture shop was found at the address. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reasons for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed:

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 03 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) ITI not found in functional State. b) Furniture Shop was running at the address of the ITI. c) No Electricity connection found installed in the building. d) No classroom and workshop were found. e) Students marked present were not found in the institute. f) ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	i. ITI not found in functional State. ii. Furniture Shop was running at the address of the ITI. iii. No Electricity connection found installed in the building. iv. No classroom and workshop were found. v. Students marked present were not found in the institute. vi. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.
62	Gyan Ganga Pvt ITI, Bhopal PU23000336	1. Electrician – 6(2+2+2) 2. Stenographer & Secretarial Assistant	i. The Joint inspection was conducted on 31.05.2023. ii. During the inspection the ITI was found nonfunctional and some	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
		(Hindi) – 3(1+1+1)	other construction work was going on at the address. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) No functional ITI found at the address mentioned on NCVT MIS portal for this ITI. b) Some other construction/renovation work is going on 1st floor. c) No one from the ITI was present during inspection. d) ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	Reasons for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed: i. No functional ITI found at the address mentioned on NCVT MIS portal for this ITI. ii. Some other construction/renovation work is going on 1st floor. iii. No one from the ITI was present during inspection. iv. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.
63	Jan Shikshan	Electrician – 6 (2+2+2)	i. The Joint inspection was conducted on 31.05.2023.	SCAA recommended de-affiliation of the ITIs based

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
	Pvt. ITI , Bhopal PU23000329		ii. During the inspection a furniture shop was found at the address. iii. As per 4th SSDEC MoM ,the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) No ITI activity found at the address mentioned on the NCVT MIS portal. b) Furniture shop is found at the address of the c) ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	on the recommendations of SSDEC. Reasons for de-affiliation: ITI not adhering to affiliation norms, as following deficiencies are noticed i. ITI not found at the address mentioned on the NCVT MIS portal. ii. Furniture shop is found at the address of the iii. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.
64	Kunj Bihari Pvt. ITI, Bhopal PU23000343	1. Electrician – 3(1+1+1) 2. Fitter - 3(1+1+1)	i. The Joint inspection was conducted on 31.05.2023. ii. During the inspection no board of ITI found at the address	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			mentioned on NCVT MIS portal. No ITI found at the address. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) No board of ITI found at the address mentioned on NCVT MIS portal. No ITI found at the address. b) No one from the ITI management was present for the inspection. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.	Reasons for de-affiliation: i. No board of ITI found at the address mentioned on NCVT MIS portal. No ITI found at the address. ii. No one from the ITI management was present for the inspection. ITI did not provide a reply to multiple Show Cause Notices issued to the ITI.

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महामन्त्रालय/Directorate General of Training
विकास विभाग एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12


31/12/24

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
65	Jijamata Pvt. ITI Khairlanji, Balaghat PR23001045	1. Electrician – 3 (1+1+1) 2. Fitter – 3 (1+1+1)	i. The Joint inspection was conducted on 15.06.2023. ii. During the inspection no ITI was found at the address mentioned on NCVT MIS portal. A Rice mill board and a school board were found there. iii. As per 4th SSDEC MoM, the SCN was issued to the ITI by State vide email dated 10.08.2023. iv. The ITI has given no reply to the SCN. v. The matter was again discussed in 4th SSDEC held on 18.09.2023 and SSDEC decided that one more opportunity to be given to the ITI. vi. Thereafter, again SCN were issued to the ITI on 10.11.2023 but no reply received from the ITI. vii. After that, 04 reminders were issued to the ITI on- 30.11.2023, 12.12.2023, 29.12.2023 & 19.01.2024 but again no replies received from the ITI. viii. The matter was placed in 5th SSDEC held on 22.05.2024 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) ITI not found at the address mentioned on the NCVT MIS portal. b) No signboard of ITI was found at the address and instead there was a board of Sai Rice Mill and on the Wall, "FARHAN HIGHER	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reasons for de-affiliation: i. ITI not found at the address mentioned on the NCVT MIS portal. ii. No signboard of ITI was found at the address and instead there was a board of Sai Rice Mill and on the Wall, "FARHAN HIGHER SECONDARY ENGLISH SCHOOL iii. ITI management informed the State Directorate that institute has been closed as there are no admissions.

Sr. No	Name of ITI with MIS code	Trade/ Units as per NCVT MIS Portal	Brief of the matter	17 th SCAA Remarks
I	II	III	IV	V
			SECONDARY ENGLISH SCHOOL c) ITI management informed the State Directorate that institute has been closed as there are no admissions.	


 उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महाविद्यालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12


 31/7/24



Exponential growth
f(x) = e^x