

Through E-Mail
E-file No.: 68173

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Kaushal Bhawan, New Moti Bagh
Chanakyapuri, New Delhi- 110023
Dated: 12.09.2024

To

The State Director (Dealing with Craftsmen Training Scheme)
Andhra Pradesh, Chhattisgarh, Karnataka, Odisha, Uttar Pradesh

Subject: Not recommendation order of Trades/Units of Government /Private ITIs - regarding.

Sir / Madam,

In reference to the previous SCAA meetings, from the 11th SCAA meeting dated 19.09.2023 to the 16th SCAA meeting dated 05-06.06.2024, the applicant institute was granted an opportunity to rectify the deficiencies and submit the compliance report through the State/RDSDE. These compliance reports have been received and scrutinized by the DGT. Accordingly, based on these compliance reports, it is hereby informed that the ITIs which have not been recommended are listed in the attached document. The details of the institutes and the reasons for non-recommendation are also provided in the attached document.

The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.

This issues with the approval of competent authority.

Encl: Details of ITIs which have not been recommended.

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता (Ujjwal Biswas)
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12
Director-TC

Yours faithfully,

Copy along with enclosures for information to:

1. PSO to DG/AS, DGT-New Delhi
2. PPS to DDG (Affiliation), PPS to DDG(South), PPS to DDG (East).
3. RD, RDSDE Andhra Pradesh, Chhattisgarh, Karnataka, Odisha, Uttar Pradesh– for information
4. The officer dealing with NCVT-MIS with a request to upload and update the order on NCVT MIS portal.


(Pooja Verma)
Assistant Director-TC

STATE: Andhra Pradesh

Total – 01, (New-01, Existing-00)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. no.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III	IV	V	VI
1.	Rajanna ITI Near Check Post, Ravipadu Village, Narsaraopet Mandal Guntur District- 522603 Andhra Pradesh TMPSP085	1. Electrician – 8 (4+4) 2. Fitter – 4 (2+2) 3. Computer Operator and Programming Assistant (COPA) - 2 (1+1) 4. Draughtsman (Civil) – 2 (1+1) 5. Mechanic Diesel – 2(1+1)	<u>12th SCAA Remarks</u> ITI has to remove deficiencies as mentioned in column V and VI and submit the documents fulfilling four trade criteria on the online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, concerned State Directorate and RDSDE will conduct joint re-inspection of the ITI and submit the report to the DGT within the next 15 days. <u>16th SCAA Remarks</u> SCAA observed that ITI was given an opportunity in 12 th SCAA to remove the deficiency however as	This affiliation matter was placed in 12th SCAA where an opportunity was given to remove the deficiencies. However, the ITI was unable to address the deficiencies. Again, this case was placed in 16th SCAA and SCAA decided to give one last and final opportunity to remove the deficiencies. As given in 16th SCAA, RDSDE and State submitted a join verification report and following observation made in the report 1. Non-Agricultural Assessment Act (NALA) is not as per standard sample certificate of NALA (Non-Agricultural Land	Not Recommended due to following reasons: 1. As informed by Joint re verification team Non-Agricultural Assessment Act (NALA) is not as per standard sample certificate of NALA (Non-Agricultural Land Assessment) issued by the AP State 2. Building Completion Certificate (BCC) is not as per norms 3. sign board not as per the norms 4. There is still a shortage of machinery and equipment


उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशकालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12



STATE: Andhra Pradesh

Total – 01, (New-01, Existing-00)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. no.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III	IV	V	VI
			<p>indicated in column V, ITI is unable to remove the deficiencies</p> <p>SCAA decided to give one last and final opportunity to remove the deficiencies mentioned in column V and submit the required documents within 15 days from the date of issue of this minute in the Compliance module on NIMI affiliation portal.</p> <p>If ITI fails to do so then this application shall be rejected.</p> <p>Thereafter, the State Directorate and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI. RDSDE will then submit the report to DGT with recommendations within the next</p>	<p>Assessment) issued by the AP State</p> <p>2. Building Completion Certificate (BCC) is not as per norms</p> <p>3. Sign board is not as per the norms</p> <p>4. The following equipment and machinery necessary for the Draughtsman Civil trade not available</p> <p>i. CAD Licenses: Only 5 out of 24 licenses are available</p> <p>ii. Laptops: The latest configuration laptops are not present</p> <p>iii. Smart Boards/interactive Boards: 2 Nos. are</p>	<p>in the Draughtsman Civil trade</p> <p>5. The institute has already denied inspection for Mechanic Diesel – 2(1+1) and has not addressed the deficiencies in machinery and equipment for the 4th trade, Draughtsman Civil. which means the institute does not meet the minimum requirement of 4 trades and 8 units for opening a new institute.</p> <p>The applicant institute has already been given two opportunities to rectify these deficiencies, but it has failed to address the issues raised in</p>

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
परिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi 12




STATE: Andhra Pradesh

Total – 01, (New-01, Existing-00)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. no.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III	IV	V	VI
			<p>15 days in the Compliance module on the NIMI affiliation portal.</p> <p>Deficiencies</p> <ol style="list-style-type: none"> BCC is still not as per norms The 4th trade Draughtsman Civil deficiency not removed by the ITI and inspecting member have not recommended this trade hence ITI is not fulfilling four trade criteria for opening new ITIs The ITI management is not provided the NALA certificate Standard size of sign board has not provided in the building 	<p>required but not available</p> <ol style="list-style-type: none"> Document Cameras: 2 Nos. are needed but not found, hindering document projection and review. Screen for Projector (Motorized): Not available, affecting presentation capabilities. DLP Projector: Not available, impacting digital content projection. Server Workstation: The latest configuration server workstation is not present, affecting 	<p>previous SCAA meetings. Therefore, Not Recommended for affiliation.</p>

 उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशकालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12





Skill India
कौशल भारत - कुशल भारत



ITI
Industrial Training Institute

STATE: Andhra Pradesh

Total – 01, (New-01, Existing-00)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. no.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III	IV	V	VI
				<p>viii. data management and software operations.</p> <p>viii. Digital Theodolites: 2 units are required but not available, limiting practical training.</p> <p>ix. Transit Theodolite: Not available, affecting practical surveying and measurement training.</p> <p>TC section Remarks:</p> <p>1. As informed by Joint re verification team Non-Agricultural Assessment Act (NALA) is not as per standard sample certificate of NALA (Non-Agricultural</p>	

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

STATE: Andhra Pradesh
Total – 01, (New-01, Existing-00)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. no.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III	IV	V	VI
				<p>Land Assessment) issued by the AP State</p> <p>2. Building Completion Certificate (BCC) is not as per norms</p> <p>3. sign board not as per the norms</p> <p>4. There is still a shortage of machinery and equipment in the Draughtsman Civil trade</p> <p>5. The institute has already denied inspection for Mechanic Diesel – 2(1+1) and has not addressed the deficiencies in machinery and equipment for the 4th trade, Draughtsman Civil. which means the institute does not meet the minimum</p>	

उज्ज्वल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12






STATE: Andhra Pradesh

Total – 01, (New-01, Existing-00)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. no.	ITI Name and details	Trade / sought affiliation	units for	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III		IV	V	VI
					<p>requirement of 4 trades and 8 units for opening a new institute.</p> <p>The applicant institute has already been given two opportunities to rectify these deficiencies, but it has failed to address the issues raised in previous SCAA meetings.</p>	


उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण मन्त्रालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12



STATE: Chhattisgarh
Total – 01, (New-00, Existing-01)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. no.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III	IV	V	VI
1.	<p>Agashe Central Pvt ITI, Private Industrial Training Institute, Raipur</p> <p>MIS Code: PR22000056</p> <p>New Grading 8.2</p>	<p>Stenographer Secretarial Assistant (Hindi)-2(1+1)</p>	<p><u>11th SCAA Remarks</u> SCAA observed that BCC is not as per norms. ITI needs to submit the BCC as per norms (refer: page 108, Civil norms for establishment of ITI, in affiliation manual 2018) within 15 days. Thereafter State will verify the BCC and submit it to DGT(HQ) within 07 days. Then, this case will be reconsidered in next SCAA.</p> <p><u>13th SCAA Remarks</u> ITI need to submit the BCC to concerned State Directorate as per Agenda 4 of this Minutes on the</p>	<p>The State Directorate forwarded the BCC provided by the applicant institute in the compliance portal; which is as follows</p> <ol style="list-style-type: none"> 1. BCC issued by the architect of 2022, not as per norms 2. The ITI also attached a BCC from 1989 issued by the Nagar Palika, but since 33 years have passed since the initial construction, latest document required to ensure the safety of the building where the training is conducted as 	<p>Not Recommended due to following reasons:</p> <p>The State Directorate forwarded the BCC provided by the applicant institute in the compliance portal; which is as follows</p> <ol style="list-style-type: none"> 1. BCC issued by the architect of 2022, not as per norms 2. The ITI also attached a BCC from 1989 issued by the Nagar Palika, but since 33 years have passed since the initial construction, latest


उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/ Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12




STATE: Chhattisgarh

Total – 01, (New-00, Existing-01)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. no.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III	IV	V	VI
			<p>online compliance module in the NIMI affiliation portal within 30 days from the date of issue of this Minutes.</p> <p>Further, concerned State Directorate will verify the documents submitted by the ITI and submit the report to the DGT within the next 15 days.</p> <p>16th SCAA Remarks These cases have been discussed with State and RDSDE and granted one last opportunity to address the deficiencies, as per the respective SCAA remarks, and submit the compliance on the Compliance Portal within 15 days from the issuance of these minutes. If the applicant institute</p>	<p>mentioned in 13th SCAA minutes agenda 4.</p> <p>It was also categorically mentioned in 11th, 13th , 16th SCAA that BCC should be as per norms clearly stating <i>that the building is safe and sound, ready in all respects for the intended use as an Industrial Training Institute (ITI) as per the local building Byelaws related to ITIs/Technical Institution Buildings or the latest National Building Code (N.B.C.) of India and should be issued by certified by the Municipal Authority/Development Authority or a Government Civil/ Structural Engineer.</i></p>	<p>document required to ensure the safety of the building where the training is conducted as mentioned in 13th SCAA minutes agenda 4.</p> <p>It was also categorically mentioned in 11th, 13th , 16th SCAA that BCC should be as per norms clearly stating <i>that the building is safe and sound, ready in all respects for the intended use as an Industrial Training Institute (ITI) as per the local building Byelaws related to ITIs/Technical Institution Buildings or the latest National Building Code</i></p>


 उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12





STATE: Chhattisgarh

Total – 01, (New-00, Existing-01)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. no.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III	IV	V	VI
			fails to do so, the affiliation application shall be rejected	Despite multiple opportunities provided by the SCAA, the applicant failed to produce the BCC as per norms	<p>(N.B.C.) of India and should be issued by certified by the Municipal Authority/Development Authority or a Government Civil/ Structural Engineer.</p> <p>Despite multiple opportunities provided by the SCAA, the applicant failed to produce the BCC as per norms</p> <p>Hence Not Recommended for affiliation</p>

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक • Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कोशल विकास एवं उद्यमशीलता: मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12



STATE: Karnataka
Total – 01, (New-00, Existing-01)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. no.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III	IV	V	VI
1	Hema Vema Samste Dr N P Patil Pvt ITI, Navanagar Bagalkot Bagalkote MIS Code: PU29001559 Grading: 4.7	Fitter - 2(2+0)	15th SCAA Remarks ITI will have to remove the deficiencies as mentioned in column V and VI and inform the concerned State Directorate about the same through the NIMI compliance portal within 30 days from the date of issue of minutes of this meeting. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendation within the next 15 days.	The joint inspection of Hema Verma Pvt ITI Bagalkote(PU29001559) has been completed on 08.07.2024. and following are the operations of Joint Inspection team 1. land lease expired and no land lease agreement in the name of ITI. land lease agreement in the name of trust 2. staff appointment documents are not maintained properly. trainers are not CITS qualified. staff details not available for WSC, ED and Employability skills 3. few machineries not in working condition 4. drawing hall not available	Not Recommended due to following reasons: 1. land lease expired and no land lease agreement in the name of ITI. land lease agreement in the name of trust 2. staff appointment documents are not maintained properly. trainers are not CITS qualified. staff details not available for WSC, ED and Employability skills 3. drawing hall not available

उज्ज्वल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय, Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

(Signature)



Skill India
कौशल भारत - कुशल भारत



STATE: Karnataka

Total – 01, (New-00, Existing-01)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. no.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III	IV	V	VI
				5. In IT lab computers are not working. Also no internet facility and no ups backup 6. Also basic infrastructure like internet facility, girls restroom(not in good condition), library 7. Sufficient power supply not available. Total power required for Electrical Trade(existing and affiliated trade) and Fitter trade(for which affiliation is sought) together is 8.71KW, but sanctioned load is only 5 KW.As per Karnataka State Tariff Schedule, Relaxation in sanctioned load in electricity is given at Part 1: Sl no 4 "The laboratory installations in educational institutions are	4. In IT lab computers are not working. Also no internet facility and no ups backup 5. Also basic infrastructure like internet facility, girls restroom(not in good condition), library 6. Sufficient power supply not available. Total power required for Electrical Trade(existing and affiliated trade) and Fitter trade(for which affiliation is sought) together is 8.71KW, but sanctioned load is only 5 KW. 7. Few machineries are not in working condition. As per the joint reinspection report dated 08.07.2024

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12


(Signature)

STATE: Karnataka

Total – 01, (New-00, Existing-01)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. no.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III	IV	V	VI
				<p>allowed to install connected machinery upto 4 times the sanctioned load"</p> <p>8. Few machineries are not in working condition.</p> <p>9. Not recommended for affiliation due to certain deficiencies mentioned in the report</p> <p>TC Section Remarks As per the joint reinspection report dated 08.07.2024 institute has not removed the deficiencies indicated in SCAA.</p>	<p>institute has not removed the deficiencies indicated in SCAA. Hence Not Recommended for affiliation.</p>


उज्जवल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12





STATE: Odisha
Total – 01, (New-00, Existing-01)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. n o.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III	IV	V	VI
1.	Sai Private Industrial Training Institute Private Industrial Training Institute, Ganjam MIS Code: PU21000395 Grading: 6.7	1. Electrician - 6(3+3) 2. Fitter - 6(3+3) 3. Solar Technician (Electrical) - 2(1+1) 4. Computer Operator and Programming Assistant (COPA) - 4(2+2)	<u>15th SCAA Remarks</u> ITI needs to remove deficiencies mentioned in column V & VI and submit the supporting documents and compliance report within 30 days from the date of issue of this minute through NIMI compliance portal. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal. <u>16th SCAA Remarks</u>	State Directorate submitted the compliance report regarding non-availability of fire certificate. STATE Remarks DGT may consider their case after they get the Fire safety certificate from the competent authority. TC Section: In 15th SCAA in this institute ITI had following deficiencies in 15 th SCAA 1. Machinery Bills, Tools invoice produced only for Electrician 2(1+1), Fitter 2(1+1), Solar Tech. Elect. 1(1+0) 2. Machinery and Tools available for addl. Electrician 2(1+1),	In 15th SCAA in this institute had following deficiencies in 15 th SCAA 1. Machinery Bills, Tools invoice produced only for Electrician 2(1+1), Fitter 2(1+1), Solar Tech. Elect. 1(1+0) 2. Machinery and Tools available for addl. Electrician 2(1+1), Fitter 2(1+1), Solar Technician (Elect) 1(1+0) only 3. Firefighting equipment Quantity as per norm not available

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक/ Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

(IP) [Signature]

STATE: Odisha

Total – 01, (New-00, Existing-01)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. n o.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
			<p>ITI has not remove the deficiencies as indicated in 15th SCAA.</p> <p>Hence, SCAA granted one last and final opportunity to remove the deficiencies as mentioned in 15th SCAA within 15 days from the date of issue of this minute in Compliance module on NIMI affiliation portal</p> <p>Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through Compliance module on NIMI affiliation portal.</p> <p>If ITI fails to do so then this application shall be rejected.</p>	<p>Fitter 2(1+1), Solar Technician (Elect) 1(1+0) only</p> <p>3. Firefighting equipment Quantity as per norm not available</p> <p>4. Old BCC of 2010 is attached</p> <p>5. In drawing hall stools are available but not the drawing benches</p> <p>6. Shortage of Power load required =69.66KW Power load Available = 42 KW</p> <p>7. Instructor qualification details not proper (experience is not adequate)</p> <p>8. Fire safety certificate is not available</p>	<p>4. Old BCC of 2010 is attached, which is not as per norms</p> <p>5. In drawing hall stools are available but not the drawing benches</p> <p>6. Shortage of Power load required =69.66KW Power load Available = 42 KW</p> <p>7. Instructor qualification details not proper (experience is not adequate)</p> <p>8. Fire safety certificate is not available</p> <p>However, ITI did not provide any supporting documents</p>

सज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाविद्यालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

Prising



STATE: Odisha

Total – 01, (New-00, Existing-01)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. n o.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
				<p>However, ITI did not provide any supporting documents for the removal of the other deficiencies.</p> <p>In 16th SCAA one more opportunity was given to remove these aforesaid deficiencies but still institute has not removed the aforementioned deficiency and produced any supporting document.</p>	<p>for the removal of the other deficiencies.</p> <p>In 16th SCAA one more opportunity was given to remove these aforesaid deficiencies but still institute has not removed the aforementioned deficiency and produced any supporting document.</p> <p>The applicant institute has already been given two opportunities to rectify these deficiencies, but it has failed to address the issues raised in previous SCAA meetings. Therefore, Not Recommended for affiliation.</p>


उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाभारत / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

P. S. Meena

STATE: Uttar Pradesh
Total – 01, (New-01, Existing-00)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. no.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III	IV	V	VI
1.	Abdullah Hashim Private Industrial Training Institute, Aligarh TMP9119PU15 81573629	1.Electrician-3 (1+1+1) 2.Fitter- 3 (1+1+1) 3.Health Sanitary Inspector-3 (1+1+1) 4.Sewing Technology-3 (1+1+1)	<u>5th SCAA</u> ICVC remarks: Not Recommended 1. For Fitter trade - one lathe machine is not in working condition, No allied trade / welder instruments were not available. 2. For Sewing Technology - No power connection in maximum machines and four sewing machines were found less. 3. Land available on rent for the institute is 2270.44sqm. 4. Store was shown in adjacent Masjid building premises.	RDSDE has created the inspection on 04.07.2024 and ICVC submitted the report in the NIMI portal. ICVC has not recommended the trades due to less area of 25 sqm. TC selection remarks: 1. BCC was issued by AE PWD on 10.08.2022. 2. Load is sufficient but the electricity connection is not in the name of the institute. It is in the name of individual person, which is not as per norms 3. Fire safety certificate is not available.	Not Recommended due to following reasons: 1. the electricity connection is not in the name of the institute. It is in the name of individual person, which is not as per norms 2. Fire safety certificate is not available. 3. Sufficient land is not available as per NCVT norms. 4. Instructors are not CITS qualified.


उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12





Skill India
कौशल भारत - कुशल भारत




STATE: Uttar Pradesh

Total – 01, (New-01, Existing-00)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. no.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III	IV	V	VI
			<p>5. Partial bill payment were available with institute.</p> <p>TC section remarks:</p> <p>1.BCC is not available. Only no approved plan certificate is given.</p> <p>2.Sufficient land is not available as per NCVT norms.</p> <p>3.Electric load is not sufficient as per norms (Available-9.7 kW, Required-17.72 KW)</p> <p>4.IT lab internet connection and drawing hall furniture not available.</p> <p>5.All instructors are not CITS qualified.</p>	<p>4. Sufficient land is not available as per NCVT norms.</p> <p>5. Instructors are not CITS qualified.</p> <p>The applicant ITI may not be recommended since the deficiencies are not rectified even after 3rd inspection.</p>	<p>The applicant ITI not be recommended since the deficiencies are not rectified even after 3rd inspection.</p>

 उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill, Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12



STATE: Uttar Pradesh

Total – 01, (New-01, Existing-00)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. no.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III	IV	V	VI
			<p>5th SCAA Remarks</p> <p>Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI</p> <p>11th SCAA</p> <p>RDSDE sent email on 03.07.2023 and informed that inspection was carried out on 29.05.2023. The following are the observations:</p> <ol style="list-style-type: none"> 1. All the instructors are not CITS qualified. 2. As per Actual land measurement done at the ITI premises the land area is found to be approx 3225 sqm only. Hence total required land area is less. 		

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Co-ordinator

प्रशिक्षण महानिदेशक/Directorate (Scheme of Training)
कौशल विकास एवं उद्यमशीलता विभाग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

STATE: Uttar Pradesh

Total – 01, (New-01, Existing-00)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. no.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III	IV	V	VI
			<p>3. Masjid building is found in the same premises of ITI (Not separated by any type of boundary)</p> <p>4.Conference Hall of Madrasatul Uloom Al Islamia was available in the basement area where space was shown for Storage.</p> <p>5. Drawing hall furniture not as per norms</p> <p>6. As per the electricity bill dated 09.04.2023 total power load available is 18.00 KVA. If calculated in KW , $18 \times 0.92 = 16.56$ KW only which is less as per the required power load.</p> <p>7.In Electrician trade — Home Appliances tools are not available. In Fitter Trade — Partial tools are available.</p>		

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण मूलनिदेशालय (Directorship Central of Training
कौशल विकास और उद्यमिता) भारत सरकार
Ministry of Skill Development and Entrepreneurship
भारत सरकार, 14, Floor-14, Govt. of India, New Delhi-12


(Signature)

STATE: Uttar Pradesh

Total – 01, (New-01, Existing-00)

DGT-Aff011/5/2024-O/o DIR (TC)-Part(1)

S. no.	ITI Name and details	Trade / units sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	DGT/SCAA Remarks
I	II	III	IV	V	VI
			<p>And ICVC again Not recommended for affiliation.</p> <p>11th SCAA remarks:</p> <p>The joint re inspection committee has not recommended the ITI application for affiliation due to deficiencies mentioned in column VI.</p> <p>Hence, SCAA suggested that ITI needs to remove the deficiencies within 15 days and inform RDSDE.</p> <p>Thereafter, RDSDE will arrange the joint inspection along-with State Directorate and send the report to DGT(HQ) within 30 days.</p>		


उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशकालय, Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Covt. of India, New Delhi-12


P. Verma