

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Shiv Pratap Private ITI
VILL ACHHAIBAR NAGAR RAJUPUR POST, SAMMANPUR THE
SAIDPUR DIST,
GHAZIPUR, Uttar Pradesh - 233306
MIS CODE : PR09900169

Electrician 3(1+1+1)
Fitter3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. ITI is situated in the campus of Devdhari Sitaram Inter College, Achhaibar Nagar
2. Instructors records not maintained properly
3. Class rooms are taken from adjuacent Inter Colege, no sperate compound
4. Shortage of machinery

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh - 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi - 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

o/c
CR please immediate

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Vivekanand Pvt ITI
Bhavapur, Shivgarh, Soraon,
Vivekanand Pvt ITI, Bhavapur, Shivgarh, Soraon, Allahabad, Uttar
Pradesh - 212502
MIS CODE : PR09900270

Electrician 6(2+2+2)
Fitter6(2+2+2)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Instructors opresent in the class room while attendance not signed. Two instructors are absent, Principal seems to be not full time principal
2. Electriccity bill was paid upto 28.02.2017. Proper ventilation and light fcilities are not available
3. Bench-wise for Electrician/Fitter ttrades are not as per norms and poor quality

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)


Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

o/c
CR please 

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION

Government Of India

Ministry Of Skill Development and Entrepreneurship

Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.

New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Laxmi Prasad Mishra Pvt. ITI
VILL PURNACHHAPAR, POST- BHATANI, ,
DEORIA, Uttar Pradesh - 274701
MIS CODE : PR09900316

Electrician3(1+1+1)
Fitter 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Poor Attendance of Students in Fitter Trade
2. Machinery is shortage in F// Trade

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

o/c
CK please imm
attach

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Smt. Tara Devi Private ITI
Vill & Post- Pakaha, ,
Deoria, Uttar Pradesh - 274404
MIS CODE : PR09002110

Electrician 9(3+3+3)
Fitter 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Five Instructors were absent
2. Shortage of Almirah & Lockers in Electrician workshop. Only one locker and one almirah is available

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.



*ok
CR please issue
[Signature]*

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Bharat Pvt. ITI,
Village-Payyampur, Post-Balipur,
Bareilly, Uttar Pradesh - 243123

MIS CODE : PR09900061

Electrician6(2+2+2)
Fitter 6(2+2+2)
Electronic Mechanic
3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Principal was not present at the time of inspection. Only 5 Instructors are there out of 15 instructors
2. 3 Phase Generator is shortage

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,


(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

dc
CR please in
Affidavit

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Sarju Prasad Pvt. ITI
Jaunpur,
Jaunpur, Uttar Pradesh - 222138
MIS CODE : PU09002061

Electrician 12 (4+4+4)
Fitter 12 (4+4+4)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Only 5 Instructors are found out of 24
2. Lights and Fans not available in Workshop & Class rooms
3. Instructor Table, Chairs and Student lockers not found

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

d/c
CR please in
the hand

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Shail Pvt. ITI
Jati Bazar ,
Allahabad, Uttar Pradesh - 212306
MIS CODE : PR09900275

Electrician 6(2+2+2)
Fitter 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Only three staff and one principal found present out of 14. Instructors for employability and IT not found
2. No electricity supply was found, and paper shows that the name of Shailayodyogik with 10 KW and having different buildings in the same campus
3. No separate dedicated plot for ITI with boundary wall. ITI campus scattered in different places
4. Machinery and equipment and hand tools are kept in one workshop of fitter and electrician, practical work carried out by trainees not found. Machineries are very old

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

ok ck please in

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg,
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Paramapuja Maharaj Ji Private ITI
MUKTAPUR POST-HERDIEPUR, ,
Sant Piyadas Nagar (Bhadohi), Uttar Pradesh - 221320
MIS CODE : PR09000679

Electrician 6(2+2+2)
Fitter 9 (3+3+3)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Certificates of Instructors could not be verified as the same was not provided by ITI

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

dc
CR
Kardam

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Brijesh Memorial Private ITI
Bharwa Sumerpur, ,
Hamirpur, Uttar Pradesh - 210502
MIS CODE : PU09001731

Fitter 6(2+2+2)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Shortage of Instructors
2. Poor Lighting

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

d/c
CR please in

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Sri Hansraj Memorial Pvt. ITI
Village : Khamaria, Tehsil : Milak,
Rampur, Uttar Pradesh - 243701
MIS CODE : PR09900180

Electrician 3(1+1+1)
Fitter 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Only 3 instructors are available against 6 instructors
2. PCs shortage in IT lab and no internet
3. Hansraj ITI & Hansraj degree college situated in same premises

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

dc
c k please see
dist

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

S.L.R. Pvt. ITI
Barhan Atmadpur, ,
Agra, Uttar Pradesh - 283124
MIS CODE : PR09001858

Electrician 9 (3+3+3)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Lot of Vacant is showing in Portal in Electrician trade but they have 09 units, units can be minimised quite substantial space in workshop

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

olc
CR please init
dtk

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Dev Bali Privarte ITI
Village : SAHOPAR BYPASS ROAD BHATNI, ,
Deoria, Uttar Pradesh - 274701
MIS CODE : PR09900256

Electrician 3(1+1+1)
Fitter 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. In electrician workshop three big tanks were kept empty but it has occupaid quite substantial spacve in workshop
2. Shortage of Almirah in Electrician workshop

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

dc
C R please issue
[Handwritten signature]

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Savita Pvt. ITI
Ahmadpur, Kiauli Sadar, ,
Rae Bareilly, Uttar Pradesh - 229001
MIS CODE : PR09000712

Electrician 12(4+4+4)
Fiiter 9(3+3+3)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Practical work not properly maintained
2. License of OS and MS Office was not shown
3. Institute building has no boundary wall
4. Raw materiai Register not maintained properly

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.

2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

3. IT office to upload on NCVT MIS portal.

4. Guard file for de-affiliation.

CR please see

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Lucknow Mission Pvt. ITI
Near Urdu Arabi Farsi University IIM Road, ,
Gazipur, Uttar Pradesh - 226020
MIS CODE : PU09900373

Electrician 3(1+1+1)
Fitter 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Only one instructor is available out of 6
2. Wiring is not good. Lighting facilities not there
3. General Machinery is not properly used. Condition of workshop is poor

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

olc
C K please issue diff

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Rajaram pvt ITI
Vill: Rampur Kakarahi, Post : Daulatpur, Tehsil : Saidpur
Ghazipur, Uttar Pradesh - 233304
MIS CODE : PR09002034

Electrician 12(4+4+4)
Fitter 6(2+2+2)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Electrical Bill is only upto Aug 2016
2. Building Construction Certificate is from Architect
3. Surface plate under Tools was made of marble material which is breakable
4. Lathes kept without foundation, Grinding Machine without pedestal

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh - 226004.

2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi - 110002.

3. IT office to upload on NCVT MIS portal.

4. Guard file for de-affiliation.

dc
C R please 

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

K.D. Singh Pvt. ITI
Will-Gandhapa, Post : Barachawar, Tehsil : Mahammedabad
Ghazipur, Uttar Pradesh - 233301
MIS CODE : PR09000373

Electrician 6(2+2+2)
Fitter 6(2+2+2)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. No attendance register and time table was provided or shown
2. Top roof made from Tin sheet having many holes in it which may damage the machine during the rain
3. Somuch dust was found on working bench in electrical workshop
4. Work benches is fitter workshop made from rough wood having rough surface which is very inconvinient for making job

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.


olc
ck please in
attendant

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

**Vijay Pvt. ITI**
Vill. Baranpur,, Post : Guraini, Tehsil : Jakhania
Ghazipur, Uttar Pradesh - 275205
MIS CODE : PR09900043

Electrician 6(2+2+2)
Fitter 6(2+2+2)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Windows are without doors in open condition always which can damage the equipment due to weather condition
2. Lights are not sufficient

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,




(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

- 
1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
 2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
 3. IT office to upload on NCVT MIS portal.
 4. Guard file for de-affiliation.

dc
CR please see
attch

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Aadishakti Pvt. ITI
Rangpura (Near Tata Motor), Phaphaman, Soraon,
Allahabad, Uttar Pradesh - 211013
MIS CODE : PR09001697

Electrician 3(1+1+1)
Fitter 2(1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Only 2 are there out of 10
2. Only one time paid current bill attached
3. Shortage of size in class room & Principal room
4. Machinery is not used properly. Only 4-5 computers available in IT Lab

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.

2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

3. IT office to upload on NCVT MIS portal.

4. Guard file for de-affiliation.



dc
CR please view
[Handwritten signature]

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Gayatri Devi Private ITI
Rasoulpur Magorra, ,
Mathura, Uttar Pradesh - 281001
MIS CODE : PR09001775

Electrician 12 (4+4+4)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. ITI was closed when Inspection committee was gone with a poster in main gate that ITI was temporarily closed from 6th May 10th May to due to unavoidable tragedy.
2. There was no sign board of ITI on the gate or building which indicate the existence of Gayatri Pvt. ITI however at the corner of the main building, a signboard of a hospital was found

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)
Joint Director of Training
Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

dc
CR please in
affiliation

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Radhya Singh Singraur Pvt. ITI,
Kampur Satwa, ,
Kaushambi, Uttar Pradesh - 211012
MIS CODE : PR09900133

Electrician 3(1+1+1)
Fitter 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Only 2 instructors were present instead of 6 Instructors
2. Machinery is not used properly. Only 4-5 computers available in IT Lab

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

ok
CR please issue
Ankur

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

APS Pvt. ITI
Champatpur, Bagbana,
Allahabad, Uttar Pradesh - 212111
MIS CODE : PR09900074

Electrician 3(1+1+1)
Fitter 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Only 2 instructors were present instead of 7 Instructors. Employability skills and IT instructors are not available
2. Raw material Register not maintained properly

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

o/c
CR please see attached

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Smt. Sirtaji Devi Pvt. ITI
Meerapatti, Post : Utao,
Allahabad, Uttar Pradesh - 221508
MIS CODE : PR09000434

Electrician 6(2+2+2)
Fitter 6(2+2+2)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Only 4 trade instructors were found present out of 17 instructors
2. Two different workshops showed by ITI

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)
Joint Director of Training
Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

dc
ck please

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

JBS Ram Singh Pvt. ITI
Balapur, ,
Allahabad, Uttar Pradesh - 212111
MIS CODE : PR09900191

Electrician 3(1+1+1)
Fitter 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Only 2 trade instructors were found present out of 6 instructors while signature for all instructors are done in register. Principal is on leave but signature is available in register
2. Electricity bills are not produced
3. All machinery is dusted in the workshop as the institute is established in the area where various brucks making production unit are established

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)
Joint Director of Training
Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

ok
CR please 

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Maa Sharda Devi Pvt. ITI
Maskla, ,
Allahabad, Uttar Pradesh - 211010
MIS CODE : PU09001807

Electrician 6(2+2+2)
Fitter 6(2+2+2)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. No instructors were present and sign on the register. Only one lady staff was available for IT classes
2. Electricity bills not paid at all, Electricity department issued notice to the ITI
3. Store room is shown open sky not roof is available. Area of Principal room and Office Room is not as per NCVT Norms
4. Machinery and Equipment are kept in Electrician workshop and all machinery not installed and lying idle. No Machinery & equipment not available in Fitter Trade
5. Only 5-6 computers are there in IT lab instead of 10

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

olc
CR please issue
at hand

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Chambhavi Pvt. ITI
Marupur, Anapur,
Allahabad, Uttar Pradesh - 229411
MIS CODE : PR09900161

Electrician 3(1+1+1)
Fitter 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Out of 6 instructors and one principal, only one persons calims to be principal and manager was present
2. Electrical connection meter in inter college/school of the same management, ITI have no separate cionnection, also meter showing no reading at the time of inspection
3. IT Lab and Library found in Inter college area
4. All machinery is dusted in the workshop as the institute is established in the area where various brucks making production unit are established
5. Only 5-6 computers available in IT Lab

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)
Joint Director of Training
Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh - 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi - 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

dc
CR please in
dkt

By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Shri Radhey Shyam Pvt. ITI
Plot No-100, Sangapuram, Naini, ,
Allahabad, Uttar Pradesh - 211008
MIS CODE : PU09900007

Electrician 3(1+1+1)
Fitter 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Out of 6 instructors no instructor was found. Only one lady staff was available for IT classes. No leave application submitted by management of all absent instructors
2. Electricity bill is not properly paid and Electrivity board issued notice
3. Store room is shown open sky not roof is available.
4. All the Machinery in Electrician and Fitter trades are not installed
5. Only 5-6 computers available in IT Lab

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

olc
CR Please see
[Handwritten signature]



By Speed Post

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 24.07.2017

Name and Address of the ITI

Chhatrapati Shivaji Pvt ITI,
Sahson, ,
Ailabad, Uttar Pradesh - 221507
MIS CODE : PR09002143

Electrician 6(2+2+2)
Fitter 6(2+2+2)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Out of 12 instructors only 6 instructor was present
2. Electricity bill was not paid after March 2016
3. One workshop of Fitter trade is running at Ground floor and all the general machinery and equipment is placed in ground floor, where as second workshop for fitter is running at 2nd floor without machinery which is against NCVT Norms

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,


(M. C. Kardam)

Joint Director of Training
Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

dlc
CK please sign
HBS

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 31/07/17

Name & Address of ITI
Mahalaxmi Pvt. ITI
Rawan Teela, Aligarh,
Uttar Pradesh - 202001

Trades/Units affiliated to NCVT:
Fitter 3(1+1+1)
Electrician 3(1+1+1)
Sewing Technology 3(1+1+1)
Dress Making 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Most of the trade instructors are not CITS trained.

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.


Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh - 226004.

2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi - 110002.

3. IT office to upload on NCVT MIS portal.

4. Guard file for de-affiliation.

ok
CR please issue


DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 31-07-17

Name & Address of ITI

Gurukulam Pvt. ITI,
Bijouli Growth Centre, Lalitpur Road,
Jhansi, Uttar Pradesh- 284003

Trades/Units affiliated to NCVT:

Electrician - 6(2+2+2)
Fitter - 6(2+2+2)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Shiftwise classes as per time table is not being
2. running. Employability classes are not running properly.
3. Benchwise in Fitter and Electrician class has not enough strength for practical work.
4. Performance of Instructors are not adequate. They are not maintaining the list of Practical tradeswise to be carried out by students.
5. Records of stores are not properly maintained.
6. Attendance of Trainees are poor.
7. IT Classes are not being running properly.
8. 1st floor of the Institute above class room verandah are not having fencing for the purpose of safety.

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.

2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

3. IT office to upload on NCVT MIS portal.

4. Guard file for de-affiliation.

ok
CR please in
date

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 31-07-17

Name & Address of ITI
Ideal Pvt ITI,
Rajapur Road Raksha,
Near Govt. Inter college Block Babina,
Jhansi, UP - 284419

Trades/Units affiliated to NCVT:
Electrician - 6(2+2+2)
Fitter - 6(2+2+2)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Shiftwise classes as per time table is not running properly.
2. Records of stores are not properly maintained.
3. Records of raw materials are not properly maintained by Instructors.
4. Attendance of trainees on the day of Inspection was poor.
5. Classes of Employability Skills are not running properly.
6. Engineering drawing class are not running properly.
7. IT classes are not running properly. Trainees are found very poor in the field of computer.
8. Knowledge of Electrician Trade instructors not adequate.

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh - 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi - 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

o/c
CK please 

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg,
New Delhi. Dated : 31-07-17

Name & Address of ITI

Global Pvt. ITI,
Ram Nagar Mazra, Near Deer Park,
Rampur Road, Moradabad,
Uttar Pradesh -244001

Trades/Units affiliated to NCVT:

Electrician 6(2+2+2)
Fitter 6(2+2+2)
Mechanic Diesel 3(1+1)
COPA 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Most of the trade instructors are not CITS trained.

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.

2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

3. IT office to upload on NCVT MIS portal.

4. Guard file for de-affiliation.

olc
CR please issue
chikras

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 31-07-17

Name & Address of ITI

Maa Gayatri Pvt. ITI,
Kazipura Kanth Road,
Dist. Moradabad, 244001 (U.P)

Trades/Units affiliated to NCVT:

Electrician 6(2+2+2)
Fitter 6(2+2+2)
Mechanic Diesel 3(1+1)
Helth Sen Ins 3(1+1+1)
Plumber 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Most of the trade instructors are not CITS trained.

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

d/c
CR please issue


DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 31-07-17

Name & Address of ITI
R.K. Private ITI,
Nanpur, Bilari Moradabad,
Uttar Pradesh - 244411

Trades/Units affiliated to NCVT:
Electrician 12(4+4+4)
Fitter 6(2+2+2)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Most of the trade instructors are not CITS trained.

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh - 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi - 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

o/c
CR please issue
date

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 31-07-17

Name & Address of ITI
Model Private ITI,
Thora, Gautam Buddha Nagar,
Uttar Pradesh - 203155

Trades/Units affiliated to NCVT:
Electrician - 4 (2+2)
Electronics Mechanic - 2(1+1)
Fitter - 4 (2+2)
Health Sanitary Inspector - 1
Sewing Technology - 5 (5+0+0)
Wireman - 2(1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. The institute visited on 22/04/2017 & 05/05/2017 but ITI found locked.

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)


Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh - 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi - 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

olc
CR please issue


DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 31-07-17

Name & Address of ITI
Gyan deep pvt. ITI
Agra Road, Hathras,
Uttar Pradesh - 204101

Trades/Units affiliated to NCVT:
Electrician 6 (2+2+2)
Fitter 6 (2+2+2)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Most of the trade instructors are not CITS trained.

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh - 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi - 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

o/c
CR Please in my
atthor

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.

New Delhi. Dated : 31-07-17

Name & Address of ITI

Baba Sahab Ambedkar pvt. ITI,

Kaithora, painth chauraha,

Hathras junction, distt-Hathras, U.P - 204102

Trades/Units affiliated to NCVT:

Electrician 3 (1+1+1)

Fitter 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Most of the trade instructors are not CITS trained.

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.

2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

3. IT office to upload on NCVT MIS portal.

4. Guard file for de-affiliation.

olc
CR please
info
enter

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.

New Delhi. Dated : 31-07-17

Name & Address of ITI

Saint Umar Pvt. ITI,
107, Saqlainabad colony,
Nagra, Jhansi (U.P.)-284003

Trades/Units affiliated to NCVT:

Electrician - 6(2+2+2)

Fitter - 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Employability Skills classes are not running properly.
2. DG set for electrical W/S is old and not in properly running condition.
3. Subject knowledge of concerned trade instructor are not adequate.
4. Records of trainees are not properly evaluated by the

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To:-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

dc
CR please in

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 31-07-17

Name & Address of ITI
Mahalaxmi Private ITI,
Bawan Teela, Aligarh,
Uttar Pradesh - 202001,

Trades/Units affiliated to NCVT:
Electrician: 3(1+1+1)
Fitter: 3(1+1+1)
Sewing Technology 3(1+1+1)
Dress Making: 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Majority of the trade instructors are not CITS trained.

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh - 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi - 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

olc
CR please in
dthos

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.
New Delhi. Dated : 31-07-17

Name & Address of ITI
Shri R C Kushwah Private ITI,
Gauhana Sasni Hathras,
Uttar Pradesh

Trades/Units affiliated to NCVT:
Electrician 6(2+2+2)
Fitter 6(2+2+2)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Majority of the trade instructors are not CITS trained.

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,


(M. C. Kardam)

Joint Director of Training
Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

o/c
CK please issue

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg.

New Delhi. Dated : 31-07-17

Name & Address of ITI

Bharat Pvt. ITI,

Village Tayyampur, Post-Balipur,

Dist - Bareilly, Uttar Pradesh-243123

Trades/Units affiliated to NCVT:

Electrician 6(2+2+2)

Fitter 6(2+2+2)

Electronic Mechanic 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. Principal was not present at the time of inspection.
2. Only five instructors were present.
3. Engineering drawing lab was not available.
4. Attendance register of trainees found not under signed.
5. 3 Phase generator not found.
6. staff salary were

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,

(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy to :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh - 226004.

2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi - 110002.

3. IT office to upload on NCVT MIS portal.

4. Guard file for de-affiliation.

o/c CR please in
attach

DGT-Aff011(49)/13/2017-TC SECTION
Government Of India
Ministry Of Skill Development and Entrepreneurship
Directorate General Of Training

Shram Shakti Bhawan, Rafi Marg,
New Delhi. Dated : 31-07-17

Name & Address of ITI
Sri Hansraj Memorial Pvt. ITI,
Vill. Khamaria teh. milak
distt. Rampur, Uttar Pradesh -243701

Trades/Units affiliated to NCVT:
Electrician 3(1+1+1)
Fitter 3(1+1+1)

SHOW CAUSE NOTICE

Sir/Madam,

Joint Inspection Team has inspected your institute and have made following observations:-

1. No engineering Drawing arrangment found.
2. IT lab is having shortage of PC & internet.
3. All payment are being made by cash only.
4. No cash book of institute is available.
5. Only 3 instructor were found.
6. Attendance register/job marking/cross chart etc. are not available

In view of the above, you are requested to offer the comments / clarify as the above observation with supporting documents for further necessary action at this end. The reply must reach this office within 15 days from the receipt of this letter. You are also requested kindly send the copies of affiliation order issued in the name of your Institute from this Directorate in respect of all the trades and units affiliated to NCVT.

Yours faithfully,



(M. C. Kardam)

Joint Director of Training

Email: mc.kardam@nic.in

Note - This notice does not invalidate any other previous notice(s) served upon you.

Copy To :-

1. The Director, Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004.
2. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.
3. IT office to upload on NCVT MIS portal.
4. Guard file for de-affiliation.

o/c

CR please in
dhr