

DGT-Aff011/5/2025-O/o DIR (TC)

Government of India/भारत सरकार

Ministry of Skill Development and Entrepreneurship/कौशल विकास और उद्यमशीलता मंत्रालय

Directorate General of Training/प्रशिक्षण महानिदेशालय

Kaushal Bhawan, New Moti Bagh
Chanakyapuri, New Delhi- 110023

Date:05.06.2025

To

1. The State Directors

Bihar, Chhattisgarh, Goa, Gujarat, Haryana, Jammu & Kashmir, Jharkhand, Karnataka, Madhya Pradesh, Maharashtra, Rajasthan, Telangana, Uttar Pradesh, West Bengal

2. The Regional Directors, RDSDEs

Bihar, Chhattisgarh, Goa, Gujarat, Haryana, Jammu & Kashmir, Jharkhand, Karnataka, Madhya Pradesh, Maharashtra, Rajasthan, Telangana, Uttar Pradesh, West Bengal

Subject: Minutes of the 21st Meeting of the Standing Committee on Accreditation and Affiliation (SCAA) held on 28.04.2025 - regarding.

Madam/Sir,

Please find enclosed approved Minutes of 21st Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" dated 28.04.2025. However, implementation orders agenda item wise will be issued in due course of time.

Further, compliance reports, if any, have to be submitted through the NIMI compliance module only as per OM DGT-11014/2/2023-TC SECTION dated 26.06.2023 within the stipulated time limit as per the SCAA remarks.

Any grievances regarding the decisions outlined in this minute may be raised through the portal within 30 days from the date of issue of this minute. Grievances submitted after this period will not be considered.

This issues with the approval of Competent Authority.

Yours faithfully,

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक - टीसी
प्रशिक्षण महानिदेशालय
कौशल विकास और उद्यमशीलता मंत्रालय
भारत सरकार, नई दिल्ली-12
Ministry of Skill Development and Entrepreneurship
Govt. of India, New Delhi-12

(Ujjwal Biswas/ उज्ज्वल बिस्वास)
Director - TC/ निदेशक - टीसी

Copy to:

1. Sr PPS to DG/AS, DGT, Delhi
2. PPS to DDG (HQ), PPS to DDG (South), PPS to DDG (East).
3. DGT MIS Portal in charge, DGT HQ, New Delhi, with a request to upload MoM on DGT MIS Portal.

पूजा वर्मा, आईएलडीएस/Pooja Verma, ISDS
उप निदेशक/Deputy Director
टी सी (संबद्धता) अनुभाग/TC Section
भारत सरकार/Govt. of India
प्रशिक्षण महानिदेशालय Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship

(Pooja Verma/ पूजा वर्मा)
Deputy Director -TC/ टीसी -उप निदेशक

DGT-Aff011/5/2025-O/o DIR (TC)

Government of India/भारत सरकार

Ministry of Skill Development and Entrepreneurship/कौशल विकास और उद्यमशीलता मंत्रालय

Directorate General of Training/ प्रशिक्षण महानिदेशालय

Kaushal Bhawan, New Moti Bagh, Chanakyapuri, New Delhi- 110023/ कौशल भवन, न्यू मोती बाग, चाणक्यपुरी, नई दिल्ली- 110023

Minutes of 21st Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" dated 28.04.2025

The following DGT Officers were present during the meeting:

1. Sh. Ishwar Singh, Deputy Director General
2. Sh. Ujjwal Biswas, Director, TC, DGT – Member
3. Sh. Raju Kannam, Deputy Director, TC-Section, DGT
4. Sh. Shramev Sharma, Deputy Director, TC Section, DGT
5. Sh. Rajesh Kumar, Deputy Director, TC-Section, DGT
6. Ms. Pooja Verma, Deputy Director, TC-Section, DGT
7. Ms. Kanika Kalhan, Training Officer, TC-Section DGT
8. Ms. Babita Prasad, Training Officer, TC-Section DGT

The following officers from RDSDEs and State Directorate attended the meeting (through VC):

Sr. No.	State	Name of RDSDE Officials	Name of State Officials
1.	Bihar	Shri R C Mandal, Joint Director Shri Abhishek Kumar, Deputy Director	Shri Rakesh Ranjan, Joint Director Shri Rajiv Jha, Assistant Director
2.	Chhattisgarh	Shri G.C. Deka, Director (incharge)/HoD	Shri Akeshwar Patil, Section Officer
3.	Goa	Shri C.S Murthi, Regional Director	Shri S. S. Gaonkar, Director, SD&E, Goa Smt Sheetal Desai, Assistant Director
4.	Gujarat	Shri Ketan P. Patel, Director	Mrs. Shilpa Parmar, Assistant Director
5.	Haryana	Smt Swati Sethi, Regional Director	Shri Manoj Saini, Assistant Director

(Ru)

उज्जवल बिस्वास / UJJWAL BISWAS
प्रशिक्षण महानिदेशालय
कौशल विकास और उद्यमशीलता मंत्रालय
भारत सरकार, नई दिल्ली-12/Govt of India, New Delhi-12

6.	Jammu Kashmir	Shri Valluru Babu, Director	Ms. Anisa Pervez, Deputy Director
7.	Jharkhand	Shri P. K. Madavi, Deputy Director	Shri Devendra Prasad, Deputy Director
8.	Karnataka	Ms. Meghana, Assistant Director	Shri Umesh Rao, Assistant Director
9.	Madhya Pradesh	Shri P. Marveldoss, Joint Director Shri Sumant Kumar, Assistant Director	Shri D S Thakur, Joint Director Shri Austin, Controller of Examination
10.	Maharashtra	Shri C.S Murthi, Regional Director Sh. Abhay Mahishi, Joint Director	Shri Prashant Dongre, Assistant Director
11.	Rajasthan	Shri S.S. Naik, Regional Director	Shri Shailender Kumar Verma, Assistant Director
12.	Telangana	Shri. K.S. Rao, Regional Director Shri Sathish Reddy, Training Officer	Shri Nagesh, Joint Director
13.	Uttar Pradesh	Shri Ravi Chilukoti, Regional Director Shri Shubham Shankar, Assistant Director	Shri Rajendra Prasad, Additional Director Shri Ranjit Rao, Assistant Director
14.	West Bengal	Shri Ashim Roy, Deputy Director	Shri NC Mondal, Additional Director Shri Shankha Mishra, Deputy Director Shri Prasanjit Bose, Assistant Director

At the outset, Shri Ishwar Singh, DDG, DGT Chairperson of SCAA, welcomed all the committee members and participants. Thereafter, Shri Ujjwal Biswas, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations, and agenda-wise decisions taken by the Chair, are placed below

(1)


 उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक, प्रशिक्षण मंत्रालय
 प्रशिक्षण मंत्रालय, भारत सरकार, नई दिल्ली-110012
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012

Agenda 1: Action taken report of 20th SCAA meeting held on 24.02.2025

Minutes and affiliation orders of the 20th Standing Committee on Accreditation and Affiliation (SCAA) meeting held on 24.02.2025 have been issued and uploaded on the NCVT MIS Portal. The same has been communicated to all members and ratified by the committee.

Agenda 2: 19 New Accreditation/ Affiliation Proposals for Existing and New ITIs from 07 States.

Inspection reports of 19 new / existing ITIs have been received on NIMI portal for opening of new ITIs/ trade & units' addition from 13.02.2025 to 04.04.2025. State-wise number is given below:

Table 1: State-wise number of inspection reports received from 13.02.2025 to 04.04.2025

Sr. No..	State	Existing		Existing Total	New		New Total	Grand Total
		Govt	Private		Govt.	Private		
1.	Chhattisgarh	1	0	1	0	0	0	1
2.	Goa	1	0	1	0	0	0	1
3.	Gujarat	0	2	2	0	0	0	2
4.	Madhya Pradesh	0	1	1	0	0	0	1
5.	Maharashtra	0	1	1	0	0	0	1
6.	Uttar Pradesh	0	10	10	0	1	1	11
7.	West Bengal	0	1	1	0	1	1	2
Grand Total		2	15	17	0	2	2	19

21st SCAA Remarks: Inspection reports for above mentioned 19 ITIs have been scrutinized and discussed in the meeting. The remarks by SCAA for each case are given in *Annexure-1*

Agenda 3: Compliance cases of previous SCAA meetings

Compliance reports of previous SCAA meetings have been received from 46 applicant ITIs. Complete details are given in *Annexure-2*. State wise number is given below:


उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक, NCVT, National Council of Training
कौशल विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110 012 / Govt. of India, New Delhi-12

Sr. No.	State	Number of Compliance Case
1	Bihar	5
2	Gujarat	3
3	Jharkhand	2
4	Karnataka	4
5	Madhya Pradesh	5
6	Maharashtra	13
7	Telangana	2
8	Uttar Pradesh	7
9	West Bengal	5
Grand Total		46

Agenda 4: Affiliation proposals received from SSDEC Jammu & Kashmir for conversion of SCVT to NCVET for 03 Govt ITIs

SSDEC Jammu & Kashmir, sent a proposal for SCVT to NCVET conversion of trades/units in 03 Govt ITIs, vide its meeting dated 10.04.2025. The proposals for Govt. ITI Tangdar and Govt. ITI Gurez were found to be in compliance with the prescribed affiliation norms. However, in the case of Govt. ITI Paddar, the proposal included only three units for conversion from SCVT to NCVET. As per the norms applicable to hilly areas, a minimum of two trades and four units is required for establishing an NCVET-affiliated ITI.

In this context, the State Director, vide letter dated 30.04.2025, highlighted that Govt. ITI Paddar is situated in one of the most remote regions of Jammu & Kashmir. Considering its challenging geographical location and limited accessibility, the affiliation of this ITI is essential. It is also stated that 27 kanals of land have already been acquired for the construction of a permanent campus for this ITI. The State also plans to introduce new futuristic courses aligned with industry demand in the near future. Therefore, it has requested the release of affiliation to Government ITI Paddar for the three trades.


 उज्जवल बिस्वास/UJJWAL BISWAS
 निदेशक, प्रशिक्षण
 प्रशिक्षण महानिदेशक, कौशल विकास, नौकरशहरीकरण और उद्यमिता
 कौशल विकास, नौकरशहरीकरण और उद्यमिता
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

21st SCAA Remarks:

The SCAA considered the request of the State Director, taking into account the difficult geographical conditions of the region and need of skill training in such area. The Committee recommended the conversion from SCVT to NCVET for all three Government ITIs as proposed by SSDEC. Details of these ITIs and SCAA remarks are given below:

Sr. No.	ITI Name and complete address	Shift wise trade and units now sought for affiliation by ITI	Shift wise trade and units recommended by SSDEC Committee	Remarks of 21st SCAA
1.	Govt ITI Tangdar, Tehsil: Karnah Dist.:Kupwara Kashmir, 193225 New ITI	1. Computer Operator and Programming Assistant (1+0+0) 2. Sewing Technology (1+0+0) 3. Plumber (1+0+0) 4. Mason (Building Instructor) (1+0+0)	1. Computer Operator and Programming Assistant (1+0+0) 2. Sewing Technology - (1+0+0) 3. Plumber (1+0+0) 4. Mason (Building Instructor) (1+0+0)	Recommended
2.	Govt. ITI Gurez District Bandipora, 193503 New ITI	1. Computer Operator and Programming Assistant (1+0+0) 2. Sewing Technology (1+0+0) 3. Plumber (1+0+0) 4. Stenographer Secretarial Assistant (English) (1+0+0) 5. Draughtsman Civil (1+0+0)	1. Computer Operator and Programming Assistant (1+0+0) 2. Sewing Technology (1+0+0) 3. Plumber (1+0+0) 4. Stenographer Secretarial Assistant (English) (1+0+0) 5. Draughtsman Civil (1+0+0)	Recommended

उज्ज्वल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक / Director General of Training
कौशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110 012 / Govt. of India, New Delhi-12

Sr. No.	ITI Name and complete address	Shift wise trade and units now sought for affiliation by ITI	Shift wise trade and units recommended by SSDEC Committee	Remarks of 21st SCAA
3.	Govt ITI Paddar, Gulabgarh District 182204 J&K New ITI	1. Computer Operator and Programming Assistant (1+0+0) 2. Sewing Technology (1+0+0) 3. Plumber (1+0+0)	1. Computer Operator and Programming Assistant (1+0+0) 2. Sewing Technology (1+0+0) 3. Plumber (1+0+0)	Recommended

Agenda 5 Matters related to De-affiliation of ITIs:

5.1. Proposal for de-affiliation of 24 ITIs have been received from State Directorate of Madhya Pradesh, with SSDEC recommendations, details are attached at *Annexure-3*.

5.2. Proposal for de-affiliation of 18 ITIs have been received from State Directorate of Bihar, with SSDEC recommendations, details are attached at *Annexure-4*.

Agenda 6: Miscellaneous

6.1 DST proposal for Govt ITI Kalka Bitna Haryana (GU06000081)

State Directorate Haryana vide its letter dated 21.02.2025 has submitted a request for updating the name of the industry under the DST MoU for Govt ITI Bitna Haryana. The State Directorate has informed that MOU signed under DST for Govt ITI Bitna Haryana (GU06000081), Welder trade with industry *Panchkula Steel, Panchkula*, has been cancelled for certain reasons. In its place, *M/s Sukata Tractor Parts (P) Ltd., Panchkula* is now willing to provide practical training to the trainees of the Welder trade of ITI Kalka at Bitna under the DST. An MoU has been signed between the institute and the said establishment.

State has requested to provide approval for DST with industry *M/s Sukata Tractor Parts (P) Ltd., Panchkula* for Govt ITI Bitna Haryana (GU06000081), Welder on the NCVT MIS/SIDH Portal from session 2024-25.



उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
शिक्षण महविभाग / Director of Training
कौशल विकास और रोजगार सहायता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

21st SCAA Remarks:

The SCAA has accepted the request submitted by the State Directorate as per the details provided below.

Sr. No..	Name of the ITI	MIS Code	Name of the industry	Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Type of DST affiliation	21 st SCAA remarks
1	Govt. ITI Kalka	GU06000081	Sukata Tractor Parts (P) Ltd.	Plot No. 211, Industrial Area, Phase-1, Panchkula, Haryana	13.02.2025	12.02.2027	Welder	1st	1	Conversion of already affiliated unit	Recommended from session 2024-25

6.2 Relaxation for Zero Admission Units Lying Vacant for Two Consecutive Years (Based on SSDEC Rajasthan Proposal)

SSDEC Rajasthan has submitted a proposal for the activation of units in 07 private ITIs, that were discontinued due to zero admissions for two consecutive years, as per O.M. dated 10.11.2022. The proposal was discussed in the meeting.

उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक, प्रशिक्षण
 कौशल विकास विभाग
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

21st SCAA Remarks:

The remarks of the SCAA for each case are as given below:

Sr. No	MIS Code	ITI Name	District	Recommendations of SSDEC	Recommendations of SCAA	Not considered by SCAA
I.	II.	III.	IV.	V.	VI.	VII.
1	PR08000740	Technonotime Pvt. ITI, Chak SPM, Anupgarh (Sri Ganganagar)	Anupgarh	Recommended Electrician- Shift2/Unit1 Electrician -Shift2/Unit2 Electrician- Shift3/Unit1 Electrician-Shift3/Unit2	Recommended Electrician- Shift2/Unit1 Electrician -Shift2/Unit2 Electrician- Shift3/Unit1 Electrician-Shift3/Unit2	--
2	PR08001111	Mata Kitab Kaur Pvt ITI, Hanumangarh Ju	Hanumangarh	Recommended Electrician- Shift3/Unit2 Electrician- Shift3/Unit3 Electrician- Shift3/Unit4 (Not available) Fitter - Shift3/Unit1 (De-affiliated 17.01.2025)	Recommended Electrician- Shift3/Unit2 Electrician- Shift3/Unit3	Following ITSUs are not considered: Electrician- Shift3/Unit4 (Not affiliated as per portal) Fitter - Shift3/Unit1 (De-affiliated on 17.01.2025)
3	PR08001422	Dev Pvt. ITI, Chaksu (Jaipur)	Jaipur	Not Recommended Electrician-Shift2/Unit2 Electrician-Shift2/Unit4	Not Considered	Following ITSUs are not considered: 1. Electrician-Shift2/Unit2 2. Electrician-Shift2/Unit4 As SSDEC has not recommended

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक, प्रशिक्षण विभाग, मंत्रालय
प्रशिक्षण विभाग, मंत्रालय
Ministry of Skill Development & Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

4	PR08000472	Bhagwan Mahaveer Pvt. ITI, Jatwara, Sawai Madhopur	Sawai Madhopur	Recommended Electrician- Shift1/Unit5 Electrician- Shift1/Unit6 Electrician- Shift2/Unit5	Recommended Electrician- Shift1/Unit5 Electrician- Shift1/Unit6 Electrician- Shift2/Unit5	--
5	PU08000310	CKRD Pvt ITI, Jhunjhun	Jhunjhunu	Recommended Electrician- Shift1/Unit4 (Not available) Electrician -Shift2/Unit4 (Not available) Refrigeration & Air Conditioning Technician -Shift2/Unit1 (De-affiliated on 17.01.2025) Electronics Mechanic -Shift1/Unit1 Mechanic Diesel-Shift1/Unit1 Computer Operator and Programming Assistant - Shift1/Unit1 Not Recommended Electrician- Shift3/Unit1 Electrician -Shift3/Unit2 Electrician- Shift3/Unit3 Electrician-Shift3/Unit4 Mechanic Diesel-Shift3/Unit1	Recommended Electronics Mechanic -Shift1/Unit1 Mechanic Diesel-Shift1/Unit1 Computer Operator and Programming Assistant - Shift1/Unit1	Following ITSUs are not considered: 1. Electrician- Shift1/Unit4 (Not affiliated as per portal) 2. Electrician -Shift2/Unit4 (Not affiliated as per portal) 3. Refrigeration & Air Conditioning Technician -Shift2/Unit1 (De-affiliated on 17.01.2025) 4. Electrician- Shift3/Unit1 Electrician -Shift3/Unit2 Electrician- Shift3/Unit3 Electrician-Shift3/Unit4 Mechanic Diesel-Shift3/Unit1 (As SSDEC has not recommended)

उज्जवल विस्वास
निदेशक
प्रशिक्षण महानिदेशक
कौशल विकास
Ministry of Skill Development and Training
आवास संख्या, नई दिल्ली-110001, New Delhi-12

6	PR08000306	Shri Heera Lal Yogi Pvt ITI, Walera (Jalore)	Jalore	Recommended Electrician- Shift3/Unit4 (Not available)	Not Considered	Following ITSUs not considered: Electrician- Shift3/Unit4 (Not affiliated as per portal)
7	PU08001499	Balaji Pvt ITI, Gopalgarrh, Bharatpur	Bharatpur	Not Recommended Electrician- Shift1/Unit1 Electrician- Shift2/Unit1 Electrician- Shift3/Unit1	Not Considered	SSDEC has not recommended Electrician- Shift1/Unit1 Electrician- Shift2/Unit1 Electrician- Shift3/Unit1


उज्जवल बिस्वास **ANIL BISWAS**
 Director General of Training
 प्रशिक्षण महाविभाग
 कौशल विकास और रोजगार सहायता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 Govt. of India, New Delhi-12



Annexure-1

(Annexure-1 as referred in Agenda 2: 17 New Accreditation/ Affiliation Proposals for Existing and New ITIs from 07 States)

Name of the State: Chhattisgarh

Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
1.	Government Industrial Training Institute, Kharsia, Distt-Raigarh Kharsia Raigad- 496661-Chhattisgarh MIS Code: GR22000041 Grading: 8.10	Mechanic Diesel - 2(1+1)	1. Monthly electricity consumption for existing trades is low. Power back up not available. 2. The tools, equipment and machinery have been bought in between years 2012 to 2024. 3. Shortage of one instructor in welder trade. Two instructors without NCIC. Instructor for Diesel Mechanic not appointed yet. 4. Biometric attendance not available.	The NCVT member noted that the IT lab and drawing hall were not available; however, the SCVT member and the institute representative uploaded photographs indicating its presence	The senior officers from the State Directorate, Chhattisgarh, were not present during the meeting. As a result, the affiliation matter under consideration could not be discussed and has been deferred for deliberation in the next SCAA meeting. An officer from the State Directorate, at the level of Joint Director or above, must ensure their presence in the upcoming SCAA meeting.

Annexure-1

Page 12 of 214

उज्ज्वल बिस्वास
निदेशक
परिक्षण महानिदेशक
कौशल विकास
Ministry of Skill Development and Entrepreneurship
आवास संस्कार, नई दिल्ली-12, Govt. of India, New Delhi-12

Sr. No.	ITI name	Trade / units sought affiliation for	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
			<p>5. The following machinery items of the Mechanic Diesel trade are not in working condition: Sl. No. 184, 185, 187, 190, 191, 192, 193, 195, 196, 203, and 204. Additionally, items with Sl. No. 190 and 205 are not available.</p> <p>6. Cracks in building need immediate repair.</p> <p>7. ITI may be granted affiliation subject to declaration by State Directorate Chhattisgarh to remove the indicated deficiencies before admitting trainees.</p>		



Name of the State: Goa

Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of 21st SCAA
I	II	III	IV	V
1.	Bicholim Government Industrial Training Institute Valshi, Bicholim, Goa North Goa - 403504 MIS Code: GR30000012 Grading: 8.30	1. Plumber - 2(1+1) 2. Solar Technician (Electrical) - 1(1+0) 3. Welder - 1(1+0)	1. Plumber - 2(1+1) 2. Solar Technician (Electrical) - 1(1+0) 3. Welder - 1(1+0)	SCAA recommended following trades: 1. Plumber - 2(1+1) 2. Solar Technician (Electrical) - 1(1+0) 3. Welder - 1(1+0)

उज्जवल बिस्वास
निदेशक
परिक्षण समिति
कोशल विकास
Ministry of Skill Development and Entrepreneurship
आवक संख्या: 12/2019
Govt. of India, New Delhi-12

08

Name of the State: Gujarat

Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
1.	Pramukh Swami Vocational Training Centre, Dharampur Valsad Dharampur.Near Baps Swaminarayan Temple,Nasik Byapa MIS Code: PR24008196 Grading: 7.90	1. Electrician - 1(0+0+1) 2. Wireman - 1(0+0+1) 3. Fitter - 1(0+0+1) 4. Housekeeper - 2(1+1+0) 5. Food and Beverage Service Assistant - 2(1+1+0)	MoU available for Electrician (0+0+1), Wireman (0+0+1) and Fitter (0+0+1) trades for affiliation in DST mode. 1)Electrician (0+0+1), Wireman (0+0+1) and Fitter (0+0+1) trades are recommended for affiliation. 2) House keeper (1+1+0) and Food and Beverage Service Assistant (1+1+0) trades are recommended.	1. Fire safety certificate not available 2. The ICVC has mentioned that the DST MoU is available; however, the same has not been provided in the inspection report.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through Compliance module on NIMI affiliation portal. 1. Fire safety certificate not available Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module. 2. For DST affiliation, the ITI may sign the DST MOU with industries as per DST Guidelines and submit to State Directorate. Thereafter

Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
					State Directorate will have to send the recommendation to DGT through SSDEC.
2.	Samarth Seva Sansthan Pvt ITI, Sabar Kantha MIS Code: PR24008173 Grading: 5.10	1. Sewing Technology- 2(1+1) 2. Wireman - 2(1+1)	NCVT member not recommended: The ITI is functioning in two side-by-side commercial complexes, occupying only the third floor of each building, without a dedicated land and plot size as required by NCVT civil norms. SCVT: recommended Wireman (1+1+0) Sewing Technology (1+1+0) Recommendation for affiliation both trade	Contradictory remarks of both the members and following deficiency also found in the institute. 1. Power shortage Available = 23 KW Required = 24.5 KW 2. BCC is issued by Private engineer	ITI needs to remove the following deficiencies as given in column IV and V and submit the documents through Compliance module on NIMI affiliation portal within 30 days from date of issue of these minutes. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendations within the next 15 days.

Py

उज्जवल बिस्वास / UJJWAL BISWAS
निर्देशक, प्रशिक्षण
प्रशिक्षण मन्त्रालय
कौशल विकास
Ministry of Skill Development & Entrepreneurship
कक्षा संख्या, बंगलूरु-1 2, Govt. of India, New Delhi-110002

Name of the State: Madhya Pradesh

Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
1.	Vishwakarma Niji Audyogik Prashikshan Sansthan - house no. 883, Benisagar Panna- 488001 MIS Code: PU23000789 Grading: 7.00	1. Electrician - 2(1+1) 2. Solar Technician (Electrical) - 1(1+0) 3. IoT Technician (Smart Health Care)- 1(1+0)	1. Dead stock register Raw Material register not properly maintained. 2. Staff and student attendance not available 3. Machinery not properly installed 4. Machinery not installed in solar Technician & IOT 5. Student record not authenticated and not properly maintained 6. Principal room (9.4503 sqm) and staff room (12.3728 sqm) not as per norms 7. Fire safety certificate from competent	1. Power shortage Available = 15.5 KW Required= 20.36 KW 2. Only 4 out of 8 computers are working. Specifications of these computers are not as per norms and It is set up in the basement. 3. Approval of govt engineer or Competent authority is not available on BCC.	ITI needs to remove the following deficiencies as given in column IV and V and submit the documents through compliance module on NIMI affiliation portal within 30 days from date of issue of these minutes. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendation within the next 15 days.

Sr. No.	ITI name	Trade / units sought affiliation for	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
			<p>authority is not available.</p> <p>8. Some portion of the building plan is not being used for ITI.</p> <p>9. In Electrician new units not recommended as 66% of equipment and shop machinery are not as per specifications/norms.</p> <p>10. Solar Technician (Electrical) (New)- All units not recommended as Machinery, equipment and tools not installed.</p> <p>11. Staff not as per norms.</p> <p>12. IoT Technician (Smart Health Care) (New) - all not recommended</p>	4. Some portion of the building plan is not being used for ITI.	

Sr. No.	ITI name	Trade / units sought / for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
			<p>Tool & Equipment not installed. Staff not as per norms</p> <p>13. Not recommended for addition of units in Electrician and for addition of trades Solar Technician (Electrician) & IOT Technician (Smart HealthCare)</p> <p>14. Name of the Institute as per NCVT MIS portal is: "Vishwakarma Niji Audyogik Prashikshan Sansthan", but the name "Vishwakarma Private ITI" or "Vishwakarma Pvt ITI" is mentioned in the documents provided by ITI.</p>		

Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
			15. Instructors do not possess NCIC and Required experience as per technical qualifications. 2. BSC graduates have been appointed for WSC and ED.		

उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक, प्रशिक्षण, मंत्रालय, भारत सरकार
 Director, Training, Ministry of Skill Development and Entrepreneurship, Government of India
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110002, New Delhi-110002

Name of the State: Maharashtra

Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
1.	Hindi Seva Mandalache, Shri Sant Gadge Baba Private Industrial Training Institute, Bhusawal. - D.L.Hindi High School Campus, Shivaji Nagar, Bhusawal. Dist.Jalgaon Jalgaon- 425201 MIS Code: PR27000521 Grading: 6.90	1. Refrigeration and Air Conditioning Technician - 2(1+1) 2. Solar Technician (Electrical) - 1(0+1)	Recommended 1. Refrigeration and Air Conditioning Technician - 2(1+1) 2. Solar Technician (Electrical) - 1(0+1)	No adverse deficiency mentioned by ICVC.	SCAA recommended the following trades: 1. Refrigeration and Air Conditioning Technician - 2(1+1) 2. Solar Technician (Electrical) - 1(0+1)

(D)

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक, प्रशिक्षण
राज्य माध्यमिक शिक्षा बोर्ड
कौशल विकास, प्रशिक्षण और नौकरियाँ
Ministry of Skill Development and Entrepreneurship
आवास संख्या, 44/दिल्ली-12/Govt. of India, New Delhi-12

Name of the State: Uttar Pradesh

Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Verification Committee (ICVC) remarks	Cum Committee	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV		V	VI
1.	Pt Kubernath Janaki Devi Private Iti Vill & Post-Hatimpur, Near Indian Oil Petrol Pump, Deoria Road-274206 MIS Code: PU09900881 Grading: 8.10	1. Electrician - 8(4+4) 2. Physiotherapy Technician - 2(1+1) 3. Computer Operator and Programming Assistant (COPA) - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1)	1. Area is as per norms for Electrician, Fitter, COPA & Solar Technician trades. The lab, classroom for Physiotherapy Technician trade is not available. G+1 ITI building is available and is as per norms. 2. Recommended Electrician - 8(4+4) Computer Operator and Programming Assistant (COPA) - 2(1+1) Solar Technician (Electrical) - 2(1+1) 3. Not recommended: Physiotherapy Technician - 2(1+1) Tools, machineries, classroom, workshop		1. Available power 36 KVA = $36 \times 0.9 = 32.4$ KW If Physiotherapy Technician is not considered for affiliation then the power is sufficient required 31.12 KW 2. Area of drawing Hall is not as per norms Required=62.5 sqm Available= 50.20 sqm 3. Area of IT lab is not as per norms Available 36.74 sqm Required 50 sqm	1. SCAA not recommended Physiotherapy Technician - 2(1+1) due to non-availability workshop, classroom, machineries and Tools. 2. For remaining trades, ITI needs to remove the following deficiencies as given in column V submit the documents through Compliance module on NIMI affiliation portal within 30 days from date of issue of these minutes. Thereafter, State Directorate will verify the deficiency removal and submit the report

Annexure-1

Page 22 of 214

उज्जवल बिस्वास/UJJWAL BISWAS

निदेशक, प्रशिक्षण
प्रशिक्षण महानिदेशक, राष्ट्रीय प्रशिक्षण परिषद
कोशल विभाग, नई दिल्ली-110002
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002, Govt. of India, New Delhi-110002

Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
			not available for this trade.		with recommendation to DGT within the next 15 days on the online compliance module.
2.	VN Private ITI - Vill- Puremadhavram Post-Pahadpur Pratapgarh - 230140 MIS Code: PR09002133 Grading: 8.10	Electrician - 12(4+4+4)	Recommended Electrician 8(4+4)	No adverse deficiency mentioned by ICVC	SCAA recommended following trade: Electrician - 08(4+4)
3.	Karan Singh Private Industrial Training Institute, Bulandshahr Khasra No 524, Village Banhpur, Bulandshahr (District) - 203402 Uttar Pradesh TMP9134PR1581340370 New ITI	1. Electrician - 12(4+4+4) 2. Fitter - 6(2+2+2) 3. Computer Operator and Programming Assistant (COPA) - 3(1+1+1)	Recommended for 1. Electrician - 8(4+4) 2. Fitter - 4(2+2) 3. Computer Operator and Programming Assistant (COPA) - 2(1+1) 4. Cutting & Sewing (VI & OD) - 2(1+1)	Cutting & Sewing (VI & OD) is trade for the divyang	The applicant institute has applied for the Cutting & Sewing (VI & OD) trade, which is specifically intended for differently-abled (Divyang) trainees. Therefore it indeed intends to offer this particular trade, which is

Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
		4. Cutting & Sewing (VI & OD) - 3(1+1+1)			exclusively meant for Divyang trainees. This clarification must be submitted within 15 days from the date of issue of these minutes to the concerned State Directorate. Subsequently, the State Directorate shall verify the submitted documents and submit compliance report to DGT through the online compliance module within the next 15 days.
4.	Ingraham Industrial Training Institute Ghaziabad - Ghaziabad Ingraham Institute Hapur Road Ghaziabad - 201002	Refrigeration and Air Conditioning Technician - 2(1+1)	Recommended for affiliation Refrigeration and Air Conditioning Technician (1+1+0)	No adverse deficiency mentioned by ICVC	SCAA recommended the following trade: Refrigeration and Air Conditioning Technician - 2(1+1)

Sr. No.	ITI name	Trade / units sought affiliation for	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
	MIS Code: PR09000804 Grading: 7.80				
5.	Mansha Rai Private ITI - Ghazipur Vill Dhondhadih Distt Ghazipur - 223301 MIS Code: PR09001383 Grading: 8.30	1. Fitter - 1(0+0+1) 2. Electrician - 10(3+3+4)	Recommended Existing trade Electrician-02(1+1), Fitter-02(1+1) and additional Electrician-06(3+3), Fitter 3rd shift unit Not recommended	No adverse deficiency mentioned by ICVC	SCAA recommended the following trade: 1. Electrician-06(3+3) additional The request for new affiliation in the 3rd shift for the Fitter trade is not recommended, as per the norms, new affiliations in the 3rd shift are only permitted under the Dual System of Training (DST) mode. For DST affiliation, the institute may sign the DST MOU with industry as per DST Guidelines and submit to State Directorate. State



Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
					Directorate to forward the recommendation through SSDEC.
6.	Kamla I.T.I., Vill-Bhatiyana, Distt- Hapur - Hapur Vill+Post Bhatiyana Hapur-245101 Hapur MIS Code: PR09001635 Grading: 5.80	1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Sewing Technology - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1) 5. Computer Operator and Programming Assistant (COPA) - 2(1+1)	The institute has informed to withdraw application for fitter trade (new) (2+2) and solar technician (new) (1+1) and also informed to surrender existing welder trade (1+1) in this regard ITI has already sent a letter to State directorate The committee has recommended the following trades for affiliation: - Electrician (New) 2+2, Solar Technician (New) 1+1 and COPA (New) 1+1	1. As per the recommended trades, the required electrical load is 41.92 KW, which is found to be sufficient. 2. It is observed that the ICVC has mentioned the surrender of the Solar Technician trade; however, the same trade has been recommended. Additionally, the Sewing Technology trade has been marked as <i>Not Recommended</i> in the inspection report.	SCAA observed that the ICVC report mentions that the Solar Technician trade has been surrendered by the institute; however, the same trade is shown as recommended. Accordingly, ICVC is required to submit a written clarification regarding the trades/units recommended within 15 days from the date of issue of these minutes through RDSDE on compliance portal.

Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
7.	Balaji Private ITI, Tanakpur Road Saidpur, Pilibhit Tanakpur Road Saidpur, Pilibhit - 262001 MIS Code: PR09001740 Grading: 7.90	1. Computer Operator and Programming Assistant (COPA) - 2(1+1) 2. Food and Beverage Service Assistant - 2(1+1)	Recommended for affiliation of Trades 1. COPA-1+1+0, 2. Food and Beverages Service Assistant-1+1+0.	No adverse deficiency mentioned by ICVC	SCAA recommended the following trades: 1. Computer Operator and Programming Assistant (COPA) - 2(1+1) 2. Food and Beverage Service Assistant - 2(1+1)
8.	K. D. Singh Pvt. Industrial Training Institute Vill & Post Maritar Ballia – 277202 MIS Code: PR09001960 Grading: 8.10	Electrician - 3(1+1+1)	1. Land Lease original documents not provided during the joint inspection. 2. BCC certificate and fire safety certificate not provided during the joint inspection 3. Available 10 KW but there is a difference in the account number shown in the electricity bill and	1. Admission taken by ITI in year is 2023-60 Nos and 2024-58 Nos. 2. There are multiple deficiencies are observed in the institute. It seems the ITI is not running the existing units as per norms.	SCAA observed that multiple deficiencies exist in already affiliated trades/units as well as in the new trades/units sought for affiliation, indicating that the ITI is not operating its currently affiliated units in accordance with the prescribed norms. Therefore, the ITI shall rectify all the deficiencies



Sr. No.	ITI name	Trade / units sought affiliation for	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
			<p>meter sealing certificate</p> <p>4. Dead stock registers are not maintained.</p> <p>5. Raw Materials Register is no maintained.</p> <p>6. Staff appointment details are not provided during the joint inspection.</p> <p>7. Student's attendance not provided.</p> <p>8. One Lathe machine in fitter trade and Electrician trade some machines/motors are not running condition.</p> <p>9. Drawing Hall available but furniture is not available as per norms and IT lab available but</p>	<p>3. De-affiliation proceeding may also be initiated against it by treating the minutes of SCAA as SCN.</p>	<p>for existing trades as well as new trades, as mentioned in Columns IV and V, within 1 month and submit a report in the Compliance Module on the NIMI portal.</p> <p>Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendations within the next 15 days. Failure to comply within the stipulated timeline shall lead to non-recommendation of the new trades proposed for affiliation and may result in the initiation of de-affiliation proceedings</p>

Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
			computers are not working condition. 10. One lathe machine in fitter trade and some motors in Electrician trade not running. Not Recommended for any trade.		against the trades already affiliated with the institute.
9.	Maa Madhuri Private Industrial Training Institute Village- Pindahara, Post - Bansdih Ballia- 277202 MIS Code: PR09900243 Grading: 8.20	1. Electrician 1(0+0+1) 2. Fitter 3(1+1+1)	Not Recommended due to following deficiencies 1. BCC certificate is not provided. 2. Machineries bills available, but payment proof not provided. 3. Two instructor's shortage in Fitter trade. Staff attendance and student attendance are not available. 4. IT Lab available, but all computers are not working.	--	ITI needs to remove the following deficiencies as given in column IV and submit the documents through compliance module on NIMI affiliation portal within 30 days from date of issue of these minutes. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with

Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Verification Committee (ICVC) remarks	Cum Committee	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV		V	VI
			5. Drawing available, Furniture is not available as per norms. 6. Fire safety certificate not provided.	Hall but not		recommendation within the next 15 days.
10.	Maa Shanti Private Iti - Village Babuganj Allahabad- 212402 Uttar Pradesh MIS Code: PR09900954 Grading: 6.20	Electrician 6(2+2+2)	Recommended for affiliation Electrician (2+2+0)		3rd shift unit is allowed in DST mode.	SCAA recommended the following trades: Electrician 4(2+2) For DST affiliation, the institute may sign the DST MOU with industry as per DST Guidelines and submit to State Directorate. Thereafter, the State Directorate send the recommendation through SSDEC.
11.	Shri Ganesh Private ITI Vill.- Thariya, Post – Utrao Allahabad - 221508	Electrician 6(2+2+2)	Recommended for affiliation Electrician (2+2+0)		3rd shift unit is allowed in DST mode	SCAA recommended the following trades: Electrician 4(2+2)


Annexure-1

90

उज्जवल बिस्वास/UJJWAL BISWAS
 Director General of Training
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

Page 30 of 214

Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
	Uttar Pradesh MIS Code: PR09900985 Grading: 7.00				For DST affiliation, the institute may sign the DST MOU with industry as per DST Guidelines and submit to State Directorate. Thereafter, the State Directorate send the recommendation through SSDEC.


 राजेश कुमार बिस्वास RAJESH KUMAR BISWAS
 निदेशक, प्रशिक्षण विभाग
 प्रशिक्षण मंत्रालय, नई दिल्ली-110002
 Ministry of Skill Development and Entrepreneurship
 नई दिल्ली-110002



Name of the State: West Bengal

Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
1.	Tagore Institute of Art and Education Private ITI Shantiniketan- Illambazar Road Bonovila, Daranda Birbhum - 731236 Mis Code: PR19000247 Grading: 7.80	1. Fitter - 4(2+2) 2. Solar Technician (Electrical) - 2(1+1) 3. Housekeeper - 2(1+1)	Recommended 1. Fitter - 4(2+2) 2. Solar Technician (Electrical) - 2(1+1) 3. Housekeeper - 2(1+1)	BCC issued on non-judicial stamp and signed by private engineer which is not as per norms. (Please refer to page no.108 of affiliation norms 2018).	ITI needs to submit BCC, as per norms (Please refer page no.108 of affiliation norms 2018) on the Compliance module on NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, the concerned State Directorate to verify the BCC submitted by the ITI and send the recommendations to DGT within the next 15 days through an online compliance module.
2.	Purulia Pvt ITI Purulia Vill-Karcha Plot No-1176,1164 Keshargarh Road, Moza-Sidpur Bhagra More, Purulia Ii Ps-Purulia Mufasil – 723148 West Bengal	1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Welder - 2(1+1) 4. Solar Technician	1. Solar - training panels were not installed properly. Welder: Welding tables for both gas (2 no) with fire brick and arc	This is a new ITI application, and as per the norms, it is required to meet the minimum criteria of 04 trades and 08 units for the	ITI needs to remove the following deficiencies as given in column IV and submit the documents through Compliance module on NIMI affiliation portal



Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 21st SCAA
I	II	III	IV	V	VI
	TMP19321PR1714479309 New ITI	(Electrical) - 2(1+1)	<p>welding (6 no) was not there.</p> <p>2. One of 3 phase connection was down at supply level and took hours to fix. Hence delay occurred in inspection. Welder - Welding tables were unavailable, welding demonstration avoided due to safety.</p> <p>3. Fitter & Electrician trade fulfill all requirements. Welder and Solar may be put in compliance.</p>	establishment of a new ITI.	<p>within 30 days from date of issue of these minutes.</p> <p>Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendation within the next 15 days.</p>

(19)

उपजयल विद्यालय
Training
Ministry of Skill Development & Entrepreneurship
प्लान संख्या: 14/2019-20 Govt. of India, New Delhi-12

Annexure-2

(Annexure 2 as referred in Agenda 3-Compliance report of previous SCAA meetings)

Name of the State: Bihar

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
1.	<p>Tapeshwari Private Industrial Training Institute, Saran, vill.- Maker, p.o.- Maker, p.s.- Maker, Block- Maker, Distt.- Saran, Bihar- 841215</p> <p>TMP10218PR1582 543086 New ITI</p>	<p>1. Electrician- 4(2+2) 2. Fitter -4(2+2)</p>	<p>18th SCAA Remarks Applicant Institute needs to remove the deficiencies as mentioned in column IV &V, and submit the required documents within 30 days from the date of issue of this minute in Compliance module on NIMI affiliation portal.</p> <p>Thereafter, the State Directorate and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI. RDSDE will then submit the report to DGT with recommendations within the next 15 days in the Compliance module on the NIMI affiliation portal.</p> <p>Deficiencies as per 18th SCAA</p>	<p>The joint re inspection has been conducted on dated 04.03.2025.</p> <p>Remarks of Joint reinspection team</p> <p>The following are the observation of joint inspection team:</p> <ol style="list-style-type: none"> 1. The DET Bihar had issued NOC for the same vide letter no T-03/Training(P)-29/2024/365 dated 29.01.2025. 2. BCC was issued by Executive Engineer, Chapra, Saran vide letter no 170 dated 24.01.2025. 3. The fire and safety certificate were issued by Fire officer vide 	<p>SCAA recommended Electrician- 4(2+2) and not recommended the Fitter 4(2+2) due to non-availability of Machinery.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>1. Teaching staff/trainers not available.</p> <p>2. During interaction with the Principal, the Principal of the ITI could not even say the name of the ITI properly and told his name initially as Krishna Kumar and later changed to Mukesh Kumar.</p> <p>3. Not even a single ceiling fan or other fans was available in the classrooms, during summer it will be completely impossible to run classes and safety of students may be compromised.</p> <p>4. Fire safety certificates seemed to be forged and when the inspecting team asked for the original copy, the same were not available and the blurred photo copy of the same had been shown.</p>	<p>letter number 287 dated 05.11.2024.</p> <p>4. The geo-tagged photographs and videos of the available tools, machinery, and equipment have been provided NIMI mobile application. Trade wise available shop machineries and tools details found during inspection are as follows: -</p> <p>(i) Electrician Trade: - Shop Machineries and hand tools required for Electrician (2+2) are available with the ITI as per norms</p> <p>(ii) Fitter Trade: During inspection, apart from 2 working lathe machines, ITI doesn't have a single Shop</p>	

Annexure-2



उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक
 प्रशिक्षण मन्त्रालय, उच्च शिक्षा विभाग, मध्य प्रदेश
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012, Govt. of India, New Delhi

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>5. The corridor connecting classrooms and workshops has been shown as Drawing hall, with a total area of 40 sqm. Not at all as per affiliation norms.</p> <p>6. The screens of many PCs were damaged as can be seen from the uploaded pictures, No AC in the lab, Floors were not properly plastered or tiled, and conditions of the lab can be observed from pics.</p> <p>7. Complete mismatch between building plan layout and the actual available area.</p> <p>8. No RCC roofing for classrooms etc, Floors were not plastered or tiled, windows were not covered, not even a single fan in any classrooms and entire ITI was made with tin shed violating civil norms.</p>	<p>machinery available viz., Drilling machine, Grinding machine. ITI also doesn't have Trainees tool kit, Instruments, List of tools for 2-year fitter trade, General shop outfit required tools, tools and accessories for pneumatics and hydraulics as required for Fitter (2+2) trade</p> <p>5. IT lab room was available with ITI with 10 available computers, drawing hall was available with area of 50.4 sqm.</p> <p>6. ITI had submitted educational certificates of Principal and other staffs which is as per norms. ITI had also</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>9. No drinking water facilities or basin to wash hands were available. Canteen, Parking, Library were shown in the building area map but not available anywhere in the institute.</p> <p>10. Many machineries were not in working conditions and making dangerous knocking noise while starting and can be dangerous for operating without proper mounting of the same.</p> <p>11. Machineries were not properly installed and punched, many of them were not found in working conditions and even proper wiring has not been done.</p> <p>12. Only xerox copies of certificates and names were shown at the time of inspection, not a single original certificate of</p>	<p>submitted the bank Statement, Building plan and other requisite documents.</p> <p>7. Trade wise final recommendation of NCVT and SCVT members are as follows.</p> <p>(i) Fitter (2+2): -Not-Recommended due to Non-availability of required machineries, tools and equipment</p> <p>(ii) Electrician (2+2)-Recommended Electrician (2+2) as per available machineries, tools and equipment</p>	



Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>identity proof of any staffs was available.</p> <p>13. Only bills of machinery had been given, however no bank Statement or anything to prove to purchase of the same had been provided.</p> <p>14. BCC certificate not as per norms, further building area plan map was shown in a simple A4 size paper in which Library, Admin hall, Canteen, Courtyard, Reception had been shown which were not available.</p> <p>15. State NOC for opening MSTI is not available.</p> <p>16. The qualification and experience details of the Principal of institute is not provided.</p>		
2.	JS Narayanpur Private Industrial Training Institute, Bhagalpur, At- Madhurapur, Post - Narayanpur,	Electrician - 4(2+2) Fitter 4(2+2) Computer Operator and Programming Assistant (COPA)- 2(1+)	<p>17th SCAA remarks</p> <p>Applicant Institute needs to remove the deficiencies as mentioned in column V i.e</p> <p>1. If this is an application under MSTI, then</p>	<p>As per Joint Inspection report for Inspection conducted on 06.12.2024</p> <p>Remarks of Joint reinspection team</p>	SCAA recommended the Electrician - 4(2+2)



Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
	Block- Narayanpur, Dist - Bhagalpur, Pin - 853203, Bhagalpur, Bihar., Bhagalpur, Bihar. TMP10192PR1582 372287 New ITI	Hospital Housekeeping- 2(1+1)	<p>declaration of the unserved block from the State Directorate is not available.</p> <p>2. For 04 trades Shortage of power =16.72 KW (Available power= 06 KW Required= 22.72 KW) Power is sufficient for one 01 trade. Undertaking from the applicant institute for rejecting the application of remaining trade is not available.</p> <p>3. Shortage of Area for Electrician workshop (for 2+2 units required workshop area= 196 sqm, available 100 sqm)</p> <p>4. BCC is not as per norms and issued for the year 2023-24 only.</p> <p>5. Shortage of Area for Fitter workshop (for 2+2 units required workshop area= 176 sqm, available 100 sqm)</p>	<p>1. Electrician 4 (2+2) have been recommended for affiliation and the rest of the trades are rejected as institute is not interested to run remaining trades.</p> <p>2. Electrician workshop area is as per norms.</p> <p>3. Concerned State Directorate has issued a NOC for ITI as MSTI.</p> <p>4. Electrical Power is available -6 KW, which is sufficient to run Electrician 4 (2+2).</p> <p>5. BCC issued by Executive Engineer available.</p> <p>6. Instructor details submitted</p> <p>7. Library area is 60 sqm</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>6. Only Electrician trade machinery photos are provided.</p> <p>7. Shortage of Library area (required 40 sqm and available 27 sqm).</p> <p>8. Fire safety certificate not provided.</p> <p>9. Trade wise instructor details, their experience and qualification details not provided</p> <p>and submit the required documents within 30 days from the date of issue of this minute in the Compliance module on NIMI affiliation portal and inform RDSDE. Thereafter, the State Directorate and RDSDE will verify the removal of deficiencies by conducting a joint inspection. RDSDE will then submit the report to DGT with recommendations within the next 15 days in the Compliance module on the NIMI affiliation portal.</p>		

उपजयल बिस्वास
 जिला शिक्षा अधिकारी
 कौशल विकास
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110002
 12/06/2024
 12/06/2024

UJJAYAL BISWAS
 District Education Officer
 Ministry of Skill Development and Entrepreneurship
 Government of India
 New Delhi-110002

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			Along with the joint inspection report, the State Directorate shall submit the declaration whether the said block is an unserved block.		
3.	Jitendra Kumar Pvt ITI, Block name: - Panchdevri District: - Gopalganj State: - Bihar New MSTI	Electrician - 2(1+1)	Brief Facts of Case <ol style="list-style-type: none"> 1. The petitioner has applied to DGT on 02.12.2019 under MSTI category at the block Panchdevri for grant of affiliation for 4 Units (2+2) of Electrician Trade & 4 Units (2+2) of Fitter Trade. 2. However, it has earlier expressed its unwillingness to DGT for carrying out the inspection vide its letter dated 25.07.2022. 3. Thereafter, ITI has filed Writ Petition (W.P.(C) 7708/2024) titled Jitendra Kumar Pvt. Ltd. ITI Vs 	RDSDE Bihar submitted BCC issued by Karyapalak Abhiyanta dated 08.03.2025	SCAA recommended the following trade: Electrician - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>DGT at Delhi High court for seeking issuance direction to the respondents to carry out inspection, process and finally decide the application submitted by the Petitioner institution for grant of affiliation for 4 Units (2+2) of Electrician Trade & 4 Units (2+2) of Fitter Trade from the academic session 2024-25 in a time bound manner.</p> <p>4. Whereas the Hon'ble court has disposed of the matter on dated 27.05.2024 inter alia directing that-</p> <p><i>"The respondents are directed to carry out a joint inspection and take a decision on the petitioner's application positively within four weeks and communicate the said decision to the petitioner forthwith."</i></p>		



Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>5. In compliance to the Hon'ble court judgement 27.05.2024, mail dated 04.06.2024 was sent to the State Directorate of Bihar for providing the declaration of the block as served or unserved. Once the block is declared as unserved, DGT would thereafter proceed for the joint inspection. Same was also communicated to the petitioner ITI.</p> <p>6. Joint inspection team visited the location but could not find the ITI, and further had not recommended affiliation of the ITI.</p> <p>7. A representation was received from Jitendra Pvt. ITI, stating that the inspection team visited the wrong address on 13.06.2024. The ITI had requested that the inspection be conducted at</p>		

Annexure-2

सज्जवल दिस्वास/UNSWA BISWAS
 निदेशक, शिक्षा, बिहार
 प्रशिक्षण महानिदेशक, बिहार
 कौशल विकास, बिहार
 Ministry of Skill Training and Entrepreneurship
 भारत सरकार, नई दिल्ली-110002/Govt. of India, New Delhi

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>letter dated 30.06.2020) and inspection letter issued by the State.</p> <p>11. There after a reinspection was conducted on 20.08.2024. based on the inspection report following deficiencies were found:</p> <p>(i) The BCC was issued by an Approved Engineer from Nagar Panchayat, Mirganj. However, this does not comply with norms, as the Approved Engineer does not appear to be a government authority.</p> <p>(ii) Some machines were not functioning, others had improper wiring or arrangements, and a few were not properly installed.</p> <p>(iii) The railing is not available on the stairs, which may pose a</p>		

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>safety concern for trainees undergoing training.</p> <p>(iv) In the IT lab, 9 computers are available, but as per norms, 10 computers are mandatory.</p> <p>(v) The fire safety certificate is not available, although the ITI has applied to the Sub-divisional Officer, Hathua, Gopalganj.</p> <p>(vi) Classroom's floor is not tiled, which is not as per norms.</p> <p>(vii) Declaration from the State Directorate regarding status of block Panchdevri as served/unserved is not produced by the ITI.</p> <p>12. As significant deficiencies were noticed another opportunity was granted to the ITI to remove the deficiencies.</p>		

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			3. Further, again a joint inspection was conducted and observations are given: (i) Affiliation for only Electrician trade for 1+1 unit recommended. (ii) BCC not issued by a government authority.		
4.	Muzaffarpur Professional Private Industrial Training Institute, Muzaffarpur, Village:- Narsinghpur, Raman, 843146, Muzaffarpur, Bihar TMP10208PR1582 459369 New ITI	1. Electrician- 4 (2+2) 2. Fitter - 2 (1+1) 3. Computer Operator and Programming Assistant (COPA) - 2 (1+1) 4. Surveyor - Rejected with all units	The petitioner had filed a court case (W.P.(C) 5269/2020) seeking directions for the respondents to take a decision on its pending affiliation application. The Hon'ble Court, in line with its earlier order dated 07.04.2021 in W.P.(C) 4386/2020 and other connected matters, issued similar directions. It instructed the petitioners to coordinate with the State	Joint inspection was conducted on 17.02.2025. Remarks of joint inspection team Recommended for affiliation for i. Electrician - 4 (2+2), ii. Fitter- 2 (1+1) iii. Computer Operator and Programming Assistant - 2 (1+1) Not recommended for Surveyor trade.	The petitioner was provided with adequate opportunities to rectify the non-conformities (NCs) on the portal. However, the necessary compliance was undertaken only after a considerable delay due to the negligence of the petitioner SCAA observed that as per inspection report, the tools and machineries were not available for Surveyor trade and there are significant

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>Directorate to ensure that all necessary documentation is completed.</p> <p>The Court further directed that the State Directorate may call for any additional documents from the petitioners, conduct inspections of their premises, and submit a report to DGT.</p> <p>These matters were subsequently discussed with the State Directorate and RDSDE during a VC meeting held on 22.11.2023.</p> <p>The applications of the petitioners had been pending at the Desktop Assessment (DA) stage for a considerable time due to unresolved Non-Conformities (NCs) at the</p>	<p>Remarks of TC Section</p> <ol style="list-style-type: none"> 1. No surveyor tools and equipment are available. 2. Machinery is partially available and is in partial working condition. 3. Partial academic certificates and experiences are available. 4. Electrical load shortage available 18 KW and required 39.62 KW. 5. BCC is not as per norms. 6. For opening of a New ITI affiliation in four trades is mandatory. 	<p>deficiencies observed in the report despite providing sufficient time to the petitioner.</p> <p>Further ICVC has recommended only 03 trades Therefore this institute is not fulfilling the mandatory criteria of four trade for affiliation of new ITI.</p> <p>In view of the above observations, the application for affiliation is not recommended.</p> <p>The institute may apply afresh for affiliation in accordance with the latest affiliation norms.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>applicant level. Despite the lapse of more than a year, the petitioners failed to address the NCs raised by the State Directorate.</p> <p>Accordingly, the matter was placed before the 12th SCAA for a final decision on the applications.</p> <p><u>12th SCAA Remarks</u> A last and final opportunity is granted to the petitioners to clear the deficiencies.</p> <p>The petitioners will rectify all the NCs raised by State Directorate under their login on NIMI portal within 01 month from issue of this MoM so that DA can be completed and inspection batch may be scheduled.</p> <p>The petitioners were communicated the decision of the 12th SCAA MoM vide</p>		

Annexure-2

सुज्जवल दिग्गज विश्वस
पुनर्वसन मंत्रालय
कोशिका-12
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110011, India, Phone: 12

BISWAS

Training
Partnership

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>email dated 17.01.2024. In reply to this email, the petitioners requested an additional 01 month time to address the Non Conformities (NCs) in the portal vide email dated 04.02.2024.</p> <p>Thereafter after prolonged delay, the petitioners have cleared the NCs against the state directorate remarks on 09.10.2024. These applications were then processed by state directorate for final stage of inspection.</p> <p>The petitioners were also directed to coordinate with RDSDE Bihar to finalize the inspection date vide DGT email dated 29.11.2024.</p>		
5.	Narayan Gayatri Private Industrial Training Institute, Muzaffarpur, Arijpur Po-Rajla Ps -Kudhani District -	1. Electrician - 12(6+6) 2. Fitter - 4(2+2) 3. Computer Operator and Programming	The petitioner had filed a court case (W.P.C 5238/2020) seeking directions for the respondents to take a decision on its pending affiliation application.	<p>Joint inspection was conducted on 18.02.2025.</p> <p>Remarks of Joint Inspection team</p> <p>Observations of inspection committee are given below:</p>	The petitioner was provided with adequate opportunities to rectify the non-conformities (NCs) on the portal. However, the necessary compliance was

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
	<p>Muzaffarpur Pincode-844120, Muzaffarpur, Bihar.</p> <p>TMP10208PR1581 522885 New ITI</p>	<p>Assistant (COPA) - 4(2+2) 4. Surveyor-4(2+2)</p>	<p>The Hon'ble Court, in line with its earlier order dated 07.04.2021 in W.P.(C) 4386/2020 and other connected matters, issued similar directions. It instructed the petitioners to coordinate with the State Directorate to ensure that all necessary documentation is completed.</p> <p>The Court further directed that the State Directorate may call for any additional documents from the petitioners, conduct inspections of their premises, and submit a report to DGT.</p> <p>These matters were subsequently discussed with the State Directorate and</p>	<p>All the trades are not recommended for affiliation due to following reasons:</p> <ol style="list-style-type: none"> 1. At the given address location, Junior School is running. 2. Workshops are not available as per norms. 3. Space is available not as per norms. 4. Land and Building are not available as per NCVT Norms. 5. Required Tools and Equipment are not available as per NCVT norms. 6. No Electric supply connection with required sanctioned Load in the name of ITI is available as per NCVT Norms. 	<p>undertaken only after a considerable delay due to the negligence of the petitioner</p> <p>SCAA observed that as per inspection report, the required tools, machinery, and electricity connection were not made available during the inspection. Additionally, multiple significant deficiencies observed in the report. despite providing sufficient time to the petitioner.</p> <p>In view of the above observations, the application for affiliation is not recommended.</p> <p>The institute may apply afresh for affiliation in accordance with the latest affiliation norms.</p>

उज्जवल मिश्रा UJJWAL P
Director
विश्वविद्यालय शिक्षा, उत्तर प्रदेश
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002, India

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>RDSDE during a VC meeting held on 22.11.2023.</p> <p>The applications of the petitioners had been pending at the Desktop Assessment (DA) stage for a considerable time due to unresolved Non-Conformities (NCs) at the applicant level. Despite the lapse of more than a year, the petitioners failed to address the NCs raised by the State Directorate.</p> <p>Accordingly, the matter was placed before the 12th SCAA for a final decision on the applications.</p> <p><u>12th SCAA Remarks</u> A last and final opportunity is granted to the petitioners to clear the deficiencies.</p>		

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>The petitioners will rectify all the NCs raised by State Directorate under their login on NIMI portal within 01 month from issue of this MoM so that DA can be completed and inspection batch may be scheduled.</p> <p>The petitioners were communicated the decision of the 12th SCAA MoM vide email dated 17.01.2024. In reply to this email, the petitioners requested an additional 01 month time to address the Non Conformities (NCs) in the portal vide email dated 04.02.2024.</p> <p>Thereafter after prolonged delay, the petitioners have cleared the NCs against the state directorate remarks on 09.10.2024. These applications were then processed by state directorate for final stage of inspection.</p>		



Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			The petitioners were also directed to coordinate with RDSDE Bihar to finalize the inspection date vide DGT email dated 29.11.2024.		


 उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक, राष्ट्रीय प्रशिक्षण परिषद, नई दिल्ली-12
 Director of Training
 कौशल विकास, प्रशिक्षण और रोजगार मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12



Name of the State: Gujarat

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
1.	Dr Bharat Barad Institute of Medical Science Gir Somnath Address: veraval kodinar highway opp.mamlatdar office sutrapada dist :- Gir Somnath – 362275 TMP24675PU171376 1114 New ITI	1. Health Sanitary Inspector - 2(1+1) 2. Radiology Technician - 2(1+1) 3. Fire Technology and Industrial Safety Management - 2(1+1) 4. Fireman - 2(1+1)	19th SCAA Remarks ITI needs to remove the following deficiency and submit the documents to the concerned RDSDE within 30 days from the date of issue of this minute through the Compliance module on NIMI affiliation portal. 1. For Fireman and Fire technology and Industrial Safety Management trades, workshop areas are not as per norms. 2. Total land plot area not mentioned in the report. Thereafter, the State Directorate and RDSDE will have to	A joint inspection of the institute was conducted on 07.03.2025. Remarks of joint reinspection team 1. The joint inspection team did not provide any specific remarks regarding the lab area for the trades Fireman and Fire Technology and Industrial Safety Management. However, as per the attached map, the visible areas are 1060 sq. ft. and 1507 sq. ft., respectively. 2. Total plot area mentioned in the building plan is 8200 sqm, Total open area 7510 sqm 3. Both members of the joint inspection team have recommended the ITI for all the following trades: i. Health Sanitary Inspector – New – (1+1+0)	SCAA observed that there is no clarity regarding the workshop area available with the institute for the trades <i>Fire Technology and Industrial Safety Management</i> and <i>Fireman - 2 (1+1)</i> . As per the attached layout/map, the visible workshop areas are 1060 sq. ft. and 1507 sq. ft., respectively, which do not meet the prescribed norms. Accordingly, the State Directorate is requested to re-verify the workshop area for aforesaid trades and submit a compliance report, confirming the availability of the required workshop area for the above-mentioned trades, within 30 days from the date of issue of these minutes.

Annexure-2

उज्जवल विद्या/VIJAYAL SISWAS
विदेशी/Overseas
प्रशिक्षण सहायक निदेशक, विदेशी प्रशिक्षण
कोषागार विकास, टी. डी. सि. रोड, नई दिल्ली
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002, Govt. of India, New Delhi-12

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>available: 733 sqm. required 4291.4 sqm</p> <p>4. Firemen workshop is not as per norms, as per norms it should be 1000sqm. However, only 48sqm is available.</p> <p>Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendation within the next 15 days.</p>	<p>5. Currently New ITI is going to start in same building with primary school and nursing college running in another floor but for ITI has separate entry and floor and also applied extra load to electricity board for separate name of ITI as per attachment letter given by ITI.</p> <p>6. Institute has done MOU with Krishna Hospital for radiology technician X ray practice and also all other trades for 05 years as per attachment of MOU.</p> <p>7. As all trades are non-engineering so Drawing hall is not required.</p> <p>8. Recommended for affiliation for</p> <p>i. HSI (1+1+0)</p> <p>ii. Radiology Technician (1+1+0)</p> <p>iii. Old age care (1+1+0)</p> <p>iv. Fireman (1+1+0)</p>	<p>proposed new ITI is to be established in a building where a primary school and a nursing college are already functioning on other floors. As per the affiliation norms, a new ITI must possess dedicated land and plot for ITI-related activities.</p> <p>3. With reference to the Radiology Technician trade, the institute must clarify whether the MOU is intended solely for On-the-Job Training (OJT), or also includes provision for providing the machinery, tools, and equipment. Further, it must be confirmed whether all the required machinery and equipment, as prescribed under the Craftsmen Training Scheme (CTS) curriculum, are available and installed within the ITI premises. This should be substantiated with geo-</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
				<p>TC Section remarks:</p> <ol style="list-style-type: none"> 1. The land area mentioned in the BCC is 0.98 acre (4044.38 sqm) which is not as per norms. 2. As per the observations of the joint inspection team, the proposed new ITI is to be established in a building where a primary school and a nursing college are already functioning on other floors. As per the affiliation norms, a new ITI must possess dedicated land and plot for ITI-related activities. The presence of other institutions operating in the same building raises serious concerns regarding the dedicated land and plot for ITI. 3. Additionally, with regard to the trade of <i>Radiology Technician</i>, the joint inspection team has not clearly confirmed whether the institute possesses all the 	<p>tagged photographs of the concerned workshop.</p> <p>Accordingly, the State Directorate is requested to re-verify the above-mentioned points and submit a compliance report, for the same along with its recommendation, within 15 days from the date of issue of these minutes.</p>

(Signature)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
				necessary machinery and equipment as prescribed under the CTS curriculum, and whether the same is available within the ITI premises.	
3.	Shree Dhuliya Valmaben Dahyabhai Charitable Trust Sanchalit Gujarat Training Institute Kumar Banas Kantha Address: At Post - Kumar Ta - Dhanera Dist – Banaskantha TMP24441PR171214 3151 New ITI	1. Health Sanitary Inspector – 2 (1+1) 2. Sewing Technology – 2 (1+1) 3. Data Entry Operator – 2 (1+1) 4. Finance Executive – 2 (1+1)	19th SCAA Remarks ITI needs to remove the following deficiency and submit the documents to the concerned RDSDE within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal. 1. Lease expiry date is not mentioned in the land deed document. 2. Data Entry Operator workshop area not sufficient, as	Institute has submitted the following documents: 1. Land is on the name of trust of the applicant institute and lease expiry date is mentioned upto 2051 2. Building plan is provided in which the area of Data Entry Operator trade lab is reflecting as 76.08 sqm RDSDE Remark: Deficiencies mentioned in the MOM have been removed	SCAA recommended the following trades: 1. Health Sanitary Inspector – 2 (1+1) 2. Sewing Technology – 2 (1+1) 3. Data Entry Operator – 2 (1+1) 4. Finance Executive – 2 (1+1)



Sr. No.	ITI Name and details	Trade/Un it sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
1.	<p>Bodhani Devi Private ITI Chatra, Vill-Kurkuta, Po-Barisakhi, Ps-Gidhour,Block-Gidhour, Dist-Chatra,Pin Code-825408</p> <p>TMP20323PR16820974 77</p> <p>New ITI</p>	<p>1. Electrician -12(6+6)</p> <p>2. Fitter-4(2+2)</p> <p>3. Mechanic Diesel-4(2+2)</p> <p>4. Surveyor-4(2+2)</p>	<p>18th SCAA Remarks</p> <p>Applicant Institute needs to remove the deficiencies as mentioned in column IV and V, and submit the required documents within 30 days from the date of issue of this minute in Compliance module on NIMI affiliation portal and inform RDSDE.</p> <p>Thereafter, Senior Officer at the level of Director/Joint Director, from State and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI and submit the report with recommendations to DGT within the next 15 days in the Compliance module on the NIMI affiliation portal.</p> <p>Deficiencies as per 18th SCAA:</p> <p>1. Classroom not as per norms, LCD projectors as per syllabus not available.</p> <p>2. The workshop's civil infrastructure was detrimental</p>	<p>The remarks of joint inspection team are as follows:</p> <p>1. Trade equipment and machinery displayed and installed at the time of Inspection are sufficient as per trades sought for affiliation.</p> <p>2. The workshop is ready for use on some walls,</p> <p>3. The drawing Hall separated at present with a partition wall</p> <p>4. IT Lab equipped as per norms and installed in two rows</p> <p>5. At present internet facility is available in the Institute</p> <p>6. Machines has been procured and bills produced.</p> <p>7. In the Surveyor trade, a shortage of machinery</p>	<p>SCAA recommended the following trades</p> <p>1. Electrician-4(2+2)</p> <p>2. Fitter- 2(1+1)</p> <p>3. Mechanic Diesel-4(2+2)</p> <p>4. Surveyor- 2(1+1)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>and not as per norms. There was no proper partition of labs, fans and exhaust system were not available, safety gangway marking was not done, and plastering on the walls of the workshop was also not completed.</p> <p>3. Drawing hall space given in the workshop area itself with no clear partition</p> <p>4. Only 10 computer systems are available in the IT lab, whereas 24 are required as per norms.</p> <p>5. No internet facility in IT lab</p> <p>6. No machinery available for Mechanic Diesel trade, Surveyor trade.</p> <p>7. For Electrician trade – Equipment & Machineries from S.no. 159-166 not available, rest of the machinery was available to run 1+1 unit.</p> <p>8. For the Fitter trade, the required equipment and machinery are not available, except for one lathe machine.</p>	<p>was noted with reference to the requirements outlined in the CTS syllabus. Accordingly, only 2 (1+1) units are recommended for affiliation.</p> <p>8. A shortage of machinery as per the CTS syllabus was also observed in the Fitter trade. Hence, only 2 (1+1) units are recommended for affiliation.</p> <p>9. Instructor details were submitted and Instructors were present during the inspection</p> <p>10. Complete details produced during the inspection</p> <p>11. Some firefighting facilities are provided while the Inspection</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>9. No instructor appointed for MD trade.</p> <p>10. Invoices available but full payment receipt not provided. machinery as per invoices shown were only partially available with the ITI.</p> <p>11. Land is in the name of ITI director, lease of 15 years to Bodhani pvt ITI trust. Total land area 0.6 acre, ITI applied under MSTI.</p> <p>12. Equipment available for electrician trade to run 2(1+1)-unit, Equipment not available for Fitter, Surveyor, and Mechanic diesel trade Partition of labs is required, workshop safety norms were not followed.</p> <p>13. ITI Website not functional</p> <p>14. Even if the institute applied under MSTI category but Certification for Unserved block not available.</p> <p>15. Additionally, as per MSTI guidelines, institute can apply for maximum (2+2) units in long term courses. If any institute</p>	<p>and photos are captured.</p> <p>2. Website Functional</p> <p>3. Applied under the MSTI category and the Unserved block certificate is submitted and attached</p> <p>4. Fire safety certificate submitted and captured in the app.</p> <p>5. A building plan was submitted and it is part of the Inspection report submitted through App.</p> <p>6. The workshop is ready for use on some walls, plastering was not done but painted.</p> <p>RDSDE Remark: Based on the Joint inspection reports observations and recommendations for affiliation are as follows: 1. In Fitter Trade affiliation was sought</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>wants to start with more than 2+2 units in any trade, the proposal(s) of such institute shall be processed, as per Affiliation norms 2018.</p> <p>16. Fire safety certificate not available.</p> <p>17. Legible building plan not provided by applicant</p>	<p>for 4(2+2) units and joint inspection team has recommended 2(1+1) units.</p> <p>2. In Electrician Trade affiliation was sought for 4(2+2) units however joint inspection team has recommended 4(2+2) units.</p> <p>3. In Surveyor Trade affiliation was sought for 4(2+2) units, however joint inspection team has recommended for 2(1+1) units.</p> <p>4. In Mechanic Diesel Trade affiliation was sought for 4(2+2) units and joint inspection team has recommended for 4(2+2) units.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
2.	Geeta Private ITI Hazaribagh, At-Mandai kala,Sadar, Hazaribagh- 825301 TMP20332PR16822324 18 New ITI	1. Electrician -8(4+4) 2. Fitter- 4(2+2) 3. Mechanic Diesel- 2(1+1) 4. Surveyor- 4(2+2) 5. Sewing Technology- 2(1+1)	18th SCAA Remarks Applicant Institute needs to remove the deficiencies as mentioned in column IV and V, and submit the required documents within 30 days from the date of issue of this minute in Compliance module on NIMI affiliation portal and inform RDSDE. Thereafter, Senior Officer at the level of Director/ Joint Director from State and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI and submit the report with recommendations to DGT within the next 15 days in the Compliance module on the NIMI affiliation portal. Deficiencies as per 18th SCAA 1. Institute building is not completely ready to recommend for affiliation any single trade, also A primary school is already running in the same building.	1. Building completed. One school was there, which was shifted to another location, which is at about 1.5 km 2. The library, canteen, and hostel areas have been demarcated and photographs of parking area are also provided 3. The power system has been distributed to all labs and the machinery through a cable. 4. Deficiency of machinery has been removed. 5. The relevant bills for procurement and physical verification of tools and equipment have been carried out. However, in the Surveyor trade, due to the unavailability of a	SCAA observed that 1. The Institute has not produced the latest electricity bill indicating the required load. 2. Furthermore, the validity of the Engineer who has issued the Building Completion Certificate (BCC) has expired, as it was valid only up to 25.03.2025. ITI needs to the resubmit the required documents for BCC and latest Electricity bill through Compliance module on NIMI affiliation portal within 30 days from date of issue of these minutes.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>2. Canteen, Library, Hostel, sufficient parking area, etc. are not available in the institute.</p> <p>3. Few machineries found not in working due to improper power supply.</p> <p>4. Few machineries are not properly installed. There is no Gangway marking in the workshop, no storeroom for wastage/materials as per norms.</p> <p>5. In the Electrician trade- S.No.13 to 93, 94 to 136 and 167 to 176. Fitter trade-S.No.19 to 135, 146-178 & 197 to 204, Diesel Mechanic-S. No. 179 and 188 are not available, Surveying bills not available.</p> <p>6. Consumer number not available, applied in Jan.2023 for 24 KW + and on Dec.2023 for 6 KW = 30 KW, with 3 phases. Electricity bill not available.</p> <p>7. It is not as per norms/prescribed format and a building layout plan is not available.</p>	<p>few tools, only 2 (1+1) units have been recommended.</p> <p>6. The electricity bills were verified, and the current bill reflects a sanctioned load of 36 KW.</p> <p>7. The building layout plan verified</p> <p>8. IT lab had required number of systems and the internet connection is verified.</p> <p>and recommended</p> <p>i. Electrician-8(4+4)</p> <p>ii. Fitter- 4(2+2)</p> <p>iii. Mechanic Diesel- 2(1+1)</p> <p>iv. Surveyor- 2(1+1)</p> <p>And Sewing Technology-NR</p> <p>TC Section remarks</p>	<p>Thereafter, State Directorate will verify the deficiency removal and submit the report with recommendation to DGT within the next 15 through compliance module.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			8. IT Lab does not have internet connectivity, no. of required systems with software are not available. 9. Sufficient facilities are not available in drawing hall 10. BCC not provided	1. BCC is still not as per norms 2. Electricity bill of 6 KW submitted along with load extension slip of 10.01.2025	

(P)

संजय बिसवास / SANJAY BISWAS
 सहायक निदेशक, प्रशिक्षण
 विभाग, शिक्षा, युवा एवं खेल मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012, Govt. of India, New Delhi-12

Name of the State: Karnataka

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
1.	Shri Renuka Private ITI, Belagavi, Shri Renuka Private ITI Near Slao Cross Dharawad Road Saundatti Taluk Saundatti Dist Belgaum- 591126 MIS Code: PR29001153 Grading: 6.10	Electrician - 2(1+1)- Existing trade Shifting application Old Address Sullad Building, Near Head Post Office, Saundatti, Belgaum, 591126 New Address: Near Slao Cross Dharawad Road Saundatti Taluk Saundatti Dist	18th SCAA Remarks Applicant Institute needs to remove the deficiencies as mentioned in column IV and V, and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minute through NIMI compliance portal. Thereafter, the State Directorate and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI and submit a report, with recommendations within the next 15 days in the Compliance module on the NIMI affiliation portal. Additionally, State Directorate will also provide clarification regarding whether the institute is shifting within the block or	RDSDE Remark: After receiving the compliance report, the joint inspection of Shri Renuka Pvt ITI Mandya (PR29001153) has been scheduled and completed on 14.02.2025. 1. The remarks given by the inspection team are "All deficiencies are cleared except drawing hall space norms & library not available 2. BCC is available as per norms, May be recommended with a condition to fulfill pending deficiencies" 3. The institute is asking time to set up drawing hall which is one of the deficiencies. 4. Inspecting Members also mentioned few machineries are not working	SCAA has observed that the institute has not fully addressed the deficiencies indicated during the previous SCAA meeting. The following deficiencies are still pending: 1. Drawing hall space does not meet the prescribed norms 2. Library is not available 3. Some machinery is non-functional SCAA has decided to grant a final opportunity to the institute to remove the

Annexure-2

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण पर्यवेक्षण निदेशक, राज्य शिक्षण
कोशाल विकास, उच्च शिक्षण विभाग, मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002, India, New Delhi-12

Page 68 of 214

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
		Belgaum 591126	<p>outside. RDSDE will then submit the report to DGT</p> <p>Deficiencies as per 18th SCAA meeting:</p> <ol style="list-style-type: none"> 1. Shortage of trainee tool kit and machinery and equipment as per syllabus. 2. Machines are not installed properly. 3. Some machinery are not found in working condition 4. Toilets are not in good condition 5. Girls toilet is not available 6. RO drinking water not available 7. Amenities not satisfactory 8. IT lab area is 22.17 sqm and only 06 computer systems available, Internet is not available 9. Drawing hall area 21.7 sqm. 10. Library is not available 11. BCC is not as per norms. It should be in the name & address of the institute. 		<p>above deficiencies and submit the necessary supporting documents through the Compliance module on the NIMI Affiliation Portal within 30 days from the date of issue of these minutes.</p> <p>Subsequently, the State Directorate shall verify the compliance and submit its report along with recommendations to DGT through the Compliance module within the next 15 days.</p> <p>Failure to comply within the stipulated timeline will result in rejection of the affiliation application.</p>



Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			(Please refer page no.108 of affiliation norms 2018)		
2.	Hema Verma Sauste Dr. N.P. Patil Iti Kaidb , Agro Tech Park Industrial EState Navanagar 587103 Karnataka MIS Code: PU29001559 Grading: 6.10	Fitter - 2(2+0)	<p>15th SCAA Remarks</p> <p>ITI will have to remove the deficiencies as mentioned in column V and VI and inform the concerned State Directorate about the same through the NIMI compliance portal within 30 days from the date of issue of minutes of this meeting.</p> <p>Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendation within the next 15 days.</p>	<p>Inspection was conducted and members have not recommended for affiliation due to following deficiencies:</p> <ol style="list-style-type: none"> 1. Few machineries are not in working condition. 2. Sufficient power supply not available. Total power required for Electrical Trade (existing and affiliated trade) and Fitter trade (for which affiliation is sought) together is 8.71KW, but sanctioned load is only 5 KW. 3. Land Lease Expired. 4. Basic infrastructure like internet facility, girl's restroom (not in good condition), library, drawing hall not available. 5. No staff available for Workshop science calculation, Engineering Drawing and Employability skills. 6. BCC not as per norms 7. Computers are not working, also no UPS facilities, and no backup power facility 	<p>SCAA observed that the ITI has failed to remove the deficiencies, despite being given multiple opportunities. Therefore, application has been not recommended for affiliation due to deficiencies mentioned as in the column V.</p>

Name of the State: Madhya Pradesh

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
1.	Yash Pvt ITI,Badnawar,Distt Dhar Address: badnawar, dhar – 454001 MIS Code: PU23000387 Grading: 3.70	Electrician - 2(1+1)	19th SCAA Remarks Current grading is low. However, grading in session 2023-24 is 4.5. As per DGT OM No. DGT/6/2024-O/o DIR (IT CELL) dated 09.08.2024, best of two grading scores will be considered. ITI needs to submit latest BCC (Please refer page no.108 of affiliation norms 2018) on the Compliance module on NIMI affiliation portal within 30 days from the date of issue of this minute. Further, the concerned State Directorate to verify the BCC submitted by the ITI and send the recommendations to DGT within the next 15 days through an online compliance module.	STATE Remark: Consider uploaded BCC by Yash Pvt ITI, Dhar for further process, BCC is approved by Nagar Panchayat/Sub Engineer, City Council Badnawar, District Dhar, Madhya Pradesh	SCAA recommended the following trades: Electrician - 2(1+1)
2.	Yadupati Singhania Institute of Technology Panna	1. Electrician - 3(1+1+1)	19th SCAA Remarks ITI needs to remove the following deficiency and submit the documents to the concerned State	State Remark: Consider BCC & Land documents uploaded by Yadupati Singhaniya Pvt ITI for further	SCAA recommended the following trades: 1. Electrician - 2(1+1) 2. Fitter - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
	Address: Harduwaken, Aman Ganj, District-Panna State-Madhya Pradesh – 488441 TMP23420PR171325 2536 New ITI	2. Fitter - 3(1+1+1) 3. Solar Technician (Electrical) - 3(1+1+1) 4. Mason (Building Constructor) - 3(1+1+1) 5. Front Office Assistant - 3(1+1+1)	Directorate within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal. 1. Latest BCC (for BCC please refer page no.108 of affiliation norms 2018) 2. Land document clearly mentioning the plot area and details of land ownership. Thereafter concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.	process, BCC is approved by Assistant Engineer, Janpad Panchayat Block Pawai, District Panna, Madhya Pradesh Land documents also provided indicating the ownership details	3. Solar Technician (Electrical) - 2(1+1) 4. Mason (Building Constructor) - 2(1+1) 5. Front Office Assistant - 2(1+1)
3.	Asmita Raisen House No 27, Khasra Number 296/4, 300 Sudarshan Nagar, Deori, Raisen (Udaipura)- 464477 TMP23421PU16 82177491	1. Mechanic Electric Vehicle - 2(1+1) 2. Solar Technician (Electrical) - 2(1+1)	1. 15th SCAA remarks 2. SCAA Remark: 3. ITI will have to remove the deficiencies as mentioned in column V i.e. 4. Machinery Bills: All bills do not have a GST number. Machinery and equipment are not as per DGT norms	RDSDE has submitted that ITI has submitted only one image tilted roof under Compliance on 11.01.2025 and there is no reply/remarks/representation on the deficiencies observed during 15th SCAA meeting. It seems that ITI has not addressed the	SCAA observed that the ITI has failed to remove the deficiencies and did not submit the compliance report within the stipulated timeline, despite being given multiple opportunities.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
	New ITI	3. Smartphone Technician Cum App Tester- 2(1+1) 4. Drone Technician - 2(1+1)	and revised syllabus. only for smartphone technician and tester trade equipment are complete 5. No, appointment letters are not available for any staff members, only resumes are available. 6. Machinery and equipment as per norms are not complete. No installation has been done. All equipment is just placed and many of them are not working. 7. The workshop of MEV has tin roof. 8. Class rooms are made from aluminum partitions and are not covered from roof to floor. 9. Maintenance chart not available for fire extinguisher 10. Asmita Raisen ITI, Deori is a new ITI seeking affiliation. The website mentioned is of the society - Asmita women and welfare society and does	deficiencies as observed during 15th SCAA meeting RDSDE Remark: The competent authority has remarked as Asmita Raisen ITI's compliance is incomplete/vague and did not address the said deficiencies. As per MoM, If the applicant institute fails to do so, the affiliation application shall be rejected.	Therefore, application is not recommended for affiliation.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>not mention Asmita ITI anywhere.</p> <p>11. The society resolution for opening Asmita ITI is not signed by all members. The location of ITI is not mentioned in the resolution.</p> <p>12. The building completion certificate does not mention the name of the ITI and is not as per the DGT norms.</p> <p>13. No staff board and playground is present in the institute.</p> <p>14. Many tools and equipment were not available across the 4 trade workshops. The roof of the mechanic electric vehicle is tin shed. No machinery/equipment has been installed in the workshop. Some machinery/equipment is in a damaged State.</p> <p>and inform the concerned State Directorate about the same through the NIMI compliance portal within 30 days from the</p>		

(Signature)

उपज्वल दिग्दर्शन / UJJWAL BISWAS
 प्रशिक्षण महानिदेशक / Director of Training
 कोशल विकास विभाग / Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>date of issue of minutes of this meeting. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendation within the next 15 days.</p> <p>18th SCAA remarks: These cases have been discussed with State and RDSDE. SCAA granted one last opportunity to address the deficiencies, as per the respective SCAA remarks, and submit the compliance report in NIMI portal within 30 days from the issuance of these minutes. If the applicant institute fails to do so, the affiliation application shall be rejected.</p>		
4.	Aditya Private Industrial Training Institute Satna, 95, Mahdeva Road, Sherganj, Satna (M.P.)485001	1. Computer Operator and Programming Assistant	<p>18th SCAA Remarks Applicant Institute needs to remove the deficiencies as mentioned in column IV & V, and submit the required compliance documents as per affiliation norms within 30 days from the</p>	<p>Joint reinspection was carried on 18.03.2025 and following were the remarks:</p> <p>1. The road to the building is not proper. Building is not safe as</p>	SCAA has observed that the institute has not fully addressed the deficiencies indicated during the previous SCAA meeting. The following



Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
	MIS Code: PU23000490 Grading: 7.10	(COPA) - 3(1+1+1) 2. Electrician- 6(2+2+2)	date of issue of this minute in Compliance module on NIMI affiliation portal. Thereafter, the State Directorate and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI. RDSDE will then submit the report to DGT with recommendations within the next 15 days in the Compliance module on the NIMI affiliation portal. Deficiencies as per 18th SCAA meeting 1. Building is under construction and the road to the building is not proper. 2. Building is not safe as it is under construction. 3. Building is under construction there is not clarity in demarcation of 3 institute which are present in the area. the institute is not a working condition.	it is under construction. Layout of the entire campus is available in which ITI has been allotted 1.73 Acres of land. (Location plan is attached, not signed by Govt. Authority) 2. State Govt. Exam was being conducted in COPA Lab on the day of inspection. 3. Some of the Electrician trades machinery were simply kept on the table. 4. ITI Stated that trainers will be appointed once trades are affiliated. 5. There is a single connection for the entire campus having ITI as well as other institutes run by the same Parent Organization. State Electricity Dept. has Stated that a separate Electricity	deficiencies are still pending: 1. Complete installation of machinery for all relevant trades has not been done. 2. Appointment of instructors is pending, along with submission of their qualification and experience details. 3. Details regarding electricity load distribution among all buildings within the premises, duly certified by the society president/chairman, are not provided. This is necessary to ensure that the institute has sufficient electrical load for running the existing as well as

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>4. COPA lab is not in full working condition. Some Items are packed and kept in server room.</p> <p>5. Electrician trade few machines are not working.</p> <p>6. No appointment letter is available for new trade. Only existing trade faculty shown.</p> <p>7. The complete area has 3 different buildings - engineering college pharmacy and one other building marked as ITI.</p> <p>8. There is only one electricity connection on society name and load details of ITI are not provided</p>	<p>Connection can't be issued for ITI.</p> <p>6. ITI has requested for additional 15 days for compliance</p>	<p>new trades sought for affiliation</p> <p>SCAA has decided to grant a final opportunity to the institute to remove the above deficiencies and submit the necessary supporting documents through the Compliance module on the NIMI Affiliation Portal within 30 days from the date of issue of these minutes.</p> <p>Subsequently, the State Directorate shall verify the compliance and submit its report along with recommendations to DGT through the Compliance module within the next 15 days.</p> <p>Failure to comply within the stipulated timeline</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
					will result in rejection of the affiliation application.
5.	Jawaharlal Nehru Private Industrial Training Institute, Borawan Khargone, Vidhya Vihar Borawan, Tehsil Kasrawad, District Khargone- 451228 MIS Code: PU23000562 Grading: 7.60	1. Electrician -3(1+1+1) 2. Fitter-3(1+1+1)	18th SCAA Remarks ITI needs to submit BCC, as per norms (Please refer page no.108 of affiliation norms 2018) on the Compliance module on NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, the concerned State Directorate to verify the BCC submitted by the ITI and send the recommendations to DGT within the next 15 days through an online compliance module.	State Remark: Kindly consider BCC uploaded by Jawaharlal Pvt ITI for further process, which is approved by Chief Municipal Officer and Sub Engineer, Nagar Parishad Kasrawad	SCAA recommended the following trades: 1. Electrician -2(1+1) 2. Fitter-2(1+1)

(6)

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक, प्रशिक्षण
कोशल निदेशक, प्रशिक्षण
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

Name of the State: Maharashtra

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
1.	Government Industrial Training Institute, Motala, Dist: Buldhana Address: At. Motala - 443103 MIS Code: GR27000516 Grading: 8.40	Electrician - 2(1+1)	<u>19th SCAA Remarks</u> ITI needs to remove the following deficiency and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal. 1. Trainer details for new trade. Thereafter concerned State will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.	State Remark: The Institute has submitted the following documents. 1. Trainer appointment order for new electrician trade. The Directorate has verified that the ITI appointed a trainer for the electrician trade as per norms. Hence Recommended for Electrician- 2 (1+ 1) w.e.f Aug.2025 session Only one instructor detail is provided	SCAA recommended the following trades: Electrician - 2(1+1)
2.	Adarsh Private Industrial Training Institute, Ahmednagar	1. Welder - 2(1+1) 2. Fitter - 2(1+1)	<u>19th SCAA Remarks</u> ITI needs to remove the following deficiency as	Joint reinspection is scheduled on 25.04.2025 and the remarks of	SCAA observed that, despite the opportunity provided during the 19th SCAA meeting, the institute has not

Annexure-2

Page 79 of 214

सज्जवल दिनेश विठ्ठल शिंदे
परिचय
कोशल विठ्ठल शिंदे
Ministry of Skill Development
महाराष्ट्र सरकार, नवी दिल्ली

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
	Address: A/P - Khadakwadi, Tal - Parner, Dist - Ahmednagar. 414304 TMP27466PR171135 7808 New ITI	3. Electrician - 2(1+1) 4. Radiology Technician - 2(1+1) 5. Geo-Informatics Assistant - 2(1+1)	given in column IV and V and submit the documents through Compliance module on NIMI affiliation portal within 30 days from date of issue of this minute. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendation within the next 15 days. Deficiencies as per 19th SCAA 1. Availability of area as per norms: Partially available 2. Availability of teaching staff trade-wise Trade wise: Partially available 3. Availability of Machine tools,	inspecting members are as follows: 1. The land plot is registered on the name of the society but there is no layout showing all the buildings constructed on the land. original sale deed was not available 2. The electricity connection is in the name of the society but there is no separate load calculations for all the buildings. 3. Bills are fake as many machineries have not been purchased but still their bill was shown. in radiology technician trade no model has been purchased but their bills have been shown. 4. Dead Stock Register (DSR) is not valid as equipment which is present in only one quantity, but in DSR	rectified the deficiencies. During the re-inspection, the deficiencies, as indicated in Column V, were found to persist. Therefore, the SCAA has not recommended the institute for affiliation.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>equipment and power connections: Partially available.</p> <p>4. English School standard 1 to 4 Senior College BA- B Com- BSC in campus.</p> <p>5. In welding major machines are not available.</p> <p>6. Student biometric machine is not available.</p> <p>7. Radiology Technician trade instructor qualification is not as per requirement. Geo informatics instructor qualification not as per requirement. only 2 instructors are CITS trained.</p> <p>8. No separate meter for ITI Electricity bill is on the name of trust campus having other activities like school and senior College</p>	<p>quantity has been entered as 20(example - radiology technician trade (sl no 2)</p> <p>5. No joining letters has been produced for Staff shown. none of the staff members have experience certificates</p> <p>6. Machinery is not available for welder, radiology technician and geo informatics assistant. For fitter trade- welder related equipment not available, lathe machine not working</p> <p>7. Electrician trade - all machines have not been installed. Fitter trade - lathe machine not working.</p> <p>8. Workshop has tin roof and walls. the plot has multiple buildings. There is no earmarking amongst building.</p>	

Annexure-2

(P)

संजयल बिरवार / संजयल बिरवार
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate
कौशल विकास एवं श्रम
Ministry of Skill Development
भारत सरकार, नई दिल्ली-110011

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			9. Radiology Technician lab space not available as required. 10. Boys' and girls' toilet not available in ITI premises. 11. Total plot area is not mentioned in the report. 12. As per norms workshop area required for Radiology Technician is 75 sqm whereas the available area is 32.5 sqm.	9. In IT lab computers are available but not all in working condition. 10. Drawing tables not present. 11. One primary school and one other building is present in the same premise. there is no plan available for the entire plot, showing all the buildings. No trade recommended.	
3.	Government Industrial Training Institute, Malegaon, Dist: Washim Address: M.I.D.C. Area MIS Code: GR27000455 Grading: 8.70	Computer Operator and Programming Assistant (COPA) - 2(1+1)	19th SCAA Remarks ITI needs to remove the following deficiency and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal.	State Remark: The Institute has submitted the following documents. 1. Documents of (Map) 53.52 Sq. Mt. Drawing Hall Area. (Required- 50 Available- 53.52) The State Directorate has verified that the institute's required drawing hall area is as per norms.	SCAA recommended the following trades: Computer Operator and Programming Assistant (COPA) - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			1. Drawing Hall Area is less than as required as per norms. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through Compliance module on NIMI affiliation portal.	Hence recommended for COPA 2(1+1) w.e.f Aug.2025 session.	
4.	Government Industrial Training Institute (Adivasi), Yaval, Dist: Jalgaon Address: At. Post Yawal MIS Code: GR27000347 Grading: 8.00	1. Fitter - 2(1+1) 2. Electrician - 2(1+1) 3. Mechanic Motor Vehicle (MMV) - 2(1+1)	19th SCAA Remarks Motor Mechanic Vehicle (MMV) 2 Unit (1+1+0) not recommended for affiliation. For remaining trade Electrician and Fitter SCAA observed shortage of electric load Available: 29.26KW, required 63.45 KW. ITI needs to reassess electrical load as per	State Remark: The Institute has submitted the following documents. 1. Electricity bill of 50 KW. (Required- 35.83 Available- 50) The Directorate has reviewed the electricity load as per trade/units on NCVT MIS portal of ITI. As per de-affiliation order dated 17.01.2025, the additional trade units of the ITI have been de-affiliated. As per the trades/units on the	SCAA recommended the following trades: 1. Fitter - 2(1+1) 2. Electrician - 2(1+1) 3. Mechanic Motor Vehicle (MMV) - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>affiliated trades/units and trade/units mapped on NCVTMIS portal and submit required documents after removing load deficiencies to the concerned State within 30 days from the date of issue of these minutes through Compliance module on NIMI affiliation portal.</p> <p>Thereafter concerned State will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.</p> <p>Further, if any correction is required to carried out in mapping of trade/units on NCVTMIS portal then clear recommendation for such trade units should be forwarded to DGT by State Director</p>	<p>portal, ITI currently requires 35.83 KW electrical load & 50 KW electrical load is available. Hence Recommended for Electrician- 2 (1+ 1) Fitter- 2 (1+ 1) w.e.f Aug.2025 session</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
			<p>2. Separate dedicated IT Lab not available.</p> <p>3. In Machinist Trade CNC Vertical Machining Center Not Working.</p> <p>4. In Machinist Trade as per Syllabus sr no 161 Drilling Machine Pillar, Sr No 166 Horizontal Milling Machine, Sr No 167 Vertical Milling Machine are not available, Sr No 172 Simulator and Desktop Computer not available, Sr No 175 LCD Projector not available which are major items as per syllabus.</p> <p>5. Qualification details of instructors not available</p>	<p>5. Syllabus sr.no.167: Vertical Milling Machine - 01/01 available but with under capacity motor and has Purchased old machine.</p> <p>6. Syllabus sr.no.172: - Desktop Computers compatible to run simulation software with LAN facility - 10nos. available, trial version simulator software are installed. Computers are donated by trust to ITI.</p> <p>7. Syllabus sr.no.175:- LCD Projector - Available - Donated by trust to ITI.</p> <p>Fitter - May be recommended. Machinist – Not Recommended.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
6.	Government Industrial Training Institute (SCP), Nashik, Dist: Nashik Address: Nasardi Bridge Nashik – 422011 MIS Code: GU27000541 Grading: 8.10	1. Electrician - 2(1+1) 2. Fitter - 2(1+1)	19th SCAA Remarks ITI needs to remove the following deficiency and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal. 1. Trainer details not provided for new trades Thereafter concerned State will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.	State Remark: The Institute has submitted the following documents. 1. Staff appointment Order for new trade of Electrician and Fitter. The Directorate has verified that the ITI appointed staff for the Electrician & Fitter trade as per norms. Hence Recommended for Electrician- 2 (1+ 1) Fitter-2 (1+1) w.e.f Aug.2025 session	SCAA recommended the following trades: 1. Electrician - 2(1+1) 2. Fitter - 2(1+1)
7.	Government Industrial Training Institute, Mozari, Dist: Amravati Address: Dastekadi Road Amravati – 444903	1. Information & Communication Technology System Maintenance - 1(0+1+0) 2. Computer Operator and	19th SCAA Remarks ITI needs to reassess electrical load as per affiliated trades/units and trade/units mapped on NCVTMIS portal and submit required documents	State Remark: The Institute has submitted the following documents. 1. Electricity bill of meter no.07603210186 having power load of 15 KW. 2. Letter dated 19.03.2025 from	SCAA recommended the following trades: 1. Information & Communication Technology System Maintenance - 1(0+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
	<p>MIS Code: GR27000124</p> <p>Grading: 8.70</p>	<p>Programming Assistant (COPA) - 1(0+1+0)</p> <p>3. Draughtsman Mechanical - 1(0+1+0)</p>	<p>after removing power load deficiencies along with Fire safety certificate for the ITI from government authority to the concerned State within 30 days from the date of issue of these minutes through Compliance module on NIMI affiliation portal. Thereafter concerned State will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.</p> <p>Further, if any correction is required to be carried out in mapping of trade/units on NCVTMIS portal then clear recommendation for such trade units should be forwarded to DGT through State Directorate.</p>	<p>Asst. Engineer MSEDCL Mozri that 100 KW power load has been sanctioned on Meter No. 06505816391. 3. Fire Safety Certificate issued by Nagar Panchayat Office, Tiwsa, Dist- Amravati dated 21.03.2025 The Directorate has verified, the institute's Power load & Fire Safety Certificate. 1)Two electric meters are available at the institute. a)15 KW of power load is available at meter number 07603210186 at administrative building b) 100 Kw power load has been sanctioned on meter number 06505816391 at workshop Total power load available is 115 KW in ITI Required Power load 112.87 The institute power load & Fire Safety Certificate is as per the norms. Hence Recommended for 1. Information & Communication Technology</p>	<p>2. Computer Operator and Programming Assistant (COPA) - 1(0+1)</p> <p>3. Draughtsman Mechanical - 1(0+1)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
				System Maintenance-1 (0+1) 2. COPA- 1 (0+1) 3. Draughtsman Mechanical 1 (0+1) w.e.f Aug.2025 session	
8.	Government Industrial Training Institute, Bhudargad (gargoti), Dist: Kolhapur Address: Raut Mal, Gargoti Kolhapur- 416209 MIS Code: GR27000405 Grading: 8.40	Electrician - 2(1+1)	<u>19th SCAA Remarks</u> ITI needs to remove the following deficiency and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal. 1. Trainer to be appointed for new trade. Thereafter concerned State will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.	The Institute has submitted the following documents. 1. Electricity bill of 60 KW. (Required- 57 Available- 60) 2. Staff appointment order for new electrician trade The Directorate has verified that Electricity bill & staff appointment order are as per norm. Hence Recommended for Electrician- 2 (1+ 1) w.e.f. Aug.2025 session	SCAA recommended the following trades: Electrician - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
9.	Jijau Pvt. ITI, Shivkrupa Hospital Bhavani Nagar Kandhar Tq Kandhar Dist Nanded-431714, Nanded, Maharashtra.3 TMP27485PR164982 6969 New ITI	1. Electrician - 2(1+1) 2. Fitter - 2(1+1) 3. Wireman - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1) 5. Fashion Design and Technology - 2(1+1)	15th SCAA Remarks SCAA suggested that RDSDE may form the joint inspection batch in NIMI portal with a prior intimation to institute and carry out the inspection	Inspection of the ITI was conducted, and Inspecting members have recommended for affiliation. All required tools, equipment, machineries, power supply, infrastructure, and staff are available for all 5 trades, hence all trades are recommended for affiliation. TC section remarks 1. BCC is issued by a chartered Engineer. 2. Fire safety certificate is not available.	SCAA has observed that the institute has not fully addressed the deficiencies indicated during the previous SCAA meeting. The following deficiencies are still pending: 1. BCC is not as per norms. (Please refer to page no.108 of affiliation norms 2018). 2. Fire safety certificate is not available. SCAA has decided to grant a final opportunity to the institute to remove the above deficiencies and submit the necessary supporting documents through the Compliance module on the NIMI Affiliation Portal within 30 days from the date of issue of these minutes. Subsequently, the State Directorate shall verify the

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
					<p>compliance and submit its report along with recommendations to DGT through the Compliance module within the next 15 days.</p> <p>Failure to comply within the stipulated timeline will result in rejection of the affiliation application.</p>
10.	<p>Pavanraje Nimbalkar Pvt. ITI At. Govardhanwadi Post. Dhoki, Tq-Dist. Osmanabad - 413508 MIS Code: PR27000930 Grading: 8.20</p>	<p>1. Electrician - 2(1+1) 2. Mechanic Diesel - 2(1+1)</p>	<p>14th SCAA Remarks</p> <p>The ITI is already under consideration of OM No. DGT-Aff011(14)/27/2022-O/o Dated 19.09.2023. If the applicant has expressed the willingness to conduct an inspection, then RDSDE can take action as per the provisions of this OM.</p>	<p>Remarks of ICVC</p> <p>All required tools, equipment, machineries power supply infrastructure and staffs are available for Electrician 2(1+1) and Diesel Mechanic 2(1+1), hence Recommend for affiliation</p> <p>However, the following deficiency observed</p> <p>1. The required power is 20.2KW and the</p>	<p>SCAA has observed that the institute has not fully addressed the deficiencies indicated during the previous SCAA meeting. The following deficiencies are still pending:</p> <p>1. The required power is 20.2KW and the Available power is 19KW 2. Fire safety certificate not provided 3. Area of the diesel mechanic workshop is 164.45 sqm, and required is 210 sqm</p>

उज्जवल निवास
कोशला निवास
Ministry of Skill
भारत सरकार, नई दिल्ली-110012, New Delhi-12

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
				<p>Available power is 19KW</p> <p>2. Fire safety certificate not provided</p> <p>3. Area of the diesel mechanic workshop is 164.45 sqm and required is 210 sqm</p>	<p>SCAA has decided to grant a final opportunity to the institute to remove the above deficiencies and submit the necessary supporting documents through the Compliance module on the NIMI Affiliation Portal within 30 days from the date of issue of these minutes.</p> <p>Subsequently, the State Directorate shall verify the compliance and submit its report along with recommendations to DGT through the Compliance module within the next 15 days.</p> <p>Failure to comply within the stipulated timeline will result in rejection of the affiliation application.</p>



उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक, दिशाना, DGT
 पशुधन विकास विभाग, दिशाना, दिशाना
 वन्यजीव विभाग, दिशाना, दिशाना
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012, New Delhi-12

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
11.	<p>KUMSS Private Industrial Training Institute At-Malwadi, Post-Karhati, Tal-Baramati, Dist-Pune -412204</p> <p>MIS Code: PR27001025 Grading 6.70</p>	<p>Fitter 4(2+2) Multimedia, Animation & Special Effects 2(1+1) Human Resource Executive 2(1+1) Lift and Escalator Mechanic 2(1+1) Fire Technology and Industrial Safety Management 2(1+1) Mechanic Refrigeration and Air Conditioner 2(1+1) Solar Technician (Electrical) 2(1+1) Mechanic Motor Vehicle (MMV) 2(1+1) Industrial Painter 2(1+1)</p>	<p>15th SCAA Remarks</p> <p>ITI is not recommended for affiliation due to not meeting the criteria as the grading of ITI is in NG category, and as per DGT-Aff011(14)/27/2022-O/o DIR (TC) dated 16.10.2023, and the deficiencies mentioned in column VI.</p>	<p>Joint reinspection carried out and ICVC recommended all trades.</p> <p>TC Section remarks:</p> <p>Required load is 90.1 KW, and available load is 85 KW.</p>	<p>Based on the availability of electrical power, SCAA recommended the following trades/units:</p> <ol style="list-style-type: none"> 1. Multimedia, Animation & Special Effects 2(1+1) 2. Human Resource Executive 2(1+1) 3. Lift and Escalator Mechanic 2(1+1) 4. Fire Technology and Industrial Safety Management 2(1+1) 5. Mechanic Refrigeration and Air Conditioner 2(1+1) 6. Solar Technician (Electrical) 2(1+1) 7. Mechanic Motor Vehicle (MMV) 2(1+1) 8. Industrial Painter 2(1+1) <p>Fitter additional 2+2 is not recommended due to shortage of electric load.</p>

(10)

Name of the State: Telangana

Sr. No	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
1.	Govt Industrial Training Institute, Mallepally Address: 10-2-247/248, Mallepally, Vijayanagar Colony, Asifnagar Mandal, Hyderabad MIS Code: GU36000018 Grading: 8.00	1. Solar Technician (Electrical) - 2(1+1) 2. IoT Technician (Smart City) - 2(1+1) 3. Mechanic Auto Electrical and Electronics - 2(1+1) 4. Radiology Technician - 2(1+1) 5. Welder - 1(0+1) 6. Instrument Mechanic - 1(0+1)	19th SCAA Remarks SCAA observed shortage of electric load Power Required= 275.81 KW Available = 230 KW Shortage = 45.81 KW ITI needs to reassess electrical load as per affiliated trades/units and trade/units mapped on NCVT MIS portal and submit required documents after removing load deficiencies to the concerned State within 30 days from the date of issue of these minutes through Compliance module on NIMI affiliation portal. Thereafter concerned State will verify the documents submitted by the ITI and submit the report to DGT within the next 15 days on the online compliance module.	The Principal have submitted the proposals for enhancement of power for a CMD of 100 KVA with a connected load of 300 KW under HT Category-II at 11 KV level and the Southern Power distribution have accepted the proposals. Hence it is recommended to accord Affiliation. State Remark: It is to inform that power load submitted by the Principal, Govt. ITI, Mallepally is verified and found to be correct as per the deficiencies mentioned in 18th SCAA	SCAA recommended the following trade/units: 1. Solar Technician (Electrical) - 2(1+1) 2. IoT Technician (Smart City) - 2(1+1) 3. Mechanic Auto Electrical and Electronics - 2(1+1) 4. Radiology Technician - 2(1+1) 5. Welder - 1(0+1) 6. Instrument Mechanic - 1(0+1) 7. Mechanic Refrigeration and Air Conditioner - 1(0+1) 8. Draughtsman (Civil) - 1(0+1)

Annexure-2

उज्जवल विरवास/UJJWAL VIRWAS
निदेशक / Director
प्रशिक्षण महानिदेशक, दिल्ली
कोशल विभाग, भारत सरकार
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002, New Delhi-12

Page 94 of 214

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
		7. Mechanic Refrigeration and Air Conditioner - 1(0+1) 8. Draughtsman (Civil) - 1(0+1) 9. Computer Operator and Programming Assistant (COPA) - 1(0+1)	<p>Further, if any correction is required to be carried out in mapping of trade/units on NCVTMIS portal then clear recommendation for such trade units should be forwarded to DGT by State Director</p> <p>For the trades of Mechanic Auto Electricals & Electronics and Radiology Technician, the required equipment and tools are not currently available. Hence, after the procurement of the equipment and tools, the State may submit the proposal through SSDEC.</p>		9. Computer Operator and Programming Assistant (COPA) - 1(0+1)

(2)

उज्जवल विस्वास BISWAS
 प्रशिक्षण महानिदेशक, नेशनल ट्रेनिंग
 कोरसल निदेशक, नेशनल ट्रेनिंग
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012

Name of the State: Uttar Pradesh

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
1.	Shri Deepchandra Choudhary Pvt ITI Address: 26- National Highway, Sagar Road, Lalitpur, UP. MIS Code: PR09901333 Grading: 6.60	Electrician - 6(2+2+2)	19th SCAA Remarks Applicant institute needs to remove the following deficiency and submit the documents to the concerned State within 30 days from the date of issue of this minute through NIMI compliance portal: 1. BCC is not as per norms (for BCC please refer the page number 108 of affiliation norms 2018) 2. Staff appointment, qualification and experience details not provided Thereafter, the State will verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.	State Remark 1. Required BCC is attached. 2. Trade-wise Instructor appointment and experience details have been uploaded by the applicant. 3. Staff appointment, qualification, and experience details have been uploaded by the applicant. As per provided documents by the institute the mentioned compliance has been resolved by the respective institute.	SCAA recommended the following trades: Electrician - 4(2+2)
2.	Maa Tilesara Devi Private Industrial Training Institute, Ambedkar Nagar	1. Electrician - 6(2+2+2) 2. Fitter - 2(1+1)	19th SCAA Remarks Applicant institute needs to remove the following deficiency and submit the documents to the concerned State	1. Electricity Load has been updated by the applicant. Required - 18.21 KW Available- 19 KW.	SCAA recommended the following trades: 1. Electrician - 4(2+2) 2. Fitter - 2(1+1)

Annexure-2

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण एवं प्रशिक्षण प्रशासन विभाग
कौशल विकास एवं प्रशिक्षण विभाग
Ministry of Skill Development & Entrepreneurship
भारत सरकार, नई दिल्ली-110002, New Delhi-12

Page 96 of 214

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
	Address: Bhasra, Tanda, Ambedkar Nagar, Uttar Pradesh TMP9121PR15801115 45 New ITI	3. Computer Operator and Programming Assistant (COPA) - 2(1+1) 4. Health Sanitary Inspector - 2(1+1)	within 30 days from the date of issue of this minute through NIMI compliance portal: 1. Shortage of power 2. Staff appointment, qualification and experience details for HSI trade Thereafter, the State will verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.	2. Staff appointment, qualification and experience details for HSI trade have been uploaded by the applicant. As per provided documents by the institute the mentioned compliance has been resolved by the respective institute.	3. Computer Operator and Programming Assistant (COPA) - 2(1+1) 4. Health Sanitary Inspector - 2(1+1)
3.	Kiran Private ITI, Kutubpur chanora kotla road Firozabad- 283203 MIS Code: PU09900073 Grading: 8.40	1. Computer Operator and Programming Assistant (COPA) - 3(1+1+1) 2. Fashion Design and Technology - 3(1+1+1)	17th SCAA remarks: SCAA Remarks: ITI needs to remove the following deficiency and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal. 1. Fire Safety certificate not available. 2. BCC, as per norms (Please refer page no.108 of affiliation norms 2018)	1. BCC is not updated, and the old BCC is uploaded by the applicant. Also, it's not as per norms. 2. Fire certificate is not updated and also not as per norms. State Remarks: BCC & Fire NOC is not as per norms.	Despite being given multiple opportunities, the institute has not rectified the deficiencies. Therefore, the SCAA has not recommended the institute for affiliation due to the deficiencies mentioned in Column V.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
		3. Hair & Skin Care (VI)-3(1+1+1)	<p>Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through Compliance module on NIMI affiliation portal.</p> <p>18th SCAA remarks: These cases have been discussed with State and RDSDE. SCAA granted one last opportunity to address the deficiencies, as per the respective SCAA remarks, and submit the compliance report in NIMI portal within 30 days from the issuance of these minutes. If the applicant institute fails to do so, the affiliation application shall be rejected.</p>		
4.	Dr. APJ Kalam Private Industrial Training Institute Jhansi Private Industrial Training Institute, Jhansi Behind Saint Judes School Prem Nagar Nagra Jhansi-284003	Electrician - 6(2+2+2)	<p>18th SCAA Remarks</p> <p>Applicant institute needs to remove the following deficiency and submit the documents to the concerned State within 30 days from the date of issue of this minute through NIMI compliance portal</p>	NOC is not validated by the Fire NOC Portal. "Fire NOC id does not exist" message is displayed on the Portal. Instructor details uploaded by the	SCAA has observed that the institute has not fully addressed the deficiencies indicated during the previous SCAA meeting. The

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
	<p>MIS Code: PU09900352</p> <p>Grading: 5.50</p>		<p>1. Fire safety certificate is expired.</p> <p>2. Only 03 instructor details are provided against the required 10 for new as well as existing trades.</p> <p>Thereafter, the State will verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.</p>	<p>applicant is not legible completely.</p> <p>State Description: Fire NOC is not as per norms.</p>	<p>following deficiencies are still pending:</p> <p>Fire safety certificate is not as per norms.</p> <p>SCAA has decided to grant a final opportunity to the institute to remove the above deficiencies and submit the necessary supporting documents through the Compliance module on the NIMI Affiliation Portal within 30 days from the date of issue of these minutes.</p> <p>Subsequently, the State Directorate shall verify the compliance and submit its report along with recommendations to DGT through the Compliance module within the next 15 days.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
					Failure to comply within the stipulated timeline will result in rejection of the affiliation application.
5.	IWISA Private ITI Baramai, Village-Baramai, Post - Baramai, Tehsil - Sadabad, District - Hathras, State - Uttar Pradesh-281302 TMPNEW431 New ITI	1. Mechanic (Motor Vehicle) - 3(1+1+1) 2. Computer Operator and Programming Assistant- 3(1+1+1) 3. Health Sanitary Inspector- 3(1+1+1) 4. Hair & Skin Care (VI)- (1+1)	18th SCAA remarks Applicant institute needs to remove the following deficiency and submit the documents to the concerned State within 30 days from the date of issue of this minute through NIMI compliance portal 1. Building plan not legible 2. Institute as applied as Hair & Skin Care (VI) which is trade in Divyang category. It is required to reconfirm the same Thereafter, the State will verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.	State Directorate submitted the compliance report and provided the building plan and undertaking that institute mistakenly applied for Hair & Skin Care (VI) instead of cosmetology	SCAA recommended the following trades: 1. Mechanic (Motor Vehicle) -2(1+1) 2. Computer Operator and Programming Assistant- 2(1+1) 3. Health Sanitary Inspector- 2(1+1) 4. Cosmetology- 2(1+1)

उज्जवल बिरवांस / UJJWAL BISWAS
निदेशक / Director
एन सी ई आर / NCEAR
कौशल विकास, प्रशिक्षण और रोजगार विभाग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली / Government of India, New Delhi-12

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
6.	Syed Shamsad Hussain PVt ITI, Balchand Patti, Sultanpur-228131 1809016577 New ITI	1. Electrician- 3(1+1+1) 2. Fitter- 3(1+1+1) 3. Wireman- 3(1+1+1) 4. Plumber- 3(1+1+1)	<u>17 th SCAA Remarks</u> ITI needs to remove the following deficiency and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minute through the Compliance module on NIMI affiliation portal. 1. Building plan not as per norms with sign and stamp of competent authority 2. Deficiency of electrical load, Available Power load: 16 KW, Required power load: 16.71KW. Thereafter, the State Directorate will have to verify the documents submitted and send the report with recommendation to DGT within the next 15 days through the Compliance module on NIMI affiliation portal.	State Directorate submitted compliance report and provided the Electricity Bill of 17.11.2024 of 17 KW and Building plan of institute	SCAA recommended the following trades: 1. Electrician- 2(1+1) 2. Fitter- 2(1+1) 3. Wireman- 2(1+1) 4. Plumber- 2(1+1)
7.	Ma Jasoda Private Industrial Training Institute Hardoi, Village Atara, Post Bheetha Dan, Block	1. Fitter additional unit 2(1+1)	<u>19th SCAA Remarks</u> A representation dated 05.01.2025 has been received from Maa Jasoda	RDSDE UP, submitted the compliance report wherein the RDSDE inspecting member has mentioned that	SCAA recommended the following trades: 1. Fitter additional unit 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21st SCAA remarks
I	II	III	IV	V	VI
	<p>Ahirori, District Hardoi Pin 241122</p> <p>MIS Code: PR09901364</p> <p>Grading: 7.60</p>	<p>2. Electrician additional unit 6(3+3)</p>	<p>Private ITI (PR09901364) regarding the lack of information on the affiliation status of the trades/units Electrician (3+3) and Fitter (1+1) in 18th SCAA meeting.</p> <p>Upon review, the 19th Standing Committee on Affiliation and Accreditation (SCAA) observed that the affiliation matter of this institute was discussed during the 18th SCAA meeting held on 27.11.2024. In that meeting, SCAA recommended affiliation for the trade Computer Operator and Programming Assistant (COPA) – 2 (1+1) based on the institute's application. The institute had applied for COPA in the new category and Electrician and Fitter in the existing category. Further, the recommendations provided by the ICVC (Inspection Committee) did not specifically mention the remarks/recommendation about the Electrician and Fitter trade.</p>	<p>1. Electrician additional unit 6(3+3) recommended- The infrastructure, workshop, classroom, machinery, equipment and instructors/staffs are available as per norms.</p> <p>2. Fitter additional unit 2(1+1) recommended - The infrastructure, workshop, classroom, machinery, equipment and instructors/staffs are available as per norms.</p> <p>3. COPA (New)2(1+1) recommended-The infrastructure, workshop, classroom, machinery, equipment and instructors/staffs are available as per norms.</p>	<p>2. Electrician additional unit 6(3+3)</p>



उज्जवल बिरवास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण मन्त्रालय, उच्च शिक्षा विभाग, भारत सरकार
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली - 110002, New Delhi-12

Name of the State: West Bengal

Sr.no.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21 st SCAA Remarks
I	II	III	IV	V	VI
1.	Maa Tara Pvt ITI Murshidabad Address: Vill Chanak, Po Chanak, Ps Nabagram, Block Nabagram, Dist Murshidabad – 742184 TMP19319PR1714057 200 New ITI	1. Electrician - 2(1+1) 2. Electronics Mechanic - 2(1+1) 3. Fitter - 2(1+1) 4. Computer Operator and Programming Assistant (COPA) - 2(1+1)	19th SCAA Remarks ITI needs to remove the following deficiency and submit the documents to the concerned State Directorate within 30 days from the date of issue of this minute through Compliance module on NIMI affiliation portal. 1. IT lab not available Thereafter, the State will verify the availability of IT lab and submit the report to DGT through Compliance module in NIMI portal with recommendation within the next 15 days.	State Remark: The joint re inspection team of both State Govt. & RDSDE, WB re-inspected the said ITI and it was found that the "IT Lab & COPA workshops are as per norms".	SCAA recommended the following trades: 1. Electrician - 2(1+1) 2. Electronics Mechanic - 2(1+1) 3. Fitter - 2(1+1) 4. Computer Operator and Programming Assistant (COPA) - 2(1+1)
2.	Ramkrishna Memorial Private Industrial Training Institute Purulia, Village- Manakchita, Post Office- Baragram, Police Station- Joypur,	1. Electrician -6(3+3) 2. Fitter-6(3+3) 3. Welder-4(2+2) 4. Mechanic Diesel- 4(2+2)	18th SCAA Remarks Applicant institute needs to complete the installation of machinery for all trades and submit the report within 30 days from the date of issue of	Complete reinspection report is not provided by the State and RDSDE	State and RDSDE is required to submit the complete inspection report within 15 days from date of issue of these minutes.

Sr.no.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21 st SCAA Remarks
I	II	III	IV	V	VI
	District- Purulia, State- West Bengal, Country- India, Pin- 723103 Mis Code: PR19000271 Grading: 7.70		this minute in Compliance module on NIMI affiliation portal. Thereafter, the State Directorate and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI. RDSDE will then submit the report to DGT with recommendations within the next 15 days in the Compliance module on the NIMI affiliation portal.		
3.	Genex Private ITI, Hooghly, Vill & Po- Sugandha, Polba, Dist-Hooghly, Pin-712102 TMP19312PR1713251986 New ITI	1. Electrician-4(2+2) 2. Fitter-4(2+2) 3. Welder-2(1+1) 4. Basic Cosmetology-2(1+1)	18th SCAA Remarks Applicant institute needs to provide complete trade-wise details of instructor appointments, including their qualifications and experience, to the concerned State within 30 days from the date of issue of this minute through NIMI compliance portal	State Remark: 02 instructors of Electrician & Fitter trade are having CITS certificates out of 04 nos of instructors. For rest trades instructor's documents have been uploaded.	SCAA recommended the following trades: 1. Electrician-4(2+2) 2. Fitter-4(2+2) 3. Welder-2(1+1) 4. Basic Cosmetology-2(1+1)



Sr.no.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21 st SCAA Remarks
I	II	III	IV	V	VI
			Thereafter, the State will verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.		
4.	Bagula Pvt ITI Vill+P.O. Bagula, PS Hanskhali, West Bengal. NADIA ,741502 MIS Code: PR19000263 Grading: 8.50	Mechanic Diesel 6(3+3) Electrician Additional -6(3+3) Fitter Additional - 6(3+3)	<p><u>16th SCAA Remarks</u></p> <p>ITI needs to remove the deficiencies as mentioned in column IV and V, and submit the required documents within 30 days from the date of issue of this minute in Compliance module on NIMI affiliation portal and inform RDSDE</p> <p>Thereafter, the State Directorate and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI. RDSDE will then submit the report to DGT with recommendations within the next 15 days in the Compliance</p>	<p>The joint re inspection committee submitted its report and mentioned that</p> <ol style="list-style-type: none"> 1. All items are available and found ok. 2. Engaged and Appointment letter checked and found ok. 3. All machine installed properly and Complied. 4. Due to the shortage of area Diesel Mechanic trade was not recommended earlier. 5. 50 numbers of Computer physically 	<p>The Institute has surrendered the Mechanic Diesel trade. For the remaining trades, the joint re-inspection team has not mentioned the number of units recommended for the trades of Fitter and Electrician.</p> <p>Therefore, RDSDE is requested to submit trade/unit-wise recommendations within 15 days from the date of issue of these minutes.</p>

Sr.n o.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21 st SCAA Remarks
I	II	III	IV	V	VI
			<p>module on the NIMI affiliation portal.</p> <p>Deficiency as per 16th SCAA meeting</p> <ol style="list-style-type: none"> 1. Machinery per Available but some item of fitter, electrician and diesel mechanic trade not avail 2. Supervisor and foreman staff are not available 3. A few of machinery yet to install. 4. Area of 56.72 sq meter is shortage 5.24 computer available in IT Lab which is less as per requirement. 5. Drawing Hall not available 6. Safety measure Inadequate needs to improve. Symbol of emergency exit missing. 7. Machine tools, equipment Partially Available 8. No internet connectivity with Biometric Machine. unable to export data in front of us 	<p>found and bill checked and found ok.</p> <ol style="list-style-type: none"> 6. Now Drawing Hall available with all equipment. 7. Safety Mark and emergency symbol now available 8. Available as per recommended trade units. Procurement bill checked. 9. Biometric Machine is connected with internet and online attendance record checked and found ok. 10. BCC is approved by Architect and Junior Engineer (Civil), Hanskhali Development Block, Hanskhali, Nadia, West Bengal. 11. President of Manjudebi 	

Sr.no.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	Compliance report from State against the NC raised by SCAA	21 st SCAA Remarks
I	II	III	IV	V	VI
			<p>9. BCC is issued by Panchayat Samiti and not as per norms.</p> <p>10. Required Power= 76.45 ITI has submitted 02 EB 42.35 KVA/38.11 KW(on name of ITI) Manjudebi Memorial Trust, con id :900006826 power 78.4 kw (On name of trust) No undertaking is submitted by Trust president that ITI can use the Electricity connection of trust.</p> <p>11. Building plan is not clear but inspecting member has mentioned that Area of 56.72 sq meter is shortage.</p>	<p>Memorial Trust has provided (NOC) Affidavit paper for using its electric power to Bagula Pvt ITI. Now total power is 112.984 kw which is more than required power 76.45 KW.</p>	

(13)

उज्जवल बिस्वास/UJJWAL BIS
Director
पुनर्वसन विभाग, राष्ट्रीय उद्योग
पुनर्वसन विभाग एवं उद्योग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India

Annexure-3

(Annexure-3, as referred in Agenda 5.1: Proposal for de-affiliation of 24 ITIs of Madhya Pradesh State)

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
1.	Dhannajay Technical Institute Private ITI, MIS Code: PR23000922	1. Electrician – 4 (2+2) 2. Fitter - 2 (2+0)	1. The de-affiliation proceedings were initiated by RDSDE due to a complaint. 2. The State Directorate vide their letter dated 04.07.2024 informed that a request has been received by ITI for self-surrender of all trades/shifts/units vide its letter dated 10.06.2024. 3. The matter was discussed in 8 th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation of ITI due to self-closure request of ITI.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reasons for de-affiliation: The ITI is de-affiliated due to self-closure request.
2.	Shahpur Private ITI MIS Code: PU23000879	1. Electrician- 3(1+1+1) 2. Fitter- 2(1+1)	1. The de-affiliation proceedings were initiated by RDSDE due to a complaint received for following reasons: (a) ITI is not functioning as per NCVT MIS Portal address and location (b) Training activities are currently not being conducted in the ITI. (c) The building of the ITI is very old and in dilapidated condition. (d) The electricity consumption in the ITI is very low.	The matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity is hereby granted to the ITI to represent itself against the deficiencies observed during the inspection dated 02.09.2024 and listed in Column IV, and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes.

Annexure-3

(Handwritten signature)

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक, प्रशिक्षण
कौशल विकास विभाग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002, New Delhi-12

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>(e) The workshops are also not in working condition.</p> <p>2. The SCN was issued to the ITI by RDSDE on 11.07.2024.</p> <p>3. The ITI replied on 23.07.2024 in which the ITI clarified that the allegations leveled against it are baseless and affirmed that its operations are in full adherence to NCVT norms.</p> <p>4. The joint inspection was carried out on 02.09.2024. During the joint inspection following deficiencies were observed:</p> <p>(a) The land lease of the ITI was not in the name of ITI.</p> <p>(b) Few areas of the ITI were used for MP Board open school.</p> <p>(c) The building was old and not maintained. The roof was also broken.</p> <p>(d) The low electricity bill consumption shows that the training was not conducting properly in the ITI.</p> <p>(e) Only two appointment letters of staff were provided by the ITI office.</p> <p>(f) Bio-metric attendance were not recorded for both staff and students</p>	<p>Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p>

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>(g) Some machineries were not installed and seems that they were not in use since long time.</p> <p>(h) Amenities were also not as per NCVT norms.</p> <p>(i) IT lab and drawing hall were not as per norms.</p> <p>(j) Fire Extinguisher was expired.</p> <p>5. The inspection committee recommended the ITI for de-affiliation.</p> <p>6. The matter was discussed in 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation of ITI due to joint inspection committee recommendations.</p>	
3.	Skill India Private ITI MIS Code: PR23000878	1. Electrician - 6(2+2+2) 2. COPA - 3(1+1+1)	1. The de-affiliation proceedings were initiated by RDSDE due to a complaint received for following reasons: (a) As per Geo-tag location photograph, the Dayanar Aaryan Vedic Vidhyapeeth is situated at ITI location and the ITI is running in some part of the above said institute. (b) The electricity bill of last 6 months indicates that training activities are currently not being conducted in the ITI. The consumption data also suggests that residential activities are being carried out within the ITI premise.	The matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity is hereby granted to the ITI to represent itself against the deficiencies observed during the inspection dated 02.09.2024 and listed in Column IV, and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes.

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>2. The SCN was issued to the ITI by RDSDE on 11.07.2024, followed by reminder dated 06.08.2024.</p> <p>3. The ITI replied on 14.08.2024 in which the ITI clarified that the allegations leveled against it are baseless and affirmed that its operations are in full adherence to NCVT norms. The ITI is located as per Geo-tag location which can be verified again by doing inspection at any time.</p> <p>4. The joint inspection was carried out on 02.09.2024. During the joint inspection following deficiencies were observed:</p> <p>(a) Land lease documents were not on ITI name and also other Vidyalaya and ITI both working in same building.</p> <p>(b) The ITI was not operating consistently in accordance with the prescribed norms.</p> <p>(c) Electricity consumption in the ITI was very low. Not as per norms.</p> <p>(d) Tools & Equipment purchase bills, raw material register, student and teacher records were not available at the time of inspection.</p> <p>(e) Biometric staff and student's attendance were not available at the time of Inspection.</p>	Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>(f) Some machines were not properly installed and were not in working condition, indicating that most of them had not been used for a long time.</p> <p>(g) Amenities were also not available as per NCVT Affiliation norms.</p> <p>(h) IT lab not as per NCVT affiliation norms.</p> <p>(i) The ITI premises were also used for residential purposes.</p> <p>(j) Fire Extinguisher was expired.</p> <p>7. The inspection committee recommended the ITI for de-affiliation.</p> <p>8. The matter was discussed in 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation of ITI due to joint inspection committee recommendations.</p>	
4.	Lakshya Private ITI, MIS Code: PU23000884	<p>1. Electrician-6(2+2+2)</p> <p>2. Stenographer & Secretarial Assistant (Hindi)-3(1+1+1)</p>	<p>1. The de-affiliation proceedings were initiated by RDSDE due to a complaint received for following reasons:</p> <p>(a) ITI is not functioning as per NCVT norms.</p> <p>(b) The instructors for affiliated trades Electrician and Stenographer are not available in the ITI.</p> <p>(c) The tools, equipment, machinery for the above said trades are also not available in the ITI.</p>	<p>The matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity is hereby granted to the ITI to represent itself against the following:</p> <p>(a) The deficiencies for which the SCN dated 07.08.2024 followed by</p>

उज्जवल बिराजु BIRAJU BISWAS
 शिक्षण प्रशासन विभाग
 कौशल विकास विभाग
 Ministry of Skill Development & Entrepreneurship
 भारत सरकार, नई दिल्ली-110002, India, Tel: 011-2606112

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>(d) Only one staff is working in the ITI and training activities are currently not being conducted in the ITI.</p> <p>(e) The electricity consumption of the ITI is very low as per affiliated trades which also indicating that training activities are either minimal or not being conducted.</p> <p>(f) Instructor details are not given on NCVT MIS portal by the ITI.</p> <p>2. The SCN was issued to the ITI by RDSDE on 07.08.2024, followed by reminder dated 02.09.2024.</p> <p>3. The ITI replied on 30.08.2024 in which the ITI clarified that the allegations leveled against it are baseless and affirmed that its operations are in full adherence to NCVT norms.</p> <p>4. The joint inspection was carried out on 12.11.2024. During the joint inspection the ITI was found closed.</p> <p>5. The matter was discussed in 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended to de-affiliate the ITI since ITI found closed at the time of joint inspection.</p>	<p>reminder dated 02.09.2024 were issued.</p> <p>(b) The ITI found closed during the inspection dated 12.11.2024.</p> <p>The ITI will have to submit its reply to the RDSDE within 20 days from the date of issue of these minutes.</p> <p>Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p>
5.	SD Group Private ITI	1. Electrician 6(2+2+2)	1. The de-affiliation proceedings were initiated by RDSDE following a complaint regarding the	The matter was discussed in the SCAA meeting, and it was

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
	MIS Code: PU23000903	2. Fitter 6(2+2+2)	<p>operation of a school (from Nursery to 12th grade) and a degree college within the same premises.</p> <p>2. A Show Cause Notice (SCN) was issued by the State Directorate on 07.08.2024, wherein the ITI was also instructed to submit all relevant documents of ITI along with its reply to the SCN.</p> <p>3. The ITI submitted its reply on 09.08.2024, along with all relevant institutional documents. In its response, the ITI stated that a sudden joint inspection was carried out in June 2024 by the State Deputy Director and the Nodal Principal in connection with the aforementioned complaint. Subsequently, another unannounced inspection was conducted by the Nodal Principal of Government ITI Singrauli, M.P., on 11.07.2024. Based on these inspections, the ITI submits that the allegations against it are untrue.</p> <p>4. The joint inspection was conducted on 25.10.2024 and the following deficiencies were observed by the committee members:</p> <p>a) The name of ITI is not mentioned in the land documents.</p>	<p>decided that, in accordance with the principle of natural justice, an opportunity is hereby granted to the ITI to represent itself against the deficiencies observed during the joint inspection dated 25.10.2024 and listed in Column IV, and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes.</p> <p>Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p>

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>b) Building completion certificate is not available during inspection. The building construction is not as per layout.</p> <p>c) The electricity unit consumption is less.</p> <p>d) The machinery bills indicate that the last purchase occurred in 2016.</p> <p>e) Raw Material Register not authenticated.</p> <p>f) Instructors do not have required experience as per norms.</p> <p>g) Staff and Students attendance were not available at the time of inspection.</p> <p>h) The Tools were not as per revised syllabus.</p> <p>i) Sparking seen in few machines when connected to power supply.</p> <p>j) IT lab & drawing hall were not as per norms.</p> <p>k) Fire safety certificate was not available. Due date of refilling and available pressure is not visible.</p> <p>3. The Joint inspection committee not recommended for continuation of affiliation.</p> <p>4. The matter was discussed in 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation of ITI due to joint inspection committee recommendations.</p>	

(8)

उज्जयिनी विद्यापीठ
परीक्षा मंडळ
विशेष शिक्षण
मंत्रालय, भारत सरकार, नई दिल्ली-110002
J. N. BISWAS
Training
मंत्रालय
नई दिल्ली-110002

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
6.	<p>Indra Gandhi Private ITI</p> <p>MIS Code: PR23000881</p>	<p>Electrician 3(1+1+1)</p> <p>Fitter 3(1+1+1)</p>	<ol style="list-style-type: none"> 1. The de-affiliation proceedings were initiated by RDSDE due to a complaint received regarding the operation of a school (from Nursery to 12th grade) and PGDM college within the same premises. 2. The SCN was issued to the ITI by State Directorate on 07.08.2024, wherein the ITI was also instructed to submit all relevant documents pertaining to its ITI along with the reply to the SCN. 3. The ITI submitted its reply on 12.08.2024 along with all relevant institutional documents. It was further stated that a joint inspection was conducted on 12.06.2024 by the Deputy Director of the State Directorate, Jabalpur, and the Training Officer from Government ITI Bhopal in connection with the aforementioned complaint. Additionally, another inspection was carried out by the Nodal Principal of the Government ITI and their team in April 2024. Based on these inspections, the ITI submits that the allegations against it are untrue. 4. The joint inspection was conducted on 25.10.2024 and the following deficiencies were observed by the committee members: <ol style="list-style-type: none"> a) Electricity unit consumption in the ITI was very less. 	<p>The matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity is hereby granted to the ITI to represent itself against the deficiencies observed during the joint inspection dated 25.10.2024 and listed in Column IV, and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes.</p> <p>Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p>

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>b) Trainer for employability skills does not possess required qualification and experience as per norms.</p> <p>c) The previous record of staff and student's biometric attendance were not provided during inspection.</p> <p>d) The Tools were not as per revised syllabus.</p> <p>e) Sparking and burning smell observed in few machines when connected to power supply during inspection.</p> <p>f) The staff room area was smaller than the area required by the norms.</p> <p>g) IT lab & drawing hall were not as per NCVT norms.</p> <p>h) Fire safety certificate issued by Govt. authorities was not provided.</p> <p>5. The NCVT member not recommended for continuation of affiliation.</p> <p>6. The SCVT member recommended for continuation of affiliation.</p> <p>7. The matter was discussed in 8th SSDEC dated 09.12.2024 & 10.12.2024. The SCVT member report was found to be indecisive, hence SSDEC recommended de-affiliation of ITI on the</p>	

64

उज्जवल विरवारि
निदेशक
परिक्षण महाविद्यालय
कोशाल विभाग
Ministry of Skill Development
भारत सरकार, नई दिल्ली-110002 Govt. of India, New Delhi-110002

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			recommendations of NCVT member report being a senior member decision.	
7.	Success Private ITI MIS Code: PU23000753	Electrician-6(2+2+2)	<ol style="list-style-type: none"> The de-affiliation proceedings were initiated by RDSDE due to a complaint received for following reasons: <ol style="list-style-type: none"> The ITI has no adequate building for training. No tools, machinery and equipment's available in the ITI. No staff available for the trades. The ITI is only running on the papers. The ITI is taking extra fees for admission. The Show Cause Notice (SCN) was issued to the ITI by the State Directorate on 21.08.2024, wherein the State Directorate requested the submission of all documents related to tools and equipment, land ownership, and electricity bills for the last six months pertaining to the ITI. The ITI replied on 23.08.2024 in which the ITI has submitted the documents related to land, electricity bill, bills of tools and machinery, attendance record to the State Directorate and also stated that the 	<p>The matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity is hereby granted to the ITI to represent itself against the deficiencies observed during the joint inspection dated 23.10.2024 and listed in Column IV, and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes.</p> <p>Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p>

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>allegations leveled against the ITI regarding charging of excess fees from the trainees are false.</p> <p>4. The joint inspection was carried out on 23.10.2024. During the joint inspection following deficiencies were observed:</p> <p>(a) The ITI address was not specific.</p> <p>(b) The ITI was under construction.</p> <p>(c) Electricity connection was not in the name of ITI/Organization.</p> <p>(d) The wiring connection of the machines were not as per norms.</p> <p>(e) Machinery were not installed.</p> <p>(f) Tools and equipment's kept in the lab were rusted indicates that they have not been used for long period.</p> <p>(g) The IT lab not as per norms.</p> <p>(h) Drawing hall was not available during inspection.</p> <p>(i) Fire safety certificate was not provided during inspection.</p> <p>5. The inspection committee recommended the ITI for de-affiliation.</p> <p>6. The matter was discussed in 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC</p>	

उज्ज्वल
प्रशिक्षण
कोशाल

BISWAS
of Training
मन्त्रालय
Entrepreneurship
Ministry of Skill Development & Entrepreneurship
Govt. of India, New Delhi-12

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			recommended de-affiliation of ITI due to joint inspection committee recommendations.	
8.	Ravi Shankar Private ITI MIS Code: PU23000654	Electrician – 3 (1+1+1)	<p>1. The de-affiliation proceedings were initiated by RDSDE due to a complaint received that the ITI has been shifted to new location without permission from DGT.</p> <p>2. The ITI, vide its letter dated 29.09.2023, informed that the building owner was causing disturbances to the students. In view of the students' future, the training is currently being conducted at other location approximately 500 km away from the original ITI premises.</p> <p>3. The joint inspection was conducted on 07.11.2023, during the joint inspection the following were observed:</p> <p>(a) The ITI was running in a different location/building, not as per NCVT MIS Portal location/address.</p> <p>(b) Electrical equipment and motors were not put into operation.</p> <p>(c) Attendance of instructor and trainees were not provided during inspection.</p> <p>(d) Geolocation of this ITI as per NCVT MIS Portal address: 24.5420961; 81.32987281.</p>	<p>The matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity is hereby granted to the ITI to represent itself against the deficiencies observed during the joint inspection dated 07.11.2023 and listed in Column IV, and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes.</p> <p>Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p>

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			(e) Geolocation of this ITI presently running from: 24.5563826; 81.3261677. 4. The matter was discussed in 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation of ITI due to joint inspection committee recommendations.	
9.	Gurukripa Private ITI MIS Code: PR23000545	Electrician 6(2+2+2)	1. The joint inspection of the ITI was carried out on 06.06.2023. During the joint inspection it was observed that the ITI was not functional. The half area of the ITI was locked. No trainees, staff, any training activities were going on in the ITI. 2. The matter was discussed in 3 rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. 3. Thereafter, SCN was issued by RDSDE through e-mail dated 10.08.2023. 4. The ITI did not reply to the SCN. 5. The matter was again discussed in 4 th SSDEC dated 18.09.2023, in which one more opportunity was given to the ITI to represent itself. 6. In compliance of 4 th SSDEC decision, SCN dated 10.11.2023 was issued by the State Directorate. 7. ITI replied on 24.11.2023 in which it was stated that due to sudden demise of principal's mother on	The matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity is hereby granted to the ITI to represent itself against the deficiencies observed during the inspection dated 11.03.2024 and listed in Column IV, and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>06.06.2023, the holiday was declared. He also stated that all the allegations leveled against the ITI during the inspection are false.</p> <p>8. The 2nd joint inspection was conducted on 11.03.2024 in which NCVT member not recommended the ITI for affiliation due to following reasons:</p> <p>(a) In rent agreement, area is not mentioned and date of effectiveness is overwritten.</p> <p>(b) Rent agreement was valid up-to 9 Dec 2016, no renewal document provided during inspection.</p> <p>(c) BCC not provided by the ITI on the day of inspection.</p> <p>(d) Building is not as per layout. In place of Electrician workshop-2, marriage hall was running.</p> <p>(e) ITI has applied for new connection for 6KW load. In old electricity bill, unit consumption was zero.</p> <p>(f) Tools, equipment's and machines were procured in 2015. Raw material purchased in 2022.</p> <p>(g) Dead Stock and raw material registers were not available during inspection.</p>	

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>(h) Instructors do not have required experience as per norms.</p> <p>(i) Biometric machine for student and staff were not available, physical registers were not verified by principal.</p> <p>(j) After February 2024, no student was present. The attendance for the month of March 2024 was not available.</p> <p>(k) Motor of another private ITI SVPITI found installed in the workshops. Tools & equipment's and machineries were installed in 2 workshops on different floor. Also, the available machineries were not as per norms.</p> <p>(l) Trade instructors were not able to identify and show the tools & equipment's.</p> <p>(m) Teacher records were not available.</p> <p>(n) The classroom infrastructure was not as per norms.</p> <p>(o) The ITI setup was not as per norms.</p> <p>(p) In IT lab mobile WIFI was used for connecting the internet.</p> <p>(q) Drawing Hall was not available during inspection.</p>	

13

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>9. The SCVT member recommended the ITI for affiliation.</p> <p>10. The matter was discussed in 5th SSDEC held on 22.05.2024 and SSDEC decided that there are contradictory decisions on above joint inspection report of the ITI, therefore, clarification may be sought again from both committee members to decide the matter.</p> <p>11. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.</p>	
10.	<p>Islamia Technical and Vocational Institute</p> <p>MIS Code: PR23000014</p>	<p>1. COPA- 2(1+1)</p> <p>2. Stenographer & Secretarial Assistant (English) - 2(1+1)</p>	<p>1. The joint inspection of the ITI was carried out on 06.06.2023. During the joint inspection it was observed that there were no workshops available for affiliated trades- Draughtsman Mechanical, Draughtsman Civil, Stenographer & Secretarial Assistant (Hindi), Sewing Technology, Stenographer & Secretarial Assistant (English), COPA which indicates that ITI was not providing the training.</p>	<p>The matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity is hereby granted to the ITI to represent itself against the deficiencies observed during the inspection dated 19.02.2024 and listed in Column IV, and to</p>

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection.</p> <p>3. Thereafter, SCN was issued to the ITI by RDSDE through e-mail dated 10.08.2023.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which one more opportunity was given to the ITI to represent itself.</p> <p>6. In compliance of 4th SSDEC decision, SCN dated 10.11.2023, followed by reminder dated 30.11.2023 were issued by the State Directorate.</p> <p>7. The ITI replied on 24.11.2023 in which it was stated that they want to surrender 4 trades - Draughtsman Mechanical, Draughtsman Civil, Stenographer & Secretarial Assistant (Hindi), Sewing Technology and continue for Stenographer & Secretarial Assistant (English), COPA trades.</p> <p>8. The 2nd joint inspection was conducted on 19.02.2024 in which NCVT member not recommended the ITI for affiliation due to following reasons:</p> <p>(a) The Land documents, BCC was not available during inspection.</p>	<p>submit its reply to the RDSDE within 20 days from the date of issue of these minutes.</p> <p>Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT</p>

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>(b) The electrical power was commonly shared with Islamia Karimia Degree College, Indore, which also utilized all available facilities, and a PG college under the same name was being operated within the ITI premises.</p> <p>(c) Machinery bills were not available and also dead stock raw materials register, staff & student attendance records were not maintained by the ITI.</p> <p>(d) Only one training officer was available during inspection.</p> <p>(e) In Stenographer & Secretarial Assistant (English) classroom PG college lab was running and in COPA lab online center was running. Except these two labs, no machinery equipment's were available in the ITI.</p> <p>(f) Machinery of COPA and Stenographer & Secretarial Assistant trades were available which was also commonly shared with PG College lab and online examination.</p> <p>(g) There was no lab for Stenographer & Secretarial Assistant (Hindi), Sewing Technology, Draughtsman (Mechanical) & Draughtsman (Civil).</p>	

(Handwritten signature)

उज्जवल बिस्वास
निदेशक / Director
परिक्षण महाविभाग, कौशल विकास
कोशल विकास विभाग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, ई-2/दिल्ली-110002
Govt. of India, New Delhi-12

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>(h) The available area of COPA & Stenographer & Secretarial Assistant (English) was used for degree college and online center.</p> <p>(i) IT lab and drawing hall were not available in the ITI.</p> <p>9. The SCVT member recommended the ITI for affiliation.</p> <p>10. The matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that the comments of both inspecting members on joint inspection are not clear therefore, clarification may be sought again from both committee members to decide the matter.</p> <p>11. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.</p>	
11.	ARHAM Private ITI	1. Electrician-6(2+2+2) 2. Fitter -2(1+1)	1. The joint inspection of the ITI was carried out on 22.06.2023. During the joint inspection, it was observed that the ITI was not adhering to NCVT	The matter was discussed in the SCAA meeting, and it was decided that, in accordance with

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
	MIS Code: PU23000971		<p>norms, as the workshops had been converted into food grain godowns and rendered completely defunct, no trainees were present except two former ones, the staff and trainers on record did not meet NCVT requirements, and the trainers failed to produce the necessary records.</p> <p>2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection.</p> <p>3. Thereafter, SCN was issued to the ITI by RDSDE through e-mail dated 10.08.2023.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which one more opportunity was given to the ITI to represent itself.</p> <p>6. In compliance of 4th SSDEC decision, SCN dated 10.11.2023, followed by reminder dated 30.11.2023 were issued by the State Directorate.</p> <p>7. ITI replied and stated that all the allegations leveled against ITI are false. Since there was heavy rainfall on the day of inspection, the staff and trainees arrived late, due to which the records were not presented. The two trainees reside nearby due to which they reached on time in the ITI.</p>	<p>the principle of natural justice, an opportunity is hereby granted to the ITI to represent itself against the deficiencies observed during the inspection dated 15.02.2024 and listed in Column IV, and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes.</p> <p>Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT</p>

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>8. The 2nd joint inspection was conducted on 15.02.2024 in which following deficiencies were observed:</p> <p>(a) The name of the Principal written in the land documents were different from name mentioned on NCVT MIS portal.</p> <p>(b) The building layout plan of the did not match with the rent agreement.</p> <p>(c) Second-year batches of Electrician and Fitter trades were operational in the ITI; however, the average electricity consumption remains low.</p> <p>(d) As per machinery bills provided by the ITI, the last purchase was made in 2016.</p> <p>(e) Dead Stock Register was not maintained by ITI.</p> <p>(f) Staff appointed do not have required qualification as per norms.</p> <p>(g) Salary was paid in cash. In some appointment letters, date of signing and/or date of effectiveness of appointment was not mentioned.</p> <p>(h) Staff and student's attendance record were not available during inspection.</p> <p>(i) Tools and equipment were not available as per norms.</p>	

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>(j) Trainers in the trades were not able to show and identify the tools and equipment.</p> <p>(k) Some machines were not in running condition. Sparking was also seen in few machines during inspection.</p> <p>(l) The IT lab was not as per norms. Out of 11 computers, 8 were working on the day of inspection.</p> <p>(m) The drawing hall was not available in the ITI.</p> <p>(n) Other activity of cattle rearing was going on and a building was under construction. Also, there is a ware house to Electrician workshop.</p> <p>(o) Fire safety certificate not provided by ITI during inspection.</p> <p>9. The matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that there are contradictory decisions on Joint inspection report of the ITI, therefore, clarification may be sought again from both committee members to decide the matter.</p> <p>10. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the</p>	



उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक, प्रशिक्षण
 कौशल विकास विभाग
 Ministry of Skill Development
 भारत सरकार, नई दिल्ली-110002, जिला, नई दिल्ली-110002

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.	
12.	BSM Private ITI MIS Code: PR23000829	1. Stenographer & Secretarial Assistant (Hindi)- 3(1+1+1) 2. Electrician - 1(1+0)	1. The joint inspection of the ITI was carried out on 22.06.2023. During the joint inspection it was observed that marriage related activities were going on and a marriage tent within the campus of the said ITI was mounted. The office of Principal was closed. Neither trainer no trainees were present during inspection of ITI. 2. The matter was discussed in 3 rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. 3. Thereafter, SCN was issued to the ITI by RDSDE through e-mail dated 10.08.2023 4. The ITI did not reply to the SCN. 5. The matter was again discussed in 4 th SSDEC dated 18.09.2023, in which one more opportunity was given to the ITI to represent itself. 6. In compliance of 4 th SSDEC decision, SCN dated 10.11.2023, followed by reminder dated 30.11.2023 were issued to the ITI by the State Directorate.	The matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity is hereby granted to the ITI to represent itself against the deficiencies observed during the inspection dated 13.03.2024 and listed in Column IV, and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>7. ITI replied and stated that due to some urgent ceremony at home a tent was mounted in the ITI. There was heavy rainfall on 21.06.2023 and 22.06.2023 in the area due to which the staff and the students were not available on the day of inspection.</p> <p>8. The 2nd joint inspection was conducted on 13.03.2024 in which NCVET member not recommended the ITI for affiliation due to following reasons:</p> <p>(a) BCC dated 29/07/2016 is different from that in layout.</p> <p>(b) The classroom area was smaller than the required standard, and the existing seating capacity in both classrooms was insufficient for accommodating a full batch.</p> <p>(c) The second mobile number mentioned on the banner of the computer hub is the same as that listed on the NCVT portal.</p> <p>(d) The bills provided for the last three months did not mention the units consumed, and the presence of old dues indicates that the ITI had not been paying its electricity bills.</p> <p>(e) As per Machinery bills, the last purchase made in 2016.</p>	



Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>(f) Educational qualification details, experience details and appointment letters of instructors were not provided during inspection.</p> <p>(g) Staff and student biometric attendance were not available on the day of inspection.</p> <p>(h) Machines in electrician workshop were not installed properly and they move when turned on. Sparking and smoke were also seen in few machines,</p> <p>(i) In Stenographer & Secretarial Assistant (Hindi) lab, specification of systems was not as per NCVT norms.</p> <p>(j) IT lab not was not as per NCVT norms. Internet facility was not available in the lab during inspection.</p> <p>(k) Drawing hall was not as per norms.</p> <p>(l) A family was residing in the same campus.</p> <p>(m) Fire safety certificate not provided by the ITI during inspection.</p> <p>9. The SCVT member recommended the ITI for affiliation.</p> <p>10. The matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that there are contradictory decisions on Joint inspection report of the ITI, therefore, clarification may be sought</p>	

(10)

उज्जवल बिस्वास
 शिक्षण महानिदेशक
 कोशल विभाग
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110 002
 Govt. of India, New Delhi-110 002

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			again from both committee members to decide the matter. 11. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.	
13.	Shri Sai Private ITI MIS Code: PR23000174	Electrician 2(1+1)	1. The Joint inspection was conducted on 20.06.2023. During the joint inspection it was observed that ITI was not adhering to NCVT norms as there were various infrastructural deficiencies such as – machinery was not in working condition, tools and equipment's for affiliated trades were not as per norms, classroom and workshops were not safe, only few documents of ITI were provided by the ITI. 2. The matter was discussed in 3 rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. The SSDEC also decided to conduct the joint inspection of those ITIs whosoever response to the SCN.	The matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity is hereby granted to the ITI to represent itself against the deficiencies observed during the inspection dated 14.03.2024 and listed in Column IV, and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI,

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>3. The SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023 and ITI responded to the SCN.</p> <p>4. Thereafter, the 2nd joint inspection was conducted on 11.09.2023 in which the ITI was found closed.</p> <p>5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which SSDEC recommended for de-affiliation of the ITI.</p> <p>6. Thereafter, the matter was discussed in 12th SCAA dated 15.12.2023 to 18.12.2023 in which vide agenda- (4), the SCAA decided that as 'Principle of natural justice' one more opportunity is provided to the ITI and conduct joint inspection again.</p> <p>7. In compliance with the decision of the 12th SCAA, the joint inspection was again conducted on 14.03.2024 and NCVT member recommended the ITI for de-affiliation due to following deficiencies:</p> <p>(a) The old lease document (dated 02/12/2010) provided by ITI was not visible on the day of inspection. Therefore, ITI has made the lease document on current date.</p> <p>(b) BCC was not available during inspection.</p> <p>(c) CITS trained instructor was not available in the ITI.</p>	discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT



Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>(d) Biometric attendance of staff and students were not available on the day of inspection.</p> <p>(e) Except toilet other amenities were not available in the ITI.</p> <p>(f) Drawing hall was available but not as per norms.</p> <p>(g) IT lab of the ITI was not as per norms.</p> <p>8. The SCVT member recommended the ITI for affiliation.</p> <p>9. The matter was again discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that there are contradictory decisions on Joint inspection report of the ITI, therefore, clarification may be sought again from both committee members to decide the matter.</p> <p>10. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.</p>	



Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
14.	Islamia Pvt ITI, Shardhanand Marg, Indore MIS Code: PU23000380	1. Draughtsman (Civil) 2(1+1) 2. Electrician 3(1+1+1) 3. Stenographer & Secretarial Assistant (Hindi) 2(1+1)	1. The Joint inspection was conducted on 31.05.2023. During the joint inspection it was observed that the same premises were being used to run Islamia Karimia coaching classes and Islamia Karimia High School (Classes 1 to 12); all tools and equipment had been procured in the name of Islamia Karimia Society instead of the ITI; the Draughtsman (Mechanical) and Draughtsman (Civil) trades had remained non-functional for the past five years; and several significant infrastructural deficiencies were also identified. 2. The matter was discussed in 3 rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. The SSDEC also decided to conduct the joint inspection of those ITIs whosoever response to the SCN. 3. The SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023 and ITI responded to the SCN. 4. Thereafter, the 2 nd joint inspection was conducted on 23.09.2023 in which infrastructural deficiencies were observed and also it was also found that the bills for materials purchased in 2011 indicate that the ITI premises had not been in regular use for a	The matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity is hereby granted to the ITI to represent itself against the deficiencies observed during the inspection dated 21.02.2024 and listed in Column IV, and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>long time. The IT and Stenographer & Secretarial Assistant (Hindi) lab were combined, and the space for Draughtsman (Mechanical) and Draughtsman (Civil) trades require fresh furnishing and proper utilization.</p> <p>5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which SSDEC recommended for de-affiliation of the ITI.</p> <p>6. Thereafter, the matter was discussed in 12th SCAA dated 15.12.2023 to 18.12.2023 in which vide agenda-(4), the SCAA decided as 'Principle of natural justice' that one more opportunity is provided to the ITI and conduct joint inspection again.</p> <p>7. In compliance with the decision of the 12th SCAA, the joint inspection was again conducted on 21.02.2024 and following deficiencies were observed:</p> <p>(a) The building was registered in the name of Islamia Karimia School Society, and no documents were provided to verify the space allotted specifically for ITI purposes.</p> <p>(b) Power connection was in the name of Society.</p> <p>(c) Dead Stock, raw materials register, teachers records not properly maintained by the ITI.</p>	

(Signature)

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>(d) The staff attendance was maintained partially.</p> <p>(e) The biometric attendance was not maintained for Student.</p> <p>(f) There was shortage in Electrician trade items and the trade lab was made up of Tin shed.</p> <p>(g) In Draughtsman (Mechanical) and Draughtsman (Civil) trades machineries were not available.</p> <p>(h) In Stenographer & Secretarial Assistant (Hindi) 21 desktop computer were available out of 25 computers which were also not as per required specification (i3 with 04 GB RAM available).</p> <p>(i) The toilet was not properly maintained in the ITI.</p> <p>(j) Islamia Karimia higher secondary school Chavani was also running in the ITI premises.</p> <p>8. The SCVT member recommended for affiliation.</p> <p>9. Thereafter, the matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that that the comments of both inspecting members on joint inspection are not clear therefore, clarification may be sought again from both committee members to decide the matter.</p> <p>10. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and</p>	

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.	
15.	Shri G Pvt ITI MIS Code: PU23000720	Electrician 3(1+1+1)	<ol style="list-style-type: none"> 1. The Joint inspection was conducted on 09.06.2023. During the joint inspection the ITI was found closed since 2019. The closure request letter of the ITI was also submitted by the ITI. 2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. The SSDEC also decided to conduct the joint inspection of those ITIs whosoever response to the SCN. 3. Thereafter, SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023 and ITI responded. 4. Thereafter, the 2nd joint inspection was conducted on 13.09.2023 in ITI requested to inspect the ITI after returning of concerned ITI person. 5. The matter was again placed in 4th SSDEC dated 18.09.2023, in which SSDEC recommended for de-affiliation of the ITI as ITI found closed during Ist 	<p>The matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity is hereby granted to the ITI to represent itself against the deficiencies observed during the inspection dated 12.02.2024 and listed in Column IV, and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes.</p> <p>Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT</p>

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>inspection dated 09.06.2023 and ITI did not allow for inspection on 19.09.2023.</p> <p>6. The matter was discussed in 12th SCAA dated 15.12.2023 to 18.12.2023 in which vide agenda-(4), the SCAA decided as 'Principle of natural justice' that one more opportunity is provided to the ITI and conduct joint inspection again.</p> <p>7. In compliance with the decision of the 12th SCAA, the joint inspection was again conducted on 12.02.2024 and following deficiencies were observed:</p> <p>(a) Land documents and BCC were not available during inspection.</p> <p>(b) ITI was located at another place.</p> <p>(c) Dead Stock and raw material register were not available.</p> <p>(d) Staff attendance is marked in physical attendance register.</p> <p>(e) Student records were not available during inspection.</p> <p>(f) Machinery were not installed and also not in working condition during inspection.</p> <p>(g) The workshops were not as per norms.</p>	

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>(h) The power was not connected to Electrician lab and also no power supply to IT lab during inspection.</p> <p>(i) The safety measures were not available in the workshop as well as in the institute.</p> <p>8. The matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that that the comments of both inspecting members on joint inspection are not clear therefore, clarification may be sought again from both committee members to decide the matter.</p> <p>9. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.</p>	
16.	<p>Ideal Private ITI</p> <p>MIS Code: PU23000555</p>	Electrician 6(2+2+2)	<p>1. The Joint inspection was conducted on 07.06.2023. During the joint inspection the ITI was found closed, no staff was present, nothing related to ITI was there however, board of the ITI was seen from the gate.</p>	<p>The matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity is hereby granted to the ITI to represent itself against</p>



Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. The SSDEC also decided to conduct the joint inspection of those ITIs whosoever response to the SCN.</p> <p>3. The SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023 and ITI responded.</p> <p>4. Thereafter, the 2nd joint inspection was conducted on 08.09.2023. During the inspection a board found in the name of Ideal polytechnic college and Ideal college, no one was there during the inspection. Few tools and equipment's were laying in small room covered by dust.</p> <p>5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which SSDEC recommended for de-affiliation of the ITI as in both inspections only board ideal college found.</p> <p>6. Thereafter, the matter was discussed in 12th SCAA dated 15.12.2023 to 18.12.2023 in which vide agenda- (4), the SCAA decided as Principle of natural justice one more opportunity is provided to the ITI and conduct joint inspection again.</p> <p>7. In compliance with the decision of the 12th SCAA, the joint inspection was again conducted on</p>	<p>the deficiencies observed during the inspection dated 14.02.2024 and listed in Column IV, and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes.</p> <p>Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT</p>

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>14.02.2024 and following deficiencies were observed:</p> <p>(a) The ITI was in a hazardous condition and had been closed for a long time.</p> <p>(b) Only one trainer has CITS qualification.</p> <p>(c) Machines were not in working condition.</p> <p>(d) IT lab not was not as per norms.</p> <p>(e) The drawing hall was not available in the ITI.</p> <p>(f) The safety measures were not available in the ITI .</p> <p>(g) The ITI URL address was not working.</p> <p>8. The matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that the comments of both inspecting members on joint inspection are not clear therefore, clarification may be sought again from both committee members to decide the matter.</p> <p>9. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.</p>	

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
17.	Aacharya Pvt ITI MIS Code: PU23000483	1. Electrician - 3(1+0+2) 2. Fitter -1(1+0)	<p>1. The Joint inspection was conducted on 22.06.2023. During the joint inspection the ITI was found locked and shut down completely.</p> <p>2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection.</p> <p>3. The SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which one more opportunity was given to the ITI.</p> <p>6. In compliance of 4th SSDEC decision, SCN dated 10.11.2023, followed by reminder dated 30.11.2023 were issued by the State Directorate.</p> <p>7. ITI replied and stated that the ITI has been closed and completely shut down as per guidelines in the covid and also was unable to pay rent of the building due to which the landlord vacated the ITI. It is also submitted by ITI that the ITI is trying for shifting as per DGT guidelines and as soon as the ITI will get approval from DGT for shifting, the State will inspect the ITI . After that the ITI will participate in the admission process.</p>	<p>SCAA recommended de-affiliation of the ITI.</p> <p>Reasons for de-affiliation:</p> <p>During inspection dated 22.06.2023 the ITI found locked. Also, the ITI accepted in its reply that the ITI has been closed and completely shut down.</p>

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>8. The matter was discussed in 5th SSDEC dated 22.05.2024 and SSDEC decided that ITI may be asked to apply afresh as per DGT guidelines.</p> <p>9. Accordingly, the matter was revisited during 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation of ITI due to unauthorized shifting.</p>	
18.	Maya Private ITI MIS Code: PR23000175	Electrician 3(1+1+1)	<p>1. The Joint inspection was conducted on 08.06.2023. During the joint the ITI was not found as per the NCVT MIS Portal Geo-tagged location of the ITI.</p> <p>2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection.</p> <p>3. The SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which one more opportunity was given to the ITI.</p> <p>6. In compliance of 4th SSDEC decision, SCN dated 10.11.2023, followed by reminder dated 30.11.2023 were issued by the State Directorate.</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>ITI has shifted without DGT approval which is violation of clause-3.5 of affiliation norms 2018.</p>



Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>7. ITI replied and stated that the landlord forcefully vacated the ITI during Covid due to which ITI has been shifted to new location.</p> <p>8. The matter was discussed in 5th SSDEC dated 22.05.2024 and SSDEC decided that ITI may be asked to apply afresh as per DGT guidelines.</p> <p>9. Accordingly, the matter was revisited during 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation of ITI due to unauthorized shifting.</p>	
19.	<p>B N Singh Private ITI</p> <p>MIS Code: PR23000502</p>	Electrician 3(2+1)	<p>1. The Joint inspection was conducted on 02.06.2023. During the joint the ITI was not found as per Google map details and address mentioned on NCVT portal. On the address of the ITI, no ITI sign board was there and after inquiring localities they told that the ITI has been shifted to other place and not functioning from this place from last 2 years.</p> <p>2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection.</p> <p>3. The SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023.</p> <p>4. The ITI did not replied to the SCN.</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>ITI has shifted without DGT approval which is violation of clause-3.5 of affiliation norms 2018.</p>



Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which one more opportunity was given to the ITI.</p> <p>6. In compliance of 4th SSDEC decision, SCN dated 10.11.2023, followed by reminder dated 30.11.2023 were issued by the State Directorate.</p> <p>7. ITI replied on 29.11.2023 and stated that no one came for ITI inspection from 18.09.2023. It has been also informed by the ITI that the own building of the ITI has been constructed and they are ready for inspection.</p> <p>8. The matter was discussed in 5th SSDEC dated 22.05.2024 and SSDEC decided that ITI may be asked to apply afresh as per DGT guidelines.</p> <p>9. Accordingly, the matter was revisited during 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation of ITI due to unauthorized shifting.</p>	
20.	<p>Piyush Pvt. I.T.I.</p> <p>MIS Code: PR23000636</p>	Electrician 3(1+1+1)	<p>1. The Joint inspection was conducted on 06.06.2023. During the joint the following were the observations:</p> <p>a) Only the ITI name was painted at wall of the building and nothing related to ITI was available at the address of the ITI.</p>	<p>SCAA recommended de-affiliation of the ITI.</p> <p>Reasons for de-affiliation:</p> <p>1. During the inspection conducted on 06.06.2023, no</p>

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>b) No staff was present from ITI during inspection.</p> <p>c) A poster with the name of "Swami Vivekanand coaching center" was mentioned on the upper part of building.</p> <p>d) On the left side of the building of the ITI, it was mentioned that "गोदाम किराए पर देना है।"</p> <p>2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection.</p> <p>3. The SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023.</p> <p>4. The ITI did not replied to the SCN.</p> <p>5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which one more opportunity was given to the ITI.</p> <p>6. In compliance of 4th SSDEC decision, SCN dated 10.11.2023, followed by reminder dated 30.11.2023 were issued by the State Directorate.</p> <p>7. ITI replied on 29.11.2023 and stated the following:</p> <p>a) The painted banner belongs to the ITI, but due to expiry of rent deed in 2020 the landlord did not allow the ITI to continue.</p>	<p>ITI was found to be functioning.</p> <p>2. ITI has mentioned in its reply dated 29.11.2023 that, due to the expiry of the rent deed in 2020, the landlord did not allow the ITI to continue, which indicates that the ITI does not have a valid land lease for its functioning.</p>

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>b) The ITI had applied for a NOC from the State Directorate, but it was not issued. As a result, the DGT rejected the shifting fees due to the non-submission of the NOC.</p> <p>c) The ITI also submitted that the ITI will not participate in the admission process till they get the permission for shifting.</p> <p>d) The ITI said that whenever they try to open the ITI, the landlord starts fight, therefore requested to issue NOC.</p> <p>8. The matter was discussed in 5th SSDEC dated 22.05.2024 and SSDEC decided that ITI may be asked to apply afresh as per DGT guidelines.</p> <p>9. Accordingly, the matter was revisited during 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation of ITI due to unauthorized shifting.</p>	
21.	<p>Shiv Shakti Pvt. ITI Morena</p> <p>MIS Code: PR23000698</p>	<p>1. Electrician-6 (2+2+2)</p> <p>2. Stenographer & Secretarial Assistant (Hindi)- 3(1+1+1)</p>	<p>1. The joint inspection was conducted on 08.06.2023. During the inspection the ITI was not found at Geo tag location /address mentioned on NCVT MIS Portal.</p> <p>2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection.</p>	<p>SCAA has accepted ITI's request for self-closure of the ITI.</p> <p>However, the ITI has already been de-affiliated in 2017.</p>

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>3. The SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023.</p> <p>4. The ITI did not replied to the SCN.</p> <p>5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which one more opportunity was given to the ITI.</p> <p>6. ITI replied on 16.10.2023 and requested for self-closure of ITI.</p> <p>7. In compliance of 4th SSDEC decision, SCN dated 10.11.2023 was issued to the ITI.</p> <p>8. Thereafter, the matter was discussed in 5th SSDEC dated 22.05.2024 and SSDEC decided that ITI may be informed to follow the guidelines issued by DGT.</p> <p>9. Accordingly, the matter was revisited during 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation of ITI due to request received from ITI for self-closure.</p>	
22.	Morden ITC MIS Code: PR23000112	<p>1. COPA- 1(1+0)</p> <p>2. Electrician - 3(1+1+1)</p> <p>3. Electronics Mechanic- 1(1+0)</p> <p>4. Fitter- 1(1+0)</p>	<p>1. The Joint inspection was conducted on 07.06.2023. During the joint inspection the following were the observations:</p> <p>a) The joint inspection members asked localities about the existence of said ITI in that premises or in nearby area. The localities confirmed that</p>	SCAA recommended temporary debarment of the ITI from admissions based on the recommendations of SSDEC.



Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>there was an ITI with the same name in this building.</p> <p>b) No board/name of ITI is found in that building and No one from ITI was present there during inspection.</p> <p>c) There was no banner/sign board of said ITI.</p> <p>d) No one from ITI was present during joint inspection</p> <p>e) No ITI students & no ITI instructors present during joint inspection.</p> <p>2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity given to the ITI to represent itself on the findings observed in the above-said inspection.</p> <p>3. Thereafter, SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023.</p> <p>4. The ITI did not replied to the SCN.</p> <p>5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which one more opportunity was given to the ITI.</p> <p>6. In compliance of 4th SSDEC decision, SCN dated 10.11.2023, followed by reminder dated 30.11.2023 and reminder-II dated 12.12.2023 were issued by the State Directorate.</p>	<p>Reasons for temporarily debarment:</p> <p>1. During the inspection conducted on 07.06.2023, no infrastructure was found at the ITI location.</p> <p>2. The ITI, in its reply dated 22.12.2023, informed that due to a dispute between the institute and the landlord, no trainees have been admitted since the academic session 2022-23, and the ITI premises remain locked.</p> <p>3. Since the matter is sub-judice between the ITI and the landlord, the final decision regarding de-affiliation may be taken after the Hon'ble Court's verdict.</p>

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
			<p>7. ITI replied on 22.12.2023 and stated that there is a dispute between ITI and landlord due which the ITI is locked and there is a court case going on between us. Whenever the court will pass the order for opening of ITI, the ITI will be opened. The ITI also submitted that since the ITI is locked, the documents cannot be shown.</p> <p>8. Thereafter, the matter was discussed in 5th SSDEC dated 22.05.2024 and SSDEC decided that it is Sub-judicial matter, hence decision regarding this may be taken after final decision of Hon'ble court.</p> <p>9. Accordingly, the matter was revisited during 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation since ITI has informed that due to dispute between institute and landlord, no trainees have been admitted from academic session 2022-23 and the dispute is pending before Court.</p>	
23.	RPS Private ITI MIS Code: PU23000991	Electrician 1(1+0)	<p>1. The de-affiliation proceedings were initiated by DGT due to State Directorate recommendations vide their office letter dated 04.01.2022.</p> <p>2. The State Directorate informed that a complaint regarding RPS ITI was received through the CM Helpline, and the following shortcomings were found in the ITI as per the complaint:</p>	<p>SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p>

उज्जवल बिस्वास
निदेशक, प्रशिक्षण
परिक्षण महादेश, कौशल विकास
कौशल विकास विभाग, भारत
Ministry of Skill Development & Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
	MIS Code: PR23000094	3. Draughtsman (Mechanical) - 1(1+0) 4. Electrician - 6(2+2+2) 5. Fitter- 6(2+2+2) 6. Plumber - 1(1+0) 7. Sewing Technology - 1(1+0)	a) Digital photographer b) Mechanic Radio and Television c) Desktop Publishing Operator d) Mason e) Embroidery and Needle Work f) Information Technology and Electronic System 2. As per NCVT MIS Portal, the Mechanic Radio and television trade of the ITI has been de-affiliated in October 2024. 3. The other 04 trades of the ITI - Desktop Publishing Operator, Mason, Embroidery and Needle Work, Information Technology and Electronic System have also been de-affiliated vide letter no. DGT-Aff011(47)/2/2022-O/o DIR(TC) dated- 17.01.2025. 4. Now, the trade digital Photographer (1+1) is to be de-affiliated as per ITI request. 5. The matter was discussed in 9 th SSDEC dated 27.02.2025 and SSDEC recommended de-affiliation to de-affiliate the trade Digital Photographer due to self - closure request.	1. Digital Photographer 1(1+0)



Sr. No	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	21 st SCAA remarks
I	II	III	IV	V
25.	Somani Private ITI MIS Code: PU23001069	1. Electrician - 6(2+2+2) 2. Stenographer & Secretarial Assistant - (English) 3(1+1+1) 3. Stenographer & Secretarial Assistant (Hindi) - 3(1+1+1)	1. The de-affiliation proceedings were initiated by RDSDE following the transfer of ownership of the ITI from Somani Charitable Trust to Om Shivay Shiksha Samiti, Gwalior, as communicated through a letter dated 22.07.2024 from the Chairman of Somani Charitable Trust. 2. The SCN was issued by RDSDE on 25.07.2024 followed by reminder dated 27.08.2024 to the ITI to submit the clarification regarding transfer of ownership. 3. The ITI did not reply to both SCN(s). 4. Thereafter, the matter was discussed in 8th SSDEC dated 9.12.2024 & 10.12.2024 and in 9th SSDEC dated 27.02.2025. 9 th SSDEC recommended for de-affiliation on the ground of unauthorized transfer of ownership.	SCAA recommended de-affiliation of the ITIs based on the recommendations of SSDEC. Reasons for de-affiliation: The ITI violated the clause 3.8 of affiliation norms 2018, i.e. <i>"The change in ownership of the ITI such as change in Trust/ Society/ Private/ Public Limited companies/ Companies like Sole Proprietary/ Private Institutions/ Individuals shall not be allowed. Such institutions shall be de-affiliated as per NCVT norms"</i>

उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण, महानिदेशक, प्रशिक्षण, निदेशक of Training
 मंत्रालय, विद्युत, प्रशिक्षण, मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

(Annexure-4, as referred in Agenda 5.2: Proposal for de-affiliation of 18 ITIs of Bihar State)

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
1.	Muzaffarpur Pvt. ITI PR10000101	1. Electrician 2(1+1)	<ol style="list-style-type: none"> 1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024. 2. According to the Controller of Examination, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute. 3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate. 4. The ITI did not reply to the SCN. 5. The Joint inspection was conducted by State Directorate and RDSDE officials on 17.10.2024. During the inspection 	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <ol style="list-style-type: none"> 1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms. 2. The ITI is not adhering to the affiliation norms, as the following deficiencies were observed: 3. The ITI building is unsafe and unsecure to conduct training activities due to its dilapidated and crippled condition. 4. Electricity connection was not available.

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>the following deficiencies were observed by the committee members:</p> <p>a) The building of the ITI was very old and dilapidated and crippled condition seems without any training activities.</p> <p>b) The infrastructure such as –drawing hall, Library hall, IT rooms with required number of computers available were not available.</p> <p>c) The instructors and office staff were not available during inspection.</p> <p>d) Electricity connection was not available.</p> <p>e) Workshop condition has been crippled down and shows no evidence of practical activities for trainees.</p> <p>f) Building roofs are broken in condition and are very unsafe and insecure for trainees to conduct activities.</p>	<p>5. All tools and equipment had been removed, leaving the workshop completely unequipped to conduct any training activities.</p> <p>6. No trainees were present during the inspection</p> <p>7. Drawing hall and Library hall were not available.</p> <p>8. The classrooms were poorly maintained and found to be unfit for use.</p> <p>9. The IT room is not as per norms.</p> <p>10. Two show cause notices, followed by a reminder, were issued to the ITI by the State Directorate; however, the ITI failed to respond to any of them, reflecting a negligent approach towards the functioning of the institute.</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>g) No trainees were present during the inspection.</p> <p>h) Only one care taker was available on the day of inspection. No information was shared to the committee members.</p> <p>i) All the tools and equipment have been taken out and nothing was available to conduct the training activities in the workshop.</p> <p>j) The committee also observed that to conduct the CTS AITT exam 2024, the required infrastructure was not available in the ITI and also seems that the ITI is not providing the facility to the trainees.</p> <p>k) The Class/workshop condition was pathetic and it has been transferred to some other location without any official information.</p> <p>6. The joint inspection committee recommended to de-affiliate the ITI at the earliest as per NCVET norms.</p>	

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 17.10.2024, but ITI did not reply to the both.</p> <p>8. The matter was discussed in the 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms</p>	
2.	Muzaffarpur Pvt. ITI PR10000197	<p>1. Electrician - 2 (1+1)</p> <p>2. Fitter – 2 (1+1)</p>	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reason for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 17.10.2024 and the following were observed by the committee members:</p> <p>a) The committee members visited on the location of the ITI as per the address mentioned on NCVT MIS Portal where residential area was present and no ITI building was found as per location address on NCVT MIS Portal.</p> <p>b) The longitude and latitude of the visited location, as per the NCVT MIS portal, differed from the address mentioned in the NCVT MIS portal.</p> <p>6. The joint inspection committee recommended to de-affiliate the ITI.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were</p>	<p>inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. ITI not found at the address mentioned on NCVT MIS portal.</p> <p>3. Two show cause notices, followed by a reminder, were issued to the ITI by the State Directorate, however, the ITI failed to respond to any of them, reflecting a negligent approach towards the functioning of the institute.</p>

(Pw)

उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक, प्रशिक्षण
 प्रधान मन्त्री प्रतिष्ठान, कौशल विकास
 कोशल विकास विभाग, नव दिल्ली-12
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110002, Govt. of India, New Delhi-12

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>issued to the ITI by State Directorate to submit the clarification in respect of findings observed in the joint inspection dated 17.10.2024, but ITI did not reply to the both.</p> <p>8. The matter was discussed in the 7th SSDEC meeting held on 19.02.2025 in which the SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	
3.	N.S ITC PR10000369	1. Electrician 4(2+2) 2. Fitter 2(1+1)	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reason for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 29.10.2024. During the inspection the following deficiencies were observed by the committee members:</p> <p>a) The building of the ITI was under repair and maintenance mode.</p> <p>b) The tools and equipment of Electrician trade were installed but not as per norms.</p> <p>c) Class rooms were available but library and drawing hall were under renovation.</p> <p>d) No trainees were present in the classroom and workshop on the day of inspection.</p> <p>e) The IT lab was not as per norms.</p> <p>f) No sign of raw materials consumption was available on the day of inspection.</p>	<p>proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p> <p>a) The building of the ITI was under repair and maintenance.</p> <p>b) The tools and equipment of Electrician trade were not as per norms.</p> <p>c) Drawing hall and library hall were under renovation.</p> <p>d) No trainees were present in the classroom and workshop on the day of inspection.</p> <p>e) The IT lab was not as per norms.</p> <p>f) The tools and equipment have been shifted to another place due to renovation work.</p>

(P)

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>g) The Principal orally informed that due to a fire incident, the ITI is currently under renovation, resulting in the unavailability of most records and the temporary relocation of tools and equipment; furthermore, the fire caused significant damage to the infrastructure, due to which the ITI has not been designated as an examination center.</p> <p>6. The joint inspection committee recommended to de-affiliate the ITI.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 29.10.2024.</p> <p>8. The ITI replied on 23.12.2024 stated the following:</p> <p>a) The ITI building was damaged due to an electrical short circuit, and renovation work was in progress at the time of inspection.</p>	

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>b) The tools & equipment are available as per NCVT norms in the Fitter & Electrician trades.</p> <p>c) The renovation of the library and drawing hall was carried out due to fire damage.</p> <p>d) The reason for absent of trainees and staff on the day of inspection was due to sudden demise of my father.</p> <p>e) The raw material was present in the workshop for practical.</p> <p>f) The absence of computers in the IT lab was short circuit due to which the damaged computers had been removed from the lab.</p> <p>9. The reply was considered in the 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	
4.	SNB Foundation Pvt. ITI	1. COPA 2(1+1)	1. The State Directorate Bihar had requested the ITI to submit the	SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.

Annexure-4

68

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक, प्रशिक्षण
Director, Training
परिश्रम विकास विभाग
व्यवस्थापक निदेशक, प्रशिक्षण
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
	PR10001173	2. Electrician 4(2+2) 3. Fitter 4(2+2)	<p>declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 28.10.2024. During the inspection the following deficiencies were observed by the committee members:</p> <p>a) The ITI and the Pharmacy college and other courses were running in the same building.</p> <p>b) Few machineries were available but not in running condition.</p>	<p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p> <p>3. The Pharmacy college and other courses were running in the same building of the ITI.</p> <p>4. Few machineries were available but not in running condition.</p> <p>5. No teaching staff was available on the day of inspection.</p> <p>6. No trainees and staff attendance records were available.</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>c) No teaching staff was available on the day of inspection.</p> <p>d) No trainees and staff attendance records were available.</p> <p>e) The documents related to land, BCC, Electricity bill, machinery bills etc. were not provided by the ITI.</p> <p>f) IT lab was partially available.</p> <p>g) Few amenities were available but for pharmacy college which is running in the same building.</p> <p>h) Principal of the ITI was not available on the day of inspection only one admission in-charge was available on the day of inspection.</p> <p>i) Fire extinguisher were present but no fire safety certificate was available.</p> <p>6. The joint inspection committee recommended to de-affiliate the ITI.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were</p>	<p>7. Documents related to land, BCC, Electricity bill, machinery bills etc. were not available at the time of inspection.</p> <p>8. IT lab was partially available.</p> <p>9. The available amenities were used for pharmacy college.</p> <p>10. Fire extinguisher were present but no fire safety certificate was available.</p> <p>11. Only one admission in-charge was available on the day of inspection.</p> <p>12. Two show cause notices, followed by a reminder, were issued to the ITI by the State Directorate; however, the ITI failed to respond to any of them, reflecting a negligent approach towards the functioning of the institute.</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 28.10.2024 but ITI did not reply to the both.</p> <p>8. The matter was discussed in the 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	
5.	Amhara Pvt. ITI PR10001278	1. Electrician 2(1+1) 2. Fitter 2(1+1)	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 28.10.2024. During the inspection the following deficiencies were observed by the committee members:</p> <p>a) During the visit of the ITI it was found that ITI does not exist on the ground as per the given location of NCVT MIS Portal.</p> <p>b) The Principal of the ITI did not coordinate the committee members on the day of inspection.</p> <p>c) No teaching staff was available on the day of inspection.</p> <p>d) No trainees and staff attendance records were available.</p> <p>e) The documents related to land, BCC, Electricity bill, machinery bills etc. were not available.</p> <p>f) IT lab was not available.</p>	<p>proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p> <p>3. The ITI was not found as per NCVT MIS Portal address.</p> <p>4. No teaching staff was available on the day of inspection.</p> <p>5. Documents related to land, BCC, Electricity bill, machinery bills, trainees and staff attendance records were not available at the time of inspection.</p> <p>6. IT lab was not available in the ITI.</p> <p>7. Drawing hall, classroom, workshops, amenities were also not available in the ITI.</p> <p>8. Two show cause notices, followed by a reminder, were issued to the ITI by the State Directorate; however, the ITI failed to respond to any of them, reflecting a negligent approach towards the functioning of the institute.</p>

(P)

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>g) Drawing hall, classroom, workshops were not available.</p> <p>h) No amenities were available.</p> <p>6. The joint inspection committee recommended to de-affiliate the ITI.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 28.10.2024 but ITI did not reply to the both.</p> <p>8. The matter was discussed in the 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	
6.	Chanakya Skill Academy Pvt. ITI PU10001225	<p>1. Electrician 4(2+2)</p> <p>2. Fitter 4(2+2)</p>	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p>



Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>2. The declaration submitted by the ITI to the Controller of Examinations, Bihar, Patna states its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 29.10.2024. During the inspection the following deficiencies were observed by the committee members:</p> <p>a) BCC not provided by the ITI. Only Building Plan was provided.</p> <p>b) Machinery were completely in deteriorated condition, not in working condition.</p> <p>c) Machinery bills, Staff attendance, dead stock register, raw material</p>	<p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p> <p>3. BCC not available during inspection.</p> <p>4. Machinery were completely in deteriorated condition even not in working condition.</p> <p>5. Machinery bills, Staff attendance, dead stock register, raw material registers, staff attendance records were not provided by the ITI at the time of inspection.</p> <p>6. Tools kits were not as per norms.</p> <p>7. Teaching staff and trainees were available on the day of inspection.</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>registers etc. were not provided by the ITI.</p> <p>d) Tools kits not as per norms.</p> <p>e) No teaching staff were available on the day of inspection.</p> <p>f) No trainees and staff attendance records were available.</p> <p>g) IT lab not as per norms. Only few computers were available and those were also in adverse condition.</p> <p>h) Drawing hall not as per norms.</p> <p>i) Few amenities were available.</p> <p>j) Fitter workshop shown on Ist Floor and Electrician workshop shown on IInd floor, however both exist at ground floor.</p> <p>k) Fire extinguisher were present but no fire safety certificate was provided.</p> <p>l) PGDM management courses and short-term courses are running in the same building.</p>	<p>8. IT lab was not as per norms. Only few computers were available and that was also in adverse condition.</p> <p>9. Drawing hall was not as per norms.</p> <p>10. Few amenities were available.</p> <p>11. Fitter workshop and Electrician workshops were not as per building lay out plan.</p> <p>12. Fire extinguisher were present but no fire safety certificate was provided at the time of inspection.</p> <p>13. PGDM management courses and short-term courses were running in the same building of the ITI.</p> <p>14. Only principal was available on the day of inspection.</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>m) Only Principal of the ITI was available, no other instructors were available on the day of inspection.</p> <p>6. The joint inspection committee recommended to de-affiliate the ITI due to shortage of tools, machineries and other requirements which were not as per norms.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 29.10.2024.</p> <p>8. The ITI replied on 18.12.2024 and stated the following:</p> <p>a) The machinery bills and raw material registers were available; however, they could not be presented to the inspection committee as the inspection took place around 3:30 PM, by which</p>	

6

उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 परीक्षण महाविद्यालय / Director General of Training
 कौशल विकास एवं उद्यमिता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली - 12 / Govt. of India, New Delhi-12

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>time the staff had already left the office.</p> <p>b) During the joint inspection, the students had already left the ITI premises, as the daily training hours are from 9:00 AM to 3:00 PM. This schedule was duly communicated to the inspection team during the visit.</p> <p>c) The building was under renovation, and painting work was in progress, due to which the machines and laboratories were temporarily disorganized. They have now been properly reorganized.</p> <p>d) The IT lab and drawing hall are available in the ITI. Photographic evidence is attached.</p> <p>e) The building plan was submitted to the inspection committee, which clearly indicates that the premises are not being used for any purpose other than the ITI training activities.</p>	

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			9. The reply of the ITI was considered in the 7 th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.	
7.	Jagdamba Pvt. ITI PU10001033	1. Electrician 2(1+1) 2. House Keeper 2(1+1)	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 23.10.2024. During the inspection</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>the following deficiencies were observed by the committee members:</p> <p>a) The ITI building was present on the location of the ITI, but the rent issues were going on between the ITI and building owner.</p> <p>b) No training activities were being conducted at the ITI location.</p> <p>c) No tools and equipment were available in the workshop area of the ITI during inspection.</p> <p>d) No manpower availability at the day of inspection.</p> <p>e) IT room, drawing hall, library hall, classrooms were completely locked.</p> <p>f) No official staff was available to provide the ITI related documents.</p> <p>g) The condition of workshop equipment installation platform area was broken and seems that all the installed items, equipment have been taken out and installed somewhere without any official information either at State level or RDSDE level.</p>	<p>3. The training activities were not being conducted at the ITI premises on the day of inspection.</p> <p>4. The tools and equipment were not available in the workshop area of the ITI during inspection.</p> <p>5. IT room, drawing hall, library hall, classrooms were completely locked.</p> <p>6. The official staff and manpower were not available in the ITI.</p> <p>7. The workshop equipment installation platform area was broken.</p> <p>8. The building owner informed that dispute of rent continues due to which the ITI is not in working condition from last six years. All the trainers/ trainees do not attend the theory or practical classes.</p> <p>9. Two show cause notices, followed by a reminder, were issued to the ITI by the State Directorate; however, the ITI failed to respond to any of them, reflecting a negligent approach towards the functioning of the institute.</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>h) The building owner informed that dispute of rent continues and the ITI it is not in working condition from last six years. All the trainers/ trainees are not coming to this building to attend the classes of theory or practical.</p> <p>i) As per the statement of building owner that he will not allow to conduct the training activities till the rent issues be resolved.</p> <p>6. The joint inspection committee recommended to de-affiliate the ITI due to serious violation of NCVT training activities norms by the ITI.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 23.10.2024 but ITI did not reply to the both.</p>	

(19)

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाविभाग, केंद्रीय प्रशिक्षण बोर्ड, नई दिल्ली-12
कौशल विकास एवं प्रशिक्षण विभाग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			8. The matter was discussed in the 7 th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.	
8.	AL-Falah Pvt. ITI PR10000092	1. Electrician 4(2+2) 2. Fitter 2(1+1)	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 23.10.2024. During the inspection</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>1. The ITI is not adhering to affiliation norms, as following deficiencies were observed :</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>the following deficiencies were observed by the committee members:</p> <p>a) The ITI's building and workshops were not available as per longitude and latitude mentioned on NCVT MIS portal.</p> <p>b) According to the local residents, no staff presence or training activities have taken place at the ITI's address for the past two years.</p> <p>c) The localities also informed that the workshop has been shifted somewhere else for last two years and nothing is available at this place.</p> <p>6. The joint inspection committee recommended to de-affiliate the ITI due to non-existence of ITI building and serious violation of NCVT norms for the ITI.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to</p>	<p>a) The ITI was not available at the location mentioned on NCVT MIS portal.</p> <p>2. Two show cause notices, followed by a reminder, were issued to the ITI by the State Directorate; however, the ITI failed to respond to any of them, reflecting a negligent approach towards the functioning of the institute.</p>

⑥

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक, राष्ट्रीय कौशल विकास
कोशाल विकास / National Institute of Training
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002, फोन 011-2619412

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>submit the clarification in respect of deficiencies observed in the joint inspection dated 23.10.2024 but ITI did not reply to the both.</p> <p>8. The matter was discussed in 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	
9.	Santosh Pvt. ITI PR10001242	1. Electrician 4(2+2) 2. Fitter 4(2+2)	1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024. 2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute. 3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.	SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC. Reasons for de-affiliation: 1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 25.10.2024. During the inspection the following deficiencies were observed by the committee members:</p> <p>a) The building of the ITI exists but it was under repair and construction mode.</p> <p>b) Tools and equipment were not installed in electrician and Fitter trade workshops.</p> <p>c) Classrooms were there but IT lab, drawing hall and Library were not available in the ITI.</p> <p>d) There was no sign of consumable materials/raw materials available in the workshop.</p> <p>e) There was no any IT room with sufficient no. of computers due to which the examination center has not been made in the ITI campus at designated workshop i.e Electrician and Fitter workshop.</p>	<p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p> <p>3. The ITI building was under repair and construction mode.</p> <p>4. The tools and equipment were not installed in Electrician and Fitter trades workshops.</p> <p>5. The IT lab, drawing hall and Library were not available in the ITI.</p> <p>6. No consumable materials or raw materials were found to be available in the workshop at the time of inspection.</p> <p>7. Two show cause notices, followed by a reminder, were issued to the ITI by the State Directorate; however, the ITI failed to respond to any of them, reflecting a negligent approach towards the functioning of the institute.</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>6. The joint inspection committee recommended for strong action as per NCVT norms.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 25.10.2024 but ITI did not reply to the both.</p> <p>8. The matter was placed in the SSDEC meeting held on 19.02.2025 in which the SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	
10.	ABU Bakar Siddiqui Pvt. ITI PR10000285	<p>1. Draughtsman (Civil) 2(1+1)</p> <p>2. Electrician 2(1+1)</p> <p>3. Plumber 1(1+0)</p>	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical</p>

Annexure-4

संजय बिरासा / Director
निदेशक / Director
परिक्षण महानिदेशक, बिहार राज्य शिक्षण बोर्ड
बिहार राज्य शिक्षण बोर्ड, पटना-800 001
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110 002 / Govt. of India, New Delhi-110

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 28.10.2024. During the inspection the following deficiencies were observed by the committee members:</p> <p>a) The ITI building and workshop were present at the specified location but were found to be completely locked.</p> <p>b) In the workshop area of the ITI some bushes have been grown and the workshop was in tin shed condition.</p> <p>c) The workshop was found to be waterlogged, and it was observed that no unlocking or operational activities had taken place over the past two years,</p>	<p>examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p> <p>3. The ITI building and workshop were found to be completely locked at the specified location on the day of inspection.</p> <p>4. The ITI workshop area was covered with bushes and the shed of the workshop made up of tin.</p> <p>5. The workshop was found to be waterlogged, and it was observed that no unlocking or operational activities had taken place over the past two years, rendering the facility unsafe and insecure.</p> <p>6. The local residents reported that the ITI has been non-operational for the past 2–3 years, with no training activities taking place at this location.</p>

(P)

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>rendering the facility unsafe and insecure.</p> <p>d) The local residents reported that the ITI has been non-operational for the past 2–3 years, with no training activities taking place at this location.</p> <p>e) The condition of the ITI was in completely abandoned condition due to which management was unable to conduct the CTS AITT-Exam 2024 held in August-2024.</p> <p>6. The joint inspection committee strongly recommended de-affiliation of the ITI at the earliest.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 28.10.2024 but ITI did not reply to the both.</p>	<p>7. The condition of the ITI was in completely abandoned due to which management was unable to conduct the CTS AITT-Exam 2024 held in August-2024.</p> <p>8. Two show cause notices, followed by a reminder, were issued to the ITI by the State Directorate; however, the ITI failed to respond to any of them, reflecting a negligent approach towards the functioning of the institute.</p>

Annexure-4



उज्जवल बिस्वास/UJJWAL BISWAS
निर्देशक / Director
प्रशिक्षण महानिदेशक, दिव्यशिक्षण, उच्च शिक्षा, उच्च शिक्षा
प्रशिक्षण विभाग, माध्यमिक शिक्षा विभाग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002, New Delhi-12

Page 184 of 214

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			8. The matter was discussed in 7 th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.	
11.	Patna Pvt. ITI PR10000116	1. Electrician 2(1+1) 2. Fitter 2(1+1)	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 18.11.2024. During the inspection</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI has also accepted in its reply dated 17.12.2024 that it has been shifted to another location without approval which is</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>the following deficiencies were observed by the committee members:</p> <p>a) The ITI had shifted to another location within the same block but approval of state or DGT was not available during inspection.</p> <p>b) The ITI was running in rented building from ground floor and coaching center was also running on 1st floor.</p> <p>c) BCC was not available as ITI has rented the building.</p> <p>d) Raw material register was not available.</p> <p>e) Staff appointment information was not available during the inspection but ITI has conveyed to share later.</p> <p>f) Staff and student attendance were not available. ITI had been affiliated as per old norms.</p> <p>g) Machinery was partially available as per existing affiliated trades and units and was in partially working condition.</p>	a violation of clause 3.5 of affiliation norms.

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>h) The amenities were not available as per norms.</p> <p>i) IT lab was available but not as per norms.</p> <p>j) Drawing hall was available but not as per norms.</p> <p>k) Fire safety certificate was not available during inspection.</p> <p>l) Overall, machines, tools equipment, power connection, teaching staff, area of the ITI were partially available during inspection.</p> <p>6. The NCVT member of joint inspection committee recommended that ITI had shifted to another location within the same block, approval from state govt. or DGT has yet been available to them, final show cause notice may be given to them before proceeding for de-affiliate.</p> <p>7. The SCVT member of joint inspection recommended that ITI has shifted in same block due to dispute in same place. Higher authority may decide to</p>	



Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>re-inspect ITI as per Shifting norms with NOC.</p> <p>8. The SCN dated 06.12.2024 was issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 18.11.2024.</p> <p>9. The ITI replied on 17.12.2024 and stated the following:</p> <p>a) The ITI has been shifted to another location due to dispute between the landlord and their family members where the ITI is located. The rent agreement was about to over, the dispute was increasing day by day for which the training was hampered. And considering the benefit of trainees the ITI has been shifted to another location without approval for which I apologize for the same.</p>	

Annexure-4



सज्जवल बिरजसु/ALLIANCE BISWAS
 निदेशक / Director
 शिक्षण महा विभाग / Director General of Training
 योगसल विभाग / Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110011, New Delhi-12

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>required space as per the norms was available at this location.</p> <p>10. The reply of the ITI was considered in 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT Norms.</p>	
12.	Panchmukhi Pvt. ITI PU10001161	1. Electrician 4(2+2) 2. Fitter 4(2+2)	<p><u>Brief of the matter:</u></p> <p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p>

प्रमुख निदेशक/ JYAL BISWAS
 निदेशक/ Director
 पंजीकृत शिक्षण, बिहार, भारत
 पंजीकृत शिक्षण, बिहार, भारत
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, 14 विक्टोरी स्ट्रीट, नई दिल्ली-12

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 25.10.2024. During the inspection the following deficiencies were observed by the committee members:</p> <p>a) The building was not found as per longitude and latitude mentioned on NCVT MIS portal and it was not allowed to take the photos of building lease agreement of the earlier building portion as per address.</p> <p>b) There was a dispute going on between owner of the building and ITI management due to which the ITI was not providing the training in the leased building as per earlier agreement.</p> <p>c) Workshop was not available at new nearby location of the ITI .</p> <p>d) No any official communication has held till date of inspection for transfer</p>	<p>2. The building was not found as per longitude and latitude mentioned on NCVT MIS portal.</p> <p>3. Also, as observed during inspection that the ITI has been shifted to another location without taking approval which is a violation of clause 3.5 of affiliation norms.</p>



Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>of location of the said ITI in nearby locality.</p> <p>e) The land shown by the principal of the ITI was vacant and no sign of building construction or repairing work were found.</p> <p>f) Some of the tools and equipment were seen in a small store house which is not appropriate as per NCVT norms.</p> <p>g) The size of classrooms was very small and nothing was available to run the practical classes of Electrician and Fitter trade as per NCVT norms.</p> <p>h) The IT lab, drawing hall and library and other ITI related infrastructure in the said institute nearby new location were not available during inspection.</p> <p>i) It has been also observed that the required infrastructure to conduct CTS AITT exam 2024 in the ITI campus was not available and also the ITI not tried to provide facility to conduct the practical exam at its own workshop.</p>	

(Signature)

उत्तर प्रदेश विद्यापीठ निदेशक
विशेष निदेशक
शिक्षण विभाग, उत्तर प्रदेश
मंत्रालय, शिक्षा, उत्तर प्रदेश
मंत्रालय, शिक्षा, उत्तर प्रदेश
मंत्रालय, शिक्षा, उत्तर प्रदेश

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>6. The joint inspection committee inspected the ITI as per NCVT MIS Portal address whereas the District of ITI is mentioned as Siwan whereas as per DET Bihar office order the ITI district was written as Saran. However, during SCAA meeting, the State Directorate confirmed the district as Siwan.</p> <p>7. The joint inspect committee strongly recommended de-affiliation of the ITI at the earliest as per NCVT norms.</p> <p>8. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 25.10.2024.</p> <p>9. The ITI attached the photographs of the ITI with its reply dated 29.11.2024.</p> <p>10. The reply of the ITI was considered in the 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended</p>	

(P4)

उज्जयल दिव्यासि / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महामंडळ, दिशानिर्देशक, "Ministry of Train"
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002, India, New D

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			to de-affiliate the ITI due to non-compliance of NCVT norms.	
13.	Danapur Pvt. ITI PU10000861	1. Electrician 2(1+1)	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 23.10.2024. During the inspection the following deficiencies were observed by the committee members:</p>	<p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. Already de-affiliated vide DGT office order dated 17.01.2025 due to zero admissions in last 06 years.</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>a) The ITI building was not found on the location.</p> <p>b) The electricity connection was not available during inspection.</p> <p>c) The machinery was not found on the location of the ITI.</p> <p>d) The students, trainers, staff were not available on the day of inspection.</p> <p>e) Tools and equipment were not available in the ITI.</p> <p>f) Classrooms, workshops, ITI lab, drawing hall were not available in the institute.</p> <p>g) A godown was used in place of the ITI and also a cricket ground was found in the place of ITI.</p> <p>h) The local residents stated that an ITI was operational in the past, but it is no longer in existence at present.</p> <p>i) The ITI does not exist and was non-functional on the day of inspection.</p> <p>j) No consumable materials or raw materials were found to be available in the workshop at the time of inspection.</p>	

Annexure-4

6

सज्जवल बिस्वास
निदेशक
परिक्षा मन्त्रालय
कैथन, दिल्ली
Ministry of Skill Development and Entrepreneurship
भारत सरकार, १६ दिल्ली-११००५२, Govt. of India, New Delhi-110052

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>k) There was no any IT room with sufficient no. of computers due to which the examination center has not been made in the ITI campus at designated workshop i.e Electrician and Fitter workshop.</p> <p>6. The SCVT member of joint inspection committee strongly recommended de-affiliation of ITI and the NCVT member mentioned that ITI does not exist and currently not functional.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 23.10.2024.</p> <p>8. The ITI responded on 16.12.2024, stating that the deficiencies observed during the joint inspection were due to the premises being vacated by the landlord as a result of a land lease dispute.</p>	

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			9. The reply of ITI was considered in 7 th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.	
14.	S.L Roy Pvt. ITI PR10000895	1. Electrician 4(2+2) 2. Fitter 4(2+2) 3. Mechanic Diesel 2(1+1)	1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024. 2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute. 3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate. 4. The ITI did not reply to the SCN. 5. The Joint inspection was conducted by State Directorate and RDSDE officials on 29.10.2024. During the inspection	SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC. Reasons for de-affiliation: 1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms. 2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed: a) The building of the ITI was dilapidated and under crippled condition.

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>the following deficiencies were observed by the committee members:</p> <p>a) The building of the ITI was dilapidated and under crippled condition seems without any training activities for last two years.</p> <p>b) During the inspection found dirt and ashes accumulated on the floor and wall.</p> <p>c) As per localities, it was told that the ITI building catches fire around two years.</p> <p>d) No machinery, tools were found inside the ITI.</p> <p>e) No trainees, staff, Principal, director, instructors were present on the day of inspection.</p> <p>f) The committee also observed that to conduct the CTS AITT exam 2024, the required infrastructure were not available in the ITI and also seems that the ITI is not providing the facility to the trainees.</p> <p>6. The joint inspection committee strongly recommended to de-affiliate</p>	<p>b) The ITI was not providing training activities for last two years.</p> <p>c) Machinery, tools and equipment were found inside the ITI.</p> <p>d) No trainees, staff, Principal, director, instructors were present on the day of inspection.</p> <p>e) The committee also observed that the required infrastructure was not available in the ITI to conduct the CTS AITT exam 2024.</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>the ITI at the earliest as per NCVET norms.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 29.10.2024.</p> <p>8. The ITI responded on 16.12.2024, stating that all materials, tools, and machinery were destroyed in a fire allegedly set by local villagers due to a dispute between the ITI director and the nearby community. The institute further assured that the situation will be rectified within six months.</p> <p>9. The reply of the ITI was considered in 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	
15.	Naino Pvt. ITI PR10000537	1. Electrician 4(2+2)	1. The State Directorate Bihar had requested the ITI to submit the	1. As per the DGT order dated 19.12.2019, ITI were instructed to function as self-

Annexure-4

Page 199 of 214

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक, प्रशिक्षण, विद्यालय, शिक्षा
परिषद्, महाराष्ट्र, नवी मुंबई, महाराष्ट्र
कोशला विभाग, नवी मुंबई, महाराष्ट्र
Ministry of Skill Development
भारत सरकार, नई दिल्ली-110002, महाराष्ट्र

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
		2. Fitter 3(1+2)	<p>declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 29.10.2024. During the inspection the following deficiencies were observed by the committee members:</p> <p>a) The ITI building was very old and dilapidated, with no training activities conducted for the past two years.</p> <p>b) The water, garbage and bushes were there on the approach path to</p>	<p>centers for the Engineering Drawing and Practical Exams in AITT from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p> <p>a) The ITI building was very old and dilapidated, with no training activities conducted for the past two years.</p> <p>b) The approach path to main gate of the ITI was occupied by water, garbage and bushes indicates that ITI is not maintained.</p> <p>c) The condition of workshops was also crippled and there was no sign of practical activities of trainees on the day of inspection.</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>main gate of the ITI due to which it was not possible to reach at main entry gate of ITI.</p> <p>c) During the inspection no other records register of ITI activities were produced by the Principal except admission register for ongoing training activities related.</p> <p>d) The condition of workshops was crippled and there was no sign of practical activities of trainees.</p> <p>e) Machinery and tools were not found available to conduct activities in the workshop.</p> <p>f) The trainees, office staff, instructors were not present on the day of inspection.</p> <p>g) The building roofs/tin sheds were in very poor condition and were unsafe and insecure for trainees.</p> <p>h) The land lease shown by the principal of the ITI was 25.12.2010 to 25.12.2025.</p>	<p>d) Machinery and tools were not found available to conduct activities in the workshop.</p> <p>e) The trainees, office staff, instructors were not present on the day of inspection.</p> <p>f) Building roofs/Tin sheds were also in very worst condition and was very unsafe and unsecure for trainees</p> <p>g) The required infrastructure was not available in the ITI to conduct the CTS AITT exam 2024 also seems that the ITI is not providing the facility to the trainees.</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>i) The committee also observed that to conduct the CTS AITT exam 2024, the required infrastructure were not available in the ITI and also seems that the ITI is not providing the facility to the trainees.</p> <p>6. The joint inspection committee strongly recommended to de-affiliate the ITI at the earliest as per NCVET norms.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 29.10.2024.</p> <p>8. During the inspection on 29.10.2024, the ITI submitted a letter stating that water logging caused by rain prevented the supply and operation of machines and equipment at the time of inspection and only seven trainees were absent. The ITI also informed that it is planning</p>	

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>to relocate due to the lease agreement expiring on 25.12.2025. Additionally, the ITI stated that no record registers for the 2023–25 session, except the admission register, were presented to the joint inspection committee.</p> <p>9. The ITI did not reply to the both. However, ITI submitted a letter dated 13.12.2024 in which it has been stated that the lease of the ITI is about to expire in December 2025 and ITI wants permission to shift the ITI to another place.</p> <p>10. The reply of the ITI was considered in 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	
16.	Reyaz Pvt. ITI PR10000066	1. Draughtsman (Civil) 1(1+0) 2. Electronics Mechanic 2(1+1)	1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.	SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC. Reasons for de-affiliation:

Annexure-4

(P4)

उज्जवल बिस्वास
 निदेशक
 प्रशिक्षण महानिदेशक, प्रशिक्षण निदेशक, प्रशिक्षण निदेशक
 कौशल विकास एवं उद्यमिता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
		3. Plumber 2(1+1) 4. Sewing Technology 1(1+0)	2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute. 3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate. 4. The ITI did not reply to the SCN. 5. The Joint inspection was conducted by State Directorate and RDSDE officials on 25.10.2024. During the inspection the following deficiencies were observed by the committee members: a) The area of the ITI was not as per norms. b) The trainees were not present in the ITI on the day of inspection. c) 10% machinery and 15% tools were available in the workshops on the day of inspection.	1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms. 2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed: a) The area of the ITI was not as per norms. b) The trainees were not present in the ITI on the day of inspection. c) 10% machinery and 15% tools were available in the workshops on the day of inspection.



Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>d) The workshop of sewing technology trade was not available in the ITI.</p> <p>e) Safety equipment were not available in the ITI.</p> <p>f) IT lab was not as per norms, only 04 computers were available in the lab.</p> <p>g) The basic infrastructure was not available in the classrooms, drawing hall and library of the ITI.</p> <p>6. The joint inspection committee strongly recommended to de-affiliate the ITI at the earliest as per NCVET norms.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 25.10.2024</p> <p>8. The ITI replied on 12.12.2024 and stated the following:</p> <p>a) The ITI is running under minority due to which every Friday (Jumma) is</p>	<p>d) The workshop of sewing technology trade was not available in the ITI.</p> <p>e) Safety equipment were not available in the ITI.</p> <p>f) IT lab was not as per norms, only 04 computers were available in the lab.</p> <p>g) The basic infrastructure was not available in the classrooms, drawing hall and library of the ITI.</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>holiday and the inspection was conducted on Friday i.e- 25.10.2024.</p> <p>b) In workshops 90% tools and machinery are available.</p> <p>c) The deficiencies observed in classroom infrastructure is because the ITI is made on the basis of 2001 (old norms). We are planning to shift the ITI at other new location to fulfill the new norms. We are in process to apply for new trade Electrician.</p> <p>d) The ITI has cutting and Sewing technology trades instead of Sewing technology trade. As there has been no student enrollment in this trade, we are not focusing much on it.</p> <p>e) The deficiencies observed in the joint inspection will be rectified at the earliest.</p> <p>8. The reply of the ITI was considered in 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	

(Signature)

सज्जवल दिवास / S. J. BISWAS
 निदेशक / Director
 राष्ट्रीय महानिदेशक / National Director of Training
 कौशल विकास एवं उद्यमिता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
17.	Sukwari Devi Pvt. ITI PR10000583	1. Electrician 4(2+2)	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 29.10.2024. During the inspection the following deficiencies were observed by the committee members:</p> <p>a) The latitude (25.5402) and longitude (85.1201) of the ITI were mentioned on NCVT MIS Portal whereas the ITI GPS location the LATITUDE (25.540519)</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p> <p>a) The latitude (25.5402) and longitude (85.1201) of the ITI were mentioned on NCVT MIS Portal whereas the ITI GPS location the latitude (25.540519) and longitude (85.116711) were recorded. There was some last digit difference were</p>

उज्जवल बिस्वास/UJJWAL BISWAS
 निदेशक, प्रशिक्षण
 सचिव, प्रशिक्षण, उद्योग, और नवप्रवर्धन
 मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>and longitude (85.116711) were recorded on the day of inspection. There was some last digit difference were found as per NCVT MIS portal and GPS address latitude and longitude.</p> <p>b) Electrical connection was not available in Electrician trade to operate tools and equipment and some equipment was found to be non-functional.</p> <p>c) The building map was not available during inspection.</p> <p>d) No CITS instructor was found available in the Electrician trade, and no training activities were observed being conducted by the trainees in the workshop area.</p> <p>e) The IT Lab and drawing hall were not found during the inspection.</p> <p>f) A copy of application was submitted by the ITI for not conducting examination due to over bridge construction in front of ITI location and was still under road construction condition on the day of inspection.</p>	<p>found as per NCVT MIS portal and GPS address latitude and longitude.</p> <p>b) The building map was not available during inspection.</p> <p>c) Electrical connection was not available in Electrician trade to operate tools and equipment and some equipment were found to be non-functional.</p> <p>d) No CITS instructor was found available in the Electrician trade, and no training activities were observed being conducted by the trainees in the workshop area.</p> <p>e) The IT Lab and drawing hall were not found during the inspection.</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>6. The joint inspection committee recommended to act against ITI for not conducting activities of affiliated trade Electrician in the ITI as per NCVET norms.</p> <p>7. The SCN dated 14.11.2024 was issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 29.10.2024.</p> <p>8. The ITI replied on 29.11.2024 and stated the following:</p> <p>a) The difference in latitude and longitude recorded was minimal. Such minor variations are expected when recording coordinates from the start to the end of any building</p> <p>b) There was few equipment in which electric power was not coming due to short circuit.</p>	

Annexure-4

PN

उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक, कौशल विकास एवं उद्यमिता
 Director, Skill Development and Entrepreneurship
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>c) The building map is available but during inspection it was not shown because it kept in the locker of IT lab and the keys of IT lab was unavailable.</p> <p>d) The two CITS instructors is required for electrician trade out of which one has appointed and the other will be appointed very soon. The ITI was affiliated in 2012 and that time this was not mandatory to appoint 2 instructors.</p> <p>e) The IT lab was available in the ITI, since the inspection committee came to inspect the ITI around 4.30 and the key of the IT lab was with Principal who went somewhere for urgent work.</p> <p>f) For drawing hall ITI stated that ITI was affiliated in 2012 and that time it was not mandate for drawing hall that is why it is taken in another hall and requested to give some time to construct drawing hall.</p> <p>9. The reply of the ITI was considered in 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-</p>	

(P)

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			affiliate the ITI due to non-compliance of NCVT norms.	
18.	Brilliant Pvt. ITC PR10000125	1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. Electronics Mechanic 2(1+1)	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 23.10.2024. During the inspection the following deficiencies were observed by the committee members:</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p> <p>a) The institute is not found located at the approved site.</p> <p>b) The building map was not provided by the ITI on the day of inspection.</p>



Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>a) The concrete building structure was available on ITI location address but it was under repairing mode. Also, there was a difference found between the NCVT MIS portal and the GPS address (latitude and longitude) of the ITI on the day of inspection. The building map was not available at the location and was also not produced upon request.</p> <p>b) In the Fitter and Electrician trade workshops, tools and equipment were not properly installed. Electronic items were kept without any electrical connection.</p> <p>c) No training activities by trainees were observed in the workshop area.</p> <p>d) CITS instructors were not found to be present for conducting training sessions on the day of inspection.</p> <p>e) IT lab with desktop computers, library room, drawing hall with drawing table were not available during inspection.</p> <p>f) Due to less infrastructural availability, the principal of the said ITI was not</p>	<p>c) The workshops for the Fitter and Electrician trades were not found to be in accordance with NCVT norms.</p> <p>d) No training activities by trainees were observed in the workshop area during inspection.</p> <p>e) CITS instructors were not found to be present for conducting training sessions on the day of inspection.</p> <p>f) IT lab with desktop computers, library room, drawing hall with drawing table were not available during inspection.</p> <p>g) Due to less infrastructural availability, the principal of the said ITI was not able to conduct the CTS AITT Exam 2024 process.</p>

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>able to conduct the CTS AITT Exam 2024 process.</p> <p>6. The joint inspection committee recommended strong as per NCVT norms against the ITI as ITI building is under construction mode without any official communication to any authorized office at State level and Central level.</p> <p>7. The SCN dated 14.11.2024, was issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 23.10.2024.</p> <p>8. The ITI replied on 02.12.2024 and stated the following:</p> <p>a) The longitude and latitude of the ITI was not recorded properly on the day of inspection. It is also clarified that the ITI is function from same location since 2007.</p> <p>b) The ITI was under renovation due to which the IT lab and library were unorganized and the area of Electrician</p>	

(P_u)

Sr No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	21 st SCAA Remarks
I.	II.	III.	IV.	V.
			<p>and fitter trade are also as per NCVT norms.</p> <p>c) The electric supply to the electronic equipment is provided only when it is to be used.</p> <p>d) In Fitter and Electrician trades some tools and equipment were not connected with permanent foundation which has been repaired.</p> <p>10. The reply of the ITI was considered in 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the due to non-compliance of NCVT norms.</p>	

उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक, प्रशिक्षण
 केंद्र, दिल्ली
 Director of Training
 Ministry of Skill Development
 Government of India, New Delhi-12

CP

