

URGENT
BY SPEED POST

No. DGT-MoM/2017-O/o DIR (TC)
Government of India
Ministry of Skill Development & Entrepreneurship
Directorate General of Training

Shram Shakti Bhawan, Rafi Marg,
New Delhi, 18th August, 2017

To

All the Members of Sub-Committee of NCVT
dealing with affiliation (As per list enclosed).


Subject: - Minutes of the meeting of the Sub-Committee of NCVT dealing with affiliation held on 25th July, 2017 at Main Committee Room, 1st floor, C-Wing, Shram Shakti Bhawan, Rafi Marg, New Delhi.

Sir/Madam,

The minutes of the meeting of the Sub-Committee of NCVT dealing with affiliations, held on 25th July, 2017 at Main Committee Room, 1st floor, C-Wing, Shram Shakti Bhawan, Rafi Marg, New Delhi are enclosed herewith for your kind reference and record please.

This issues with the approval of DG/JS, MSDE.

Yours faithfully,



(Raj Kumar Pathak)

Encl: As above.

Director of Training/ Member Secretary (NCVT)

Phone No.: 011-23743080

Rajkumar.pathak@gov.in

Copy for information and necessary action please-

1. PPS to Chairman, NCVT sub-committee/DG/JS
2. PPS to DDG (T)
3. IT Officer, DGT for uploading on website.



(M.C. Kardam)

Joint Director of Training

mc.kardam@nic.in

MINUTES OF THE MEETING OF NCVT DEALING WITH AFFILIATION

held on 25th July, 2017 at DGT, New Delhi

Minutes of the Meeting of Sub-Committee of National Council for Vocational Training (NCVT) dealing with affiliation was held on 25th July, 2017 at 3.00 P.M. in the Main Committee Room, 1st Floor, C-Wing, Ministry of Labour & Employment, Shram Shakti Bhawan, Rafi Marg, New Delhi, under the Chairmanship of Shri Asheesh Sharma, Joint Secretary, Directorate General of Training, Ministry of Skill Development & Entrepreneurship.

The list of members/officers who attended the meeting is Annexed at 'A'.

At the outset, Director of Training welcomed the Chairman and all the members of NCVT for making it convenient to attend the meeting. The Chairman then requested Director of Training to apprise the forum of the methodology followed by DGT for scrutinising the proposals for affiliation of NCVT, received from QCI before taking up the agenda.

Director of Training explained that 128 fresh accredited proposals were received from QCI. These case files along with CDs were distributed among 11 Directors of DGT and the Ministry for scrutiny and their comments as follows:

Sl no.	Name of the Director & Division, heading the committee	No. of application allotted	Comments / Observations Received or not
1.	Shri Anand Sherkhane, Director, MSDE	12	No
2.	Shri Bimal Kumar Sikdar, Director, MSDE	12	Yes
3.	Shri A.K. Sachdeva, Director, MSDE	12	No
4.	Ms. DeeptiSrivastava, Director, MSDE	12	Yes
5.	Shri Dinesh Nijhawan, Director, DGT	12	No
6.	Shri S.D. Lahiri, Dir(AT), DGT	12	Yes
7.	Smt. Sandhya Salwan, Dir. (SDI), DGT	12	Yes
8.	Shri Sunil Kumar Gupta, Dir. (TT Cell), DGT	12	Yes
9.	Shri R.P. Dhingra, Dir (P), DGT	12	No
10.	Smt. Upma Bhatia, Dir(WT), DGT	12	No
11.	Shri. M.C. Sharma, Director (TT Cell), DGT	08	No
	Total	128	

Thereafter, the proposals were again scrutinised by officers who were deputed for this from field Institutes. After that, the proposals were re checked by JDT(MCK) and DDT(VKS) before submitting to Director of Training for his recommendation who finally presented the proposals before the sub-committee with his recommendations. Director

of Training also informed the committee that in strict compliance of NCVT norms, this time we have not allowed any ITIs to be affiliated for single trade irrespective of the date of registration on QCI portal. **He recommended 36 cases for affiliation, 69 cases to seek clarification and rejected 36 cases out of total 141 cases.**

Item No. 1: Confirmation of the minutes of the last meeting of the Sub-Committee of National Council for Vocational Training (NCVT) dealing with affiliation held on 18th July, 2017.

The approved minutes of the NCVT Sub Committee meeting held on 18.07.2017 (Appendix-I), were accepted as confirmed.

Item No. 2: Action taken report on the recommendations of the last meeting.

The **Action Taken Report (ATR) (Appendix-II)** on the recommendations of the meeting dated 18.07.2017 was reviewed by the Chairman with the following observations:

In respect of item No. 2 of the Agenda in the meeting held on 18-07-2017 wherein the Committee recommended that State Governments would ensure that all electrical safety measures are put in place before trainees are admitted for the next session and unless a compliance certificate is issued by State Directorate for each ITI in this respect, the particular ITI would be de-activated on the portal which may also be notified to all concerned to avoid the confusion.

Director of Training informed that letter in this regard was sent to the State Governments on 24-07-2017 and request for de-activation on the portal would be sent to M/s WIPRO shortly.

The Chairman expressed satisfaction on the action initiated.

Item No. 3: Consideration of accredited proposals received by QCI for grant of affiliation.

Total 141 numbers of affiliation cases received after accreditation from QCI (128 fresh and 13 received before 15-12-2016) were placed before the Sub-Committee of NCVT dealing with affiliation.

Jt. Director of Trg. (MCK) presented the summary sheet of cases with Data of ITIs (Govt., Private, New & Existing).

The Committee randomly picked & verified a number of case files (5 in number). The case of CLG ITI, Kesar Bagh, Sumerpur, Pali,

Rajasthan which was recommended by Director of Training was re-examined by the Chairman who pointed out that the BCC submitted by the ITI could not be accepted as it was issued by Adhyaksha, Nagar Palika who is not authorised to issue such certificates. He also opined that the BCC submitted by Skills Private ITI, Ghaziabad is also not in proper format. It is an RTI reply which cannot be accepted, though it was recommended by Director of Training. Similarly, SK National Private ITI, Dhariwal, Punjab and Jay Hanuman Private ITI, Agra, U.P. were also turned down by the Committee though recommended by Director of Training due to improper BCC. He also viewed the CD recording of many ITIs. Shri Vishwakarma Private ITI, Lakhani, Maharashtra was not considered by the committee for affiliation though it was recommended by Director of Training as the infrastructure and BCC was not clearly visible in the CD. After scrutinising various files, he was of the opinion that original Building Completion Certificate (BCC) may be sought from all the ITIs before issuing affiliation orders to them. On receipt of the original BCC document a committee under the Chairmanship of DDG (T&E) would examine the same before releasing the affiliation orders. Further, it was approved by the committee to seek the original BCC documents in respect of 74 under clarification (UC) proposals and after scrutiny of the same, the eligible applications may be submitted to NCVT sub-committee in the next meeting for consideration.

The NCVT sub-committee finally recommended 25 cases for affiliation to NCVT (Appendix-III), rejected 42 cases (Appendix-IV) and considered 74 cases for seeking clarification (UC) (Appendix-V).

The meeting ended with a vote of thanks to the Chair.

List of Members/Officials who attended the NCVT Sub-Committee Meeting
on 25-07-2017

1.	Shri Asheesh Sharma	Chairman/Jt. Secretary	Directorate General of Trg., MSDE
2.	Shri S.D. Lahiri	Dy. Director General(T&E)	Directorate General of Trg., MSDE
3.	Shri R.K. Pathak	Member Secretary/DT	Directorate General of Trg., MSDE
4.	Shri Sohan Lal Gupta	Member	Bhartiya Mazdoor Sangh, Pehowa
5.	Shri Suresh Sharma	Member/Asst. Director	Dept. Of Skill Traininmg, Rajasthan
5.	Shri Man Pal Singh	Member/Addnl. Director	Dept. Of Trg. & Emp., Uttar Pradesh
6.	Shri M.C. Kardam	Jt Director of Trg.	Directorate General of Trg., MSDE
7.	Shri V.K. Saksena	Dy. Director of Trg.	Directorate General of Trg., MSDE
8.	Shri Yogesh Kumar	Asst. Director of Trg.	Directorate General of Trg., MSDE
9.	Shri Jagdish Chand	Training Officer	Directorate General of Trg., MSDE
10.	Shri B.S. Reddy	Training Officer	Directorate General of Trg., MSDE
11.	Shri Bhagat Singh	Training Officer	Directorate General of Trg., MSDE
12.	Ms. Babita Prasad	Vocational Instructor	Directorate General of Trg., MSDE
13.	Ms. Teena Sharma	Jr. Technical Assistant	Directorate General of Trg., MSDE

List of Members of Sub-Committee of National Council for Vocational Training dealing with "Affiliation"			
1.	Smt. PushpaSubrahmanyam, Joint Secretary, Ministry of Textiles, Room No. 229, UdyogBhawan, New Delhi	7.	The Director Directorate of Employment & Training, New Sectt., VikasBhavan, Patna-800015, Bihar
2.	Shri R.K. Rai, Director Office of Development Commissioner (Micro, Small and Medium Enterprises) Ministry of Micro, Small and Medium Enterprises, Room No. 723-A, 'A' Wing, 7th Floor, NirmanBhawan, New Delhi-110108	8.	The Director, Directorate of Vocational Education & Training 3, MahapalikaMarg, Dhobi Talao Mumbai-400001, Maharashtra
3.	The Joint Secretary, Ministry of Labour & Employment, Shram Shakti Bhawan, Rafi Marg, New Delhi-110001	9.	The Director Directorate of Technical Education 6, Residency Road, Jodhpur-342001, Rajasthan
4.	Shri Arun Kumar Jha, Addl. General Manager (HRDC), Human Resource Development Centre, Bharat Heavy Electricals Limited, Ramachandrapuram Hyderabad 502032, Andhra Pradesh	10.	The Commissioner of Employment & Training Directorate of Employment & Training, B.R.K. Rao Bhawan, 3rd Floor, D-Block, Tankbund, Hyderabad-500063, Andhra Pradesh
5.	Shri Sohan Lal Gupta, All India Secretary, Bharatiya Mazdoor Sangh, Mini Bank, Pehwa, Distt. Kurukshetra-136128 (Haryana)	11.	The Director Deptt. of Industries and Commerce, Pt. Nehru Complex, Agartala-799006, Tripura
6.	The Director Directorate of Employment & Training, Guru Gobind Singh Marg, Lucknow - 226004, Uttar Pradesh	12.	The State Apprenticeship Adviser, Chandigarh Administration, Regional Employment Exchanges, Sector 17, Chandigarh-160 012

MINUTES OF THE MEETING OF NCVT DEALING WITH AFFILIATION**held on 18th July, 2017 at DGT, New Delhi**

Minutes of the Meeting of Sub-Committee of National Council for Vocational Training (NCVT) dealing with affiliation was held on 18th July, 2017 at 3.00 P.M. in the Main Committee Room, 1st Floor, C-Wing, Ministry of Labour & Employment, Shram Shakti Bhawan, Rafi Marg, New Delhi, under the Chairmanship of Shri Asheesh Sharma, Joint Secretary, Directorate General of Training, Ministry of Skill Development & Entrepreneurship.

The list of members/officers who attended the meeting is Annexed at 'A'.

Director of Training welcomed all the members and thereafter, the agenda items were taken up for discussion:

Item No. 1: Confirmation of the minutes of the last meeting of the Sub-Committee of National Council for Vocational Training (NCVT) dealing with affiliation held on 15th December, 2016.

The approved minutes of the NCVT Sub Committee meeting held on 15.12.2016 (Appendix-I), were circulated to all the members vide letter dated 4th January, 2017. Since there were no comments/suggestions from the members, the minutes were accepted as confirmed.

Item No. 2: Action taken report on the recommendations of the last meeting.

The Action Taken Report (ATR) (Appendix-II) on the recommendations of the meeting dated 15.12.2016 was reviewed by the Chairman with the following observations:

- In respect of item No. 2 wherein the Committee recommended that State Governments would ensure that all electrical safety measures are put in place before trainees are admitted for the next session, DG/JS suggested that unless a compliance certificate is issued by State Directorate for each ITI in this respect, possibility may be explored to de-activate such ITIs on the portal. This may also be notified to all concerned to avoid the confusion. Director of Training acknowledged to talk to M/s WIPRO in this regard.
- In respect of item No. 5 regarding capping of trades/units, DG/JS emphasised that the capping as approved in the sub-committee meeting held on 17-12-2015 may be strictly followed.

Item No. 3: Consideration of accredited proposals received by QCI for grant of affiliation.

Total **128** numbers of affiliation cases received after accreditation from QCI, were placed before the Sub-Committee of NCVT dealing with affiliation.

Jt. Director of Trg. (MCK) presented the summary sheet of cases with Data of ITIs (Govt., Private, New & Existing). The Chairman randomly picked & verified the case files of some ITIs. He expressed dissatisfaction on the reporting format and instructed to scrutinize the proposals in line with the directions given by the Hon'ble Court. He also insisted that all the files be submitted under the signature of Member Secretary, NCVT.

The Chairman finally recommended to put up the cases again on 25-07-2017 with more details including the comments of the Directors, comments of NCVT Secretary and the relevant orders issued in this regard.

Item No. 4: Ratification to the De-affiliation orders issued during the intra-convening period.

Jt. Director (MCK) apprised the committee that on the recommendations of State Directorates or the concerned ITI, de-affiliation orders of 195 ITIs have been issued after the last meeting of NCVT sub-committee held on 15-12-2017. He submitted the summary sheet for ratification. The Committee approved the same.

Item No. 5: Re-consideration of cases which were not recommended by the committee in its last meeting.

JDT(MCK) pointed out before the Sub-Committee that a total of 13 nos. of accredited proposals were received before 15-12-2016 from QCI which were not conforming to NCVT norms. Therefore, clarification was sought but no clarification was received from QCI/ITI and therefore these proposals were not recommended in the last meeting by the committee. However, clarification has now been received.

Since QCI web portal was non-functional due to expiry of MOA between DGT & QCI due to which clarification could not be uploaded on the portal, the Committee decided to take up these 13 cases along with 128 accredited proposals on 25-07-2017.

Item No. 6: Legal Issues.

Jt. Director (MCK) presented a list of court cases along with detailed notes for perusal of the Chairman. However, the Chairman expressed that the issues which needed decision may only be put up before the committee.

Item No. 7: Shifting Cases.

Jt. Director (MCK) informed the committee that six existing ITIs in (U.P.), namely (1) New Lal Bahadur Shastri Pvt. ITI, (2) Vindhaychal Pvt. ITI, (3) Jagdamba Pvt. ITI, (4) Gulab Anjani Choudhary ITC, (5) Girdhari Choudhary ITC and (6) Shri Sai Pvt. ITI physically shifted to a new location. As QCI portal was not accepting the proposals for inspection/ affiliation at that time due to lapse of MoU with UOI/ DGT, they approached the Hon'ble High Court at Delhi to Direct QCI to accept their applications for shifting of the premises and process them as per the procedure.

In absence of functioning of QCI, the BMRC Private ITI Jaipur was inspected by a specially constituted committee with the approval of the competent authority in order to resolve the issue of de-affiliation. The recommendation of the committee was considered and approved by the NCVT Sub Committee in the meeting held on 15-12-2016.

On the same lines as of BMRC Private ITI Jaipur, the State Directorate, UP was requested to constitute an inspection committee for verification/ inspection of the infrastructure of the above 06 institutes at new location. Accordingly inspection was carried out and the reports along with summary sheet were presented before the NCVT sub-committee members.

Chairman, NCVT Committee expressed his desire to peruse the documents related to constitution of special committee for inspection of BMRC Private ITI. He also requested to show the Court Order issued by Hon'ble High Court, Delhi vide which QCI was directed to accept and process the applications of the six ITIs in respect of shifting of their premises. However, the documents could not be produced before the committee at that time.

Therefore, the NCVT sub-committee could not take any decision in regard of these six ITIs.

The meeting ended with a vote of thanks to the Chair.

**Action taken report on the recommendations of the NCVT Sub-Committee held
on 18-07-2017**

Sl. No.	Recommendation of the committee / Decision taken in the meeting	Action taken / Status
1	<p>The Committee recommended that State Governments would ensure that all electrical safety measures are put in place before trainees are admitted for the next session, DG/JS suggested that unless a compliance certificate is issued by State Directorate for each ITI in this respect, possibility may be explored to de-activate such ITIs on the portal. This may also be notified to all concerned to avoid the confusion.</p>	<p>Letter in this regard has been sent to the State Governments on 24-07-2017.</p> <p>Request to M/s WIPRO would be sent shortly.</p>
2	<p>Shifting Cases:</p> <p>Six numbers existing ITIs in (U.P.) - New Lal Bahadur Shastri Pvt. ITI, Vindhaychal Pvt. ITI, Jagdamba Pvt. ITI, Gulab Anjani Choudhary ITC, GirdhariChoudhary ITC and Shri Sai Pvt. ITI physically shifted to their new location and approach to the Hon'ble High Court at Delhi to Direct the respondent No. 2 (QCI) to accept their application for shifting of the premises to the their new locations and to process the same in accordance with the law. As such QCI portal was not accepting such proposals for inspection / affiliation due to lapse of MoU with UOI / DGT at that time.</p> <p>In absence of functioning of QCI the BMRC Private ITI Jaipur Rajasthan was also inspected by a specially constituted committee in order to resolve the issue of De-Affiliation. The same recommendation of the committee was also considered / approved during the NCVT Sub Committee meeting held on 15-12-2016 of item no. 07.</p> <p>Therefore on the same line as stated in the case of BMRC, the state directorate UP was requested to constitute an inspection committee for verification / inspection of the infrastructure of the above 06 institutes at new location, accordingly inspection was carried out and the reports along with summary sheet presented to committee.</p> <p>The committee has recommended none for affiliation as found all institutes not followed the NCVT norms.</p>	<p>Order for de-affiliation of the six ITIs is under process.</p>

25 Recommended cases of meeting 28.07.2017

Annexure - III

Sl. No.	Name and address of Institute	Application number	E-mail
1	Seoni Private ITI Hoshangabad Seoni Private ITI, Bypass Road, Seoni Malwa, Pin- 461223, Madhya Pradesh	A16001488	rajat_ag007@yahoo.com
2	Ganga Prasad Singh Private ITI Pratapgarh Vill Mangrapura Post Darchhut, Pin – 230405, Uttar Pradesh	A16002284	gpspvtiti2016@gmail.com
3	Abhyuday Private ITI Seoni Sakshipuram, Near Chhindwara Bypass, Seoni, Pin – 480661, Madhya Pradesh	IA16001104	abhyudayiti@gmail.com
4	Shree Thakur Ji Private ITI Rewari Near CHC Bawal Rewari, Pin - 123501 Haryana	A16002253	stgpitibawal@gmail.com
5	Shree Ram Private ITI Nalanda Ram Nagar, Po Silab, PS-Silab, Pin – 803117, Bihar	A16002830	srpvtitinalanda@gmail.com
6	G D A S Private ITI Firozabad Pegu Road, Sirsaganj, Distt. Firozabad, Pin - 283151, Uttar Pradesh	A16000812	gdasiti@gmail.com
7	Hannu Private ITI Saharanpur Gangoli, Po Chhutmalpur, Distt Saharanpur, Pin – 247662, Uttar Pradesh	A16000661	hannuiti@gmail.com
8	Swami Vivekanand Private ITI Purulia Paharigora, Deoli Purulia, Pin – 723146, West Bengal	A16000941	itiswamivivekanand@gmail.com
9	Gingee Private ITI Viluppuram Melkalavai Village & Post Gingee Taluk, Pin – 604202, Tamil Nadu	A16002308	gi7mes@gmail.com
10	Rajmata Vijayaraje Sindhiya Pvt. ITI, Dug Road, Bhawani Mandi, Pachpahar, Jhalwar, Pin – 326502, Rajasthan	APP004790	rvspc@live.com
11	Shri Private ITI Mahisagar Village:Nani Sarsan TA: Santrampur Dist Mahisagar, Pin – 389260, Gujarat	A16000310	prlitisarsan@yahoo.com
12	Raniganj Private ITI Burdwan (Bardhaman) Rambagan, Doctor's Colony Near NH-2 Raniganj Dist- Burdwan, Pin – 713358, West Bengal	A16001447	raniganjiti@gmail.com
13	JIUT Das Private ITI College Ghazipur Village Chainpur Post Sadat, Pin – 275204, Uttar Pradesh	A16002660	jdptic@gmail.com
14	Santram B A Private ITI Dhanauti Kala Deoria Dhanauti Kala, Deoria Pin – 274001, Uttar Pradesh	A16000079	srbapiti@gmail.com
15	CVM Private ITI for Women Anand, C/O, B & B Institute Of Technology, Post Box No-3, Vallabh Vidyanagar, Pin – 388120, Gujarat	A16001251	cvm.itiwomen@gmail.com

16	Shri SL Private ITI Mathura Vill-Anora Post Anora The- Mahavan Dist-Mathura Pin – 281308, Uttar Pradesh	A16003711	slpvtiti84@gmail.com
17	Four Dimension Private ITI Muzaffarnagar, Vill.& Post-Bilaspur Distt,- muzaffarnagar, Pin – 251001, Uttar Pradesh	A16003951	dimensionfour800@gmail.com
18	Shaildevi Private ITI, Janjgiri Road, Anda, Durg, Pin - 491221 Chhattisgarh	A16000798	shaildeviiti2016@gmail.com
19	Tagore Private ITI, Mandwa Road, Sitsar, Distt Jhunjhun, Pin – 333001, Rajasthan	A16000577	tagoreitijn@gmail.com
20	Shiva Private ITI, Vill-Dholaheri Post-Chilkana Distt-Saharannpur-247231, Uttar Pradesh	A16002615	shivaitip@gmail.com
21	Mission Private ITI, Raebareli A-32 South City, Raibareli Road LKO., Pin – 226025, Uttar Pradesh	A16001578	utsavdwivedi999@gmail.com
22	R P Singh Private ITI, Allahabad Vill-Dhamoiya Post-Ramaipur, Dist-Allahabad, Pin – 221505, Uttar Pradesh	A16001156	iti.rpsingh@gmail.com
23	Vinayak Private ITI Gwalior Near Kanti Nagar Tansen Road, Gawalior, Pin – 474002, Madhya Pradesh	A16000488	vinayakitigwl@gmail.com
24	Gopal Private ITI, Ballia Vill & Post Jirabasti, Pin – 277001, Uttar Pradesh	A16002089	gopalpiti2016@gmail.com
25	Ketaki Raj Private ITI Kanpur Dehat Bhagwan Ram Dham Guest House Word No. 11 Shri Nagar Khamaila Road Jhinjhak Kanpur Dehat, Pin – 209302, Uttar Pradesh	A16002464	This is clarification case of meeting 15.12.2016 ketakiiti@gmail.com

42 Not-Recommended (NR) Cases of meeting 25.07.2017

Appendix - IV

S.No	Name of Institute with address	REGISTRATION CODE	Old/new	Trade for which application sought	Units for which affiliation sought / as recommended by			BCC Issued by	Name of Director with Remarks	D3 remarks	VCT Sub-committee Remarks	REGD No	VCT Recommendation
					Book	Approved by DGT	Not objected to by SSI						
1	Charotar Private ITI Anand Unity Foundation Gas House 11-GIDC Anand-Sojitra Road Vithal Udyogangar- 388121, Gujarat DGT- 6/6/1/2017-TC		New	Fitter Plumber	2(1+1) 2(1+1)	2(1+1) NR			SK Sikdar:-Provision of specific requirement as per NCVT norms and for the entire institute could not be established by viewing video. 1. The general state of institute as shown in video seems ok. However, other issues need to be ascertained. 2. Name of board of institution displays "Charotar has (Pvt.) Industrial Training Centre, (Managed by Unity foundation" and the documents as submitted indicate the name as Private ITI, Unity/foundation. All names need to be aligned with uniform nomenclature (as ITI or Industrial Training Centre). Kindly look into details. 3. Certain sizes of rooms / facilities are not marked on drawing. First floor plan as shown in drawing but in video, there is no first floor. There is no indication of washrooms and other connected facilities in the drawing.	Rejected Single Trade NR	Agreed NR	A16001796	NR
2	Shri Vishwakarma Private ITI Bhandara Near Swapnadeep Sabhagruh, Lakhani, Maharashtra DGT- 6/13/1/2017-TC		New	Electrician Fitter	2(1+1) 2(1+1)	2(1+1) 2(1+1)			SK Sikdar:- Provision of specific requirement as per NCVT norms and for the entire institute could not be established by viewing video. 1. Video recording date found to be 15 April 2015. There are instances of blurred images during the play of video in certain places. There are also instances of darkness in few rooms. Authenticity of video recording need to be established. 2. There is no entry / approach path to the centre. 3. This institute is located among a group of other shops in a multistory complex / building. May be certain part is intended to be used as ITI. Pictures of other adjacent shops also shown in the video. It appears that this is not a standalone center / institute. 4. Name tag of different rooms is just written over the wall with paint but no permanent means to display / tag different rooms. Display tag of equipment / tools & appliances is either not provided or provided with temporarily means. 5. Videos of adequate number of equipment / tools plants have been shown but details of standard tools / plants not known and could not be established. 6. A very casual way of recording measurement by DGT as seen from video. Such practices are highly objectionable and corrective action needs to be taken to stop such practices.	Instead of BCC, occupancy certificate submitted without seal. Need submission of BCC in proper format. ITI building is incomplete along with other shop, no separate approach road. NR	BCC not ok NR	A16000250	NR

42 Not Recommended (NR) Cases of meeting 25.07.2017

Appendix - IV

Sl.No.	Name of Institute with address	NCT/MC Code	Old/New	Trade for which RTI/RTI/RTI sought	Time for which RTI/RTI/RTI sought			BCC/Classified by	Name of Director with Remarks	Remarks	NCT/MC Code	Remarks	NCT/MC Code
					Time	Approved by	Submitted for						
3	SK National Private ITI Gurudaspur, Bajwa Colony, Village Lehla, Post Office Dhanwal, Punjab DGT- 6/19/2/2017-TC		New	Electrician Swing Technology COPA	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)		Shri S.K. Gupta, Director All OK.	Recommended	Due to Improper BCC. NR		NR
4	LN Private ITI, Sohawal Gurhi, Biringhpur, District: Satana State Madhya Pradesh Pin 485226 DGT-6/12/7/2017-TC		New	Electrician	3(1+1+1)	3(1+1+1)			Shri S.K. Gupta, Director No observation.	Single Trade, BCC Statement of two officer are different NR	Agreed NR	APP004832	NR
5	Enayeth Private ITI AT+PO Cherik Gava Bihar 824237 DGT- 6/4/6/2017-TC		New	Electrician Fitter	2(1+1) 2(1+1)	2(1+1) NR			Shri S.K. Gupta, Director CD not opened.	Single trade received by CCI BCC needs to counter signed and Building drawing not Matching NR	Agreed NR	APP004136	NR
6	CG ITI Kesar Bagh, Jawal Bandh Road, Sumerpur, Pal Rajasthan 306902		New	Electrician Mechanic Diesel Engine	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)		1. Ambience of the Institute seems OK. 2. Machines & Equipment, class room, IT Lab, generator are available in the Institute.	Recommended	BCC submitted by the ITI could not be accepted as it was issued by Adhyaksha, Nagar Palika who is not authorised to issue such certificates. NR	APP005471	NR
7	Skills Prave ITI Gazabad, Village- Jalalabad, Muradnagar, Gazabad, Uttar Pradesh DGT- 6/24/11/2017-TC		New	Draughtsman (Civil) Electrician Fitter Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 6(2+2+2) 6(2+2+2)	6(2+2+2) 6(2+2+2) 6(2+2+2) 6(2+2+2)	6(2+2+2) 6(2+2+2) 6(2+2+2) 6(2+2+2)		It appears that the meter is installed outside the premises. In an open area. Main incoming to meter does not confirm to safety norms.	Recommended	not in proper format. It is an RTI reply which cannot be accepted NR	AI5002970	NR

42 Not-Recommended (NR) Cases of meeting 25.07.2017

Appendix - IV

Sl. No.	Name of Institute with address	NEFT MISCODE	Old/New	Trade for which application sought	Mark for merit satisfaction sought / recommended by			BCC Issued by	Name of Director with Remarks	BCC Remarks	NEFT Slip-Comments Remarks	Remarks	NOTE Recommended/Not
					File	Inspected by	Approved by	Submitted for approval to SDB					
8	Fateh Singh Memorial Prayer ITI, Agra naupura Tajganj, Agra, Uttar Pradesh DGI-6/24/15/2017-TC		New	Electrician Plumber	3(1+1+1) 2(1+1)	3(1+1+1) 2(1+1)			1. Shortage of furniture in principal room and office is observed. 2. Electrical workshop flooring is not proper Rejected	BCC Not available NR	Agreed NR	A16003751	NR
9	Smt Sai Pvt. ITI, A M 72, Rajeev Nagar, Sector-A, Bhopal, Huzoor, Madhya Pradesh-462021		New	Electrician	6(2+2+2)	6(2+2+2)			Smt. Sandhya Salwan, Director No comments with reason "404-File or directory not found. The resource you are looking for might have been remove, had its name changed, or its temporarily unavailable." Also no comments based on CD.	Not recommended due to single trade NR	Agreed NR	APP005142	NR
10	Ramanujan Private ITI, Pandariya, Kawatha, Kabirdham, Chhattisgarh-491559		New	COPA	4(2+2)	4(2+2)			Smt. Sandhya Salwan, Director No comments with reason "404-File or directory not found. The resource you are looking for might have been remove, had its name changed, or its temporarily unavailable." Also no comments based on CD.	Not recommended due to single trade NR	Agreed NR	APP004036	NR
11	Smt Kalika Private ITI, Nipaniya Rewa, Huzur, Rewa, Madhya Pradesh-485001		New	Electrician	2(1+1)	2(1+1)			Smt. Sandhya Salwan, Director No comments with reason "404-File or directory not found. The resource you are looking for might have been remove, had its name changed, or its temporarily unavailable." Also no comments based on CD.	Not recommended due to single trade NR	Agreed NR	APP005662	NR
12	Smt Tajabhai Haribhai Desai Employment & Training Ranuj, Patan, Gujarat-384275		New	Filter	2(1+1)	2(1+1)			Smt. Sandhya Salwan, Director No comments with reason "404-File or directory not found. The resource you are looking for might have been remove, had its name changed, or its temporarily unavailable." Also no comments based on CD.	Not recommended due to single trade NR	Agreed NR	APP005836	NR
13	Smt Naval Kishor Private ITI, Karanpur Chauraha, Farah, Mathura, Uttar Pradesh		New	Electrician	6(2+2+2)	6(2+2+2)			Smt. Sandhya Salwan, Director No comments with reason "404-File or directory not found. The resource you are looking for might have been remove, had its name changed, or its temporarily unavailable." Also no comments based on CD.	Not recommended due to single trade NR	Agreed NR	APP005521	NR
14	Balaji Private ITI, Cine City Road, Rajkhehdi, Sagar, Madhya Pradesh-470004		New	Electrician	6(2+2+2)	6(2+2+2)			Smt. Sandhya Salwan, Director No comments with reason "404-File or directory not found. The resource you are looking for might have been remove, had its name changed, or its temporarily unavailable." Also no comments based on CD.	Not recommended due to single trade NR	Agreed NR	APP005336	NR
15	Lakshya Institute of Technology and Management Private ITI, 1 Gomti Nagar A B Road, Dewas, Madhya Pradesh		New	Electrician	6(2+2+2)	6(2+2+2)			Smt. Sandhya Salwan, Director No comments with reason "404-File or directory not found. The resource you are looking for might have been remove, had its name changed, or its temporarily unavailable." Also no comments based on CD.	Not recommended due to single trade NR	Agreed NR	APP004283	NR

42 Not-Recommended (NR) Cases of meeting 25.07.2017

Appendix - IV

Sl. No.	Name of Institute with address	Category/Institution	Old/New	Trade for which application submitted	Units for which application sought / contribution made by			BCC Issued by	Name of Director with remarks	To be made	NGT Sanctioned/AS	Remarks	NGT Recommended/AS
					Basic	Advanced by G/L	Submitted for Approval Sub Committee NGT						
16	Rambhiksha Memorial Audyogik Prashikshan Kendra Dopehandi, Karahan, Mohannabad, Mau, Uttar Pradesh-275402	New	Electrician	2(1+1) 2(1+1)	2(1+1) 2(1+1)				Smt. Sandhya Salwan, Director No comments with reason "A04-File or directory not found. The resource you are looking for might have been remove, had its name changed, or its temporarily unavailable." Also no comments based on CD.	No BCC enclosed Machineries not installed properly NR	Agreed NR	APP000177	NR
17	Om Private ITI, Villa Lala KA, Pura Ater Road Porolia Morena, Madhya Pradesh-476115 DGT- 6/12/22/2017-TC	New	Electrician	6(2+2+2)	6(2+2+2)				Shri S. K. Gupta, Director (TTC)	Single Trade, No BCC, Civil work not completed NR	Agreed NR	APP003756	NR
18	Maharan Pratap Private ITI, Chandapur Laxmiganj Kushnagar, Hata, Kushnagar, Uttar Pradesh-274306 DGT- 6/24/22/2017-TC	New	Electrician Fitter	6(2+2+2) 3(1+1+1)	6(2+2+2) 3(1+1+1)				Shri S. K. Gupta, Director (TTC)	Space shortage in fitter workshop before NR	Agreed NR	A16002742	NR
19	Talak Pvt. ITI, VII & Post Itava Th Pipalda Distt Kota, Pipalda, Kota, Rajasthan-325004 DGT- 6/20/9/2017-TC	New	Electrician	6(2+2+2)	6(2+2+2)				Shri S. K. Gupta, Director (TTC)	Single Trade, BCC not Submitted, NR	Agreed NR	APP002250	NR
20	R.K. Pvt. ITI, Kanlash Road Baldev, Baldeo, Mathura, Uttar Pradesh-283001 DGT- 6/24/28/2017-TC	New	Electrician	6(2+2+2)	6(2+2+2)				Shri RP Dhirga - No Comments	Not recommended due to single trade NR	Agreed NR	APP004359	NR
21	Sansar Pvt. ITI, Pirau Road Nadbai Bharatpur, Rajasthan DGT- 6/20/10/2017-TC	New	Electrician	12(4+4+4)	12(4+4+4)				Shri RP Dhirga - No Comments	Not recommended due to single trade NR	Agreed NR	APP003133	NR
22	Shri Dandrua Sakher Pvt. ITI, Village- Dandrua Post Katrol The, Mehgaon Dist- Bhind, State Madhya Pradesh-477557 DGT-6/12/25/2017-TC	New	Electrician	6(2+2+2)	6(2+2+2)				Shri RP Dhirga - No Comments	Not recommended due to single trade NR	Agreed NR	APP003074	NR

42 Not-Recommended (NR) Cases of meeting 25.07.2017

Appendix - IV

Sl. No	Name of Institute with address	NCT/MS/State	Old/New	Trade for which certificate sought	Status for which certificate sought			BCC Issued by	Name of Director with Remarks	BCC Remarks	NCT/MS/State Remarks	Remarks	NCT/MS/State Remarks
					Approved by	Submitted for Approval to	Approved to						
23	Redheshyam Pvt. Ltd., Behind Narrada Jhabua Bank Main Road Kurwar, Narsingharh, Rajgarh, Madhya Pradesh-465567 DGT-6/12/26/2017-TC		New	Electrician	3(1+1+1)	3(1+1+1)			Smt RP Dhangra - No Comments	Not recommended due to single trade NR	Agreed NR	App001969	NR
24	Kushal Private Ltd, Allahabad Kandi Sahson, Allahabad, Uttar Pradesh DGT-6/24/29/2017-TC		New	Electrician Fitter	3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1)			Smt. Upma Bhatia - No Comments	BCC Not OK, Architecture Certificate not ok, Construction work in-complete NR	Agreed NR	A16001848	NR
25	Sachidanand Pvt. Ltd, Begusarai, Papaur Road, Tahsil-Berauri Dist. Begusarai, Bihar DGT-6/4/9/2017-TC		New	Electrician Fitter	6(2+2+2) 6(2+2+2)	6(2+2+2) 6(2+2+2)			Smt. Upma Bhatia - No Comments	BCC Not OK, overall ambience very poor, civil work in-complete NR	Agreed NR	A16001983	NR
26	WES Engineering Academy and Pvt. Ltd, Palakkad WES Engineering Academy 2nd Floor, Safra Complex Mele Pattanabi Melepatanbi Pin-679306, Kerala DGT-6/11/1/2017-TC		New	Draughtsman (Civil) Electronic Mechanic (CTS) Surveyor	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)			Smt. Upma Bhatia - No Comments	BCC not endorsed NR	Agreed NR	A16001083	NR
27	Ram Janki Pvt. Ltd, Rajgarh Bilsapur Road, Near Samleshwari Niche Mill, Ransiggarh, Sarangarh, Chattisgarh DGT-6/35/4/2017-TC		New	Electrician Fitter	2(1+1) 2(1+1)	2(1+1) 2(1+1)			Smt. Upma Bhatia - No Comments	BCC by Architecture, No plan letter issued by nagar palika NR	Agreed NR	A16000189	NR
28	Mandar Pvt. Ltd, Samastipur, Samastipur, Warishnagar, Samastipur, 848101, Bihar DGT-6/4/11/2017-TC		New	Electrician Fitter	4(2+2) 4(2+2)	4(2+2) 4(2+2)			Smt. Upma Bhatia - No Comments	BCC not OK, No Architecture Completion letter, Civil Work in complete NR	Agreed NR	A16003942	NR

42 Not-Recommended (NR) Cases of meeting 25.07.2017

Appendix - IV

Sl.No	Name of Institute with address	ACCT 2005/2014	Old/New	Trade for which application sought	JNTS for which affiliation sought/ recommended by			BCC Issued by	Name of Director with Remarks	Deficiencies	ACCT 2005/2014 Remarks	Remarks	ACCT Recommended/Action
					Host	Selected by JNTS	Submitted for approval by Sub-Committee of JNTS						
29	Rohini Pvt. ITI, Allahabad, Coloneganj, Allahabad, Uttar Pradesh DGT-6/24/34/2017-TC		New	Electrician	3(1+1+1)	3(1+1+1)			Smt. Upma Bhatta - No Comments	Single Trade, BCC not ok NR	Agreed NR	A16002156	NR
30	Baba Johari Private Iti Mathura Pooja Vihar Colony, Mathura, Uttar Pradesh DGT-6/24/35/2017-TC		New	Electrician Fitter	3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1)			Shri M. C. Sharma, Director (TT Cell)	BCC not ok, Civil work in-complete, overall ambience not ok NR	Agreed NR	A16003037	NR
31	Sri Sahab Saran Samerk Pvt. ITI, Faizabad Nurauli Rudali, Faizabad, Uttar Pradesh DGT-6/24/36/2017-TC		New	Electrician Fitter	3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1)			Shri M. C. Sharma, Director (TT Cell)	BCC not ok, No Plan certificate, Civil work in-complete NR	Agreed NR	A16003900	NR
32	Dadasaheb MCKashi Pvt. ITI, Satara Survey no 75/1 Rajmachi Tai Karad Dist. Satara, Maharashtra DGT/6/13/24/2014-TC	PI27000840	Old	Draughtsman (Civil) Electrician	2(1+1) 2(1+1)	2(1+1) 2(1+1)			Shri M. C. Sharma, Director (TT Cell)	No BCC NR	Agreed NR	A16002137	NR
33	Billah Pvt. ITI, Mohan Kurti Maman Road, Bulandsher, Uttar Pradesh-203001 DGT-6/24/37/2017-TC		New	Electrician	9(3+3+3)	9(3+3+3)			Shri M. C. Sharma, Director (TT Cell)	BCC not submitted NR	Agreed NR	APP001805	NR
34	Jan Seva Shiksha Samiti Pvt. ITI, Prithviyur, Jan Seva Bhawan New Tehsil Colony Prithviyur, Tikamgarh, Madhya Pradesh-472336 DGT-6/12/27/2017-TC		New	Electrician Electronic Mechanic	6(2+2+2) 6(2+2+2)	6(2+2+2) NR			Shri M. C. Sharma, Director (TT Cell)	Single Trade, No BCC, NR	Agreed NR	APP002735	NR
35	Ma Sharda Technical Institute Pvt. ITI, Saraya Maholi, Azamgarh, Uttar Pradesh, Pin-276204 DGT-6/24/38/2017-TC		New	Electrician Fitter	4(2+2) 4(2+2)	4(2+2) 4(2+2)			Shri M. C. Sharma, Director (TT Cell)	No BCC, No architecture letter NR	Agreed NR	APP001047	NR

42 Not-Recommended (NR) Cases of meeting 25.07.2017

Appendix - IV

Sl. No.	Name of building with address	NCU/MS Code	Old/New	Trade for which application is made	Ratio for evaluation (weightage)			BCC Issued by	Name of Director with Remarks	DT Remarks	NCU/MS Sub-Committee Remarks	Remarks	NCU/MS Recommendation	
					For the work	For the work	For the work							
36	HKLS Memorial Pvt. Ltd, 318, Gandhi Colony, Muzaffarnagar, Sadar, Uttar Pradesh, 251001 DGT-6/24/39/2017-TC		New	Electrician	3(1+1+1)	3(1+1+1)	3(1+1+1)		Shri M. C. Sharma, Director (TT Cell)	BCC not ok	Agreed NR	APP005551	NR	
37	Sharp Pvt. Ltd, Mandi Ke Pass, Jhansi Road, District, Shilpuri, Madhya Pradesh, Pin-473660 DGT-6/12/28/2017-TC		New	Electrician	6(2+2+2)	6(2+2+2)	6(2+2+2)		Shri M. C. Sharma, Director (TT Cell)	BCC not attached, Civil work incomplete NR	Agreed NR	APP003898	NR	
38	Jay Hanuman Private L.T.I, AGRA Narendra Nagar Shyam Agra, UTTAR PRADESH DGT-6/24/511/2016-TC		New	Electrician Plumber	3(1+1+1) 2(1+1)	3(1+1+1) 2(1+1)			NR-Not Recommended due to No proof of electric power connection meter sealing report is received Submitted both the documents.	1 " No approved plan" certificate is issued by गार निवाक, गार विकस प्रभिकर. 2. Undertaking of ITI is available. 3. Architect certificate is available but land/plot details is not mentioned and also in the drawing.	Recommended BCC.	Due to improper	A16003752	NR

42 Not-Recommended (NR) Cases of meeting 25.07.2017

Appendix - IV

Sl. No.	Name of Institute (MID) Address	NCT/MS/State	Old/New	Trade for which registration sought	Link for valid application sought / recommended by			BCC Issued by	Name of Director with Remarks	Director's Remarks	NCT/MS/State Remarks	Remarks	NCT/MS/State Recommendation
					App. No.	App. No. after 30 days	App. No. after 90 days						
39	Agasen Private ITI Raipur Near Murra Bhatti Gudiyari Raipur, Chattisgarh, Pin - 492009 DGET-6/35/2/2009-TC		Old	Electrician	4(2+2)	4(2+2)		The date of application is 15.03.2015, when new norms for minimum two trades were applicable, hence may not be considered for additional units.		Old ITI. BCC not submitted. NR	Agreed NR	E16003802	NR
					PR22000074								
40	Tendukheda Private ITI NARSINGHPUR Ward no. 6, New Abadi Dola Road, Tendukheda, Madhya Pradesh, Pin - 487337 DGT-6/12/116/2015-TC		Old	COPA	3(1+1+1)	3(1+1+1)		Electric power is less i.e. 6 KW instead of 8.65 KW. Existing Electrician trade may be surrendered /de-affiliated after the recommendation of State Directorate M.P. Trade surrender request not submitted.		Old ITI. BCC not submitted. NR	Agreed NR	A16001992	NR
					PR23000765								

42 Not Recommended (NR) Cases of meeting 25.07.2017

Appendix - IV

Sl.No	Name of business unit/Address	New/Existing	Old New	Trade for which permission sought	Units for which permission sought			Decided by	Name of Director with Remarks	Remarks	New/Existing Remarks	Remarks	Remarks
					Unit	Sub-division	Sub-division						
41	Shifting Case from Caliber Private ITI Kota 19/6, Sarvodaya School Ke Paas, Anantpura Kota, Rajasthan To Caliber Private ITI, 3/382-83, atal nagar, K Choraha, Dist Chittorgarh, Rajasthan Pin- 312601 DGET-6/20/343/2014-TC			Electrician	6(2+2+2)	6(2+2+2)		NR- Not Recommended due to Shifting Case BCC required. Existing Trade- Electrician 6(2+2+2) units affiliated at old location treated as cancelled. Necessary documents enclosed.		1. Occupancy certificate issued by Executive Officer, Municipality Nimbahera, Distt. Chittorgarh. 2. Undertaking of ITI is available. 3. Architect certificate is available but hand/pilot details is not mentioned and also in the drawing.	Agreed NR	A16001024	NR

Apendix - IV

S. No.	Name of Institute with address	ACT App. Date	Old/New	Trade for which admission sought	Units for which affiliation sought / recommended by			BCC Issued By	Name of Director with Remarks	DT Remarks	ACT Sub-committee Remarks	Remarks	ACT's Recommendation
					3(1+1+1)	3(1+1+1)	Submitted for Approval is Sign. (Signature of Committee of IQI)						
42	Shifting Case from Narayan Private ITI Jhalawar A-5 New Master Colony, Rajasthan To Narayan Private It, H-41, 3rd Phase Industrial Area, Mama Bhanja Circle, Jhalawat, Rajasthan		Old	Electrician	3(1+1+1)	3(1+1+1)		NR- Not Recommended due to Shifting Case BCC required. Existing Trade- Electrician 3(1+1+1) units affiliated at old location treated as cancelled		OCI remarks "since this is an old ITI, BCC was not insisted."	NR		NR
	DGET-6/20/64/2014-TC	PR08000373						OCI remarks "since this is an old ITI, BCC was not insisted."					

No.	Name and address of Institute	Application number	Director Remarks
1	Aadhar Private ITI, Jaipur delhi jaipur Highway, Shahrpura, Pin – 303103, Rajasthan	A16002897	BCC needs in format with competent authority
2	GB Private ITI, Sikar Vill.- Doltadab, PO-Fatehpur Shekhawati, Distt. Sikar, Pin - 332301 Rajasthan	A16002222	BCC not ok
3	Naveen Satpuda Private ITI Betul Awasthi Colony Kothi Bazar Betul, Pin – 460001, Madhya Pradesh	A16001094	BCC not ok
4	Harishchandra Private ITI, College Ghazipur Village Todarpur Post Khetabpur, Pin – 275203, Uttar Pradesh	A16002662	Proof of IT Lab to be submitted by another CD along with affidavit
5	Ludhiana Private ITI, Ludhiana VPO, Kube, Ludhiana-Chandigarh Highway, near Neeion Bridge, Distt. Ludhiana, Pin- 141418, Punjab	A16000483	Original letter no plan issued by town planning dept. not having official stamp.
6	Sri Lakshminarasimha Private ITI Vishakapatnam Anandapuram (Village).K. Kotapadu(md), Dist-Visakhapatnam, Pin - 531022, Andhra Pradesh	A16003911	No plan letter to be rectified.
7	Shree Om Braj Arun Private ITI Bharatpur Vill+post mudiya Lalita Tehweir Pin – 321408, Rajasthan	A16002601	New CD with affidavit <i>sought.</i>
8	Narayana Private ITI Srikakulam Gudem Village & Post Srikakulam Mandal Srikakulam District, Pin – 532484, Andhra Pradesh	A16000799	Provision of specific requirement as per NCVT norms and for the entire institute could not be established by viewing video. 1. There are instances of blurred images in the video recording during play in certain places. There are also instances of darkness in few rooms. Authenticity of video record to be established. 2. The entry / approach path to the institute is Kuccha pathway. There is no concrete / metallic approach. 3. This institute is located in a multistory complex/ building. May be certain part of the complete building is intended to be used as ITI. Pictures of other space also known in the video. It appears that this is not a standalone centre / institute. The purpose of other large part of building as captured in video is not known. 4. Name tag of different rooms is just written over the wall with paint but no permanent means to display / tag different rooms. Display tag of equipment / tools & appliances is either not provided or provided with temporarily means. 5. Leakage / seepate patches observed in a number of classrooms / other places in the building. Lighting is also not sufficient. Ventilation also seems not adequate. Loose wiring / hanging fittings observed in a few places of class room / labs. 6. Authority os signing building documents (as submitted in Xerox copies) by District Town and country planning officer of AP Govt. needs clarification in terms of provision as per NCVT norms. BCC not ok

	Behara Private ITI, Vishakapatnam Narav Vill 57th ward, GVMC Visakhapatnam-530027, Andhra Pradesh	A16001842	Provision of specific requirement as per NCVT norms and for the entire institute could not be established by viewing video. 1. Approach to the institution is not clearly shown in the video. 2. Documents as submitted has been issued by GVMC authority Visakhapatnam but without office seal, name and designation of signing authority. This document needs clarification, whether they are authorized to be signed and issued by the mentioned departments as per the provision of NCVT.
9			1. BCC needs to be stumped properly 2. New Video CD with
	Shri Tech Private ITI Sehore Near Nagar Palika Budhni Sehore Pin – 466445, Madhya Pradesh	A16001818	BCC not ok. Not issued for ITI pl. resubmit correct BCC in format. Video shows building in construction is not complete.
10	Saipuda Private ITI Mauganj Rewa Sidhi Road, Mauganj, Dist Rewa, Pin – 486331, Madhya Pradesh	A16001330	1. BCC not ok for ITI please re submitted correct BCC in format. 2. Video shows building construction is not completed.
			Provision of specific requirement as per NCVT norms and for the entire institute could not be established by viewing video. 1. There is no clear approach to this institution location as per the details available in video. It appears to be some residential colony. Complete view of building is not visible. 2. State of flooring and pillars in some of the lab rooms are in bad state and unsafe. Poor state of wash room and area drainage as visible in video. 3. It observed that foundation of the some of the machinery is not proper and used some temporary arrangement. 4. Areas of Un-plastered walls, partly finished surfaces, in complete wiring work indicates that class rooms are not ready to conduct training classes immediately as per the level of preparedness as visualised in video.
11			1. BCC not ok to be counter signed by SDM /Tehsildar. 2. other details of observations as per video needs to be ratify
	SPS Private ITI Munger (Monghyr) Haveli Kharagpur, Pin – 811213 Bihar	A16002713	Provision of specific requirement as per NCVT norms and for the entire institute could not be established by viewing video. 1. Approach to the institution is not clearly shown. 2. There are many instances of videos featuring various documents at close look. It is seen that the plot is related to Anju Memorial Trust with certain comments about leased premises but no such details is available in the file aqs given to me for scrutiny. Further it is also seen that the visiting official from QCI has endorsed certain remarks in the drawing but the drawing as given to me do not carry such comments. Issues needs further clarification. 3. LCD projectors, class rooms and lab pictures as captured in the video is good and no major issues noticed in the video. 4. Authority of signing BCC by District Engineer, Zila Parishad needs clarification in terms of provision as per NCVT norms.
12			BCC Not OK
	Maa Bhangayani Private ITI Sirmaur (Sirmour) VPO Haripurhar Tehsil Sangarh Distt Sirmour, Pin – 173032 Himachal Pradesh	A16003202	Provision of specific requirement as per NCVT norms and for the entire institute could not be established by viewing video. 1. Approach to the institution is not clearly shown in the video. This institute seems in the residential colony as emerged on viewing the video. Certain parts seems to be in garage. Need to be clarified. 2. Building completion certificate as submitted (a xerox copy) have been issued by Karyalaya Gram Panchayat stating that building of ITI is on rent by the said institution for the purpose of opening up ITI. This issue needs clarification, whether they are authorized to be signed and issued by the mentioned departments as per the provision of NCVT. 3. Video showing glimpses of DG setr with temporary foundation. This needs to be addressed.
13			BCC not issued for ITI

	Aditya Private ITI, Munger (Monghyr) PO Nauagadhi PS-Muffasil Dist- Munger Pin- 811211, Bihar	A16000379	Provision of specific requirement as per NCVT norms and for the entire institute could not be established by viewing video. 1. Approach to the institution is not clearly shown in the video. 2. Occupancy certificate, Approval of building permit documents as submitted (a xerox copy) have seen issued by office of DGM, Bihar state building corporation Ltd. Munger. Both these document needs clarification, whether the year authorised to be signed and issued by the mentioned departments as per the provisions of NCVT. Further land deed documents as shown in video, indicates about agreement between different agencies vizx ITI, Trust owning the ITI & land owner. These documents have not been found enclosed. Same may please be checked for suitability as per norms. 3. Video showing glimpses of electrical workshop is with temporary GI sheet and video did not show about the approach pathway of first floor. Library seems to be in garage. 4. Variety of equipment has been shown in video but no access to connected document. 5. Unused area in first floors does not get any mention in the drawing.
14	Shiv Ganga Private ITI Bhojpur Zero Mile Ara Sasaram Road, Pin – 802210, Bihar	A16002848	1.BCC not on ITI name 2.workshop of electrical with GF sheet not Provision of specific requirement as per NCVT norms and for the entire institute could not be established by viewing video. 1. Approach to the institution is not clearly shown. Further the submitted drawing does not indicate about the entry and complete plot size of the institution. Submitted drawing only showing layout plan of the institution without plot size and directions. 2. One of the enclosure as submitted (Appendix G, Form for completion certificate) is a xerox copy and do not have complete signature with name and designation of the official. Further another document (in xerox copy) pertaining to building construction is signed by "Karyalaya Anchal Adikhar" : Authenticity of this official to sign this certificate about land and building usage is not known. 3. Video showing glimpses of class room and workshop room is fine. However, the position of workshops in overall area of plot size is not clearly indicated in the drawing. Hope it is not located in the basement. Need to be confirmed. BCC not issued by any agency Only architecture latter is available . Videography is not completed properly accordingly decision may be taken.
15	Sanskriti Private ITI Mahender Garh Vill- Amarapur Jorasi, Pin – 123001, Haryana	A16001618	BCC not ok Video is showing Road construction, Building construction is going on and no painting outside / inside at the time of submitting CD. Decision may be taken accordingly.
16	Sheela Devi Private ITI Ghaziipur Vill Muturjeepur Post Dhuwarjun The Saidpur Dist Ghaziipur - 233304 Uttar Pradesh	A16002104	Proof of building construction to be submitted in new CD. Metre is fitted outside, connection wire is loose, building is not white washed (shown in CD).
17	Krishna Private ITI Guna friends colony cantt road guna, Pin – 473001, Madhya Pradesh	A16001407	Need re-submission of new CD with affidavit BCC is enclosed, but signed by Sub Engineer.
18	Bankabhari Private ITI Gwalior NH-3, Agra Bombay Road, Gram Panihar, Dist. Gwalior, Pin - 475330 Madhya Pradesh	A16001939	BCC needs to be counter signed by All OK.
19	SR Memorial Private ITI Muzaffarpur Repura & Chak Hassanpur, Near Markan Chowk Muzaffarpur: 843119 Bihar	A16001956	CD not seen. BCC may be rectified
20			

	Bharat Bharti Private ITI Sikar Near Bus Stand Theat Road Roopgarh Vaya- Kochoor Dantaramgarh, Pin – 332406, Rajasthan	A16000564	Uploaded documents not been checked due to QCI portal error . No tools shown in video except generator set. Not recommended.
21	BRD Private ITI Udhham Singh Nagar Plot No. 11 Kalvani View, Kichha Bypass Road Rudrapur, Pin – 263153, Uttarkhand	A16001724	New CD with Affidavit may be submitted 1. Ambience of the Institute seems Ok. 2. Machine's equipment, class room, IT Lab, generator and fire bucket with stand are available in the Institute.
22	Dr. Yogesh Memorial Private ITI Bhagalpur Mathurapur Shivanarayanpur Kahaigon, Bhagalpur, Pin – 813222, Bihar	A16000352	BCC may be replaced with correct seal and Signature 1. Ambience of the Institute seems Ok and building is well maintained. 2. The classroom, workshop, Machine & Equipment, IT Lab and fire appliances are available in the Institute.
23	DGM Private ITI Bhiwani VPO Mankawas The Charkhi Dadri Distt Bhiwani, Pin-127306, Haryana	A16001784	BCC may be correct 1. Ambience of the Institute seems Ok. 2. Machines, equipment, class room, IT Lab and fire appliances available in the Institute.
24	CRM Private ITI Bhiwani Near Dadri Gate, Kont Road, Bhiwani, Pin – 127021, Haryana	A16002090	BCC need correction 1. Ambience of the Institute seems Ok. 2. Machines & Equipment, workshop, classrooms, IT Lab, generator and fire appliances are available in the Institute.
25	Amreshwar Private ITI Shivpur Khudawali Post VIA Dinara, Pin - 473665 Madhya Pradesh	A16003430	BCC not ok 1. The classrooms are looking damp and seepage is there. 2. Lighting is also improper/insufficient in the Institute. 3. Machines & Equipment, IT Lab and generator are available in the Institute. Infrastructure needs improvement after
26	Satpuda Private ITI, Betul Gita Mandir in front of at. Salaiya the. Ghoradongri dist. Betul, Pin – 460449, Madhya Pradesh	A16000830	1. BCC not ok. 2. Civil working 1 st floor not completed 3. How complete of work certificate issued Panchayat & Architecture
27	Scope Private ITI Bhopal Scope Campurs, NH-12, Near Misrod, Hoshangabad Road, Bhopal, Pin – 462047, Madhya Pradesh	A16000492	1. BCC not ok, May be counter signed 2. No Plan certificate not enclosed 3. CD not work hence Civil work & General aim could not be checked.
28	Butibori Private ITI Nagpur Near Butibori Over bridge, Butibori, Tah. & Dist. Nagpur 441108, Maharashtra	A16000510	1. BCC not ok need to resubmitted
29	Barhi Private ITI Hazaribag Barhi, Hazaribagh, Pin – 825405 Jharkhand	A16000030	1. BCC required 2. ...
30	SRC Private ITI Saharanpur K.N. 185 Gagaheri, Saharanpur, Pin- 247001, Uttar Pradesh	A16002117	BCC needs to re-submitted
31			

	Pragathi Private ITI Vizianagaram Flat No. 34, Ardhannapalam Revenue Village, Baligattam Jr., Kothavalasa Panchayathi, Pin - 535183 Andhra Pradesh	A16001641	1. BCC need counter signed 2. No Plan letter not stamped
32	Vaneshwari Private ITI Chhindwara in front of BSNL Office, Bichhua, Pin - 480111, Madhya Pradesh	A16001153	1. BCC not ok 2. CD not working
33	Alpha Private ITI Sehore NH-12, Bairagarh Khuman Alpha College, Shyampur, Pin - 466651 Madhya Pradesh	A16000961	BCC not ok needs to be re-submitted
34	National Private ITI, Kurnool Gnanapurra, Nandyal, Pin - 518502 Andhra Pradesh	A16001987	1. BCC to re-submitted 2. Civil work incomplete 3. _____
35	Maruti Private ITI Training Institute Rewa Village Majhigawa (Itaura) Post Sagra Rewa, Pin - 486440, Madhya Pradesh	A16001854	1. BCC to re-submitted 2. Approach road -----
36	Royal Private ITI Ashta Sehore 01 mughal garden oppoite reliance petrol pump bhopal indore road ashta Dist Sehore, Pin - 466116 Madhya Pradesh	A16002318	1. First floor Civil work in-complete 2. _____ 3. Needs to re-submitted of CD & affidavit
37	Vinayak Private ITI Churu Taranagar-Delhi Road, Sardar Shahar, Churu, Pin - 331403, Rajasthan	A16001366	BCC Needs counter signed Safety norms not ok including electrical wiring-----
38	Maa Ptambra Private ITI, Mandla Maa Ptambra Private ITI Milhona, Bhind, Pin - 477441, Madhya Pradesh	A16003839	The Certificate endorsed by Registered Architect is attached, which shows that the plan is approved by Gram Panchayat, where as the building completion certificate is signed by Chief Municipal Corporation Officer. Certificate by promoter trust is enclosed but incomplete. Authenticity of BCC is doubtful. Rejected
39			Doughts may be clarified Rejected
40	Sri Aditya Private ITI warangal Sri Aditya Pvt. ITI, Beside police Station, Madikonda, Warangal Dist-506142, Telangana	A16001521	1. Institute building looks to be very old and appearance is poor. 2. Electrical workshop flooring is not proper. 3. Wiring to major m/c is unsafe and not done using conduit. 4. Generator is not installed properly and exhaust arrangement does not confirm to the norms Rejected New CD needs after rectification as mentioned ...
41	Baba Shiv Shankar Private ITI Gorakhpur Bhagwanpur Urvarak Nagar, Gorakhpur, Pin - 273007 Uttar Pradesh	A16001913	Nil To be affiliated. Ok to UC
42	Abhiram Private ITI Meerut 186 J, Village-Batjevra, Sardhana Road, Meerut, Pin-250001, Uttar Pradesh	A16000494	From video CD it appears that the institute is situated in the building of Abhiram Hospital. To be affiliated. BCC not OK

43	Lenus Agriculture Private ITI, Shore Gram Jamuniakhurde, Pin – 462030 Madhya Pradesh	A16003266	Nil To be affiliated. DT BCC not ok
44	Smart Cluster Foundation Private ITI Coimbatore 8/1131, Selavalakshmi Nagar, Angeripalayam Mainroad, Tirupur, Pin – 641603 Tamil Nadu	A16001589	BCC correction required
45	Vindhya Private ITI Mirazapur Vill-Devarikala Post-marhan, Pin – 231001, Uttar Pradesh	A16003008	BCC not ok
46	Dainhat Private ITI, Burdwan (Bardhaman) Dainhat (Ganga Rasta), PO Dainhat PS Katwa, Pin – 713502 West Bengal	A16000846	BCC not ok May be submitting corrected
47	Jyotirmoy Private ITI, South 24 Parganas Jyotirmoy Knowledge Park, Po-Kalkapur, PS-Sonarapur, Pin – 743330, West Bengal	A16002776	The place falls in Gram Panchayat Area, Certificate endorsed by Registered Architect is attached. Certificate by promoter trust is also enclosed, where as in Para 3 is NO, and the document furnished is NON INCUMBURANCE, signed by ADM, which does not confirm to the requirement. To be affiliated. Required document in support of BCC to be obtained.
48	Premier Private ITI, Jabalpur Premier ITI, Kundam Road, Pipariya, Jabalpur, Pin – 482005, Madhya Pradesh	A16000282	No comments with reason "404-File or directory not found. The resource you are looking for might have been remove, had its name changed, or its temporally unavailable." Also no comments based on CD.
49	Bhavitha Private ITI Nalgonda Opp FCI Godowns Nereduchela Nalgonda, Pin – 508201, Telangana	A16000582	Certificate for no town plan not enclosed No comments with reason "404-File or directory not found. The resource you are looking for might have been remove, had its name changed, or its temporally unavailable." Also no comments based on CD.
50	Deepak Private ITI Mau, Vill: Haktatpura, Post: Baragawn, The: Sadar, Maunathbhanjan Dist: Mau 275101, Uttar Pradesh	A16001877	BCC not ok To be counter signed by revenue authority No comments with reason "404-File or directory not found. The resource you are looking for might have been remove, had its name changed, or its temporally unavailable." Also no comments based on CD.
51	Govt. ITI, Jalog, Dhami, Shimla, Himachal Pradesh-171019	APP004709	BCC not available No comments with reason "404-File or directory not found. The resource you are looking for might have been remove, had its name changed, or its temporally unavailable." Also no comments based on CD.

52	SRR Pvt. ITI, Podalakur Road, Kothuru, SPSR Nellore, Andhra Pradesh-524101	APP005296	BCC Not Submitted
53	Alaxa International Private ITI, Street No-18, Near Masjid Batuli Mukarram, North Laddhawal, Muzaffarnagar, Uttar Pradesh-251001	APP005439	BCC to be corrected issued by panchyat
54	D R B Private ITI Mathura Shivadham Colony NH-2, Mathura, Pin -281004, Uttar Pradesh	A16002202	BCC not ok Civil work in-complete
55	Satish Chandra Gorai Pvt. ITI, Vill.-Deoli, Kuldangal, Nala, Jantara, Jharkhand-815355	APP005578	BCC not ok needs to counter signed Civil work----- Safety norms not followed
56	Balaji Private ITI, Siwan Barpalia, Post-Balua Block-Gutni, Siwan, Pin - 841435, Bihar	A16003582	BCC not ok needs counter signed from appropriate authority Approach road not ok Civil work pending Proof may be submitted for above 2 & 3
57	Himalayan Private ITI, Sirmour, Sadhora Road, Kala Amb, Distt Sirmour, Pin - 173030, Himachal Pradesh	A16002349	1. Official seal not available on approved plan letter 2. Some of the building partition in basement which is not permissible.
58	Satya Private ITI, Azamgarh Vill-khujhiya, PO-Rautmau, Dist-Azamgarh, Pin - 276001, Uttar Pradesh	A16000789	BCC needs to be corrected Architect letter incomplete
59	Jai Ma Shitala Private ITI, Varanasi Bahadurpur, Chaubeypur, Pin - 221105 Uttar Pradesh	A16002408	BCC to be submitted in format.
60	Jagrati Private ITI, Khargone Maheswar Road, Opposite Patra Gurukul School near patidar geaning, badwah, pin - 451115, Madhya Pradesh	A16002824	Civil work approach road competition work to be submitted in the
61	Sun Private ITI, Durg Chandkhuri, Durg, Pin - 491001, Chhattisgarh	A16001739	1. BCC to be corrected 2. Internal partition etc. to be rectified 3.
62	Maa Kalyani Private ITI, Dhanbad Marsling Yard Chhatabad ps-Baliapur, PO-Bit Sindri, Pin - 828122, Jharkhand	A16001775	1. BCC not ok 2. M/c's not ---- 3. Overall ----
63	Vendanga Private ITI, Lucknow Rajiv Nagar Kalyanpur, near water tank, via kanchana bihari marg lucknow, Pin - 226022 Uttar Pradesh	A16001477	1. BCC not ok 2. No plan certificate not enclosed 3. New CD with further details received
64	Shri Damodar Pvt. ITI, Mathura Nagla Khutiya, Pin - 281123, Uttar Pradesh	A16003427	BCC not enclosed

65	A D Satendra Kumar Pvt. ITI, Supaul At+PO Bhim Nagar, Distt. Supaul, Pin – 854338, Bihar	A16003931	1. BCC not ok 2. No plan certificate not attached 3. ITI is in apartment 4. CD not.....
66	Khandar Govt. ITI, Khandar Sawai, Madhopur, Chhapar Colony, Khandar, Pin – 322025, Rajasthan	A16001778	BCC document not enclosed
67	Sridutt Singh Pvt. ITI, Gorakhpur 358, Jungle Gauri, No.2 Urph Amahia, Tehsil-Chauri Chaura, Pin – 273202, Uttar Pradesh	A16001606	1. BCC not ok 2. No Plan letter not included 3. New CD may be submitted
68	Ram Swaroop Private ITI, Jataura Post Baldev, Baldeo, Mathura, Uttar Pradesh - 281301	A16002670	BCC not submitted Court order. CD shows poor quality. No IT lab shows in CD. New CD to be submitted.
69	Shanti Kamala Private ITI GHAZIPUR Parmeth, Ghazipur, Pin – 233001, UTTAR PRADESH	A16000399	CD shows in complete civil work New CD with details may be submitted
70	Sri Chitransh Private ITI KUSHINAGAR Chitransh Bhawan, Tilak Nagar, Near Nauka Tola Padrauna, Pin – 274304 UTTAR PRADESH	A16003279	As per CD no proper approach road. Civil work in complete/ New CD needs to be submitted.
71	Sushila Devi Private ITI ALLAHABAD Village-Nari Bari, Post -Nari Bari, Thana-Shankarghar, Tahasil-Bara, Dist - Allahabad, Pin – 212106, UTTAR PRADESH	A16003314	BCC to be submitted New CD with details may be submitted
72	Deyam Private ITI Patna Ranisara, Bakhtiyarpur, Pin – 803212, Bihar	A16002538	BCC to be submitted.
73	Sanjeevni private ITI SIKAR near Circuit House, Jaipur Road, Sikar,, Pin- 332001, Rajasthan	A16000958	No remarks available
74	Shree Giritraj Private ITI Duwati Road Mania, Infront of Thana, Dholpur, Rajasthan Pin – 328024	E16003297	AS shows in CD building completion work not completed. Building is not good condition.