

DGT-Aff011/5/2025-O/o DIR (TC)

भारत सरकार/Government of India

कौशल विकास एवं उद्यमिता मंत्रालय/ Ministry of Skill Development and Entrepreneurship

प्रशिक्षण महानिदेशालय/Directorate General of Training

7वीं मंजिल, कौशल भवन, न्यू मोती बाग,

चाणक्यपुरी, नई दिल्ली - 110023,

दिनांक : 13, जून 2025

To,

The Director

State Directorate of Bihar (dealing with Craftsmen Training Scheme),

Niyogan Bhavan Income tax circle,

Jawaharlal Nehru Marg Kidwaipuri Patna,

Bihar-800001.

Sub: De-Affiliation order of 18 Private ITIs of Bihar State- regarding.

Madam/Sir,

This is in reference to minutes of meeting of 7th Skill Development and Entrepreneurship Committee (SSDEC) of Bihar State held on 19.02.2025, vide which the de-affiliation of trade/units of 18 Pvt. ITIs were recommended and sent to DGT.

The matters were discussed in 21st Standing Committee on Accreditation and Affiliation (SCAA) held on 28.04.2025 and based on the recommendations of SSDEC, SCAA has recommended the de-affiliation of 18 Private ITIs w.e.f. session 2025-26, and same has been approved by the competent authority. The details of 18 ITIs are attached at **Annexure - I**.

The recommendation of de-affiliation of ITIs, as mentioned in attached list must be read in conjunction with the minutes of 21st SCAA meeting.

The Institutes and the State Directorate shall ensure that all the trainees who were already enrolled in the previous sessions in these, complete the training duration and no fresh trainees are admitted.

Further, these ITIs are debarred from submitting any application for a period of three years from the date of issuance of this order.

Yours faithfully

Encl.: As mentioned**Copy To: -**

1. PPS to DG/SS, DGT, Delhi.
2. PPS to DDG (HQ), PPS to DDG (South), PPS to DDG (East).
3. Regional Director, RDSDE Bihar, RDSDE, 3rd Floor WITI Campus Digha Ghat Patna-11.
4. DGT MIS Portal in-charge, DGT HQ, New Delhi, with the request to upload this order on DGT NCVT MIS Portal & update the data as recommendation please.
5. Concerned ITIs.

(Ujjwal Biswas)
Director -TC

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012

कानिका कलहान
13/6/25
(Kanika Kalhan)
Training Officer -TC

Annexure-I

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
1.	Muzaffarpur Pvt. ITI PR10000101	1. Electrician 2(1+1)	<ol style="list-style-type: none">1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.2. According to the Controller of Examination, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.4. The ITI did not reply to the SCN.5. The Joint inspection was conducted by State Directorate and RDSDE officials on 17.10.2024. During the inspection the following deficiencies were observed by the committee members:<ol style="list-style-type: none">a) The building of the ITI was very old and dilapidated and crippled condition seems without any training activities.b) The infrastructure such as -drawing hall, Library hall, IT rooms with required number of computers available were not available.c) The instructors and office staff were not	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <ol style="list-style-type: none">1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.2. The ITI is not adhering to the affiliation norms, as the following deficiencies were observed:<ol style="list-style-type: none">a) The ITI building is unsafe and unsecure to conduct training activities due to its dilapidated and crippled condition.b) Electricity connection was not available.c) All tools and equipment had been removed, leaving the workshop completely unequipped to conduct any training activities.d) No trainees were present during the inspection.e) Drawing hall and Library hall were not available.f) The classrooms were poorly maintained and found to be unfit for use.

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>available during inspection.</p> <p>d) Electricity connection was not available.</p> <p>e) Workshop condition has been crippled down and shows no evidence of practical activities for trainees.</p> <p>f) Building roofs are broken in condition and are very unsafe and insecure for trainees to conduct activities.</p> <p>g) No trainees were present during the inspection.</p> <p>h) Only one care taker was available on the day of inspection. No information was shared to the committee members.</p> <p>i) All the tools and equipment have been taken out and nothing was available to conduct the training activities in the workshop.</p> <p>j) The committee also observed that to conduct the CTS AITT exam 2024, the required infrastructure was not available in the ITI and also seems that the ITI is not providing the facility to the trainees.</p> <p>k) The Class/workshop condition was pathetic and it has been transferred to some other location without any official information.</p>	<p>g) The IT room is not as per norms.</p> <p>3. Two show cause notices, followed by a reminder, were issued to the ITI by the State Directorate; however, the ITI failed to respond to any of them, reflecting a negligent approach towards the functioning of the institute.</p>

Daith
13/1/25

Ujjwal
उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
शिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>6. The joint inspection committee recommended to de-affiliate the ITI at the earliest as per NCVET norms.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 17.10.2024, but ITI did not reply to the both.</p> <p>8. The matter was discussed in the 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms</p>	
2.	Muzaffarpur Pvt. ITI PR10000197	<p>1. Electrician - 2 (1+1)</p> <p>2. Fitter – 2 (1+1)</p>	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p>	<p>SCAA Remarks:</p> <p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reason for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p>

Paul
13/6/25

उज्जवल बिरसा/UTJWAL BISWAS
निदेशक
प्रशिक्षण महानिदेशक/Director General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
नया दिल्ली-12/Govt. of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 17.10.2024 and the following were observed by the committee members:</p> <p>a) The committee members visited on the location of the ITI as per the address mentioned on NCVT MIS Portal where residential area was present and no ITI building was found as per location address on NCVT MIS Portal.</p> <p>b) The longitude and latitude of the visited location, as per the NCVT MIS portal, differed from the address mentioned in the NCVT MIS portal.</p> <p>6. The joint inspection committee recommended to de-affiliate the ITI.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of findings observed in the joint inspection dated 17.10.2024, but ITI did not reply to the both.</p> <p>8. The matter was discussed in the 7th SSDEC meeting held on 19.02.2025 in which the SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	<p>2. ITI not found at the address mentioned on NCVT MIS portal.</p> <p>3. Two show cause notices, followed by a reminder, were issued to the ITI by the State Directorate, however, the ITI failed to respond to any of them, reflecting a negligent approach towards the functioning of the institute.</p>
3.	N.S ITC PR10000369	<p>1. Electrician 4(2+2)</p> <p>2. Fitter 2(1+1)</p>	1. The State Directorate Bihar had requested the ITI to submit the declaration of	<u>SCAA Remarks:</u>

13/6/25

उज्जवल बिसवास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महा-निदेशालय / Directorate General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Skill Development and Entrepreneurship
Ministry of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 29.10.2024. During the inspection the following deficiencies were observed by the committee members:</p> <p>a) The building of the ITI was under repair and maintenance mode.</p> <p>b) The tools and equipment of Electrician trade were installed but not as per norms.</p> <p>c) Class rooms were available but library and drawing hall were under renovation.</p> <p>d) No trainees were present in the classroom and workshop on the day of inspection.</p> <p>e) The IT lab was not as per norms.</p> <p>f) No sign of raw materials consumption was available on the day of inspection.</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reason for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p> <p>a) The building of the ITI was under repair and maintenance.</p> <p>b) The tools and equipment of Electrician trade were not as per norms.</p> <p>c) Drawing hall and library hall were under renovation.</p> <p>d) No trainees were present in the classroom and workshop on the day of inspection.</p> <p>e) The IT lab was not as per norms.</p> <p>f) The tools and equipment have been shifted to another place due to renovation work.</p>

Daith
13/12/25

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>g) The Principal orally informed that due to a fire incident, the ITI is currently under renovation, resulting in the unavailability of most records and the temporary relocation of tools and equipment; furthermore, the fire caused significant damage to the infrastructure, due to which the ITI has not been designated as an examination center.</p> <p>6. The joint inspection committee recommended to de-affiliate the ITI.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 29.10.2024.</p> <p>8. The ITI replied on 23.12.2024 stated the following:</p> <p>a) The ITI building was damaged due to an electrical short circuit, and renovation work was in progress at the time of inspection.</p> <p>b) The tools & equipment are available as per NCVT norms in the Fitter & Electrician trades.</p> <p>c) The renovation of the library and drawing hall was carried out due to fire damage.</p> <p>d) The reason for absent of trainees and staff on the day</p>	

13/12/25

UJJWAL BISWAS
 Director
 Directorate General of Training
 Ministry of Skill Development and Entrepreneurship
 New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>of inspection was due to sudden demise of my father.</p> <p>e) The raw material was present in the workshop for practical.</p> <p>f) The absence of computers in the IT lab was short circuit due to which the damaged computers had been removed from the lab.</p> <p>9. The reply was considered in the 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	
4.	SNB Foundation Pvt. ITI PR10001173	1. COPA 2(1+1) 2. Electrician 4(2+2) 3. Fitter 4(2+2)	1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024. 2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute. 3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate. 4. The ITI did not reply to the SCN. 5. The Joint inspection was conducted by State Directorate and RDSDE officials on 28.10.2024. During the inspection the	SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC. Reasons for de-affiliation: 1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms. 2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed: a) The Pharmacy college and other courses were running

Daivida
13/6/25

उज्जवल शिक्षा / UJWAL EISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Skill Development and Entrepreneurship
Ministry, Govt. of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>following deficiencies were observed by the committee members:</p> <p>a) The ITI and the Pharmacy college and other courses were running in the same building.</p> <p>b) Few machineries were available but not in running condition.</p> <p>c) No teaching staff was available on the day of inspection.</p> <p>d) No trainees and staff attendance records were available.</p> <p>e) The documents related to land, BCC, Electricity bill, machinery bills etc. were not provided by the ITI.</p> <p>f) IT lab was partially available.</p> <p>g) Few amenities were available but for pharmacy college which is running in the same building.</p> <p>h) Principal of the ITI was not available on the day of inspection only one admission in-charge was available on the day of inspection.</p> <p>i) Fire extinguisher were present but no fire safety certificate was available.</p> <p>6. The joint inspection committee recommended to de-affiliate the ITI.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder</p>	<p>in the same building of the ITI.</p> <p>b) Few machineries were available but not in running condition.</p> <p>c) No teaching staff was available on the day of inspection.</p> <p>d) No trainees and staff attendance records were available.</p> <p>e) Documents related to land, BCC, Electricity bill, machinery bills etc. were not available at the time of inspection.</p> <p>f) IT lab was partially available.</p> <p>g) The available amenities were used for pharmacy college.</p> <p>h) Fire extinguisher were present but no fire safety certificate was available.</p> <p>i) Only one admission in-charge was available on the day of inspection.</p> <p>3. Two show cause notices, followed by a reminder, were issued to the ITI by the State Directorate; however, the ITI failed to respond to any of them, reflecting a negligent approach towards the functioning of the institute.</p>

Daivitha
13/6/25

उज्जवल बिस्वास / UJWAL BISWAS
निदेशक, Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
श्रम विभाग, Ministry of Skill Development and Entrepreneurship
भारत सरकार, Government of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 28.10.2024 but ITI did not reply to the both.</p> <p>8. The matter was discussed in the 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	
5.	Amhara Pvt. ITI PR10001278	1. Electrician 2(1+1) 2. Fitter 2(1+1)	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 28.10.2024. During the inspection the following deficiencies were observed by the committee members:</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p> <p>a) The ITI was not found as per NCVT MIS Portal address.</p> <p>b) No teaching staff was available on the day of inspection.</p>

Daithy
13/6/25

[Signature]
 सज्जवल बिस्वास / Director
 निदेशक / Director
 प्रशिक्षण महानिदेशालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>a) During the visit of the ITI it was found that ITI does not exist on the ground as per the given location of NCVT MIS Portal.</p> <p>b) The Principal of the ITI did not coordinate the committee members on the day of inspection.</p> <p>c) No teaching staff was available on the day of inspection.</p> <p>d) No trainees and staff attendance records were available.</p> <p>e) The documents related to land, BCC, Electricity bill, machinery bills etc. were not available.</p> <p>f) IT lab was not available.</p> <p>g) Drawing hall, classroom, workshops were not available.</p> <p>h) No amenities were available.</p> <p>6. The joint inspection committee recommended to de-affiliate the ITI.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 28.10.2024 but ITI did not reply to the both.</p> <p>8. The matter was discussed in the 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	<p>c) Documents related to land, BCC, Electricity bill, machinery bills, trainees and staff attendance records were not available at the time of inspection.</p> <p>d) IT lab was not available in the ITI.</p> <p>e) Drawing hall, classroom, workshops, amenities were also not available in the ITI.</p> <p>3. Two show cause notices, followed by a reminder, were issued to the ITI by the State Directorate; however, the ITI failed to respond to any of them, reflecting a negligent approach towards the functioning of the institute.</p>

[Signature]
13/6/25

[Signature]
उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाविभाग / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
Govt. of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
6.	Chanakya Skill Academy Pvt. ITI PU10001225	1. Electrician 4(2+2) 2. Fitter 4(2+2)	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. The declaration submitted by the ITI to the Controller of Examinations, Bihar, Patna states its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 29.10.2024. During the inspection the following deficiencies were observed by the committee members:</p> <p>a) BCC not provided by the ITI. Only Building Plan was provided.</p> <p>b) Machinery were completely in deteriorated condition, not in working condition.</p> <p>c) Machinery bills, Staff attendance, dead stock register, raw material registers etc. were not provided by the ITI.</p> <p>d) Tools kits not as per norms.</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p> <p>a) BCC not available during inspection.</p> <p>b) Machinery were completely in deteriorated condition even not in working condition.</p> <p>c) Machinery bills, Staff attendance, dead stock register, raw material registers, staff attendance records were not provided by the ITI at the time of inspection.</p> <p>d) Tools kits were not as per norms.</p> <p>e) Teaching staff and trainees were available on the day of inspection.</p> <p>f) IT lab was not as per norms. Only few computers were available and that was also in adverse condition.</p>

Handwritten signature
13/11/25

Handwritten signature
उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
औद्योगिक विकास एवं स्वयंमशीनता मंत्रालय
Ministry of Skill Development and Entrepreneurship
Government of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>e) No teaching staff were available on the day of inspection.</p> <p>f) No trainees and staff attendance records were available.</p> <p>g) IT lab not as per norms. Only few computers were available and those were also in adverse condition.</p> <p>h) Drawing hall not as per norms.</p> <p>i) Few amenities were available.</p> <p>j) Fitter workshop shown on Ist Floor and Electrician workshop shown on IInd floor, however both exist at ground floor.</p> <p>k) Fire extinguisher were present but no fire safety certificate was provided.</p> <p>l) PGDM management courses and short-term courses are running in the same building.</p> <p>m) Only Principal of the ITI was available, no other instructors were available on the day of inspection.</p> <p>6. The joint inspection committee recommended to de-affiliate the ITI due to shortage of tools, machineries and other requirements which were not as per norms.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the</p>	<p>g) Drawing hall was not as per norms.</p> <p>h) Few amenities were available.</p> <p>i) Fitter workshop and Electrician workshops were not as per building lay out plan.</p> <p>j) Fire extinguisher were present but no fire safety certificate was provided at the time of inspection.</p> <p>k) PGDM management courses and short-term courses were running in the same building of the ITI.</p> <p>l) Only principal was available on the day of inspection.</p>

Daith
13/12/25

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण निदेशकालय / Directorate General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
आवास संख्या: 28 कलकत्ता-12/Govt. of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>clarification in respect of deficiencies observed in the joint inspection dated 29.10.2024.</p> <p>8. The ITI replied on 18.12.2024 and stated the following:</p> <p>a) The machinery bills and raw material registers were available; however, they could not be presented to the inspection committee as the inspection took place around 3:30 PM, by which time the staff had already left the office.</p> <p>b) During the joint inspection, the students had already left the ITI premises, as the daily training hours are from 9:00 AM to 3:00 PM. This schedule was duly communicated to the inspection team during the visit.</p> <p>c) The building was under renovation, and painting work was in progress, due to which the machines and laboratories were temporarily disorganized. They have now been properly reorganized.</p> <p>d) The IT lab and drawing hall are available in the ITI. Photographic evidence is attached.</p> <p>e) The building plan was submitted to the</p>	

13/6/25

उज्जवल कुमार / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महोदय, Directorate General of Training
 विभाग, विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 ई-मेल: 12/Govt. of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>inspection committee, which clearly indicates that the premises are not being used for any purpose other than the ITI training activities.</p> <p>9. The reply of the ITI was considered in the 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	
7.	Jagdamba Pvt. ITI PU10001033	1. Electrician 2(1+1) 2. House Keeper 2(1+1)	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 23.10.2024. During the inspection the following deficiencies were observed by the committee members:</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p> <p>a) The training activities were not being conducted at the ITI premises on the day of inspection.</p> <p>b) The tools and equipment were not available in the</p>

13/6/25

जयपाल बिस्वा / JAYPAL BISWAS
 Director
 Ministry of Skill Development and Entrepreneurship
 Government of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>a) The ITI building was present on the location of the ITI, but the rent issues were going on between the ITI and building owner.</p> <p>b) No training activities were being conducted at the ITI location.</p> <p>c) No tools and equipment were available in the workshop area of the ITI during inspection.</p> <p>d) No manpower availability at the day of inspection.</p> <p>e) IT room, drawing hall, library hall, classrooms were completely locked.</p> <p>f) No official staff was available to provide the ITI related documents.</p> <p>g) The condition of workshop equipment installation platform area was broken and seems that all the installed items, equipment have been taken out and installed somewhere without any official information either at State level or RDSDE level.</p> <p>h) The building owner informed that dispute of rent continues and the ITI it is not in working condition from last six years. All the trainers/ trainees are not coming to this building to attend the classes of theory or practical.</p> <p>i) As per the statement of building owner that he will not allow to conduct the training activities till the rent issues be resolved.</p>	<p>workshop area of the ITI during inspection.</p> <p>c) IT room, drawing hall, library hall, classrooms were completely locked.</p> <p>d) The official staff and manpower were not available in the ITI.</p> <p>e) The workshop equipment installation platform area was broken.</p> <p>f) The building owner informed that dispute of rent continues due to which the ITI is not in working condition from last six years. All the trainers/ trainees do not attend the theory or practical classes.</p> <p>3. Two show cause notices, followed by a reminder, were issued to the ITI by the State Directorate; however, the ITI failed to respond to any of them, reflecting a negligent approach towards the functioning of the institute.</p>

Devika
13/6/25

Ujjwal Biswas
UJJWAL BISWAS
Director
Directorate General of Training
Ministry of Skill Development and Entrepreneurship
Govt. of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>6. The joint inspection committee recommended to de-affiliate the ITI due to serious violation of NCVT training activities norms by the ITI.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 23.10.2024 but ITI did not reply to the both.</p> <p>8. The matter was discussed in the 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	
8.	AL-Falah Pvt. ITI PR10000092	<p>1. Electrician 4(2+2)</p> <p>2. Fitter 2(1+1)</p>	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p>

Handwritten signature
13/12/25

Handwritten signature
उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
शिक्षण प्रशासन, बिहार
शिक्षण विभाग, बिहार
Department of Training
Bihar, Patna

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 23.10.2024. During the inspection the following deficiencies were observed by the committee members:</p> <p>a) The ITI's building and workshops were not available as per longitude and latitude mentioned on NCVT MIS portal.</p> <p>b) According to the local residents, no staff presence or training activities have taken place at the ITI's address for the past two years.</p> <p>c) The localities also informed that the workshop has been shifted somewhere else for last two years and nothing is available at this place.</p> <p>6. The joint inspection committee recommended to de-affiliate the ITI due to non-existence of ITI building and serious violation of NCVT norms for the ITI.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 23.10.2024 but ITI did not reply to the both.</p> <p>8. The matter was discussed in 7th SSDEC meeting held on 19.02.2025 and SSDEC</p>	<p>2. The ITI is not adhering to affiliation norms, as following deficiency was observed:</p> <p>a) The ITI was not available at the location mentioned on NCVT MIS portal.</p> <p>3. Two show cause notices, followed by a reminder, were issued to the ITI by the State Directorate; however, the ITI failed to respond to any of them, reflecting a negligent approach towards the functioning of the institute.</p>

Daikh
13/1/25

Ujjwal Biswas
उज्जवल बिस्वास
निदेशक / Director
प्रशिक्षण महानिदेशालय / Director General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
एन.डी.ए. बिल्डिंग-12/Govt. of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			recommended to de-affiliate the ITI due to non-compliance of NCVT norms.	
9.	Santosh Pvt. ITI PR10001242	1. Electrician 4(2+2) 2. Fitter 4(2+2)	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 25.10.2024. During the inspection the following deficiencies were observed by the committee members:</p> <p>a) The building of the ITI exists but it was under repair and construction mode.</p> <p>b) Tools and equipment were not installed in electrician and Fitter trade workshops.</p> <p>c) Classrooms were there but IT lab, drawing hall and Library were not available in the ITI.</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p> <p>a) The ITI building was under repair and construction mode.</p> <p>b) The tools and equipment were not installed in Electrician and Fitter trades workshops.</p> <p>c) The IT lab, drawing hall and Library were not available in the ITI.</p> <p>d) No consumable materials or raw materials were found to be available in the workshop at the time of inspection.</p>

Amith
13/11/25

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>d) There was no sign of consumable materials/raw materials available in the workshop.</p> <p>e) There was no any IT room with sufficient no. of computers due to which the examination center has not been made in the ITI campus at designated workshop i.e Electrician and Fitter workshop.</p> <p>6. The joint inspection committee recommended for strong action as per NCVT norms.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 25.10.2024 but ITI did not reply to the both.</p> <p>8. The matter was placed in the SSDEC meeting held on 19.02.2025 in which the SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	<p>3. Two show cause notices, followed by a reminder, were issued to the ITI by the State Directorate; however, the ITI failed to respond to any of them, reflecting a negligent approach towards the functioning of the institute.</p>
10.	ABU Bakar Siddiqui Pvt. ITI PR10000285	<p>1. Draughtsman (Civil) 2(1+1)</p> <p>2. Electrician 2(1+1)</p> <p>3. Plumber 1(1+0)</p>	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective</p>

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 28.10.2024. During the inspection the following deficiencies were observed by the committee members:</p> <p>a) The ITI building and workshop were present at the specified location but were found to be completely locked.</p> <p>b) In the workshop area of the ITI some bushes have been grown and the workshop was in tin shed condition.</p> <p>c) The workshop was found to be waterlogged, and it was observed that no unlocking or operational activities had taken place over the past two years, rendering the facility unsafe and insecure.</p> <p>d) The local residents reported that the ITI has been non-operational for the past 2-3 years, with no training activities taking place at this location.</p> <p>e) The condition of the ITI was in completely abandoned condition due to which management was unable to</p>	<p>from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p> <p>a) The ITI building and workshop were found to be completely locked at the specified location on the day of inspection.</p> <p>b) The ITI workshop area was covered with bushes and the shed of the workshop made up of tin.</p> <p>c) The workshop was found to be waterlogged, and it was observed that no unlocking or operational activities had taken place over the past two years, rendering the facility unsafe and insecure.</p> <p>d) The local residents reported that the ITI has been non-operational for the past 2-3 years, with no training activities taking place at this location.</p> <p>e) The condition of the ITI was in completely abandoned due to which management was unable to conduct the CTS AITT-Exam 2024 held in August-2024.</p> <p>3. Two show cause notices, followed by a reminder, were issued to the ITI by the State Directorate; however, the ITI</p>

Dailey
13/6/25

उज्जवत विस्वा
निदेशक
प्रशिक्षण निदेशक
राष्ट्रीय शिक्षण निदेशक
Director of Training
Director of Skill Development and Entrepreneurship
Ministry of Skill Development and Entrepreneurship, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>conduct the CTS AITT-Exam 2024 held in August-2024.</p> <p>6. The joint inspection committee strongly recommended de-affiliation of the ITI at the earliest.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 28.10.2024 but ITI did not reply to the both.</p> <p>8. The matter was discussed in 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	<p>failed to respond to any of them, reflecting a negligent approach towards the functioning of the institute.</p>
11.	Patna Pvt. ITI PR10000116	<p>1. Electrician 2(1+1)</p> <p>2. Fitter 2(1+1)</p>	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute</p>

Daity
13/6/25

Ujjwal Biswas
UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 18.11.2024. During the inspection the following deficiencies were observed by the committee members:</p> <p>a) The ITI had shifted to another location within the same block but approval of state or DGT was not available during inspection.</p> <p>b) The ITI was running in rented building from ground floor and coaching center was also running on 1st floor.</p> <p>c) BCC was not available as ITI has rented the building.</p> <p>d) Raw material register was not available.</p> <p>e) Staff appointment information was not available during the inspection but ITI has conveyed to share later.</p> <p>f) Staff and student attendance were not available. ITI had been affiliated as per old norms.</p> <p>g) Machinery was partially available as per existing affiliated trades and units and was in partially working condition.</p> <p>h) The amenities were not available as per norms.</p> <p>i) IT lab was available but not as per norms.</p>	<p>which constitutes a violation of the norms.</p> <p>2. The ITI has also accepted in its reply dated 17.12.2024 that it has been shifted to another location without approval which is a violation of clause 3.5 of affiliation norms.</p>

Handwritten signature
13/12/25

उज्ज्वल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण प्रशासन विभाग, केंद्र, राष्ट्रीय शिल्प शिक्षण
कोशाल विकास संगठन, आदर्श कौशल संजाल
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>j) Drawing hall was available but not as per norms.</p> <p>k) Fire safety certificate was not available during inspection.</p> <p>l) Overall, machines, tools equipment, power connection, teaching staff, area of the ITI were partially available during inspection.</p> <p>6. The NCVT member of joint inspection committee recommended that ITI had shifted to another location within the same block, approval from state govt. or DGT has yet been available to them, final show cause notice may be given to them before proceeding for de-affiliate.</p> <p>7. The SCVT member of joint inspection recommended that ITI has shifted in same block due to dispute in same place. Higher authority may decide to re-inspect ITI as per Shifting norms with NOC.</p> <p>8. The SCN dated 06.12.2024 was issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 18.11.2024.</p> <p>9. The ITI replied on 17.12.2024 and stated the following:</p> <p>a) The ITI has been shifted to another location due to</p>	

Daith
13/6/25

[Signature]
 उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रोबल महाविद्यालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 पर्याप्त, 24 बिल्डिंग-12 / Govt. of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>dispute between the landlord and their family members where the ITI is located. The rent agreement was about to over, the dispute was increasing day by day for which the training was hampered. And considering the benefit of trainees the ITI has been shifted to another location without approval for which I apologize for the same.</p> <p>b) The 2nd shift trainees left the ITI at 3 pm on daily basis as they have to travel by train.</p> <p>c) The tools and machinery in the ITI are available as per norms. However, two machines are incomplete — one is a lathe machine, whose belt broke during training and could not be repaired; and the other machine, whose 4-point starter did not function due to some reason, could not be operated during the inspection.</p> <p>d) The space of IT and drawing lab is as per norms, however the deficiency observed in these labs during inspection will be rectified at the earliest.</p> <p>e) The process of obtaining Fire safety certificate is very complicated however, the fire extinguisher in the ITI are available for safety purpose.</p> <p>f) As it is a Fitter trade, a ground floor location becomes necessary, and the required space as per the</p>	

13/1/25

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
वर्तमान प्रशिक्षण निदेशक, कौशल विकास
संस्थान विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
नयाँ दिल्ली, भारत (India) New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>norms was available at this location.</p> <p>10. The reply of the ITI was considered in 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT Norms.</p>	
12.	Panchmukhi Pvt. ITI PU10001161	1. Electrician 4(2+2) 2. Fitter 4(2+2)	<p>Brief of the matter:</p> <ol style="list-style-type: none"> The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate. The ITI did not reply to the SCN. The Joint inspection was conducted by State Directorate and RDSDE officials on 25.10.2024. During the inspection the following deficiencies were observed by the committee members: <p>a) The building was not found as per longitude and latitude</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <ol style="list-style-type: none"> As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms. The building was not found as per longitude and latitude mentioned on NCVT MIS portal. Also, as observed during inspection that the ITI has been shifted to another location without taking approval which is a violation of clause 3.5 of affiliation norms.

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>mentioned on NCVT MIS portal and it was not allowed to take the photos of building lease agreement of the earlier building portion as per address.</p> <p>b) There was a dispute going on between owner of the building and ITI management due to which the ITI was not providing the training in the leased building as per earlier agreement.</p> <p>c) Workshop was not available at new nearby location of the ITI.</p> <p>d) No any official communication has held till date of inspection for transfer of location of the said ITI in nearby locality.</p> <p>e) The land shown by the principal of the ITI was vacant and no sign of building construction or repairing work were found.</p> <p>f) Some of the tools and equipment were seen in a small store house which is not appropriate as per NCVT norms.</p> <p>g) The size of classrooms was very small and nothing was available to run the practical classes of Electrician and Fitter trade as per NCVT norms.</p> <p>h) The IT lab, drawing hall and library and other ITI related infrastructure in the said institute nearby new location were not available during inspection.</p>	

Signature
13/6/25

उज्ज्वल बिस्वास/UJJWAL BISWAS
 1. संचालक / Director
 प्रशिक्षण प्रशासनिक विभाग / Directorate General of Training
 मंत्रालय विभाग एवं सहायक मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110002, India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>i) It has been also observed that the required infrastructure to conduct CTS AITT exam 2024 in the ITI campus was not available and also the ITI not tried to provide facility to conduct the practical exam at its own workshop.</p> <p>6. The joint inspection committee inspected the ITI as per NCVT MIS Portal address whereas the District of ITI is mentioned as Siwan whereas as per DET Bihar office order the ITI district was written as Saran. However, during SCAA meeting, the State Directorate confirmed the district as Siwan.</p> <p>7. The joint inspect committee strongly recommended de-affiliation of the ITI at the earliest as per NCVT norms.</p> <p>8. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 25.10.2024.</p> <p>9. The ITI attached the photographs of the ITI with its reply dated 29.11.2024.</p> <p>10. The reply of the ITI was considered in the 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	

Daith
13/6/25

Ujjwal Biswas
UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण, कौशल विकास एवं सक्षमता / Directorate General of Training
कौशल विकास एवं सक्षमता मंत्रालय / Ministry of Skill Development and Entrepreneurship
नया सकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
13.	Danapur Pvt. ITI PU10000861	1. Electrician 2(1+1)	<ol style="list-style-type: none"> 1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024. 2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute. 3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate. 4. The ITI did not reply to the SCN. 5. The Joint inspection was conducted by State Directorate and RDSDE officials on 23.10.2024. During the inspection the following deficiencies were observed by the committee members: <ol style="list-style-type: none"> a) The ITI building was not found on the location. b) The electricity connection was not available during inspection. c) The machinery was not found on the location of the ITI. d) The students, trainers, staff were not available on the day of inspection. e) Tools and equipment were not available in the ITI. f) Classrooms, workshops, ITI lab, drawing hall were not available in the institute. 	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <ol style="list-style-type: none"> 1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms. 2. Already de-affiliated vide DGT office order dated 17.01.2025 due to zero admissions in last 06 years.

Handwritten signature
13/11/25

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण भाग, राष्ट्रीय प्रशिक्षण परिषद, नई दिल्ली
कोशल विभाग, नई दिल्ली
Ministry of Skill Development and Entrepreneurship
Government of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>g) A Godown was used in place of the ITI and also a cricket ground was found in the place of ITI.</p> <p>h) The local residents stated that an ITI was operational in the past, but it is no longer in existence at present.</p> <p>i) The ITI does not exist and was non-functional on the day of inspection.</p> <p>j) No consumable materials or raw materials were found to be available in the workshop at the time of inspection.</p> <p>k) There was no any IT room with sufficient no. of computers due to which the examination center has not been made in the ITI campus at designated workshop i.e Electrician and Fitter workshop.</p> <p>6. The SCVT member of joint inspection committee strongly recommended de-affiliation of ITI and the NCVT member mentioned that ITI does not exist and currently not functional.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 23.10.2024.</p> <p>8. The ITI responded on 16.12.2024, stating that the deficiencies observed during the joint inspection were due to the premises being</p>	

David
13/12/25

Ujjwal Biswas
UJJWAL BISWAS
Director General of Training
प्रधान मन्त्री कौशल विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
Govt. of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>vacated by the landlord as a result of a land lease dispute.</p> <p>9. The reply of ITI was considered in 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	
14.	S.L Roy Pvt. ITI PR10000895	1. Electrician 4(2+2) 2. Fitter 4(2+2) 3. Mechanic Diesel 2(1+1)	<ol style="list-style-type: none"> The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate. The ITI did not reply to the SCN. The Joint inspection was conducted by State Directorate and RDSDE officials on 29.10.2024. During the inspection the following deficiencies were observed by the committee members: <ol style="list-style-type: none"> The building of the ITI was dilapidated and under crippled condition seems without any training activities for last two years. 	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <ol style="list-style-type: none"> As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms. The ITI is not adhering to affiliation norms, as following deficiencies are noticed: <ol style="list-style-type: none"> The building of the ITI was dilapidated and under crippled condition. The ITI was not providing training activities for last two years. Machinery, tools and equipment were found inside the ITI. No trainees, staff, Principal, director, instructors were

Daill
13/6/25

उज्ज्वल बिस्वास/UJJWAL BISWAS
 प्रशिक्षण निदेशक, बिहार
 प्रशिक्षण निदेशक, बिहार
 Ministry of Skill Development and Entrepreneurship
 Ministry of Skill Development and Entrepreneurship, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>b) During the inspection found dirt and ashes accumulated on the floor and wall.</p> <p>c) As per localities, it was told that the ITI building catches fire around two years.</p> <p>d) No machinery, tools were found inside the ITI.</p> <p>e) No trainees, staff, Principal, director, instructors were present on the day of inspection.</p> <p>f) The committee also observed that to conduct the CTS AITT exam 2024, the required infrastructure were not available in the ITI and also seems that the ITI is not providing the facility to the trainees.</p> <p>6. The joint inspection committee strongly recommended to de-affiliate the ITI at the earliest as per NCVET norms.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 29.10.2024.</p> <p>8. The ITI responded on 16.12.2024, stating that all materials, tools, and machinery were destroyed in a fire allegedly set by local villagers due to a dispute between the ITI director and the nearby community. The institute further assured that the situation will be rectified within six months.</p>	<p>present on the day of inspection.</p> <p>e) The committee also observed that the required infrastructure was not available in the ITI to conduct the CTS AITT exam 2024.</p>

Path
13/12/25

Ujjwal Biswas
UJJWAL BISWAS
Director
Skill Development and Entrepreneurship
Ministry of Skill Development and Entrepreneurship
New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			9. The reply of the ITI was considered in 7 th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.	
15.	Naino Pvt. ITI PR10000537	1. Electrician 4(2+2) 2. Fitter 3(1+2)	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 29.10.2024. During the inspection the following deficiencies were observed by the committee members:</p> <p>a) The ITI building was very old and dilapidated, with no training activities conducted for the past two years.</p> <p>b) The water, garbage and bushes were there on the approach path to main</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITI were instructed to function as self-centers for the Engineering Drawing and Practical Exams in AITT from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p> <p>a) The ITI building was very old and dilapidated, with no training activities conducted for the past two years.</p> <p>b) The approach path to main gate of the ITI was occupied by water, garbage and bushes indicates that ITI is not maintained.</p> <p>c) The condition of workshops was also crippled and there was no sign of practical activities of trainees on the day of inspection.</p>

Daikh
13/6/25

उज्जवल बिस्वास/JOURNAL BISWAS
 Director for
 Technical Education, Government of Bihar
 Ministry of Skill Development and Entrepreneurship
 Government of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>gate of the ITI due to which it was not possible to reach at main entry gate of ITI.</p> <p>c) During the inspection no other records register of ITI activities were produced by the Principal except admission register for ongoing training activities related.</p> <p>d) The condition of workshops was crippled and there was no sign of practical activities of trainees.</p> <p>e) Machinery and tools were not found available to conduct activities in the workshop.</p> <p>f) The trainees, office staff, instructors were not present on the day of inspection.</p> <p>g) The building roofs/tin sheds were in very poor condition and were unsafe and insecure for trainees.</p> <p>h) The land lease shown by the principal of the ITI was 25.12.2010 to 25.12.2025.</p> <p>i) The committee also observed that to conduct the CTS AITT exam 2024, the required infrastructure were not available in the ITI and also seems that the ITI is not providing the facility to the trainees.</p> <p>6. The joint inspection committee strongly</p>	<p>d) Machinery and tools were not found available to conduct activities in the workshop.</p> <p>e) The trainees, office staff, instructors were not present on the day of inspection.</p> <p>f) Building roofs/Tin sheds were also in very worst condition and was very unsafe and unsecure for trainees</p> <p>g) The required infrastructure was not available in the ITI to conduct the CTS AITT exam 2024 also seems that the ITI is not providing the facility to the trainees.</p>

[Signature]
13/6/25

[Signature]
उज्ज्वल बिस्वास / MUJWAL BISWAS
निदेशक / Director
परिक्षण एवं प्रशिक्षण / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
एन १६ सिटी-१२ / Govt. of India, New Delhi-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>recommended to de-affiliate the ITI at the earliest as per NCVET norms.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 29.10.2024.</p> <p>8. During the inspection on 29.10.2024, the ITI submitted a letter stating that water logging caused by rain prevented the supply and operation of machines and equipment at the time of inspection and only seven trainees were absent. The ITI also informed that it is planning to relocate due to the lease agreement expiring on 25.12.2025. Additionally, the ITI stated that no record registers for the 2023-25 session, except the admission register, were presented to the joint inspection committee.</p> <p>9. The ITI did not reply to the both. However, ITI submitted a letter dated 13.12.2024 in which it has been stated that the lease of the ITI is about to expire in December 2025 and ITI wants permission to shift the ITI to another place.</p> <p>10. The reply of the ITI was considered in 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to</p>	

Paikar
13/12/25

उज्जवल बिरसा / UJJWAL BISWAS
निदेशक / Director
राज्य शिक्षा निदेशक, उच्च शिक्षा विभाग, छत्तीसगढ़
राज्य शिक्षा निदेशक, उच्च शिक्षा विभाग, छत्तीसगढ़
राज्य शिक्षा निदेशक, उच्च शिक्षा विभाग, छत्तीसगढ़

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>e) Safety equipment were not available in the ITI.</p> <p>f) IT lab was not as per norms, only 04 computers were available in the lab.</p> <p>g) The basic infrastructure was not available in the classrooms, drawing hall and library of the ITI.</p> <p>6. The joint inspection committee strongly recommended to de-affiliate the ITI at the earliest as per NCVET norms.</p> <p>7. The SCN dated 14.11.2024, followed by the reminder dated 09.12.2024 were issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 25.10.2024</p> <p>8. The ITI replied on 12.12.2024 and stated the following:</p> <p>a) The ITI is running under minority due to which every Friday (Jumma) is holiday and the inspection was conducted on Friday i.e- 25.10.2024.</p> <p>b) In workshops 90% tools and machinery are available.</p> <p>c) The deficiencies observed in classroom infrastructure is because the ITI is made on the basis of 2001 (old norms). We are planning to shift the ITI at other new location to fulfill the new norms. We are in process to apply for new trade Electrician.</p>	<p>g) The basic infrastructure was not available in the classrooms, drawing hall and library of the ITI.</p>

Daile
13/6/25

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>d) The ITI has cutting and Sewing technology trades instead of Sewing technology trade. As there has been no student enrollment in this trade, we are not focusing much on it.</p> <p>e) The deficiencies observed in the joint inspection will be rectified at the earliest.</p> <p>8. The reply of the ITI was considered in 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	
17.	Sukwari Devi Pvt. ITI PR10000583	1. Electrician 4(2+2)	<p>1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024.</p> <p>2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute.</p> <p>3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The Joint inspection was conducted by State Directorate and RDSDE officials on 29.10.2024. During the inspection the following deficiencies were</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms.</p> <p>2. The ITI is not adhering to affiliation norms, as following deficiencies are noticed:</p> <p>a) The Latitude (25.5402) and Longitude (85.1201) of the ITI were mentioned on NCVT MIS Portal whereas the ITI GPS location the Latitude</p>

13/12/25

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>observed by the committee members:</p> <p>a) The LATITUDE (25.5402) and LONGITUDE (85.1201) of the ITI were mentioned on NCVT MIS Portal whereas the ITI GPS location the LATITUDE (25.540519) and LONGITUDE (85.116711) were recorded on the day of inspection. There was some last digit difference were found as per NCVT MIS portal and GPS address latitude and longitude.</p> <p>b) Electrical connection was not available in Electrician trade to operate tools and equipment and some equipment was found to be non-functional.</p> <p>c) The building map was not available during inspection.</p> <p>d) No CITS instructor was found available in the Electrician trade, and no training activities were observed being conducted by the trainees in the workshop area.</p> <p>e) The IT Lab and drawing hall were not found during the inspection.</p> <p>f) A copy of application was submitted by the ITI for not conducting examination due to over bridge construction in front of ITI location and was still under road construction condition on the day of inspection.</p> <p>6. The joint inspection committee recommended to act against ITI for not</p>	<p>(25.540519) and Longitude (85.116711) were recorded. There was some last digit difference were found as per NCVT MIS portal and GPS address latitude and longitude.</p> <p>b) The building map was not available during inspection.</p> <p>c) Electrical connection was not available in Electrician trade to operate tools and equipment and some equipment were found to be non-functional.</p> <p>d) No CITS instructor was found available in the Electrician trade, and no training activities were observed being conducted by the trainees in the workshop area.</p> <p>e) The IT Lab and drawing hall were not found during the inspection.</p>

Daikh
13/1/25

उज्जवल बिसवास / UJJWAL BISWAS
विदेशी / Foreign Training
प्रशिक्षण महाविद्यालय / Foreign Training
कोशिका प्रशिक्षण / Foreign Training
कोशिका प्रशिक्षण / Foreign Training

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>conducting activities of affiliated trade Electrician in the ITI as per NCVET norms.</p> <p>7. The SCN dated 14.11.2024 was issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 29.10.2024.</p> <p>8. The ITI replied on 29.11.2024 and stated the following:</p> <p>a) The difference in latitude and longitude recorded was minimal. Such minor variations are expected when recording coordinates from the start to the end of any building</p> <p>b) There was few equipment in which electric power was not coming due to short circuit.</p> <p>c) The building map is available but during inspection it was not shown because it kept in the locker of IT lab and the keys of IT lab was unavailable.</p> <p>d) The two CITS instructors is required for electrician trade out of which one has appointed and the other will be appointed very soon. The ITI was affiliated in 2012 and that time this was not mandatory to appoint 2 instructors.</p> <p>e) The IT lab was available in the ITI, since the inspection committee came to inspect the ITI around 4.30 and the</p>	

Daivik
13/6/25

[Signature]
उज्ज्वल बिस्वास / UJJWAL BISWAS
निदेशक / Director
योगाज्य महानिदेशक / Directorate General of Training
विकास विभाग एवं स्वरोपार्जन संज्ञाकरण
Development and Entrepreneurship
अधीन, नया दिल्ली-12

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>key of the IT lab was with Principal who went somewhere for urgent work.</p> <p>f) For drawing hall ITI stated that ITI was affiliated in 2012 and that time it was not mandate for drawing hall that is why it is taken in another hall and requested to give some time to construct drawing hall.</p> <p>9. The reply of the ITI was considered in 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the ITI due to non-compliance of NCVT norms.</p>	
18.	Brilliant Pvt. ITC PR10000125	1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. Electronics Mechanic 2(1+1)	1. The State Directorate Bihar had requested the ITI to submit the declaration of self-center for AITT exams August 2024. 2. According to the Controller of Examinations, Bihar, Patna, the ITI submitted a declaration expressing its inability to function as an examination center, which indicates a lack of basic infrastructure and proper training activities at the institute. 3. The Show cause notice (SCN) was issued to the ITI on 04.09.2024 by the State Directorate. 4. The ITI did not reply to the SCN. 5. The Joint inspection was conducted by State Directorate and RDSDE officials on 23.10.2024. During the inspection the following deficiencies were	SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC. Reasons for de-affiliation: <ol style="list-style-type: none"> As per the DGT order dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the norms. The ITI is not adhering to affiliation norms, as following deficiencies are noticed: <ol style="list-style-type: none"> The institute is not found located at the approved site. The building map was not provided by the ITI on the day of inspection.

Sanjiv
-13/12/25

[Signature]
रजजवल बिस्वास / RAJAJ WAL BISWAS
निदेशक, प्रशिक्षण
प्रशिक्षण विभाग, बिहार
गया

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>observed by the committee members:</p> <p>a) The concrete building structure was available on ITI location address but it was under repairing mode. Also, there was a difference found between the NCVT MIS portal and the GPS address (latitude and longitude) of the ITI on the day of inspection. The building map was not available at the location and was also not produced upon request.</p> <p>b) In the Fitter and Electrician trade workshops, tools and equipment were not properly installed. Electronic items were kept without any electrical connection.</p> <p>c) No training activities by trainees were observed in the workshop area.</p> <p>d) CITS instructors were not found to be present for conducting training sessions on the day of inspection.</p> <p>e) IT lab with desktop computers, library room, drawing hall with drawing table were not available during inspection.</p> <p>f) Due to less infrastructural availability, the principal of the said ITI was not able to conduct the CTS AITT Exam 2024 process.</p> <p>6. The joint inspection committee recommended strong as per NCVT norms against the ITI as ITI building is under construction mode without</p>	<p>c) The workshops for the Fitter and Electrician trades were not found to be in accordance with NCVT norms.</p> <p>d) No training activities by trainees were observed in the workshop area during inspection.</p> <p>e) CITS instructors were not found to be present for conducting training sessions on the day of inspection.</p> <p>f) IT lab with desktop computers, library room, drawing hall with drawing table were not available during inspection.</p> <p>g) Due to less infrastructural availability, the principal of the said ITI was not able to conduct the CTS AITT Exam 2024 process.</p>

Signature
13/6/25

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण विभाग / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Government of India, New Delhi

Sl. No.	Name of the ITI and MIS Code	Trades and Units	Brief of the matter:	SCAA Remarks
			<p>any official communication to any authorized office at State level and Central level.</p> <p>7. The SCN dated 14.11.2024, was issued to the ITI by State Directorate to submit the clarification in respect of deficiencies observed in the joint inspection dated 23.10.2024.</p> <p>8. The ITI replied on 02.12.2024 and stated the following:</p> <p>a) The longitude and latitude of the ITI was not recorded properly on the day of inspection. It is also clarified that the ITI is function from same location since 2007.</p> <p>b) The ITI was under renovation due to which the IT lab and library were unorganized and the area of Electrician and fitter trade are also as per NCVT norms.</p> <p>c) The electric supply to the electronic equipment is provided only when it is to be used.</p> <p>d) In Fitter and Electrician trades some tools and equipment were not connected with permanent foundation which has been repaired.</p> <p>10. The reply of the ITI was considered in 7th SSDEC meeting held on 19.02.2025 and SSDEC recommended to de-affiliate the due to non-compliance of NCVT norms.</p>	

Dailla
13/6/25

[Signature]

उज्जवल बिस्वास/UJJWAL BISWAS
 शिक्षण मन्त्रालय
 कौशल विकास
 मिशन
 कला संस्कृति, नई दिल्ली
 Training
 Skill
 Development
 Mission
 Ministry of Skill
 Development and
 Entrepreneurship
 New Delhi-12