

DGT-Aff011/7/2025-O/o DIR (TC)

Government of India/भारत सरकार

Ministry of Skill Development and Entrepreneurship/कौशल विकास और उद्यमशीलता मंत्रालय

Directorate General of Training/प्रशिक्षण महानिदेशालय

Kaushal Bhawan, New Moti Bagh
Chanakyapuri, New Delhi- 110023

Date:30.06.2025

To

1. The State Directors

Andhra Pradesh, Bihar, Gujarat, Haryana, Himachal Pradesh, Assam, Odisha, Jharkhand, Uttarakhand, West Bengal, Karnataka, Maharashtra, Tamil Nadu, Telangana, Rajasthan, Madhya Pradesh, Uttar Pradesh

2. The Regional Directors, RDSDEs

Andhra Pradesh, Bihar, Gujarat, Haryana, Himachal Pradesh, Assam, Odisha, Jharkhand, Uttarakhand, West Bengal, Karnataka, Maharashtra, Tamil Nadu, Telangana, Rajasthan, Madhya Pradesh, Uttar Pradesh

Subject: Minutes of the 22nd Meeting of the Standing Committee on Accreditation and Affiliation (SCAA) held on 16.06.2025 - regarding.

Madam/Sir,

Please find enclosed approved Minutes of the 22nd Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" dated 16.06.2025. However, implementation orders agenda item wise will be issued in due course.

Any grievances regarding the decisions outlined in these minutes may be raised through the portal within 30 days from the date of issue of this minute. Grievances submitted after this period will not be considered.

This issues with the approval of Competent Authority.

Yours faithfully,

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director(Ujjwal Biswas/ उज्ज्वल विश्वास)
प्रशिक्षण महानिदेशालय/Directors
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110023/Govt. of India, New Delhi
Director - TC/ निदेशक - टीसी**Copy to:**

1. Sr PPS to DG/SS, DGT, Delhi
2. PPS to DDG (HQ), PPS to DDG (South), PPS to DDG (East).
3. DGT MIS Portal in charge, DGT HQ, New Delhi, with a request to upload MoM on DGT MIS Portal.

पूजा वर्मा
30.06.2025

(Pooja Verma/ पूजा वर्मा)

Deputy Director - TC/ उप निदेशक - टीसी

DGT-Aff011/7/2025-O/o DIR (TC)

Government of India/भारत सरकार

Ministry of Skill Development and Entrepreneurship/कौशल विकास और उद्यमशीलता मंत्रालय

Directorate General of Training/ प्रशिक्षण महानिदेशालय

Kaushal Bhawan, New Moti Bagh, Chanakyapuri, New Delhi- 110023/ कौशल भवन, न्यू मोती बाग, चाणक्यपुरी, नई दिल्ली- 110023

Minutes of 22nd Meeting of “Standing Committee on Accreditation and Affiliation (SCAA)” dated 16.06.2025

The following DGT Officers were present during the meeting:

1. Sh. Ishwar Singh, Deputy Director General
2. Sh. Ujjwal Biswas, Director, TC, DGT – Member
3. Sh. Raju Kannam, Deputy Director, TC-Section, DGT
4. Sh. Shramev Sharma, Deputy Director, TC Section, DGT
5. Sh. Rajesh Kumar, Deputy Director, TC-Section, DGT
6. Ms. Pooja Verma, Deputy Director, TC-Section, DGT
7. Ms. Kanika Kalhan, Training Officer, TC-Section DGT
8. Ms. Babita Prasad, Training Officer, TC-Section DGT

The following officers from RDSDEs and State Directorate attended the meeting (through VC):


Sr. No.	State	Name of RDSDE Officials	Name of State Officials
1.	Andhra Pradesh	Smt. D Shanthi, Joint Director Shri Pediredla Mouli, Deputy Director	Shri Satya Narayan, Joint Director
2.	Bihar	Shri Abhishek Kumar, Deputy Director	Shri Rakesh Ranjan, Joint Director
3.	Gujarat	Shri Ketan P. Patel, Regional Director	Mrs. Shilpa Parmar, Assistant Director
4.	Haryana	Shri Yashpal, Assistant Director	Shri Sanjiv Sharma, Additional Director
5.	Himachal Pradesh	Shri Mohinder Lal, Assistant Director	Shri Dinesh Sharma, Joint Director
6.	Assam	Shri Rohan Patil, Deputy Director	Shri. Ambi Malakar, Deputy Director
7.	Odisha	Shri Arun Kumar, Deputy Director	Shri BC Sahoo, Joint Director
8.	Jharkhand	Shri B. K. Dubey, Regional Director	Shri Pankaj Kumar, Deputy Director
9.	Karnataka	Shri Piyush Ramteke, Assistant Director	Shri Nagraj, Joint Director (Examination)

उज्जवल बिस्वास
Director, TC, DGT
प्रशिक्षण महानिदेशालय
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

(P)

Sr. No.	State	Name of RDSDE Officials	Name of State Officials
10.	Maharashtra	Shri C.S Murthi, Regional Director	Shri Prashant Dongre, Assistant Director
11.	Tamil Nadu	Shri P M Damodharam, Assistant Director	Smt. Vijaya Laxmi, Deputy Director
12.	Telangana	Shri Sathish Reddy, Training Officer	--
13.	Rajasthan	Smt Priyanka Somani , Deputy Director	Shri Shalendra Kumar, Assistant Director
14.	Madhya Pradesh	Shri Sumant Kumar, Deputy Director	Shri D S Thakur, Joint Director
15.	Uttarakhand	Shri Gajendra Koli, Assistant Director	Shri Pankaj, Joint Director
16.	Uttar Pradesh	Shri Amritpal Singh, Regional Director	Shri Rajendra Prasad, Additional Director
17.	West Bengal	Shri Naval Keshore, Regional Director Shri Asim Roy, Deputy Director	Shri Shankha Mishra, Deputy Director Shri Prasanjit Bose, Assistant Director

At the outset, Shri Ishwar Singh, DDG, DGT Chairperson of SCAA, welcomed all the committee members and participants. Thereafter, Shri Ujjwal Biswas, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations, and agenda-wise decisions taken by the Chair, are placed below.


 उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12



Agenda 1: Action taken report of 21st SCAA meeting held on 28.04.2025

Minutes and affiliation orders of the 21st Standing Committee on Accreditation and Affiliation (SCAA) meeting held on 28.04.2025 have been issued and uploaded on the NCVT MIS Portal. The same has been communicated to all members and ratified by the committee.

Agenda 2: 31 New Accreditation/ Affiliation Proposals for Existing and New ITIs from 10 States.

Inspection reports of 31 New / existing ITIs have been received on NIMI portal for opening of New ITIs/ trade & units' addition during 05.04.2025 to 04.06.2025. State-wise number is given below.

Table 1: State-wise number of inspection reports received from 05.04.2025 to 04.06.2025

S. No.	State	Existing		Existing Total	New		New Total	Grand Total
		Govt	Private		Govt.	Private		
1.	Andhra Pradesh	1	0	1	0	0	0	1
2.	Bihar	0	1	1	0	0	0	1
3.	Gujarat	0	1	1	0	0	0	1
4.	Himachal Pradesh	1	2	3	0	1	1	4
5.	Jharkhand	0	0	0	0	2	2	2
6.	Karnataka	0	2	2	0	0	0	2
7.	Maharashtra	3	0	3	0	3	3	6
8.	Rajasthan	0	1	1	0	0	0	1
9.	Tamil Nadu	0	1	1	0	0	0	1
10.	Uttar Pradesh	0	3	3	0	9	9	12
Grand Total		5	11	16	0	15	15	31

22nd SCAA remarks: Inspection reports for above mentioned 31 ITIs have been scrutinized and discussed in the meeting. The remarks by SCAA for each ITI is given in **Annexure-1**.

उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक, राष्ट्रीय कौशल विकास संस्थान
 कोशल विकास, प्रशिक्षण और उद्यमिता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

Agenda 3: Compliance report of previous SCAA meetings

Compliance reports of previous SCAA meetings have been received from 19 ITIs. The State wise numbers are given below. The details of ITI and remarks of 22nd SCAA are given at **Annexure-2**.

Table 2: State-wise number of compliance reports of previous SCAA meetings

S. No.	State	Number of cases
1.	Haryana	1
2.	Jharkhand	1
3.	Karnataka	1
4.	Maharashtra	2
5.	Tamil Nadu	2
6.	Telangana	4
7.	Uttar Pradesh	6
8.	West Bengal	2
Grand Total		19

Agenda 4: Affiliation proposals received from SSDECs

Affiliation proposals submitted through the SSDEC meeting minutes from the States of Karnataka, Uttarakhand, Tamil Nadu, Himachal Pradesh, and Telangana. These proposals have been discussed and deliberated with the respective State Directorates and RDSDEs, as per the details provided below.

4.1. SSDEC Karnataka:

SSDEC Karnataka vide its meeting dated 13.02.2025 sent the proposal for DST affiliation of 53 Govt ITI and 07 Pvt ITIs.

22nd SCAA remarks

The DST proposal has been reviewed and details of SCAA remarks are given in **Annexure-3**.

4.2. SSDEC Uttarakhand

4.2.1 DST affiliation proposal for Govt and Pvt ITIs.

SSDEC Uttarakhand vide its meeting dated 28.01.2025, 03.06.2025 and 12.06.2025 sent the proposal for conversion and new units' affiliation under DST for Govt and Pvt ITIs.

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110 012 / Govt. of India, New Delhi-12

(Signature)

22nd SCAA remarks

The DST proposal has been reviewed and details of SCAA remarks are given in **Annexure-4**.

4.2.2. Affiliation for 2nd unit in popular trades in 4 Govt. ITIs

The SSDEC, Uttarakhand, vide its meeting held on 26.09.2023, sent a proposal regarding affiliation of second units in certain popular two-year trades in 04 Government ITIs. It was stated that, due to the existing affiliation being limited to only one unit, admissions in these trades are conducted only in alternate years, leading to a lack of continuity in student intake. To address this issue and ensure consistent admissions, the SSDEC recommended the affiliation of second units in the identified ITIs.

The matter was deliberated upon in the 16th SCAA meeting held on 05-06 June 2024, wherein it was decided that the State Directorate must submit an undertaking confirming the availability of hand tools for the proposed second units and engagement of additional instructors as per norms.

Now, The State Directorate has submitted the required undertaking, confirming the engagement of qualified instructors and availability of necessary hand tools for the second units in the concerned ITIs.

22nd SCAA remarks

Based on the submission and compliance by the State Directorate, the SCAA recommended the affiliation of second units in trades where the first unit is already affiliated, in four Government ITIs, as per the details provided in **Annexure-5**.

4.3. SSDEC Tamil Nadu

SSDEC Tamil Nadu vide its meeting dated 20.2.2025, sent the proposal for conversion of SCVT trades into NCVET in 04 Govt ITIs after the joint inspection.

22nd SCAA remarks

SCAA recommended the conversion of SCVT trades into NCVET in 04 Govt ITIs as per the details given in **Annexure-6**.

4.4 SSDEC Himachal Pradesh

4.4.1 Conversion of trades from SCVT to NCVET in Govt ITIs of Himachal Pradesh- SSDEC Himachal sent the proposal for conversion of trades and units from SCVT to NCVET in 04 Govt ITIs.

22nd SCAA remarks

SCAA recommended the conversion of SCVT trades into NCVET in 04 Govt ITIs as per the details given in **Annexure-7**.

उज्ज्वल बिरासा/UJJWAL BISWAS
प्रशिक्षण महानिदेशक/Principal of Training
कौशल विकास और उद्यमता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

(2)

4.4.2 SSDEC Himachal Pradesh vide its meeting dated 05.03.2025 sent the proposal for DST affiliation for Govt and Pvt. ITIs

22nd SCAA remarks

The DST proposal has been reviewed and details of SCAA remarks are given in **Annexure-8**.

4.5 SSDEC Telangana

The SSDEC, Telangana, vide its meeting held on 27.05.2025, submitted a proposal for the affiliation of Government ITIs in the State. However, the matter could not be discussed during the SCAA meeting as senior officers from the State Directorate and RDSDE , Telangana, were not present.

In addition, the following four compliance cases, which were scheduled for deliberation based on the minutes of the previous SCAA meeting, also could not be discussed due to the absence of State and Regional representatives:

S.No.	ITI code	ITI Name
1.	PR36000182	Pragathi ITI Wanaparthi Wanaparthi
2.	TMP36518PU1682339810	Sri Vidyanjali ITI Ibrahimpatnam,Rangareddy Dist Ranga Reddy
3.	PU36000142	Marcos Pvt ITI Karimnagar
4.	GU36000021	Govt Industrial Training Institute Old City

22nd SCAA Remarks:

The affiliation proposal from Telangana State has been deferred and will be taken up for discussion in the next SCAA meeting. An officer from the State Directorate, not below the rank of Joint Director and Regional Director from RDSDE , must ensure their presence in the upcoming meeting to facilitate deliberation on the proposal.

Agenda 5 Matters related to De-affiliation/Self surrender/self-closure of ITIs:

5.1. Proposal for de-affiliation/self- surrender of 16 ITIs received from SSDEC Rajasthan. The details of ITIs and SCAA remarks are given at **Annexure-9**.

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक/Director
प्रशिक्षण महाविद्यालय/Directorate General of Training
व्यवसाय विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12



- 5.2. Proposal for self- surrender trade/unit received from SSDEC Gujarat and Karnataka. The details of ITIs and SCAA remarks are given at **Annexure-10**.
- 5.3. Proposal for de-affiliation/self- surrender/ self closure of 16 ITIs received from SSDEC Madhya Pradesh. The details of ITIs and SCAA remarks are given at **Annexure-11**.
- 5.4. Proposal for de-affiliation/self- surrender of 03 ITIs received from SSDEC Uttar Pradesh State. The details of ITIs and SCAA remarks are given at **Annexure-12**.

Agenda 6 Miscellaneous

6.1: Discussion on ITIs that have not submitted their compliance reports within the stipulated timeline set by the SCAA, despite multiple opportunities. The matter has been discussed with the concerned State Directorate and RDSDE. The details of ITIs and remarks of SCAA for each case is placed in **Annexure-13**

6.2 Hanumangarh BRC Pvt.ITI Address: Plot No.2, Opp. Railway Station Road, New Dhan Mandi, District: Hanumangarh, Pincode-335513, MIS Code- (PR08000517): Trades and Units as per NCVT MIS portal Electrician 3(1+1+1)

Brief of the matter

1. The ITI was de-affiliated in 16th SCAA vide DGT order dated 25.07.2024 due to irregularities found in AITT NCVT exam February 2023.
2. The petition was filed by the ITI to challenge the de-affiliation order passed against the petitioner on 25.07.2024.
3. As per interim directions issued by Hon'ble Court on 30.08.2024, the petitioner institute was inspected jointly by RDSDE and State directorate on 01.10.2024 wherein certain following infirmities were pointed out.
 - a) The IT lab was not available in the ITI.
 - b) No separate classroom was available for affiliated trade.
 - c) The classroom was not as per civil affiliation norms as the space for windows in the proposed classroom has only open space, no window structure is fixed, covered by fabric/curtains.
 - d) The workshop calculation classroom was made up of tin shed roof.
 - e) The backside ground floor area of ITI was used for other activities other than ITI.

उज्ज्वल बिस्वास / UJJWAL BISWAS
निदेशक, प्रशिक्षण
प्रशिक्षण महानिदेशक, प्रशिक्षण निदेशक, निदेशक
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

①

- f) The tools and equipment for affiliated trade were not available as per latest norms in the ITI .
g) The major machineries were not in working condition during inspection.
4. Thereafter, it was claimed by the ITI that the deficiencies observed in the above-mentioned joint inspection dated 01.10.2024 have been rectified, therefore, the petitioner has prayed to Hon'ble court to pass appropriate order from DGT after reinspection.
5. Accordingly, the Hon'ble Court has disposed of the matter on 03.02.2025 inter alia directing the respondent no-5 (DGT) for carrying out reinspection and if found as per norms, directed to pass the appropriate order to continue or discontinue the affiliation as per rules.
6. In compliance with Hon'ble Court directions dated 03.02.2025, the petitioner ITI was re-inspected on 17.03.2025. During inspection, the following were observed by the joint inspection committee:
- a) All the deficiencies observed in the previous inspection dated 01.10.2024 have been rectified by the ITI.
b) 04 out of 06 instructors are non CITS.
c) No major deficiencies found at the time of joint inspection.
7. The matter was revisited in 7th SSDEC held on 25.03.2025 and SSDEC recommended affiliation for Electrician trade-3(1+1+1) as per joint inspection report remarks.

22nd SCAA remarks

SCAA recommended the restoration of affiliation for the following trades/units of the ITI based on the SSDEC's recommendations:

1. Electrician trade-3(1+1+1)

Hence, in compliance with Hon'ble Courts direction, the de-affiliation order dated 25.07.2024 is hereby revoked.

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012, Govt. of India, New Delhi-12

(P)

6.3 Ratification of DGT order/OM

The following matters have been decided in compliance to various court judgment/ decision of competent authority and put up for ratification of SCAA:

S.N o.	Name of the ITI	Office Memorandum	Subject Matter
1.	Achievers Private ITI (PR06000113)	DGT-HC018/1/2021- O/o DIR (TC) , E- 42302 Dated- 02.04.2025	Compliance of judgement dated 08.01.2025 passed by Hon'ble Court in CWP-17330/2021 Achievers Welfare Society Vs Union of India And Other – regarding
2.	Deen Dayal Industrial Training Centre Udyanmita Vi Address:Udyamita Vhidyapeeth, D.R.I., Chitrakoot Satna – 485331 Madhya Pradesh PR23000094	DGT- Aff011(22)/6/2022 TC Section E-file No.: 55970 Dated 05.06.2025	Affiliation of Trades/Units for Deendayal ITC (PR23000094) of Madhya Pradesh 1. Mechanic Motor Vehicle – 2(1+1) 2. Solar Technician (Electrical) 2(1+1)

22nd SCAA remarks: The aforesaid cases have been ratified in SCAA meeting.


उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक, प्रशिक्षण
परीक्षण महानिदेशक, प्रशिक्षण
कोशल विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12



Annexure-1

(Annexure-1 as referred in Agenda 2: 31 New Accreditation/ Affiliation Proposals for Existing and New ITIs from 10 States)

Name of the State: Andhra Pradesh

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
1.	Govt Industrial Training Institute, Opp. Poleramma Temple, Srisailam Project, Nandyal- 518102 MIS Code: GR28000041 Grading: 6.4	Computer Operator and Programming Assistant (COPA) - 2(1+1+0)	All Tools, Equipment and machinery for COPA trade has been procured through STRIVE scheme and 100% available with the ITI. All Recommended affiliation for COPA trade - 02 (1+1) units	1. Power shortage Available=65 KW Required= 66.82 KW 2.Fire NOC expired, need to be renewed	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal. 1. Power shortage Available=65 KW Required= 66.82 KW 2. Fire NOC expired, and needs to be renewed. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110029/Govt. of India, New Delhi-110029

(PW)


Name of the State: Bihar

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
1.	Janki Private ITI Dhaneshwar, Ghat Road Biharsharif Dist- Nalanda- MIS Code: PR10000635 Grading: 8.2	Electrician - 8(4+4+0)	Additional Electrician 3+3, recommended (ITI applied for 4+4) as per availability of infra, machineries and tools.	--	SCAA recommended following trades: 1. Electrician - 6(3+3+0)
2.	Nutan Private Industrial Training Institute, Sitamarhi Vill -Dhanhara Post-- Manik Chowk Ps Runnisaidpur District - Sitamarhi Bihar - 843323	1. Electrician - 12(6+6) 2. Fitter - 4(2+2) 3. Computer Operator and Programming Assistant (COPA)- 4(2+2)	Recommended 1. Electrician -10 (5+5) 2. Fitter- 4(2+2) 3. Computer Operator and Programming Assistant (COPA)- 4(2+2)	1. The name of the institute is not matching in the BCC document uploaded in the application and inspection report. 2. In the BCC uploaded by the ICVC, the name of the institute is mentioned as Maa Sita	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal. 1. BCC as per norms

Annexure-1

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक, प्रशिक्षण
प्रशिक्षण महानिदेशक, Ministry of Training
कोशल विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012; Govt. of India, New Delhi-12

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
	TMP10221PR158149 3075	4. Housekeeper - 4(2+2)	4. House Keeper- 2 (1+1)	<p>Sunder College of Education. Whereas in the BCC uploaded in the application form the name of Institute is mentioned as Nutan.</p> <p>3. As per the approved layout plan, only one workshop is available for the Fitter trade, whereas a minimum of two workshops are required as per the norms.</p> <p>4. For the Electrician trade, only two workshops are available, whereas the requirement is for six workshops.</p>	<p>2. Availability of workshops in the premises of the Institute</p> <p>and submit the documents through Compliance module on NIMI affiliation portal within 30 days from date of issue of these minutes.</p> <p>Thereafter, the State Directorate will verify the authenticity of BCC and Availability of workshops in the premises of the Institute and submit the report to DGT with recommendations within the next 15 days.</p>


 उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महाविभाग/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12



Name of the State: Gujarat

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
1.	Marg, Center for Learning Life Skills Private ITI, Sf Sarjan Foundation (Self Finance) Sf Sarjan Foundation Marg, C/O. D.K.Trivedi, Marbles, Pvt. Ltd., Khuniya Road Amirgadh, Amirgadh, Amirgadh, Banaskantha, Gujarat-385130 MIS Code: PR24005504 Grading: 0.30 Already affiliated trade units 1. Fitter -1(1+0) 2. Turner - 1(1+0) 3. Welder 1(1+0) 4. Wireman -1(1+0)	Shifting Case Existing trades 1. Fitter -1(1+1) 2. Turner - 2(2+0) 3. Welder 2(2+0) 4. Wireman -2(2+0) 5. Computer Operator and Programming Assistant (COPA) - 2 (1+1)	Recommended for affiliation of 1. Fitter- 2(1+1) 2. Turner - 2(1+1) 3. Welder - 2 (1+1) 4. Wireman - 2 (1+1) ITI is not interested in continuing COPA trade also no facilities related to COPA trade are available.	1. ITI has applied for shifting as well as trade/unit addition, which is not allowed as per norms. 2. This is a shifting application, but no recommendation is provided in relation to shifting of location.	As per the Office Memorandum issued by the DGT, trade/unit addition is not permitted along with the shifting of an institute. Therefore, only the request for change of location with existing affiliated trades shall be considered. Additionally, the State Directorate is required to provide the following details within 15 days from date of issue of the minutes: 1. The complete old and new address of the institute. 2. Confirmation on whether the shifting is within the same block/municipal corporation limits or not.

सज्जवल बिस्वास / SUJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

Annexure-1

Name of the State: Himachal Pradesh

S. No.	ITI name	Trade / units sought for affiliation	Inspection Verification Committee remarks	Cum (ICVC)	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI	VI
1.	Govt Industrial Training Institute For Persons With Disabilities Sunder Nagar BBMB Colony Sundernagar, Mandi-175018 MIS Code: GR02000133 Grading: 8.5	Solar Technician (Electrical)- 2(1+1+0)	Recommended for affiliation for Solar Technician (Electrical)- 2(1+1)		Fire Safety certificate is not provided.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal. 1.Fire safety certificate not available. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.
2.	N.R. Memorial Pvt. ITI V.P.O Gutkar Tehsil Balh, Mandi- 175021 MIS Code: PR02000045 Grading: 8.2	1. Electrician 2(1+1) 2. Computer Operator and Programming Assistant 2(1+1)	Recommended Trades- 1. Electrician 2(1+1) 2. Computer Operator and Programming		No adverse deficiency mentioned by ICVC.	Recommended SCAA recommended following trades: 1. Electrician 2(1+1)


Annexure-1

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

S. No.	ITI name	Trade / units sought for affiliation	Inspection Verification Committee remarks	Cum (ICVC)	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV		V	VI
			Assistant (COPA) 2(1+1)			2. Computer Operator and Programming Assistant (COPA) 2(1+1)
3.	Maa Santoshi Private Industrial Training Institute Luharwin, Tehsil Ghumarwin, BILASPUR- 174021 MIS Code: PR02000070 Grading: 8.2	Food Production (General) -2(1+1+0)	Recommended for affiliation of Food Production (General)-2(1+1)		1. BCC is not available 2. Qualification and experience certificates of instructors are not available. 3. Fire safety certificate not available.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal. 1. BCC not available 2. Qualification and experience certificates of instructors not available. 3. Fire safety certificate not available. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण, महामहिम विभाग / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

S. No.	ITI name	Trade / units sought for affiliation	Inspection Verification Committee remarks	Cum (ICVC)	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV		V	VI
4.	MS Private ITI Kangra Ms Private ITI Village Malot Po Bhojpur Tehsil Indora Distt Kangra (Hp) 176402 TMP218PR171438095 5 New ITI	1. Electrician - 2(1+1) 2. Computer Operator and Programming Assistant (COPA) -2(1+1) 3. Mechanic Diesel - 2(1+1) 4. Solar Technician (Electrical)- 2(1+1)	Recommended all trades All the required Tools & Equipment pertaining to the trade of Electrician (1+1), Mechanic Diesel (1+1), COPA(1+1) and Solar Technician (1+!) found to be available as per required norms.		Qualification and experience documents for trainers not uploaded	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal. 1. Qualification and experience details of the instructor. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.


 उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12



Name of the State: Jharkhand

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
1.	Sark Private ITI Bokaro Bijulia Chas Bokaro Jharkhand, Bokaro- 827013 TMP20322PR1713875608 New ITI	1. Electrician - 8(4+4) 2. Fitter- 8(4+4) 3. Fire Technology and Industrial Safety Management - 4(2+2) 4. Mechanic Diesel -4(2+2) 5. Draughtsman (Civil)- 4(2+2) 6. Computer Operator and Programming Assistant (COPA) -4(2+2) 7. Solar Technician (Electrical) - 4(2+2)	Recommended for affiliation of 1. Electrician 4+4 units 2. Fitter 2+2 units 3. Fire Technology and Industrial Safety Management 1+1 4. Mechanic Diesel 2+2 5. Solar technician (Electrical) 1+1 Not recommended for Draughtsman (Civil)(New), Computer Operator and Programming Assistant (COPA)(New) Remarks: 1. No separate Draughtsman Civil lab Drawing Hall and Draughtsman Civil lab should not be common and shared. 2. No separate Computer lab. Computer lab and IT lab should not be common	1. Shortage of power Available: 27 KW Required: 34.02 KW 2. Drawing hall is not available as per norms 3. The IT lab is not available as per norms.	ITI needs to remove the deficiencies as mentioned in column IV & V and submit the documents to the concerned RDSDE within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.

Annexure-1

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक/ Director General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12



S. No.	ITI name	Trade / units sought affiliation for	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
			and shared in a single Hall / Workshop. 3. Lab / Work shop facility and available power load is sufficient for 1+1 units. 4. Recommendation of Trades and Units done considering the Shortage in Power, IT Lab, Drawing hall and Shortage of Tools Equipment's.		
2.	Mandal Ji Private ITI, Ramgarh ITI Colony, Bangada, Near Indian Oil Petrol Pump, Chaingada, Ramgarh-829103 TMP20607PU1712123005 New ITI	1. Electrician-6(3+3) 2. Fitter- 2(1+1) 3. Computer Operator and Programming Assistant (COPA) -2(1+1) 4. Solar Technician (Electrical)-2(1+1)	Recommended for Electrician trade total six (03+03=06) units, Fitter One(01) unit and COPA One (01) unit. Remarks 1.Electrician, Fitter and COPA Trade Machinery are installed but Solar Technician trade machinery is not installed. 2.Electrician, Fitter and COPA Trade Machinery are installed and working	Only three trades are recommended for affiliation and Solar Technician (Electrical) is not recommended due to shortage of equipment. For opening of a New ITI affiliation in four trades is mandatory.	SCAA observed that the ICVC has recommended only three trades. Therefore, the institute does not fulfill the mandatory requirement of having a minimum of four trades for affiliation as a new ITI. Therefore, applicant needs to remove the deficiency Solar Technician (Electrical) of machinery equipment and submit the documents through the Compliance module on NIMI affiliation portal within 30 days from date of issue of these minutes.

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
			<p>but Solar Technician trade is not working.</p> <p>3. Electrician Trade = (3+3+0), Total six (06) Units is recommended.</p> <p>2.Fitter Trade = (1+1+0), Total Two (02) Units is recommended. 3.COPA Trade = (1+1+0), Total Two (02) Units is recommended. 4.Solar Technician (Electrical)=(1+1+0), Total Two (02) Units is not recommended.</p> <p>Due to Shortage of Equipment.</p>		<p>Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendations within the next 15 days.</p>


 उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक, प्रशिक्षण
 निदेशक, प्रशिक्षण
 प्रशिक्षण महानिदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12



Name of the State: Karnataka

Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
1.	Sri Chikkena Koppa Channaveera Sahrana Rural ITI Balaganur, Gadag-582102 MIS Code: PR29000920 Grading: 8.3	Electrician -2(0+2) Fitter -2(0+2)	Recommended for Electrician 1+1+0 units additional units Fitter 1+1+0 units' additional units.	1. BCC is not as per norms. 2. IT lab area not as per norms. IT lab area is bifurcated in two parts, cumulative area is as per norms.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal. 1. BCC is not as per norms 2. IT lab area not as per norms. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.
2.	Shri Mahaveer Industrial Training Institute Raibaag K.E.B. Road Raibag, Belgaum- 591317 MIS Code: PU29000461 Grading: 6.3 New Address:	Shifting Case Existing Trades 1. Electrician - 2(1+1) 2. Fitter - 2(1+1)	Recommended for Affiliation to the Following Trades 1. Electrician 2(1+1) Units 2. Fitter 2(1+1) Units, COPA trade is surrendered by the administration. The ITI has applied for shifting from one place	Multiple values of drawing hall area is entered by inspecting members 42 SQM and 52SQM New address:	RDSDE needs to submit clarification regarding the availability of drawing hall through Compliance module on NIMI affiliation portal within 30 days from date of issue of these minutes.

Annexure-1

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12



	Diggewadi Road Raibag Tq: Raibag Dist: Belagavi		and other place. The new address is in the same block.	Diggewadi Road Raibag Tq: Raibag Dist: Belagavi	
--	---	--	--	---	--


 उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय - उज्जयिनी, रायचूर
 कौशल विकास और उद्यमिता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12



Name of the State: Maharashtra

Sr. No	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
1.	Government Industrial Training Institute, Bhokar, Dist: Nanded- 431801 MIS Code: GR27000105 Grading: 8.3	Mechanic Electric Vehicle -2(1+1)	Recommended for Mechanic Electric Vehicle 2 (1+1)	Power Shortage Available- 40 KW Required- 50.51 KW The State Directorate has submitted that the institute has applied for extension of the sanctioned load to 50 KW, and the same has been approved by the concerned electricity department. The revised sanctioned load is expected to be reflected in the electricity bill for July 2025.	SCAA recommended the following trades: Mechanic Electric Vehicle - 2(1+1)
2.	Government Industrial Training Institute Sadak Arjuni, Dist: Gondia- 441807 MIS Code: GR27000451 Grading: 8.3	1. Electrician 3(1+2) 2. Turner -2(1+1)	Recommended Electrician (1+2+0) Turner (1+1+0)	Fire safety certificate not available.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal. 1. Fire safety certificate not available

Sr. No	ITI name	Trade / units sought affiliation for	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
3.	Government Industrial Training Institute Ardhapur, Nanded Hingoli Raod, Nanded- 431704 MIS Code: GR27000610 Grading: 9.1	Mechanic Motor Vehicle (MMV) - 2(1+1)	Recommended jointly following trade: Electronic Mechanic (New)-Two Units. 2(1+1+0).	Fire safety certificate is issued by a private entity.	Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module. ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal. 1.Fire safety certificate not as per norms Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days

Annexure-1

उज्ज्वल बिस्वास/UJJWAL BISWAS
 Director
 प्रशिक्षण महानिदेशक, Directorate General of Training
 कोशल विभाग, 204 खण्डनगोलदा मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110002/Govt. of India, New Delhi-12

(Signature)

Sr. No	ITI name	Trade / units sought affiliation for	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
					on the online compliance module
4.	Balchandra Naik Private Industrial Training Institute, Kannad Aurangabad Aurangabad-431103 TMP27469PR171 4013977 New ITI	1. Welder- 2(1+1) 2. Electrician- 4(2+2) 3. Computer Operator and Programming Assistant (COPA)-2(1+1) 4. Fitter-2(1+1) 5. Solar Technician (Electrical)- 2(1+1)	All required tools, equipment, machineries, power supply, infrastructure and staff are available for 5 trades 12 units hence recommend affiliation.	The land lease documents and the fire safety certificate are submitted in Marathi; however, notarized English translations of these documents have not been provided.	ITI needs to remove the following deficiencies as given in column V and submit the documents through Compliance module on NIMI affiliation portal within 30 days from date of issue of these minutes. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module
5.	Dhanwantari ITI Buldhana A/p Doifod wadi Tal. Deulgaon Raja Dist. Buldhana	1. Electrician 2(1+1) 2. Wireman -2(1+1) 3. Marketing Executive- 2(1+1)	Not recommended for affiliation 1. Half the workshop was covered with a tin shed & the other portions were covered with slabs.	Fire safety certificate in Marathi language. However, notarized English translation has not been provided.	ITI needs to remove the following deficiencies as given in column IV and V and submit the documents through Compliance module on NIMI affiliation portal

उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण मंत्रालय / Directorate General of Training
 कोशल विभाग एवं उद्यमशीलता प्रमोशन
 Ministry of Skill Development and Entrepreneurship
 प्लॉट नं. 25, ई-12, गेट 12, नई दिल्ली-110002

(Signature)

Sr. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
	Maharashtra, Buldhana-443204 TMP27472PR171 3862838 New ITI	4. Health Sanitary Inspector-2(1+1) 5. Geo-Informatics Assistant-2(1+1)	2. Most of the machinery in the Electrician and Wireman workshop is not properly installed. 3. A few of the working machines are not functioning satisfactorily i.e dc shunt generator, motor generator (AC to DC), dc compound generator, DC series motor, motor generator (DC to AC), thyristor/IGBT controlled DC motor drive, AC motor drive, AC slip ring motor. 4. In the Electrician and wireman trade, most of the machinery was found to be under-capacity. 5. In the Electrician trade the following tools and equipment are not available as per syllabus. Sr No 126(h). Washing machine semi-automatic, 127. oil testing kit, 129. voltage stabilizer, 131. Battery		within 30 days from date of issue of these minutes. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendations within the next 15 days.

Annexure-1

उपज्वाल निदेशक, उच्च शिक्षा, महाराष्ट्र
निदेशक, दिशानिर्देशक, उच्च शिक्षा, महाराष्ट्र
प्रशिक्षण महानिदेशक, उच्च शिक्षा, महाराष्ट्र
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
असत रावकर, नई दिल्ली-12/Govt. of India, New Delhi-12

(P)

Sr. No	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
			<p>charger, 133.potential transformer, 153. diesel generator set, 154. used dc generators series, shunt and compound type for overhauling practice 164. Working bench only 01 no is available out of 4 165.Wiring board. 170. Almirah</p> <p>6. In wireman trade the following tools and equipment are not available as per syllabus. Sr no 39. outside micrometer, 47. 3 phase kw meter, 48 watt meter dyna, 49 . clamp on ammeter,54. meter reading instrument, 57 conduit pipe cutting and threading machine,58 conduit type bending machine.62crimping tool. ,63crimping tool.65 small crimping tool. 69. wiring board on stand ,106 tower ladder on type wheels ,107 portable extension ladder</p>		

Sr. No.	ITI name	Trade / units sought affiliation for	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
			<p>,110 knife switch dpdt fitted with fuse terminals ,111 knife switch TPDT fitted with fuse terminals ,128.solar street light ,129solar traffic light,130 solar dc pump,135 solar panels ,136 solar charge controller with manual switch (day lighting),137 EV charger ,138 EV charger (home),139 motion detector ,142 automatic reverse forward starter,144 DOL starter ,145 soft starter ,148 solar street light lamp set,149 field regulator,150 transformer single phase,156.ups with battery,157.personal computer system with printer,159 all domestic appliances (a to k) 164. Demonstration table</p> <p>7. Health Sanitary Inspector trade the following tools and equipment not available as</p>		

Annexure-1

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महादेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

Sr. No.	ITI name	Trade / units sought affiliation for	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
			<p>per syllabus: sr no 4-ventilation system,5 sewage system and treatment plant,6 water purification plant,7 sanitary plant,8 waste disposal plant, chemical disinfection unit this working Models are not available and Sr no 15 instrument for noise measurement 17 microwave.</p> <p>8. Geo-Informatics Assistant trades the following tools and equipment not available as per syllabus: sr no 1 9 Computers are available out of 12. sr no 7 ups, 10.24-inch plotter ink printer colored. 19 tables for trainees with sliding tray for key board 20 split type air conditioners.</p> <p>9. No machinery tools/equipment are available for the Marketing Executive Trade as per syllabus.</p>		

Annexure-1

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कीमती विकास एवं उद्यमशीलता Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12



Sr. No	ITI name	Trade / units sought affiliation for	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
			10. Raw material register, dead stock register and machinery bills are not available for Marketing Executive. 11. Experience of instructor for Health Sanitary Inspector and Geo-Informatics Assistant is not as per norms.		
6.	G.K. Private Industrial Training Institute Gondia At-Kawrabandh Ta-Salekasa Dist-Gondia-441916 TMP27476PR171 1183835 New ITI	1. Electrician- 2(1+1) 2. Computer Operator and Programming Assistant (COPA) -2(1+1) 3. Fitter- 2(1+1) 4. Solar Technician (Electrical)- 2(1+1) 5. Cosmetology - 2(1+1)	G. K. Pvt. ITI Kawrabandh Gondia is not ready for joint inspection. Request letter from said ITI uploaded	—	The SCAA has accepted the request for rescheduling the inspection. The ITI may submit a fresh request to the RDSDE within the next three months. Thereafter, the RDSDE may reschedule the inspection batch accordingly and submit the report.

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

Name of the State: Rajasthan

Sr. No	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
1.	Apex Private Industrial Training Institute Ward No. 4, Shin Nagar Industrial Area, Neem Ka Th, SIKAR-332713 MIS Code: PR08000375 Grading: 7.6	ITI has applied in category 2 but No new additional trade/units has been mentioned in application. However as per NOC issued by State Directorate the trade units sought for affiliation are 1. Solar Technician Electrician 2(1+1) 2. Electrician 4(2+2)	Electrician 3+3+2 Fire and technology 1+1+1 mechanic-diesel 1+1+1 Remarks: 1. For electrician trade: Recommended Already Affiliated units (2+2+2) now units sought (2+2) Recommended (1+1) total (3+3+2) electrician one lab walls not completed. Only approx. 2.5 side wall complete and remaining side open. So, one lab is not as per norms. 2. For Solar Technician (Electrical) i). Solar technician machinery not installed. ii). Both trade instructor's qualification not as per norms. One diploma in mechanical and second is ITI in electrician. 3. Bills for some items are not available.	The ITI has submitted its application under Category 2; however, no new trades or additional units have been indicated in the application. Further, the trades/units proposed for affiliation and those recommended by the inspecting members are not clearly specified. Nevertheless, the State Directorate has issued a No Objection Certificate (NOC) for the following trades/units: 1. Solar Technician (Electrical): 2 units (1+1) 2. Electrician: 4 units (2+2) Clarification is required from ICVC regarding the specific trade(s)/unit(s) recommended during the inspection.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal. 1. Fire safety certificate not as per norms 2. Clarification is required from ICVC regarding the specific trade(s)/unit(s) recommended during the inspection. Thereafter, concerned State Directorate will verify the documents

Annexure-1

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110 011/Govt. of India, New Delhi-11

Sr. No	ITI name	Trade / units sought affiliation for	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
			<p>4. Dead Stock Register is partially completed.</p> <p>5. Raw Material Consumption Register is not completed.</p> <p>6. For Solar Technician trade, both of the trainer's qualifications are not as per norms.</p> <p>7. For electrician trade qualification of only 04 trainers is as per norms, for remaining trainers' qualification is not as per norms.</p> <p>8. Bio-metric machines are not available for both staff and students.</p> <p>9. Machines are not properly installed in the Solar technician lab.</p> <p>10. Only 90% of machines are in working condition.</p> <p>11. Locations of the electrician lab, IT lab, ED lab are not as per blue print of the building.</p>	<p>Additionally, the Fire Safety Certificate has not been submitted.</p>	<p>submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module</p>

Annexure-1

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक, Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

Name of the State: Tamil Nadu

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
1.	Loyola Private Industrial Training Institute J/107,4a,souther Railway Station, Palar Road,pb No.6, Ranipet-632401 MIS Code: PR33000620 Grading: 6.1	1. Fitter -2(1+1) 2. Electrician - 2(1+1)	Fitter(1+1+0), Electrician(1+1+0)	No adverse deficiency has been mentioned by ICVC.	SCAA recommended following trades: 1.Fitter- 2(1+1+0), 2. Electrician- 2(1+1+0)


उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12



Name of the State: Uttar Pradesh

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
1.	Sardar Patel Private ITI Kaushambi Vill&Post-Ameena Goraju Block- Sarsawan Teh-Manjhanpur Dist-Kaushambi-212214 TMP9158PR1681880212 New ITI	Electrician- 4(2+2) Fitter- 2(1+1)	Recommended for Affiliation- Electrician- 04(2+2), fitter-02(1+1).	Unserved block certificate is issued by Nodal Principal. However, the document does not mention the file number or date.	The Unserved Block declaration has been issued by the Nodal Principal; however, the document does not mention the file number or date. The State Directorate shall verify the Unserved Block declaration within 15 days from the date of issue of these minutes.
2.	R D Y Private Industrial Training Institute, Firozabad Village Nihalpur Near Chamroli Chouraha Naseerpur Road Firozabad-283145 TMP9143PR1580202483 New ITI	1. Electrician - 6(2+2+2) 2. Fitter- 6(2+2+2) 3. Health Sanitary Inspector- 3(1+1+1) 4. Plumber- 3(1+1+1)	Recommended for Electrician -4(2+2), Fitter- 4(2+2), HSI-2(1+1) and plumber-2(1+1)	Loose wiring found on the floor of the Electrician workshop, which may pose safety hazards.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal. 1. Proper installation of wiring in the workshops.

Annexure-1

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
विशेष मन्त्रिपरिषद्, उद्योग, श्रम और कौशल विकास
विभाग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110 002-12

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
					Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.
3.	M N Private Industrial Training Institute Prayagraj Village Jagepur Block Uruwan, Prayagraj-212303 TMP9120PR1648551683	1. Electrician- 4(2+2) 2. Fitter- 2(1+1) 3. Data Entry Operator- 2(1+1) 4. Health Sanitary Inspector- 2(1+1)	1. Electrician- 4(2+2) 2. Fitter- 2(1+1) 3. Data Entry Operator- 2(1+1) 4. Health Sanitary Inspector- 2(1+1)	No adverse deficiency has been mentioned by ICVC.	SCAA recommended following trades: 1. Electrician-4(2+2) 2. Fitter-2(1+1) 3. Data Entry Operator- 2(1+1) 4. Health Sanitary Inspector-2(1+1)
4.	P.S.P. Private ITI Azamgarh Village-Faridunpur, Post-Faridunpur (Nizamabad) Distt.-Azamgarh-223227 TMP9123PR1649859882	1. Electrician - 3(1+1+1) 2. Fitter- 3(1+1+1) 3. Plumber- 3(1+1+1) 4. Computer Operator and Programming Assistant	Recommended for: 1. Electrician-2(1+1) 2. Fitter-02(1+1) 3. Plumber-2(1+1) 4. Computer Operator and Programming Assistant (COPA)- 02(1+1)	No adverse deficiency has been mentioned by ICVC.	SCAA recommended following trades: 1. Electrician-02(1+1), 2. Fitter-02(1+1), 3. Plumber-02(1+1), 4. Computer Operator and Programming Assistant (COPA)- 02(1+1)

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
		(COPA)- 3(1+1+1)			
5.	Baba Vishwanath Private ITI Deoria Karauta, Salempur, Deoria Pin- 274509 TMP9126PR1648805999 New ITI	1. Fitter- 3(1+1+1) 2. Computer Operator and Programming Assistant (COPA)- 1(1+0+0) 3. Electrician 6(2+2+2) 4. Plumber- 1(1+0+0)	Recommendation 1. Fitter- 02(1+1) 2. Computer Operator and Programming Assistant (COPA)- 1(1+0) 3. Electrician - 4(2+2) 4. Plumber- 1(1+0)	No adverse deficiency has been mentioned by ICVC.	SCAA recommended following trades: 1. Fitter-02(1+1), 2. Computer Operator and Programming Assistant (COPA) - 01(1+0) 3. Electrician-4(2+2) 4. Plumber-01(1+0)
6.	S. K. Institute of Technology Private ITI Kushi Nagar Village-Harpur Belahi, Tehsil-Tamkuhiraj, Kushinagar, Uttar Pradesh, 274407 TMP9160PR1647449958 New ITI	1. Electrician- 6(2+2+2) 2. Fitter- 2(1+1+0) 3. Computer Operator and Programming Assistant (COPA)- 2(1+1+0) 4. Health Sanitary Inspector- 2(1+1+0)	1. Electrician 4(2+2) 2. Fitter 02(1+1) 3. Computer Operator and Programming Assistant (COPA)- 02(1+1) 4. Health Sanitary Inspector- 02(1+1)	No adverse deficiency has been mentioned by ICVC.	SCAA recommended following trades: 1. Electrician- 4(2+2) 2. Fitter- 2(1+1) 3. Computer Operator and Programming Assistant (COPA)- 2(1+1) 4. Health Sanitary Inspector- 2(1+1)

Annexure-1

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण मंत्रालय, भारत सरकार
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 (Govt. of India, New Delhi-12)

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
7.	Maharashi Baba Galu Das Maa Chandmuni Pvt. ITI Shahmohammadpur, Chandrawar Ballia- 1809015833	1. Electrician- 3(1+1+1) 2. Fitter - 3(1+1+1) 3. Computer Operator and Programming Assistant (COPA)- 3(1+1+1) 4. Plumber- 3(1+1+1)	1. Electrician -2(1+1) 2. Fitter - 2(1+1) 3. Computer Operator and Programming Assistant (COPA)- 2(1+1) 4. Plumber- 2(1+1)	1. Shortage of power Required= 17.21 KW Available= 16 KW	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal. 1. Shortage of power Required= 17.21 KW Available= 16 KW Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.
8.	Dayashankar Singh P ITI, Address- Kushaha Rashidpur, Udharan	1. Electrician 2. Fitter 3. Plumber	1. Electrician- 2 (1+1) 2. Fitter- 2 (1+1)	No adverse deficiency has been mentioned by ICVC.	SCAA recommended following trades: 1. Electrician 2 (1+1)

Annexure-1

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक/Director General
कोशल विकास एवं आजीविका
Ministry of Skill Development and Entrepreneurship
भारत सरकार, गैर बिजली-1/2/GOVT. Bldg. New Delhi-110002

(Signature)

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
	Belthara Road Ballia, Uttar Pradesh 221716 1809016046 New ITI	4. Computer operator and Programing Assistant	3. Computer Operator and Programming Assistant (COPA)- 2 (1+1) 4. Plumber- 2 (1+1)		2. Fitter 2 (1+1) 3. COPA 2 (1+1) 4. Plumber 2 (1+1)
9.	Chandradeep Singh Smarak P ITI Address- Radhopur, Rasra Ballia, Uttar Pradesh 221722 1809021475 New ITI	1. Electrician 2. Fitter 3. Welder 4. Computer operator and Programing Assistant	1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. Computer Operator and Programming Assistant (COPA) 2 (1+1) 4. Welder 2(1+1)	Welder trade workshop area not as per norms Available= 92.89 SQM Required 100 SQM.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal. 1. Welder trade workshop area not as per norms Available= 92.89 SQM Required 100 SQM Thereafter, concerned State Directorate will verify the removal of

उज्जयल बिसवास/UJJWAL BISWAS
निदेशक / Director
श्रीमान गणेशचन्द्राचार्य, Director, Institute of Training
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
					deficiencies and submit the report with recommendation to DGT within the next 15 days on the online compliance module.
10.	Pandit Deen Dayal Technical Instt. ITC - Kansganj Aliganj Road Patiyali Kasganj-207123 Mis Code: PR09000216 Grading: 6.6	1. Electrician- 4(2+2+0)	Recommend existing trade/units and New trade Electrician- 4(2+2)	Power Shortage Available= 17 KVA = 15.3 KW Required= 23.22 KW	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal. 1. Power Shortage Available= 17 KVA = 15.3 KW Required= 23.22 KW Thereafter, concerned State Directorate will verify the documents submitted by the ITI and

Annexure-1

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रमुख निदेशक/Principal Director
विकास विभाग एवं उद्यमिता
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-110012

6

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
					submit the report with recommendation to DGT within the next 15 days on the online compliance module.
11.	Maa Shanti Private ITI Village Babuganj- Allahabad-212402 MIS Code: PR09900954 Grading: 6.2	Electrician 6(2+2+2)	Agree and recommended for affiliation Electrician - 4(2+2+0)	1.Electricity connection is in the name of an individual person. 2. Lease is valid till 2026.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal. 1. Land Lease as per norms 2.Electricity Bill on the name of institute Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT

उज्जवल बिस्वास/UJJWAL BISWAS
 निदेशक, प्रशिक्षण
 कौशल विकास और उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

S. No.	ITI name	Trade / units sought affiliation for	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
					within the next 15 days on the online compliance module.
12.	Shri Ganesh Private ITI Vill.- Thariya, Post - Utraon -Allahabad-221508 MIS Code: PR09900985 Grading: 7.00	Electrician 6(2+2+2)	Machinery items, equipment, tools, infrastructures etc for existing and new trades and units. recommend for affiliation of trade Electrician- 4(2+2+0).	1. Lease registered dated 2016 and lease was valid for 10 years. Therefore, the lease shall expire in 2026 which is not as per norms. 2. Electricity Bill not provided	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal. 1. Land Lease as per norms. 2. Electricity Bill as per norms. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days

S. No.	ITI name	Trade / units sought for affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 22 nd SCAA
I	II	III	IV	V	VI
					on the online compliance module.


 उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110 012 / Govt. of India, New Delhi-12



Annexure-2

(Annexure 2 as referred in Agenda 3-Compliance report of previous SCAA meetings)

Name of the State: Haryana

S. No	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	SCAA Remarks
I	II	III	IV	V
1.	Arya Pvt. Industrial Training Institute Vill. Lalit Khera Jind Vill. Lalit Khera Jind MIS Code: PR06000096 Grading: 6.40	1. Computer Operator and Programming Assistant (COPA) - 2 (1+1) 2. Stenographer Secretarial Assistant (English) - 2 (1+1) 3. Fire Technology and Industrial Safety Management - 2 (1+1) 4. Physiotherapy Technician - 2 (1+1)	20th SCAA Remarks This case was first placed in 20 th SCAA meeting, remarks of that was as follows: Applicant Institute needs to remove the following deficiencies and submit the required documents within 30 days from the date of issue of these minutes in the Compliance module on NIMI affiliation portal. Thereafter, the State Directorate and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI. RDSDE will then submit the report to DGT with recommendations within the next 15 days in the Compliance module on the NIMI portal. Deficiencies observed in 20th SCAA i. The required load is 37.41 KW. Available load is 49.80 KW. It is submitted that the school is running in the same campus. There is no separate electricity connection for school. ii. Stock Registers are not properly maintained. No Certification of the first page of stock registered. No Signature on the pages of the stock register.	SCAA recommended the following trades: 1. Computer Operator and Programming Assistant (COPA) - 2 (1+1) 2. Fire Technology and Industrial Safety Management - 2 (1+1) and Not recommended the 1. Stenographer Secretarial Assistant (English) - 2 (1+1) 2. Physiotherapy Technician - 2 (1+1)

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

Annexure-2

S. No	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	SCAA Remarks
I	II	III	IV	V
			<p>iii. Shortage of equipment for Fire Technology and Industrial Safety Management. Ertiga Car is shown as a Rescue van.</p> <p>iv. No Drawing boards are available.</p> <p>v. Inspection was carried out for the affiliation of COPA (1+1) and Fire Technology and Industrial Safety Management (1+1) trades.</p> <p>vi. The Society owns a 5-acre plot of land, which hosts both a 12th-grade school and an ITI on the same campus. The boundary wall enclosed an area of 1935.234 square meters (39.083m × 49.516m) only. The rest of the land was surrounded by a separate boundary wall, with a portion also being used for agricultural purposes. However, there was no clear demarcation distinguishing the areas designated for the ITI and the school.</p> <p>vii. Machinery bills were available, except fire fighting vehicles.</p> <p>viii. The IT Lab was not available.</p> <p>ix. In the building plan, no information available for the area of Fire Technology and Industrial Safety Management Lab.</p>	

Annexure-2

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमिता विभाग / Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-110012


S. No	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	SCAA Remarks
I	II	III	IV	V
			<p>x. Institute is using the Ertiga car as a rescue van. However, information on whether its RC is in the name of the ITI owner is not available.",</p> <p>Compliance report against the deficiencies raised by 20th SCAA</p> <p>As per the compliance outlined in the 20th SCAA Meeting held on dated 24.02.2025, a re-inspection was conducted on dated 28.04.2025 by the team. The inspecting team has mentioned that all shortcomings have been removed by the Pvt ITI. and recommended for affiliation for the FTISM (1+1) and COPA (1+1).</p> <p>Remarks of re inspecting team:</p> <ol style="list-style-type: none"> Separate EM for ITI and School. Sanctioned load for ITI is 49.80 KW. The required load is 37.41 KW. Available as per norms. Machinery Bills including firefighting vehicles found available. Payment proofs are also available. Dead stock register is maintained as per norms. Shortage of equipment for FTISM removed. All machinery of FTISM and COPA are available. RC of Rescue Van is in the name of the ITI. Machinery is found to be in working condition. 	

Annexure-2

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-110012



S. No	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	SCAA Remarks
I	II	III	IV	V
			<p>vii. The society has 5 acres of land on its name. 2 acres of land has been dedicated for the functioning of the ITI by the society. As per norms, space for practical training of FTISM is available.</p> <p>viii. IT lab is available as per norms.</p> <p>ix. Drawing hall is available as per norms.</p>	


 उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महाविभाग / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12



Name of the State: Jharkhand

S.N o.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	SCAA Remarks
I	II	III	IV	V
1.	Laxmi Pvt ITI Barhi Hazaribagh TMP20332PU164 6657311 New ITI	1. Electrician- 4 (2+2) 2. Fitter -4 (2+2) 3. Surveyor- 4 (2+2) 4. Mechanic Diesel – 4 (2+2)	20th SCAA Remarks This case was first placed in 20 th SCAA meeting, remarks of that was as follows: SCAA has identified discrepancies in the land records submitted by the ITI: 1. The building plan submitted for Plot No. 24 indicates a total area of 4,333.20 sqm, whereas the land allotment letter for plot 24 states 4,046.85 sqm (43,560 sq. ft.), leading to a contradiction in the available land area. 2. The institute has also submitted a land document for Plot No. 23, which is registered in the name of Mr. Arun. However, the application does not clarify his relationship with the ITI. Additionally, Plot No. 23 is registered under Saraswati Pvt. ITI, Lochanpath, Matwari, Hazaribagh, which is located 50 km away from Laxmi Pvt. ITI. To address these issues, the ITI is required to: a. Submit a clear demarcation of the land available with the institute along with supporting documents. b. If the institute is utilizing any part of Plot No. 23 and it belongs to ITI/organization, it must submit Format 4 as per Affiliation Norms 2018—a resolution regarding the earmarking of land, buildings, and other resources for ITI. c. Provide a correct building plan reflecting the actual plot area being used for ITI purposes.	SCAA recommended the following trades: 1. Electrician- 4 (2+2) 2. Fitter -4 (2+2) 3. Surveyor- 4 (2+2) 4. Mechanic Diesel – 4 (2+2)

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002, India. Phone: 011-261212

S.N o.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	SCAA Remarks
I	II	III	IV	V
			<p>3. The ITI shall submit the required documents within 30 days from the date of issue of these minutes in the Compliance module on NIMI affiliation portal. Thereafter, the RDSDE will verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.</p> <p>Compliance report from RDSDE against the deficiencies raised by 20th SCAA</p> <p>The institute has submitted the following:</p> <ol style="list-style-type: none"> 1. The Institute has a total land area of 4333.20 sqm wherein plot 24 contributes 4046.86 sqm and plot 23 contributes 286.34 sqm. Plot 24 with 4046.86 sqm and a portion of plot no 23 i.e 286.34 sqm is dedicated towards the proposed ITI. 2. Plot no 23 and Plot no 24 both plots belong to the Saraswati Vikas Samiti Society. Plot no 23 is registered in the name of Mr. Arun Kumar and plot no 24 is registered in the name of Mr. Ramakant Mishra respectively. Mr. Arun Kumar is Secretary of Saraswati - Vikas Samiti and Mr. Ramakant Mishra is a member of Saraswati Vikas Samiti society. Proposed Laxmi Pvt ITI is being opened under Saraswati Vikas Samiti society at Konra, Barhi, Jharkhand. SVS Society is also running another ITI in name of Saraswati f Pvt ITI at Lochan Path, Hazaribagh, Jharkhand. The proposed Laxmi Pvt ITI is 50 kms away from Saraswati Pvt ITI. Please note that Plot 	

Annexure-2

उज्जवल बिस्वास UJJWAL BISWAS
निदेशक Director
प्रशिक्षण महानिदेशक/Director General of Training
कौशल विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

S.N o.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	SCAA Remarks
I	II	III	IV	V
			<p>no 23 is not registered under Saraswati Private ITI, it is registered under Saraswati Vikas Samiti.</p> <p>3. The Institute as also submitted format 4 a resolution regarding the earmarking of land, buildings, and other resources for ITI</p> <p>RDSDE Remarks : Based on the documents submitted to clarify discrepancies as above and as per previous visit Reports, the RDSDE Jharkhand recommends for the consideration of affiliation of trades put up / under consideration in 20th SCAA Meeting wrt Laxmi Pvt ITI, Barhi, Hazaribag, Jharkhand.</p>	


 उज्जवल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक, दि. 01/05/2024
 कौशल विकास एवं उद्यमिता विभाग, सरकार
 Ministry of Skill Development and Entrepreneurship
 ग्राहक सेवा, 24, कक्षा - 2, बस स्टेशन रोड, नए उपर्य-12



Name of the State: Karnataka

S.No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	SCAA Remarks
I	II	III	IV	V
1.	<p>Sri Rakesh Siddaramayya Pvt ITI Gadag, Near Devaraj Urs Bhavana, Bapooji Nagara, Kalasapur Road, Gadag – 582103</p> <p>MIS Code: PU29001561</p> <p>Grading: 6.40</p>	<p>1. Fitter- 2 (1+1) 2. Electrician- 2 (1+1)</p>	<p>20th SCAA Remarks This case was placed in 20th SCAA meeting and remarks are as follows:</p> <ol style="list-style-type: none"> 1. Applicant institute needs to provide the instructor appointment details, including their qualifications and experience. Documents for the new trade/unit sought for affiliation and submit the documents to the concerned State within 30 days from the date of issue of this minute through NIMI compliance portal. 2. Thereafter, the State will verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal. <p>Compliance report from State against the deficiencies raised by 20th SCAA The State Directorate submitted the details of instructor appointment and recommended for affiliation.</p>	<p>SCAA recommended the following trades:</p> <ol style="list-style-type: none"> 1. Fitter- 2 (1+1) 2. Electrician- 2 (1+1)

उज्ज्वल बिस्वास
निदेशक / Director
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

(Signature)

Name of the State: Maharashtra

S.N o.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	SCAA Remarks
I	II	III	IV	V
1.	Shri Angarsidh Private ITI, Sindhudurg Address A/P Sangulwadi Tal. Vaibhavwadi Dist. Sindhudurg Maharashtra – 416810 TMP27495PR1713764438 New ITI	1. Electrician - 2 (1+1) 2. Wireman - 2 (1+1) 3. Geo-Informatics Assistant - 2 (1+1) 4. Marketing Executive - 2 (1+1)	20th SCAA Remarks This case was placed in 20 th SCAA meeting and remarks are as follows: 1. Applicant Institute needs to remove the deficiencies as mentioned below: a. Two separate BCC issued by tehsildar and private civil engineer therefore BCC not as per norms. (For BCC please refer page no.108 of affiliation norms 2018) b. Fire safety certificate not as per norms, certificate issued by govt, authority is required. 2. and submit the required documents within 30 days from the date of issue of these minutes in the Compliance module on NIMI affiliation portal. Thereafter, the State Directorate will verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal. Compliance report from State against the deficiencies raised by 20th SCAA 1. The Institute has submitted Building Completion Certificate and fire safety certificate 2. The State Directorate has verified the institute's BCC certificate & Fire Safety Certificate and	SCAA recommended the following trades: 1. Electrician - 2 (1+1) 2. Wireman - 2 (1+1) 3. Geo-Informatics Assistant - 2 (1+1) 4. Marketing Executive - 2 (1+1)

Annexure-2

उज्ज्वल बिरवार / Director
प्रशिक्षण महानिदेशक / Director of Skill Development
कोशल विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110011 / Govt. of India, New Delhi-110011



S.N o.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	SCAA Remarks
I	II	III	IV	V
			submitted that it is as per norms. Hence, recommended for Electrician- 2 (1+ 1) Wireman 2(1+1) Marketing Executive - 2 (1+ 1) Geo Informatics Assistant 2 2 (1+1) w.e.f Aug.2025 session.	
2.	Loknete Rajendrakumarji Gholap Private Industrial Training Institute Pune Address: A/P - Bhigwan, Tal - Indapur, Dist - Pune. 413130. TMP27490PR1712561481	1. Electrician - 2(1+1) 2. Fitter - 2(1+1) 3. Computer Operator and Programming Assistant (COPA) - 2(1+1) 4. Geo-Informatics Assistant - 2(1+1)	20th SCAA Remarks This case was placed in 20 th SCAA meeting and remarks are as follows: 1. Applicant Institute needs to remove the deficiencies as mentioned in column V i. Drawing tables not as per norms. ii. BCC not signed by Govt. Authority. iii. The electricity bill is in the name of Society. However, the name/address of the ITI is not mentioned in the bill.) 2. and submit the required documents within 30 days from the date of issue of these minutes in the Compliance module on NIMI affiliation portal. Thereafter, the State Directorate will verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal. Compliance report from State against the deficiencies raised by 20th SCAA	SCAA recommended the following trades: 1. Electrician - 2(1+1) 2. Fitter - 2(1+1) 3. Computer Operator and Programming Assistant (COPA) - 2(1+1) 4. Geo-Informatics Assistant - 2(1+1)

Annexure-2

उज्जवल बिस्वास
निदेशक
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

S.No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	SCAA Remarks
I	II	III	IV	V
			<p>1. The Institute has submitted the following documents.</p> <ul style="list-style-type: none"> i. Tax Invoice bill & photo of drawing tables. ii. Building Completion Certificate: iii. Electricity bill on the Name of ITI <p>2. The State Directorate has verified documents of the institute's Tax Invoice bill & Photos of Drawing Tables, BCC certificate & Fire Safety Certificate and submitted that it is as per norms. Hence recommended for Electrician- 2 (1+ 1) Fitter- 2(1+1) COPA - 2 (1+ 1) Geo Informatics Assistant 2 (1+1) w.e.f Aug.2025 session.</p>	


 उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भवन संजय, नई दिल्ली-110 012 / Govt. of India, New Delhi-12



Name of the State: Tamil Nadu

S.No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	SCAA Remarks
I	II	III	IV	V
1.	Great Harvest ITI Thiruvallur, No.4, Lakeview Road Morai Main Road Morai Avadi Chennai- 600055 TMP33589PU16821443 48 New ITI	1. Electrician- 2(1+1) 2. Fitter-2(1+1) 3. Plumber-2(1+1) 4. Welder-2(1+1) 5. Solar Technician (Electrical)-2(1+1) 6. Sewing Technology -2(1+1)	20th SCAA Remarks This case was placed in 20 th SCAA meeting and remarks are as follows: Applicant institute needs to provide the instructor appointment details, including their qualifications and experience documents for the sewing technology trade sought for affiliation and submit the documents to the concerned State within 15 days from the date of issue of this minute through NIMI compliance portal. Thereafter, the State will verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal. Compliance report from State against the deficiencies raised by 20th SCAA 1. As per the remarks of the 20th SCAA meeting, the State Directorate has provided the compliance report submitted by the institute, including the Appointment Letters, Certificates, and Experience details of two Instructors for the Sewing Technology trade. 2. The State Directorate has mentioned that all records have been verified and are found to be in order.	SCAA recommended the following trades: 1. Electrician- 2(1+1) 2. Fitter-2(1+1) 3. Plumber-2(1+1) 4. Welder-2(1+1) 5. Solar Technician (Electrical)- 2(1+1) 6. Sewing Technology -2(1+1)

Annexure-2

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण मन्त्रालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मन्त्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

2.	Codep Private Industrial Training Institute Tiruvannamalai PR33000195	Electrician -2(1+1)	<p>18th SCAA This case was placed in 18th SCAA meeting and remarks are as follows:</p> <ol style="list-style-type: none"> 1. Applicant institute needs to remove the following deficiency and submit the documents to the concerned State within 30 days from the date of issue of this minute through NIMI compliance portal <ol style="list-style-type: none"> i. BCC is valid till 31.05.2025, required to renew. ii. Fire Safety certificate not provided. iii. Electricity Bill not provided. 2. Thereafter, the State will verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal. <p>Compliance report from State against the deficiencies raised by 18th SCAA</p> <ol style="list-style-type: none"> 1. State Directorate submitted the document and mentioned that BCC is not as per norms and Electricity Bill and Fire safety is as per norms. 2. Upon scrutiny by the TC Section, the following deficiencies were still found to persist <ol style="list-style-type: none"> i. BCC is not as per norms ii. Electricity bill not provided iii. Fire safety expired 	<p>SCAA has observed that the institute has not fully addressed the deficiencies indicated during the previous SCAA meeting. The following deficiencies are still pending:</p> <ol style="list-style-type: none"> 1. BCC is not as per norms 2. Electricity bill not provided 3. Fire safety expired <p>SCAA has decided to grant a final opportunity to the institute to remove the above deficiencies and submit the necessary supporting documents through the Compliance module on the NIMI Affiliation Portal within 30 days from the date of issue of these minutes.</p> <p>Subsequently, the State Directorate shall verify the compliance and submit its report along with recommendations to DGT through the Compliance module within the next 15 days.</p>
----	---	---------------------	--	---

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

(84)

Name of the State: Uttar Pradesh

S.No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	22 nd SCAA Remarks
I	II	III	IV	V
1.	K S Private ITI, Bijnor Village Kadrabad Khurd, Seohara, Bijnor MIS Code: PR09000419 Grading: 8.30	Electrician - 6(2+2+2)	<p>16th SCAA Remarks ITI needs to submit BCC, as per norms (Please refer page no.108 of affiliation norms 2018) on the Compliance module on NIMI affiliation portal within 30 days from the date of issue of this MoM. Further, the concerned State Directorate to verify the BCC submitted by the ITI and send the recommendations to DGT within the next 15 days through an online compliance module.</p> <p>18th SCAA remarks This case was again placed in the 18th SCAA meeting and SCAA granted one last opportunity to address the deficiencies, and submit the compliance report in the NIMI portal within 30 days from the issuance of these minutes. If the applicant institute fails to do so, the affiliation application shall be rejected.</p> <p>20th SCAA Remarks Considering the request of the State Directorates, the SCAA has agreed to grant a final extension of two months to the applicant institute for the submission of compliance reports. However, it was also mentioned in the minutes of 20th SCAA that if compliance is not received from</p>	The applicant was accorded multiple opportunities through three SCAA meetings—namely the 16th, 18th, and 20th SCAA—to rectify the identified deficiencies. The decisions taken in these meetings were duly uploaded in the public domain and were also communicated to the petitioner by the portal on its registered email ID. Despite these repeated opportunities and clear communication, the applicant failed to take any corrective action to address the deficiencies. Therefore, the application for addition of trade/units is rejected.

Annexure-2

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

(Signature)

S.No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	22 nd SCAA Remarks
I	II	III	IV	V
			<p>the applicant institute within this extended timeline of two months from date of issue of this MoM, the affiliation application shall be rejected, and for seeking affiliation the institutes will be required to apply afresh on the portal, as and when it is open, as per affiliation norms.</p> <p>Compliance report from State against the deficiency raised by SCAA</p> <p>The State Directorate submitted that No Approved Plan is attached but BCC from Govt. Structural Engineer is not provided.</p>	
2.	<p>LATE.R. S LAL Private Industrial Training Institute Deoria</p> <p>MIS Code: PR09000733</p> <p>Grading: 6.50</p>	<p>1. Cosmetology - 2(1+1)</p> <p>2. Fashion Design and Technology - 2(1+1)</p> <p>3. Solar Technician (Electrical) - 2(1+1)</p>	<p>20th SCAA Remarks</p> <p>This case was placed in 20th SCAA meeting and remarks are as follows:</p> <p>Applicant Institute needs to remove the following deficiencies</p> <ol style="list-style-type: none"> 1. Clarify whether the sanctioned load of 27 is in KVA or KW, ensuring it meets the required 26.22 KW. 2. Submit the latest electricity bill reflecting the extended load and submit the required documents within 30 days from the date of issue of this minute in the compliance module on NIMI affiliation portal. <p>Thereafter, the State will verify the documents submitted and send the report with recommendation</p>	<p>SCAA recommended the following trades:</p> <ol style="list-style-type: none"> 1. Cosmetology - 2(1+1) 2. Fashion Design and Technology - 2(1+1) 3. Solar Technician (Electrical) - 2(1+1)

S.No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	22 nd SCAA Remarks
I	II	III	IV	V
			<p>to DGT within the next 15 days through NIMI compliance portal</p> <p>Compliance report from State against the deficiency raised by 20th SCAA</p> <p>The State Directorate has submitted its compliance report with the following details:</p> <ol style="list-style-type: none"> 1. The institute has submitted the latest electricity bill, which confirms that the sanctioned load is 30 KVA (equivalent to 27 KW). 2. The State Directorate has confirmed that the non-compliance has been resolved by the institute. 	
3.	<p>S.P.V.P. PVT. ITI College, Semrahana, Bahraich</p> <p>TMP9125PR164913430 9 New ITI</p>	<ol style="list-style-type: none"> 1. Electrician - 3(1+1+1) 2. Fitter - 3(1+1+1) 	<p>20th SCAA Remarks</p> <p>This case was placed in 20th SCAA meeting and remarks were as follows:</p> <p>The State Directorate will provide a declaration confirming whether the proposed institute is in an unserved block within 30 days from the date of issue of this MoM.</p> <p>Compliance report from State against the deficiency raised by SCAA</p> <p>The State Directorate submitted a report and mentioned that the MIHINPURWA is an unserved block.</p>	<p>SCAA recommended the following trades:</p> <ol style="list-style-type: none"> 1. Electrician - 2(1+1) 2. Fitter - 2(1+1)
4.	<p>Premlata Private ITI – Varanasi Adarsh Nagar</p>	<ol style="list-style-type: none"> 1. Physiotherapy Technician- 2(1+1) 	<p>20th SCAA Remarks</p>	<p>SCAA recommended the following trades:</p>

Annexure-2

उज्ज्वल बिसवास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

S.No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	22 nd SCAA Remarks
I	II	III	IV	V
	<p>Koniya Varanasi - 221001</p> <p>MIS Code: PR09000914</p> <p>Grading: 7.30</p>	2. Geo-Informatics Assistant - 1(1+0)	<p>This case was placed in 20th SCAA meeting and remarks are as follows:</p> <p>Applicant Institute needs to remove the following deficiencies</p> <ol style="list-style-type: none"> 1. Provide the complete instructor details for 02 instructors in trade Geo-Informatics Assistant along with their qualification and experience details and submit the required documents within 30 days from the date of issue of this minute in the compliance module on NIMI affiliation portal. 2. Thereafter, the State will verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal <p>Compliance report from State against the deficiency raised by 20th SCAA</p> <ol style="list-style-type: none"> 1. The institute has submitted the instructor details, including qualifications and experience for both instructors in the Geo-Informatics Assistant trade. 2. State Directorate's Remarks: Upon verification of the attached documents, the State Directorate has confirmed that the noted deficiency has been resolved satisfactorily by the institute. 	<ol style="list-style-type: none"> 1. Physiotherapy Technician- 2(1+1) 2. Geo-Informatics Assistant - 1(1+0)

S.No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	22 nd SCAA Remarks
I	II	III	IV	V
5.	Maharana Pratap ITI College Bijnor TMP9132PR164566870 5	1. Computer Operator and Programming Assistant (COPA)-3(1+1+1) 2. Civil Engineering Assistant-2(1+1) 3. Electrician-3(1+1+1) 4. Fitter-(1+1) 5. Machinist-2(1+1)	18th SCAA remarks This case was placed in 18 th SCAA meeting and remarks are as follows: Applicant Institute needs to remove the deficiencies as mentioned in column IV & V in minutes i.e. 1. Machinery is partially available in COPA, Civil Engineering Assistant, Electrician and Fitter 2. Workshop of Machinist trade is not available. 3. Only 4 instructors are available against the requirement of 10 4. Few laptops are available in IT lab 5. Power shortage: Power required- 40.21 KW; Power available -25 KW 6. Three phase Electricity connection physically not found, the available meter is single phase two wire, and submit the required Compliance documents as per affiliation norms within 30 days from the date of issue of this minute in the compliance module on NIMI affiliation portal. Thereafter, the State Directorate and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI. RDSDE will then submit the report to DGT with recommendations within the next 15 days in the Compliance module on the NIMI affiliation portal.	SCAA recommended the following trades: 1. Computer Operator and Programming Assistant (COPA)-2(1+1) 2. Civil Engineering Assistant-2(1+1) 3. Electrician-2(1+1) 4. Fitter-(1+1) And not recommended Machinist-2(1+1) due to non-availability of Machinery, equipment and tools

उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक/Director
 प्रशिक्षण महानिदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12


Annexure-2

S.No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	22 nd SCAA Remarks
I	II	III	IV	V
			<p>Compliance report against the deficiency raised by SCAA</p> <p>As per remarks of 18th SCAA meeting a joint re-inspection of the institute was conducted by the State Directorate and RDSDE. The remarks of the joint re-inspection team are as follows:</p> <ol style="list-style-type: none"> 1. 3 Phase 21KW connection available in the name of ITI and sufficient for Electrician-(1+1), Fitter-(1+1), COPA-(1+1), civil engineering assistant (1+1). Required load is-20.21kw excluding machinist trade 2. Staff is available as per norms. 01 principal and 08 trade instructor CITS & 4 B. tech, Diploma for Ed, WCS, IT lab, employability skill. 3. All the tools and Equipment and machinery are available and installed except for the trade Machinist. 4. IT Lab is available as per norms. One laptop ,12 PCS, printer, projector, scanner is installed. All are in working condition. 5. Recommended for the Trades Electrician 01+01=02 units Fitter 01+01=02 units COPA 01+01 =02units Civil Engineering Assistant-2(1+1) and trade of Machinist is not Recommended. 	

उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक V Director
 प्रशिक्षण महानिदेशक Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 Govt. of India, New Delhi-12



S.No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	22 nd SCAA Remarks
I	II	III	IV	V
6.	Ram Singh College of Engineering Technology Pvt ITI , Etawa Road, Firozabad Polytechnic New	1. Computer Operator and Programming Assistant (COPA)-3 (1+1+1) 2. Electrician-3 (1+1+1) 3. Fashion Technology -3 (1+1+1) 4. Fitter-3 (1+1+1)	19th SCAA Meeting The Regional Director, RDSDE Uttar Pradesh, shall verify the infrastructure of the institute through a video conference and submit a report to the DGT Headquarters within 15 days from the date of issuance of these minutes. Subsequent to the submission of the verification report, the matter will be discussed in the next SCAA meeting. RDSDE verification report: 1. Computers are in working condition. The air-conditioner is installed and in working condition. 2. In Sewing Technology trade machines are found installed and in working condition. 3. A copy of AICTE NOC for running the ITI in spare Capacity is provided/shown. 4. Machines are found installed in the workshop and are in working condition.	SCAA recommended the following trades: 1. Computer Operator and Programming Assistant (COPA)-2 (1+1) 2. Electrician-2 (1+1) 3. Fashion Technology - 2(1+1) 4. Fitter-2 (1+1)


 उज्जवल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12



Name of the State: West Bengal

S.N o.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	22 nd SCAA Remarks
I	II	III	IV	V
1.	Joynagar Private ITI Bademuldia 24 Paraganas South - 743395 MIS Code: PR19000130 Grading: 6.70	1. Computer Operator and Programming Assistant (COPA)- 4(2+2) 2. Electrician-2(1+1) 3. Welder-4(2+2)	18th SCAA meeting This case was placed in 18 th SCAA meeting and remarks are as follows: Applicant Institute needs to remove the deficiencies as mentioned in column IV & V in minutes i.e. i. Does not fulfill the load capacity for all the trades sought for affiliation. ii. In COPA trade all tools and equipment are not available. iii. Power shortage; required:55.21 KW; available: 37.05 KW. iv. Drawing hall not as per norms. v. The IT lab does not meet the required norms. As per the affiliation norms, the lab must have 16 computers to cater to both existing and new trades sought for affiliation. However, only 8 computers are currently available. vi. The area of IT lab is not as per norms; Available 28.98 sqm required 40 sqm , and submit the required documents within 30 days from the date of issue of this minute in the Compliance module on NIMI affiliation portal. Thereafter, the State Directorate and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI. RDSDE will then submit the report	The SCAA recommended affiliation for the following trades: 1. Electrician-2(1+1) 2. Welder-2(1+1)

Annexure-2

UJJWAL BISWAS
निदेशक
Director
State General of Training
कौशल विकास, संवर्धन और उद्योगिता
Skill Development and Entrepreneurship
New Delhi-12

PA

S.N o.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	22 nd SCAA Remarks
I	II	III	IV	V
			<p>to DGT with recommendations within the next 15 days in the Compliance module on the NIMI affiliation portal.</p> <p>20th SCAA Remarks</p> <p>This case was again reviewed in the 20th SCAA meeting, but the complete joint re-inspection report was not submitted by RDSDE. Therefore, SCAA directed RDSDE West Bengal to submit the complete re-inspection report within 30 days, following which the case would be reconsidered in the next SCAA meeting.</p> <p>Compliance report from State against the NC raised by SCAA</p> <p>The joint re inspection report was submitted by RDSDE and key observations are as follows:</p> <ol style="list-style-type: none"> The institute has surrendered COPA trade (2+2 units) and 2 units of Welder trade (1+1), so now load demand has been reduced accordingly. At present, required load is 28.22 KW A declaration by Shri Ramesh Chandra Barik, Director of the institute, regarding the surrender has been enclosed in the inspection report. Available power is 37.05 KW and required power after surrendering the units of two trades is 28.22 KW Now the drawing hall is as per norms in terms of room size and furniture. Now 20 computers are available. And the physical dimensions of the IT lab is as per norms. The area of 	

उज्जवल बिस्वास/VIJAYAL BISWAS
 निदेशक / Director
 प्रशिक्षण महाविद्यालय, कोशीपुर
 Ministry of Skill Development
 भारत सरकार, नई दिल्ली

(P)

S.N o.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	22 nd SCAA Remarks
I	II	III	IV	V
			the IT lab is now 63 (9m x 7m) sqm. and more than specified in norms.	
2.	<p>Vidyasagar Private ITI Address: P.O.-Durgachak, Haldia, Dist.-Purba Midnapur, Pi Medinipur East - 721602</p> <p>MIS Code: PU19000078</p> <p>Grading: 8.30 1. Old address: P.O-Durgachak, Haldia, Dist: Purba Midnapur, PIN-721602 ;</p> <p>New address: Mouza: Purba Shrikrishnapur, P.S: Sutahata, Block: Sutahata-1,</p>	<p>1. Instrument Mechanic (Chemical Plant) 1+1</p> <p>2. Attendant operator (Chemical Plant) 1+1</p> <p>3. Maintenance mechanic (Chemical Plant) 1+1</p>	<p>20th SCAA Remarks</p> <p>During the 20th SCAA meeting, the State Directorate confirmed that the institute is seeking a change of location along with trade/unit addition. However, as per the DGT OM, trade/unit addition shall not be allowed along with shifting. Therefore, only the request for change of location shall be considered.</p> <p>For further processing, the State Directorate is required to submit the following details within 30 days from the date of issuance of this minute:</p> <ol style="list-style-type: none"> Complete old and new address of the institute. Confirmation on whether the shifting is within the same block/ Municipal Corporation limit or not. <p>Compliance report from State against the deficiency raised by SCAA</p> <p>The State Directorate has submitted the compliance report with the following details:</p> <ol style="list-style-type: none"> Old address: P.O-Durgachak, Haldia, Dist: Purba Midnapur, PIN-721602 ; New address: Mouza: Purba Shrikrishnapur, P.S: Sutahata, Block: Sutahata-1, Haldia, PIN-721635, Dist: Purba Medinipur 	<p>Based on the compliance report submitted by the State Directorate the SCAA recommended the shifting with existing trades:</p> <ol style="list-style-type: none"> Instrument Mechanic (Chemical Plant) 1+1 Attendant operator (Chemical Plant) 1+1 Maintenance mechanic (Chemical Plant) 1+1

S.N o.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	22 nd SCAA Remarks
I	II	III	IV	V
	Haldia, PIN-721635, Dist: Purba Medinipur		ii. The shifting is within same Block i.e Sutahata-1 as per record of BLRO	

उज्जवल बिसवास
 निदेशक
 प्रशिक्षण महानिदेशालय
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012



Annexure-3

(Annexure 3 as referred in Agenda 4-DST affiliation of ITIs of Karnataka State)

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
1	Govt ITI(W) Gundlupet	GR29 000206	Govt	M/S Elkitich Pvt Ltd Badanaguppe Kellamballi Industrial Area Chamarajanagara Karnataka 571313	9/11/2024	7/31/2025	Industrial Robotics & Digital Manufacturing Technician	2nd	1	Conversion	Recommended	The MoU signed by the institute is set to expire in July 2025. Therefore, the conversion of trades/units under the Dual System of Training (DST) cannot be recommended from the 2025 session onwards.
2	Govt ITI For Women, Channarayana patana	GR29 000248	Govt	Wipro GE Healthcare Pvt.Ltd., No 60, EPIP, white field,	8/6/2024	8/5/2027	Electronics Mechanic	1 st	2	Conversion	Recommended	Recommended

Annexure-3

उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महाविभाग, ज्योतिषीय निदेशक
 कोशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भा.स.स.स. नई दिल्ली-110012/Govt. of India, New Delhi-12

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
				Bangaluru Karnataka260066			Electronics Mechanic	2nd	1	Conversion	Recommended	Recommended
							Electrician	1 st	1	Conversion	Recommended	Recommended
							Advanced CNC Machining Technician	1 st	1	Conversion	Recommended	Recommended
							Fitter	2nd	1	Conversion	Recommended	Recommended
3	Govt ITI Hunsur	GR29 00036 2	Govt	SS Technology, Plot No. 191, Hebbal Industrial Area, 3rd Stage, Near Lawrence Clothing, Mysuru, Karnataka- 570018	10/1 5/20 24	10/1 5/20 26	Electronics Mechanic	2nd	2	Conversion	Recommended	Recommended

Annexure-3

उज्ज्वल बिस्वास / UJJWAL BISWAS
Director
परिक्षण महानिदेशक / Director General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

(P)

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
4	Govt ITI Kollegal, Near Adarsha School, Main Road Mudigunda.	GR29 00038 5	Govt	Tritan Walves Mysore, Mysore District	6/21/ 2024	31/0 6/20 26	Fitter	1 st	1	Conversion	Recommended	Recommended
5	Govt. ITI Maddur	GR29 00040 0	Govt	M/s. Hiten Fasteners Somanahalli Industrial area, Maddur	1/11/ 2021	1/10/ 2025	Tool & Die Maker (Press Tools, Jigs & Fixtures)	1 st	1	Conversion	Recommended	The MoU signed by the institute is set to expire in Oct 2025. Therefore, the conversion of trades/units under the Dual System of Training (DST) cannot be recommended from the 2025 session onwards.

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
					10/1/2024	9/30/2028	Tool & Die Maker (Press Tools, Jigs & Fixtures)	2nd	1	Conversion	Recommended	Recommended
6	Govt ITI Beguru, Gundlupet Tq,Chamarajanagar 571109	GR29 000925	Govt	Brakes India Pvt. Ltd, Nanjangud Taluk, Mysore, Karnataka-571301	11/3/2023	7/31/2025	Fitter	2nd	1	Conversion	Recommended	The MoU signed by the institute is set to expire in July 2025. Therefore, the conversion of trades/units under the Dual System of Training (DST) cannot be recommended from the 2025 session onwards.
				AT&S India Pvt Ltd. , Nanjangud Taluk, Mysore, Karnataka-571301	11/3/2023	7/31/2025	Electronics Mechanic	2nd	1	Conversion	Recommended	
					11/3/2023	7/31/2025	Electrician	2nd	1	Conversion	Recommended	

Annexure-3

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

(P4)

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
7	Govt ITI Udayapura, Baladare Post, Dandiganahalli Hobli, Channarayana Taluk, Hassan District	GR29 000939	Govt	M/S Kaynes Technology India Ltd, H.O & Regd office: 23-25, Belagola Food Industrial Estate, Metagally P O, Mysore - 570016	9/18/2024	9/18/2028	Electrician	1 st	1	Conversion	Recommended	Recommended
							Electronics Mechanic	2nd	1	Conversion	Recommended	Recommended
8	Govt ITI, Beerihundi	GR29 001444	Govt	Triphase Tecchnologies(p) ltd , Hootagalli, Mysore , Karnataka 570016	7/10/2024	7/9/2026	Electrician	2nd	1	Conversion	Recommended	Recommended
9	Govt ITI N R Mohalla Mysore-7	GU29 000053	Govt	KPR Group of Companies, # 25/1, Hinkal Village, Kasaba Hobli, Mysore, Karnataka- 560017	9/30/2024	9/30/2026	Mechanic Motor Vehicle	2nd	1	Conversion	Recommended	Recommended

Annexure-3

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण विकास विभाग / Directorate of Skill Training
कौशल विकास एवं प्रशिक्षण विभाग / Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002

(Signature)

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
				M/S Triphase Technologies Pvt Ltd, Mysore-570016	9/30/2024	9/30/2026	Electronics Mechanic	2nd	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
					1/5/2024	1/5/2029	Electrician	3rd	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
10	Govt. ITI Malavalli, Behind KSRTC Bus Stand, Opp Munciff Court, Near Kanakadasa Stadium, Malavalli	GU29000158	Govt	M/S Kaynes Technology India Limited., H.O & Regd Off:23-25, Belagola Food Industrial Estate, Metagalli Post, Mysuru - 570016. Karnataka	9/3/2024	9/3/2026	Electronics Mechanic	2nd	2	Conversion of Existing Affiliated Unit	Recommended	Recommended


 उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक / Directorate General of Training
 कौशल विकास एवं ससमर्थन मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-110012



S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
	Town, Mandy a Dist - 571430			M/S Rane Madras Limited, #79/84, Hootagalli Industrial Area, Mysuru - 570018, Karnataka	9/3/2024	9/3/2026	Turner	1 st	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
11	Govt ITI Vishweshwara Nagar Harishchandra Road Kille Mohalla Mysore-08	GU29 00148 2	Govt	Triton Valves Ltd	6/21/2024	6/21/2026	Electrician	2nd	1	Conversion	Recommended	Recommended
							Fitter	2nd	1		Recommended	Recommended
12	Govt ITI Chamarajanagara	GU29 00151 4	Govt	M/S Elkitch Pvt Ltd Badanaguppe Kellamballi Industrial Area Chamarajanagar	9/11/2024	7/31/2025	Fitter	1 st	1	Conversion	Recommended	Recommended
					9/11/2024	7/31/2025	Electrician	1 st	1	Conversion	Recommended	Recommended

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
				a Karanataka-571313	9/11/2024	7/31/2025	Advanced CNC Machining Technician	1 st	1	Conversion	Recommended	The MoU signed by the institute is set to expire in July 2025. Therefore, the conversion of trades/units under the Dual System of Training (DST) cannot be recommended from the 2025 session onwards.
13	Govt ITI Tagadur	GR29 00155 2	Govt	Keynes Electronics Manufacturing Pvt. Ltd. 26-27 Badanaguppe Kellamballi Industrial Area Chamarajanagar	4/7/2024	7/31/2026	Fitter	1 st	1	Conversion	Recommended	Recommended
							Electronics Mechanic	1 st	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

Annexure-3

सुजयवर्मा निरवाह / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण विकास विभाग (Directorate of Skill Development and Training)
कौशल विकास और प्रशिक्षण विभाग (Ministry of Skill Development and Entrepreneurship)
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
				a Dist Karnataka State.-571313			Electrician	1 st	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
14	Govt ITI Chinakurali	GR29 00093 6	Govt	Triphase Technologies pvt ltd Plot No.# 268 , B-2 part 2nd Hebbal Industrial Area , Ilwala Hobali Mysore - 570016	10/19/2024		Electrician	2nd	1	Conversion of Existing Affiliated Unit	Recommended	The MoU end date is not mentioned; hence the proposal is not recommended. It may be forwarded to the SCAA upon submission of complete and accurate details
15	Govt ITI Belavadi Mysore -18	GU29 00034 6	Govt	Mercar Road Belavadi Main Rd Mysuru Karnataka 570018	7/11/2024		Fitter	1 st	1	Conversion	Recommended	The MoU end date is not mentioned; hence the proposal is not recommended. It may be

Annexure-3

उज्ज्वल बिस्वास/UJJWAL BICWAS
निदेशक / Director
प्रशिक्षण निदेशक (Director of Training)
कौशल विकास एवं उद्यमशीलता विभाग
Ministry of Skill Development and Entrepreneurship
नया राक्षस, ई-1201-1-2/2 Govt. of India, New Delhi-12

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
												forwarded to the SCAA upon submission of complete and accurate details
16	Govt ITI Nigadi	GR29 00145 1	Govt	M/S TATA Motors Ltd. Belur Industrial Area Pb Road, Dharwad 580011	3/21/ 2022	Till Deviation or ITI With Grading Below 2	Fitter	1 st	1	Conversion	Recommended	Recommended
							Electrician	1 st	1	Conversion	Recommended	Recommended
17	Govt ITI (Men) Belagavi	GU29 00004 5	Govt	M/S Victor Enterprises M/N-16 Industrial Estate Udyambag, Belagavi.	1/4/2 024	1/3/2 027	Foundryman	1 st	1	Conversion	Recommended	Recommended

Annexure-3

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक, प्रशिक्षण
प्रशिक्षण महाविभाग/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
17	Govt ITI (Men) Belagavi	GU29 00004 5	Govt	M/S Vimal Enterprises Plot No 53,54/A Machhe Industrial Area Machhe Belgaum-590014,	1/4/2024	1/3/2027	Foundryman	1 st	1	Conversion	Recommended	Recommended
				Mangal Founders S NO.634/1,Jamboti Road Machhe Belgaum -590014	1/4/2024	1/3/2027	Foundryman	1 st	1	Conversion	Recommended	Recommended
				Alankar Enterprises, S-No. 698, Plot No B-36, Udyanbag, Belagavi,	9/22/2024	9/21/2027	Fitter	2nd	2	Conversion	Recommended	Recommended
				Grihalaxmi Enterprises, Plot No 158/6 Sy No 336/1 Cts No 1526 Udyambhag Belagavi - 590008	9/24/2024	9/23/2027	Fitter	2nd	2	Conversion	Recommended	Recommended

Annexure-3

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महाविभाग / Directorate General of Training
उत्तराखण्ड विभाग / Uttarakhand Skill Development and Entrepreneurship
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली - 110002, India, New Delhi-12

(Signature)


S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
				Phoenix Products, Udyambag, Belagavi	9/22/2024	9/21/2027	Welder	1 st	1	Conversion	Recommended	Recommended
18	Govt. ITI Women, Belagavi	GU29000154	Govt	Paarc Industries Macche, Belagavi	9/2/2021	9/1/2025	Fitter	3rd	1	Conversion	Recommended	The MoU has been expired Therefore, the conversion of trades/units under the Dual System of Training (DST) cannot be recommended from the 2025 session onwards.
				Vishwa Engineers Tiny Industries Estate, Udyambag, Belagavi	9/2/2021	9/1/2025	Fitter	3rd	1		Recommended	
				Ashok Forming Technologies Macche, Belagavi	5/17/2023	5/16/2027	Fitter	3rd	1		Recommended	


 उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12



S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
18	Govt. ITI Women, Belagavi	GU29 000154	Govt	Orione Hydraulics Pvt. Ltd. Belagavi	5/17/2023	5/16/2027	Fitter	3rd	1		Recommended	Recommended
				Ashok Iron Works Pvt. Ltd. Industrial Estate Udyambag, Belagavi	6/6/2022	6/5/2026	Electrician	3rd	1	Conversion	Recommended	Recommended
				Nagshanti Cars Pvt Ltd Udyambag, Belagavi	8/21/2020	8/20/2024	Mechanic Motor Vehicle	3rd	1	Conversion	Recommended	The MoU has been expired. Therefore, the conversion of trades/units under the Dual System of Training (DST) cannot be recommended from the 2025 session onwards.
					8/21/2020	8/20/2024	Mechanic Diesel	2nd	1	Conversion	Recommended	

Annexure-3


 दिनेश्वर/उज्ज्वल बिस्वास
 निदेशक / Director
 शिक्षा प्रविष्टि शाखा / Directorate of Technical Education
 चोरीया नगरपालिका, पोखरा-१३
 Ministry of Skill Development and Entrepreneurship
 पोखरा-१३, कैलाली-१३, कैलाली-१३, कैलाली-१३



S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
19	Govt. ITI, Solapur Road, Vijayapura-586103	GU29000051	Govt	M/s Bijjaragi Motors Pvt Limited 113/B/2, NH-13 Bypass, Indi Road Cross, Vijayapura-586104, Karnataka State	Aug-24	Jul-26	Mechanic Motor Vehicle	2nd	1	Conversion	Recommended	Recommended
					Aug-24	Jul-26	Welder	1 st	1	Conversion	Recommended	Recommended
					Aug-24	Jul-26	Mechanic Electric Vehicle	2nd	1	Conversion	Recommended	Recommended
				Narayan Cars Pvt. Limited, No.7/1, 2C KASABA, Near Ibrahimpur Ring Road, NH-13, Opp: Sai Hospital, Vijayapura-586109, Karnataka State	Aug-24	Jul-26	Electrician	1 st	1	Conversion	Recommended	Recommended
					Aug-24	Jul-26	Fitter	1 st	2	Conversion	Recommended	Recommended



 Director
 Director General of Training
 Ministry of Skill Development and Entrepreneurship
 Government of India, New Delhi-12



S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
20	Govt ITI Narendra Mummigatti Housing Layout Pb Road Opp Power Grid Dharwad-580011	GU29 00064 4	Govt	M/S. Amogh Enterprises, Hubballi.	29-11-2024	30-11-2027	Refrigeration and Air Conditioner Technician	1 st	1	Conversion	Recommended	Recommended
				Mysore Garage P B Road Dharwad-11	3/2/2024	2/2/2027	Mechanic Motor Vehicle	1 st	1	Conversion	Recommended	Recommended
21	Govt ITI (W) Kalaburagi	GU29 00011 5	Govt	Kkrctc M.S.K.Mill.Road, Beside Kalaburagi Depot-No.1	6/10/2024	6/9/2026	Fitter	1 st	2	Conversion	Recommended	Recommended
22	Govt ITI Wadi	GR29 00019 6	Govt	Kkrctc Chittapur Depot.Chittapur, Dist: Kalaburgi	7/9/2024	7/9/2026	Fitter	2nd	1	Conversion	Recommended	Recommended
							Welder	1 st	1		Recommended	Recommended

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
							Welder	2nd	1		Recommended	Recommended
23	Govt ITI Humnabad By Pass Road N H 9 Behind Rto Office Humnabad	GU29 000289	Govt	Kkrto Bidar Bus Depot Humnabad	15-06-2024	6/14/2029	Fitter	1st	1	Conversion	Recommended	Recommended
24	Govt ITI Ballary	GU29 000049	Govt	Kpf Private Limitade, Hospet Road, New Allipura, Ballari Dist-585105	6/6/2024	6/5/2029	Mechanic Motor Vehicle	1st	1	Conversion	Recommended	Recommended
							Mechanic Diesel	1st	1			SSDEC has not provided any recommendation for this trade/unit. Therefore, the matter may be re-considered in the upcoming SSDEC

Annexure-3


 UJJWAL BISWAS
 Director
 Directorate General of Training
 Ministry of Skill Development and Entrepreneurship
 New Delhi-110002, India




S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
												meeting, and the recommendation may be forwarded to SCAA accordingly.
25	Govt ITI Basavakalyana	GU29 000915	Govt	KKRTC Basavakalyana	6/5/2024	6/4/2026	Mechanic Motor Vehicle	1 st	1	Conversion	Recommended	Recommended
							Fitter	1 st	1			SSDEC has not provided any recommendation for this trade/unit.
							Electrician	1 st	1			Therefore, matter may be re-considered in the upcoming SSDEC meeting, and the recommendation may be

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
												forwarded to SCAA accordingly.
26	Govt ITI Vittalapur Sandur Tq, Ballari Dist 583115	GR29 000320	Govt	M/S Padmavati Feros Ltd, Chikanthapura Post, Sandur Tq, Bellary 583115	5/27/ 2024	5/26/ 2026	Welder	1 st	1	Conversion	Recommended	Recommended
27	Govt ITI Magadi 562120 Ramanagara District	GR29 000938	Govt	Toyota Kirloskar Motors Pvt Ltd Bidadi Industrial Area Ramanagara District 562109	6/28/ 2023	6/27/ 2027	Electrician	1 st	1	Conversion	Recommended	Recommended
							Fitter	1 st	1	Conversion	Recommended	Recommended
							Electronics Mechanic	1 st	1	Conversion	Recommended	Recommended


 उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक, केंद्र प्रशिक्षण, जनरल ऑफ ट्रेनिंग
 कौशल, विद्युत एवं उद्योग विभाग, भारत सरकार
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, ई-डिप्लोमा, ई-गवर्न, ई-लर्न, ई-मैनेज



S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
							Mechanic Motor Vehicle	1 st	1	Conversion	Recommended	Recommended
28	Govt ITI Chintamani, Polytechnic Hostel Building, Chintamani-563125	GR29 001506	Govt	Toyota Kirloskar Motor Private Limited, Plot No.1,Bidadi Industrial Ramanagara Dist-562109	6/28/2023	6/1/2027	Electrician	1 st	1	Conversion	Recommended	Recommended
29	Govt ITI, Koluru Road,Kantanakunte, Doddaballapura Taluk, Bengaluru Rural Dist-561203	GU29 001519	Govt	Toyota Kirloskar Motor Private Limited, Plot No 1 , Bidadi Industrial Area Ramanagara District	6/28/2023	6/27/2027	Fitter	2nd	1	Conversion	Recommended	Recommended


 UJJWAL BISWAS
 Director
 Directorate General of Training
 Ministry of Skill Development and Entrepreneurship
 Government of India, New Delhi-110002



S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
30	Govt. ITI Hanagal Molakalmuru	GR29 001429	Govt	Toyota Kirloskar Motor Pvt Ltd. Plot No-1, Bidadi Industrail Area, Ramanagara Dist-562109	6/28/2023	6/28/2027	Electrician	2nd	1	Conversion	Recommended	Recommended
					6/28/2023	6/28/2027	Fitter	2nd	1	Conversion	Recommended	Recommended
31	Govt ITI Channagiri-577213	GR29 000368	Govt	Toyota Kirloskar Motor Private Limited , Bidadi, Ramanagara, Dist-562109	26-06-2023	26-06-2027	Electrician	1 st	1	Conversion	Recommended	Recommended
							Fitter	1 st	1		Recommended	Recommended
32	Government Industrial Training Institute Located At Plot No 3,4,8 And 9 Kht	GR29 000059	Govt	M/s Rajamane & Hegde Service Pvt Ltd . Located at No142(A) IInd Phase, KIADB Industrial Area, Antharasanahally	1/3/2025	7/31/2026	Electrician	2nd	1	Conversion	Recommended	Recommended

Annexure-3

उज्ज्वल बिस्वास/UJJWAL BISWAS
 Director
 Ministry of Skill Development and Entrepreneurship
 Government of India
 New Delhi-110002



S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
	Complex Kssidc Industrial Area Antharasana hally Tumakuru 572106			, Tumakuru-572106 District:Tumakuru State: Karnataka	7/24/2023	7/31/2025	Fitter	2nd	1	Conversion	Recommended	The MoU signed by the institute is set to expire in July 2025. Therefore, the conversion of trades/units under the Dual System of Training (DST) cannot be recommended from the 2025 session onwards.
				M/s Rajamane & Hegde Service Pvt Ltd . Located at No312(A)(B) Sompura 1st Stage ,KIADB Industrial Area Nidavanda Village Nelamangala Taluk, Dabasapete District: Bangalore Rural State: Karnataka			Turner	1st	2	Conversion	Recommended	
33			Govt	BEML LTD KGF	4/27/2022	4/26/2025	Fitter	1st	2		Recommended	The MoU signed by the

Annexure-3



 उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 कौशल प्रशिक्षण विभाग / Directorate General of Training
 कौशल विकास एवं प्रशिक्षण विभाग, मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 कौशल विकास, ई.पी.डी.ओ. ऑफिस, नई दिल्ली-110002


 P4

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
	Govt, ITI, BEML Nagar KGF	GU29 000015					Fitter	2nd	2		Recommended	institute has been expired. Therefore, the conversion of trades/units under the Dual System of Training (DST) cannot be recommended from the 2025 session onwards.
							Turner	1st	2		Recommended	
				BEML LTD KGF	4/27/ 2022	4/26/ 2025	Turner	2nd	2		Recommended	The MoU signed by the institute has expired. Therefore, the conversion of trades/units under the Dual System of Training (DST) cannot be
							Machinist	1st	1		Recommended	

उपनिवेश निदेशक / Director
प्रशिक्षण निदेशक, निदेशक, निदेशक
कोशल विकास एवं उद्यमिता विभाग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
												recommended from the 2025 session onwards.
34	GOVT ITI For Women, Stadium Road, Chitradurga	GR29 00023 1	Govt	Toyota Kirloskar Motor Private Limited, Bidadi Industrial Area, Ramanagara Dist.	6/28/ 2023	6/27/ 2027	Electrician	1 st	2	Conversion	Recommended	Recommended
							Fitter	2nd	1		Recommended	Recommended
35	Govt ITI Pavagada, Sree Kanyaka Parameshwari Temple Street, Pavagada.	GR29 00038 9	Govt	Toyota Kirloskar Motor Pvt Ltd. Plot No-1, Bidadi Industrail Area, Ramanagara Dist-562109	6/28/ 2023	6/27/ 2027	Electrician	2nd	1	Conversion	Recommended	Recommended
					6/28/ 2023	6/27/ 2027	Fitter	2nd	1	Conversion	Recommended	Recommended
36	Govt ITI Kunigal		Govt	Toyota Kirloskar Motors Pvt Ltd	6/28/ 2023	6/27/ 2027	Electrician	1 st	1	Conversion	Recommended	Recommended


 UJJWAL BISHWAS
 Director
 Director of Training
 Ministry of Skill Development and Entrepreneurship
 Government of India, New Delhi-12




S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
	572130 Tumkur District	GR29 00094 8		Bidadi Industrial Area Ramanagara District 562109			Fitter	1 st	1	Conversion	Recommended	Recommended
							Mechanic Motor Vehicle	1 st	1	Conversion	Recommended	Recommended
37	Govt ITI Bharamasagara, Vidyanagar, Bharamasagara-577519, Chitradurga (Tq & Dist) Karnataka State	GR29 00094 8	Govt	Toyota kirloskar motor private limited., plot no. 1, Bidadi Industrial Area, Ramnagara dist- 562109 Karnataka State	1/8/2023	1/8/2027	Mechanic Motor Vehicle	2nd	1	Conversion	Recommended	Recommended


 UJJWAL BISWAS
 Director
 पशुधन मन्त्रालय/Directorate General of Training
 यशोवर्धन विकास एवं उद्यमशीलता मन्त्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12




S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
38	Govt ITI Hiriya Behind Govt Polytechnic Nh-4, Hiriya Tq Chitradurga Dist	GU29 00094 5	Govt	Toyota Kirloskar Motor Private Limited ,Plot No 1 , Bidadi Industrial Area Ramanagara District	5/24/ 2023	8/1/2 027	Mechanic Motor Vehicle	2nd	1	Conversion	Recommended	Recommended
39	Govt ITI Jagalur	GR29 00080 3	Govt	Toyota Kirloskar Motor Pvt Ltd Plot No. 1 Bidadi Industrial Area Ramanagara	5/24/ 2023	10/3 1/20 27	Electrician	1 st	1	Conversion	Recommended	Recommended
					5/24/ 2023	10/3 1/20 27	Fitter	1 st	1	Conversion	Recommended	Recommended
					5/24/ 2023	10/3 1/20 27	Mechanic Motor Vehicle	1 st	1	Conversion	Recommended	Recommended


 उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक, Director
 प्रशिक्षण महामंत्रालय/Directorate General of Training
 कौशल विकास एवं प्रशिक्षण विभाग, Ministry of Skill Development & Entrepreneurship
 गरीब सहायता, नई दिल्ली-110002, India, New Delhi-12



S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
40	Govt ITI Hoskote Doddadunnasandra , Soukya Road, Kanekal Cross, B'lore Rural Dist. - 560 117	GR29 00146 5	Govt	Toyota Krislokar Motor Pvt LTD Plot No.1,Bidadi Industrial Area, Ramanagara Dist-562109	6/28/ 2023	6/27/ 2027	Fitter	1 st	1	Conversion	Recommended	Recommended
41	Govt. ITI Ronnur Cross, Srinivasapura Taluk , Kolar Dist 563135	GR29 00150 2	Govt	Toyota Kirloskar Motor Private Limited, Plot No. 01, Bidadi Industrial Area, Ramanagara Dist.- 562109	6/28/ 2023	6/27/ 2027	Electrician	2nd	1	Conversion	Recommended	Recommended
							Fitter	2nd	1	Conversion	Recommended	Recommended


 UJJWAL BISWAS
 Director
 Directorate General of Training
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110 012 / Govt. of India, New Delhi-12



S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
42	Govt ITI, Gudibande, Ramapatana Ullodu Road Chikkaballapura Dist, Karnataka State	GU29 00144 8	Govt	Toyota kirloskar motor private limited., plot no. 1 , Bidadi Industrial Area, Ramnagara dist- 562109 Karnataka State	6/28/ 2023	6/28/ 2027	Electrician	1 st	1	Conversion	Recommended	Recommended
43	Govt ITI Devanahalli	GR29 00010 8	Govt	M/S Dynamatic Hydraulics, 1A/a, 1st main, 1st stage, Phase-II, Peenya Industrial Area Bangalore-58	5/23/ 2024	5/23/ 2028	Fitter	2nd	1	Conversion	Recommended	Recommended
44	Govt ITI Chikkaballapuraankanoor, Opp Sp Office, Chikkaballapura	GU29 00142 7	Govt	M/S Microtech Machines Limited. NO.8,KIADB industrial area chikkaballapura	15-04-2024	15-04-2028	Advanced CNC Machinig Technician	2nd	1	Conversion	Recommended	Recommended
45	Govt ITI For Women,		Govt	M/S.Bosch Limited, Hosur	8/21/ 2024	8/20/ 2027	Electronics Mechanic	1 st	1	Conversion	Recommended	Recommended

Annexure-3

उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महाविभाग / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, 12, बिल्डिंग-12, Govt. of India, New Delhi-110002

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
	Hosur Road, Bengaluru 560029	GU29 000214		Road, Bengaluru-560030, Karnataka, India			Electronics Mechanic	1 st	2	Conversion	Recommended	Recommended
							Electrician	2 nd	1	Conversion	Recommended	Recommended
							Fitter	2 nd	1	Conversion	Recommended	Recommended
46	Govt ITI Peenya Tumkur Road Bangalore-22	GU29 000067	Govt	Trident Automobiles Pvt Ltd Lower Palace Orchards , Sankey Road Bangalore-560003	8/8/2024	7/8/2027	Mechanic Motor Vehicle	2 nd	1	Conversion	Recommended	Recommended
					8/8/2024	7/8/2027	Mechanic Motor Vehicle	2 nd	2	Conversion	Recommended	Recommended
					8/8/2024	7/8/2027	Mechanic Diesel	1 st	1	Conversion	Recommended	Recommended

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण प्रविधिकरण / Directorate General of Training
कोशल विकास एवं उद्यमता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110011 / Govt of India, New Delhi-11

(P)

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
47	Govt ITI Devarayasa mudra. Mulbagal Taluk. Kolar District Pin-563127	GR29 000157	Govt	RR Engineering and exports.Tamaka Industrial Area Kolar District. Karnataka State.	10/29/2024	31/10/2027	Turner	1 st	1	Conversion	Recommended	Recommended
48	Govt ITI Gubbi Hanumantha Nagara Gubbi Tumakuru Dist 572216	GR29 001428	Govt	Rajamane & Hegde Services Pvt Ltd No142/A, 2nd Phase, KIADB Industrial Area, Antharsanahalli Tumakuru 572106	10/7/2025	10/6/2029	Fitter	1 st	1	Conversion	Recommended	Recommended
49	Govt ITI Koratagere	GR29 001513	Govt	Honnasiri Mahindra #68/3a Maralur Village,	7/1/2021	6/30/2025	Mechanic Motor Vehicle	1 st	1	Conversion	Recommended	The MoU signed by the institute is set to expire in

Annexure-3

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
योगेश्वर विचार मंच उद्यमशीलता विकास
Ministry of Skill Development and Entrepreneurship
नारायण अस्थान, नई दिल्ली-110012/Govt. of India, New Delhi-12

(Signature)

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
				Gubbi Ring Road, Tumkur-572105			Mechanic Motor Vehicle	2nd	1		Recommended	June 2025. Therefore, the conversion of trades/units under the Dual System of Training (DST) cannot be recommended from the 2025 session onwards.
50	Govt ITI Soraba	GR29 00098 9	Govt	Perfect Alloy Components Pvt Ltd, Navule, Savalanga Road, Shivamogga-577204	6/7/2024	6/6/2027	Fitter	1 st	1	Conversion	Recommended	Recommended

उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महाविभाग/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110 012/Govt. of India, New Delhi-12

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
51	Govt ITI Shikaripura	GU29 00076 0	Govt	Perfect Alloy Components Pvt Ltd, Navule, Savalanga Road, Shivamogga-577204	6/7/2024	6/6/2027	Fitter	2nd	1	Conversion	Recommended	Recommended
52	Govt ITI Channapattana	GU29 00142 6	Govt	Bharat Heavy Electrical Limited, Electronics Division Mysore road, Bangalore Karnataka	12/27/2024	6/30/2027	Electrician	2nd	1	Conversion	Recommended	Recommended
							Fitter	2nd	1	Conversion	Recommended	Recommended


 UJJWAL BISWAS
 Director
 Directorate General of Training
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12



S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
53	Govt ITI Ramanagara	GR29 00075 2	Govt	Spm India Ltd, Kt No.182 Gdr Tech Ville, Block A, Kethaganahalli Village, Bidadi Hobli, Ramanagara Taluk & District 562109	11/2 2/20 24	11/2 1/20 27	Tool & Die Maker (Press Tools, Jigs & Fixtures)	1 st	1	Conversion	Recommended	Recommended
							Tool & Die Maker (Press Tools, Jigs & Fixtures)	2nd	1		Recommended	Recommended
				Bharath Heavy Electricals Limited, Electronics Division Mysore Road, Bengaluru 560026	12/2 7/20 24	12/2 6/20 27	Electrician	1	1		Recommended	Recommended
							Electrician	2nd	1		Recommended	Recommended
							Electronics Mechanic	1 st	1		Recommended	Recommended
							Electronics Mechanic	2nd	1		Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
							Fitter	1 st	1		Recommended	Recommended
							Fitter	2 nd	1		Recommended	Recommended
54	Sri Vivekananda Pvt ITI, Sonnashettihalli, Kolar Road, Chintamani-563125,	PR29 00090 1	Pvt	Y G Cutting Tools Corporation Pvt Ltd Plot No. 2c, Kiadb Industrial Area, Phase 3, Obadenahalli, Doddaballapur, Bangalore - 561203	8/29/2023	8/28/2026	Fitter	1 st	1	Conversion	Recommended	Recommended


 उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12




S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
	Chikkaballapura Dist.			Zigma Technologies, #19 & 20 Brindavana, Ground & 1st Floor, 3rd Cross Near Mcdonalds, DLF Main Road Off Bannerghatta Road, Bengaluru 560068.	11/9/2023	11/8/2026	Electrician	3rd	1	Conversion	Recommended	Recommended
55	Akshara Private ITI, Malappalli, Chintamani - 563125	PR29 00139 1	Pvt	Toyotetsu India Auto Parts Pvt Limited. Bidadi Ramanagara District Karnataka-562109	8/13/2022	8/13/2026	Fitter	3rd	1	Conversion	Recommended	Recommended
							Electrician	3rd	1	Conversion	Recommended	Recommended
56	VNR Private ITI, Petechaman	PR29 00084 4	Pvt	Tooltech Metforms India Pvt.Limited, Plot No 176-P3, Kiadb	3/20/2024	3/19/2028	Electrician	3rd	1	Conversion	Recommended	Recommended

उद्योग विभाग / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण मंत्रालय / Directorate General of Training
 कौशल विकास एवं सहायकता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
	ahalli, Kolar-563102			Narasapura Industrial Area Karinayakanahalli Village Malur Taluk Kolar District-563130			Fitter	3rd	1	Conversion	Recommended	Recommended
57	Crescent PVT ITI, 98/B KIADB Industrial Area 4th Phase, Jigani Link Road, Bommasandra, Bangalore 560099	PU29 00156 0	Pvt	Optics & Anllied Eng.Pvt.Ltd #9q, Bommasandra Jigani Link Road, 1st Phase, Bommasandra Industrial Area Bangalore-560099	11/2/2023	11/1/2027	Fitter	2nd	1	Conversion	Recommended	Recommended
				Suvarna Precision Products No-143, B8 Park, K Rajanna Building, Near	11/2/2023	11/1/2027						

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण निदेशक, कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
				Sansera Engineering, L & T Road, Hebbagodi, Bommasandra Post, Anekal Taluk, Bangalore-560 099								
58	Sri Jagadguru Panchacharya ITI, Behind Sahyadri College, Bye-Pass Road, Shivamogga,	PR29 000251	Pvt	Prarthana Engineering (P) Ltd No.25-B 26-A1, 26-A2, Kiadbi Industrial Area Machenahalli Nidige-577 222 Shimoga, Shivamogga Dist, Karnataka State	27-04-2023	26-04-2026	Electrician	2nd	1	Conversion	Recommended	Recommended
							Welder	1st	1	Conversion	Recommended	Recommended
							Fitter	2nd	1	Conversion	Recommended	Recommended
							Fitter	2nd	2	Conversion	Recommended	Recommended


 उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 राष्ट्रीय प्रशिक्षण परिषद्, राष्ट्रीय प्रशिक्षण
 मंत्रालय, भारत सरकार, नई दिल्ली-110002
 Ministry of Skill Development and Entrepreneurship
 Govt. of India, New Delhi-12



S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
				Techno Rings #B-1 KSSIDC Industrial Estate Sagar Road Shivamogga, Shivamogga Dist, Karnataka	06-05-2023	05-05-2026	Fitter	2nd	1	Conversion	Recommended	Recommended
							Fitter	2nd	2	Conversion	Recommended	Recommended
59	Sri Goggachann abasaiah ITI Kampli Near Govt Hospital Kampli-583132	PU29 00099 5	Pvt	Sri Murali Krishna Industries Kampli Ballary Dist 583124	8/16/2021	8/14/2026	Electrician	3rd	1	Conversion	Recommended	Recommended
							Fitter	3rd	1		Recommended	Recommended


 उज्जवल बिस्वास/UJJWAL BISWAS
 Director
 प्रशिक्षण महा-निदेशन / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12



S. No	Name and Address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	Units	Conversion of Existing Affiliated Unit/ New Unit	Recommendation of SSDEC	SCAA remarks
60	Gangothri ITI Behind Ksrtc Bus Depo Holenarasipura Taluk Hassan District	PR29 00034 0	Pvt	Toyotestu India Auto Parts Pvt Ltd,Bidadi Ramnagara District Karnataka State	7/2/2 023	7/2/2 027	Electrician	3rd	1	Conversion	Recommended	Recommended

उज्जवल सिन्हा / UJJWAL SINGH
 Director
 राष्ट्रीय प्रशिक्षण परिषद् / National Skill Development Corporation
 कोशल विकास और उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

(P4)

Annexure-4

(Annexure 4 as referred in Agenda 4-DST affiliation of ITIs of Uttarakhand)

S. No	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	No. of units	Whether already affiliated unit / New Unit	Recommendation of SSDEC	SCAA remarks
1	Govt. Industrial Training Institute Almora	GU0500 0062	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145	9/12/ 2024	9/11/ 2027	Electrician	2nd	1	Conversion	0+1 Recommended	Recommended
2	Govt. Industrial Training Institute Boy's Haldwani	GU0500 0070	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145	9/12/ 2024	9/11/ 2027	Turner	2nd	1	Conversion	0+1 Recommended	Recommended
							Machinist	3rd	1	Conversion	0+0+1 Recommended	Recommended

उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महादेशक/ Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, प्लॉट-12/Govt. of India, New Delhi-12

PC

S. No	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	No. of units	Whether already affiliated unit / New Unit	Recommendation of SSDEC	SCAA remarks
3	Govt. Industrial Training Institute Pithoragarh	GU0500 0078	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145	8/28/2024	8/27/2027	Welder	2nd	1	Conversion	0+1 Recommended	Recommended
4	Govt. Industrial Training Institute Srinagar	GU0500 0067	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145	9/1/2024	8/31/2027	Fitter	1st	1	Conversion	1+0 Recommended	Recommended
5	Govt. Industrial Training	GU0500 0073	Govt	Tata Motors Limited, Pantnagar, Plot Number-1,	9/9/2024	9/8/2027	Electrician	2nd	1	Conversion	0+1 Recommended	Recommended

Annexure-4

उज्जवल बिस्वास/UJJWAL BISWAS
निर्देशक / Director
प्रदेशीय प्रशिक्षण परिषद/Direcutorate Council of Training
औद्योगिक विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development & Entrepreneurship
असतो नगरी, 2nd Floor, 12/1 Govt. of India, New Delhi-12

(Signature)

S. No	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	No. of units	Whether already affiliated unit / New Unit	Recommendation of SSDEC	SCAA remarks
	Institute New Tehri			Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145			Fitter	2nd	1	Conversion	0+1 Recommended	Recommended
6	Govt. Industrial Training Institute Chamba	GU0500 0098	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145	09-09-2024	08-09-2027	Welder	2nd	1	Conversion	0+1 Recommended	Recommended
7	Govt. Industrial Training Institute Barkot	GU0500 0076	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh	9/9/2024	9/8/2027	Fitter	2nd	1	Conversion	0+1 Recommended	Recommended

Annexure-4

उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महाविद्यालय / Directorate General of Training
 विशेषांक विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12


(Signature)

S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	No. of units	Whether already affiliated unit / New Unit	Recommendation of SSDEC	SCAA remarks
				Nagar Uttarakhand-263145								
8	Govt. Industrial Training Institute Bazpur	GR0500 0158	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145	9/3/2 024	9/2/2 027	Welder	2nd	1	Conversion	0+1 Recommended	Recommended
9	Government Industrial Training Institute Khatima	GU0500 0191	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145	9/11/ 2024	9/10/ 2027	Welder	2nd	1	Conversion	0+1 Recommended	Recommended


 Anil Kumar
 Joint Secretary
 Ministry of Skill Development and Entrepreneurship
 New Delhi-110002, India


 P. N. Singh
 Joint Secretary
 Ministry of Skill Development and Entrepreneurship
 New Delhi-110002, India

S. No	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	No. of units	Whether already affiliated unit / New Unit	Recommendation of SSDEC	SCAA remarks
10	Govt. Industrial Training Institute Tandi	GR0500 0114	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145	12-09-2024	11-09-2027	Welder	2nd	1	Conversion	0+1 Recommended	Recommended
11	Vishisht Government Industrial Training Institute Pantnagar	GU0500 0192	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145	Jan-25	Jan-28	Welder (Fabrication & Fitting)	2nd	1	Conversion	0+1 Recommended	Recommended


 उज्जवल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 राष्ट्रीय प्रशिक्षण संरचना के माध्यम से प्रशिक्षण
 संवर्धन विभाग, 1/6 स्वयं-रोजगारिता अभियान
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12



S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	No. of units	Whether already affiliated unit / New Unit	Recommendation of SSDEC	SCAA remarks
12	Govt. Industrial Training Institute Dineshpur	GU0500 0069	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145	Jan-25	Jan-28	Welder	2nd	1	Conversion	0+1 Recommended	Recommended
13	Sarwodaya ITI (P) Haldwani-Uttarakhand	PU05000 010	Pvt.	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145	Aug-24	Jul-27	Fitter	3rd	1	New Unit	0+0+1 Yes	Recommended
							Electrician	3rd	1	Conversion	0+0+1 Recommended	Recommended
14	Govt. ITI Bageshwar,	GU0500 0045	Govt	Tata Motors Limited, Pantnagar, Plot Number-1,	Aug-24	Jul-27	Fitter	2nd	1	Conversion	0+1 Recommended	Recommended

Annexure-4

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
एजेंसी महानिदेशक / Director General of Training
कौशल विकास एवं पर्यावरणीय मंत्रालय
Ministry of Skill Development and Entrepreneurship
काज संख्या: 1/ दिनांक-12/ Govt. of India, New Delhi-12

(P4)

S. No	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shi ft	No. of units	Whether already affiliated unit / New Unit	Recommendation of SSDEC	SCAA remarks
				Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145			Electrician	2nd	1	Conversion	0+1 Recommended	Recommended
15	Govt ITI Pines, Nainital	GU05000001	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145	Aug-24	Jul-27	Mechanic Motor Vehicle,	2nd	1	Conversion	0+1 Recommended	Recommended
							Fitter	2nd	1	Conversion	0+1 Recommended	Recommended
							Electrician	2nd	1	Conversion	0+1 Recommended	Recommended
16	Govt. Industrial Training Institute Kashipur	GU05000072	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur	3/10/2025	3/9/2029	Fitter	2nd	1	Conversion	0+1 Recommended	Recommended
							Electrician	2nd	1	Conversion	0+1 Recommended	Recommended

S. No	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	No. of units	Whether already affiliated unit / New Unit	Recommendation of SSDEC	SCAA remarks
				Dist-Udham Singh Nagar Uttarakhand-263145								
17	Govt. Industrial Training Institute Vikasnagar Dehradun	GU05000097	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145	3/10/2025	3/9/2029	Fitter	2nd	1	Conversion	0+1 Recommended	Recommended
							Electrician	2nd	1	Conversion	0+1 Recommended	Recommended
18	Govt. Industrial Training Institute Rajpur Road, Gujrara, Dehradun	GU05000068	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145	3/10/2025	3/9/2029	Fitter	2nd	1	Conversion	0+1 Recommended	Recommended
							Electrician	2nd	1	Conversion	0+1 Recommended	Recommended

Annexure-4

उत्तराखण्ड विद्यापीठ / UTTARAKHAND
विश्वविद्यालय / University
पंजीकृत / Registered
योगेश्वर विद्यापीठ, उत्तराखण्ड
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002, New Delhi-110002

20

S. No	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	No. of units	Whether already affiliated unit / New Unit	Recommendation of SSDEC	SCAA remarks
19	Govt. Industrial Training Institute Dugadda	GU0500 0081	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145	3/10/2025	3/9/2029	Electrician	2nd	1	Conversion	0+1 Recommended	Recommended
20	Govt. Industrial Training Institute Haridwar	GU0500 0082	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145	3/10/2025	3/9/2029	Fitter	2nd	1	Conversion	0+1 Recommended	Recommended
							Electrician	2nd	1	Conversion	0+1 Recommended	Recommended
21	Govt. Industrial Training	GR0500 0168	Govt	Tata Motors Limited, Pantnagar, Plot Number-1,	3/10/2025	3/9/2029	Fitter	2nd	1	Conversion	0+1 Recommended	Recommended

S. No	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	No. of units	Whether already affiliated unit / New Unit	Recommendation of SSDEC	SCAA remarks
	Institute Narsan, Haridwar			Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145			Electrician	2nd	1	Conversion	0+1 Recommended	Recommended
22	Govt. Industrial Training Institute Rudrapur	GU0500 0107	Govt	Tata Motors Limited, Pantnagar, Plot Number-1, Sector 11, Integrated Industrial Estate (IIE), Pantnagar Rudrapur Dist-Udham Singh Nagar Uttarakhand-263145	3/10/2025	3/9/2029	Electrician	2nd	1	Conversion	0+1 Recommended	Recommended
23	Govt. Industrial Training Institute	GU0500 0071	Govt	Himalayan Power Machine Mfg. Co. Khasra No-51 and 52 Village-Kuanwala,	7/19/2024	7/18/2028	Fitter	3rd	1	New Unit	0+0+1 Yes	Recommended

उज्ज्वल बिस्वास/UJJWAL BISWAS
 Director
 प्रशिक्षण महानिदेशक / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

(PM)

S. No	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	No. of units	Whether already affiliated unit / New Unit	Recommendation of SSDEC	SCAA remarks
	(Boys) Dehradun			Haridrar Road, Dehradun-248001 Uttarakhand			Electrician	3rd	1	New Unit	0+0+1 Yes	Recommended
24	Govt. Industrial Training Institute Haridwar	GU0500 0082	Govt	M/s Hero Motocorp. Ltd. Haridwar Plot No.-3, Sector-10, Integrated Industrial Estate (IIE), SIDCUL Haridwar, Distt- Haridwar Uttarakhand Pin- 249408	04.06.2025	03.06.2028	Fitter	2nd	1	Conversion	0+1 Recommended	Recommended
							Machinist	2nd	1	Conversion	0+1 Recommended	Recommended
							Welder	1 st	1	Conversion	1+0 Recommended	Recommended
25	Govt. Industrial Training Institute Vishist Haridwar	GR0500 0156	Govt	M/s Hero Motocorp. Ltd. Haridwar Plot No.-3, Sector-10, Integrated Industrial Estate (IIE), SIDCUL Haridwar, Distt- Haridwar Uttarakhand Pin- 249408	11.06.2025	10.06.2028	Fiiter	2nd	1	Conversion	0+1 Recommended	Recommended
							Welder	2nd	1	Conversion	0+1 Recommended	Recommended

Annexure-4

उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महाविद्यालय, Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

(Signature)

S. No	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	No. of units	Whether already affiliated unit / New Unit	Recommendation of SSDEC	SCAA remarks
26	Govt. Industrial Training Institute Pirankaliyar	GU0500 0099	Govt	M/s Hero Motocorp. Ltd. Haridwar Plot No.-3, Sector-10, Integrated Industrial Estate (IIE), SIDCUL Haridwar, Distt- Haridwar Uttarakhand Pin- 249408	11.06.2025	10.06.2028	Fitter	2nd	1	Conversion	0+1 Recommended	Recommended
							Welder	2nd	1	Conversion	0+1 Recommended	Recommended
27	Govt. Industrial Training Institute Boy's Haldwani	GU0500 0070	Govt	Bajaj Auto Limited, pantnagar, Plot No-2, Sector-10, Integrated Industrial Estate(IIE), SIDCUL ,Pantnagar Rudrapur-263153 Distt-Udham Singh Nagar Uttarakhand	30-05-2025	29-05-2029	Mechanic Auto Body Painting	2nd	1	Conversion	0+1 Recommended	Recommended
28	Govt. Industrial Training Institute	GR0500 0173	Govt	Bajaj Auto Limited, pantnagar, Plot No-2, Sector-10, Integrated Industrial Estate(IIE), SIDCUL	30-05-2025	29-05-2029	Fitter	1 st	1	Conversion	1+0 Recommended	Recommended

Annexure-4

Director / Director
 Ministry of Skill Development and Entrepreneurship
 Government of India, New Delhi-12

S. No	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	No. of units	Whether already affiliated unit / New Unit	Recommendation of SSDEC	SCAA remarks
	Bindukhat ta			,Pantnagar Rudrapur-263153 Distt-Udham Singh Nagar Uttarakhand								
29	Govt. Industrial Training Institute Ramnagar	GU0500 0120	Govt	Bajaj Auto Limited, pantnagar, Plot No-2, Sector-10, Integrated Industrial Estate(IIE), SIDCUL ,Pantnagar Rudrapur-263153 Distt-Udham Singh Nagar Uttarakhand	30-05-2025	29-05-2029	Fitter	2nd	1	Conversion	0+1 Recommended	Recommended
30	Govt. Industrial Training Institute Kaladhun gi	GR0500 0172	Govt	Bajaj Auto Limited, pantnagar, Plot No-2, Sector-10, Integrated Industrial Estate(IIE), SIDCUL ,Pantnagar Rudrapur-263153 Distt-Udham Singh	30-05-2025	29-05-2029	Mechanic Motor Vehicle	2nd	1	Conversion	0+1 Recommended	Recommended

Annexure-4

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	No. of units	Whether already affiliated unit / New Unit	Recommendation of SSDEC	SCAA remarks
				Nagar Uttarakhand								
31	Govt. Industrial Training Institute Jaspur	GU0500 0122	Govt	Bajaj Auto Limited, pantnagar, Plot No-2, Sector-10, Integrated Industrial Estate(IIE), SIDCUL ,Pantnagar Rudrapur-263153 Distt-Udham Singh Nagar Uttarakhand	30-05-2025	29-05-2029	Electrician	1 st	1	Conversion	1+0 Recommended	Recommended
32	Govt. Industrial Training Institute Sitarganj	GU0500 0111	Govt	Bajaj Auto Limited, pantnagar, Plot No-2, Sector-10, Integrated Industrial Estate(IIE), SIDCUL ,Pantnagar Rudrapur-263153 Distt-Udham Singh	30-05-2025	29-05-2029	Mechanic Motor Vehicle	2nd	1	Conversion	0+1 Recommended	Recommended

उज्जवल बिस्वास/UJJWAL BISWAS
निर्देशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002 / Govt. of India, New Delhi-12

Annexure-4

S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MO U start date	MO U end date	Name of the Trade for DST	Shift	No. of units	Whether already affiliated unit / New Unit	Recommendation of SSDEC	SCAA remarks
				Nagar Uttarakhand								


 उज्जवल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12



Annexure 5

(Annexure 5 as referred in Agenda 4.2 -Affiliation of Govt ITIs of Uttarakhand)

S. No.	ITI name and complete address	MIS Code (In case of Existing ITI)	Type of ITI(Govt/Pvt)	Shift wise Trade and Units sought for affiliation	Shift wise Trade and Units recommended by SSDEC Committee	Remarks by SCAA
1	Govt. Industrial Training Institute Gadarpur District- Udham Singh Nagar Pin code-263152	GU05000116	Govt.	Electrician shift-2 unit 01	Electrician- 0+1	Recommended
2	Govt. Industrial Training Institute Khetikhan District- Champawat Pin code-262528	GR05000112	Govt.	Electronics Mechanic shift-2 unit 01	Electronics Mechanic- 0+1	Recommended
				Electrician shift-2 unit 01	Electrician- 0+1	Recommended
3	Govt. Industrial Training Institute Uttarkashi District- Uttarkashi Pin code-249193	GU05000088	Govt.	Electronics Mechanic shift-2 unit 01	Electronics Mechanic- 0+1	Recommended
4	Govt. Industrial Training Institute Pokhra District- Pauri Garhwal Pin code-246169	GR05000079	Govt.	Electronics Mechanic shift-2 unit 01	Electronics Mechanic- 0+1	Recommended

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
शिक्षण महानिदेशक, Directorate General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
प्लॉट नं. 12, गेट-12, नई दिल्ली-110012

(RP)

Annexure-6


(Annexure 6 as referred in Agenda 4-SCVT to NCVET Trade conversion for Govt ITIs of Tamil Nadu)

S.No	ITI name and Address	NCVT MIS Code	Grading	Shift wise Trade and Units for which affiliation has now been sought under NCVT	Shift wise Trade and Units recommended by Joint Inspection Team	Shift wise Trade and Units recommended by SSDEC Committee	Remarks by SSDEC	SCAA remarks
1	Government ITI, Ambattur, Chennai 600050	GR33000051	7.4	Mechanic Auto Body Repair (1+1)	Mechanic Auto Body Repair (1+1)	Mechanic Auto Body Repair (1+1)	Recommended for affiliation with effect from session 2024-25	Recommended from session 2025
				Mechanic Auto Body Painting (1+1)	Mechanic Auto Body Painting (1+1)	Mechanic Auto Body Painting (1+1)		
2	Government ITI, Ambasamudram, 3/10, Kovilkulam Road, Thirunelveli (D.T)	GR33000282	7.1	Tool & Die maker (press Tools Jigs & Fixture) (1+1)	Tool & Die maker (press Tools Jigs & Fixture) (1+1)	Tool & Die maker (press Tools Jigs & Fixture) (1+1)	Recommended for affiliation with effect from session 2024-25	Recommended from session 2025
3	Government ITI, North Chennai, 55, Kathivakkam High road, Kathpada streer ,	GR33000069	5.2	Remotely Piloted Aircraft (Drone Pilot) - (1+1)	Remotely Piloted Aircraft (Drone Pilot) - (1+1)	Remotely Piloted Aircraft (Drone Pilot) - (1+1)	Recommended for affiliation with effect from session 2024-25	Recommended from session 2025

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

Annexure-6

S.No	ITI name and Address	NCVT MIS Code	Grading	Shift wise Trade and Units for which affiliation has now been sought under NCVT	Shift wise Trade and Units recommended by Joint Inspection Team	Shift wise Trade and Units recommended by SSDEC Committee	Remarks by SSDEC	SCAA remarks
	old washermenpet, Chennai 600 021.							
4	Government ITI Thoothukudi, Korampallam, Thoothukudi 628 101	GR33000074	7.5	Fitter - (0+1)	Fitter - (0+1)	Fitter - (0+1)	Recommended for affiliation with effect from session 2024-25	Recommended from session 2025


 उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक, Directorate General of Training
 कौशल विकास एवं उद्यमिता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110 012, New Delhi-12



Annexure 7

(Annexure 7 as referred in Agenda 4-SCVT to NCVET Trade conversion for Govt ITIs of Himachal Pradesh)

S. No.	ITI Name and Address	NCVT MIS Code	Shift wise Trade and Units for which affiliation has been sought under NCVET	Shift wise Trade and Units recommended by SSDEC Committee	Remarks by SCAA
1	Govt. ITI Garnota	GR02000178	Mechanic Motor Vehicle-1(1+0)	Mechanic Motor Vehicle-1(1+0)	Recommended
2	Govt. ITI Kotli	GR02000244	Plumber-2(1+1)	Plumber-2(1+1)	Recommended
3	Govt. ITI Chachiot	GR02000065	Surface Ornamentation Techniques (Embroidery)-2(1+1)	Surface Ornamentation Techniques (Embroidery)-2(1+1)	Recommended
			Welder-2(1+1)	Welder-2(1+1)	Recommended
4	Govt. ITI Bagsaid	GR02000038	Mechanic Electric Vehicle-2(1+1)	Mechanic Electric Vehicle-2(1+1)	Recommended
			IOT Technician (Smart Agriculture)-2(1+1)	IOT Technician (Smart Agriculture)-2(1+1)	
			IOT Technician (Smart Health Care)-2(1+1)	Not Recommended for IoT Technician (Smart Health Care)-2(1+1) as Institute intend not to carry out inspection due to zero admission since Inception.	Not Recommended

उज्जवल बिस्वास
निदेशक
परिक्षा नियंत्रण/Chief Controller of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012, Govt. of India, New Delhi-12

(Signature)


Annexure-8

(Annexure 8 as referred in Agenda 4-SSDEC Himachal DST Proposal)

S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Conversion of Existing Affiliated Unit/ New Unit	SCAA remarks
1	Govt. Industrial Training Institute, Solan, Distt. Solan H.P.	GR02000 085	Govt.	M/S Goyal Motors Pvt. Ltd, Dehung Hat, Solan, Distt. Solan H.P.	04/06/ 2024	03/06/20 28	COPA	3rd	1	Conversion	Recommended
							Mechanic Diesel	3rd	1	Conversion	Recommended
							Mechanic Motor Vehicle	3rd	1	Conversion	Recommended
2	Govt. ITI Paplog , Tehsil Sarkaghat Distt. Mandi H.P.	GR02000 215	Govt.	Himachal Energy Pvt. Ltd. Vill. Shavela P.O Jabli Tehsil Kasauli Distt. Solan H.P.	07/06/ 2024	07/06/20 27	Fitter	3rd	1	Conversion	Recommended
							Electrician	3rd	2		
3	Govt. Model Industrial Training Institute, Garhjamula, Distt. Kangra H.P.	GR02000 163	Govt.	M.T. Autocraft Pvt. Ltd. Barotiwala ,Baddi	21/02/ 2024	21/02/20 27	Mechanic Motor Vehicle	3rd	1	New Unit	Recommended

उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Conversion of Existing Affiliated Unit/ New Unit	SCAA remarks
4	Roots Pvt. ITI Vill. Kadana Post Office Kandor	PR02000023	Pvt.	Groupe Seb India Pvt. Ltd. located at Village Malkhu Manjara, Baddi Lalagarh Road, Tehsil Nalagarh District Solan, Himachal Pradesh	02-02-2024	02-02-2027	Electrician	3rd	1	Conversion	Recommended
5	Happy Young Pvt. ITI Naya Bazar BBMB Colony Sunder nagar	PU02000147	Pvt.	Maks India Shop No.1 Cabin No.-4 Lambardar Market Sector-70 Marraur Sas Nagar Mohali-160071	07-04-2025	07-04-2028	Electrician	3rd	1	Conversion	Recommended
6	Himalayan Pvt. ITI Lagbaliana	PR02000193	Pvt.	TKS Works & Supplier PVT. LTD. Lagbaliana Tehsil- Dehra Distt. Kangra	06-03-2024	30-03-2029	Electrician	3rd	2	Conversion	Recommended


 बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण मंत्रालय / Directorate General of Training
 वीरवार विभाग / Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12



S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Conversion of Existing Affiliated Unit/ New Unit	SCAA remarks
7	Prayaas Pvt. ITI (Jawali at Bhanei) Village Bhanei P.O Makrahan	PR020001 74	Pvt.	Indo Farm Equipment LTD Export Promotion Industrial Park, Phase-II, Baddi- 173 205, District Solan, H.P. (India),	22-03- 2024	21 March 2030	Mechanic Motor vehicle	3rd	1	Conversion	Recommended
8	Prayaas Pvt. ITI Maira, Village Maira, P.O. Maira, Tehsil Jawali, Distt. Kangra (H.P.)	PR020002 28	Pvt.	Cosmo Ferrites Limited (Unit-II) P.O. - Jabli, District - Solan, Himachal Pradesh - 173209, India.	17 April 2024	17 April 2034	Electrician	3rd	1	Conversion	Recommended
9	Awasthi Pvt. ITI Ward No. 9, Tehsil- Nalagarh , Distt. Solan, HP 174101	PU020002 97	Pvt.	Microtek New Technologies Private Limited (Unit-2) Katha, Baddi	24 April 2023	25 June 2026	Electrician	3rd	1	New Units	Recommended


 उज्ज्वलि बिस्वास / UJJWANI BISWAS
 निदेशिका / Director
 प्रशिक्षण महानिदेशकालय / Skill Centre for Women
 कोशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-110012



S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Conversion of Existing Affiliated Unit/ New Unit	SCAA remarks
10	Dhauladhar Pvt ITI, Near Electricity Office, Ganesh Bazar, Baijnath, Distt. Kangra, HP 176125	PR020000 62	Pvt.	M/S Indo Farm Equipment Limited, EPIP Phase-II, VPO Thana, Baddi, Distt. Solan, HP	23-5-2024	23-5-2027	Fitter	3rd	1	Conversion	Recommended
				M/S Godrej and boyce, Plot No. A40, Industrial Area Phase 8A, Mohali Punjab C/o J&T Management Services , Plot No D160 Industrial Area Phase 8 , Mohali Punjab	08-06-2023	08-06-2026	Electrician	3rd	1	Conversion	Recommended
11	Khanchi Pvt ITI, Near Home Guard Training, Center Village Dhanotu Tehsil Shahpur, Distt. Kangra, HP 176208	PR020000 48	Pvt.	R.K. & Company Manpower,Pvt. Ltd. New Palam Vihar, Haryana-122017.	4 May 2024	3 May 2029	Electrician	3rd	2	Conversion	Recommended
					4 May 2024	3 May 2029	Fitter	3rd	1	Conversion	Recommended

Annexure-8

उज्ज्वल बिस्वास/UJJWAL BISWAS


निदेशक / Director

प्रशिक्षण महाविद्यालय/Directorate General of Training
कीर्ति हल, बिलासपुर, चण्डीगढ़, भारत
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012, India

(Signature)

S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Conversion of Existing Affiliated Unit/ New Unit	SCAA remarks
12	Gyan Shakti Vidyapeeth Pvt. ITI, Near Indian Bank, Shamsheerpur, Paonta Sahib, Distt. Sirmour, HP-173025	PR02000047	Pvt.	1. Sujal Packers, Behrewala, Paonta Sahib, HP-173025	03 May 2024	02 May 2029	Electrician	3rd	1	Conversion	Recommended
				2. MGVS Life Sciences, Bhungarni, PO Shivpur, Paonta Sahib, Distt. Sirmour, HP-173025	05 June 2024	04 June 2029					
				3. B & V Electricals, Bhungarni, Bangran Road, Paonta Sahib, Distt. Sirmour, HP-173025	03 June 2024	02 June 2029					
				4. ACS Enterprises, Bye Pass Road, Paonta Sahib, HP-173025	04 May 2024	03 May 2029					

S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Conversion of Existing Affiliated Unit/ New Unit	SCAA remarks
13	Vijay Vallabh Private ITI Nadaun vpo Bela, Tehsil Nadaun, Distt Hamirpur(HP)177033	PR02000232	Pvt.	Appliance Motor Co.Vill.Buranwala Tehsil Baddi Distt. Solan (HP)	15-06-2024	14-06-2027	Electrician	3rd	1	Conversion	Recommended
14	Laxmi Narayan Private ITI Village Saniyala, P.O.Bankhandi, Tehsil-Deahra, District Kangra, H.P.,177114	PR02000226	Pvt.	RK Company Manpower(P) Ltd.Z-1, New Palam Vihar, Gurgaon-122017(Haryana), India	18-06-2024	17-06-2029	Electrician	3rd	2	New Units	Recommended
15	Dhauladhar Private ITI, Jamanabad Road, V.P.O- Ichhi, Teh & Distt- Kangra(H.P)-176209	PR02000051	Pvt.	1)Maks India Shop No- 1 Cabin No.- 4 Lambardar Market, Sector - 70, Mattur, SAS NAGAR Mohali - 160071	15/05/2024	14/05/2029	Electrician	3rd	1	Conversion	Recommended


 उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12



S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Conversion of Existing Affiliated Unit/ New Unit	SCAA remarks
				2) Microtek New Technologies Private Limited (Unit-2) Katha,Baddi, Distt. Solan HP-173205	08/08/2023	07/08/2025					
16	N.R. Memorial Pvt. ITI Gutkar (Behna), Tehsil-Balh, Distt.Mandi H.P. 175006	PR02000045	Pvt.	Chief Engineer (Operation Central Zone-HPSEBL) Mandi H.P. 175001 (Govt. of H.P.)	06/08/2024	05/08/2030	Electrician	3rd	2	New Unit	Recommended
				Executive Engineer Jal Shakti Division Baggi, Mandi H.P.	01/08/2024	31/07/2030	FITTER	3rd	1	New Unit	Recommended
				M/S Runway Autowheels-Hero Motocorp, Opposite Centra Bank of India, Gutkar,	01/08/2024	31/07/2030	Mechanic Motor Vehicle	3rd	1	New Unit	Recommended

Annexure-8

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
परिक्षण महानिदेशक/Director General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002/Govt. of India, New Delhi-110002

(Pw)


S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Conversion of Existing Affiliated Unit/ New Unit	SCAA remarks
				Distt. Mandi (H.P.) 175006							
17	Maa Santoshi Pvt. ITI Luharwin, Tehsil-Ghumarwin, Distt. Bilaspur (HP) 174021	PR02000070	Pvt.	Microtek New Technologies Private Limited (Unit-2) Katha, Baddi	24 April 2023	24 April 2026	Electrician	3rd	1	conversion	Recommended
			Pvt.	Super Hoze Industries Pvt. L.T.D. Vill. Dhela, PO Gurumajra, Tehsil - Nalagarh(Baddi) Distt. Solan (HP) 174101	22 July 2024	22 July 2026	Fitter	3rd	1	New Unit	Recommended
18	Saafat Pvt. Industrial Training Institute, Awahar Bangana, Distt. Una H.P.	PR02000118	Pvt.	Yash Fans & Appliances Limited Vill. Katha P.o. & The. Baddi Distt. Solan (H.P.)	03-04-2024	03-04-2027	Fitter	3rd	1	conversion	Recommended
							Electrician	3rd	1		
19	Optech Vidya Pvt. Tehsil- Amb & Distt. Una H.P. 177211	PR02000077	Pvt.	Livguard Energy Technology Pvt.Ltd.vill.Shivp	20/06/2024	20/06/2029	Electronic s Mechanic	3rd	1	conversion	Recommended

Annexure-8

उज्जवल बिस्वास / UJJWAL BISWAS
 प्रशिक्षण महानिदेशक / Director
 प्रशिक्षण महानिदेशक, कौशल विकास एवं उद्यमिता
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12



S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Conversion of Existing Affiliated Unit/ New Unit	SCAA remarks
				ur Post Office Mubarikpur THE Amb Distt Una (HP)			Electrician	3rd	1	conversion	Recommended
20	Universal Pvt ITI Village Gagloo P.O. Bnae Di Hatti	PR020002 31	Pvt.	Maks India Shop No.- 1 Cabin No.- 4 Lambardar Market Sector - 70, Mattaur Sas Nagar Mohali - 160071	26/02/ 2024	25/02/20 27	Fitter	3rd	1	conversion	Recommended
21	Unique Pvt.ITI Kaloha, Tehsil- Rakkar, Distt- Kangra (H.P.) 177043	GR02000 097	Pvt.	M/S Luminous Power technologies Pvt. Ltd, vill- Malpur, PO- Bhud, Tehsil- Baddi, Distt- Solan (H.P.) 173205	25-05- 2024	25-05- 2027	Fitter	3rd	1	conversion	Recommended
							Electrician	3rd	1		


 निदेशक / Director
 प्रशिक्षण निदेशक / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12



S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Conversion of Existing Affiliated Unit/ New Unit	SCAA remarks
22	Shobhit Pvt. ITI Chalola, VPO – Chalola, Tehsil & Distt. -Una, HP - 174303	PR020001 19	Pvt.	Coslight India Telecom Private Limited, Dhamandri, Tehsil & Distt. - Una, HP - 174303	24-05- 2024	23-05- 2027	Electrician	3rd	1	conversion	Recommended
							Fitter	3rd	1		
23	Everest Pvt. ITI ,Vill. Sirkoti, P.O.& Tehsil-Nirmand, Distt. Kullu	PR020001 11	Pvt.	Shiva Energy Resourses Pvt.Ltd,19/7 Old Bus Stand Gandhi Chowk Hamirpur	27-02- 2024	27-02- 2027	Electrician	3rd	1	conversion	Recommended
24	Sham Pvt. ITI, Matholi, District Kangra	PR020002 38	Pvt.	Livguard Energy Technoligies Pvt.Ltd.VPO- Mubarikpur,Tehs il-Amb, Distt. Una H.P.(formerly Livguard Batteries Pvt. Ltd.	23/05/ 2024	23-05- 2027	Electrician	3rd	3	conversion	Recommended

Annexure-8

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिरीक्षण/ Directorate General of Training
कौशल विकास एवं श्रमसंशोधन / Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002, India, New Delhi-110002

(Signature)

S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Conversion of Existing Affiliated Unit/ New Unit	SCAA remarks
25	New Vivekanand Pvt. ITI Chandpur, Distt. Una	PR02000303	Pvt.	Megha Electronics located at 27 Industrial area, Mehtpur Distt Una	28/02/2024	27/02/29	Electrician	3rd	1	New unit	Recommended
26	Ambuja Cement Foundation Pvt. ITI, VPO Darlaghat, Solan	PR02000187	Pvt.	Microtek New Technologies Private Limited (Unit-2) Katha, Baddi	08/08/2023	07/082028	Electrician	3rd	1	New unit	Recommended
27	Everest Pvt. ITI Chatti P.O. Rampur Tehsil Nirmand Distt. Kullu H.P.	PR02000117	Pvt.	Shiva Energy Resources Pvt. Ltd.	27/02/2024	27-02-2027	Electrician	3rd	1	New unit	Recommended
29	Tgaore Pvt. ITI, Alampur sai, Distt. Kangra (hp)	PR02000230	Pvt.	J&T Management Services C/O Godrej & Boyce Mfg. Co. Ltd, Mohali (Pb)	01/08/2024	01/08/2028	Electrician	3rd	1	conversion	Recommended
							MMV	3rd	1		Recommended

उज्ज्वल विस्वाम/VIJWA BISWAAS
 Director
 प्रविश्वय मन्त्रालय/Ministry of Skill Development and Entrepreneurship
 कौशल विकास, युवा और सहायक उद्यमिता
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110002

S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Conversion of Existing Affiliated Unit/ New Unit	SCAA remarks
30	Tagore pvt. ITI, sujanpur Tihra, Distt. Hmairpur (hp)	PR02000150	Pvt.	J&T MANAGEMENT SERVICES c/o Godrej & Boyce Mfg. Co. Ltd, Mohali (pb)	01/08/2024	01/08/2028	Electrician	3rd	1	conversion	Recommended
31	Sankhyan Pvt. Industrial Training Institute, Ghumarwin, Distt. Bilaspur (H.P.).	PR02000091	Pvt.	Godrej & Boyce MFD. CO. Ltd. A-40, Phase-8 Sas Nagar Mohali, Punjab, (On Roll of JMD Security Service B-1299,Dashmesh Market, Vill-Balongi, Distt. Mohali (PB).	2/25/2025	Dec 2029	Electrician	3rd	1	conversion	Recommended
32	Shiksha Bharti Pvt. ITI Kotla Khurd Una (HP)	PR02000040	Pvt.	Mahalaxmi IND.Ambehra Tehsil Bangana Dist t-Una(HP)	24/02/2025	24/02/2028	Electrician	3rd	1	conversion	Recommended

Annexure-8

उज्ज्वल बिस्वास/UJJWAL BISWAS
 प्रोडिगल / Director
 प्रोडिगल / Director General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

(Signature)

S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Conversion of Existing Affiliated Unit/ New Unit	SCAA remarks
33	Global Pvt ITI Badehra Harloi Una (HP)	PR020000 41	Pvt.	Harindra Pipe Ind.Basoli Una (HP)	24/02/ 2025	24/02/20 28	Fitter	3rd	1	New unit.	Recommended
34	Universal Pvt ITI Village Gagloo P.O. Bnae Di Hatti Universal Pvt ITI Village Gagloo P.O. Bnae Di Hatti	PR020002 31	Pvt.	Maks India Shop No..- 1 Cabin No.- 4 Lambardar Market Sector - 70, Mattaur Sas Nagar Mohali - 160071	26/02/ 2024	25/02/20 27	Electrician	3rd	2	conversion of existing Affiliated unit	The recommendati on of the SSDEC is unclear. Therefore, the State Directorate and the RDSDE are required to submit a clear and specific number of units recommendati on regarding the conversion under the DST mode
				Maks India Shop No..- 1 Cabin No.- 4 Lambardar Market Sector - 70, Mattaur Sas Nagar Mohali - 160071	26/02/ 2024	25/02/20 27	Electrician	3rd	2		

Annexure-8

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण प्रविष्टि विभाग / Directorate General of Training
कोशल विकास एवं संसाधन विकास विभाग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

S. No.	Name and address of ITI	MIS Code	ITI Category	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Conversion of Existing Affiliated Unit/ New Unit	SCAA remarks
35	New Dogra Pvt ITI	PR02000176	Pvt.	Distill Education & Technology Pvt. Ltd	16/01/2025	15/01/2029	Electrician Fitter MMV	0+0+1 0+0+3(3rd shift only) 0+0+1(3rd shift only)	2(1+1+0 9(3+3+3) 3(1+1+1)		The recommendation of the SSDEC is unclear. Therefore, the State Directorate and the RDSDE are required to submit a clear and specific number of units recommendation regarding the conversion under the DST mode

उज्जयल विजय / UJJWAL BISWAS
 निदेशक / Director
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

(Signature)

De-affiliation/ Self surrender matter of Rajasthan

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
1.	<p>Shri Shyam Pvt. ITI</p> <p>Address: Near Janta Cinema, Varndavan Resort, Dist.- Baran, Rajasthan.</p> <p>MIS Code: (PU08000929)</p>	1. Electrician 12(4+4+4)	<p>1. The ITI was designated as examination center for AITT practical exam July, 2023.</p> <p>2. The flying squad visited the examination center and informed the following:</p> <p>a) The workshop was not available in the examination center.</p> <p>b) The exam was being conducted with inadequate infrastructure as per norms.</p> <p>c) The Apex school was running in the premises of ITI.</p> <p>3. The ITI was inspected at the State level on 22.07.2023 and was found to be operating from a location other than its recognized premises.</p> <p>4. The Regional Council for Vocational Education & Training sent the proposal for de-affiliation to the State Directorate and the State Directorate issued a SCN to the ITI on 21.08.2023.</p> <p>5. The ITI replied on 04.10.2023 and submitted the following:</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. As per the DGT order MSDE-18011/DGT/2017-TTC(Pt-III) dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the above said order.</p>

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>a) The building of the ITI was under renovation.</p> <p>b) Since the building was under construction, the process for shifting the ITI was initiated on 28.02.2020 and the requisite shifting fee was also deposited. However, the shifting could not be completed due to the COVID-19 pandemic, and subsequently, the shifting portal remained closed.</p> <p>c) The ITI refused to make the exam center but in the nodal meeting the permission was not granted therefore, the temporary workshop was made for examination purposes.</p> <p>d) The ITI further submitted that it is currently operating from another location, and it will be shifted to the approved premises as soon as the shifting portal is reopened.</p> <p>e) The reply of the ITI was considered and discussed in the 6th SSDEC held on 24.07.2024.</p> <p>6. The 6th SSDEC recommended the ITI for de-affiliation.</p>	<p>2. The ITI is not adhering to the affiliation norms, as the following deficiencies were observed:</p> <p>a) The ITI was not operating from its recognized location which is a violation of clause 3.5 of affiliation norms. The ITI has also accepted in its reply dated 04.10.2024 that it has been shifted to another location without approval from DGT.</p> <p>3. An Apex Senior Secondary School was found operating within the ITI premises, which is a clear violation of affiliation norms, as educational activities unrelated to ITI training were being conducted in place of the institute.</p>

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>7. The matter was sent to DGT for final decision of SCAA. During the scrutiny of the case, it was observed that the earlier inspection was conducted on state level, therefore, as per approval of competent authority, an email dated 26.09.2024 was sent to RDSDE and State Directorate to conduct the joint inspection of the ITI and resend the proposal to DGT with SSDEC recommendations.</p> <p>8. In compliance to DGT email, the joint inspection of the ITI was conducted on 27.01.2025 and the joint inspection committee not recommended the ITI for affiliation due to following observations:</p> <p>a) The ITI was not present as per given address according to office order.</p> <p>b) The Apex Sr. Sec. School was running since 01.04.2023-2024 at the given address.</p> <p>The matter was revisited in 7th SSDEC held on 25.03.2025 and SSDEC recommended the ITI for de-affiliation.</p>	
2.	Chetanya Pvt.ITI	1. Electrician 6(2+2+2)	1. The ITI was designated as examination center for AITT practical exam December,2023.	SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.

Annexure-9

उज्जवल सिन्हा/UJJWAL SINGH
निर्देशक / Director
परिचय प्रशिक्षण / Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

(P)

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
	<p>Address: K.No. 125/2, Keshar Nagar, Panchyawala, Gandhi Path (West), Vaishali Nagar, Jaipur Dist.- Jaipur, Rajasthan-302021.</p> <p>MIS Code: (PR08000751)</p>		<p>2. The RCVET informed that the ITI refused to be made an examination center due to non-availability of building.</p> <p>3. The RCVET sent the proposal for de-affiliation to the State Directorate due to non-conduct of examination.</p> <p>4. The State Directorate issued SCN dated 02.01.2024, followed by reminder dated 07.02.2024 to the ITI and the ITI did not reply to both of SCNs.</p> <p>5. The matter was discussed in 6th SSDEC held on 24.07.2024 and SSDEC recommended ITI for de-affiliation.</p> <p>6. The matter was sent to DGT for final decision of SCAA. During the scrutiny of the case, the competent authority decided to conduct joint inspection of the ITI, therefore, an email dated 26.09.2024 was sent to RDSDE and State Directorate to conduct the joint inspection of the ITI and resend the proposal to DGT with SSDEC recommendations.</p> <p>7. In compliance to DGT email, the joint inspection of the ITI was conducted on 07.01.2025 and the joint inspection committee not recommended the ITI for</p>	<p>Reasons for de-affiliation:</p> <p>1. As per the DGT order MSDE-18011/DGT/2017-TTC(Pt-III) dated 19.12.2019, ITIs were instructed to function as self-centers for conducting practical examinations for their own trainees in the AITT, effective from January 2020 onwards. However, the ITI expressed its inability to act as an examination center, indicating a lack of basic infrastructure and proper training activities at the institute which constitutes a violation of the above said order.</p> <p>2. During the inspection, the ITI was found to be non-operational, and a marriage garden was found functioning at the premises, which is a clear violation of affiliation norms, as unrelated commercial activities were being carried out in place of the ITI.</p>

Annexure-9

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक, निदेशक
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, 12, टिक्की-1 2/Govt. of India, New Delhi-12

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>affiliation as ITI was closed and a marriage garden was opened on its place.</p> <p>8. The matter was revisited in 7th SSDEC held on 25.03.2025 and SSDEC recommended the ITI for de-affiliation.</p>	<p>3. Two show cause notices, followed by a reminder, were issued to the ITI by the State Directorate, however, the ITI failed to respond to any of them, reflecting a negligent approach towards the functioning of the institute.</p>
3.	<p>Rise Pvt.ITI</p> <p>Address: Behind Gramin Baroda Bank, Uniyara Road Nainwa, Dist.- Bundi, Rajasthan-323801.</p> <p>MIS Code: (PR08000139)</p>	<p>1. Electrician 4(2+2)</p>	<p>1. The ITI was designated as examination center for AITT practical exam December,2023.</p> <p>2. The ITI informed to RCVET that the ITI was running in rented building and there was a dispute between ITI and landlord. The landlord wanted to vacate the building and the ITI wants to close the institute permanently. Therefore, ITI is unable to conduct the examination.</p> <p>3. The RCVET sent the proposal for de-affiliation to the State Directorate due to non-conduct of examination.</p> <p>4. The State Directorate issued SCN dated 02.01.2024, followed by reminder dated 07.02.2024 to the ITI and the ITI did not reply to both SCNs.</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>The self-closure request was submitted by the ITI.</p>

S.n o	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>5. The matter was discussed in 6th SSDEC held on 24.07.2024 and SSDEC recommended ITI for de-affiliation.</p> <p>6. The matter was sent to DGT for final decision of SCAA. During the scrutiny of the case, the competent authority decided to conduct joint inspection of the ITI, therefore, an email dated 26.09.2024 was sent to RDSDE and State Directorate to conduct the joint inspection of the ITI and resend the proposal to DGT with SSDEC recommendations.</p> <p>7. In compliance to DGT email, the joint inspection of the ITI was conducted on 28.01.2025 and the joint inspection committee not recommended the ITI for affiliation as ITI was closed and also the self-closure of ITI request was given by the ITI.</p> <p>8. The matter was revisited in 7th SSDEC held on 25.03.2025 and SSDEC recommended the ITI for de-affiliation.</p>	
4.	Kodai Pvt. ITI Address: Hem Marg, Pancholi Vihar, New Sanganer Road, Sodal	1. Electrician 4(2+2)	<p>1. The ITI was designated as examination center for AITT practical exam December,2023.</p> <p>2. The ITI informed RCVET that the ITI building is in dilapidated condition and there is no</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p>

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक/ Director
प्रशिक्षण परामर्शदाता/ Director of Training
शिक्षण विभाग, नई दिल्ली
Ministry of Skill Development
भारत सरकार, नई दिल्ली-110002

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
	Dist.Jaipur, Rajasthan-302019. MIS code: (PU08000296)		<p>practical lab, therefore the ITI is unable to conduct examinations.</p> <p>3. The RCVET sent the proposal for de-affiliation to the State Directorate due to non-conduct of examination.</p> <p>4. The State Directorate issued SCN dated 02.01.2024, followed by reminder dated 07.02.2024 to the ITI and the ITI did not reply to both SCNs.</p> <p>5. The matter was discussed in 6th SSDEC held on 24.07.2024 and SSDEC recommended ITI for de-affiliation.</p> <p>6. The matter was sent to DGT for final decision of SCAA. During the scrutiny of the case, the competent authority decided to conduct joint inspection of the ITI, therefore, an email dated 26.09.2024 was sent to RDSDE and State Directorate to conduct the joint inspection of the ITI and resend the proposal to DGT with SSDEC recommendations.</p> <p>7. The joint inspection of the ITI was not conducted as the ITI informed vide its letter dated 01.01.2025 that no admissions are being taken in the ITI since December 2023 and the ITI wants to close the institute. The</p>	The self-closure request was submitted by the ITI.

Annexure-9

उज्ज्वल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, गेट वि.पी.एन. 12, गेट, नई दिल्ली-110002



S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>joint inspection committee member informed vide their letter dated 07.01.2025 that the ITI may be de-affiliated due to the self-closure request of ITI.</p> <p>8. The matter was revisited in 7th SSDEC held on 25.03.2025 and SSDEC recommended the ITI for de-affiliation.</p>	
5.	<p>Bhagwan Mahaveer Pvt. ITI</p> <p>Address: Khasra No. 613, Infront of Binja Hotal Rajgarh Road V & P- Kesarpur, Dist.- Alwar, Rajasthan- 301001.</p> <p>MIS Code: (PR08001038)</p>	<p>1. Electrician 18(10+10+8)</p> <p>2. Fitter 8(4+4)</p> <p>3. Mechanic Diesel 3(2+1)</p>	<p>1. The ITI was designated as examination center for AITT practical exam December,2023.</p> <p>2. The ITI informed RCVET that the ITI building is being shifted to another place and maintenance work is going on in the shifting building, therefore this time ITI is unable to conduct the said practical examination.</p> <p>3. The RCVET sent the proposal for de-affiliation to the State Directorate due to non-conduct of examination.</p> <p>4. The State Directorate issued SCN dated 02.01.2024, followed by reminder dated 07.02.2024 to the ITI and the ITI did not reply to both SCNs.</p> <p>5. The matter was discussed in 6th SSDEC held on 24.07.2024 and SSDEC recommended ITI for de-affiliation.</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>1. ITI informed that the building is being shifted to another place and maintenance work is going on in the shifted building. It is clearly a violation of affiliation norm 2018 clause 3.5, shifting without approval.</p> <p>2. Moreover, the self-closure request was also submitted by the ITI.</p>

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण प्रशासनिक निदेशक, राष्ट्रीय प्रशिक्षण निदेशक
कोषागार विभाग, कौशल विकास और प्रशिक्षण विभाग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 Joint Office, New Delhi-12

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>6. The matter was sent to DGT for final decision of SCAA. During the scrutiny of the case, the competent authority decided to conduct joint inspection of the ITI, therefore, an email dated 26.09.2024 was sent to RDSDE and State Directorate to conduct the joint inspection of the ITI and resend the proposal to DGT with SSDEC recommendations.</p> <p>7. In compliance to DGT email, the joint inspection of the ITI was conducted on 07.01.2025 and the joint inspection committee did not recommend the ITI for affiliation as the ITI building was completely demolished during inspection and the self-closure request was also submitted by the ITI.</p> <p>8. The matter was revisited in 7th SSDEC held on 25.03.2025 and SSDEC recommended the ITI for de-affiliation.</p>	
6.	<p>Rituraj Pvt. ITI</p> <p>Address: Pushkar By Pass Road, Opp.Power Grid</p>	<p>1. Electrician 8(4+4)</p>	<p>1. The ITI was designated as examination center for AITT practical exam July,2024.</p> <p>2. The ITI informed RCVET that the institute has zero admission in session 2023-24 and due to unavoidable reasons, the institute is</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p>

Annexure-9

उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 अधीक्षण महाविद्यालय, निदेशक, केंद्र प्रशिक्षण
 Ministry of Skill Development and Entrepreneurship
 नया दिल्ली, 44, बिल्डिंग-12, Govt. of India, New Delhi-12



S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
	Station Ghoog Dist.- Ajmer, Rajasthan- 305001. MIS Code: (PR08000837)		unable to conduct the second-year examination. 3. The RCVET sent the proposal for de-affiliation to the State Directorate due to non-conduct of examination. 4. The State Directorate issued SCN dated 15.05.2024 to the ITI. 5. The ITI replied on 05.06.2024 and expressed its inability to operate all the trades/units and branches and requested for the surrender of ITI. The ITI also requested to conduct a second-year examination of the trainees at nearby ITI. 6. The matter was discussed in 6 th SSDEC held on 24.07.2024 and SSDEC recommended ITI for de-affiliation. 7. The matter was sent to DGT for final decision of SCAA. During the scrutiny of the case, the competent authority decided to conduct joint inspection of the ITI, therefore, an email dated 26.09.2024 was sent to RDSDE and State Directorate to conduct the joint inspection of the ITI and resend the proposal to DGT with SSDEC recommendations.	The self-closure request was submitted by the ITI.

उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

Annexure-9

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>8. The joint inspection of the ITI was not conducted. The State Directorate informed vide its letter dated 08.01.2025 that a letter dated 03.01.2025 has been received through email from ITI in which it has been informed by Swami Shyamlal Shiksha Samiti that the ITI is not in working condition and all the staff and workshop facilities have been removed from the ITI. The Swami Shyamlal Shiksha Samiti requested for self-closure of ITI.</p> <p>9. The matter was revisited in 7th SSDEC held on 25.03.2025 and SSDEC recommended the ITI for de-affiliation.</p>	
7.	<p>Maa Kaila Devi Pvt. ITI</p> <p>Address: Nadoti Road Gangapur Dist-Sawai Madhopur PIN NO-3, Dist.- Sawai Madhopur, Rajasthan-322201.</p> <p>MIS Code: (PR08001838)</p>	<p>1. Electrician 6(2+2+2)</p> <p>2. Fire Technology and Industrial Safety Management 6(2+2+2)</p>	<p>1. The de-affiliation proceedings were initiated by the State directorate due to a complaint received in respect of the ITI in which it was mentioned that the ITI is running on the papers and not as per NCVT norms.</p> <p>2. The State Directorate issued SCN dated 09.05.2024 to the ITI.</p> <p>3. The ITI replied on 03.06.2024 and stated the following: a) The rental agreement of ITI building is for 10 years.</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>The ITI is not adhering to the affiliation norms, as the following deficiencies were observed:</p> <p>1. The electric meter is not installed in the ITI.</p>

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक, निदेशक, जनरल ऑफ ट्रेनिंग
श्रीवर्तन विभाग, पंत प्रमुख, श्रीवर्तन मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>b) The Electricity connection is available in the institute.</p> <p>c) The ITI training is being conducted as per norms.</p> <p>d) The scholarship to the trainees is given by the Social Welfare Committee and it is directly disbursed in the trainees account.</p> <p>4. The joint inspection of the ITI was conducted on 19.06.2024 and following were the observations of the joint inspection committee:</p> <p>a) The total no. of instructors for affiliated trade/units were not available in the ITI.</p> <p>b) The electricity was directly connected with a transformer and supplied in the ITI without an electric meter.</p> <p>c) The ITI was not functioning as per NCVT norms.</p> <p>5. The matter was discussed in 6th SSDEC held on 24.07.2024 and SSDEC recommended joint inspection of the ITI.</p> <p>6. The again joint inspection was conducted on 07.10.2024 and following were the observations:</p> <p>a) Shortage of tools and equipment.</p>	<p>2. Sufficient Instructors for affiliated trades/units were not available in the institute.</p> <p>3. The trades related machineries were not installed properly in the workshops of the ITI.</p> <p>4. The tools and equipment shortage were observed in the ITI.</p> <p>5. The staff qualifications were not as per norms.</p>

Annexure-9

उज्जवल बिसवास/UJJWAL BISWAS
निर्देशक / Director
प्रशिक्षण महानिदेशक, प्रशिक्षण विभाग, मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, ई-2 दिल्ली-110012, Govt. of India, New Delhi-12

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
			b) The machines are not properly installed. c) The ITI did not provide any document related to the electric bill during the inspection. d) The staff qualification was not as per norms. 7. The matter was revisited in 7 th SSDEC held on 25.03.2025 and SSDEC recommended the ITI for de-affiliation.	
8.	Sawaria Pvt. ITI Address: Kila Prisar Pratapgarh Rajasthan Dist- Pratapgarh, Rajasthan-312605. MIS Code: (PU08001950)	1. Electrician 6(2+2+2) 2. Wireman 3(1+1+1)	1. The ITI has requested for self-closure of ITI vide its letter dated 26.08.2024. 2. The DET sent the self-closure proposal of ITI to RDSDE on.04.10.2024. 3. The matter was discussed in 7 th SSDEC held on 25.03.2025. SSDEC accepted the proposal and recommended the ITI for de-affiliation due to self-closure.	SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC. Reasons for de-affiliation: The ITI is de-affiliated due to a self-closure request.
9.	Raj Pvt. ITI Address: Khasara No. 107, Phirozpur Phanta, Vill. Junjala,	Electrician 12(6+6) Wireman 1(1+0)	1. The ITI has requested for surrender of following trade vide its letter dated 18.09.2024: a) Wireman – 2(1+1)	SCAA has accepted ITI's request for self-surrender of following trade/unit: Wireman – 2(1+1)

Annexure-9

उज्जयिनी बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशक, Associate General of Training
 कोशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

(P4)

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
	Dist- Nagaur, Rajasthan-341024. MIS Code: (PR08001272)		2. The DET sent the proposal for self-surrender of above said trade/units to RDSDE on.04.10.2024. 3. The matter was discussed in 7 th SSDEC held on 25.03.2025. SSDEC accepted the self-surrender proposal of aforementioned trade/units and recommended the same for de-affiliation.	
10.	Radhika Pvt.ITI Address: Ambabari ,Anwa Road, Dist-Tonk, Rajasthan-304802. MIS Code: (PU08001821)	1. Early Childhood Educator 3(1+1+1) 2. Electrician 2(1+1)	1. The ITI has requested for surrender of following trade vide its letter dated 18.09.2024: a) Health Sanitary Inspector – 3(1+1+1) b) Pre-Preparatory Management Assistant- 3(1+1+1) c) Wireman- 3(1+1+1) 2. The DET sent the proposal for self-surrender of above said trades/units to RDSDE on.04.10.2024. 4. The matter was discussed in 7 th SSDEC held on 25.03.2025. SSDEC accepted the self-surrender proposal of aforementioned	SCAA has accepted ITI's request for self-surrender of following trades/units: a) Health Sanitary Inspector – 3(1+1+1) b) Pre-Preparatory Management Assistant- 3(1+1+1) c) Wireman- 3(1+1+1) However, the trades/units of Health Sanitary Inspector – 3(1+1+1) and Wireman- 3(1+1+1) have already been de-affiliated vide DGT order dated 17.01.2025 due to zero admissions. Also, the trade/units of Pre-Preparatory Management Assistant- 3(1+1+1) has been de-affiliated in 2024.

Annexure-9

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
राष्ट्रीय महानिदेशक, उच्चतर शिक्षा
केन्द्रीय शिक्षण विभाग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
			trades/units and recommended the same for de-affiliation.	
11.	<p>Shri Hari Pvt. ITI</p> <p>Address: Hanman garh Road, Sardarshahrd, Dist- Churu, Rajasthan-331403.</p> <p>MIS Code: (PU08001824)</p>	1. Electrician 3(2+1)	<p>1. The ITI has requested for surrender of following trade vide its letter dated 28.08.2024:</p> <p>a) Wireman – 3(1+1+1)</p> <p>2. The DET sent the proposal for self-surrender of above said trade/units to RDSDE on.04.10.2024.</p> <p>3. The matter was discussed in 7th SSDEC held on 25.03.2025. SSDEC accepted the self-surrender proposal of aforementioned trade/units and recommended the same for de-affiliation.</p>	<p>SCAA has accepted ITI's request for self-surrender of following trade/units:</p> <p>a) Wireman – 3(1+1+1)</p> <p>However, the trades/units of Wireman-3(1+1+1) has already been de-affiliated vide DGT order dated 17.01.2025 due to zero admissions.</p>
12.	<p>Bhanwar Kanwar Sugan Singh Pvt. ITI</p> <p>Address: Inderpura, Tehsil. Udaipurwati, Dist- Jhunjhunu, Rajasthan-333307.</p>	Electrician 5(2+2+1)	<p>1. The ITI has requested for self-closure of ITI vide its letter dated 20.08.2024.</p> <p>2. The DET sent the self-closure proposal of ITI to RDSDE on.06.09.2024.</p> <p>3. The matter was discussed in 7th SSDEC held on 25.03.2025. SSDEC accepted the proposal and recommended the ITI for de-affiliation due to self-closure</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>The ITI is de-affiliated due to a self-closure request.</p>

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
	MIS Code: (PR08001312)			
13.	H.K. Hi.Tech.Pvt. ITI Address: Nh-14, Sindru, Tehsil Samarpur, Dist-Pali, Rajasthan-306708. MIS Code: (PR08000515)	1. Electrician 8(4+3+1) 2. Mechanic Diesel 2(1+1) 3. Plumber 2(1+1) 4. Wireman 2(1+1)	1. The ITI has requested for surrender of following trade vide its letter dated 13.08.2024: a) Electrician – 04(0+0+4), third shift 2. The DET sent the proposal for self-surrender of above said trade/units to RDSDE on 06.10.2024. 3. The matter was discussed in 7 th SSDEC held on 25.03.2025. SSDEC accepted the self-surrender proposal of aforementioned trade/units and recommended the same for de-affiliation.	SCAA has accepted ITI's request for self-surrender of following trade/units: 1. Electrician – 04(0+0+4) However, the trade/units of Electrician – 04(0+0+4) has already been de-affiliated on NCVT MIS Portal in 2025.
14.	Sunrise Moon Pvt. ITI Address: Khasra No.828, Gram- Kanota,Near Anand International College,NH-11, Dist-	1. Electrician 6(2+2+2) 2. Health Sanitary Inspector 2(1+1)	1. The ITI has requested for surrender of following trade vide its letter dated 17.08.2024: a) Fitter – 3(1+1+1) b) Hospital House Keeping - 2(1+1)	SCAA has accepted ITI's request for self-surrender of following trades/units: a) Fitter – 3(1+1+1) b) Hospital House Keeping - 2(1+1) However, the trades/units of Fitter – 3(1+1+1) and Hospital House Keeping -

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
	Jaipur, Rajasthan-303301. MIS Code: (PU08001698)		2. The DET sent the proposal for self-surrender of above said trades/units to RDSDE on.06.10.2024. 3. The matter was discussed in 7 th SSDEC held on 25.03.2025. SSDEC accepted the self-surrender proposal of aforementioned trades/units and recommended the same for de-affiliation.	2(1+1) have already been de-affiliated vide DGT order dated 17.01.2025 due to zero admissions.
15.	Rajrani Pvt. ITI Address: Rajrani Tower, H-1-6, IT Park, Indraprasth Industrial Area, Jhalawar Road, Dist-Kota, Rajasthan-324005. MIS Code: (PU08001659)	1. Computer Operator and Programmin g Assistant 1(1+0) 2. Electrician 2(1+1) 3. Fitter 2(1+1) 4. Welder 1(1+0)	1. The ITI has requested for surrender of following trade vide its letter dated 22.08.2024: a) Electrician – 2(1+1) b) Fitter - 2(1+1) c) Welder- 2(1+1) 2. The DET sent the self-surrender of the above said trade proposal to RDSDE on13.11.2024. 3. The matter was discussed in 7 th SSDEC held on 25.03.2025. SSDEC accepted the self-surrender proposal of aforementioned trades/units and recommended the same for de-affiliation.	SCAA has accepted ITI's request for self-surrender of following trades/units: a) Electrician – 2(1+1) b) Fitter - 2(1+1) c) Welder- 2(1+1) However, the trade/unit of Welder - 1(0+1) has already been de-affiliated vide DGT order dated 17.01.2025 due to zero admissions.


S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
16.	<p>Shri Narbadeshwar Pvt. ITI</p> <p>Address: Near Bhimiy Ji Ka Than, Media Road, Beawar, Dist-Ajmer, Rajasthan-305901.</p> <p>MIS Code: (PR08001125)</p>	<p>1. Electrician 3(2+1)</p> <p>2. Mechanic Diesel 2(1+1)</p>	<p>1. The ITI has requested for surrender of following trade vide its letter dated 20.11.2024:</p> <p>a) Electrician – 2(1+1)</p> <p>b) Fitter - 2(1+1)</p> <p>2. The DET sent the proposal for self-surrender of above said trades/units to RDSDE on 17.12.2024.</p> <p>3. The matter was discussed in 7th SSDEC held on 25.03.2025. SSDEC accepted the self-surrender proposal for aforementioned trades/units and recommended the same for de-affiliation.</p>	<p>SCAA has accepted ITI's request for self-surrender of following trades/units:</p> <p>a) Electrician – 2(1+1)</p> <p>b) Fitter - 2(1+1)</p>

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

(EY)

De-affiliation/Self Surrender matter of Karnataka State

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
1.	Raghavendra Technical Training center ITI Address: 9th Cross Someswarapuram, District- Tumakuru, Karnataka-572102 MIS Code: PU29000076	1. Electrician- 2(1+1) 2. Fitter- 2(1+1)	1. The Secretary of Raghavendra Technical Training center has requested for de-affiliation of following trade/unit: i. Fitter- 01 (0+1) The matter was discussed in 3 rd SSDEC dated 13.02.2025 and SSDEC recommended de-affiliation of trade/unit of the ITI as per the self- surrender request of the ITI.	SCAA has accepted ITI's request for self-surrender of following trade/units: 1. Fitter- 01(0+1)


 उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महाविभाग / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12



De-affiliation/Self Surrender matter of Gujarat State

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
1.	<p>Japan India Institute for Manufacturing</p> <p>Address: International Automobile Centre of Excellence (IAC) District- Gandhinagar Pincode:382007 Gujarat.</p> <p>MIS Code: PU24008198</p>	<p>1. Electrician- 2(1+1)</p> <p>2. Fitter- 2(1+1)</p> <p>3. Mechanic Motor Vehicle- 2(1+1)</p> <p>4. Painter General - 2(1+1)</p>	<p>1. The State Directorate informed RDSDE vide email dated 19.02.2025 that the ITI has requested for self -surrender of Painter General trade.</p> <p>2. The ITI also requested RDSDE Gujarat vide its letter dated 27.02.2025 for self -surrender of Painter General trade 2(1+1) due to non-popularity of trade, admission issues and limited Industrial demand.</p> <p>3. The matter was discussed in 5th SSDEC dated 01.03.2025 and SSDEC recommended the trade/units of Painter General for de-affiliation as per the self-surrender request of the ITI.</p>	<p>SCAA has accepted ITI's request for self-surrender of following trade/units: Painter General trade -2(1+1)</p>


 उज्ज्वल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण महानिदेशालय/Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12



De-affiliation matter of Madhya Pradesh State

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
1.	Sun Private ITI, Address: Gondia Road Rishi, Complex Balaghat, District- Balaghat, Pincode- 481001, Madhya Pradesh. MIS Code: PU23000995	1. Computer Operator and Programming Assistant – 2 (1+1) 2. Stenographer & Secretarial Assistant (Hindi) - 1 (1+0)	9. The de-affiliation matters of 65 ITIs were discussed during the 17th SCAA meeting, and these ITIs were subsequently de-affiliated vide DGT order dated 31.07.2024. 10. Sun Pvt. ITI was one of the 65 ITIs mentioned above and was de-affiliated as per the said DGT order. 11. Following the de-affiliation, a total of 11 ITIs out of the 65 ITIs approached the Hon'ble Court including the Sun Pvt. ITI and filed litigations challenging the said order at Delhi High Court. 12. The Hon'ble Court had initially permitted the petitioner ITI to admit trainees for the 2024-25 session, in compliance with the judgment dated 19.09.2024. Subsequently, the petition was dismissed by the Hon'ble Court vide order dated 14.10.2024, with a direction to approach the Hon'ble High Court of Madhya Pradesh. 13. In the meantime, DGT provided an opportunity to the ITIs, including the petitioner Sun Pvt. ITI, to submit their grievances through the NIMI portal via email communication dated 07.10.2024 and a reminder on	The matter was discussed in SCAA meeting and SCAA decided the following: Despite being granted multiple opportunities through grievance redressal mechanism vide email(s) dated 07.10.2024, 25.10.2024, 13.12.2024 to rectify the deficiencies outlined in the de-affiliation order dated 31.07.2024, the petitioner ITI has failed to address them, resulting in a clear violation of the Affiliation Norms, 2018. Furthermore, the inspection conducted on 06.03.2025 confirmed that the deficiencies remained unaddressed, despite the ITI having been granted ample

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>25.10.2024. However, only one ITI—Sun Pvt. ITI—availed this opportunity and submitted its grievance on the portal.</p> <p>14. Subsequently, in adherence to the principles of natural justice, DGT issued another communication dated 13.12.2024, granting a final opportunity to the petitioner ITIs to represent themselves along with supporting evidence demonstrating the rectification of deficiencies mentioned in the impugned order. The ITIs were directed to inform RDSDE, Madhya Pradesh, within 15 days of the said communication.</p> <p>15. RDSDE, Madhya Pradesh, was also directed to conduct a joint verification in case any representation was received from the petitioner ITIs, and to forward the verification report to DGT along with SSDEC recommendations.</p> <p>16. In response to the above communications, Sun Pvt. ITI submitted its representation. Accordingly, a joint verification was conducted on 06.03.2025 against the deficiencies identified in the de-affiliation order dated 31.07.2024. During the said joint verification, the following deficiencies were observed:</p> <p>i. Even though the sun private ITI is located on the 3rd floor on a leased site. Multiple activities like hotels, chit company and shops are functioning in the same complex on the other floors in a commercial complex building. The atmosphere for</p>	<p>time and opportunity to rectify them.</p> <p>This continued non-compliance of affiliation norms 2018 reflects a negligent approach towards the overall functioning of the institute and has a direct adverse impact on the future prospects of the trainees, undermining both the quality of training and the well-being of the trainees.</p> <p>However, in compliance with the interim order passed by the Hon'ble Court on 19.06.2025, the ITI is allowed to participate in the counselling of 2025-26 process by admitting the trainees.</p> <p>It shall be the sole responsibility of the ITI to inform the trainees that their admission is provisional and subject to the final outcome of the Hon'ble Court's decision. The DGT shall not entertain any claims or rights from these admitted trainees in the future.</p>

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>training is non-existing due to the bursting, noisy and without plot entrance. Overall fire safety meant for multiple story building is not there as the ITI is part of the building. Structural audit of building is not done periodically as per records. Stair case is too narrow for trades of 6 units (COPA and Steno-Hindi) and can lead to stampede in case of emergency. Open space around the building, lack of amenities like canteen/pantry, playground, first aid room and administrative area with reception, placement are not found. Ramp for differently abled person is not found.</p> <p>ii. Dead stock register and raw material register are not available.</p> <p>iii. Staff appointment information is available but their joining reports are not found. None of the instructors possess NCIC at the ITI.</p> <p>iv. Student Records are available for ongoing batch 2024-25 only.</p> <p>v. UPS is not available for both COPA and Steno-Hindi.</p> <p>vi. Interactive boards are not available in the ITI.</p> <p>vii. Teacher records are not available since inspection however for the ongoing batch the same is available.</p> <p>viii. The library is not available, about 50 books are found in a cupboard.</p>	Therefore, the ITI shall be de-affiliated on NCVT MIS Portal subject to the final direction from the Hon'ble Court.

Annexure-11

उज्जवल बिरवा
निदेशक
परीक्षण महाविद्यालय/Directorate General of Training
औद्योगिक विकास एवं लोकसुविधा विभाग
Ministry of MSME, Skill Development and Entrepreneurship
राज्य, भारत।

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>ix. Deficiencies in respect of the classroom are not removed.</p> <p>x. IT lab is not available as one more trade other than COPA is running in the ITI.</p> <p>17. The inspecting members recommended continuing the status of de-affiliation order as per 17th SCAA as the major deficiencies mentioned in the de-affiliation order dated 31.07.2024 were not rectified by the ITI .</p> <p>18. Thereafter, the petitioner has also approached the Hon'ble Court of M.P State via WPC No.41252/2024 seeking relief to quash the de-affiliation order dated 31.07.2024.The Hon'ble Court's has granted interim relief vide order dated 23.12.2024, the impugned order dated 31.07.2024 by staying the operation of ITI until the next date of hearing.</p> <p>19. The matter was discussed in 10th SSDEC dated 09.05.2025 and SSDEC recommended to continue the status of de-affiliation order as many deficiencies, which are required for quality training, have not yet been removed by the ITI and also as per the recommendation of Joint verification committee for the ITI.</p> <p>20. During the pendency of approval of the minutes of this meeting, the ITI has submitted the judgment copy of interim order dated 19.06.2025 passed by the Hon'ble Court in I.A.No.9303 of 2025 filed in WPC</p>	

Annexure-11

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक, प्रशिक्षण/ Director of Training
प्रशिक्षण महानिदेशालय/ Director, No. 12, Sector of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

(10)

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			41252/2024, wherein the Hon'ble Court permitted the petitioner to participate in the second round of counselling which is scheduled from 21st June, 2025 to 24th June, 2025 subject to final outcome of the writ petition.	
2.	Laxmi Pvt. ITI Address: Mata ka pura range office ke piche Sabalgarh, Moren, District- Morena, Pincode- 476229, Madhya Pradesh. MIS Code: PU23000981		<ol style="list-style-type: none"> 1. The de-affiliation matters of 65 ITIs were discussed during the 17th SCAA meeting, and these ITIs were subsequently de-affiliated vide DGT order dated 31.07.2024. 2. Laxmi Pvt. ITI was one of the 65 ITIs mentioned above and was de-affiliated as per the said DGT order. 3. Following the de-affiliation, a total of 11 ITIs out of the 65 ITIs approached the Hon'ble Court including the Laxmi Pvt. ITI and filed litigations challenging the said order at Delhi High Court. 4. The petition was dismissed by the Hon'ble Court vide order dated 14.10.2024, with a direction to approach the Hon'ble High Court of Madhya Pradesh. 5. In the meantime, DGT provided an opportunity to the ITIs, including the petitioner Laxmi Pvt. ITI, to submit their grievances through the NIMI portal via email communication dated 07.10.2024 and a reminder on 25.10.2024. 6. Subsequently, in adherence to the principles of natural justice, DGT issued another communication dated 13.12.2024, granting a final opportunity to the 	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>Despite being granted multiple opportunities through grievance redressal mechanism vide email(s) dated 07.10.2024, 25.10.2024, 13.12.2024 to rectify the deficiencies outlined in the de-affiliation order dated 31.07.2024, the petitioner ITI has failed to address them, resulting in a clear violation of the Affiliation Norms, 2018. This continued non-compliance of affiliation norms 2018 reflects a negligent approach towards the overall functioning of the institute and has a direct adverse impact on the future prospects of the trainees, undermining both the quality of</p>

Annexure-II

संलग्नक संख्या: NIMI/23/000981
निदेशक, निदेशक
प्रमुख, कर्मचारी/निदेशक, निदेशक
कोशल विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12



S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>petitioner ITIs to represent themselves along with supporting evidence demonstrating the rectification of deficiencies mentioned in the impugned order. The ITIs were directed to inform RDSDE, Madhya Pradesh, within 15 days of the said communication.</p> <p>7. RDSDE, Madhya Pradesh, was also directed to conduct a joint verification in case any representation was received from the petitioner ITIs, and to forward the verification report to DGT along with SSDEC recommendations.</p> <p>8. In response to the above communications, Laxmi Pvt. ITI submitted its representation. Accordingly, a joint verification was conducted on 23.04.2025 against the deficiencies identified in the de-affiliation order dated 31.07.2024. During the said joint verification, the following deficiencies were observed:</p> <ol style="list-style-type: none"> The ITI was located at a different address than the address mentioned on NCVT MIS Portal. The original land lease documents were not provided by the ITI on the day of inspection. The staff for the Electrician and Stenographer & Secretarial Assistant (Hindi) trades, including the Principal were not available on the day of inspection. 	<p>training and the well-being of the trainees.</p> <p>Therefore, the ITI will be de-affiliated on NCVT MIS Portal and no fresh admission is allowed from the 2025–26 session. Only the previously admitted trainees will be allowed to continue and complete their training at the institute.</p> <p>Furthermore, the ITI is debarred from submitting any application for the period of 03 years from the date of issuance of this MoM.</p>

उज्ज्वल बिस्वास/UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण गतिविधियाँ / Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

S.n o	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>iv. It was also observed that a portion of the Laxmi Private ITI building in Sabalgarh, Morena, is being used for rental purposes.</p> <p>v. The machinery in the Electrician Trade was not properly installed and none of the machinery was in working condition during inspection.</p> <p>vi. The Drawing Hall was not available in the ITI .</p> <p>vii. Some computers were not in working condition in the Stenographer & Secretarial Assistant (Hindi) during inspection.</p> <p>viii. Student records such as theory notebooks, practical files, and daily diaries were not made available at the time of inspection.</p> <p>ix. The Dead stock register for the Electrician and Stenographer & Secretarial assistant (Hindi) trades were not provided during inspection.</p> <p>x. The Raw materials register and consumable register were not shown during inspection.</p> <p>9. The inspecting members recommended continuing the status of de-affiliation order as per 17th SCAA as the major deficiencies mentioned in the de-affiliation order dated 31.07.2024 were not rectified by the ITI .</p> <p>10. The matter was discussed in 10th SSDEC dated 09.05.2025 and SSDEC recommended to continue the status of de-affiliation order as many deficiencies, which are required for quality training, have not yet</p>	

सुभाष चंद्र बोस
 Director
 Ministry of Skill Development and Entrepreneurship
 New Delhi-12

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			been removed by the ITI and also as per the recommendation of Joint verification committee for the ITI.	
3.	Shri Girraj Ji Pvt. ITI Address: Seondha Chungi Marg, Datia, District-Datia, Pincode- 475661, Madhya Pradesh MIS Code: PU23000721		<ol style="list-style-type: none"> 1. The de-affiliation matters of 65 ITIs were discussed during the 17th SCAA meeting, and these ITIs were subsequently de-affiliated vide DGT order dated 31.07.2024. 2. Shri Girraj Ji Pvt. ITI was one of the 65 ITIs mentioned above and was de-affiliated as per the said DGT order. 3. Following the de-affiliation, a total of 11 ITIs out of the 65 ITIs approached the Hon'ble Court including the Shri Girraj Ji Pvt. ITI and filed litigations challenging the said order at Delhi High Court . 4. The petition was dismissed by the Hon'ble Court vide order dated 14.10.2024, with a direction to approach the Hon'ble High Court of Madhya Pradesh. 5. In the meantime, DGT provided an opportunity to the concerned ITIs, including the petitioner ITIs, to submit their grievances through the NIMI portal via email communication dated 07.10.2024 and a reminder on 25.10.2024. 6. Subsequently, in adherence to the principles of natural justice, DGT issued another communication dated 13.12.2024, granting a 	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>Despite being granted multiple opportunities through grievance redressal mechanism vide email(s) dated 07.10.2024, 25.10.2024, 13.12.2024 to rectify the deficiencies outlined in the de-affiliation order dated 31.07.2024, the petitioner ITI has failed to address them, resulting in a clear violation of the Affiliation Norms, 2018. This continued non-compliance of affiliation norms 2018 reflects a negligent approach towards the overall functioning of the institute and has a direct adverse impact on the future prospects of the trainees, undermining both the quality of training and the well-being of the trainees.</p>

उज्जवल बिस्वास / UJJWAL BISWAS
निर्देशक, प्रशिक्षण
प्रशिक्षण निदेशक, प्रशिक्षण
कोशल विकास विभाग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>final opportunity to the petitioner ITIs to represent themselves along with supporting evidence demonstrating the rectification of deficiencies mentioned in the impugned order. The ITIs were directed to inform RDSDE, Madhya Pradesh, within 15 days of the said communication.</p> <p>7. RDSDE, Madhya Pradesh, was also directed to conduct a joint verification in case any representation was received from the petitioner ITIs, and to forward the verification report to DGT along with SSDEC recommendations.</p> <p>8. In response to the above communications, Shri Girraj Ji Pvt. ITI submitted its representation. Accordingly, a joint verification was conducted on 24.04.2025 against the deficiencies identified in the de-affiliation order dated 31.07.2024. During the said joint verification, the following were the observations :</p> <p>i. The ITI was found locked on the day of inspection. Despite prior intimation of inspection to the Principal, Govt. ITI Datia vide email dated 17.04.2025, the institute has not responded to date.</p> <p>ii. The committee members also mentioned that the ITI is located at a different address than</p>	<p>Therefore, the ITI will be de-affiliated on NCVT MIS Portal and no fresh admission is allowed from the 2025-26 session. Only the previously admitted trainees will be allowed to continue and complete their training at the institute.</p> <p>Furthermore, the ITI is debarred from submitting any application for the period of 03 years from the date of issuance of this MoM.</p>

उज्जवल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 प्रशिक्षण प्रशासन विभाग / Director General of Training
 वीरवार विभाग / Director General of Training
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110002



S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>the address mentioned on the NCVT MIS Portal.</p> <p>9. The inspecting members recommended continuing the status of de-affiliation order as per 17th SCAA as the major deficiencies mentioned in the de-affiliation order dated 31.07.2024 were not rectified by the ITI .</p> <p>10. The matter was discussed in 10th SSDEC dated 09.05.2025 and SSDEC recommended to continue the status of de-affiliation order as the ITI was again found closed during inspection.</p>	
4.	<p>Radhey Govind Pvt. ITI Address: Gulganj Road, Bijawar, District- Chhatarpur, Pincode- 471405, Madhya Pradesh.</p> <p>MIS Code: PU23001110</p>		<p>1. The de-affiliation matters of 65 ITIs were discussed during the 17th SCAA meeting, and these ITIs were subsequently de-affiliated vide DGT order dated 31.07.2024.</p> <p>2. Radhey Govind Pvt. ITI was one of the 65 ITIs mentioned above and was de-affiliated as per the said DGT order.</p> <p>3. Following the de-affiliation, a total of 11 ITIs out of the 65 ITIs approached the Hon'ble Court including the Radhey Govind Pvt. ITI and filed litigations challenging the said order at Delhi High Court .</p> <p>4. The petition was dismissed by the Hon'ble Court vide order dated 14.10.2024, with a direction to approach the Hon'ble High Court of Madhya Pradesh.</p> <p>5. In the meantime, DGT provided an opportunity to the concerned ITIs, including the petitioner ITIs, to</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation: Despite being granted multiple opportunities through grievance redressal mechanism vide email(s) dated 07.10.2024, 25.10.2024, 13.12.2024 to rectify the deficiencies outlined in the de-affiliation order dated 31.07.2024, the petitioner ITI has failed to address them resulting in a clear violation of the Affiliation Norms, 2018. Also major sever additional deficiencies have been identified</p>

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>submit their grievances through the NIMI portal via email communication dated 07.10.2024 and a reminder on 25.10.2024.</p> <p>6. Subsequently, in adherence to the principles of natural justice, DGT issued another communication dated 13.12.2024, granting a final opportunity to the petitioner ITIs to represent themselves along with supporting evidence demonstrating the rectification of deficiencies mentioned in the impugned order. The ITIs were directed to inform RDSDE, Madhya Pradesh, within 15 days of the said communication.</p> <p>7. RDSDE, Madhya Pradesh, was also directed to conduct a joint verification in case any representation was received from the petitioner ITIs, and to forward the verification report to DGT along with SSDEC recommendations.</p> <p>8. In response to the above communications, Radhey Govind Pvt. ITI submitted its representation. Accordingly, a joint verification was conducted on 02.05.2025 against the deficiencies identified in the de-affiliation order dated 31.07.2024. During the said joint verification, the following deficiencies were the observed:</p> <p>i. In the trade Health Sanitary Inspector only dummy's of working models were available during the inspection.</p>	<p>during joint inspection dated 02.05.2025.</p> <p>This continued non-compliance of affiliation norms 2018 reflects a negligent approach towards the overall functioning of the institute and has a direct adverse impact on the future prospects of the trainees, undermining both the quality of training and the well-being of the trainees.</p> <p>Therefore, the ITI will be de-affiliated on NCVT MIS Portal and no fresh admission is allowed from the 2025–26 session. Only the previously admitted trainees will be allowed to continue and complete their training at the institute.</p> <p>Furthermore, the ITI is debarred from submitting any application for the period of 03 years from the date of issuance of this MoM.</p>

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>ii. The area/size available for drawing hall in the ITI was recorded during inspection was 12.3 Sq meter against required area 35 Sq mtrs per affiliation norms which clearly violated affiliation norms.</p> <p>iii. Only two instructors were available during inspection but their CITS qualification and experience were not provided by the ITI.</p> <p>iv. Dead Stock Register and Raw Materials Register are Not available.</p> <p>v. No admissions have been made in the ITI as it stands de-affiliated. Additionally, old student records including theory notebooks, practical records, and daily diaries were not made available during the inspection.</p> <p><u>Additional Observations by the committee members:</u></p> <p>i. The area for Electrician lab was recorded during inspection as - 14 metre * 12 metre = 168 square metre whereas the required area as per norms is 196 square metre.</p> <p>ii. Similarly , the area for Health Sanitary inspector lab was recorded during inspection as 3.25 metre * 4.65 metre = 15.11 square metre whereas the required area as per norms is 40 square meter.</p>	

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण मंत्रालय, भारत सरकार
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002

S.n o	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>iii. As per the rent deed, it was observed that the institute is operating at a different location, on the opposite side of the road. This was also confirmed by nearby shopkeepers. The ITI did not provide a copy of the old rent deed on the day of inspection. At present, the institute is functioning from a different building.</p> <p>9. The inspecting members recommended continuing the status of de-affiliation order as per 17th SCAA as the major deficiencies mentioned in the de-affiliation order dated 31.07.2024 were not rectified by the ITI . Also the other additional severe deficiencies were identified in the inspection dated 02.05.2025 .</p> <p>10. The matter was discussed in 10th SSDEC dated 09.05.2025 and SSDEC recommended to continue the status of de-affiliation order as many deficiencies, which are required for quality training, have not yet been removed by the ITI and additional deficiencies have also been observed by the joint inspection committee.</p>	
5.	STR Pvt. ITI Address: Adarsh nager Pinto park District- Gwalior, Pincode- 474005, Madhya Pradesh.	1. Electrician- 6(2+2+2) 2. Fitter- 3(1+1+1)	<p>1. The de-affiliation matters of 65 ITIs were discussed during the 17th SCAA meeting, and these ITIs were subsequently de-affiliated vide DGT order dated 31.07.2024.</p> <p>2. STR Pvt. ITI was one of the 65 ITIs mentioned above and was de-affiliated as per the said DGT order.</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p>

सत्यपाल बिस्वास / SATYAPAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

Annexure-11

(P4)

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
	MIS Code: PU23000841		<p>3. Following the de-affiliation, a total of 11 ITIs out of the 65 ITIs approached the Hon'ble Court including the STR Pvt. ITI and filed litigations challenging the said order at Delhi High Court .</p> <p>4. The Hon'ble Court had initially permitted the petitioner ITI to admit trainees for the 2024–25 session, in compliance with the judgment dated 19.09.2024. Subsequently, the petition was dismissed by the Hon'ble Court vide order dated 14.10.2024, with a direction to approach the Hon'ble High Court of Madhya Pradesh.</p> <p>5. In the meantime, DGT provided an opportunity to the concerned ITIs, including the petitioner ITIs, to submit their grievances through the NIMI portal via email communication dated 07.10.2024 and a reminder on 25.10.2024.</p> <p>6. Subsequently, in adherence to the principles of natural justice, DGT issued another communication dated 13.12.2024, granting a final opportunity to the petitioner ITIs to represent themselves along with supporting evidence demonstrating the rectification of deficiencies mentioned in the impugned order. The ITIs were directed to inform RDSDE, Madhya Pradesh, within 15 days of the said communication.</p> <p>7. RDSDE, Madhya Pradesh, was also directed to conduct a joint verification in case any representation was received from the petitioner ITIs, and to forward</p>	<p>In adherence to the principles of natural justice, the ITI was provided with multiple opportunities through grievance redressal mechanism vide email(s) dated 07.10.2024, 25.10.2024, 13.12.2024 to submit documents substantiating the rectification of deficiencies. However, the ITI failed to avail any of these opportunities, reflecting continued non-compliance with the prescribed affiliation norms. This lackadaisical approach of the institute in complying with the affiliation norms, 2018, indicates irresponsible conduct towards its overall functioning and has a direct adverse impact on the future prospects of the trainees, undermining both the quality of training and the well-being of the trainees.</p> <p>Therefore, the ITI will be de-affiliated on NCVT MIS Portal and no fresh admission is allowed from the 2025–26 session. Only the</p>

उज्ज्वल बिश्वास/UJJWAL BISWAS
 निदेशक, कौशल विकास और उद्यमिता मंत्रालय
 Director, Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

Annexure-11

②

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>the verification report to DGT along with SSDEC recommendations.</p> <p>8. In response to the above communications, STR Pvt. did not submit its representation or expressed its willingness for joint verification about removal of deficiencies against the deficiencies identified in the de-affiliation order dated 31.07.2024 .</p> <p>9. Since the matter was under judicial consideration, the ITIs involved in litigation neither submitted their representations nor expressed willingness to undergo joint inspection. Accordingly, RDSDE Madhya Pradesh, in reference to the State Directorate's letter dated 20.02.2025, sought further directions from DGT in this regard.</p> <p>10. Thereafter, DGT directed the RDSDE to inform the concerned ITIs to undergo verification, based on which the impugned de-affiliation order had been issued.</p> <p>11. In compliance with these directions, RDSDE informed the State Directorate vide email dated 03.04.2025. Subsequently, the State Directorate, vide its letter no. MPSSDEGB/SCVT/affi/2025/1284 dated 09.04.2025, instructed the ITIs to submit their willingness for joint verification.</p> <p>12. The STR Pvt. ITI did not respond to the State Directorate letter dated 09.04.2025 for joint verification.</p>	<p>previously admitted trainees will be allowed to continue and complete their training at the institute.</p> <p>Furthermore, the ITI is debarred from submitting any application for the period of 03 years from the date of issuance of this MoM.</p>

Annexure-11

उज्ज्वल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12



S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>13. Thereafter, the petitioner has also approached the Hon'ble Court of M.P State via WPC No.41410/2024 seeking relief to quash the de-affiliation order dated 31.07.2024. The Hon'ble Court's has granted interim relief vide order dated 06.01.2025, the impugned order dated 31.07.2024 by staying the operation of ITI until the next date of hearing.</p> <p>14. The matter was discussed in the 10th SSDEC meeting held on 09.05.2025, wherein the SSDEC recommended to maintain the de-affiliation status, as the ITI, despite multiple opportunities, neither represented its case nor expressed willingness for joint verification regarding removal of deficiencies.</p>	
6.	<p>Chanakya Pvt. ITI Address: Ward no.-1 Goraghat bypass road near Govt.Nehru degree college District- Ashoknagar, Pincode- 473331, Madhya Pradesh.</p> <p>MIS Code: PR23000952</p>	<p>1. Electrician- 3(1+1+1) 2. Fitter- 2(1+1)</p>	<p>1. The de-affiliation matters of 65 ITIs were discussed during the 17th SCAA meeting, and these ITIs were subsequently de-affiliated vide DGT order dated 31.07.2024.</p> <p>2. Chanakya Pvt. ITI was one of the 65 ITIs mentioned above and was de-affiliated as per the said DGT order.</p> <p>3. Following the de-affiliation, a total of 11 ITIs out of the 65 ITIs approached the Hon'ble Court including the Chanakya Pvt. ITI and filed litigations challenging the said order at Delhi High Court .</p> <p>4. The Hon'ble Court had initially permitted the petitioner ITI to admit trainees for the 2024-25 session, in compliance with the judgment dated</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>In adherence to the principles of natural justice, the ITI was provided with multiple opportunities through grievance redressal mechanism vide email(s) dated 07.10.2024, 25.10.2024, 13.12.2024 to submit documents substantiating the</p>

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक/Director
प्रशिक्षण महानिदेशक, Directr General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

Annexure-11

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>19.09.2024. Subsequently, the petition was dismissed by the Hon'ble Court vide order dated 14.10.2024, with a direction to approach the Hon'ble High Court of Madhya Pradesh.</p> <p>5. In the meantime, DGT provided an opportunity to the concerned ITIs, including the petitioner ITIs, to submit their grievances through the NIMI portal via email communication dated 07.10.2024 and a reminder on 25.10.2024.</p> <p>6. Subsequently, in adherence to the principles of natural justice, DGT issued another communication dated 13.12.2024, granting a final opportunity to the petitioner ITIs to represent themselves along with supporting evidence demonstrating the rectification of deficiencies mentioned in the impugned order. The ITIs were directed to inform RDSDE, Madhya Pradesh, within 15 days of the said communication.</p> <p>7. RDSDE, Madhya Pradesh, was also directed to conduct a joint verification in case any representation was received from the petitioner ITIs, and to forward the verification report to DGT along with SSDEC recommendations.</p> <p>8. In response to the above communications, Chanakya Pvt. did not submit its representation or expressed its willingness for joint verification about removal of deficiencies against the deficiencies identified in the de-affiliation order dated 31.07.2024.</p>	<p>rectification of deficiencies. However, the ITI failed to avail any of these opportunities, reflecting continued non-compliance with the prescribed affiliation norms. This lackadaisical approach of the institute in complying with the affiliation norms, 2018, indicates irresponsible conduct towards its overall functioning and has a direct adverse impact on the future prospects of the trainees, undermining both the quality of training and the well-being of the trainees.</p> <p>Therefore, the ITI will be de-affiliated on NCVT MIS Portal and no fresh admission is allowed from the 2025-26 session. Only the previously admitted trainees will be allowed to continue and complete their training at the institute. Furthermore, the ITI is debarred from submitting any application for</p>

Annexure-11

उद्देश्य विभाग / Director
 प्रमुख निदेशक / Director General of Training
 कौशल विकास एवं उद्यमिता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12



S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>9. Since the matter was under judicial consideration, the ITIs involved in litigation neither submitted their representations nor expressed willingness to undergo joint inspection. Accordingly, RDSDE Madhya Pradesh, in reference to the State Directorate's letter dated 20.02.2025, sought further directions from DGT in this regard.</p> <p>10. Thereafter, DGT directed the RDSDE to inform the concerned ITIs to undergo verification, based on which the impugned de-affiliation order had been issued.</p> <p>11. In compliance with these directions, RDSDE informed the State Directorate vide email dated 03.04.2025. Subsequently, the State Directorate, vide its letter no. MPSSDEGB/SCVT/affi/2025/1284 dated 09.04.2025, instructed the ITIs to submit their willingness for joint verification.</p> <p>12. The Chanakya Pvt. ITI did not respond to the State Directorate letter dated 09.04.2025 for joint verification.</p> <p>13. The matter was discussed in the 10th SSDEC meeting held on 09.05.2025, wherein the SSDEC recommended to maintain the de-affiliation status, as the ITI, despite multiple opportunities, neither represented its case nor expressed willingness for joint verification regarding removal of deficiencies.</p>	the period of 03 years from the date of issuance of this MoM.

उज्जयल बिस्वास / UJJWAL BISWAS
 निदेशक / Director
 परीक्षा महाविद्यालय / Director General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12 / Govt. of India, New Delhi-12

S.n o	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
7.	<p>Excellence Pvt. ITI Address: Near Jail Road Karod, District- Bhopal, Pincode- 462032, Madhya Pradesh.</p> <p>MIS Code: PR23000213</p>	<p>1. Electrician- 3(1+1+1) 2. Fitter- 2(1+1)</p>	<p>1. The de-affiliation matters of 65 ITIs were discussed during the 17th SCAA meeting, and these ITIs were subsequently de-affiliated vide DGT order dated 31.07.2024.</p> <p>2. Excellence Pvt. ITI was one of the 65 ITIs mentioned above and was de-affiliated as per the said DGT order.</p> <p>3. Following the de-affiliation, a total of 11 ITIs out of the 65 ITIs approached the Hon'ble Court including the Excellence Pvt. ITI and filed litigations challenging the said order at Delhi High Court .</p> <p>4. The Hon'ble Court had initially permitted the petitioner ITI to admit trainees for the 2024-25 session, in compliance with the judgment dated 19.09.2024. Subsequently, the petition was dismissed by the Hon'ble Court vide order dated 14.10.2024, with a direction to approach the Hon'ble High Court of Madhya Pradesh.</p> <p>5. In the meantime, DGT provided an opportunity to the concerned ITIs, including the petitioner ITIs, to submit their grievances through the NIMI portal via email communication dated 07.10.2024 and a reminder on 25.10.2024.</p> <p>6. Subsequently, in adherence to the principles of natural justice, DGT issued another communication dated 13.12.2024, granting a final opportunity to the petitioner ITIs to represent themselves along with</p>	<p>The matter was discussed in SCAA meeting and SCAA decided the following:</p> <p>In adherence to the principles of natural justice, the ITI was provided with multiple opportunities through grievance redressal mechanism vide email(s) dated 07.10.2024, 25.10.2024, 13.12.2024 to submit documents substantiating the rectification of deficiencies. However, the ITI failed to avail any of these opportunities, reflecting continued non-compliance with the prescribed affiliation norms. This lackadaisical approach of the institute in complying with the affiliation norms, 2018, indicates irresponsible conduct towards its overall functioning and has a direct adverse impact on the future prospects of the trainees, undermining both the quality of training and the well-being of the trainees.</p>

उज्जयल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक/Directorate General of Training
कोशल विकास एवं उद्यमशीलता अकादमी
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

Annexure-11

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>supporting evidence demonstrating the rectification of deficiencies mentioned in the impugned order. The ITIs were directed to inform RDSDE, Madhya Pradesh, within 15 days of the said communication.</p> <p>7. RDSDE, Madhya Pradesh, was also directed to conduct a joint verification in case any representation was received from the petitioner ITIs, and to forward the verification report to DGT along with SSDEC recommendations.</p> <p>8. In response to the above communications, Excellence Pvt. did not submit its representation or expressed its willingness for joint verification about removal of deficiencies against the deficiencies identified in the de-affiliation order dated 31.07.2024.</p> <p>9. Since the matter was under judicial consideration, the ITIs involved in litigation neither submitted their representations nor expressed willingness to undergo joint inspection. Accordingly, RDSDE Madhya Pradesh, in reference to the State Directorate's letter dated 20.02.2025, sought further directions from DGT in this regard.</p> <p>10. Thereafter, DGT directed the RDSDE to inform the concerned ITIs to undergo verification, based on which the impugned de-affiliation order had been issued.</p>	<p>However, in compliance with the interim order passed by the Hon'ble Court on 19.06.2025, the ITI is allowed to participate in the counselling of 2025-26 process by admitting the trainees.</p> <p>It shall be the sole responsibility of the ITI to inform the trainees that their admission is provisional and subject to the final outcome of the Hon'ble Court's decision. The DGT shall not entertain any claims or rights from these admitted trainees in the future.</p> <p>Therefore, the ITI shall be de-affiliated on NCVT MIS Portal subject to the final direction from the Hon'ble Court.</p>

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय, प्रमुख, प्रशिक्षण विभाग
कोशल विकास और उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002, India, New Delhi-12

Annexure-11

(P)

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>11. In compliance with these directions, RDSDE informed the State Directorate vide email dated 03.04.2025. Subsequently, the State Directorate, vide its letter no. MPSSDEGB/SCVT/affi/2025/1284 dated 09.04.2025, instructed the ITIs to submit their willingness for joint verification.</p> <p>12. The Excellence Pvt. ITI did not respond to the State Directorate letter dated 09.04.2025 for joint verification.</p> <p>13. The matter was discussed in the 10th SSDEC meeting held on 09.05.2025, wherein the SSDEC recommended to maintain the de-affiliation status, as the ITI, despite multiple opportunities, neither represented its case nor expressed willingness for joint verification regarding removal of deficiencies.</p> <p>14. During the pendency of approval of the minutes of this meeting, the ITI has submitted the judgment copy of interim order dated 19.06.2025 passed by the Hon'ble Court in I.A.No.9297 of 2025 filed in WPC 41264/2024, wherein the Hon'ble Court permitted the petitioner to participate in the second round of counselling which is scheduled from 21st June, 2025 to 24th June, 2025 subject to final outcome of the writ petition.</p>	

प्रमुख निदेशक/उत्तम बिस्वास
 निदेशक/ Director
 प्रशिक्षण निदेशक, Directorate General of Training
 कौशल विकास, विद्यार्जन और उद्यमिता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

(PW)

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
8.	<p>Jija Mata Pvt. ITI, Chinndwara Address: Ghoghari road Tansaramal Umarnala, District: Chinndwara, Pincode: 480107, Madhya Pradesh</p> <p>MIS code: PR23000302</p>	<p>1. Electrician- 4(1+1+2) 2. Fitter- 2(2+0) 3. Mechanic Diesel- 1(1+0)</p>	<p>1. The de-affiliation matters of 65 ITIs were discussed during the 17th SCAA meeting, and these ITIs were subsequently de-affiliated vide DGT order dated 31.07.2024.</p> <p>2. Jija Mata Pvt. ITI was one of the 65 ITIs mentioned above and was de-affiliated as per the said DGT order.</p> <p>3. Following the de-affiliation, a total of 11 ITIs out of the 65 ITIs approached the Hon'ble Court including the Jija Mata Pvt. ITI and filed litigations challenging the said order at Delhi High Court .</p> <p>4. The Hon'ble Court had initially permitted the petitioner ITI to admit trainees for the 2024-25 session, in compliance with the judgment dated 19.09.2024. Subsequently, the petition was dismissed by the Hon'ble Court vide order dated 14.10.2024, with a direction to approach the Hon'ble High Court of Madhya Pradesh.</p> <p>5. In the meantime, DGT provided an opportunity to the concerned ITIs, including the petitioner ITIs, to submit their grievances through the NIMI portal via email communication dated 07.10.2024 and a reminder on 25.10.2024.</p> <p>6. Subsequently, in adherence to the principles of natural justice, DGT issued another communication dated 13.12.2024, granting a final opportunity to the petitioner ITIs to represent</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>In adherence to the principles of natural justice, the ITI was provided with multiple opportunities through grievance redressal mechanism vide email(s) dated 07.10.2024, 25.10.2024, 13.12.2024 to submit documents substantiating the rectification of deficiencies. However, the ITI failed to avail any of these opportunities, reflecting continued non-compliance with the prescribed affiliation norms. This lackadaisical approach of the institute in complying with the affiliation norms, 2018, indicates irresponsible conduct towards its overall functioning and has a direct adverse impact on the future prospects of the trainees, undermining both the quality of</p>

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>themselves along with supporting evidence demonstrating the rectification of deficiencies mentioned in the impugned order. The ITIs were directed to inform RDSDE, Madhya Pradesh, within 15 days of the said communication.</p> <p>7. RDSDE, Madhya Pradesh, was also directed to conduct a joint verification in case any representation was received from the petitioner ITIs, and to forward the verification report to DGT along with SSDEC recommendations.</p> <p>8. In response to the above communications, Jija Mata Pvt. did not submit its representation or expressed its willingness for joint verification about removal of deficiencies against the deficiencies identified in the de-affiliation order dated 31.07.2024.</p> <p>9. Since the matter was under judicial consideration, the ITIs involved in litigation neither submitted their representations nor expressed willingness to undergo joint inspection. Accordingly, RDSDE Madhya Pradesh, in reference to the State Directorate's letter dated 20.02.2025, sought further directions from DGT in this regard.</p> <p>10. Thereafter, DGT directed the RDSDE to inform the concerned ITIs to undergo verification, based</p>	<p>training and the well-being of the trainees.</p> <p>Therefore, the ITI will be de-affiliated on NCVT MIS Portal and no fresh admission is allowed from the 2025-26 session. Only the previously admitted trainees will be allowed to continue and complete their training at the institute.</p> <p>Furthermore, the ITI is debarred from submitting any application for the period of 03 years from the date of issuance of this MoM.</p>

S.n o	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>on which the impugned de-affiliation order had been issued.</p> <p>11. In compliance with these directions, RDSDE informed the State Directorate vide email dated 03.04.2025. Subsequently, the State Directorate, vide its letter no. MPSSDEGB/SCVT/affi/2025/1284 dated 09.04.2025, instructed the ITIs to submit their willingness for joint verification.</p> <p>12. The Jija Mata Pvt. ITI did not respond to the State Directorate letter dated 09.04.2025 for joint verification.</p> <p>The matter was discussed in the 10th SSDEC meeting held on 09.05.2025, wherein the SSDEC recommended to maintain the de-affiliation status, as the ITI, despite multiple opportunities, neither represented its case nor expressed willingness for joint verification regarding removal of deficiencies.</p>	
9.	<p>Mesco Pvt. ITI Address: Vayu Nagar, Near Don Bosco School, District: Gwalior, Pincode: 474020, Madhya Pradesh</p> <p>MIS code: PU23000607</p>	1. Electrician- 3(1+1+1)	<p>1. The de-affiliation matters of 65 ITIs were discussed during the 17th SCAA meeting, and these ITIs were subsequently de-affiliated vide DGT order dated 31.07.2024.</p> <p>2. Mesco Pvt. ITI was one of the 65 ITIs mentioned above and was de-affiliated as per the said DGT order.</p> <p>3. Following the de-affiliation, a total of 11 ITIs out of the 65 ITIs approached the Hon'ble Court</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>In adherence to the principles of natural justice, the ITI was provided with multiple</p>

Annexure-11

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशक / Directorate General of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>including the Mesco Pvt. ITI and filed litigations challenging the said order at Delhi High Court .</p> <p>4. The Hon'ble Court had initially permitted the petitioner ITI to admit trainees for the 2024–25 session, in compliance with the judgment dated 19.09.2024. Subsequently, the petition was dismissed by the Hon'ble Court vide order dated 14.10.2024, with a direction to approach the Hon'ble High Court of Madhya Pradesh.</p> <p>5. In the meantime, DGT provided an opportunity to the concerned ITIs, including the petitioner ITIs, to submit their grievances through the NIMI portal via email communication dated 07.10.2024 and a reminder on 25.10.2024.</p> <p>6. Subsequently, in adherence to the principles of natural justice, DGT issued another communication dated 13.12.2024, granting a final opportunity to the petitioner ITIs to represent themselves along with supporting evidence demonstrating the rectification of deficiencies mentioned in the impugned order. The ITIs were directed to inform RDSDE, Madhya Pradesh, within 15 days of the said communication.</p> <p>7. RDSDE, Madhya Pradesh, was also directed to conduct a joint verification in case any representation was received from the petitioner</p>	<p>opportunities through grievance redressal mechanism vide email(s) dated 07.10.2024, 25.10.2024, 13.12.2024 to submit documents substantiating the rectification of deficiencies. However, the ITI failed to avail any of these opportunities, reflecting continued non-compliance with the prescribed affiliation norms. This lackadaisical approach of the institute in complying with the affiliation norms, 2018, indicates irresponsible conduct towards its overall functioning and has a direct adverse impact on the future prospects of the trainees, undermining both the quality of training and the well-being of the trainees.</p> <p>Therefore, the ITI will be de-affiliated on NCVT MIS Portal and no fresh admission is allowed from the 2025–26 session. Only the previously admitted trainees will be allowed to continue and</p>

Annexure-11

सज्जवल निरवाह / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण गहननिदेशक / Director General of Training
कौशल विकास एवं उद्यमशीलता विभाग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110 012 / Govt. of India, New Delhi-12



S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>ITIs, and to forward the verification report to DGT along with SSDEC recommendations.</p> <p>8. In response to the above communications, Mesco Pvt. did not submitted its representation or expressed its willingness for joint verification about removal of deficiencies against the deficiencies identified in the de-affiliation order dated 31.07.2024.</p> <p>9. Since the matter was under judicial consideration, the ITIs involved in litigation neither submitted their representations nor expressed willingness to undergo joint inspection. Accordingly, RDSDE Madhya Pradesh, in reference to the State Directorate's letter dated 20.02.2025, sought further directions from DGT in this regard.</p> <p>10. Thereafter, DGT directed the RDSDE to inform the concerned ITIs to undergo verification, based on which the impugned de-affiliation order had been issued.</p> <p>11. In compliance with these directions, RDSDE informed the State Directorate vide email dated 03.04.2025. Subsequently, the State Directorate, vide its letter no. MPSSDEGB/SCVT/affi/2025/1284 dated 09.04.2025, instructed the ITIs to submit their willingness for joint verification.</p>	<p>complete their training at the institute.</p> <p>Furthermore, the ITI is debarred from submitting any application for the period of 03 years from the date of issuance of this MoM.</p>

Annexure-11

उज्जवल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महसिले (असत) निदेशक - राज्य के Training
समिती के निदेशक एवं समन्वयक, मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

(18)

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>12. The Mesco Pvt. ITI did not respond to the State Directorate letter dated 09.04.2025 for joint verification.</p> <p>13. The matter was discussed in the 10th SSDEC meeting held on 09.05.2025, wherein the SSDEC recommended to maintain the de-affiliation status, as the ITI, despite multiple opportunities, neither represented its case nor expressed willingness for joint verification regarding removal of deficiencies.</p>	
10.	<p>Uma Pvt. ITI, Rajgarh Address: Uma Private ITI Khujner Zeerapur Road, District: Rajgarh, Pincode: 465687, Madhya Pradesh</p> <p>MIS code: PU23000358</p>	1. Electrician-6(2+2+2)	<p>1. The de-affiliation matters of 65 ITIs were discussed during the 17th SCAA meeting, and these ITIs were subsequently de-affiliated vide DGT order dated 31.07.2024.</p> <p>2. Uma Mata Pvt. ITI was one of the 65 ITIs mentioned above and was de-affiliated as per the said DGT order.</p> <p>3. Following the de-affiliation, a total of 11 ITIs out of the 65 ITIs approached the Hon'ble Court including the Uma Pvt. ITI and filed litigations challenging the said order at Delhi High Court .</p> <p>4. The Hon'ble Court had initially permitted the petitioner ITI to admit trainees for the 2024-25 session, in compliance with the judgment dated 19.09.2024. Subsequently, the petition was dismissed by the Hon'ble Court vide order dated</p>	<p>SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC.</p> <p>Reasons for de-affiliation:</p> <p>In adherence to the principles of natural justice, the ITI was provided with multiple opportunities through grievance redressal mechanism vide email(s) dated 07.10.2024, 25.10.2024, 13.12.2024 to submit documents substantiating the rectification of deficiencies. However, the ITI failed to avail any of these opportunities, reflecting</p>

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>14.10.2024, with a direction to approach the Hon'ble High Court of Madhya Pradesh.</p> <p>5. In the meantime, DGT provided an opportunity to the concerned ITIs, including the petitioner ITIs, to submit their grievances through the NIMI portal via email communication dated 07.10.2024 and a reminder on 25.10.2024.</p> <p>6. Subsequently, in adherence to the principles of natural justice, DGT issued another communication dated 13.12.2024, granting a final opportunity to the petitioner ITIs to represent themselves along with supporting evidence demonstrating the rectification of deficiencies mentioned in the impugned order. The ITIs were directed to inform RDSDE, Madhya Pradesh, within 15 days of the said communication.</p> <p>7. RDSDE, Madhya Pradesh, was also directed to conduct a joint verification in case any representation was received from the petitioner ITIs, and to forward the verification report to DGT along with SSDEC recommendations.</p> <p>8. In response to the above communications, Uma Pvt. did not submitted its representation or expressed its willingness for joint verification about removal of deficiencies against the deficiencies identified in the de-affiliation order dated 31.07.2024.</p>	<p>continued non-compliance with the prescribed affiliation norms. This lackadaisical approach of the institute in complying with the affiliation norms, 2018, indicates irresponsible conduct towards its overall functioning and has a direct adverse impact on the future prospects of the trainees, undermining both the quality of training and the well-being of the trainees.</p> <p>Therefore, the ITI will be de-affiliated on NCVT MIS Portal and no fresh admission is allowed from the 2025-26 session. Only the previously admitted trainees will be allowed to continue and complete their training at the institute.</p> <p>Furthermore, the ITI is debarred from submitting any application for the period of 03 years from the date of issuance of this MoM.</p>

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			<p>9. Since the matter was under judicial consideration, the ITIs involved in litigation neither submitted their representations nor expressed willingness to undergo joint inspection. Accordingly, RDSDE Madhya Pradesh, in reference to the State Directorate's letter dated 20.02.2025, sought further directions from DGT in this regard.</p> <p>10. Thereafter, DGT directed the RDSDE to inform the concerned ITIs to undergo verification, based on which the impugned de-affiliation order had been issued.</p> <p>11. In compliance with these directions, RDSDE informed the State Directorate vide email dated 03.04.2025. Subsequently, the State Directorate, vide its letter no. MPSSDEGB/SCVT/affi/2025/1284 dated 09.04.2025, instructed the ITIs to submit their willingness for joint verification.</p> <p>12. The Uma Pvt. ITI did not respond to the State Directorate letter dated 09.04.2025 for joint verification.</p> <p>13. The matter was discussed in the 10th SSDEC meeting held on 09.05.2025, wherein the SSDEC recommended to maintain the de-affiliation status, as the ITI, despite multiple opportunities, neither represented its case nor expressed</p>	


उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय/Directorate General of Training
औद्योगिक विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

Annexure-11

(Pw)

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
			willingness for joint verification regarding removal of deficiencies.	
11.	Ambika Pvt. ITI Address: A.B.Road Near Katthamill Nohri, District: Shivpuri Pincode: 473551, Madhya Pradesh MIS code: PU23000492	1. Stenographer & Secretarial Assistant (Hindi)-9(3+3+3)	1. The Show cause notice to the ITI was issued by DGT on 21.10.2020 due to its involvement in unauthorized access to the NCVT MIS portal. 2. The ITI replied on 04.03.2021. 3. The de-affiliation proceedings of the ITI were not concluded. 4. As per 8 th SCAA decision the matter was forwarded to State Directorate M.P with the request to discuss the matter in SSDEC and send the recommendations to DGT. 5. The matter was discussed in 8 th SSDEC and it was decided to conduct a joint inspection of the ITI . 6. During a joint inspection dated 21.04.2025, the ITI has requested for self- closure. 7. The matter was discussed in the 10th SSDEC meeting held on 09.05.2025, wherein the SSDEC recommended for de-affiliation of ITI due to self closure.	SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC. Reasons for de-affiliation: The ITI is de-affiliated due to a self-closure request.
12.	Genius Pvt. ITI Address: Subhash Niketan Higher Secondary School, Rannod, District: Shivpuri	1. Stenographer & Secretarial Assistant (Hindi)-3(1+1+1)	1. The Show cause notice to the ITI was issued by DGT on 19.10.2020 due to its involvement in unauthorized access to the NCVT MIS portal. 2. The ITI did not reply to the SCN. 3. Thereafter, in accordance with the decision taken in the 8th SCAA, the matter was forwarded to the State	SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC. Reasons for de-affiliation:

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
	<p>Pincode: 473871, Madhya Pradesh</p> <p>MIS code: PU23000510</p>	2. Electrician – 18(6+6+6)	<p>Directorate, Madhya Pradesh, with a request to place it before the SSDEC and to submit the recommendations to DGT.</p> <p>4. Subsequently, the State Directorate, M.P., vide their letter dated 06.11.2023, sought directions from RDSDE, M.P. regarding the SCN(s) issued by DGT to 30Pvt. ITIs of M.P state for further discussion in the SSDEC meeting.</p> <p>5. In response, RDSDE, M.P., vide their letter dated 19.04.2024, informed the State Directorate, M.P. to issue Show Cause Notices (SCNs) to those ITIs from whom replies had not been received in reference to the earlier SCNs issued by DGT.</p> <p>6. The SCN was issued to Genius Pvt. ITI by the State Directorate on 16.08.2024.</p> <p>7. The matter was discussed in 8th SSDEC and it was decided to conduct a joint inspection of the ITI.</p> <p>8. The joint inspection of the was conducted on 21.04.2025 and as per joint inspection the ITI was not found on its address.</p> <p>9. The matter was discussed in the 10th SSDEC meeting held on 09.05.2025, wherein the SSDEC recommended for de-affiliation of ITI due to not found at the address based on joint inspection committee observations.</p>	The ITI is de-affiliated due to not found at the address during joint inspection.


 UJJWAL BISWAS
 निदेशक / Director
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12



S.n o	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
13.	Mahakal Pvt. ITI Address: Near Innocent Childrens Academy, Dayma Colony Manasa District: Neemuch, Pincode: 458110 MIS code: PU23000588	1. Electrician- 4(2+2)	1. The ITI has requested for self- closure. 2. The matter was discussed in the 10th SSDEC meeting held on 09.05.2025, wherein the SSDEC recommended for de-affiliation of ITI due to self- closure.	SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC. Reasons for de-affiliation: The ITI is de-affiliated due to a self-closure request. However, the trade/units of Electrician- 02(0+0+2) have been de-affiliated vide DGT order dated 17.01.2025 due to zero admissions in the last 06 years.
14.	New Sohan Devi Pvt. ITI Address: New Sohan Devi Pvt ITI,Kothari Nagar,Geeta Bhawan, District: Mandsaur, Pincode: 458001, Madhya Pradesh MIS code: PU23000459	1. Electrician- 3(1+1+1)	1. The ITI has requested for self- closure. 2. The matter was discussed in the 10th SSDEC meeting held on 09.05.2025, wherein the SSDEC recommended for de-affiliation of ITI due to self- closure	SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC. Reasons for de-affiliation: The ITI is de-affiliated due to a self-closure request.

Annexure-11

उज्जयिनी बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण मंत्रालय/Ministry of Skill Development and Entrepreneurship
कोशल विकास एवं उद्यमशीलता मंत्रालय
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

②

S.n o	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
15.	Mahakal Pvt. ITI Address: Behind Air Strip, Datana, Dewas Road,Ujjain, District: Ujjain, Pincode: 456664, Madhya Pradesh MIS code: PR23000844	1. Computer Operator and Programming Assistant- 2(1+1) 2. Electrician- 5(2+2+1)	1. The ITI has requested for self- closure. 2. The matter was discussed in the 10th SSDEC meeting held on 09.05.2025, wherein the SSDEC recommended for de-affiliation of ITI due to self- closure	SCAA recommended de-affiliation of the ITI based on the recommendations of SSDEC. Reasons for de-affiliation: The ITI is de-affiliated due to a self-closure request. However, the following trade/units of the ITI have been de-affiliated vide DGT order dated 17.01.2025 due to zero admissions in the last 06 years. 1. Computer Operator and Programming Assistant- 1(0+0+1) 2. Welder – 3(1+1+1) 3. Electrician- 02(0+0+2)
16.	Devi Ahiliya Pvt. ITI Address: Shri Nagar Colony Mandleshwar, District: Khargone,	1. Computer Operator and Programming Assistant- 1(1+0)	1. The ITI has requested for self- surrender of following trades /units: i. Welder- 1(1+0) ii. Electronics Mechanic- 1(1+0)	SCAA has accepted ITI's request for self-surrender of following trades/units: 1. Welder- 1(1+0) 2. Electronics Mechanic- 1(1+0)

Annexure-11

उज्जैन विद्यालय/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण निदेशक/ Directorate General of Training
कोशल विभाग एवं स्वयंमशीनता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110 012/Sovt. of India, New Delhi-12

(P)

S.no	Name of the ITI and MIS Code	Trades and Units	Brief of the matter	SCAA remarks
I	II	III	IV	V
	Pincode: 451221, Madhya Pradesh MIS code: PR23000523	2. Electrician-5(2+2+1) 3. Electronics Mechanic-1(1+0) 4. Fitter-2(1+1) 5. Mechanic Diesel – 2(1+1) 6. Welder-1(1+0)	2. The matter was discussed in the 10th SSDEC meeting held on 09.05.2025, wherein the SSDEC recommended the self-surrender proposal of trades /units received from the ITI.	
17.	Parash Pvt. ITI Address: Kunwarpura, Nai Galla mandi Road, District: Tikamgarh, Pincode: 472001, Madhya Pradesh MIS code: PU23000632	1. Electrician-3(1+1+1) 2. Fitter-3(1+1+1)	1. The ITI has requested for self- surrender of following trade/units: Fitter- 3(1+1+1) 2. The matter was discussed in the 10th SSDEC meeting held on 09.05.2025, wherein the SSDEC recommended the self-surrender proposal received from the ITI.	SCAA has accepted ITI's request for self-surrender of following trade/units: Fitter- 3(1+1+1)


 उज्जवल बिस्वास/UJJWAL BISWAS
 निदेशक, प्रशिक्षण
 शिक्षण विभाग, मंत्रालय, नया दिल्ली
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Unit of India, New Delhi-12



De-affiliation/Self Surrender matter of Uttar Pradesh State

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA remarks
I	II	III	IV	V
1.	<p>Manprasth Pvt. ITC</p> <p>Address : Plot No.-8 & 9, Ram Ganga Housing Complex,Naramau , District:Kanpur Nagar, Pincode- 209217, Uttar Pradesh</p> <p>MIS code: PR09001228</p>	<p>1. Electrician - 03 (2+1)</p> <p>2. Fitter- 5(2+1+2)</p> <p>3. Housekeepe r- 3(1+1+1)</p> <p>4. Sewing Technology- 2(1+1)</p>	<p>1. The ITI requested vide its letter dated 18.03.2025 for self -surrender of following trades/units:</p> <p>i. Computer Operator and Programming Assistant- 2(1+1)</p> <p>ii. Sewing Technology- 2(0+1+1)</p> <p>iii. Housekeeper- 2(0+1+1)</p> <p>2. The Joint Director (Training /Teaching) Kanpur Mandal has forwarded the request of ITI to State Directorate Uttar Pradesh vide their letter dated 25.03.2025.</p> <p>3. The matter was discussed in 7th SSDEC dated 14.05.2025 and SSDEC recommended the de-affiliation of trades/units of ITI as per the self surrender request of the ITI.</p>	<p>SCAA has accepted ITI's request for self-surrender of following trades/units:</p> <p>i. Computer Operator and Programming Assistant- 2(1+1)</p> <p>ii. Sewing Technology- 2(0+1+1)</p> <p>iii. Housekeeper- 2(0+1+1)</p> <p>However, the following trades/units of ITI have already been de-affiliated vide DGT order dated 17.01.2025 due to zero admissions:</p> <p>i. Computer Operator and Programming Assistant- 2(1+1)</p> <p>ii. Sewing Technology- 1(0+0+1)</p>

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रधान मंत्रालय/ Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India, New Delhi-12

(P)

Annexure as referred in agenda 6.1- Details of ITIs that have not submitted their compliance reports within the stipulated timeline set by the SCAA.

1. Gimit Women ITI College, TMP20322GU1648283092 State: Jharkhand

Brief facts of the case

The affiliation proposal was initially placed before the 12th Standing Committee on Affiliation and Accreditation (SCAA), wherein the following deficiencies were observed:

- i. Invoice/bill dates were not mentioned.
- ii. Machinery bills were submitted, but the list of equipment for the Information Technology trade was missing; proof of payment was not provided.
- iii. Appointment letters lacked details of the post and authorized signatures; trainer qualification certificates were also not submitted.
- iv. Equipment was available only for Sewing Technology (1 unit per shift); no equipment was available for Marketing Executive and
- v. Information Technology trades.
- vi. Several items of Sewing Technology equipment were found to be non-functional.
- vii. Trainer appointment letters appeared to be inauthentic/fake.
- viii. Although an IT lab was shown, it was presented as the Information Technology trade lab; no separate IT lab was available.
- ix. The quantity of machines, tools, and equipment did not match the requirements of the prescribed syllabus.
- x. Student record registers were not maintained or made available.
- xi. DDU-GKY courses were being run in the same building, causing conflict in space usage.
- xii. No equipment or lab infrastructure was available for Information Technology and Marketing Executive trades.
- xiii. The drawing hall was not available.
- xiv. A separate IT lab was not available.
- xv. Building Completion Certificate (BCC) was not submitted.

In the 12th SCAA meeting, the institute was accorded an opportunity to remove the deficiencies and submit relevant documents on the Compliance Module of the NIMI Affiliation Portal within 30 days. It was also directed that the State Directorate and RDSDE jointly conduct an inspection and submit the report to DGT within the following 15 days. However, the institute failed to submit the required compliance, and no report was received within the stipulated time. The case was again considered in the 16th SCAA meeting, and the institute was granted one final opportunity to rectify the deficiencies and submit the compliance within 15 days from the issuance of the meeting minutes. Despite this, the institute again failed to comply. Subsequently, two more opportunities were granted in the 18th and 20th SCAA meetings. Yet, no corrective action was taken by the institute.

22nd SCAA remarks

Despite being given multiple opportunities across the 12th, 16th, 18th, and 20th SCAA meetings, the institute consistently failed to remove the identified deficiencies. The decisions and directions from each of these meetings were uploaded on the public domain and also communicated to the applicant through the NIMI Affiliation Portal via the registered email ID. In view of the persistent non-compliance and lack of any substantive corrective measures by the applicant, the application for affiliation is hereby rejected.

2. VFRES PRIVATE ITI, BOKARO TMP20322PR1648735100 Jharkhand

Brief Facts of the case

The affiliation proposal was initially placed before the 12th SCAA dated.15.12.2023 &18.12.2023, wherein the following deficiencies were observed:

- i. Machinery bills are available for only two trades, which are also not as per norms.
- ii. The appointees are not as per norms and may be appointed for Megha Skill Center running in the same building.
- iii. Not even a single machine in working or installed
- iv. Trainers record not provided, some trainers were available but they are for Dindayal Upadhyay Kaushal Kendra, Megha Skill Centre, the complete building is only for the same, not for ITI.
- v. Building information is not provided, and the spaces are also not as per the norms required for applied trades.
- vi. Systems for IT Lab are available but without an internet connection and it is not as per norms.
- vii. Electricity Bill not available.
- viii. BCC not provided.
- ix. Drawing hall not as per norms.
- x. Trainers not available as per Norms

In the 12th SCAA meeting, the institute was accorded an opportunity to remove the deficiencies and submit relevant documents on the Compliance Module of the NIMI Affiliation Portal within 30 days. It was also directed that the State Directorate and RDSDE jointly conduct an inspection and submit the report to DGT within the following 15 days.

However, the institute failed to submit the required compliance, and no report was received within the stipulated time. The case was again considered in the 16th SCAA meeting dated 05.06.2024 & 06.06.2024, and the institute was granted one final opportunity to rectify the deficiencies and submit the compliance within 15 days from the issuance of the meeting minutes. Despite this, the institute again failed to comply.

उज्जवल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रधान मंत्री कौशल मिशन/Directorate General of Training
विभाग, नई दिल्ली एवं उद्योग और श्रम विभाग
Ministry of Skill Development and Entrepreneurship
नया दिल्ली, भारत 110002/Govt. of India, New Delhi-12

Annexure-13

(P4)

Subsequently, two more opportunities were granted in the 18th dated 27.11.2024 and 20th SCAA dated. 24.02.2025 meetings. Yet, no corrective action was taken by the institute.

22nd SCAA remarks

The applicant was accorded multiple opportunities through SCAA meetings—namely the 12th, 16th, 18th, and 20th SCAA—to rectify the identified deficiencies. The decisions taken in these meetings were duly uploaded in the public domain and were also communicated to the petitioner by the portal on its registered email ID. Despite these repeated opportunities and clear communication, the applicant failed to take any corrective action to address the deficiencies. Therefore, the application for affiliation is hereby, rejected.

3. JKN Private Industrial Training Institute, Gwalior, Madhya Pradesh PR23000565

Brief Facts of the case

As per DGT Office Memorandum dated 19.09.2023, DGT-Aff011(14)/27/2022-O/o DIR (TC), the institute was given an opportunity for reconsideration of its proposal for the addition of trades/units. The OM states that if the ITI has a grading of 4 or above under the revised grading system, it may convey its willingness to the concerned RDSDE via email within one month from the date of issue of the letter. Upon receiving the ITI's willingness, the RDSDE would create an inspection batch. A joint inspection by the RDSDE and the State Directorate would then be conducted, and the case would be placed before the next SCAA for consideration.

Accordingly, the institute conveyed its willingness for inspection, and the joint inspection was scheduled on 07.10.2024. However, during the scheduled inspection, the ITI did not allow the joint inspection team to conduct the inspection, despite its earlier expression of willingness, thereby violating the provisions outlined in the aforementioned OM.

The affiliation proposal was placed before the 18th Standing Committee on Affiliation and Accreditation (SCAA) held on 27.11.2024, wherein the following deficiencies were observed:

- i. The ITI did not permit the joint inspection to be conducted.
- ii. As per a letter submitted by the ITI, the workshop was waterlogged and damaged, and Tools & Equipment (T&E) had been shifted. However, these claims could not be verified as the ITI premises were locked.

In the 18th SCAA meeting, the institute was granted an opportunity to rectify the deficiencies and submit the relevant documents through the Compliance Module on the NIMI Affiliation Portal within 30 days. It was also directed that a joint re-inspection by the State Directorate and RDSDE

be conducted, and the report be submitted to DGT within the following 15 days. However, the institute failed to submit the required compliance, and no inspection report was received within the stipulated time.

The case was again considered in the 20th SCAA meeting held on 24.02.2025, where the institute was granted one final opportunity to address the deficiencies and submit the required compliance within two months from the issuance of the meeting minutes. Despite this, no corrective action was taken by the institute.

22nd SCAA remarks

The applicant was accorded sufficient opportunities through SCAA meetings—namely the 18th, and 20th SCAA—to rectify the identified deficiencies. The decisions taken in these meetings were duly uploaded in the public domain and were also communicated to the petitioner by the portal on its registered email ID. Despite these repeated opportunities and clear communication, the applicant failed to take any corrective action to address the deficiencies. Therefore, the application for addition of trade/units is rejected.

4. New Cifinet Private ITI Private Industrial Training Institute, Shivpuri, Madhya Pradesh, PR23000196

Brief Facts of the case

As per DGT Office Memorandum dated 19.09.2023 [DGT-Aff011(14)/27/2022-O/o DIR (TC)], the institute was given an opportunity for reconsideration of its proposal for the addition of trades/units. The OM states that if the ITI has a grading of 4 or above under the revised grading system, it may convey its willingness to the concerned RDSDE via email within one month from the date of issue of the letter. Upon receiving the ITI's willingness, the RDSDE would create an inspection batch. A joint inspection by the RDSDE and the State Directorate would then be conducted, and the case would be placed before the next SCAA for consideration.

In accordance with the said OM, *New Cifinet Private ITI, Shivpuri* conveyed its willingness for inspection, and a joint inspection was scheduled on 07.11.2024.

The proposal was first placed before the 18th SCAA meeting held on 27.11.2024, during which the following deficiencies were observed:

- i. Tool & Equipment not available as per norms.
- ii. Machinery working status not as per norms.
- iii. Drawing Hall and IT Lab not available as per norms.
- iv. Land lease agreement valid up to 20 Oct 2024 only
- v. Administrative Area is less than required i.e. Principal Room only 11.24 sqm., Staff room 11.89 sqm., Library 29.9 sqm.
- vi. Staff does not have required experience as per NCVT norms.
- vii. Building plan not approved by competent authority.
- viii. less unit consumption in the previous 6 months.

Annexure-13

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण विकास एवं उद्यमशीलता विभाग
कोशल विकास एवं उद्यमशीलता विभाग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

(P)

ix. Pressure in fire extinguishers is zero, fire safety certificate not provided.

In the 18th SCAA meeting, the institute was accorded an opportunity to remove the deficiencies and submit relevant documents on the Compliance Module of the NIMI Affiliation Portal within 30 days. It was also directed that the State Directorate and RDSDE jointly conduct an inspection and submit the report to DGT within the following 15 days. However, the institute failed to submit the required compliance, and no report was received within the stipulated time. The case was again considered in the 20th SCAA dated.24.02.2025 meeting, and the institute was granted one final opportunity to rectify the deficiencies and submit the compliance within 2 months from the issuance of the meeting minutes. Despite the extension of this reasonable timeframe, the institute once again failed to undertake any corrective measures and removed the deficiencies indicated by the SCAA.

22nd SCAA remarks

The applicant was accorded multiple opportunities through SCAA meetings—namely the 18th, and 20th SCAA—to rectify the identified deficiencies. The decisions taken in these meetings were duly uploaded in the public domain and were also communicated to the petitioner by the portal on its registered email ID.

In view of the continued non-compliance and failure to rectify critical deficiencies as stated above, the application for addition of trades/units is hereby rejected.

5. Paramhans Pvt. Industrial Training Institute Narsinghpur Madhya Pradesh, PR23000193

Brief Facts of the case

The affiliation proposal was initially placed before the 12th Standing Committee on Affiliation and Accreditation (SCAA) dated.15.12.2023 &18.12.2023, wherein the following deficiencies were observed:

- i. The electricity meter is in the name of the Parent Organization, not in the name of ITI. The electricity meter is common for both ITI and other institutes which are also running under the same management.
- ii. The recent record is not available in the Dead Stock Register.
- iii. An appointment letter has been issued by management but the signed Consent letter is only for one trainer. No trainer has a CITS certificate. Also, trainers lack required experience. Qualification is not available as per NCVT norms
- iv. Staff biometric is common for both school and ITI which is under the same management.

Annexure-13

उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
परिक्षण एवं प्रशिक्षण विभाग / Directorate of Training
कोशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

- v. Student biometric not available.
- vi. Antivirus has not been installed. The computer installed in the lab has not been configured as per the latest syllabus. AC is not working. UPS is not able to support computers even for half an hour.
- vii. Many of Amenities like parking, canteen, playground common for Institute (which is within the same campus and under same management). Also, there is no separate toilet for staff. There is no admin hall.
- viii. IT lab not available.
- ix. Fire safety Certificate is not available. No fire bucket is available.
- x. Major items bill date is before resolution passed by society for affiliation, i.e. equipment purchased in year 2018 and resolution passed by society in year 2022.
- xi. Drawing hall area not as per norms. (Required- 50 Sqm, available- 43Sqm)
- xii. ITI need to have dedicated Electricity connection, Infrastructure, Machinery, Tools and Equipment as per NCVT Norms.

In the 12th SCAA meeting, the institute was accorded an opportunity to remove the deficiencies and submit relevant documents on the Compliance Module of the NIMI Affiliation Portal within 30 days. It was also directed that the State Directorate and RDSDE jointly conduct an inspection and submit the report to DGT within the following 15 days. However, the institute failed to submit the required compliance, and no report was received within the stipulated time. The case was again considered in the 16th SCAA meeting dated 05.06.2024 & 06.06.2024, and the institute was granted one final opportunity to rectify the deficiencies and submit the compliance within 15 days from the issuance of the meeting minutes. Despite this, the institute again failed to comply. Subsequently, two more opportunities were granted in the 18th dated 27.11.2024 and 20th SCAA dated. 24.02.2025 meetings. Yet, no corrective action was taken by the institute.

RDSDE has informed that the Institute has submitted a letter stating its inability to rectify the deficiencies mentioned by the SCAA. Consequently, the Institute has requested withdrawal of the affiliation application, and therefore, the SCAA has rejected the application.

22nd SCAA remarks

The applicant was provided with multiple opportunities across four SCAA meetings—namely the 12th, 16th, 18th, and 20th SCAA meetings—to rectify the deficiencies identified during the scrutiny process.

Subsequently, the RDSDE informed that the institute has submitted a letter stating its inability to address the deficiencies pointed out by the SCAA and has withdrawn its affiliation application.

Accordingly, the SCAA decided to reject the affiliation application.

6. P.N.S Private ITI Kendrapara Odisha, PR21000140

Brief Facts of the case

The affiliation proposal was initially placed before the 15th Standing Committee on Affiliation and Accreditation (SCAA) dated 03.04.2024 & 04.04.2024, wherein the following deficiencies were observed:

- i. BCC document is available with the bank for loan purposes so they are able to produce at the time of inspection.
- ii. Machinery Bills is partially bought as per syllabus of COPA Trade and the balance is yet to be procured
- iii. No fire safety measures.
- iv. Dead Stock Register is yet to be maintained.
- v. Machinery installation is maintained but may be improved.
- vi. Engineering Drawing classes are being conducted in the classroom itself.
- vii. IT lab, is very small to the strength of trainees
- viii. Existing trade staff info available but COPA trade staff details not available
- ix. Not prepared for inspection

In the 15th SCAA meeting, the institute was accorded an opportunity to remove the deficiencies and submit relevant documents on the Compliance Module of the NIMI Affiliation Portal within 30 days. It was also directed that the State Directorate and RDSDE jointly conduct an inspection and submit the report to DGT within the following 15 days. However, the institute failed to submit the required compliance, and no report was received within the stipulated time. The case was again considered in the 18th SCAA dated 27.11.2024 meeting, and the institute was granted one final opportunity to rectify the deficiencies and submit the compliance within 30 days from the issuance of the meeting minutes. Despite this, the institute again failed to comply. Subsequently, one more opportunity was granted in the 20th SCAA dated 24.02.2025 meeting. Yet, no corrective action was taken by the institute.

22nd SCAA remarks

The applicant was accorded multiple opportunities through three SCAA meetings—namely the 15th, 18th, and 20th SCAA—to rectify the identified deficiencies. The decisions taken in these meetings were duly uploaded in the public domain and were also communicated to the

petitioner by the portal on its registered email ID. Despite these repeated opportunities and clear communication, the applicant failed to take any corrective action to address the deficiencies. Therefore, the application for addition of trade/units is rejected.

7. Nibedita Private ITI Murshidabad, West Bengal, TMP19319PR1711011461

Brief Facts of the case

The affiliation proposal was initially placed before the 16th SCAA dated 05.06.2024 & 06.06.2024, wherein the following deficiencies were observed:

- i. Machinery Bill Available for invoice fitter (1+1), Electrician (1+1), Mechanic Diesel (1+1) and COPA (1+1)
- ii. Machinery not installed
- iii. Machinery not in Working Status,
- iv. 02 EB, 1st on the name trust: 64.25 KVA 2nd on the name of Nibedita Polytechnic college: 7.06 KVA
- v. Staff qualification and experience details not proved
- vi. Fire safety not available
- vii. NIBEDITA POLYTECHNIC also running in the same campus but the applicant institute has not clearly demarcated the land available for the ITI.
- viii. As ICVC recommended only 01 trade, the mandatory 04 criteria is not met

In the 16th SCAA meeting, the institute was accorded an opportunity to remove the deficiencies and submit relevant documents on the Compliance Module of the NIMI Affiliation Portal within 30 days. It was also directed that the State Directorate and RDSDE jointly conduct an inspection and submit the report to DGT within the following 15 days. However, the institute failed to submit the required compliance, and no report was received within the stipulated time. The case was again considered in the 18th SCAA dated 27.11.2024 meeting, and the institute was granted one final opportunity to rectify the deficiencies and submit the compliance within 30 days from the issuance of the meeting minutes. Despite this, the institute again failed to comply. Subsequently, one more opportunity was granted in the 20th SCAA dated 24.02.2025 meeting. Yet, no corrective action was taken by the institute.

22nd SCAA remarks

उपज्योतिष/उपज्योतिष
निदेशक / Director
परिक्षा मंत्रालय/Ministry of Training
कोशल विकास एवं उद्यमिता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012/Govt. of India, New Delhi-12

Annexure-13

(P4)

The applicant was accorded multiple opportunities through three SCAA meetings—namely the 16th, 18th, and 20th SCAA—to rectify the identified deficiencies. The decisions taken in these meetings were duly uploaded in the public domain and were also communicated to the petitioner by the portal on its registered email ID. Despite these repeated opportunities and clear communication, the applicant failed to take any corrective action to address the deficiencies. Therefore, the application for addition of trade/units is rejected.

8. Jay Bajarangbali Private Industrial Training Institute, JAUNPUR PR09900225 Uttar Pradesh

Compliance of the order dated 04.10.2023 passed in W.P.(C) 12190/2019 JAY BAJARANGBALI PRIVATE ITI versus DIRECTORATE GENERAL OF TRAINING

Brief facts of the case:

- i. The prayers made by the petitioner (PR09900225 - JAY BAJARANGBALI PRIVATE INDUSTRIAL TRAINING INSTITUTE) in the above petition relate to directions to the respondent-Directorate General of Training (DGT) to conduct a joint inspection of the premises of the petitioners at their new locations. The grievance raised by the petitioners is that the respondent-DGT is inspecting the old locations of the petitioners ignoring the fact that the petitioners have already set up new infrastructure at their new proposed locations. Learned counsel appearing on behalf of the petitioners, therefore, submits that if the joint inspection is conducted at new locations, the respondent-DGT would be in a better position to appreciate as to whether the petitioners fulfil the necessary requirements or otherwise.
- ii. The present petition was disposed of along with connected matters (SS Pvt ITI and Jai Bajrang Bali ITI) on 04.10.2023 inter alia directing the respondents to carry out the inspection at new site and take a decision within 04 weeks from the inspection, and to be bound by submission given by our learned counsel. Further the Hon'ble court has also passed the direction that till the application of the petitioners-institutions are decided after the joint inspection at their new locations, no coercive steps shall be taken against the petitioners-institutions by the respondent-DGT.
- iii. In compliance to the above judgment, vide email dated 04.10.2023, the petitioner was given an intimation to keep the infrastructure ready for inspection. RDSDE and state directorate was also informed to create the batch for inspection and submit the report. The petitioner has applied for shifting in session 2020 at location Village - Gonthu, Post -Khetapur, District: Jaunpur, UP. The case was thereafter put up in 12th SCAA meeting held on 15.12.2023 wherein it was decided that-*"RDSDE will create the batch for joint inspection in coordination with the petitioner and state directorate within 01 month from issue of this MoM and submit the report thereafter. The inspection report shall be placed in ensuing next SCAA."*
- iv. A prior intimation was given to the petitioner by RDSDE UP on 29.12.2023 to carry out the inspection at shifted location. The decision of 12th SCAA was also communicated to the petitioner via email dated 17.01.2024 to coordinate with RDSDE for scheduling inspection. Pursuant to

Annexure-13

उज्ज्वल बिस्वास/UJJWAL BISWAS
प्रतिष्ठापक निदेशक, जनरल ऑफ ट्रेनिंग
खोशाल विकास और उद्यमशीलता विभाग
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002/Govt. of India, New Delhi-12

(P)

coordination with the petitioner, the inspection was scheduled on 24.05.2024. The inspection report was subsequently placed before the 17th SCAA meeting held on 15.07.2024, wherein it was decided to provide the petitioner an opportunity to rectify the deficiencies highlighted by the inspection team and the TC section. The major deficiencies observed included: inadequacies in the Drawing Hall; non-maintenance of the Dead Stock Register and Raw Material Register; insufficient power load (required – 12.2 KW, available – 9 KW); absence of a Fire Safety Certificate and Building Completion Certificate; shortage of instructors; and deficiencies in the IT Lab etc. The MoM of SCAAs are published in the public domain at NCVT MIS portal website and the petitioner was intimated the same via NIMI portal on its registered email id as per DGT online compliance module. A separate notice was also given by DGT via email dated 31.07.2024 to the petitioner by communicating the decision of 17th SCAA.

- v. Subsequently, the petitioner case was placed in 18th SCAA held on ___ wherein it was decided that-” *These cases have been discussed with State and RDSDE. SCAA granted one last opportunity to address the deficiencies, as per the 17th SCAA remarks, and submit the compliance report in NIMI portal within 30 days from the issuance of these minutes. If the applicant institute fails to do so, the affiliation application shall be rejected.*” The petitioner was again intimated on its registered email through portal via DGT compliance module. However, no action was taken by the petitioner to rectify the deficiencies.
- vi. At last these cases were put up in 20th SCAA held on ___ wherein the petitioner was further granted 3rd opportunity to rectify the deficiencies. The remarks of 20th SCAA was that” *Considering the request of the State Directorate, the SCAA has agreed to grant a final extension of two months to applicant institute for the submission of compliance reports, as per the respective SCAA remarks. However, if compliance is not received from the applicant institute within this extended timeline of two months from date of issue of this MoM, the affiliation application shall be rejected, and for seeking affiliation the institutes will be required to apply on the portal, as and when it is open, as per affiliation norms.*” This decision was duly communicated to the petitioner via the portal on its registered email ID. However, despite the final extension, the petitioner failed to rectify the deficiencies as pointed out in the inspection report, and the stipulated timeline accordingly lapsed.

22nd SCAA Remarks:

The petitioner was afforded multiple opportunities through three SCAA meetings—namely the 17th, 18th, and 20th SCAA—to rectify the identified deficiencies. The decisions taken in these meetings were duly uploaded in the public domain and were also communicated to the petitioner via the portal on its registered email ID, as well as through the TC Section’s email dated 31.07.2024. Despite these repeated opportunities and clear communication, the petitioner failed to take any corrective action to address the deficiencies, which are of a serious and substantive nature. Therefore, the application for shifting is rejected. Further, the petitioner shall be de-affiliated from its existing location on the NCVT portal. No fresh admissions shall be permitted; however, trainees already enrolled shall be allowed to complete their ongoing training.

उज्जवल बिसवास/UJJWAL BISWAS
निदेशक / Director
शिक्षण प्रशिक्षण निदेशकालय, भारत सरकार
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110002, New Delhi-12

(P)