

Recommendation of committee for objection raised on Question Papers for AITT under CTS (Semester System) held in January/ February, 2018

A committee of 6 members consisting of Sh. K. Singh (DDT), Sh. N.K. Yadav (T.O), Sh. P.P Singh (T.O), Sh. P.P Singh (T.O), Mohm. Insaf Ali (T.O), and Sh. H. K. Vashistha (J.T.A) was constituted by Director (T.T. Cell) to compile all the observations received from the State Directorates & various associated organisations during the AITT of Craftsman Training Scheme (Semester System) conducted in the month of January/ February, 2018. The committee has compiled all the observations alongwith remedial actions as below: -

Sl. No	Name of State	Observations	SEMESTER - I	Remedial Action	Remarks
1	Bethani ITI Nellyady/ B.T centre Bangalore	Trade: - Electronics Mechanic (34/219) PAPER - I (Part - A) BOOKLET: A Q. No. 21 & 37 Answer key incorrect. Trade: Electronics Mechanic (34/219) PAPER - I (Part - A) BOOKLET: B Q. No. 30 Answer key incorrect.		BOOKLET: A. Answer key have been corrected as 21 (B), 37 (A) Answer has been corrected as 30 (A)	TT Cell will take care to avoid such mistake in future -do-
3.	Maruthi ITC Prakasam Distt. (A.P)	PAPER - I (Part-B) E/Skill (Morning Session- Two year) Q. No. 1, 3, & 8 Answers are incorrect. PAPER- II (Part-B) Eng. Drg. 8 th Pass (One year duration) Q. No. 2, 3, 6, 11 & 20 Answer key incorrect.		Answer Key already correct (No Action required) Answer key already correct. (No action required) for Q. No. 2 & 6 Answer key have been corrected as 3 (C), 11 (C) & 20 (B)	-do-
4	John S., Ex. Service men, Fernandes Compound Mahaveera Road, Kalasa, Pin- 577124, Chikkamangalur, Distt. Karnataka State	PAPER - II (Part-A) W.Cal & Sci. 8 th Passed (One year duration) Q. No. 1, 3, 4, 8, & 20 Answer key incorrect.		Answer key have been corrected as 1 (B), 3 (C), 4 (B) & 8 (B) Full Marks awarded to each trainee as Q. NO. 20	-do-
5.	T.N.P.L. Pvt. I.T.I Kagitha puram Pin- 639136, Distt. Karur, Tamil Nadu	Trade: Fitter (36/277) PAPER - I (Part-A) BOOKLET- A Q. No. 35 & 47 Answer key incorrect.		Answer key have been corrected as 35 (A) & 47 (B)	-do-
6.	T.N.P.L. Pvt. I.T.I Kagitha puram Pin- 639136, Distt. Karur, Tamil Nadu	PAPER - II (Part-B) Engg. Drg. 8 th Passed (One year duration) Q. No. 3, 5, 11 & 20 Answer key incorrect.		Answer key have been corrected as 3 (C), 5 (B), 11 (C) & 20 (B)	-do-
7.	T.N.P.L. Pvt. I.T.I Kagitha puram Pin- 639136, Distt. Karur, Tamil Nadu	PAPER - II (Part - A) W.Cal & Sci. 8 th Pass One year duration Q. No. 1 & 16 is incorrect and Q. No. 17 & 18 out of syllabus.		Answer key have been corrected as 1 (B) & 16 (B) Full Marks awarded to each trainee as Q. No 17, & 20	-do-
9.	Arulmigu Kalasalingam, I.T.I, Anand Nagar, Krishna koil - 626126	Trade: Instrument Mechanic (037) PAPER - I (Part - A) Q. No. 5, 14, 17, 39 & 48 Answer key incorrect.		Answer key corrected as 9 (A)	-do-
10.	Govt. I.T.I for Women, Puduchery	Trade: C.O.P.A (96/242) PAPER - I (Part - A) BOOKLET: A Q. No. 9 Answer key incorrect.		Answer key already correct (No action required) for Q. No. 05, 17, 39 & 48 Answer key has been corrected as 14 (B)	-do-
11.	S.S.P. I.T.I Morangi - 586123, Tq - Sindagi, Distt. Vijay Pur, Karnataka	Trade: Fitter (36/277) PAPER - I (Part - A) BOOKLET: D Q. No. 05, 14, & 26 Answer key incorrect. Trade: Surveyor (207) PAPER: I Q. No. 2, 17, 32, 33, 45, 46 & 50 Answer key incorrect.		Answer key corrected as 9 (A) Answer key have been corrected as 14 (A) & 26 (B) Answer key already correct (No action required) for Q. No. 5	-do-
12.		Trade: Civil Engineering Assistant (276) PAPER - I Q. No. 7 is incorrect.		Answer key already correct (No required to change) Q. No. 32, 46, & 50 Answer key have been corrected as 2 (A), 17 (A), 33 (D) & 45 (D) Answer key has been corrected as 7 (D)	-do-

 (K. Singh)
 (Deputy Director)

 (N.K. Yadav)
 (T.O)

 (P.P. Singh)
 (T.O)

 (Vijay Kumar)
 (T.O)

 (Mohm. Insaf Ali)
 (T.O)

 (H.K. Vashistha)
 (J.T.A)

		Trade: Mech. R.A.C (218) PAPER - I (Part - A) Q. No. 26, 31 & 34 are incorrect.		Answer key have been corrected as 26 (B), 31 (A) & 34 (A)	-do-
13.		Trade: Fitter (36/227) PAPER - I (Part - A) BOOKLET: A Q. No. 32 is incorrect		Answer key has been corrected as 32 (A)	-do-
14.	TNPL ITI, Kagithapuram, Karur, Tamilnadu. PAC Ramasamy Raja Pvt. ITI, Govindapuram, Ariyalur 621713	Theory, Paper-I, Part 'A' Trades: Electrician / Electroplator / Lift Mechanic / Lift & Escalator Mechanic / Wireman (033/231, 035/233, 041/234, 070/232) Booklet - A Q. No. 3, 7, 8, 16, 22, 41, 47, 48 Answer key incorrect		Booklet - A Answer key has been corrected as Q. No. 7(c), 8(b), 47(b), 48(d) Full marks will be awarded to each trainee for Q. No. 3, 16, 22, 41	-do-
		Booklet - B Q. No. 1, 9, 15, 34, 40, 41, 46, 50 Answer key incorrect		Booklet - B Answer key has been corrected as Q. No. 1 (b), 40(b), 41(d), 50(c) Full marks will be awarded to each trainee for Q. No. 9, 15, 34, 46	-do-
		Booklet - C Q. No. 2, 8, 27, 33, 34, 39, 43, 44 Answer key incorrect		Booklet - C Answer key has been corrected as Q. No. 33(b), 34(d), 43(c), 44(b) Full marks will be awarded to each trainee for Q. No. 2, 8, 27, 39	-do-
		Booklet - D Q. No. 1, 20, 26, 27, 32, 36, 37, 45 Answer key incorrect		Booklet - D Answer key has been corrected as Q. No. 26 (B), 27 (D), 36 (C), 37 (B) Full marks will be awarded to each trainee for Q. No. 1, 20, 32, 45	-do-
		Paper - II (Morning) 10th Base ED Part 'B' Q. No. - 2, 5, 19, 24, 25 Answer key incorrect Q. No. 21 out of syllabus		Answer key has been corrected as Q. No. 2 (A), 19 (C) Full marks may be awarded to each trainee for Q. No. 5, 21, 24, 25	
		Paper - I Employability Skills (Evening Session) 6 Months / One year trades, Part 'B' Q. No. 11 Answer key incorrect.		Answer key has been corrected as Q. No. 11 (A).	
		Paper - II (Morning) 10th Base W/S, Cal & Sci. Part 'A' Q. No. 17 Answer key incorrect		Answer key has been corrected as Q. No. 17 (B).	
16.	Govt. ITI, Alwar (Raj.)	Theory, Paper-I, Part 'A' Trade: Machinist (42/222) Q. No. 16, 17, 25, 32, 33, 34 Answer key incorrect. Q. No. 41, 42, 43, 46, 50 Out of syllabus		Answer key has been corrected as Q. No. 16 (B), 17 (C), 25(B), 32 (C), 33 (B), 34 (B). Full marks will be awarded to each trainee for Q. No. 41, 42, 43, 46, 50.	-do-
		Theory, Paper-I, Part 'A' Trade: Foundrymen / Foundrymen Technician (9/214) Q. No. 5, 6, 9, 34, 37, 18, 27, 28, 32, 42, 45 Out of syllabus.		Full marks will be awarded to each trainee for Q. No. 5, 6, 9, 18, 27, 28, 32, 34, 37, 42, & 45	-do-
17.	Dev ITI Churu (Raj.)	Paper - II ED Part 'B' (Evening Session) 10th Base Q. No. 9, 12, Answer key incorrect.		Answer key has been corrected as Q. No. 9 (B), 12 (A)	-do-

(K. Singh)
(Deputy Director)

on leave
(N.K. Yadav)
(T.O)

Vijay Kumar
(Vijay Kumar)
(T.O)

Mohd. Insaif Ali
(Mohd. Insaif Ali)
(T.O)

H.K. Vashistha
(H.K. Vashistha)
(J.T.A)

Semester - II	
1. Directorate of Vocational Education & Training, Maharashtra State Pvt. ITI Management Association, Thiruvananthapuram, Kerala State Directorate, Kerala TNPL Private Industrial Training Institute, Tamilnadu and others	Trade - Draughtsman Civil (31/217) Semester - II, Paper - I Q. No. 42 to 50 are out of syllabus Sem-II, Paper - II Subject : Workshop calculation & Science and Employability skill for 10 th Pass Engg. Trades Part (A) (Workshop calculation & Science) In Q. No. 03, 11 and 15 wrong option given Q. No. 20 - Statement of question does not match with the diagram. Trade - Electrician (33/231) Semester-II, Paper - I Booklet Series - A Q. No. 12 - Option A as given is wrong correct option is B. Q. No. 20 - Option B as given is wrong it should be option C Q. No. 38 - Option D as given is wrong it should be B Trade: Fitter (36/227) Semester-II, Paper - I Booklet Series - A Q. No. 17 - Option C as given is wrong Q. No. 41 - Option A as given is wrong it should be option B
2. PAC Ramasamy Raja Pvt. ITI, Govindapuram, Ariyalur, Tamilnadu TNPL ITI, Karur, Tamilnadu Dev ITI, Taranganagar, Churu, Rajasthan ITI, Alwar, Rajasthan PITMA, Kerala	Trade : Electrician (033/231) Paper-I, Theory, Booklet Series-A : Q. No. 1, 3, 4, 9, 10, 11, 13, 16, 17, 32, 34, 35, 39, 40, 45, 46, 48 - Answer key incorrect. Booklet Series-B: - Q. No. 2, 3, 4, 6, 9, 10, 25, 27, 28, 32, 33, 38, 39, 41, 44, 46, 47 - Answer key incorrect. Booklet Series-C: Q. No. 2, 3, 18, 20, 21, 25, 26, 31, 32, 34, 37, 39, 40, 45, 46, 47, 49 - Answer key incorrect. Booklet Series-D: Q. No. 11, 13, 14, 18, 19, 24, 25, 27, 30, 32, 33, 38, 39, 40, 42, 45, 46 - Answer key incorrect.
3. (K. Singh) (Deputy Director)	Full marks will be awarded to each trainee Q. No. 42 & 50. Full marks will be awarded to each trainee for Q. No. 03, 11, 15 and 20 Answer key has been corrected in Booklet - A as Q. No. 12 (B). No action is required in Q. No. 20 and 38. Answer key has been corrected in Booklet - A as Q. No. 17 (A). No action is required for Q. No. 41 Answer keys has been corrected as : Q. No. 1 (b), 3 (a), 4 (a), 11 (c), 13 (a), 16 (b), 17 (c), 32 (d), 34 (c), 35 (d), 39 (d), 40 (b), 45 (d), 46 (a), 48 (a) No action required in Q. No. 9, 10 Answer keys has been corrected as : Q. No. 4 (c), 6 (a), 9 (b), 10 (c), 25 (d), 27 (c), 28 (d), 32 (d), 33 (b), 38 (d), 39 (a), 41 (a), 44 (b), 46 (a), 47 (a) No action required in Q. No. 2, 3 Answer keys has been corrected as : Q. No. 2 (d), 3 (c), 18 (d), 20 (c), 21 (d), 25 (d), 26 (b), 31 (d), 32 (a), 34 (a), 37 (b), 39 (a), 40 (a), 47 (c), 49 (a) No action required in Q. No. 45, 46 Answer keys has been corrected as : Q. No. 11 (d), 13 (c), 14 (d), 18 (d), 19 (b), 24 (d), 25 (a), 27 (a), 30 (b), 32 (a), 33 (a), 40 (c), 42 (a), 45 (b), 46 (c) No action required in Q. No. 38, 39

(K. Singh)
(Deputy Director)

(N.K. Yadav)
(T.O)

(P.P. Singh)
(T.O)

(Vijay Kumar)
(T.O)

(Mohd. Insafuli)
(T.O)

(H.K. Vasistha)
(J.T.A)

2	PAC Ramasamy Raja Pvt. ITI, Govindapuram, Ariyalur, Tamilnadu TNPL ITI, Karur, Tamilnadu Dev ITI, Taranagar, Churu, Rajasthan ITI, Alwar, Rajasthan PITMA, Kerala	Trade : Electrician (033/231) Paper-II, WCS : Q. No. 2, 5, 12, 14, 15 16 – Answer key incorrect.	Answer keys has been corrected as : Q. No. 2 (d), 5 (d), 12 (b), 14 (d), 15 (b), 16 (d)	-do-
3	PAC Ramasamy Raja Pvt. ITI, Govindapuram, Ariyalur, Tamilnadu TNPL ITI, Karur, Tamilnadu Dev ITI, Taranagar, Churu, Rajasthan ITI, Alwar, Rajasthan PITMA, Kerala	Trade : Electronics Mechanic (034/219) Paper-I, Theory, Booklet Series-A: Q. No. 6, 10, 12, 14, 19, 21, 47 – Answer key incorrect. Booklet Series-B: Q. No. 3, 5, 7, 12, 14, 40, 49 – Answer key incorrect. Booklet Series-C: Q. No. 5, 7, 33, 42, 46, 48, 50 – Answer key incorrect. Booklet Series-D: Q. No. 26, 35, 39, 41, 43, 48, 50 – Answer key incorrect.	Answer keys has been corrected as : Q. No. 6 (b), 10 (a), 12 (b), 14 (c), 19 (c), 21 (b), 47 (b) Answer keys has been corrected as : Q. No. 3 (a), 5 (b), 7 (c), 12 (c), 14 (b), 40 (b), 49 (b) Answer keys has been corrected as : Q. No. 5 (c), 7 (b), 33 (b), 42 (b), 46 (a), 48 (b), 50 (c) Answer keys has been corrected as : Q. No. 26 (b), 35 (b), 39 (a), 41 (b), 43 (c), 48 (c), 50 (b) Answer keys has been corrected as : Q. No. 16 (b), 19 (c), 23 (d) Full marks will be awarded to each trainee for: Q. No. 1, 2, 3, 5 No action required in Q. No. 4	-do-
4	PAC Ramasamy Raja Pvt. ITI, Govindapuram, Ariyalur, Tamilnadu TNPL ITI, Karur, Tamilnadu Dev ITI, Taranagar, Churu, Rajasthan ITI, Alwar, Rajasthan PITMA, Kerala	Trade : Electronic Mechanic (034/219) Paper-II, WCS : Q. No. 1, 2, 3, 4, 5 – Out of Syllabus and 16, 19, 23 – Answer key incorrect.	Answer keys has been corrected as : Q. No. 1 (c), 14 (d), 32 (a), 48 (b)	-do-
5	PAC Ramasamy Raja Pvt. ITI, Govindapuram, Ariyalur, Tamilnadu TNPL ITI, Karur, Tamilnadu Dev ITI, Taranagar, Churu, Rajasthan ITI, Alwar, Rajasthan PITMA, Kerala	Trade : Fitter (036/227) Paper-I, Theory, Booklet Series-A : Q. No. 1, 14, 32, 48 Answer key incorrect. Booklet Series-B: - Q. No. 7, 25, 41, 44 – Answer key incorrect. Booklet Series-C: Q. No. 18, 34, 37, 50 – Answer key incorrect. Booklet Series-D: Q. No. 11, 27, 30, 43 – Answer key incorrect.	Answer keys has been corrected as : Q. No. 7 (d), 25 (a), 41 (b), 44 (c) Answer keys has been corrected as : Q. No. 18 (a), 34 (b), 37 (c), 50 (d) Answer keys has been corrected as : Q. No. 11 (a), 27 (b), 30 (c), 43 (d)	-do-
6	PAC Ramasamy Raja Pvt. ITI, Govindapuram, Ariyalur, Tamilnadu TNPL ITI, Karur, Tamilnadu Dev ITI, Taranagar, Churu, Rajasthan ITI, Alwar, Rajasthan PITMA, Kerala	Trade : Fitter (036/227) Paper-II, WCS : Q. No. 1, 4, 11, 15, 17, 18, 24 – Answer key incorrect.	Answer keys has been corrected as : Q. No. 11 (d), 15 (c) No action required in Q. No. 1, 4, 17, 18, 24	-do-
7	Govt. ITI Trichy, Tamilnadu	Trade : Instrument Mechanic (037) Paper-I, Theory: Q. No. 6, 7, 28, 49 – Answer key incorrect.	Answer keys has been corrected as : Q. No. 28 (c), 49 (a) No action required in Q. No. 6, 7	-do-
8	Govt. ITI Trichy, Tamilnadu	Trade : Instrument Mechanic (037) Paper-II, WCS : Q. No. 3, 5 – Answer key incorrect.	Answer keys has been corrected as : Q. No. 5 (d) Full marks will be awarded to each trainee for: Q. No. 3	-do-

(H.K. Vashistha)
(J.T.A)

(Mohd. Insaif Ali)
(T.O)

Vijay Kumar
(Vijay Kumar)
(T.O)

(P.P. Singh)
(T.O)

(N.K. Yadav)
(T.O)

(K. Singh)
(Deputy Director)

9	Govt. ITI Trichy, Tamilnadu	Trade : Machinist (042/222) Paper-I, Theory: Q No. 9, 13, 22, 26, 27, 34, 41 - Answer key incorrect	Answer keys has been corrected as : Q. No. 22 (a), 41 (b) Full marks will be awarded to each trainee for: Q. No. 27 No action required in Q. No. 9, 13, 26, 34	-do-
10	PAC Ramasamy Raja Pvt. ITI, Govindapuram, Ariyalur, Tamilnadu TNPL ITI, Karur, Tamilnadu Dev ITI, Taranagar, Churu, Rajasthan ITI, Alwar, Rajasthan PITMA, Kerala	Trade : Mechanic Motor Vehicle (055/215) Paper-I, Theory: Q No. 20, 38, 39, 40, 42 - Answer key incorrect	Answer keys has been corrected as : Q. No. 38 (b), 39 (c), (40 (a), 42 (c) No action required in Q. No. 20	-do-
SEMESTER - IV				
1.	Directorate of vocational education & training, State Maharashtra	Trade: Turner (67/221) Paper - I Theory Q No. 18 Two Option are same	Full marks awarded to each trainee for Q. No. 18	-do-
2.	PAC Ramasamy Raja Private Industrial Training Institute Govindapuram, Ariyalur - 621713	Trade: Electrician (33/231) Paper - II W/S Q. No. 18 Out of syllabus.	Full marks awarded to each trainee for Q. No. 18	-do-
3.	Govt. ITI, Near Kali Mori, Alwar, Rajasthan	Trade: Electrician (33/231) Paper - I Theory Q. No. 8 Answer key incorrect.	Answer key has been corrected as Q. No. 8 (C)	-do-
4.		Trade: Fitter (36/227) Paper - II W/S Q. No. 2, 11, 17 Answer key incorrect.	Full marks will be awarded to each trainee for Q. No. 2 each trainee Ans. Key has been corrected Q. No. 11 (D) & 17 (D)	-do-



(K. Singh)
(Deputy Director)

on leave
(N.K. Yadav)
(T.O)


(P.P. Singh)
(T.O)


(Vijay Kumar)
(T.O)


(Mohd. Insaaf Ali)
(T.O)


(H.K. Vashistha)
(J.T.A)