

DGT-TCD032/1/2017-O/o-Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 01.08.2018

To,

The Director

Directorate of Employment & Training
Guru Gobind Singh Marg, Lucknow – 226004
Uttar Pradesh

Subject:-Seeking clarification of 19 Pvt. ITI, out of 25 Pvt. ITIs Recommended for De- affiliation by High Power Inspection Committee

Kindly refer to the above mention subject wherein the Inspection of 25 ITIs was carried out from 02.05.2017 to 05.05.2017 & on the basis of recommendations of committee, show cause notice were issued to these ITIs on 21 & 23.06.2017 (1st Show cause notice), 6.10.2017 to 10.10.2017 (second/reminder show cause notice sharing therewith the inspection reports).

In response to the show cause notice (s) issued by DGT dated 18.05.2018 (3rd Show cause notice) to these ITIs; 19 ITIs have responded in their reply along with point wise clarification for deficiencies raised by State Directorate. The details of State Directorate remarks & ITIs response from these 19 Private ITIs is placed at Annexure – I.

In this regard, you are requested to examine the contents of the reply letter and inform this office so that further action for these 19 ITIs could be initiated by this office.

Yours faithfully

(S.D. Lahiri)

Dy. Director General (T & E)
E-mail:- sd.lahiri59@nic.in

Copy to:-

1. PS to Chairman of Sub-Committee to NCVT.
2. PS to DDG (T&E).
3. The officer dealing with NCVT MIS Portal to update the data.

(CH. Ravi)

Joint Director of Training
E-mail:- ravi.chilukoti@nic.in



ok place CR issue

8/8/2018 Dharmender Singh.

Sl. No.	Name & Address of the Institute	State report / remarks	ITI response to show cause notice issued by DGT & DGT Response	DGT Response
1.	New Maharana Pratap ITI, FCI Road, Bargudwa, Gorakhpur, U.P- 273012	<ol style="list-style-type: none"> 1. Same address of both it is, Separated by wall. 2. No tool, equipment, M/C & no IT Lab. 3. No CD & Map of building available. 4. No document Proof of electricity bill, staff salary etc. 	<ol style="list-style-type: none"> 1. ITI is imparting training with expert trainers effectively. 2. Attendance of trainees is more than 90% 3. As per training manual, sudden inspection is for improvement of ITI. 4. Inspection report by JD, Gorakhpur has stated available infrastructure trainees & tools, equipment machinery as per NCVT norms. 5. The ITI is having 100% admission . 6. Result of trainees is cent percent. 7. ITI Trainee are provided practical training as per syllabus. 8. ITI is ready for any inspection. 9. ITI has granted affiliation again on 27th March 2018. 	<p>High power committee report recommended for de-affiliation 1/FX.</p> <p>S/D may confirm for de-affiliation. If required, SD may get the ITI inspected & inform this office further course of action.</p>
2.	MaharanaPratap ITI, FCI Road, Bargudwa, Gorakhpur,UP-273012	<ol style="list-style-type: none"> 1. No CD or Map of ITI building shown by ITI. 2. No Tool, Equipment, M/C & no ITI lab. 3. No proof of Electricity bill. 4. No documents shown in support of staff salary or their attendance & trainees attendance. 	<ol style="list-style-type: none"> 1. ITI is imparting training expert trainers effectively. 2. Attendance of trainees is more than 90%. 3. As per training manual, sudden inspection is for improvement of ITI 4. Inspection report by JD, Gorakhpur, has stated available infrastructures, trainees & tool, equipment machinery as per NCVT norms. 5. The ITI is having 100% admission. 6. Result of trainees is cent percent 7. ITI trainees are provided practical training as per syllabus. 8. ITI is ready for any inspection. 9. ITI has been granted affiliation again on 27th March 2018. 	<p>High power committee report recommended for de-affiliation 2/FX.</p> <p>S/D may confirm for de-affiliation. If required, SD may get the ITI inspected & inform this office further course of action.</p>
3.	Gorakhpur Pvt ITI, Mahesera, Bargudwa, Gorakhpur, UP-273007	<ol style="list-style-type: none"> 1. ITI did not get show cause notice due to postal strike in rural area. 2. Trainee & Instructors available/ 3. ITI conducting training as per norms. 4. Institute is providing regular training. 	<ol style="list-style-type: none"> 1. ITI found at given address. 2. All tool, equipment m/c packed & no m/c installed. 3. No electric connection on ITI & electric bill could not be produced. 4. Principal/Management expressed inability to show CD & map of building. 	<p>High power committee report recommended for de-affiliation 5/FX.</p> <p>S/D may confirm for de-affiliation. If required, SD may get the ITI inspected & inform this office further course of action.</p>
4.	Gorakhpur National Pvt ITI, Jungle BahadurAli, Mohripur, Gorakhpur - 273001	<ol style="list-style-type: none"> 1. No information of ITI available on portal. 2. Tool equipment m/c as per norms. 3. Could not run due to disputed power supply. 4. Some equipment were new & yet to be installed. 5. Electric meter available. 6. Principal/management expressed inability to shown map & CD. 	<ol style="list-style-type: none"> 1. ITI could not get show cause notice due to postal strike. 2. No trainee & Instructors in July 2017 since the affiliation granted from Aug 2017. 3. The matter was court case LPA 469/2017. 	<p>S/D may confirm for de-affiliation. If required, SD may get the ITI inspected & inform this office further course of action.</p>
5.	VardhanChaudhary Pvt. ITI, Mohripur, Sonoli Road, Gorakhpur UP – 273013	<ol style="list-style-type: none"> 1. ITI building, tool equipment m/c as per norms. 2. Electric meter installed. 3. Principal/management produced CD & Map. 	<ol style="list-style-type: none"> 1. ITI has earlier also sent reply to 2 SCN. 2. ITI is running as per norms, can also be verified from the JD, S/D report copy attached. 3. ITI has requested to continue ITIs affiliation. 	<p>High power committee report recommended for de-affiliation 7/FX.</p> <p>OK as per SD S/D may offer its comments on ITI reply / may get ITI inspected if required.</p>

6.	PitamberChaudharyPvt ITI, Sonoli Road, Gorakhpur,UP - 273001	1. Building as per norms. 2. Tool equipment m/c & IT lab not as per norms. 3. Electric meter not working. 4. The management / Principal assured that all the tool, equipment & m/c will be available in report 3-4 days.	1. ITI building, tool equipment m/c as per norms. 2. Electric meter installed. 3.Principal/management produced CD & Map.	High power committee report recommended for de-affiliation 8/FX . S/D may get ITI inspected if required and convey the decision regarding de-affiliation of ITI.
7.	Reshma Devi Pvt. ITI, Sarhari,Maharajganj, Gorakhpur UP - 273007	1. ITI building found in Reshma Devi Inter college & under construction. 2. Tool equipment m/c found as per norms. 3. Electric meter found but bill was not produced. 4. ITI building map & CD was also not shown.	1. ITI has replied to all notice issued from time to time. 2. ITI provides effective training. 3. ITI is imparting training as per DGT norms. 4. ITI is inspected by S/D from time to time. 5. ITI is following all the directions issued by DGT form time to time.	High power committee report recommended for de-affiliation 11/FX . S/D may offer its comments. S/D may get ITI inspected if required and convey the decision regarding de-affiliation of ITI.
8.	Ganpati Pvt. ITI, Rapti Nagar, Gorakhpur UP – 273402	1. ITI building infrastructure, tool equipment m/c electric meter IT lab etc as per norms. 2. No deficiency or irregularity noticed.	1. ITI building, tool equipment m/c as per norms. 2. Electric meter installed. 3.Principal/management produced CD & Map.	High power committee recommended for de-affiliation 14/FX OK as per SD State Directorate may convey the decision regarding de-affiliation/continuation of affiliation.
9.	BabuLal Singh Pvt. ITI, Bhagoora, Sahjanva, Gorakhpur UP- 273209	1. All tool, equipment, m/c found as per norms. 2. IT lab available. 3.Electric meter not working. 4. ITI Management/Principal could not provide CD & map.	1. Due to postal strike in rural area, SCN didn't reach ITI. However ITI has furnished reply after getting to know about it from reliable sources. 2. ITI is conducting training, with trainees & Instructors attendance 100% which can be verified from attendance register. 3. JD, Gorakhpur S/D, has reported availability of tool, equipment, m/c, electric load, class room as per NCVT norms. 4. The deficiency regarding electric meter not functional, it has been rectified and meter sealing report is attached.	High power committee recommended for de-affiliation 15/FX . S/D to offer comments. If required, SD may get the ITI inspected & inform this office further course of action.
10	Krishna Singh Pvt. ITI, Bhagoora, Sahjanva, Gorakhpur, UP – 273209	1. The notice was not delivered due to postal strike in rural area. 2. The ITI is located in Bhagoura, Sahajanva, Gorakhpur & that can be verified for affiliation order dated 25.08.2015. 3. The ITI was neither inspected by Joint Inspection team. The Joint inspection reached at old address which is 22 Km far this address. 4. All the allegations against ITI are baseless unsigned reply from ITI.	1. No ITI with such name found physically. 2.Principal/Management could not produce map & CD of building. 3. ITI informed that building will be ready 2-3 months.	High power committee inspection recommended for de-affiliation 16/FX . S/D to offer comments. If required, SD may get the ITI inspected & inform this office further course of action.
11	Badami Devi Pvt. ITI, SantKabir Nagar, Gorakhpur UP – 272175	1. ITI found with tool, equipment, m/c manpower, electric meter and IT lab as per norms.	1. ITI is being run as per new NCVT norms. 2. JD, Gorakhpur S/D has also verified in its inspection. Copy attached.	High power committee recommended for de-affiliation 17/FX . OK as per SD State Directorate may convey the decision regarding de-affiliation of ITI.
12	AbhimanyuPratima Pvt. ITI, SantKabir Nagar, Gorakhpur UP – 272175	1. ITI building, infra, tool, equipment, m/c etc not found physically during inspection. 2. ITI is shown as imparting training.	1. ITI has been granted affiliation in Aug 2018 session after inspection from Joint director on dated 08.01.2018. 2. The de-affiliation notice may be cancelled.	High power committee recommended for de-affiliation 18/FX . S/D to offer comments. If required, SD may get the ITI inspected & inform this office further course of action.

13	PaniyaraPvt ITI, Badwar Road, Maharajganj – 273310	1. ITI running in premises of Smt. Kailashi Devi High school. 2. No separate building. 3. Tool equipment m/c found but not mentioned. 4. Three phase connection not available & no IT lab, ITI not as per norms.	1. ITI imparting training by expert trainers in effective manner. 2. Trainees attendance over 90%. 3. Surprise Inspections & deficiency pointed out are for improving quality of ITI. 4. JD, Gorakhpur Inspection reports has found 100% Instructors available & all tool equipment, m/c as per NCVT norms. 5. ITI having 100% admissions. 6. Trainees results are also cent percent. 7. Practical training in workshop is cent percent as per syllabus. 8. ITI is ready for any inspection.	High power committee recommended for de-affiliation 21/FX. S/D to offer comments regarding de-affiliation. If required, SD may get the ITI inspected & inform this office further course of action.
14	Ganesh Pvt. ITI, Rapti Nagar Phase IV, Gorakhpur UP – 273402	1. ITI building infrastructure, tool equipment m/c electric meter IT lab etc as per norms. 2. No deficiency or irregularity noticed.	1. ITI building, tool equipment m/c as per norms. 2. Electric meter installed. 3. Principal/management produced CD & Map.	High power committee recommended for de-affiliation 25/FX. OK as per SD S/D to offer comments & get ITI inspected if required, to convey their decision.
15	Sri Jagdish Durgawati Pvt. ITI, Khalikabad, SantKabir Nagar, Gorakhpur UP- 272175	1. ITI building, infrastructure, tool, equipment, m/c, electric meter, IT Lab etc all as per norms. 2. No deficiency irregularity observed.	1. ITI building, tool equipment m/c as per norms. 2. Electric meter installed. 3. Principal/management produced CD & Map.	High power committee recommended for de-affiliation 20/FX. OK as per SD S/D to offer comments & get ITI inspected if required, to convey their decision.
16	VishwaBharti Pvt. ITI, FCI Road, Bargudwa, Gorakhpur UP – 273007	1. No ITI found physically at given address. 2. ITI management/Principal informed that ITI will be constructed in 2-3 months. 3. No tool, equipment, m/c IT lab, electric meter available.	1. ITI is conducting training as per norms. It has been also verified by the State Director in their inspection report. 2. A copy of inspection report is attached ITI has requested to continue its affiliation.	High power committee inspection recommended for de-affiliation 4/FX. OK as per SD. S/D to offer comments. If required, SD may get the ITI inspected & inform this office further course of action.
17	New Jagdish Durgawati Pvt. ITI, Khalilabad, SantKabir Nagar, Gorakhpur UP – 272175	1. During inspection building, infrastructure, tool, equipment m/c, electric meter, IT Lab etc found as per norms. 2. No deficiency or irregularity found.	1. ITI building, tool equipment m/c as per norms. 2. Electric meter installed. 3. Principal/management produced CD & Map.	High power committee recommended for de-affiliation 19/FX. OK as per SD S/D to offer comments. If required, SD may get the ITI inspected & inform this office further course of action.
18	Scholar Private ITI, FCI Road, Bargudwa, Gorakhpur UP- 273007	1. ITI found in VishwaBharti Inter college premises . 2. Tool equipment, m/c available as per norms. 3. No IT lab & electric meter also not functional. 4. Principal did not produce CD & map of building.	1. ITI has earlier also replied to the show cause notices. 2. ITI imparting try as per NCVT norms. It has been notified by S/D JD in his report. Copy attached.	High power committee recommended for de-affiliation 3/FX. OK as per SD S/D to offer comments. If required, SD may get the ITI inspected & inform this office further course of action.
19	Shobha Capital Pvt ITI	1. ITI building infrastructure, tool equipment m/c electric meter IT lab etc as per norms. 2.No deficiency or irregularity noticed.	1. ITI has attached copy of old reply dated July 2017, no new reply , no attachment (1-4) 2. ITI has also filed court case matter subjudiced. 3. We may seek comments for State Directorate & Court case team.	High power committee recommended for de-affiliation 23/FX. OK as per SD S/D to offer comments. If required, SD may get the ITI inspected & inform this office further course of action. Court Case matter