EMPLOYMENT EXCHANGE BUILDING, NEAR PUSA ITI, PUSA NEW DELHI- 110012. AFFILIATIONS OF ITIS, HELD ON 28th MARCH, 2019 AT 15:30 COMMITTEE ROOM, 1ST FLOOR, MINUTES OF THE 2nd MEETING OF "RECOMMENDATION COMMITTEE DGT" DEALING WITH

The following members were present:

ဖ	<u>,</u>	7.	ტ.	Ò	4.	ω		5	
Shri Anil Kumar, Principal, DTE Sundernagar (HP)	Shri Suresh Sharma, Asstt. Director, DTE Jodhpur (Raj.)	Shri AK Pandey, Asstt. Director, DTE-UP	Shri Ravi Chillukoti, JDT (Trade Certification)	Shri Sanjay Kant, RD, RDSDE, Jaipur (Raj.)	Shri R.R. Mannewar, Director, RSDS&E/ NSTI Kanpur			Shri Mihir Kumar Parial, Director of Training	Shri S.D. Lahiri, DDG(T&E)
10	*	31	((1))		,	ā		î	Ĩ
Invitee Member	Invitee Member	Invitee Member	Member	Invitee Member	Invitee Member	Member	(Convener)	Member Secretary	Chairperson

Officials Present:-

- Shri K. Singh, DDT (Trade Testing Cell), DGT Hqrs
- Shri Bhagat Singh, TO, DGT Hqrs.
- Shri Parveen Kumar, JTA, DGT Hqrs.
- Smt. Sangeeta Sharma, TO, DGT Hqrs.
- O Ms. Pushpa, JTA, DGT Hqrs.
- Shri Amrit Pal Singh, DDT, DGT Hqrs. Shri Yogesh Kumar, ADT, DGT Hqrs.
- 7.6
- Shri G.P. Chourasiya ADT, DGT Hqrs. Smt. Santosh Thakur, ASO, DGT Hqrs.

unserved blocks to start demand driven trades. Than DG/AS left the venue and thereafter Shri SD outreach to unserved blocks. He had also opined that State Govt. shall establish new Govt. ITIs in members. Further, DG/AS while briefing about the importance of this meeting, mentioned about the series of initiatives undertaken by DGT to improve the quality of Training in ITIs and expend its Lahiri, DDG (T&E) took the agenda points for discussion. The details of discussions and deliberations, At the outset, Shri S.D. Lahiri, DDG (T&E) welcomed Shri Rajesh Aggarwal, DG/AS and all the & agenda wise decisions taken by the chair, are placed as below:

Agenda Item no. 2. 1

DEALING WITH AFFILIATION HELD ON 17TH JANUARY 2019: CONFIRMATION OF THE MINUTES OF THE 1ST MEETING OF THE "RECOMMENDATION COMMITTEE DGT"

minutes of the meeting. The members of the Recommendation Committee were informed regarding the approved

enclosed as Appendix-II) 2019 was presented before the Recommendation Committee Members for their information. (Copy The action taken report regarding the NCVT Sub Committee meeting dated 17th January

Agenda Item no. 2. 2

CONSIDERATION OF PROPOSALS FORWARDED BY STATE DIRECTORATE REGARDING UP-GRADATION OF TRADES AFFILIATED UNDER SCVT TO NCVT.

affiliations for up-gradation of trades affiliated under SCVT to NCVT as hereunder:-After considering the Standing Committee Inspection reports (SCIR) received from the respective State Directorates, the Recommendation Committee approved a total 79 nos. of proposals for grant of

	6	Ćι	<u>4</u> .	ω	2	_	No.
Total	Uttarakhand	Bihar	4. Odisha	3. Rajasthan	2. Himachal Pradesh	1. Jharkhand	States/UTs
79	01	06	06	07	02	57	No. of ITIs proposals recommended by Standing Committee
79	01	06	06	07	02	57	No. of ITIs proposals No. of ITIs proposals recommended by Standing by Recommendation Committee DGT

Agenda Item No. 2. 3

AFFILIATION OF ITOT, MALAVALLI, KARNATAKA

Committee recommended for affiliation of RODA- 2(1+1) trade. 2(1+1) and Electronics Mechanic -2 (1+1). Inspection was carried out on 03.01.2019 and Standing IToT, Malavalli, Karnataka proposed for affiliation for Reading of Drawing and Architecture (RODA) -

The Recommendation Committee DGT approved the above proposal.

Agenda Item No. 2. 4

DE-AFFILIATION OF ITIS (PROPOSED BY STATE DIRECTORATES)

DGT scrutinized the proposal for De-affiliation of ITIs received from the State of Rajasthan, Bihar and deficient in compliance of defined quality standards etc. as per figure given below: replies received from the ITIs, DGT proposed to de-affiliate some of these ITIs which were found UP etc. and issued Show-cause notice to the concerned ITIs. After verification and analysing the

SI. No	-	2	ယ	Total
State	Bihar	Rajasthan	Uttar Pradesh	
Number of proposals received Number of Proposals proposed for for De-affiliation De-affiliation	39	392	115	546
Number of Proposals propose De-affiliation	33	160	108	301
ed for				



the committee approved de-affiliation of 301 ITIs with immediate effect. After discussion, on the total 546 proposals recommended for de-affiliation from above said 3 States,

Agenda Item No. 2. 5

DE-AFFILIATION OF ITI'S IN UP (FLASH INSPECTION)

notice. After verification and analysing the replies, the ITIs were proposed for De-affiliation on irregularities committed by the ITIs and they were given chance to represent through Show-cause The following ITI's were inspected (flash Inspection) by DGT officers acting upon complaint received

- Shri Radhakrishna Pvt ITI, RajpurKhair, Aligarh-202141, Uttar Pradesh (PR09900287)
- C C S Pvt ITI, Tehsil-Pisawa, Aligarh-202155, Uttar Pradesh (PR09900185)
- Janhit Pvt ITI, Vill& Post- Pisawa, Aligarh, Uttar Pradesh (PR09900138)
- Gagan Pvt ITI, Post& Tehsil- Gsbhana, Dist. Aligarh, Uttar Pradesh (PR09900249)

aforesaid proposal for de-affiliation of the above cited ITIs. the Recommendation Committee personally. After detailed deliberation, the committee approved the The inspection officers from DGT were also present in the meeting and they clarified the members of

Agenda Item No. 2.6

AFFILIATION OF CENTURION PVT. ITI, BALASORE, ODISHA

the Affiliation web-portal. The ITI was proposed for affiliation of Fitter 4(2+2), Electrician 4(2+2), MMV Odisha - 756044, which is a brand new ITI covered under unserved block category, applied online on standing committee and following trade was recommended for grant of affiliation. 4(2+2) and Sewing Technology 4(2+2). The Joint inspection was carried out on 15.03.2019 by the Centurion Pvt. ITI, Plot No. 525/526, Mouza-Palkasta, Po- Gopalpur, Block-Bahanaga, Dist-Balsore,

Sewing Technology 4(2+2)

The committee approved the aforesaid recommendation of the standing committee for grant of affiliation.

Agenda Item No. 2.7

AFFILIATION OF "DIPLOMA COURSES IN IT, NETWORKING AND CLOUD" IN NSTIS

grant affiliation to these courses in the following NSTIs, as per the table below: course "Diploma in IT, Networking and Cloud" in some of the NSTIs. Accordingly, it was proposed to meeting on Norms and Courses held on 26th May 2017 had approved for implementation of new age The committee members were informed by Shri Amrit Pal Singh, DDT that the Sub-committee



Ensuing Session	9	20		NSTI (W) Noida	œ
[-	2		Thiruvananthapuram	:
Engling Session	2	3			4
Ensuing session	01	20		NSTI, Bhubaneshwar	ტ
	01	20	19.11.2018	NSTI, Howrah	Ċ1
Ensuing (01 unit)	02	20	12.11.2018 (01 unit)	NSTI (W), Panipat	4.
	01	20	05.09.2018	NSTI, Mumbai	ယ
	01	20	19.03.2018	NSTI, Hyderabad	2.
	02	20	19.03.2018 (01 unit) & 17.09.2018 (01 unit)	NSTI, Bangalore	-
commence 2019			granted with retrospective effect		
Proposed			for which affiliation to be		
Cloud"			Networking and Cloud"		
Networking	of Units	Size	of "Diploma in IT,		no
"Diploma in II,	Number	Unit	Date of commencement	Institute	<u>SI</u>

The committee ratified and approved the aforesaid proposal for grant of affiliation.

Agenda Item No. 2.8

RATIFICATION OF APPELLATE COMMITTEE ORDERS

the same, the following orders were issued. However in few cases clarifications were sought from respective State Directorates and on obtaining notification no. DGT-HC044/456/2017-O/o DD(TC) dt. 04.01.2018 and had completed its task. The committee members were informed that the Appellate committee had constituted by MSDE vide

<u>S</u>	П	State	Trade and Units	Session	Order no. and
No.					date
-	Jawaharlal Nehru Pvt ITI, Madhya	Madhya	COPA 3(1+1+1)	2019	DGT-
	NH-7, Bypass Crossing	Pradesh	Electrician 3(1+1+1)		12/1/2018-TC
	Ratahra, Tehsil. Huzur,		Fitter 3(1+1+1)		dt. 11.03.2019
	Dt. Rewa-486001				
2	Bijasan Pvt ITI,	Madhya	Electrician 6(2+2+2) 2019	2019	
	Bhagyapure Road,	Pradesh	Marketing Executive		
	Anakwadi, Tehsil.		3(1+1+1)		
	Bhagwanpura, Dist.				
	Khargone-451441				
ယ	Uma Devi Pvt ITI,	Madhya	Electrician 6(2+2+2) 2019	2019	
	ManchapuranMandir	Pradesh			
	Road, Gas				
	GodamkeSamne, Gram.				



Pvt ITI, Gi Dist. Chha	Tal.Erand		Morena-476229	4. Jai Maa Tehisl. S	Luhari, Tehsil. Ratlam-457226
Pt. Dev Prabnakar Snastri Pvt ITI, Gram. Gatheora, Dist. Chhatarpur-471001	Tal.Erandol, Dist. Jalgaon	TatyasahebArunBajiraoC houdhari Pvt ITI, Anturi,	76229	Jai MaaKanli Pvt ITI, Madhya Tehisl. Sabalgarh, Dist. Pradesh	Luhari, Tehsil. Jaora, Dist. Ratlam-457226
Madhya Pradesh		מ	Maharastr	Madhya Pradesh	
Fitter 2(1+1+0)	Welder Addl. 1(0+0+1)	(0+0+2) Fitter Addl. 2(0+0+2)	(Hindi) 3(1+1+1) ElectricianAddl. 2	Electrician 3(1+1+1) 2019 Stenographer	
7018			2019	2019	
12/1/2018-TC dt. 28.03.2019			dt. 11.03.2019	DGT- 12/1/2018-TC	1

The committee ratified the aforesaid orders.

Agenda Item No. 2.9

AFFILIATION OF SADGURU PVT ITI, BIHAR

the BCC fulfilling the conditions, it was proposed to grant affiliation w.e.f. session 2019. Hon'ble Delhi High Court, and next date of hearing is 10.04.2019. As the ITI has already submitted and the same was re-submitted through mail on 16.02.2019. The matter of ITI is under subjudice of Thereafter, the said ITI had appealed to Appellate committee claiming that the ITI had submitted BCC by the Sub-committee of NCVT for granting affiliation due to lack of BCC related documents. It was informed that the additional units/trades of M/s Sadguru Pvt ITI, Bihar was not-recommended

The committee approved the aforesaid proposal.

Agenda Item No. 2.10

AFFILIATION PROPOSAL OF HI-TECH PVT ITI, ALWAR, RAJASTHAN

recommended to grant affiliation due to heavy shortage in Machinery inspection of the ITI was carried out on 08.02.2019. approved in last meeting of the Recommendation Committee DGT held on 17.01.2019, Joint Whereas, Joint Inspection team has not

affiliation to the aforesaid ITI. The committee considered the report submitted by the Joint Inspection team and decided not to grant



Agenda Item No. 2.11

DE-AFFILIATION OF GOVERNMENT ITI, NAVAPUR, MAHARSATRA

infrastructure and faculty and accordingly, proposed for De-affiliation of 09 trades as stated bellow: Nandurbar, Maharashtra on 20.02.2019 and 21.02.2019. During inspection, team found shortage in was affiliated for 13 trades. It was informed to the committee that the Govt. ITI, Navapura, Dist. Nandurbar, Maharashtra The RDSDE, Maharashtra Officers inspected Govt. ITI, Navapura, Dist.

<u>S</u>	Trade	Number of Units		Total
no		Shift 1	Shift 2	recommended
				De-affiliation
-	Sewing Technology	0	_	01
2	Dress Making	0	1	01
ယ	Welder	2	_	03
4.	Electrician	2	1	03
Ċı	Fitter	_	1	02
6.	Mechanic Motor Vehicle	2	_	03
7.	Wireman	0	1	01
œ	Sheet Metal Worker	0		01
9.	Draftsman (Mech.)	1	0	01

The committee approved the aforesaid proposal for de-affiliation.

Additional Agenda Item No. 2.11.1

discussion it was recommended that gap period may be reduced in case of New ITI's in Un-served blocks, exclusive Women ITI's and ITI's for Divyang. after Six months in case if any deficiencies were noticed in the first inspection. However, after For New ITI's or exisiting ITI's proposed for extension of trades, Joint Inspection will be carried

The committee approved the aforesaid proposal.

The meeting ended with a vote of thanks to the Chair.



in a company	المتراكم المتركم المتركم المتركم المتركم المتركم المتراكم المتراكم المتركم المتركم المتركم المتركم الم		
Show cause letter return	ITI does not exist.	National Institute of Engg. ITI does not exist.	1
	Cause Notice reply		
	confirmed after verification of Show		No
Decision taken	Irregularities & Deficiencies	ITI name and Address	Sl.

9	ω	7	6	υ	4	ω	2	—
Mitesh Private ITI, East Ramkrishna Nagar, Kankarbag , Patna PR10000406	Shah Rashidulla Institute of Tech. & VTC Birla Mandir Road, Patna-800004 PR10000059	Swami Vivekanand Private ITI, Ara Road, Sasaram, Bihar-821115 PU10000851	Patli Putra Private ITI, Maura Path, Khajpura, Baily Road, Patna PR10000136	Bhartiya Private ITI Danapur, Patna PR10000134	Balajee Private ITI, Gokul Path, Patel Nagar, Patna- 801503 PR10000062	Giriraj Private ITI, Baily Road, Patna. PR10000185	Reena Private ITI, Pachim Bihar, Ranjan Path, New Baily Road, Patna-802201 PR10000107	National Institute of Engg. Technology Private ITI khagaul Road, Danapur, Patna.800150 PR10000102
Not satisfactory. When we reached the ITI Institute is found closed. After 10 to 15 minutes gate is opened. One car is parked in the principal chamber. In absent of technical staff we could not verified the machines are working or not. It seems that no practical training provide by the institute. Necessary action may be taken as per above mentioned points.	All the time of inspection ITI was found closed. Only security guard was present there. He said that ITI was closed form 14.06.2018 to 16.06.2018 due to EID festival. A notice for that was also stick on notice board of ITC.	While visiting the institute, we find that whole institute is locked. Neither any staff or any trainees is present in working hars. The above observation clearly indicate that the said institute is not functional at all.	ITI Dost not exist at specific address.	ITI does not Exist. ITI is not found at given specific address. Necessary action may be taken as per above mentioned points.	ITI was not found at the mentioned address. A man told this was shifted to another place and have been informed to the department. A letter given to as which is attached.	ITI dost not exist at specific address.	ITI dost not exist at specific address.	ITI does not exist. ITI is not found at given specific address. Necessary action may be taken as per above mentioned points.
Reply is satisfactory. Affiliation to continue.	EID holiday. Being minority ITI, reply is justified. Affiliation to continue. Re-inspection to carry out.	De-affiliated	Show cause notice undelivered & returned. De-affiliated	Show cause notice undelivered & returned. De-affiliated	De-affiliated	De-affiliated	Show cause letter return undelivered. De-affiliated	Show cause letter return undelivered. De-affiliated

ITI name and Address Irregularities & Deficiencies
Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

19	18	17	16	15	14	13	12	11	10
NankKanwar ITC, Jahanabad Road, Masaurhi.	Ram SakalSinha ITC, At- Satisthan, Post Masaurhi	Pathak Institute of Technology, Kankasbagh main road Patna. PR10000067	Industrial Training Center, Paharpur More, Fulwarisharif, Patna PR10000089	Patna Private ITI, At-Po- Phulwari Sharif PR10000116 (This PR Code not match MIS Portal) Adarsh ITC, Umerabad, Arwal, 804401- Bihar(PR10000083)	Parvati Private ITI, Chitnawan, Maner Patna PR10000131	Dr. M.P. Singh Private ITI, At- Magis trade Colony Ashiyana Nagar-800025 PR10000202	HP Private ITI, Rajiv Nagar, Road no-09 PR10000225	Sandhya Private ITI, Phulwan Sharif PR10000110	Neezamia Private ITI, Modal Colony, JamaluddinChowk , P.O- Khagand, Patna. PR10000100
Institute found closed the time of Inspection.	Institute found closed the time of Inspection.	Institute found to be closed at the time of inspection. No training activity or any other kind of teaching and commercial activity found in existence	Institute was closed at the time of inspection it was found that the institute is closed form a long time from the window it has found no machines/equipment etc was available.	Institute having only boundary wall no structure inside the boundary was available. Only a broken sigh board on which name of ITI was written. It seems nothing was there.	Institute was closed at the time of inspection. Approach road was not clear.	No record we found due to building was demolished and staff was available.	Institute was closed and notice board was displayed on the gate and it was mentioned on the occasion of EID festival institute is closed for two days.	Building was not available. Some construction was going on only the name of ITI was written on boundary wall.	As per observation and information we get from neighbors no training activity was running. Open land in ground floor which was full of unwanted plants/grass. It shows no training activities are running there.
De-affiliated	De-affiliated	In reply ITI said that by mistake inspection team has visited wrong place not to their institute. ITI is regular exam center, Reply is satisfactory. Reinspection to carry out. Affiliation to continue.	Show cause notice undelivered and returned. De-affiliated	De-affiliated	De-affiliated	Show cause notice undelivered & returned. De-affiliated	EID Holiday. Reply is quite justified. Affiliation to continue. Re-inspection to carry out	De-affiliated	De-affiliated



De-affiliated	GautamBudh Private ITI, Navachak B O-Mancharnur inspection A man was incide the ITI but	20 GautamBudh Private ITI,	20
Decision taken	confirmed after verification of Show Cause Notice reply	ITI name and Address	No SI.

has been found in the ITI. 2. Workshop was closed (fitter and Electrician) at the time of visit 12.30 pm (25/06/2018) 3. it has been observed that ITI, is not in running edition
1.At the time of visit not training activity
De-affiliation of diesel mechanic trade is recommended in view of nonavailability of major m/c and equipment.
No. of trainers present at the time of inspection is not adequate to
No ITI running in the premises. The ITI name was written on the front boundary wall but it was while washed in order to hide the name of ITI, which was visible with naked eyes, all present ITI dost not exist. Hence committee recommends for disaffiliation.
Building owner said that no training is provided by the ITC and there is no Electric connection. ITI is poor condition. A car and tractor parked inside ITI.
The ITI found lock with a massage on the gate indicating institute is closed as one candidate expired. The inspection could not be under taken as institute was locked.
Visited the ITI on 12.06.2018(01:11:29) and institute was found locked no person were available and no response even though contacted over phone-9934069937. Girl's hostel running in same address.
ITI was not found at the mentioned address. One girls hosted was running at that address/place
ITI was found closed at the time of inspection. A man was inside the ITI but he didn't open the door often knocking the door so many time.



		No	SI.
			III name and Address
		00	
		nfirn	ILL
.	Caus	confirmed after verification of Show	irregularities & Deliciencies
1 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	e Noti	er ver	Ittes o
	ice re	rificat	2 Dem
	ply	ion o	CIEILC
		f Sho	IES
		3	
1			
			Decision faven

	address. A photograph regarding that building was used for ITI is also enclosed. Hence committee recommended for de-affiliation.	
	name of I'll written on the front side of ITC hided by the white washing.	Malgodam, PO-barh, Patna PR10000500
De allinaten	used for godown of NTPC barh. The	ITI, At-Station road, near
Do offiliated	per above points.	-
	years. Necessary action may be taken as	PR10000098
	taken admission in ITI since last four	exhibition road patna
D'C MARIANTEN	into amingirls high school. He has not	hai commercial complex
De-affiliated	3.Recommended for de-affiliation	+
	activity has been conducted.	
	shows that since long no training	
	2. Whole workshop is vacant, which	
	running condition Neither faculty nor	Nagar, Adamapur
De-affiliated	1. IT has been observed that ITI is not in	34 A.K. Private ITI, Hansraj
	observed in workshop area.	
	stage and no training activity has been	Rohtasn
	2. Workshop was found in renovation	Karwandia, Sasaram
	has been found in this ITI.	
De-affiliated	1.At the time of visit no training activity	33 Rohtash Private ITI. Hansrai
	noticed at the time of inspection	Bihar
	and dispute in the trust members	Dinara, Sasaram, Rohtan,
	of non-available of electrical connection	_
De-affiliated	Recommended for de-affiliation in view	32 PanditBrahmdev Private
	norms, 5.0verall Observation is very poor.	
	4.Disel mechanic workshop is not at per	
	time of visit	
	3. Trainees attendance is zero at the	
	2. No electricity connection.	INTOCOCET
	nor trainees are present during visit.	pp10000221
De-affiliated	1. It has few observed that ITI is not in	31 Shershah Private ITI,
De-affiliated		PR10000309
returned.		Sasaram, Rohtas
undelivered and	Recommended for de-affiliation	30 New Shersha
	3. Recommended for de-affiliation.	
	present during visit.	
	and connection with electricity at	
	2. in while workshop, there is only 4	PR10000596
out. Affiliation to continue	trainees as present during visit.	Rohtas
Re-inspection to carry	running condition nether faculty. Nor	_
Reply appears justified.	It has been observed that ITI is not is	20 New Iai Mata Di Private ITI



		T	
39	38	37	SI.
Lord Shiva Private ITI, Vill-	Sai Private ITI, At- Kothiya PO-Khagaul, PS-Shahpur, Patna PR10000521	Azmet Private ITI, Mohhammdpur PO- Mahendra, Patna PR10000248	ITI name and Address
At working time ITI was closed	ITI has not been running since four years. According to land lord rent of ITI and electricity bill is dues since four years. Landlord has sent court notice to ITI director/ ITI trust society for that. No training provided by ITI. Necessary action may be taken as per above mentioned points. Hence Recommended for de-affiliation	At the time of inspection ITI was found closed. One local person whose name is pappukumar said that this ITI has been closed since six months. The existing building of ITI was found in very poor running condition & printing person is found running in the workshop not even a single machine tools was found inside workshop for hence committee recommended for de-affiliation.	Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply
De-affiliated	De-affiliated	De-affiliated	Decision taken



Lord Shiva Private ITI, Vill-Aranda, P.O.- Gamhari, P.S.-

Uphara PR10000065

5.	4.	3. S P S P	2. S B = = ?	1. 2 2 4 4 5 5 5 5	NO II
MAHADEV PRIVATE INDUSTRIAL TRAINING INSTITUTE, NEAR GOVT. SCHOOL, KOTRA MATHUNIA, BINJWARIA ROAD, DIST.JODHPUR-342306, RAJASTHAN	LAKSHAY PRIVATE INDUSTRIAL TRAINING INSTITUTE, SUKET ROAD, RAMGANJMANDI, DIST. KOTA – 326519, RAJASTHAN NCVT MIS CODE-PR08000326	PASS INSTITUTE OF FIRE & SAFETY PRIVATE INDUSTRIAL TRAINING INSTITUTE, 70- KIDVAI NAGAR, BEHIND ROADWAYS BUS STAND, DISTT. CHITTAURGARH- 312001, RAJASTHANNCVT MIS CODE-PU08001655	MODERN PRIVATE INDUSTRIAL TRAINING INSTITUTE, NANI, JAIPUR BIKANER BY PASS ROAD, DIST. SIKAR RAJASTHAN NCVT MIS CODE-PR08000206	SHRI DARIYAV PRIVATE INDUSTRIAL TRAINING INSTITUTE, AT.K.NO.56, VILLAGE GOGELAV, TEH.&DIST.NAGAUR, RAJASTHAN RAJASTHAN NCYT MIS CODE-PR08000830	ITI name and Address
1. W/s Cal. & Sc., Engg. Drg., Emp. Skills instructors were not appointed. 05 instructors were absent on the day of inspection. 2. Electric power consumption per trainee per month was very poor. 3. Principal room area 18.18 sq m., office area 10.66 sq m. was found short as per DGT norms. 4. Electricity connection was not available in the name of ITI	 Workshop calculation & science & ES instructors were not appointed. Only 05 trainees out of 84 were present. No separate washroom for girls was available. Machine log book was not available. Electricity bill was not available for confirmation of power load & consumption. Poor training standards, no coverage of the syllabus on weekly basis. 	1. Trainees' standard was poor. 2. Electricity bill was not in the name of ITI, . 3. Shortage of staff: Instructor for Health Safety & Environment-01, Horticulture-01, COPA-01, Electrician-01, Engg. Drg01, Emp. Skills-01, IT lab-01, G.I01, W/s Cal & Sc-0	1. Major machinery in Electrician Workshop at Sr. no. 96,97,98,101,104,116,117 of tools and equipment list was not working properly. 2. Deficiency of Emp. Skills Instructor. 3. Consumption of Electricity was found only 65 units per month. It indicates that there was no practical training activity in the ITI, 4. Only 28 training were found on the date of inspection. 5. Dropout rate of trainees was found 27.27%.	1. No responsible person was found at ITI inspection report couldn't prepare. 2. Nursing college was running in ITI building.	Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply
De-amiliated	De-affiliated	De-affiliated	De-armiated	De-affiliated	Decision taken



2	ITI name and Address	Irregularities & Deficiencies confirmed after	Decision taken
No S		verification of Show Cause Notice reply	
6.	VIKALP PRIVATE INDUSTRIAL TRAINING INSTITUTE, NORTH GATE, KRISHI MANDI, KUCHAMANCITY, DIST. NAGAUR RAJASTHAN NCVT MIS CODE-PR08000557	1. Tools & Equipment Shortage — Pulley Puller, Bearing Puller, Mallet Hard Wood 0.5kg., De soldering Gun, Flux Meter, Battery Charger, Hydrometer, Working Bench, Fire Extinguisher, Contactor Contacts three phase, Auxiliary Contact 3 Phase, Rotary Switch, Load Bank 5KW, Brake Test Arrangement , P-IV Computer, Inkjet/Laser Printer, Grinder & Drill Machine	De-affiliated
	MCAL MIS CORF-LINGUIST.	Laser Printer, Grinder & Drill Machine Foundation are not Bolted 2. Trainee's attendance was very poor. 3. Raw Material was purchased only for Practical Exam rather than practical. 4. 12% Instructors were short.	v.
		 12% Instructors were short. Only four Computers were available in IT Lab. Log Book for machine was not available. 	
7,	SHRI NATH PRIVATE INDUSTRIAL TRAINING INSTITUTE, VINAYAKA ROAD, BARI SADRI, CHITTORGAR .312403, RAJASTHAN NCVT MIS CODE-PU08001350	1. Tools & equipment were not available as per new syllabus. 2. Shortage of staff – Instructor for Electrician - 09, Mech. Diesel-02, Wireman-03, Fitter-03, W/s Cal.& Sc02 Engg. Drg02, IT lab-02 and G.I01 no.	De-affiliated
0	CITIV DDIVATE INIDIICTRIAI	1 Drincinal room area was short as per NCVT	De-affiliated
ò	SHIV PRIVATE INDUSTRIAL TRAINING INSTITUTE, KALKAKRA, GANGAPUR ROAD,	 Principal room area was snort as per NCVI norms. Website was not updated. Power consumption was poor. 	De-dilillated
	LALSOT,DAUSA.303503, RAJASTHAN NCVT MIS CODE-PR08000147	 Power consumption was poor. Fitter, Mech. Diesel Workshop area was short as per NCVT norms. Mech. Diesel Parking Area was short. 	
		6. Machine log book was not available.7. No record/evidence of practical work was available.	
		8. Attendance of trainees was very poor (only 27%).9. Rent agreement was expired in 2013. NCVT affiliation can't be continued in the absence of	
		valid rent agreement. 10. Electrician trade item sr. no. 14,68,77,83,90,97, 122, 124, 128 were not	
		prescribed NCVT tool list. 11 50% tools and equipments in Mech. Diesel	



11. 50% tools and equipments in Mech. Diesel trade were short and motor vehicle; UPS, LCD

Set were not available in Fitter trade.

projector were not available.

12. Drill m/c with Swivel table and Gas Welding

	. h		7 10
11	10.	ò	No
SARVODYA PRIVATE INDUSTRIAL TRAINING INSTITUTE, RUDAWAL ROAD, MUDERA, UCHAIN (ROOPWAS), DISTT. BHARATPUR-321302, RAJASTHAN NCVT MIS CODE-PR08000647	RAJ TAIGORE PRIVATE INDUSTRIAL TRAINING INSTITUTE TAIGORE MARG,KILA ROAD, THANWALA , DEGANA , NAGAUR-305026, RAJASTHAN NCVT MIS CODE-PR08001813	SUMAN BHARTI PRIVATE INDUSTRIAL TRAINING INSTITUTE, SECTOR-2, GANESH TALAB DADABARI, TEHSIL-KOTA, DIST.KOTA-324009 RAJASTHAN NCVT MIS CODE-PU08000496	ITI name and Address
 Record of land & building was not provided. IT lab was not available in the institute. The power consumption of institute was zero. Instructor (W/s Cal & Sc.), Instructor (IT lab), and Instructor (Engg. Drg.) were not appointed. Safety measures like rubber mats on floor were not used in electrician workshop. There was no proof of salary paid to staff which indicates that required staff is not appointed. Affiliation certificate not provided by the institute. 	1. No power supply; electric connection was found disconnected. 2. IT lab completely found vacant; no computer /furniture /tools equipment were available. 3. Instructors for W/s Calculation and Engg. Drawing subjects were not appointed by INDUSTRIAL TRAINING INSTITUTE, . 4. Electrician trade items at sr. no. 105(DG set) 132, 133, 134 and 137 were found short. 5. Electricity bill was not available. 6. Trainees' attendance was zero. 7. Machine log book was not available.	1. Principal room & Office area was 11.82 Sqm which is short as per DGT Norms. 2. Low electricity consumption. 3. Instructor vacant post-03 (Electrician – 01, Engg. Drawing – 01, Employability Skill - 01) 4. 02 computers are short in IT lab. 5. Tools & equipments list not attached. In Electrician Trade three items found Short. (1) Pentium-IV Computer-01 Nos. (2) Laser Printer -01 Nos. (3) Washing Machine-01 No.	Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply
De-affiliated	De-affiliated	De-affiliated	Decision taken



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

No IS

15.	14:	13.	12.
ABHIGYAN PRIVATE INDUSTRIAL TRAINING INSTITUTE, A-29,30, BALAJI VIHAR, P.O. NIMERA VIA, JHOTWARA, DIST.JAIPUR- 302012, RAJASTHAN	GANESHAM PRIVATE INDUSTRIAL TRAINING INSTITUTE, PLOT NO. 280/2990,HASANPURA, DIST. JAIPUR-302006, RAJASTHAN NCVT MIS CODE-PU08001629	NOBEL TECHNOLOGY PRIVATE INDUSTRIAL TRAINING INSTITUTE, KHASARA NO. 708/222, MENDWARA, NEAR NARAYANPURA TIRAHA, RAILWAY STATION, KUCHAMAN CITY NAGAUR-341508, RAJASTHAN NCVT MIS CODE-PRO8001135	SHRI OM PRIVATE INDUSTRIAL TRAINING INSTITUTE, NEAR PNB BANK JODHPURA ROAD, BORUNDA DIST. JODHPUR RAJASTHAN NCVT MIS CODE-PR08000548
 Capacity Utilization power):Avg. consumption was low. Tools & Equipment Details were not available. Attendance of trainees was low. Log book of machine was not found. Staff was short as per NCVT norms. 	 Group Instructor, Emp. Skills instructor and W/s Cal. & Engg. Drg. & trade instructors were not appointed as per NCVT norms. Experience of Ms. SaziyaNoureen IT lab instructor was not as per NCVT norms. Qualification of Sh. Somveer Singh Instructor Engg. Drg. was not as per NCVT norms. Moreover, Sh. Somveer Singh Instructor Engg. Drg. is already appointed in other ITI Principal room & office area was found short as per NCVT norms. Average power consumption was poor which indicates no practical exercises were carried out. 	 IT lab was not as per DGT norms. Staff was short as per DGT norms. Electricity consumption per trainee per month was poor. 	 Documents of 03 trades instructor Sh. PremPratap, Sh. Dinesh Sharma and Ms. Kusum were not available for verification of qualification and experience. 03 Instructors were not present on the day of inspection. Only 16 out of 63 trainees were present at the time of inspection. Electricity consumption per trainee per month was very poor. Bills of raw material were not available to confirm practical training. O5 items were found short on date of inspection. Electrician Too list B- 8, 96, 99,118,123. Log book of machine was not maintained. Office room area was found short as per DGT norms.
Re-inspection will be carried out, Affiliation to continue	De-affiliated	De-amiliated	De-affiliated



		1	1	[]
19.	18,	17.	16.	No SI
JYOTI PRIVATE INDUSTRIAL TRAINING INSTITUTE,BALOTRA NEAR 4TH RAILWAY FATAK BY PASS, KHED ROAD, BALOTRA DIST.BARMER - 344022RAJASTHAN NCVT MIS CODE-	SHRI GURU JAMBHESWAR MODEL PRIVATE INDUSTRIAL TRAINING INSTITUTENEAR PETROL PUMP, WARD, NO.13, SADULSAHAR, DISTT. GANGANAGAR-335523 RAJASTHAN NCVT MIS CODE-PR08000552	VANSHIKA PRIVATE INDUSTRIAL TRAINING INSTITUTE,OLD LAXMANGARH ROAD, MALAKHERA, DIST- ALWAR- 301406 RAJASTHAN NCVT MIS CODE-PR08001556	VIVEKANAND PRIVATE INDUSTRIAL TRAINING INSTITUTEPLOT NO. 14, SECTOR NO.6, NEAR CHUNA FATAK,HANUMANGARH JUNCTION, TEHSIL & DISTT. HANUMANGARH-335512, RAJASTHAN NCVT MIS CODE- PU08000732	ITI name and Address
1. Pentium IV computer is the major items which were not found (short) in the institute. 2. Instructor (Electrician) 2 posts, Instructor (Workshop Calculation & Science) and Instructor (Engg. Drawing) 1 post and Instructor (IT lab) do not have desired technical qualification as per norms. 3. Electricity bill in the name of Leela Devi was provided to the inspection committee. It seems	 Three computers found short in IT lab. Average power consumption was poor which indicates no practical exercises were carried out. Machine log book was not available. Website was not available. Latest Electricity bill not available. One Emp. Skills Instructor was found short. 	 Electrician trade items at s.no. B-126,132,134 136 were found short. Trainees attendance 50.79% on the day of inspection. Average power consumption was poor which indicates no practical exercises were carried out. Separate washroom for girls was not available. 	 One Group Instructor and IT Instructor were found short. Only two trade instructor against twelve units was appointed. IT lab was not available. Website was not updated. Only 13 trainees found present in ITI, on the date of inspection. Principal room & office area was found short as per NCVT norms. Average power consumption was poor which indicates no practical exercises were carried out. 	Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply
Show cause reply justified. Affiliation to continue.	Re-inspection will be carried out, Affiliation to continue	De-affiliated	De-affiliated	Decision taken



	appointed.		
	7. Emp. Skills and IT instructor were not		
	available.		
	6. Electricity bill and other documents were not		
	were not in working condition		
	5. Tools and equipments were short and items	PU08001596	
	4. Log Book was not maintained.	NCVT MIS CODE-	
	3. Only 29 % trainees were present.	RAJASTHAN	
	was not as per norms.	JHOTWARA, JAIPUR-302012,	
	2. Only 09 computers were available & Furniture	4, NANGAL JAISA BOHRA,	
	as per norms.	TRAINING INSTITUTE, PLOT NO	
De-affiliated	1. Office area & one class room area was short	S.P.D.M. PRIVATE INDUSTRIAL	22.
	7. Low electricity consumption.		
	norms.		
	6. Principal room & office area was short as per		
	NCVT norms.		
	instructors were not appointed in ITI, as per		
	5. Engg. Drawing, W/S Calculation & IT		
	as per norms.	NCVT MIS CODE-PR08000071	
	4. ITI, was not having revised general machinery	RAJASTHAN	
	year.	BHARATPUR-321404,	
	3. Welder trade was not running since last five	JATMASI ROAD, ROOPWAS,	
	against NCVT norms.	INSTITUTE, JAGAN COLONY,	
De-affiliated	2. Class room area found short by 2 sq. mtr.		
	1. IT lab was found short.	VASUNDHARA PRIVATE	21.
		NCVT MIS CODE-PR08000157	
	5. Machine log book was not available.	RAJASTHAN	
	4 Trainees' attendance was very poor.	TEHMAKRANA DIST.NAGAUR	
	per NCVT norms.	INSTITUTE, MATAJHOR ROAD,	
	2. Low electricity consumption:	TRAINING	
00-011110000	T. Offly 29 out of too frametics were present.		20.
Do-affiliated	1 Only 30 out of 166 trainings word procent	-	
	Actilication of 2110M caract votice rebit		NO
Decision (axe)	Irregularities & Deficiencies Confirmed after	ITI name and Address	2
Darician takan			2



24.	23*	No SI
SHIKHAR PRIVATE INDUSTRIAL TRAINING INSTITUTE, NEAR ADARSH VIDHYA NIKETAN, PRATAP NAGAR, RAWAT BHATA, DISTCHITTORGARH-323307 RAJASTHAN'	SHREEMATI RESHAM DEVI PRIVATE INDUSTRIAL TRAINING INSTITUTE, ANAND NAGER DEEG ROAD DISTT-BHARATPUR- 321001, RAJASTHAN NCVT MIS CODE- PRO8001686	ITI name and Address
 IT lab was under tin shed which is not acceptable. One computer was short in IT lab. Shortage of staff: Instructor for Emp. Skills-01, IT lab instructor-01. 	1. Hospital House Keeping Trade was not running in Institute. 2. Only five Computers were available in IT LAB. 3. LOG BOOK was not available. 4. Poor attendace of students at the time of Inspection in Institute. 5. Area of Principal room was short by 7.0 Sqm as per NCVT norms. 6. Area of class room of trade Electrician was short by 2.0 Sqm as per NCVT norms. 7. Instructor of Electrician Trade seems to be lack of knowledge of tools & equipments of respective trade 8. TOOLS SHORTAGE FOR- A. ELECTRICIAN TRADE :-Hydrometer, Current Transformer Potential Transformer, Diesel Generator Set, DC Series Motor, DC compound with Startor Switch, Function Generator, Hygrometer. Single phase Capacitor Motor with Startor Switch, Stepper Motor with Digital Controller, Shaded Pole Motor, Synchronous Motor, Lux Meter, Pentium – IV Computer, Inkjet & laser Printer, Washing Machine B. FITTER-Marking Table, Interchangeable Ratchet Socket Set Box Spanner Set, Vernier Height Gauges, Bench Working, Metal Rack, and Torque Wrench. Furnitures are short as per norms of DGT. C. HEALTH SANITARY INSPECTOR-78.94 % Shortage.	Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply
De-affiliated	De-affiliated	Decision taken



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

No SI

28. DHAPUDEVI PRIVATE INDUSTRIAL TRAININ INSTITUTE, OUTSIDE I DARWAZA KAKKU W. POLE, DIST.NAGAUR RAJASTHAN NCVT MIS CODE-PRO	27. GLOBAL PRIVATE INDITRAINING INSTITUTE, ROAD, PALARA KUCH, CITY, DISTT. NAGAUR, RAJASTHAN NCVT MIS CODE-PRO	26. R.B.M. PRIVATE INDU- TRAINING INSTITUTE, JHALAWAR ROAD VIN NAGAR, DISTT-BARAN 325205, RAJASTHAN NCVT MIS CODE-PUO	TRAINING INSTITUTE NEAR POWER HOUSE ROAD, VPO-ACHROL T AMER DISTRICT-JAIPL 303002, RAJASTHAN NCVT MIS CODE-PRO
DHAPUDEVI PRIVATE INDUSTRIAL TRAINING INSTITUTE,OUTSIDE NAYA DARWAZA KAKKU WALO KI POLE, DIST.NAGAUR RAJASTHAN NCVT MIS CODE-PR08000821	GLOBAL PRIVATE INDUSTRIAL TRAINING INSTITUTE, STATION ROAD, PALARA KUCHAMAN CITY, DISTT. NAGAUR, RAJASTHAN CODE-PRO8000356	R.B.M. PRIVATE INDUSTRIAL TRAINING INSTITUTE, JHALAWAR ROAD VINAYAK NAGAR, DISTT-BARAN - 325205, RAJASTHAN NCVT MIS CODE-PU08001348	ACHROL PRIVATE INDUSTRIAL TRAINING INSTITUTE NEAR POWER HOUSE ROAD, VPO-ACHROL TECH AMER DISTRICT-JAIPUR 303002, RAJASTHAN NCVT MIS CODE-PR08001315
1. Brake Test arrangement with two spring balance, Hygrometer, Synchronous motor 3 phase 3Hp, Pentium IV computer 2no, Printer were not found in the institute. 2. DC Shunt generator, DC compound generators were incomplete i.e. without prime mover. 3. Principal and office area is less than the required norms. 4. Instructor vacancy against required post was 22%. 5. Total trainees present on the date of inspection 10 out of 122. 6. There is no electric connection in the name of institute, a domestic Electricity bill in the name of Radha Devi W/o Manoj Kumar was provided to the inspection committee. 7. There was no proof of salary to staff which	 Sh. Devi LalPrajapat instructor (Theory) was not having required 2 year experience. Equipment shortage: Electrician Hand Tool list-A - Sr. No. 05, 11, 15. Log Book was not maintained. 	1. Trade instructors were not qualified as per experience required by the DGT norms. 2. Lab equipments were found short according to new norms (washing machine, HP water pump, P-IV computer, ink-jet printer, Pin Shakle, Suspension type Insulator etc.). 3. Power consumption was low. 4. There was no proof of salary paid to staff which indicates that required staff is not appointed. 5. Electricity bill was not in the name of ITI. It seems that there is no electricity connection in the name of ITI.	1. 01 instructor was short. 2. Only 10 trainees were available to confirm practical training. 3. Bills of raw material were not available to confirm practical training. 4. Electricity consumption per trainee per month was very poor. 5. 07 items found short: Tool list Machine Electric m/c trainer, M.G DC to AC, sShaded pole motor, Synchro. Motor, Lux-meter, Printer, Computer System, Washing m/c, Pump set with motor. 11 equipments were not in working condition.
De-affiliated	Show cause reply justified. Affiliation to continue	De-affiliated	De-affiliated



			r
31.	30.	29.	No Si
SHREE RADHA RAMAN PRIVATE INDUSTRIAL TRAINING INSTITUTE PLOT NO. 2 THERMAL COLONY, SAKATPURA ROAD, DISTT-KOTA-324008, RAJASTHAN NCVT MIS CODE-PU08001680	SARVODAYA PRIVATE INDUSTRIAL TRAINING INSTITUTE 6,7,8 BALAJI NAGAR, OPP. SEGWA HOUSING BOARD, SENTHI, DIST. CHITTORGARH-312001, RAJASTHAN NCVT MIS CODE-PU08001673	SANSKAR PRIVATE INDUSTRIAL TRAINING INSTITUTE, ARAIN, NEAR PETROL PUMP, KISANGARH ROAD, AJMER-305813, RAJASTHAN NCVT MIS CODE-PR08001462	ITI name and Address
1. Principal room and Office area was less than required. 2. Following General Machinery were found short:- a. Frequency Meter-01no. b. Tachometer -01no. c. Three phase transformer -01no. d. Hygrometer -01no. e. Pentium IV Computer of latest (Server-Linux) - 02no. f. Ink jet/laser printer -01no. g. Motor pump set 1HP, 1Phase, 240v -01no. h. Pin type, shackle type -02no. 3. Average power consumption was 235 units per month only. 4. No student was present on the day of inspection. 5. Electric connection was not in the name of ITI	1. Instructor (Electrician), Instructor (Health Sanitary Inspector), Instructor (Workshop Calculation & Science) and Instructor (Engg. Drawing) were not available. 2. The power consumption is low. 3. Items like Overhead Projector, LCD Projector, Working Models, Refrigerators, Auto Clave, Sterilizer, Thermometer, BP Instrument, Stethoscope, Laboratory Microscope & First aid kit found short were not available in the institute. 4. Power connection is available in the name of other person.	 Shortage of tools and Equipment: Item sr. no. 20, 52, 51, 12. Shortage of staff: Instructor for W/S Cal01, Emp.Skills-01, Engg.Drg01. NIMI book were not available in library. Website was not updated. Students were not in uniform. Power consumption was very low. Attendance of trainees was very low. 	Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply
De-affiliated	Show cause reply justified, Affiliation to continue	Show cause reply justified. Affiliation to continue	Decision taken



ITI name and Address Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply
Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply
1

	(1)	(1)	(1)	w
36.	35.	34.	ü	32.
TIRUPTI PRIVATE INDUSTRIAL TRAINING INSTITUTE, KOLAHERA ROAD, JODHPURA, VPO.KOLAHERA,VIA NARAINPUR, DIST-ALWAR-301024, RAJASTHAN NCVT MIS CODE-PR08001360	NATIONAL PRIVATE INDUSTRIAL TRAINING INSTITUTE, LALSOT ROAD, NEAR GOVT. HOSPITAL, DISTT- DAUSA-303303, RAJASTHAN NCVT MIS CODE-PR08000605	AMER MAHARAJA PVT INDUSTRIAL TRAINING INSTITUTE, BEHIND ELECTRICITY BOARD, DELHI ROAD,KUNDA,AMER, DISTT- JAIPUR-302028, RAJASTHAN NCVT MIS CODE-PR08001087	SANT NAMDEV PRIVATE INDUSTRIAL TRAINING INSTITUTE PLOT NO 1 MAHAVEER NAGAR KOTA-324009 NCVT MIS CODE-PU08000923	BHAGYA SHREE PRIVATE INDUSTRIAL TRAINING INSTITUTE, SHIVNATHPURA BEEWAR, DISTT. AJMER-305901, RAJASTHAN NCVT MIS CODE-PR08001373
 One instructor for Emp. Skills was not available. Office area was short. Engg. Drg. & W/s Cal. Instructor was not appointed. Electrician workshop item no A-1, B-10, 77, 98, 99, 100, 102, 104, 117, 118, 119, 120, 128 were not working and item no 19, 132, 133, 137 & Furniture item no 5 were short. Seven PC were short in IT lab. 	 Office area was short. Tools &equipments shortage: Electrical-32% Log book of Machine –nil. Power utilization was low. Experience of Instructor found short. 	 Fitter Trade Instructor was not appointed. Sh. KanhaiyaGurjar Electrician Instructor was not having the experience as per norms. Items were short in Electrician workshop as per norms. 	 Instructors' qualification documents were not available to confirm the qualification. Two no. of instructors were short in Electrician trade. IT & E/S Instructor was not appointed. 	1. The power consumption is very low. 2. Break test arrangement with two spring 0- 25KG. not available in trade Electrician. 3. Electric machine trainer, M.G.set(AC to DC generator series shunt compound type, DC shunt generator with control panel, DC series motor Coupled with Mech. Load 5 to 02 kw are not in running condition 4. Sr. No. 1,3,4,7,9,10,12,15,19,22,23 items not found in Mech. Diesel Workshop. 5. Three shifts are sanctioned as per time table but only two shifts are being operated. 6. Three instructor posts are vacant.
De-affiliated	De-affiliated	De-affiliated	De-affiliated	De-affiliated



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

oN IS



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

No IS

De-amiliated	1. WCS & ED, Emp. Skills Instructors found short as per norms.	G.L. PRIVATE INDUSTRIAL TRAINING INSTITUTE, 54, OLD JAWAHAR NAGAR, DISTT. KOTA -324005 RAJASTHAN NCVT MIS CODE-PU08000477	44.
De-affiliated	 Third shift was not running; only two shifts were running. As per DGE&T norms staff was short. Attendance of total trainees was poor. Area of Principal room & office found short. As per DGE&T norms staff was short. Log book of machine was not available. Electric Consumption-less. 	SWAMI VIVEKANAND PRIVATE INDUSTRIAL TRAINING INSTITUTE, MALL DHARAMSHALA WARD NO.10, KOLAYAT JI, DIST.BIKANER-334302 RAJASTHAN NCVT MIS CODE-PRO8001493	43.
De-affiliated	 Area of principal office, office and IT lab found short; not found as per NCVT norms. Area of electrician classroom found (21.02+21.02+21.46) sq. meter for 6(3+3) units. Electrician tool list items Pentium-04 computers, insulator, inkjet printer and washing machine found short. Only five computers found available in IT lab instead of 10 computers. 	DESHWAL PRIVATE INDUSTRIAL TRAINING INSTITUTE, NEAR GAYATRI MANDIR, WEIR, DISTT- BHARATPUR-321408, RAJASTHAN NCVT MIS CODE-PR08000422	42.
	prepared in fraudulent manner by the institute, so there was no justification for giving details related to the manpower. 2. Fake presence of employees was mentioned in the attendance register. Trainees & instructors did not know each other; it indicates that instructors were called for inspection only. 3. The old building of the institute was demolished where affiliation was sought. Thus, re-affiliation was required to continue the NCVT affiliation. 4. The building of ITI, was in use of school/college. 5. Electricity connection was also in use of other purpose. 6. Only 42 out of 115 trainees were present. 7. Average power consumption was poor which indicates no practical exercises were carried out. 8. Machine log book was not available. 9. Trainees' records were not available. 10. IT lab was not available according to NCVT norms.	INDUSTRIAL TRAINING INSTITUTE, VPO-SALASAR, THE. SUJANGARH DISTT. CHURU 331506, RAJASTHAN NCVT MIS CODE- PR08000209	
De-affiliated	1. The records related to the manpower were	SHRI R.N. PRIVATE	41.

Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

No S

		4	
48.	47.	46.	45.
TAGOUR PRIVATE INDUSTRIAL TRAINING INSTITUTE, NEAR MELA MAIDAN, MOLASAR DIDWANA, DISTT- NAGOUR- 341506, RAJASTHAN NCVT MIS CODE- PRO8001328	IDM PRIVATE INDUSTRIAL TRAINING INSTITUTE, NEAR P.H.E.D OFFICE, LADNU, DISTT-NAGAUR 341306, RAJASTHAN NCYT MIS CODE- PR08000525	MANDA PRIVATE INDUSTRIAL TRAINING INSTITUTE,NH- 11,KM-16 RAISAR, DISTT- BIKANER -334001, RAJASTHAN NCVT MIS CODE-PR08001526	BALAJI PRIVATE INDUSTRIAL TRAINING INSTITUTE, BADNOR, DISTT. BHILWARA- 311302, RAJASTHAN NCVT MIS CODE-PU08001764
 Documents of staff were not available to verify qualification and experience. One workshop was short; it was under renovation. Electrician machinery of item sr. no.126, 127, 133, 134, 135, 137 were short. Log Book not maintained. Area of Principal room and office was short. 	1. 04 instructors were short as per norms. 2. Emp. Skills instructor were not appointed by ITI 3. 46 out of 126 trainees were present at the time of inspection. 4. Equipment shortage- Electrician Tool list A-1,2,3,4,5,6,7,8,10,11,12,13,14,15,16,17,18 Tool list B-19,21,22,26,27,30,32,33,39,41,43,48,55,57,69,97,110,113,124, Mostly Machines in w/s were not in working condition . Tools & equipment were not as per latest NCVT norms. 5. Principal room & Office area was short as per DGT norms. 6. Log Book was not maintained. 7. ITI, running in 1 shift only. All shifts were clubbed and not in operation.	 Principal room and office area is less than required. Fitter classroom area found short. No separate electric connection for ITI there was a common electric connection for Eng. College, Academic College, and ITI Weekly programme and progress cards were not available. Standard of training was very poor. One instructor was short on the date of inspection. There was no proof of payment of salary to instructors which shows that instructors were not appointed. 	 Multiscan Tool with Oscilloscope, Spring Tension Tester, Tin Smith bench folder600x1.6mm, Computer chair, Computer Table, Desktop Computer, Laser Printer, LCD Projector, Online UPS, Storage rack, Storage shelf, and Tool cabinet were not available in Mech. Diesel W/Shop. Only 71 out of 136 trainees were present on the day of inspection. Office area was not available.
De-affiliated	De-affiliated	De-affiliated	De-affiliated



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

ON IS

52.	51.	49. G
S.K.D. PRIVATE INDUSTRIAL TRAINING INSTITUTE, RAMGARH PACHWARA,DIST-DAUSA-303510, RAJASTHANNCVT MIS CODE-PRO8000802	CHHOG SINGH MEMORIAL PRIVATE INDUSTRIAL TRAINING INSTITUTE, VPO- DEN, TEH-KINWSAR, DISTT. NAGAUR-341001, RAJASTHAN. NCVT MIS CODE- PR08000765	GOKUL PRIVATE INDUSTRIAL TRAINING INSTITUTE, JASARI ROAD, KUCHAMAN CITY, DISTT. NAGAUR-341508, RAJASTHAN NCVT MIS CODE- PRO8001306 ALWAR PRIVATEINDUSTRIAL TRAINING INSTITUTE, 30-A, OLD INDUSTRIAL AREA DISTT- ALWAR-301001, RAJASTHAN NCVT MIS CODE- PR08000042
 Office area was short as per NCVT norms. Workshop and classrooms were in basement; no ventilation/fan was available in workshop and classrooms. IT lab was vacant. (no computers and accessories were available) In Electrician Trade item sr. no. 12, 17 & MG set, Bath impregnating short as per NCVT tool list. Emp. Skills instructor was not appointed. Attendance of trainees was poor (40 out of 118). Machine log book was not available. Web site not available / update. 	1. Oil testing kit, Semi-automatic & automatic star delta starter, Shaded Pole Motor, Bath Impregnating, Synchronous Motor 3 phase, Flux meter, Pentium IV Computer, Ink-jet/Laser jet printer, Washing machine are the major items which were found short in the institute. 2. Instructor (Electrician), Instructor (Workshop Calculation & Science) and Instructor (Engg. Drawing) were not appointed as per norms. 3. Very less no. of trainees was present on the date of inspection (30/153). 4. IT Lab with minimum 10 computers was not available. 5. Power consumption was very less. 6. There was no proof of salary paid to staff which indicates that required staff is not appointed.	 Documents of staff were not available for verification of qualification and experience. Only 48 trainees was present against 105 on roll trainees. Equipment list was not available for verification of items. Principal room area & Office was short as per DGT norms. Log Book not maintained. Last 6 months electricity consumption was 0. Training was poor. Machinery was not in running condition. IT lab & Emp. Skills Instructors were not appointed. Principal room area was short. Building map was not available, therefore, building area couldn't be verified.
De-affiliated	Re-inspection will be carried out, Affiliation to conitnue	De-affiliated



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

No IS

	. 1	1		(5)
57.	56.	55.	54.	53.
ATUL PRIVATE INDUSTRIAL TRAINING INSTITUTE, PLOT NO 57 & 60, INDUSTRIAL AREA ROJHRI ROAD, RAWLATEH GHARSANA DISTT.GANGANAGAR, RAJASTHAN NCVT MIS CODE- PRO8000187	KISAN PRIVATE INDUSTRIAL TRAINING INSTITUTE, SIKAR ROAD, KUCHAMAN CITY, DISTT.NAGAUR-341508, RAJASTHAN NCVT MIS CODE- PRO8000213	PADHMAVATI PRIVATE INDUSTRIAL TRAINING INSTITUTE, DEV SHREE COMPLEX, BY PASS ROAD, DISTT.BUNDI-323001, RAJASTHAN NCVT MIS CODE- PRO8000406	TAGORE PRIVATE INDUSTRIAL TRAINING INSTITUTE, 28 PBN, IN FRONT OF SURATGARH ARMY CANTT,NH-15, SURATGARH-SHRI GANGANAGAR HIGHWAY, SURATGARH, DISTT. GANGANAGAR-335804, RAJASTHAN NCVT MIS CODE- PR08001806	GURUKUL PRIVATE INDUSTRIAL TRAINING INSTITUTE, BHEEM ROAD, BALACHARAT, P.O. BHEEM, BEAWAR, DISTT-AJMER- 305921 RAJASTHAN NCVT MIS CODE- PU08001714
 No staff was appointed to train the trainees. No document was provided by ITI Inspection committee recommended for deaffiliation of ITI. 	1. Area of Principal room and office was short. 2. Electrician trade tool list items sr. no. 20, 48, 88, 127 and Hygrometer & AC Fan were short. 3. Mech. Diesel trade tool list items sr. no. 25,26,97,121,133,144,5,12,24 were short. 4. Staff was not available on the day of inspection.	1. Institute denied for the inspection.	 H.S.I. trade instructor was not eligible as per experience required. Electric connection was in the name of ITI, but named for Sachin Jetaly. Principal room & Office area was short as per ncvt norms. Low electricity consumption. Computers were not available in IT lab. Lease dead agreement for rented building was not available in the institute. 	 Separate wash room for girls was not available Logbook for machine repair and maintenance was not maintained. NIMI and reference books were not available. Instructor for Engg. Drg., W/s Cal. & Sc., Emp. Skills was not appointed. 5. office area was short
De-affiliated	De-affiliated	De-affiliated	Re-inspection will be carried out, Affiliation to continue	De-affiliated



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

No IS

61.	60.	59.	9.
H.K. MEMROIAL PRIVATE INDUSTRIAL TRAINING INSTITUTE KACHI BASTI, DHOBI GHAT, BUDH VIHAR, ALWAR-301001, RAJASTHAN NCVT MIS CODE- PU08000896	BRIJLATA PRIVATE INDUSTRIAL TRAINING INSTITUTE, KATUMAR ROAD, LAXMANGARH DISTT. ALWAR 321607, RAJASTHAN. NCVT MIS CODE- PRO8001095	ATAL PRIVATE INDUSTRIAL TRAINING INSTITUTE, TIJARA- DELHI, HIGWAY, CHIKANI, DISTT. ALWAR- 301028, RAJASTHAN NCVT MIS CODE- PU08001617	INDUSTRIAL TRAINING INSTITUTE, NEAR AGARWAL PETROL PUMP, KHETRI ROAD P.O. MAONDA NEEM KA THANA, DISTT.SIKAR-332711, RAJASTHAN NCVT MIS CODE- PR08001687
 One Employability skill instructor was not appointed. Office and IT lab area was found short. Low electricity consumption. 	 Sh. Papuramsharma(instructor) and sh. Brijeshkumarsharma (instructor) were not available. Principal office area found less than NCVT norms. IT lab found with 08 computers instead of 10 computers. On the day of inspection 77 out of 123 students found present. 	1. Tools & Equipment Shortage —Current Transformer, Potential Transformer, Electrical Machine Trainer, Metal Rack for both trade, Quenching tank, Gauge snap Go and Not Go, Pipe Bender spool type up to 25 mm, Adjustable pipe chain tonge, oxy-acetylene gas welding set, 2. Staff was not appointed as per NCVT norms. 3. Logbook of machine was not found. 4. Low power consumption. 5. Attendance sheets not clearly showing Present/Absent of trainees.	short as per norms. 2. Machinery were not installed properly on foundation. 3. Shortage of Mech. Diesel workshop: item sr. no. B (56), C (2, 19, 21) D (1), E (2 to 4, 8 to 12) 4. Electrician workshop: item sr. no. 98, 116, 117, 118, 126 were not working order and sr. no. 128, 132, 133, 137 &Furnture 5, 6 were short. 5. Staff shortage as pr NCVT norms. 6. Average power consumption was poor. 7. Dress making and Basic Cosmetology trade were not available for inspection.
Re-inspection will be carried out, Affiliation to continue	De-affiliated	De-affiliated	



			١
	verification of Show Cause Notice reply		N _o
itter Decision taken	Irregularities & Deficiencies confirmed after	ITI name and Address	

66.	65.	64.	63	62.
MAA BHAGWATI PRIVATEINDUSTRIAL TRAINING INSTITUTE KEKRI, GURJARWARA MOHALLA, JAIPUR ROAD, KEKRI, DISTT-AJMER.305404, RAJASTHAN	JITS PRIVATE INDUSTRIAL TRAINING INSTITUTE, NEAR MOTI PETROL PUMP, MEDI CITY, NH12, JAIPUR ROAD, DEOLI, DISTT-TONK-304804, RAJASTHAN NCVT MIS CODE- PR08000880	SETH SHREE BADRILAL TIJUBAI PRIVATE INDUSTRIAL TRAINING INSTITUTE, KUNADI KOTA B-V, CHANCHAL VIHAR, KUNHARI, DISTT KOTA- 324008, RAHASTHAN NCVT MIS CODE- PR08000470	SHRI GANESH PRIVATE INDUSTRIAL TRAINING INSTITUTE, KATKAR TEHSIL- HINDAUN CITY DISTT.KARAULI-322230 RAJASTHAN NCVT MIS CODE- PR08000921	SMT. BHANWARI DEVI PRIVATE INDUSTRIAL TRAINING INSTITUTE NEAR MOHAN MANDIR CINEMA, BYE PASS ROAD, KISHANGARH RENWAL, PHULERA, DISTT.JAIPUR- 303603, RAJASTHAN NCVT MIS CODE- PRO8000456
 Office area was silvit. Web site not updated. Dress code was not followed. As per Electrician trade tool list sr. no. 4, 28, 29, 32, 35, 38 and 39 were short. As per Fitter trade tool list sr. no. 8 was short. 	 Emp. skills instructor was not appointed. Electrician workshop item sr. no 3, 7, 15, 16, 19, 33, 42, 58, 82, 118 were short. Mech. Diesel workshop item sr. no 4, 8, 136 were short. Student attendance was low. 	 Only 20 trainees were present on the day of inspection. Machine log book for machine repair and maintenance was not available. Capacity utilization (power): Avg. power consumption was 1.9 unit/trainee which is very poor. 	 Area of principal office was found less than NCVT norms. Separate office area for ITI was not available. 06 computers found short in IT lab. 	 Emp. Skills Instructor was not qualified as per DGET norms. Only one Electrician Instructor was appointed against 04 units. IT Instructor was not appointed.
be carried out, Affiliation to continue	De-affiliated	De-affiliated	Re-inspection will be carried out, Affiliation to continue	De-affiliated

Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

No IS

	T T		
70.	69.	68.	67.
SARVODYA PRIVATE INDUSTRIAL TRAINING INSTITUTE, 330-31 ADRASH COLONY, DAUDPUR, DISTT. ALWAR-301001, RAJASTHAN NCVT MIS CODE- PR08000043	SIDDHANT PRIVATE INDUSTRIAL TRAINING INSTITUTE, PLOT NO 1, MAHAVEER NAGER, MUHANA ROAD, MANSROVER, DISTT. JAIPUR-302020, RAJASTHAN NCVT MIS CODE- PU08001294	SHRI SHYAM PRIVATE INDUSTRIAL TRAINING INSTITUTE, SHYAM NAGAR UDAIPURIYA CHOMU, DISTT.JAIPUR-303807, RAJASTHAN NCVT MIS CODE- PR08001334	MARWAR PRIVATE INDUSTRIAL TRAINING INSTITUTE, LEDARIA ROAD, POST-MOLASAR TEHSIL- DIDWANA, DIST. NAGAUR - 341506, RAJASTHAN NCVT MIS CODE- PR08000335
 Affiliation orders for Mechanic Diesel 2 (1+1) units were not available. Employability skills and IT Lab Instructors were not appointed by the Institute. On the day of inspection 34 out of 88 students were found present. Fitter Trade and Work shop calculation instructor found short. Tools & equipments were not available as per list. 	 Area of institute was being used for different purpose rather than ITI No practical was done in workshop since long. Electricity connection was not in the name of institute or society. Electrician workshop item no. 10, 74, 81, 158 were short. Old computers were available in IT lab; specifications were not matching. No internet connection/networking in IT lab. 	 No any detail was provided by the institute; non-cooperation during inspection. School & college were running in the institute premises Both Workshops were found closed. Student attendance 0% INDUSTRIAL TRAINING INSTITUTE,'s sign board was not available on the building. IT Lab was not available. 	 Tool and Equipment were not available in workshop. Area of Principal room, office, IT lab, Workshop and Classroom could not be confirmed because building map was not available. No staff was available in institute. No IT lab was available. Tools and Equipment list was not available for verification of qualification and experience. Logbook for machine repair and maintenance was not available. NIMI books were not available as per trade. Only 04 computers were available in IT lab. No trainee was present on the day of Inspection.
De-affiliated	De-affiliated	De-affiliated	De-affiliated



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

No S

74.	73.	72.	71.
GAURAV PRIVATE INDUSTRIAL TRAINING INSTITUTE, NEAR INDIAN GAS GODOWN, BHAGWANPURA, DISTT.ALWAR-301001, RAJASTHAN NCVT MIS CODE- PU08001473	SANTOSH ADARSH PRIVATE INDUSTRIAL TRAINING INSTITUTE GARHI KE ANDAR RIYAN BORI, MERTA CITY, DISTT.NAGOUR-341513, RAJASTHAN NCVT MIS CODE- PRO8000348	KIRAN PRIVATE INDUSTRIAL TRAINING INSTITUTE, KIRAN NURSING HOME, HATWARA ROAD, SHANTI NAGAR, DISTT.JAIPUR-302006, RAJASTHAN NCVT MIS CODE- PU08001389	BHARTI PRIVATE INDUSTRIAL TRAINING INSTITUTE, VPO KANWARPURA, TEHSIL - KOTPUTALI DISTTJAIPUR- 303108, RAJASTHAN NCVT MIS CODE- PRO8001405
 Power connection proof was not available. Low electricity consumption. Principal room & office area shortage as per ncvt norms. Staff list not show in trade wise appointment as per ncvt norms. 	 III, building was in use of school. Inspection committee found common classrooms for school as well as iTI. Office area was short as per ncvt norms. Low electricity consumption. Trainees' attendance was very poor. Machine log book was not available. Four Computers were not available in IT lab. 	 Electrician trade items at sr no 132, 133, 134, and 136 were not available as per prescribed NCVT tool list. DG set not working. IT Lab were found with RSCIT courses. Trainee attendance was very poor. Principal room & office area found short as per ncvt norms. Low electricity consumption. 	1. Qualification of It Lab instructor was not matching as per NCVT Norms. 2. Area of one electrician workshop found 21.34 sq. meter short as per ncvt norms. 3. Details of electricity consumption were not provided by the institute because of pre-paid meter. 4. Principal room and office for ITI, found situated at ground floor in front of collage building. 5. Electrician trade tool list items sr. no1 and general shop tools instrument & machinery Item no. 2, 19, 22, 55, 64, 81, 84, 126,127,132,133,135 found short.
De-affiliated	De-affiliated	De-affiliated	De-affiliated



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

ON IS

77.		75. 76.
SORABH PRIVATE INDUSTRIAL TRAINING INSTITUTE, KHASRA NO. 953/2 VILL & POST KHEDA, HINDAUN CITY DISTT.KARAULI-322234, RAJASTHAN NCVT MIS CODE- PRO8001089	KISHANGARH, DISTT. AJMER-305801, RAJASTHAN NCVT MIS CODE- PR08001537	SHRI KRISHNA GYANDEEP PRIVATE INDUSTRIAL TRAINING INSTITUTE, INFRONT OF OLD PETROL PUMP, PAOTA, DISTT.JAIPUR 303106, RAJASHAN NCVT MIS CODE- PRO8001478 RAJ PRIVATE INDUSTRIAL TRAINING INSTITUTE
 On the date of inspection staff position was 16/32, 25/31 and attendance of 1-VP, 3-Gl and 25-Instructors were not mentioned. NIMI Books were not available in the library. Workshops were not clean. Students were not present in uniform. 	3. Area of all class rooms was short. 4. Power supply load was found short as per DGET norms. 5. Instructor Sh. Sonu Singh Rawat and Sh. Jitender Singh Rawat were not qualified as per norms. 6. One person was appointed as Emp. Skills and IT lab Instructor and he was not qualified for any of the subject. 7. Only three trade Instructors were appointed against nine units. 8. All the tools were found in store in packed pos INDUSTRIAL TRAINING INSTITUTE, on; no use of tools for training. 9. As per Electrician trade tool list sr. no. 10, 11, 12 and 13 were short and sr. no. 6, 8, 9 and 10 were not in working on. 10. Computers were not in working condition in IT lab. 11. Electricity connection was not in the name to ITI	1. Following General Machinery were found short in Electrician trade – a. CRO-01 no. b. Synchronous Motor 3ph. 3hp-01 no. c. Computer 02 no. d. Wash machine 01 no. e. Printer 2. Eight Computers were found short in IT lab. 3. The power consumption was only 287 units per month. 4. Only 44 out of 120 trainees were present on the day of inspection. 1. Principal room and office area was short. 2. All Electrician workshop's area was short.
Re-inspection will be carried out, Affiliation to continue		De-affiliated De-affiliated



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

No Si

80.	79.	78.
SH. RADHERANI PRIVATE INDUSTRIAL TRAINING INSTITUTE B-12, LAXMAN VIHAR, OPP. ROADWAYS WORKSHOP, KUNHARI, LADPURA, DISTT. KOTA-324008, RAJASTHAN NCVT MIS CODE- PR08001300	SANKALP PRIVATE INDUSTRIAL TRAINING INSTITUTE, SURAJGARH, DISTT. JHUNJHUNU-333029, RAJASTHAN NCVT MIS CODE- PU08001667	VEERTEJA PVT INDUSTRIAL TRAINING INSTITUTE, BHATTA CHURAHA, KUCHARRA ROAD, CHOTI KHATU,DEEDWANA, DIST-NAGOUR-341302, RAJASTHAN NCVT MIS CODE- PR08000182
 Only 43 trainees were present on the date of Inspection. Machine log book for machine repair and maintenance was not available. Staff documents were not available for confirmation of qualification and eligibility of staff. Principal room and Office area was short. 	 Area of Principal room was short. Area of HEALTH & SANITARY INSPECTOR, Basic Cosmetology trades was short. Power load was short (6.21 kW). Instructors were short for HIS-02, BC-02, W/S CAL-01, Emp.Skills-01, Engg. Drg01. Drawing tables were not available. Trainees were not in uniform. Record of instructors was not maintained properly. NIMI book were not available. Power consumption was poor. 	 Two Electrician workshops were found short. These workshops were being used by other agency (Bagara computer centre). IT lab was not available; no computer was available. Room of IT lab was converted in store. Electrician trade item sr. no. 154,155, 156,153A Lux meter & Synchronous motor 3 phase 3 HP 4 pole were not available. Workshop calculation instructor was not appointed NCVT norms. Principal room & office area was short as per NCVT norms. Average electricity consumption was poor. Machine log book was not available. Website was not updated.
De-affiliated	De-affiliated	De-affiliated



Sl.

ITI name and Address

Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

	/ III lan instructor was short.		
	7 11 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		
	ner month was noor.		
	6. Electricity consumption per trainee		
	5. Log Book was not maintained.		
	4. 50% computers were short in IT lab.		
	3. Trainee attendance was 27% only.	PII08001616	
	68,69,107,108,127,132,137 were short.	NCVT MIS Code-	
	2. Tool list item no	Nagar, Jaipur-303119,	
	available.	8, Pipli Stand Antela, Virat	
De-affiliated	1. Electricity Bill after Feb.17 was not	Anmol Pvt ITI, Antela N.H	2
	time.		
	7. Only 35 out of 122 were present at the		
	was not mentioned.		
	6. Area of Principal room and office area		
	maintained.		
	5. Machinery logbook was not		
	available.		
	4. Separate washroom for girls was not		
	viii. Hygrometer.		
	spring balance 0 to 25 kg rating.		
	vii. Brake test arrangement with two		
	board.		
	CRDI-4 Stroke fault simulation		
	vi. Working Condition of diesel Engine-		
	(without body on frame).		
	v. Heavy Commercial vehicle type		
	swiveling stand.		
	Dismantling and assembling with		
	iv. Diesel Engine- CRDI-4 stroke for		
	iii. Injector cleaning unit.		
	ii. Connecting rod alignment fixture.		
	accessories.		
	i. Air impact wrench with standard		
	diesel workshop:-		
	available in Electrician and Mechanic	PR08000507	
	3. Tools equipment listed below were not	NCVT MIS Code-	
	inspection was less.	Kuchaman City-341508,	
	2. Staff attendance on the day of	Kanita Station Road,	
	per NCVT norms.	Nagar, Near Dharma	
De-affiliated	1. Instructors qualification was not as	Kuchaman Pvt ITI, Jasal	i,



	No	Sl.
		ITI name and Address
Cause Notice reply	confirmed after verification of Show	Irregularities & Deficiencies
		Decision taken

	present on the day of inspection. 4. Power consumption was poor. 5. Trainees were not in uniform.	
	3. Only 59 out of 105 trainees were	
	trace-30MHz-1 No. (2)-Inverter-1kva	FRUODULOUS
	were found short -(1)-Oscilloscope dual	NCVT MIS Code-
	2. Following items of Trade Electrician	303326, Rajasthan
	less than required.	Sikrai. Distt-Dausa-
De-affiliated	1 Principal room and Office area were	1
	were not appointed.	
	4. Instructor Engg. Drg., IT, W/s Cal. & Sc.	FR08001303
	3. Fitter instructor was not appointed.	NCVT MIS Code-
	short.	Rajasthan
	2. Area of Principal room & office were	Distt- Udaipur-313001,
	was not as per norms.	Patwar Mandal, Debari,
De-affiliated	1 Qualification of Emp. Skills instructor	
		NCVT MIS Code- PR08001474
		301027, Rajasthan
	maintenance was not available.	Fratapgarii, Tensii- Thanagaii. Distt- Alwar-
Affiliation	1. Staff was not available as per norms.	4. Balaji Pvt ITI, VPO-
	10. Class room area was short.	
	were not appointed.	
	9. Instructors for Engg. Drg. and IT lab	
	o, rioper ventuation was not available in	
	condition; no practical training activity. 8 Proper ventilation was not available in	
	7. Mostly tools were found in packed	
	was not in working order.	
	6. Hand drill m/c, heat treatment m/c	
	to verify the availability.	
	5. Tools equipment list was not available	
	Tools, Equipment & Machinery-	
	plan, demonstration plan were not	
	4. Training records like weekly, lesson	
	trainees.	
	3. 42 trainees were present among 65	
	Training-	PR08001162
	available on the date of inspection.	NCVT MIS Code-
	2. 01 instructor and 01 G.I. Was not	Rajasthan
	annointed by ITI.	Ganganagar-335804
De-ammated	Staff deficiency-	3. Argil Modern Pvt ITI,
T CONT. I		



	2	SI.
		ITI name and Address
Cause Notice reply	confirmed after verification of Show	Irregularities & Deficiencies
		Decision taken

Market, Nayla Road, Kanota, Tehsil Bassi, Distt- Jaipur-303012, Rajasthan NCVT MIS Code- PR08001523 PR08001523 Prospective of the inverted at any time, thus building is not fit to run ITI.	9. Bhagirath Pvt ITI, Vill Mojpur, NH 11, Mahuwa, Distt- Dausa-321608, Rajasthan NCVT MIS Code- PR08000757 PR08000757 4. Power consur 5. One electricial wiri per norms. 6. The machiner workshop were n girls & boys and 8. IT lab not esta	8. Vinayak Pvt ITI, Tikri Jafran, Tehsil-Mahwa, Distt- Dausa-321608, Rajasthan-321608 NCVT MIS Code-PR08000762 MIS Code-Pr08000762 4. W/S Cal & Sc. short. Short. Short.	
	Pvt ITI, Vill H 11, Mahuwa, sa-321608, Code- 757		PR08001475 closed. 4. ITI officials refused for inspection and no record supplied to inspection committee. 5. Electric bill was not in the name of ITI. It was issued in the name of Kaluram Sharma.
I. Thus, address of ML Mittal e a case le ITI as been road; le	t. int. not rt as rt as e the	d short- De-affiliated ere poor; onth. ound a was	tion and ne of ITI.



SI.

ITI name and Address

Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

16. Training related record of instructors was not available.	training are not conducted at ITI.	on $06/04/2018$. Thus it is clear that	Trainees' attendance was also found zero	was institute was authorized to do so.	Neither such provision was available nor	leave from 1st Jul. 2018 to 18th Jul. 2018.	attendance register was marked as exam	trainee was available Student	available.	14. Website of the institute was not	in IT lab.	13. No internet connection was available	working order.	IT lab and only 02 out of 07 were in	12. Only 07 Computers were available in	working order.	99 to 102, 104, 116 to 123, were not in	11. Electrician trade item no. 10, 96, 97,	found short.	item no. 9, 46 (50%), 74, 78, 83, 95 were	and tool, Instruments and machinery	10. Electrician trade tool kit item no. 16	staff were not available.	9. Experience certificates of technical	confirms unavailability of staff.	8. No proof of salary payment also	availability of instructors.	conspiracy in appointment and actual	staff was not available. It indicates	Appointment letter and joining letter of	student attendance register.	different in staff attendance register and	Sn. Sanjay Kumar Saini & Sn. Suresn Kumar Runkar were were found	/. Signatures of Sn. Mukesn Kumar Saini,	not appointed.	6. Instructor for Employability Skills was	the day of inspection.	5. Only 05 instructors were present on	deed.	load was 19 KW as mentioned in rent-	load was 20.80 KW whereas available	A Dequired electric nower connection	connection was not available in the name	3. Independent electric power



Rajasthan 15 Cases For De-Affiliation

	O	SI.
		ITI name and Address
Cause Notice reply	confirmed after verification of Show	Irregularities & Deficiencies
		Decision taken

De allillaten	present in the institute. 2. All the trainees of three shifts were sitting together in one class in one shift. 3. The condition of workshop machinery & furniture shows that no practical work was carried out in ITI. 4. The institute was not found serious about training. 5. IT Lab not maintained. 6. Record related to training was found fake, Log book was not maintained. 8. Staff and were not knowing each other means they were called for inspection	Dev Pyt ITI, Plot No 40-41 Vikas Nagar II Nayabas, Jamwaramgarh, Distt- Jaipur-303109, Rajasthan NCVT MIS Code- PR08001498	14.
De-affiliated	1. Tools & Equipment Shortage – Rawal Plug Tool & Bit, Pocker, snips straight 25cm, gauge Imperial Sheet, Pipe Bender Spool Type Upto 25 mm, Forge portable hand Blower 2. Capacity Utilization (Power) was 89.83 unit only for 9 units; very poor. 3. Area of office found short. 4. Staff short as DGT norms, Less power consumption. 5. Log Book of machine was not available.	L.R.Pvt ITI, Barod, Opposite Power House, Behror Road, Barrod, Distt- Alwar-301020, Rajasthan NCVT MIS Code- PU08001798	13.
De-affiliated	1. Principal room and office area was short as per norms. 2. Instructor Mr. Subhendra Singh and Mr. Sonu Kumar were appointed before qualifying the technical qualification. 3. Rubber mats for safety purpose were not available in electrician workshop. 4. Machinery and tool list was not available for verification of items, thus items were short as per norms. 5. Staff not appointed as per NCVT norms.	Shrinath Pvt ITI, Ram Nagar Colony, Rajakhera Road, Distt-Dholpur- 328001, Rajasthan NCVT MIS Code- PU08001545	12.
De-affiliated	1. ITI Staff was not present at the time of inspection. 2. W/s Cal & Sc. Instructor, Engg. Drg. Instructor, Emp. Skills Instructor were not appointed by ITI. 3. Training record was not available, Equipment & machinery was not installed properly in workshop for training purpose. 4. Training records of students were not available.	Chaudhary Charan Singh Pvt ITI, Fatehpur Bye Pass Road, Mandawa, Distt- Jhunjhunu-333704, Rajasthan NCVT MIS Code- PR08001299	11.



Rajasthan 15 Cases For De-Affiliation

Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

Sl.

15.	Shree Ganesh Pvt ITI,	1. Shortage of tools and equipment:- Only De-affiliated
	Opp.Koliyon Ki Athai	68 % tools and equipment were
	Bheetar Bari, Bayana,	available.
	Distt-Bharatpur-321401,	2. E/Skills instructor was not available.
	Rajasthan	3. Electricity consumption was low.
	NCVT MIS Code-	4. Principal room, Office area was short.
	PR08001466	5. Coverage of syllabus on weekly basis-
		No record available.
		6. NIMI books were not available.
		7. Computers were not in running
		condition in IT lab.



1. The Principal, Vedant Prt. I'll, lajpur Road, Near Krishi प्रकार कि समय कर सभय कर सभय नहीं हुआ है। करोकार lajpur Road, Near Krishi प्रकार के हैं। असे निक्रम को हुआ है। करोकार lippaj Mandi, Sikar-332001. है। आप तिक्रम को कर्मिया के समय कर पाया गया। करोकार bu-affiliated Veer Faja Pvt I'll, Rajasthan Dist-Sikar Road, Near Petrol Pump, Kachhawe, Dist-Sikar Road, Near Petrol Principal, Waharshi Rameshvarianad Waharshi Rameshi Rameshi Rameshi Rama	SI. N	ITI name and Address	Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply	Decision taken
The Principal, Veer Teja Pvt ITI, Sikar Road, Near Petrol Pump,Kachhawa, Dist-Sikar Rajasthan Sikar Rajasthan Sikar Rajasthan Dist-Sikar Rajasthan MIS Code: PR08000234 की लग्ने जा ने तो सूचना दी है तथा संस्थान ने शे थे, जल: जबाव संत्रीयदा नहीं है। निश्तेवण में शोधित के आवार पर de-affiliation MIS Code: PR08000234 की लग्ने जो ते सुचना दी न है कोई अनुमति प्राप्त की शोधित के आवार पर de-affiliation की कार्यवाही प्रस्तावित है। The Principal, MIS Code:- PR08001132 संस्थान की ओर से कोई जबाव प्राप्त नहीं हुआ है. प्रवा्त प्राप्त निर्माण अधिकारी के लियानी के आवार पर de-affiliation की त्रियंका अधिकार संस्थान वर्ग अरेप संस्यान वर्ग अरेप संस्थान वर्ग अर्थ संस्थान वर्ग अरेप संस्थान वर्ग अरेप संस्थान वर्ग अर्य संस्थान वर्ग आरेप संस्थान वर्ग अर्य संस्थान	1.1	The Principal, Vedant Pvt. ITI Jaipur Road, Near Krishi Upaj Mandi, Sikar-332001, Rajasthan	संस्थान निरीक्षण के समय बन्द पाया गया। संस्थान की ओर से कोई जबाब प्राप्त नहीं हुआ हैं। फोटोग्राफ सलंग्न हैं। अतः निरीक्षण अधिकारी की टिप्पणी के आधार पर de-affiliation की कार्यवाही प्रस्तावित	De-affiliated
Veer Teja Pvt [T], Veer Teja Pvt [T], Sikar Road, Near Petrol Pump, Kachhawa, Dist- Sikar Road, Near Petrol MIS Code:- PRO8000234 ##Ewir को और से कोई जबाब प्राप्त नहीं हुआ है.	J	MIS Code:- PR08000676	संस्थान निरीक्षण के समय बन्द पाया गया। फोटोग्राफ	De-affiliated
The Principal, Maharshi Rameshvaranad Pyt I'II, Bara Road, Gopal Vihar, Police Line, Ladpura, Kota-324001 Rajasthan MIS Code:- PR08001074 The Principal, Marudhar Pyt I'II Bhanpur Kalan, Jamvarangarh (Jaipur), Rajasthan MIS Code:- PR08000141 The Principal, Rama Pyt I'II, Balaji Nagar, Nayagoan Raod, Kota-324002, Rajasthan MIS Code:- PR08001262 The Principal, Lal Bhadur Shastri Pyt I'II, Sec-1, Mahaveer Nagar Extension Scheme, Kota-324009, Rajasthan MIS Code:- PR08001132 The Principal, Rameshvranand Pyt. I'II, Mahaveer Colony, Rangpur Road, Kota -324002, Rajasthan MIS Code:- PR08001132 The Principal, Rameshvranand Pyt. I'II, Mahaveer Colony, Rangpur Road, Kota -324002, Rajasthan MIS Code:- PR08001132 The Principal, Rameshvranand Pyt. I'II, Mahaveer Colony, Rangpur Road, Kota -324002, Rajasthan MIS Code:- PR08001132 The Principal, Rameshvranand Pyt. I'II, Mahaveer Colony, Rangpur Road, Kota -324002, Rajasthan	2.	The Principal, Veer Teja Pvt ITI, Sikar Road, Near Petrol Pump,Kachhawa, Dist- Sikar Rajasthan	संस्थान निरोक्षण के समय बन्द पाया गया। फाटाआफ सलंग्न हैं। स्वेच्छापूर्वक किसी भी दिवस को अवकाष घोषित किये जाने का प्रावधान नहीं है तथा संस्थान ने विभाग को न तो सूचना दी न ही कोई अनुमित प्राप्त की थी, अतः जबाव सतोषप्रद नहीं है। निरीक्षण अधिकारी की टिप्पणी के आधार पर de-affiliation	De-affiliated
The Principal, Maharshi Rameshvaranad Pvt ITI, Bara Road, Gopal Vihar, Police Line, Ladpura, Kota-324001 Rajasthan MIS Code:- PR08001074 The Principal, Marudhar Pvt ITI Bhanpur Kalan, Jamvarangarh (Jaipur), Rajasthan MIS Code:- PR08000141 The Principal, Rama Pvt ITI, Bhalaji Nagar, Navagoan Road, Kota-324002, Rajasthan MIS Code:- PR080001262 The Principal, Lal Bhadur Shastri Pvt ITI, Sec-1, Mahaveer Nagar Extension Scheme, Kota-324009, Rajasthan MIS Code:- PR08001132 The Principal, Ladpura, Kota-324002, Rameshvranand Pvt ITI, Mahaveer Rossoul Steme, Kota-324009, Rajasthan MIS Code:- PR08001132 The Principal, Ladpura, Kota-324002, Rameshvranand Pvt ITI, Mahaveer Nagar Fare ration की कार्यवाही प्रस्तावित है। MIS Code:- PR08001132 The Principal, Ladpura, Kota-324002, Rameshvranand Pvt ITI, Mahaveer Nagar Rame Shvranand Pvt ITI, Mahaveer Colony, Rangpur Road, Kota -324002, Rajasthan		MIS Code:- PRU8000234	74 21 74	na affiliated
The Principal,	ω	The Principal, Maharshi Rameshvaranad Pvt ITI, Bara Road, Gopal Vihar, Police Line, Ladpura, Kota-324001 Rajasthan MIS Code:- PR08001074	जबाव प्राप्त नहीं हुआ है, । र्व में निरीक्षण अधिकारी में अंकित संस्थान बन्द क ए पर de-affiliation	De-affiliated
The Principal, Rama Pvt ITI, Balaji Nagar, Nayagoan Road, Kota-324002, Rajasthan MIS Code:- PR08001262 The Principal, Lal Bhadur Shastri Pvt ITI, Sec-1, Mahaveer Nagar Extension Scheme, Kota-324009, Rajasthan MIS Code:- PR08001132 The Principal, Code:- PR08001132 The Principal, Rameshvranand Pvt. ITI, Rameshvranand Pvt. ITI, Mahaveer Colony, Rangpur Road, Kota -324002, Rajasthan	4	The Principal, Marudhar Pvt ITI Bhanpur Kalan, Jamvaramgarh (Jaipur), Rajasthan	संस्थान की ओर से कोई जबाव प्राप्त नहां हुआ है. अतः संस्थान की ओर से पूर्व में निरीक्षण अधिकारी को प्रस्तुत पत्र दिनांक 30.04.18 में अंकित संस्थान 2012 से बन्द होने एवं भवन खाली करने की टिप्पणी के आधार पर de-affiliation की कार्यवाही प्रस्तावित	De-affiliated
The Principal, Lal Bhadur Shastri Pvt ITI, Sec-1, Mahaveer Nagar Extension Scheme, Kota- 324009, Rajasthan MIS Code:- PR08001132 The Principal, Rameshvranand Pvt. ITI, Mahaveer Colony, Rangpur Road, Kota -324002, Rajasthan The Principal, Rangshvranand Pvt. ITI, Mahaveer Colony, Rangpur Road, Kota -324002, Rajasthan	И	The Principal, Rama Pvt ITI, Balaji Nagar, Nayagoan Road, Kota-324002, Rajasthan	संस्थान की ओर से कोई जबाव प्राप्त नहीं हुआ है. अतः संस्थान की ओर से पूर्व में निरीक्षण अधिकारी को प्रस्तुत पत्र दिनांक 17.03.18 में अंकित संस्थान में 2015 के बाद प्रवेष नहीं होने की टिप्पणी के आधार पर de- affiliation की कार्यवाही प्रस्तावित है।	De-affiliated
The Principal, Rameshvranand Pvt. ITI, Mahaveer Colony, Rangpur Road, Rajasthan Rajasthan Rewin द्वारा पुनः अपने जबाव में आईटीआई संस्था को संस्थान द्वारा पुनः अपने जबाव में आईटीआई संस्था को संस्थान द्वारा पुनः अपने जबाव में आईटीआई संस्था को संस्थान द्वारा पुनः अपने जबाव में आईटीआई संस्था को संस्थान द्वारा पुनः अपने जबाव में आईटीआई संस्था को संस्थान द्वारा पुनः अपने जबाव में आईटीआई संस्था को संस्थान द्वारा पुनः अपने जबाव में आईटीआई संस्था को संस्थान द्वारा पुनः अपने जबाव में आईटीआई संस्था को संस्थान द्वारा पुनः अपने जबाव में आईटीआई संस्था को संस्थान द्वारा पुनः अपने जबाव में आईटीआई संस्था को संस्थान द्वारा पुनः अपने जबाव में आईटीआई संस्था को	6	The Principal, Lal Bhadur Shastri Pvt ITI, Sec-1, Mahaveer Nagar Extension Scheme, Kota- 324009, Rajasthan MIS Code:- PR08001132	संस्थान की ओर से कोई जबाव प्राप्त नहीं हुआ है, अतः संस्थान की ओर से पूर्व में निरीक्षण अधिकारी को प्रस्तुत पत्र दिनांक 17.03.18 में अंकित संस्थान में 2014 के बाद प्रवेष नहीं होने की टिप्पणी के आधार पर de-affiliation की कार्यवाही प्रस्तावित है।	De-affiliated
MIS Code: PR08001069	7	The Principal, Rameshvranand Pvt. ITI, Mahaveer Colony, Rangpur Road, Kota -324002, Rajasthan MIS Code:- PR08001069	संस्थान द्वारा पुनः अपने जबाव में आईटीआई संस्था सन्न 2018–19 से बंद करने का तथ्य दोहराया गया अतः de-affiliation की कार्यवाही प्रस्तावित है।	De-affiliated



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

SI. N

De-affiliated	संस्थान की ओर से प्रस्तुत जबाव के अनुसार नयी बिल्डिंग में षिफ्ट करने का तथ्य स्वीकार किया गया है। चूंकि भवन परिवर्तन करने पर पुनः एन.सी.वी.टी. से संबंद्धन कराया जाना आवष्यक हैं, अतः पूर्व स्थान पर जारी की गई अनुमति को निरस्त कराने हेतु deaffiliation की कार्यवाही प्रस्तावित है।	13 The Principal, Swami Vivekanand Pvt ITI, Hinglaj Bhawan, New Nakoda Colony, Dist. Baran-325205, Rajasthan MIS Code:- PU08001449
De-affiliated	संस्थान की ओर से कोई जबाव प्राप्त नहीं हुआ है। संस्थान की ओर से पूर्व में निरीक्षण अधिकारी को प्रस्तुत पत्र दिनांक 09.05.18 में अंकित टिप्पणी के अनुसार संस्थान में 2017 के बाद प्रवेष नहीं हुए तथा भवन षिपिटंग प्रक्रियाधीन है। अतः de-affiliation की कार्यवाही प्रस्तावित है।	12 The Principal, Vivekanand Pvt ITI, H-1260 Phase-Iii, Riico Industrial Area Sitapura, Dist. Jaipur-302022, Rajasthan MIS Code:- PR08000307
De-affiliated	कोई जबाव प्राप्त नहीं हुआ र से पूर्व में निरीक्षण अधिकारी रूप्त में अंकित टिप्पणी के अनु बाद प्रवेष नहीं होने तथा सम् गा गया है, के आधार पर C र्यवाही प्रस्तावित हैं।	11 The Principal, Mohammedi Pvt ITI, Rangpur Main Road Vill. Gaondi Tehsil. Ladpura, Dist. Kota -324002, Rajasthan MIS Code:- PR08000556
De-amilated	संस्थान का आर से कोई जबाव प्राप्त नहा हुआ है, अतः संस्थान की ओर से पूर्व में निरीक्षण अधिकारी को प्रस्तुत पत्र दिनांक 12,04.18 के अनुसार विगत 05 वर्षों से संस्थान संचालित नहीं हो रहा है, इसके आधार पर de-affiliation की कार्यवाही प्रस्तावित है।	10 The Principal, Saint Wilfred College Of Tedhnology, Sector No-10, Meera Marg,New Sanganer Road, Mansarofver, Jaipur, Rajasthan MIS Code:-
De-affiliated	का आर से काई जबाव प्राप्त थान की ओर से कूर्व में निरीक्षण धान की ओर से पूर्व में निरीक्षण पत्र दिनांक 8.03.18 में आंकिर संस्थान में ताला बन्द है तथा संस्थान में ताला बन्द है तथा दिया गया है, के आधार पर de वाही प्रस्तावित है।	9 The Principal, Maa Bijasan Pvt ITI, Indergarh Mataji Ke Samane, Panchayat Mohanpura, The. Indergarh, Distt. Bundi-323613, Rajasthan MIS Code:- PR08001215
De-affiliated	ओर से कोई जबाव प्राप्त नहीं हुआ की ओर से पूर्व में निरीक्षण अधिकारी देनांक 12.03.18 में अंकित संस्थान में 20 ष नहीं होने एवं संस्थान बन्द करने आधार पर de-affiliation की कार्यव	8 The Principal, Lord Budhha Private ITI, IPD-8, Institutional Area, RIICO Ranpur, Dist. Kota Pin-325003 Rajasthan MIS Code:- PR08000742





Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

SI. N

	affiliation की कार्यवाही प्रस्तावित है तथा शेष व्यवसायों का निरीक्षण कराया जाना प्रस्तावित है।	
	यूनिट सत्र 2018 से बंद किये जाने हेतु de-	
	अन्य व्यवसायों के निरीक्षण के सबध में कोई टिप्पणी	MIS Code:- PR08000786
	करने का तथ्य अंकित कर दिया गया एवं संस्थान के	
	वर्मा उपनिदेषक द्वारा प्रस्तुत सूची में संस्थान को बन्द	Kota Rajasthan-324001
	जाने का अनुरोध किया गया था जबकि श्री बी.एस.	Kherli Fatak, Dist,
De-affiliated	संस्थान की आर सं प्रस्तुत जबाव के अनुसार व्यवसाय मैकेनिक डीजल के 02 यूनिट सत्र 2018 से बंद किये	26 The Principal, Shiv Pvt ITI
	प्रस्तावित है।	MIS Code:- PR0800147
	संचालित नहीं है। अतः de-affiliation की कार्यवाही	
	अनुसार 2015 से प्रवेष नहीं होने के कारण संस्थान	Rajasthan
	प्रस्तुत पत्र दिनांक 16.05.18 में अंकित टिप्पणी के	Lalsot(Dausa)
De-allillateu	त्तरधान की ओर से पूर्व में निरीक्षण अधिकारी को	Shiv Pvt ITI,Kalakara,
D. Calledon		MIS Code:- PU08001515
	प्रस्तावित है।	Rajasthan
	है। अतः de-affiliatio	Dist, Jaipur Pin-303104
	अनुसार 2017 से प्रवेष नहीं होने के कारण संस्थान	Mahoharpur, Shahpura,
	संस्थान का आर स पूर्व म निरक्षण अधिकारा का	Vasudha Pyt ITI
De-affiliated	ओर से कोई जबाव प्राप्त नहीं हुआ	The Principal,
		MIS Code:- PR08001536
		Rajasthan
	प्रस्तावित है।	Rajasthan-305901,
	है। अतः de-affiliatio	Beawar Dist-Ajmer
	9	Mahendratan.
	पत्र दिनांक 13.04.18 में अंकित टिप्पणी	Goirnadi Nundri,
De-ammated	संस्थान की ओर से पूर्व में निरीक्षण अधिकारी को	The Principal, New Rai Pyt ITI
		MIS Code:- PR08001266
	ह्ये । अयः ne-attitiation का कावताहा अस्तानित	Jozoo I, Rajastian
	स संस्थान का सुवाक कप स चलाया जाना समय नहा	Paiwas Koad, Sikar-
	अनुसार 2017 में प्रवर्ष नहीं होने के कारण आगामा संत्र	Nani, Khasra No.965
	प्रस्तुत पत्र दिनांक 10.04.18 में अंकित टिप्पणी के	Education Pvt ITI, Village
	संस्थान की ओर से पूर्व में निरीक्षण अधिकारी को	Prince Academy Of Higher
De-affiliated	संस्थान की ओर से कोई जबाव प्राप्त नहीं हुआ है।	The Principal.
		MIS Code:- PR08000881
	वागाविता का कायवाहा अस्तावित है।	Rajasthan
	अनुसार संस्थान का बन्द कराना चाहत है। अतः ae-	Coloony Pratap Nagar,
	प्रस्तुत पत्र दिनाक 19.04.18 में आकृत टिप्पणी क	268, Sector-26, Near Nri
	ओर से पूर्व में निरीक्षण अधिकारी	Siddharth Pvt ITI,
De-affiliated	संस्थान की ओर से कोई जबाव प्राप्त नहीं हुआ है।	The Principal.



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

SI. N

		28			27
MIS Code:- PU08001442	Amrit Nagar Iskon Road, Mansarovar, Dist Jaipur Rajasthan	The Principal, S.D. Pyt ITI,	Rajasthan MIS Code:- PR08001153	Sarvodya Pvt ITI Opposite Mahila Police Thana, Surajpol, Kota 324007,	The Principal,
affiliation की कार्यवाही प्रस्तावित है।	प्रस्तुत पत्र दिनांक 10.04.18 में अंकित टिप्पणी के अनुसार 2015 से प्रवेष नहीं किये जा रहे हैं तथा संस्थान को बन्द करना चाहते हैं। अतः de-		affiliation की कार्यवाही प्रस्तावित है।	संस्थान की ओर से पूर्व में निरीक्षण अधिकारी को प्रस्तुत पत्र दिनांक 07.04.18 में अंकित टिप्पणी के अनुसार 2015 से प्रवेष नहीं किये जा रहे हैं तथा संस्थान को बन्द करना चाहते हैं। अतः de-	संस्थान की ओर से कोई जबाव प्राप्त नहीं हुआ है। De-affiliated
		De-affiliated			De-affiliated



	Cause Notice Reply		
	confirmed after verification of Show		
Decision taken	Irregularities & Deficiencies	Sl.No ITI name and Address	SI.No

De-affiliated	electricity connection in the name of ITI ShriVinayak Pvt. ITI. 1. Total 21 trainees out of 63 were present on day of inspection. 2. Placement Register was not available. 3. IT LAB was not available in the institute. 4. Consumption of electricity units was below average. 5. IT lab was not available. 5. IT lab was not available.	The Principal, India International Pvt. ITI, KhandelwalBhawan, Ramnagar, BhawaniMandi, The. Pachpahar, Distt. Jhalawar	4
Re-inspection will be carried out, Affiliation to continue	1. One Trade Instructor, one Emp Skills Instructors were found short & qualification of EnggDrg. instructor was not as per norms. 2. Principal room area was found short as per norms. 3. Electrician workshop item sr. no. 1, 2, 3 were found short. 4. Five PC were found short in IT Lab. 5. Trainee attendance / record were not maintained properly. 6. Electricity bill in the name of Vivek Pvt. ITI was provided to the Inspection	The Principal, Shri Vinayak Pvt ITI, SortiKa Bag, Chipabarod, Distt-Baran-325221 PU08001434	ώ
De-affiliated	1. Electricity bill in the name of MOHIT INDUSTRIES was provided to the Inspection committee. It seems that there is no electricity connection in the name of ITI. 2. Computers were not available in IT lab.	The Principal, Vikash Pvt ITI, H-22- 23 Industrial Area Suratgarh, Ganganagar-335804 PR08001290	5
De ailliane	Computers were not available. 2. Institute was found in use of a coaching center. (IMPULSE COCHING) 3. Electrician machinery item sr. no. A-1, 2, 15, B-2, 4, 6, 7, 9, 14, 19, 21, 23, 24, 26, 30, 31, 32, 33, 51, 52, 56, 57, 64, 70, 72, 73, 76, 77, 78, 89, C-112, 132, 133, 134, 135, 136 were found short 4. Trainee attendance / record were not maintained properly. 5. Electricity bill in the name of HAJI USMAN GANI KHAN was provided to the Inspection committee. It seems that there is no electricity connection in the name of ITI. (not according DGT rule)	The Principal, Impulse Pvt.ITI,Plot No. 270-284,Sanjay Nagar-B,Jhotwara Distt-Jaipur-302012 PU08001603	با



	Cause Notice Reply		
	confirmed after verification of Show		
Decision taken	Irregularities & Deficiencies	Sl.No ITI name and Address	SI.No

	Cause Notice Reply		
	confirmed after verification of Show		
Decision take	Irregularities & Deficiencies	o ITI name and Address	Sl.No

	available. 6. Full time ITI Principal was not available. 7.Record of instructors was not available.		
	were not maintained. 4. Placement Register was not available. 5. Training record of trainees were not	307029 PR08000829	
	day of inspection. 3. Lesson Plan and Weekly programme	Ahore,	
	2. No trainee was found present on the	Saraswati Pvt III, Bhadrajun, Tehsil-	
De-affiliated	1. College, School and ITI were running	14 The Principal,	
	of ITI. 6. Student attendance 0.03%		
	5. No sign board was found in the name		
	4. Electricity bill was not in the name of ITI.	PR08001445	
continue	3. No computer was found in IT lab.	laipur- 302031	
Affiliation to	z. conege was running in the institute premises.	Navla, Jamwaramgarh,	
Re-inspection will be	1. Area of One workshop was short.	13 The Principal,	ы
		PR08001403	
		Jaipur-302042	
	3. Multi use of the ITI Building.	Post – Bad KeBalaji,	
	2. No internet connection in IT lab.	VigFagodiyawala,	
	name of institute or society.		
De-affiliated	1. Electricity connection was not in the	12 The Principal,	
		PU08000324	
		Dist. Kota-324005	
		Raipura,	
		Institute,Kaithun Road,	
		Industrial Training	
	2. Electricity bill was not available.		
De-affiliation	1. Staff was short	11 The Principal,	
=-	maintenance was not available.	PR08000755	
continue	3. Logbook for machine repair and	Pin code-326515	
Affiliation to	2. No trainee was present out of 126.	Chomumhla, Jhalawar	
carried out,	short.		
Re-inspection will be	1. Principal room and office area was	10 The Principal,	



De-affiliated	Vinavak Pvt. ITI NH-65, 1. Area of principal room and staff office was	Vinayak Pvt. ITI NH-65,	i-
	verification of Show Cause Notice reply		No
Decision taken	Sl. ITI name and Address Irregularities & Deficiencies confirmed after	ITI name and Address	SI.

De-alillateu	1. 06 Instructors were not available. 2. G.I. Instructors for Engg. Drg., Emp. Skills, IT 2. G.I. Instructors for Engg. Drg., Emp. Skills, IT lab were not appointed. 3. Only 78 among 273 trainees were present. 4. Training record like weekly, lesson plan, demonstration plan etc. were not available. 5. Fitter tool were short, Additional tool were short, Electrician tool partially short, Shop tool, Machinery items, Washing Machine, motor pump set were found short 6. Only 05 computers were available in IT lab.	Jai Shiv Pvt ITI Vamanpura, Sewar Bharatpur Pin-321303, Rajasthan. NCVT MIS Code- PU08000933
De-athliated	 Only 05 computers were available in IT lab. Only 18 Trainees were present in ITI. ITI was running in the premises of school building. Staff was short as per DGT norms. Electricity consumption was poor. 	4. Ravindra nath Tagore Pvt ITI, Shreeji Mandir Ki Gali, Sangod, Distt. Kota, Rajasthan NCVT MIS Code- PR08000175
De-affiliated	1. Lab equipment were found short according to new norms (washing machine, HP water pump, PIV computer, ink-jet printer etc.). 2. Tools, equipment and machinery found short as per norms. 3. Electricity power consumption is low.	3. Maa Saraswati Private Industrial Training Institute VAN VIBHAG KE SAMNE Kota Road, Dist. BARAN-325205, Rajasthan NCVT MIS Code- PU08000494
De-affiliated	1. Tools and equipment were not available as per syllabus. 2. Instructor (Workshop Calculation & Science), IT Lab instructor and Instructor (Engg. Drawing) was not appointed. 3. There was no proof about the power connection. Electricity bill provided by the institute was in the name of Antima Aggarwal (personal Connection). 4. There was no drinking water facility in institute. 5. There was no proof of salary paid to staff which indicates that required staff is not appointed.	2. Rajasthan Private Industrial Training Institute, Chanderiya Dist. Chittorgarh- 322230, Rajasthan NCVT MIS code- PR08000127
De-affiliated	1. Area of principal room and staff office was found short. 2. Tools & Equipments shortage Sr. Furniture shortage. Machines were not installed properly on foundation. 3. Presence of total trainees was low. 4. Only four computers were available in IT lab & no Internet connection was available. 5. Log book of machine was not found. 6. Electrical Connection was not in the name of the ITI.	1. Vinayak Pvt. ITI NH-65, The Jayal Distt. Nagaur, Rajasthan NCVT MIS Code- PR08000784

No	SI.
	ITI name and Address
verification of Show Cause Notice reply	ITI name and Address Irregularities & Deficiencies confirmed after
	Decision taken

	condition. 3. Only 10 out of 147 trainees were present on the day of inspection. 4. Electricity consumption was low. 5. Coverage of syllabus on weekly basis-No record available.	No20 Deeg Road, Bharatpur-321205, Rajasthan NCVT MIS Code- PR08001072	
De-affiliated	1. Shortage of tools and equipment: Only 68% tools and equipment were available.	11. Shree Ji Pvt. ITI, Near Choki Chungi, Woard	
5 631.453		NCVT MIS Code- PR08001268	
	3. Staff was short as per DGT norms.	23, Barsingsar, Taluka Bikaner, Rajasthan- 334402, Rajasthan	
De-affiliated	1. Only one computer was available in IT lab. 2. Log book of machines was not available.	10. Rajeev Gandhi Private	ы
	day of inspection. 7. Area of office not mentioned	PR08001246	
	per norms. 6. Trainees' attendance was very poor on the	NCVT MIS Code-	
	5. Tools & Equipment were not available as	Rajasthan	
	appointed. 4. Capacity Utilization (power): Avg. was low.	Udaipur Road, Chittorgarh-312001,	
	3.02 instructors and one G.I were not	Housing Board,	
De alillaten	1. Area of principal room was found snot. 2. Raw material consumption was low.	9. AITECH Pvt. ITI 69-70, Balaii Nagar, Segwa	9.
Do offiliated	5. Staff was snort as per Dui norms.		
	4. Electricity connection was not available in the name of ITI.	NCVT MIS Code- PU08001696	
	norms.	O TOO O T, INJUSTINA	
	records properly. 3. Tools and Equipment were short as per	Airport Road, Udaipur-	
	found. 2. Instructors are not maintaining training	Nakoda Nagar, Opp. Transport Nagar	
De-affiliated	1. Only 50% attendance of trainees was	8. Singhania Pvt ITI 1,	
		NCVT MIS Code- PR08001060	
	without prior permission of DGE&T.	333042, Rajasthan	
	where NCVT affiliation was granted. It was		`
De-affiliated	1 Institute was not found on the location	1	1
	3. 12 out of 252 trainees were present.	NCVT MIS Code-	
	a. Ejectrician Workshop tools item and machinery item were short.	Sikar, Rajasthan	
	instructor was not appointed.		6
De-affiliated	1 W/C Cal Enga Dra and Emp skill		



No	SI.
	ITI name and Address
verification of Show Cause Notice reply	Irregularities & Deficiencies confirmed after
	Decision taken

De-affiliated	1. Pvt. College was running in ITI building 2. Only principal & two instructors are present other all instructor or staff were not available means staff was short. 3. Only 06 computers were available in IT lab. 4. Trainee attendance was 0%. 5. Log book was not maintained. 6. Tools and equipment list was not available in prescribed format to verify the items.	16. Satyam PVT. ITI, Chitawa, Kuchaman City,Distt Nagaur- 341519, Rajasthan NCVT MIS Code- PR08000246	<u>ы</u>
De-ammated	 Staff availability was short. Only 21 out of 96 students were present. Average power consumption was very poor. Tools & equipment shortage:- Wireman-15%, Electrician-10% 	15. R.S. Pvt. ITI, 1698/487, GRAM &Panchayat Semaipura, Teh. & Distt.Chittorgarh-312001, Rajasthan NCVT MIS Code-PR08000487	1.
De-affiliated	1. Staff was not qualified as per DGT norms:- six instructors should be qualified with minimum Diploma in Electrical engineering. 2. Shortage of tools and equipment:- Electrician twelve units:- Electric drill machine portable one short, electric iron three short, electric cattle three short, flux meter seven short, 3. Power consumption was low.	.4. Master kirodi Lal Pvt ITI, Ward no-5, Fully Pada Hat Bazar, Nadbai, Bhartpur- 321602, Rajasthan NCVT MIS Code- PU08001512	14.
De-affiliated	 Attendance of trainees was poor. Machine log book was not available. Principal room & office area was short as per NCVT norms. Power consumption was poor. 02 computers were not working in IT lab. Fire Tech. and industrial safety management trade item short as per prescribed NCVT tool list. 	J. Vivekanand Pvt ITI, Jhalra Road, Surendra Nagar , Kuchaman city, Distt-Nagaur -341508, Rajasthan NCVT MIS Code- PR08000747	13.
	short. 2. Area of office found 6.5 sq meter short. 3. Electrician trade tool kit found short as per norms. Chisel cold firmer 25mm. one no., outside Micrometer one no., Wire striper two no. chisel cold flat 12mm one no., try square 150mm blade one no., Tweezers 100mm three no., plane smoothing cutter 50mm. to no., gauge 4. wire Imperial one no., Soldering Wire 25 watt, 65 watt, 125 watt two no., De soldering Gun one no. found short.		
De-affiliated	1. Area of principal office found 6.5 sq meter short.	ard	



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

SI.

21. S K Jo L P R P	20. P N R L K I	19. Ta Ra Ra Ra Ra Ra Pa	18. Sa ne ja ja Ra Nu	17. Ga in co co 32 N(0) Pt
S.L.S. Graphic Pvt. ITI N.H 15, Road Vishav Karma Market Opp. Joiya Petrol Pump, Loonkaransar-334603, Rajasthan NCVT MIS Code- PU08001609	Indian Pvt ITI, Katumar, Road, Laxmangarh, Alwar, Rajasthan NCVT MIS Code- PR08000132	Tagore Pvt ITI, Baharam ka Bas, Post- Rampur, Bansur Distt- Alwar- 301416, Rajasthan NCVT MIS Code- PR08001803	Saraswati Private ITI, near Govt. Hospital, jamwaramgarh, Distt. Jaipur- 303109, Rajasthan NCVT MIS Code- PR08001548	Gandhi Private Industrial Training Institute, 73,74, R.K. colony Dist Kota- 324002, Rajasthan NCVT MIS Code- PU08000219
 Third shift was not running; Only two shifts were running. Attendance of trainees was poor. Staff was short as per DGT norms. 	1. Tool & Equipment Shortage: Synchronous Motor 3 Phase, PIV Computer, & Washing Machine 2. Total Trainees Present-28/84. 3. Shortage of staff-Only one Instructor for 2 Units of fitter trade was available. 4. Log book-not available. 5. Separate wash room for Girls was not available. 6. Operational IT lab-04 Computers were short.	1. Item as per tool list of litter: E-5, F-7 was short. 2. Website was not available. 3. Trainees' attendance was 31.3% only. 4. Short of one instructor and another one SCVT pass out. 5. Principal room & Office area was short per NCVT norms. 6. Power consumption was poor.	 Tools & Equipment details were not available. Attendance of Trainees was very poor. 03 Computers were short in IT lab. Logbook of machine was not maintained. Area of principal room & office short 	1. Instructor (Electrician) was not available on the date of inspection. 2. Only 20% Instructors were appointed in the institute. 3. Training was not conducted properly. 4. Trainees were not present on the date of inspection 5. There was no proof of salary paid to staff which indicates that required staff is not appointed. 6. IT lab was not available in the institute. 7. Ten computers were required in IT lab but no any computer was available means 100% shortage.
De-attiliated	De-affiliated	pe-aiiiiateu	Re-inspection will be carried out, Affiliation tocontinue	De-amiliared



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

SI.

Diesel) was short. 4. Electrician trade tool list were short. 7 hand tools were in lock. 5. Mech. Diesel trade tool list were short. 7 hand tools were in lock. 5. Mech. Diesel trade tool list were short. 6. One Emp. Skills & one IT lab Instructor were short. 7. IT lab was not available. 7. IT lab was not available. 7. IT lab was not available. 7. IT lab was no proof of solary paid to staff which indicates that required staff is not appointed. 9. Tools & equipment were not found as per latest norms. 9. Power consumption was very low. 1. IT lab area was found short. 2. Staff was not appointed according to NCVT norms; one group Instructor, four Electrician Instructor and one Employment Skill Instructor were short. 9. Only 07 Computers were available in IT Lab instead of 10 computers. 1. Low electricity consumption. 5. Principal room & office area was short as per NCVT norms. 6. Machine log book was not available. 1. Area of Principal room & office was short. 2. Average power consumption was poor. 3. Tool and equipment in electrician trade were found short. 4. Almirah and blackboard were not found. 5. Log book was not maintained. 6. Staff found short as per NCVT norms. 7. Nimi book were not available. 1. Power connection was not in the name of ITI. 2. Electrical Machine Trainer was not in working order. 3. Synchronous motor and PIN, Shackle, Disk Installation was short. 4. Computers were not available as per specifications required. 5. Shortage of staff: Instructor for Electrician. 5. Shortage of staff: Instructor for Electrician. 6. The computers were not available as per specifications of staff: Instructor for Electrician.



No	SI.
	ITI name and Address
verification of Show Cause Notice reply	ITI name and Address Irregularities & Deficiencies confirmed after
	Decision taken
	Ve

De-affiliated	7. Machine log book was not available. 1. Electrician trade was not available. 2. Principal room & office area was short as per NCVT noms. 3. Low electricity consumption. 4. Electricity bill was not found in the name of ITI. 5. Electricity load of 06 KW was found short. 6. Machine log book was not available. 7. Emp. Skill, W/S Cal. & Sc., Engg. Drg. Instructors were not appointed as per NCVT	30. Subh Gaurav Private Industrial Training Institute, Meethari, The. Ladanu Dist. Nagour-341303, Rajasthan NCVT MIS Code-PR08000769
De-affiliated	 Principal room & office area was short as per NCVT norms. There was no proper setup of IInd workshop of Electrician trade. Electrician trade found short. Welding related machines were not available. W/S Cal instructor not appointed as per NCVT norms. IT lab not available. 	29. Shri Vishwakarma Private ITI Meerana Road, Bayana, Bharatpur-321401, Rajasthan NCVT MIS Code- PR08000701
De-affiliated	 In ITI, Workshops & Class room were not as per norms. In ITI, IT Lab was being used for PMKVY scheme. In Electrician workshop were not available. In Trade PSMA and Health Sanitary Inspector, most of the items were not available as per norms. Log book not maintained. In ITI, Principal office & office area was found less than norms. Staff was short as per DGT norms Area of PPSM trade not available. 	28. Jai Giriraj Pvt. ITI, Udaipurwati, jhunjhunu-333307, Rajasthan NCVT MIS Code- PU08001636
De-affiliated	 Emp. Skills Instructor was not appointed. Only 60 out of 146 trainees were present on the day of inspection. Avg. Consumption of power was poor; 4 Time-Table of training was not available. Earthling was not proper in Electrician 6. Principal room and IT Lab area was short. Engg. Drawing instructor's qualification was not as per norms. 	27. Vishwakarma Pvt ITI DUDU Malpura Road, Near Govt ITI Tehsil- DUDU Distt- Jaipur- 303008, Rajasthan NCVT MIS Code- PR08000136
	7. NIMI book were not available in the library. 8. Log book was not maintained.	



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

SI.

33	32.	31. S FN 3
Preet Private Industrial Training Institute Khandela Road, Sita Bari Kelwara (Danta), Tehsil. Sahabad, dist. Baran-325216, Rajasthan NCVT MIS Code- PR08000493	Mohit Pvt. ITI Satnali Road, Buhaba Distt- Jhunjhunu-333502, Rajasthan NCVT MIS Code- PR08001226	Sh. Maheshwari Pvt. ITI, Joravarpura road, Gulabpura, The. HurdaDistt. Bhilwara- 311001, Rajasthan NCVT MIS Code- PR08001343
1. Trade Instructors don't have experience as per DGT norms. 2. Lab item were found short (PIV computer, Ink-jet printer, rim, shackle suspension type insulator etc.) 3. Power consumption in low. 4. Electricity bill in the name of Swami Vivekanand Bahu- uddeshiya Vikas Sansthan was provided to the inspection committee. It seems that there is no electric connection in the name of ITI.	1. Only one Instructor was appointed in Electrician trade. 2. IT lab was not available in institute. 3. Area of principal room & office was short. 4. Area of COPA lab was short. Only 59.07 sqm. was available whereas required area is 70 sqm. 5. Electric workshop was short. 6. Not Internet connection was in IT lab. 7. Website was not uddated.	1. Available staff were different person as compared with attendance register sh. Ghan Shyam Mali Instructor WCS & ED, Sh.Parbhu Dayal Instructor WCS & ED were not appointed but working in the institute. Name of Sh.Narendra Singh Rawat, Sh. Indra kumar and Sunita kala were shown in attendance register but not working in ITI as per inspection report. 2. Electric power consumption was low. 3. Shortage of Tool & Equipment in Electrician, Fitter and Mech.Diesel. 4. Principal room area 15.1 sqm, office room area 19.4 sqm., Fitter class room area 21.41 sqm. Was short as per DGT norms. 5. Electric bill was not available in the name of Maheshwari Private ITI Gulabpura. 6. Operation of third shift was not found. 7. Standard of training was very poor. 8. Staff was short as per DGT norms. 9. No trainee was available on the day of inspection.
De-amiliated	De-ammated	De-affiliated



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

SI.

	10 Wehsite was not undate.	
	lab.	
	8. Student attendance was very poor.	
	7. Electrician workshop was short.	
	6. Both class rooms area was short.	
	per norms. 5. Mechanic diesel workshop area was short.	PR08000629
	4. Computers in IT lab were not available as	
	3. Area of IT lab was short.	Jnunjnunu, Kajastnan- 333307
	2. Area of principal room was short.	Udaipurwati Distt-,
	were not appointed.	Dholakhera Tehsil-
De-affiliated	1. W/c Cal. & Sc. and Engg. Drg. instructors	36. Amman Private ITI,
	10. Class room was short.	
	9. IT lab was not available.	
	found short as per norms.	
	8. Principal room area & office area was	
	7.07 items found short during inspection	
	confirm practical training.	
	6. Bills of raw materials were not available to	
	5. Electricity consumption was poor.	
	4. Only 56 out of 126 trainees were available.	
	inspection team.	
	NCVT MIS portal and could not be verified by	1 1000000212
	3. Details of Instructor were not uploaded on	NCVT MIS Code-
	experience.	Rajasthan
	available for verification of qualification and	Bhopalgarh (Jodhpur) -
	2. Document of 03 trade instructors were not	Main Jodhpur Road
De-affiliated	1. Emp. Skill instructor was not appointed.	35. Tejas Pvt. ITI, Sh. No.6-
	8. There was no proof of salary paid to staff.	
	unsatisfactory.	
	7. Training level was very poor &	
	6. There was no discipline in ITI.	
	were left at 1.00 pm.	
	5. On the day of inspection all the students	
	4. Campus & toilet were dirty.	
	connection was available for B.Ed. and ITI.	
	connection for ITI. Common electric	PR08001344
	Sansthan. There was no separate electric	NCVT MIS Code-
	Murli Singh Yadav Memorial Prashikshan	Rajasthan
	3. Electricity connection was in the name of	Bikaner-334402.
	required.	Karni Coach,
Ä	2. Principal room area was less than the	Memorial PVT. ITI,
	1. Shortage of 11 lab instructor.	34. Murli Singh Yadav



SI.	SI. ITI name and Address No	Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply	Decision taken
			P (GI: 1)
37.	37. Bhanwar Kanwar	1. Only 39 trainees were present.	De-affiliated
	Sugan Singh Pvt ITI,	2. Electrical consumption in the month-	
	aya	March 2017- 1 Unit, May 2017- 27 Unit, July	
	Vill. Inderpura, The.	2017-21 Unit, August-2017-100 Unit,	
	Udaipurewati, Distt.	0 . 1 0047 / II-: D	

De-affiliated	1. Principal room area was short. 2. Attendance of ITI student was very poor. 3. Coaching classes were conducted in the institute. 4. 02 computers were short in IT lab. 5. 3-phase synchronous motor was short. 6. Qualification of IT instructor was not as per NCVT norms. 7. Average power consumption was poor. 8. Training standard was very poor.	41. Shreemati Moongi Devi Pvt. ITI, Near Ram Nagar, Tiraha, Bisau Road Churu-331001, Rajasthan NCVT MIS Code- PR08001232
De-affiliated	 Building was found unsafe; Inspection committee reported big crack in the building of Electrician workshop. IT lab was not available as per map. Tools and equipment. Office area was short as per NCVT norms. Low electricity consumption. Machine log book was not available. IT lab & Emp. Skills Instructor were not appointed in ITI as per NCVT norms. Electrician Trade Tool equipment & machinery found short. 	40. B.S.R Pvt. ITI, Jasnagar Tehsil Merta City, Dist. Nagaur-341515, Rajasthan NCVT MIS Code-PR08000353
De-affiliated	 1. Emp. Skill Instructor was not appointed. 2. Electrician workshop was short. 3. IT lab was not established properly. 4. Electric wiring & earthling were not proper. 	39. Rajasthan Trade Pvt. ITI, Plot No. 9-10-11, Ayodhyanpuri Colony Harmada Dist. Jaipur-302013, Rajasthan NCVT MIS Code-PR08001411
De-affiliated	1. Area of Principal room was short. 2. 02 Gl and 01 Emp. Skill Instructor was not appointed. 3. ITI classrooms were being used for school purpose. 4. Attendance of trainees was very poor on the day of inspection. 5. Coverage of the syllabus was not on weekly basis. 6. Logbook for machine repair and maintenance was not available.	38. Navodaya Pvt. ITI, Boota Singh Colony, Sangod Road, Kaithoon, taluka Ladapura, Dist Kota, Rajasthan NCVT MIS Code- PR08000325
De-affiliated	1. Only 39 trainees were present. 2. Electrical consumption in the month-March 2017- 1 Unit, May 2017- 27 Unit, July 2017- 21 Unit, August- 2017- 100 Unit, October- 2017- 6 Unit, December 2017- 0 unit, February- 2018- 341 Unit. 496 Units consumed in 14 months. Average 35 units per month which was very low. 3. Staff was short.	37. Bhanwar Kanwar Sugan Singh Pvt ITI, Shiksha Mahavidyalaya Vill. Inderpura, The. Udaipurewati, Distt. Jhunjhunu 333307, Rajasthan NCVT MIS Code- PR08001312

בים מונוי			
Do-affiliato	S.V.P. Private ITI, Adil Nagar, ITI is not functional at given address but there is	S.V.P. Private ITI, Adil Nagar,	
	verification of Show Cause Notice reply		No
Decision taken	Irregularities & Deficiencies confirmed after	ITI name and Address	SI.

	Trade Units not mention in S/D reports.		
	नहीं ही रहा हैं.	not showing MIS Portal.	
	आईटीआई संचालित नहीं है। विगत कई वर्षों से प्रवेश भी	report of S/D And this ITI	
	स्थानीय लोगो द्वारा अवगत कराया गया की अब	Near City Station, Lucknow.	
De-affiliated	संबधित आईटीआई विगत कई वर्ष पूर्व बंद कर दी गयी है,	Pretech Women Private ITI,	∞
		226010. PR09001336	
	नहां हा रहा है. Trade Units not mention in S/D reports	Gomti Nagar, Lucknow-	
De-affiliated	संबधित आईटीआई बंद है तथा, विगत कई वर्षों से प्रवेश भी	Mangalam Infotech Private	7
		not showing MIS Portal.	
		report of S/D And this ITI	
	Trade Units not mention in S/D reports.	Lucknow	
	कई वर्षों से प्रवेश भी नहीं हो रहा है	Education ITI, Indranagar,	
De-affiliated	संबधित आईटीआई काफी दिनों पूर्व बंद हो गई तथा विगत	Arbit Computer and	6
	Trade Units not mention in S/D reports		
	ank.	PR09001049	
	करने की दी गई है, विगत कई वर्षों से प्रवेश भी नहीं हो रहा	Lucknow-226017.	
	बंद कर दिया गया है एवं प्रबंधक दयारा लिखित सूचना बंद	Ka/D-337/3 KUMARPURAM	
De-affiliated	संबधित आईटीआई के प्रबंधक द्वारा पूर्व में ही आईटीआई	Gee Tech Private ITI, 545-	5
		not showing MIS Portal.	
	Trade Units not mention in S/D reports.	report of S/D And this ITI	
	रहा है	MIS Code not mentioned in	
	करवाया जा रहा है , विगत कई वर्षों से प्रवेश भी नहीं हो	and Training Center	
De-affiliated	संबंधित स्थान पर आईटीआई की जगह अन्य कोर्स	Nitech Computer Education	4
		not match in NCVT Portal.	
		PR0900008 in S/D reports	
		PROSOCOL:	
	Trade Units not mention in S/D reports	Road Aminabad, Lucknow-	
	संचालित नहीं है, विगत कई वर्षों से प्रवेश भी नहीं हो रहा है	Education Private ITI. Guin	
De-affiliated	संबधित स्थान पर आईटीआई नहीं है ना ही काफी दिनों से	M.A. Academy and	ω
	Trade Units not mention in S/D reports	PR09001515	
		CHARBAGH Lucknow-	
	भी नहीं हो गहा है	MARG, OPP. MOHAN HOTEL	
	गत कर्ड वर्षों से	Charbagh, 92/217 G.B.	
De-affiliated	संबंधित स्थान पर आईटीआई नहीं है , अपित् वहाँ कुछ	Microsoft Computer Center,	2
	Trade Units not mention in S/D reports	PROSOUCESS	
	taking further admission	RUTTI ROBO LUCKNOW-ZZBOZO.	
De-allillated	on inter college is running. So it is not fit for	S.V.P. Private ITI, Adil Nagar,	Н
7 Milinton			1



)	Dark Daad Hairataani	
De-amiliated	Sun City InfoTech Private III, संबंधित आईटीआई विगत कई वर्ष पूर्व बंद कर दा गया है,	Sun City InfoTech Private III,	9
Do a Miliato A			
	verification of Show Cause Notice reply		N _o
Decision taken	ITI name and Address Irregularities & Deficiencies confirmed after	ITI name and Address	SI.

	Trade Units not mention in S/D reports	PU09900476	
	management	Transport Nagar Sahjanwa,	
De-affiliated	Documents not provided by the Institute	16 Gida Private ITI, Sector-22	16
	प्रवरा हत् अनुपयुक्त Trade Units not mention in S/D reports	PR09001301	
De-affiliated	Document not provided	15 Capital Private ITI, Cinema	11
		name H W Shah Educational & Technical ITC	
	Trade Units not mention in S/D reports.	MIS Portal showing this	
	अनुपयुक्त है	PR09000780.	
	कोई संपर्क स्थापित नहीं हो पा रहा है, अतः प्रवेश हेतु	Ground Dewasarit, Barahanki-225301	
De-affiliated	पते पर आईटीआई भवन नहीं मिला, दिए गए संपर्क सूत्रों से	14 H W Sah Private ITI, Mela	1,
	Trade Units not mention in S/D reports.		
	था, अतः प्रवेश हेतु अनुपयुक्त पाया गया		
	भी नहीं लगा था, वहा कोई भी कर्मचारी आईटीआई का नहीं	not showing MIS Portal.	
	से अधिक से आईटीआई बंद चल रही है। आईटीआई का बोर्ड	report of S/D And this ITI	
	बछरावां जाने पर पता चला की विगत कई वर्षों लगभग वर्षे	Mis Code not mentioned in	
De-attiliated	दिनांक 28.05.2018 को आईटीआई के निरीक्षण हेतु	13 Kuldeep Private ITI,	1
		mentioned in report of S/D.	
		PU09001856 MIS Code not	
		Highway, Lucknow-226012	
	Trade Units not mention in S/D reports	Jageer Kanpur Raibareli	
	रहा है	Path, 309, Aurangabad	
	अवगत कराया गया है, विगत कई वर्षों से प्रवेश भी नहीं हो	Aurangabad Amar Shaheed	
	कर दिया गया प्रवेश नहीं लिया जा रहा है लिखित में	Vocational Private ITI	
De-affiliated	सम्बंधित आईटीआई द्वारा फिजियोथरपो व्यवस्था बद	12 Shashwat Institute	1
		not showing MIS Portal.	Π
	IT ade Offics Hot Hieritaon in 3/D reports	report of S/D And this ITI	
	स अवश्व भा गुरु। हा रहा है।	MIS Code not mentioned in	
		_	H
De-affiliated	भार्नियार्ट कर्ट वर्ष पर्व बंद कर दी गरी है विग्राम कर्ट वर्षों	not snowing ivits Portal.	7
		report of S/D And this III	
	Trade Units not mention in S/D reports	MIS Code not mentioned in	
	विगत कई वर्षों से प्रवेश भी नहीं हो रहा है.	_	
De-affiliated	संबधित आईटीआई विगत कई वर्ष पूर्व बंद कर दी गयी है,	_	10
		not showing MIS Portal.	
		report of S/D And this ITI	
	Trade Units not mention in S/D reports.	MIS Code not mentioned in	
	विगत कई वर्षों से प्रवेश भी नहीं हो रहा है.	Park Road, Hajratganj,	
De-affiliated	संबधित आईटीआई विगत कई वर्ष पूर्व बंद कर दी गयी है,		9

Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

SI. No

	Trade Units not mention in S/D reports.	
De-affiliated	निरिक्षण का समय जिस परिसर में संसथान संचालित था वहाँ मैरिज हॉल संचालित किया जा रहा है तदोपरांत कार्यालय का अभिलेखीय निरिक्षण में यह पाया गया कि अगस्त २०१२ के बाद किसी भी प्रशिक्षनार्थी का परीक्षा शुल्क जमा नहीं किया गया है और न ही कोई परिक्षनार्थी परीक्षा में सम्मिलित हुआ है। प्रवेश हेतु अनुपयुक्त	Dr. Ikbal Private ITI, Mata Pokhara Mau MIS Code not mentioned in report of S/D And this ITI not showing MIS Portal.
De-affiliated	भवन में degree college संचालित है कोई साज सजा उपलब्ध नहीं था, प्रवेश हेतु अनुपयुक्त Documents not provided by the ITI Management. Trade Units not mention in S/D reports	21 V.N.P. Private ITI, Gorakhpur-273008. PR09001655
PR code needs correction and got changed with other ITI having same name. Re-inspection will be carried out Affiliation to continue	पते पर आईटीआई मौखिक अवस्था में नहीं पाया गया, प्रवेश हेतु अनुपयुक्त No documents provided Trade Units not mention in S/D reports.	20 Smt Satyawati Devi Private ITI, Katka Purwa, Village Changa, Post Narharpur, District Ambedkarnagar-224132. PR09900549 in S/D reports not match in NCVT Portal.
De-affiliated	आईटीआई भवन में BIC प्रशिक्षण संचालित हो रहा था इसके पीछे एक भवन निर्माणाधीन है। जिसे आईटीआई का भवन बताया गया प्रवेश हेतु अनुपयुक्त है। Documents not provided by the ITI Management. Trade Units not mention in S/D reports	19 Shagun Private ITI, Gorakhpur-273001. PR09001664
De-affiliated	Document Not Provided प्रवेश हेतु अनुपयुक्त	National Private ITI, Vill- parnai gopalpur chauaha, post-gopalpur, Gorakhpur- 273009 PR09900483, This MIS code PU09900483 in S/D reports not match in NCVT Portal.
De-affiliated	लिखित पते पर आईटीआई मौखिक अवस्था में नहीं पाया गया, प्रवेश हेतु अनुपयुक्त Documents not provided by ITI Management Trade Units not mention in S/D reports	Gorakhpur Private ITI, Awadesh Nagar, Sheshpurwa, Mohripur, Gorakhpur-273007. PU09001936



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

SI.

De-affiliated			
	लगभग 20 वर्ष से कोई भी प्रवेश नहीं हुए NCVT CODE भी प्राप्त नहीं हुए अतः प्रवेश हेतु अनुपयुक्त	Ch. Amar Singh Private ITI, Bhooni, Meerut MIS Code not mentioned in	27
De-affiliated	लम्बे समय से प्रवेश नहीं हुए हैं अत: NCVT से MIS CODE भी प्राप्त नहीं हुए हैं, प्रवेश हेतु अनुपयुक्त Trade Units not mention in S/D reports.	International Private ITI, Mall Road, Meerut MIS Code not mentioned in report of S/D And this ITI not showing MIS Portal.	26
De-affiliated	मान्यता निरस्त मानी जाए	Muskan Private ITI, Harpur Nai Basti Ballia-277001, U. P. PR09000861	25
,	Trade Units not mention in S/D reports		
De-affillated	निरिक्षण के समय ससथान सचालित होना नहीं पाया उक्त के अतिरिक्त ग्रामीण आईटीआई के प्रबंधक द्वारा संलग्न शपथ पत्र में संत गिनाथ राजकीय महाविद्यालय में उच्च निदेशालय के आदेशानुसार किया गया है जबिक किरायानामा अथवा भुगतान किये गए किराये की रसीद प्रस्तुत नहीं किया गया है पुनः उनके द्वारा प्रस्तुत शपथ पत्र में विद्युत का मीटर जला होना दर्शाया गया है लेकिन एक भी बिल भुगतान रसीद प्राप्त नहीं किया गया है जीवान रसीद प्राप्त नहीं किया गया है पुगतान रसीद प्राप्त नहीं किया गया है पुगतान रसीद प्राप्त नहीं किया गया है और भविष्य में नया कनेक्शन लेने की बात कही गयी है प्रवेश हेतु अनुपयुक्त	Gramin Private ITI, Mohammdavad Gohana Mau-276403. PR09000798	24
	परीक्षा में सम्मिलि नयुक्त de Units not menti		
ре-апшатед	जांच के समय चैनल बद पाया गया तदापरात कार्यालय में उपलब्ध अभिलेखों का निरिक्षण करने पर यह पाया गया कि अखिल भारतीय व्यावसायिक सेमेस्टर प्रणाली परीक्षा फरवरी २०१६ में डीटीपी व्यवसाय के 03 परीक्षार्थों का प्रथम सेमेस्टर परीक्षा शुल्क संसथान में जमा कर प्रक्षनार्थी को परीक्षा सिम्मिलित किया गया उक्त के बाद डीटीपी व्यवसाय के किसी भी प्रक्षनार्थी का किसी भी परीक्षा में शुल्क नहीं जमा किया गया है और न ही किसी प्रशिक्षनार्थी	A to Z Sewa Sansthan Private ITI, Mohammdabad Gohna Mau-276403. PR09001117	23



33	32	31	30	29	28
Ramzan Khan Institute of Technology, Loni, Ghaziabad-201102 PR09000777 This MIS code PR0900077 in S/D reports not match in NCVT Portal.	H.K.T. Private ITI, Ghazibad- 201310 PR09000195 This MIS code PR0900019 in S/D reports not match in NCVT Portal.	Aman Private ITI, Duhai, B-245 Yojna vihar delhi Ghaziabad-201206 PR09000844. This MIS code PU0900084 in S/D reports not match in NCVT Portal.	Ambey Private ITI, Govind Puram C-11, 12 Krishna Garden, Near NDRF Camp, Harsaon, Ghaziabad-201013 PU09001854. This MIS code PU0900185 in S/D reports not match in NCVT Portal.	Chaudhary Charan Singh Memorial ITI, Main Shyam Park Sahibabad Near Sahibabad Railway, Ghaziabad-201005 PR09000737 This MIS code PU0900073 in S/D reports not match in NCVT Portal.	Idea Private ITI, Delhi Garh Road, 40 Mile Stone, Pilakhuwa, Hapur-245304. PR09001659
दिनांक 27.09.2017 से प्रबंधक द्वारा आईटीआई बद किये जाने हेतु आवेदन किया गया है। अगस्त 17 से कोई प्रवेश नहीं हुआ है। अतः प्रवेश हेतु अनुपयुक्त है।		इंस्टर्न पैराफरल हाईवे क्षेत्र में आने के कारण भवन को विकास प्राधिकरण द्वारा ध्वस्त कर दिया गया है। अतः प्रवेश हेतु अनुपयुक्त है।	विगत वर्षों से प्रवेश शुन्य हैं, प्रबंधक द्वारा अग्रिम वर्षों में प्रवेश करने में असमर्थता व्यक्त की हैं। अतः प्रवेश हेतु अनुपयुक्त हैं।	वर्ष 2017 से कोई प्रवेश नहीं हुआ है। प्रवेश के लिए इच्छुक नहीं है। अतः प्रवेश हेतु अनुपयुक्त है।	भवन अत्यंत जर्जर स्थिति में है। वर्तमान में भवन पर संस्थान का कोई बोर्ड उपलब्ध नहीं है। भारत सरकार के मनको के अनुरूप विधुत मीटर साज सजा, उपकरण एवं संस्थान से सम्बंधित अन्य अभिलेख उपलब्ध नहीं। सत्र अगस्त 2016 के बाद प्रवेश प्रक्रिया संचालित नहीं है। प्रशिक्षण सचालन हेतु मूलभूत सुविधाये अनुपयुक्त पाए जाने के कारण सत्र अगस्त 2018 में प्रवेश प्रक्रिया हेतु अयोग्य है।
De-affiliated	De-affiliated	De-affiliated	De-affiliated	De-affiliated	De-affiliated



	No	SI.
		I'll name and Address
	verification of Show Cause Notice reply	irregularines & Denciencies confirmed after
7 Killiata		Decision (alven

ре-апшатед	सस्थान बद है । प्रशिक्षण सम्बन्धि कोई गतिविधि संचालित नहीं है।	Ruhelkhand Private ITI, Bareilly. MIS Code not mentioned in report of S/D And this ITI not showing MIS Portal.	41
	of the institute has clo		
De-amiliated	Institute is found closed. The M.D of institute srishashi Bhushan had informed telephonically that there will be no admission form next session. 2018-19. (Letter Attached). Not Recommended for admission.	O Narayan Private ITI, Prem Nagar, Barelly MIS Code not mentioned in report of S/D And this ITI not showing MIS Portal.	40
De-affiliated	During inspection on dated 28/05/2018, Institute was not found at above address. प्रवेश हेतु अनुपयुक्त	9 Balendra Singh Private ITI, Rajnauli, Sirsi, Haisar Bazar, Sant Kabir Nagar-272165. PR09900679 MIS Code not mentioned in report of S/D.	39
De-affiliated	Not ability date of inspection प्रवेश हेतु अनुपयुक्त Trade Units not mention in S/D reports	8 Meemanshu Private ITI, Village: Patiyayet, Manikothi, Tehsil: Bidhuna, Auraiya-206249. PR09900121	38
De-affiliated	निरीक्षण के समय इलेक्ट्रीशियन व्यवस्था के वर्कशॉप के छत नहीं थी व फिटर व्यवस्था के वर्कशॉप में बर्र के छत लगे हुए थे एवं मशीनो के कनेक्शन नहीं थे, तथा एक भी प्रशिक्षार्थी उपस्थित नहीं थे। उपरोक्त आईटीआई के प्रधानचार्य द्वारा निरीक्षण रिपोर्ट से सम्बंधित कोई भी प्रपत्र उपलब्ध नहीं कराए गए। अतः प्रवेश हेतु अनुपयुक्त है Trade Units not mention in S/D reports.	Thakur Shivpal Singh Private ITI, Sarai Jalal Kerva Khera Etawah-206242 PR09900329 MIS Code not mentioned in report of S/D.	37
De-affiliated	सम्बंधित द्वारा लिख कर प्रस्तुत किया कि मेरे द्वारा प्रवेश नहीं किया जा रहा है। मै अब इस आईटीआई को दूसरे स्थान पर शिफ्ट कर रहा हूँ। अंत मै इसे इस स्थान पर बंद कर रहा हूँ। दूसरे स्थान पर पुनः प्रक्रिया होगी।		36
De-affiliated	प्रधानचार्य Bhoomi Pvt ITI द्वारा दूरभाष पर अवगत कराया गया है की वह अपनी आईटीआई स्वेच्छा से बंद करवाना कहते हैं। प्रवेश हेतु अनुपयुक्त		35
De-affiliated	प्रधानचार्य CRS Pvt III द्वारा दूरक्षाष पर अवगत कराया गया है की वह अपनी आईटीआई स्वेच्छा से बंद करवाना कहते हैं। (प्रतिलिपि संग्लन) प्रवेश हेतु अनुपयुक्त	4 C.R.S Private ITI, Village- Sadarpur, Sec-45 Noida, G.B Nagar, Gautam Buddha Nagar-201301. PR09001622	34



No	SI.
	ITI name and Address
verification of Show Cause Notice reply	Irregularities & Deficiencies confirmed after
	Decision taken

48	47	46	45	44	43	42
Daya Medical Science Private ITI, 62-63 Sahanpur Santoki-Haridwar, Kotedwar Bypass Najibabad, Bijnor- 246763. PR09900366 This MIS code PR09000366 in S/D reports not match in NCVT Portal.	Rastriya Private III, VIII. Dehra Chak po. Chuchelakalan, Amroha, Jyotiba Phule Nagar-244231. PR09000334 This MIS code PR090094 in S/D reports not match in NCVT Portal.	Bhartiya Private ITI, Moradabad, Ashiyana-I Near Red Sapphire Banquet Hall, Moradabad-244001 PR09000193	Shivangi Private ITI, Jawaherpuri , Badaun- 243601. PR09001074 MIS Code not mentioned in report of S/D.	Focus Private ITI, 19 KM NH- 24 Rampur Road Fatehganj (W), Bareilly-243501. PR09900686 MIS Code not mentioned in report of S/D MIS Portal showing this name Focus ITI College.	Aakash Private ITI, Izzarnagar, Air force station, Bareilly-243122. PR09000641, MIS Code not mentioned in report of S/D.	Mehra Infosys Private ITI,194-E Civil Line, Mehra Colony, Bareilly-243001. PR09000806 MIS Code not mentioned in report of S/D
निरेक्षिण के समय सस्थान बद था सस्थान सपक करने पर आपके द्वारा इस वर्ष प्रवेश न करने हेतु पत्र दिया है निरीक्षण नहीं कराया गया । अतः उपरोक्त बिन्दुओ पर सुचना नहीं दी जा सकती है।अतः प्रवेश हेतु अनुपयुक्त है Trade Units not mention in S/D reports	प्रबंधक एवं प्रधानचाय आइटाआई में प्रवेश के इच्छुके नहीं है। अतः प्रवेश हेतु अनुपयुक्त है Trade Units not mention in S/D reports.	उक्त अधर पर प्रवेश हेतु अनुपयुक्त Trade Units not mention in S/D reports	प्रबंधक/प्रधानचार्य Shivangi Private III, Badaun द्वारा अवगत कराया गया है कि विगत तीन वर्षों से प्रवेश नहीं ले रहे है और भविष्य में भी मान्यता समाप्त होती है तो कोई आपित्त नहीं होगी। अतः प्रवेश हेतु अनुपयुक्त है Trade Units not mention in S/D reports.	During two times visit of institute. It is found closed. No activity was observed. Not Recommended for Admission. संस्थान में प्रशिक्षण सम्बन्धि गतिविधि बंद है। Trade Units not mention in S/D reports.	Due to death of Mr. Neeraj Johri owner of the institute. Institute is closed. No admission for PITI is recommended. Not Recommended for Admission. ੨੨ ਰਥੀਂ सੇ एडमिशन नहीं हैं	No Admission Closed from 10 years.
ре-апшатео	De-dilliaced	De-attiliated	De-affiliated	De-affiliated	De-affiliated	De-affiliated



verification of Show Cause Notice
ication of Show Cause
how Cause

	THE PROPERTY OF THE PROPERTY O	PR09900902	
	प्रवरा हतु अनुपयुन्त निकास के प्रते प्राचीन साम्बन्ध नहीं है।	Kerakat, Jaunpur-222001.	50
De-affiliated		-	ור
	9-	222132.	
	भवन मानक पर्ण है तथा साज सजा की कमी है।		
De-affiliated	प्रवेश हेत् उपयुक्त नहीं	_	57
		PR09000926	
		222003.	
		Firojshahpur Jaunpur-	
	अवन मानक अपर्ण है तथा साज सजा की कमी है।	Private ITI, Urdu	
De-affiliated	प्रवेश हेत् उपयुक्त नहीं	6 Hakim Zahir Haider Numani	56
		PR09000255	
	विशेत वर्षा सं संस्थान क्रियाराल नहां है।	Muradganj Jaunpur-222002.	
	14 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2		ر
De-affiliated	पर्नेश हेन आहारून नहीं	4	n n
		PR09001183	
	सस्थान का भवन पूर्ण नहीं व साज सजा की कमी हैं।	Zafarabad. Jaunpur-222180.	
De-affiliated	प्रवेश हेतु उपयुक्त नहीं		54
	Trade Units not mention in S/D reports		
	आवेदन किया जा चूका है। प्रवेश हेतु अनुपयुक्त	PR09000837	
	प्रवेश हेतु अनुपयुक्त संस्थान द्वारा बद करने हेतु पूर्व मे	Distt Ghazinur-233226	
De-aniliated	वतमान समय म सस्थान संचालित नहीं है एवं बंद हैं।		5
))	-	
		Ghazipur-232332.	
	कि हम अब प्रवेश नहीं लेंगे। प्रवेश हेत् अन्पय्क्त	Post- Medanipur Distt-	
	संस्थान बंद है। संस्थान के प्रबधक/ प्रधानचार्य ने बताया	Ghazipur, Vill-Medanipur	
De-affiliated	Not Recommended for admission	Sati Anusuia Private ITI,	52
		PR09000512	
	Trade Units not mention in 3/D reports	Ghazipur-233223.	
	Hade Haite not montion in 6/D month	Kalan Post Rampur Distt-	
	المام		(
De-affiliated	वर्तमान समय में संस्थान संचालित नहीं है एवं बंद है।		51
	आग्रह किया है। अतः प्रवेश हेत् अन्पयुक्त है	report of S/D.	
	प्रबंधक द्वारा लिखित रूप से आईटीआई बंद करने का	MIS Code not mentioned in	
	प्रशिक्षार्थियों की मांग न होने के कारण प्रवेश नहीं है। अंतः	PR09000117	
	में मात्र कोपा व्यवसाय संचालित था जिसमे उत्तीर्ण	Chandairí Sambhal 244412	
De-affiliated	गणपति निजी औद्योगिक प्रशिक्षण सस्थान चदसि सभल		50
	Trade Units not mention in S/D reports	NCVT Portal.	
	सुचना नहीं दी जा सकती हैं। अतः प्रवेश हेतुं अनुपयुक्त ह	in S/D reports not match in	
	निरक्षिण नहीं कराया गया । अतं उपराक्त ।बन्दुअ पर	This MIS code PR09000365	
	पर उनक द्वारा एक वर्ष अवरा न करन हतु पत्र दिया ह	PU09900365	
			4
De-affiliated	रपरोक्त संस्थान निरिक्षण पर बंद पाया गया संपर्क करने	Greater Valley Private III.	49



68 Kirti Private ITI, 326C/73A/1 Stanley Road, Allahabad- 211002. PR09001288, This MIS code PR0900128	67 Sophia Private ITI, Gali no 2, Pratap Nagar, Saharanpur- 247001. PU09002111		65 Khushi Ram Tyagi Memorial Pvt ITI, Chhachhreki, Saharanpur-247001. PR09000123 This MIS code PR099000123 in S/D reports not match in NCVT Portal.	Ch. Charan Singh Private ITI, Vill+Post, Talheri Bujurg, Saharanpur-247551. PR09001898	63 Sakal Narayan Dharmraj Private ITI, Jaunpur-222136 PR09000354	62 J.P. Memo. Hospital and Paira Medical, Laxmi Complex Jaycees Crossing Jaunpur-222002. PR09000646	61 Baba Bachai Singh Private iTI, Fattepur Badalapur, Jaunpur-222125. PR09900596	60 Jay Bajarangbali Private ITI, Sointha, Jaunpur-222161. PR09900225	Prashikshan Sansthan, Jamuniya, Jaunpur-223103. PR09000577
1/1 दिए गये पते पर संस्थान उपलब्ध नहीं है। अतः अनुपयुक्त है। Trade Units not mention in S/D reports.		संस्थान एक आवसीय भवन प्रतीत होता है। जि परिवार रह रहे हैं। ट्यवसायो से संबंधित कोई भी साज र उपलब्ध नहीं देखी गई। अंतः वर्तमान में प्रवेश अनुपयुक्त है।	। संस्थान प्रबंधक द्वारा प्रमाणपत्र दिया गय द्वारा संस्थान बंद कर दिया गया है। विगत व बंद है। अंतः वर्तमान में प्रवेश हेतु अनुपयुक्त 3	 संस्थान का बोर्ड एक आवासीय भवन पर लगा हुआ है। आवास के परिसर में आईटीआई व्यवसायों से संबंधित कोई बे मशीनरी एवं अन्य सुविधाये वर्तमान में उपलब्ध नहीं पायी गई। प्रवेश हेतु अनुपयुक्त है। 	संस्थान में ताला बंद पाया गया जाँच नहीं की जा सकी 36. प्रवेश हेतु अनुपयुक्त	प्रवेश हेतु उपयुक्त नहीं विगत वर्षों से संस्थान क्रियाशील नहीं है।	अवेश हेतु उपयुक्त नहीं । दिए गये पते पर संस्थान उपलब्ध नहीं है।		
De-affiliated	De-affiliated	De-affiliated	De-affiliated	De-affiliated	De-affiliated	De-affiliated	De-affiliated	De-affiliated	



31.	I I I IIdille diin Anni ess	HIEBMAIINES & PCHACHCICS COMMING AIRCE
2		verification of Show Cause Notice reply
2		Velification of Show Cause Notice relaty

	Hadre Office Hot Hellfron III 3/0 reboxes		
	Trade Units not montion in S/D reports	PR09000176	
	building is being used.	Pratapgarh-230001.	
	This pvt ITI has not building & For ITI and ITI	Pure Narsingh Bhan Sadar	
De-affiliated	Not Recommended for admission	Keshav Private ITI, Jogapur	78
	Trade Units not mention in S/D reports		
	and not filling admission.	PR09000041	
	Since last five years ITI is not admitting trainees	Road Pratapgarh-230001.	
Do-affiliated	Not Designated the submission	1	
		report of S/D And this ITI	
		MIS Code not mentioned in	
	<u>√</u>	Allahabad-	
De-affiliated	दिए गये पते पर संस्थान उपलब्ध नहीं है। अतः अनुपयुक्त	Shaurya Private ITI, Jasra,	76
		PU09001690	
		Allahabad-211003.	
De-dilliated	दिए गयं पतं पर संस्थानं उपलब्धं नहीं है । अनुपयुनत	Nalanda Private III, 137/123	75
P CCITAL D	222	NCVT Portal.	
		in S/D reports not match in	
		This MIS code PR09001080	
		PR09900003	
	(((((((((((((((((((
De-affiliated	दिए गये पते पर संस्थान उपलब्ध नहीं है। अतः अन्पय्क्त		74
		report of S/D.	
		MIS Code not mentioned in	
		PR09000482	
	3	Saray, Allahabad-211011.	
	C C	229B/8 Jayantipur Sulem	
De-affiliated	दिए गये पते पर संस्थान उपलब्ध नहीं है। अतः अन्पय्क्त	Ajay Raj Singh Private ITI,	73
		PR09000919	
		Allahabad-211001.	
		Road, George Town	
	Na 44 - 17 - 18 - 18 - 18 - 18 - 18 - 18 - 18	Private ITI, 14A, Association	,
De-affiliated	पर्वकार ने बनागा हमें बंद कर दिया गया है। भन्नपयक्त है।	Acress Computer Education	3
	Trade Units not mention in S/D reports	PR09000989	
29/1/2019)	भनपयक्त	Naini Allahabad-211010.	
(as per DET UP letter	Construction details not provided.	Studies Private ITI, Mavaiya,	ŀ
Under review	BCC not available	R.K. Institute of Technical	71
		PR09001615	
	Trade Units not mention in S/D reports	Allahabad-221505.	
		Liddle Road George Town,	
De-affiliated	दिए गये पते पर संस्थान उपलब्ध नहीं है। अन्पयुक्त	C.V.A.P.P.S Private ITI, 9-H	70
		PR09001042	
		Allahabad-211012.	
		Chandrabhannur.	
	दिए गीय पत पर सस्यान उपलब्ध नहां है। अनुपयुक्त	ITI Allahahad Ihalwa	69
De-affiliated	D	Charles Cinch Driveto	3



	verification of Show Cause Notice reply		No
Decision taken	Irregularities & Deficiencies confirmed after	ITI name and Address	SI.

		not showing NCVT Portal.	
De-affiliated	संस्थान संचालित नहीं है। अतः अनुपयुक्त है।	R.D Private ITI, Mathura- MIS Code not mentioned in	8
ре-апшатео	भवन, मशीनरी एवं पावर नहीं मिला। अतः अनुपयुक्त हैं।	Shri Giriraj Maharaj Private ITI, Raipura Jaat, Farah Mathura-281502. PR09000217	87
ре-апшатео	भवन, मशीनरी एवं पावर नहीं मिला अतः अनुपयुक्त ह	Amar Private ITI, Mathura- 281122. PR09001869	86
De allillated	मशानरा एवं पावर नहीं ।मली । अतः अनुपयुक्त हं ।	Shri Pandit Hukum Singh Private ITI, Atas Mathura- 281001. PR09000210	85
De-affiliated	मशीनरी एवं उपकरण नहीं मिले । अतः अनुपयुक्त है ।	Akhil Bhartiya Private ITI, Bharatpur Road Mathura- 400004. PR090000040	84
De-affiliated	दिए गये पते पर संस्थान उपलब्ध नहीं है।	Shiv Shankar Private ITI, Kasturba Nagar, Jain Nagar, Firozabad-283202. PR09001263	83
De-affiliated	संस्थान के समय प्रबंधक/ प्रधानाचार्य से सम्पर्क करने का प्रयास किया गया किन्तु कोई भी व्यक्ति नहीं मिला सिर्फ दूरभाष पर अवगत कराया की वर्ष 2013 से संस्थान में प्रवेश नहीं ले रहे है एवं भविष्य में इच्छुक भी नहीं है। अंतः प्रवेश हेतु अनुपयुक्त घोषित किया जाता है।	St. Johns Private ITI, Hospital Road Rajendra Market Agra- 282003. PU09001595	82
De-affiliated	निरीक्षण के समय भवन बंद पाया गया। संस्थान के समय प्रबंधक/ प्रधानाचार्य से सम्पर्क करने का प्रयास किया गया किन्तु कोई भी व्यक्ति नहीं मिला सिर्फ दूरभाष पर अवगत कराया की वर्ष 2015 से संस्थान में प्रवेश नहीं ले रहे है एवं भविष्य में इच्छुक भी नहीं है। अंतः प्रवेश हेतु अनुपयुक्त है	Krishna Private ITI, Jagner Kheragarh, Agra-283115. PR09001393	81
De-affiliated	निरीक्षण के समय भवन बंद पाया गया। भवन अत्यंत ही जीर्ण-शीर्ण हालत में था। उक्त भवन में संस्थान चलाया जाना सम्भव नहीं है। प्रयासोपरांत भी प्रबंधक/ प्रधानाचार्य से सम्पर्क नहीं हो सका। अंतः प्रवेश हेतु अनुपयुक्त घोषित	Lalchandra Bhagwandas Private ITI, Sadar Bazar , Agra-282001. PR09000499	80
De-affiliated	उपरोक्त विवरण की आईटीआई पूर्ण रूप से बंद पायी गई एवं प्रधानाचार्य ITC राम पुर थरियार के द्वारा लिखित अवगत कराया गया की बंद की जा चुकी है। Trade Units not mention in S/D reports	Kaushal Private ITI, Thariyaon, Fatehpur- 212622. PR09001216	79



e reply	verification of Show Cause Notice reply		No.
med after Decision taken	irregularities & Deficiencies confirmed after	ITI name and Address	SI.

	verification of Show Cause Notice reply		No
Decision t	Irregularities & Deficiencies confirmed after	ITI name and Address	SI.

		report of 3/0.	
		MIS Code not mentioned in	
		PR09001601	
	Trade Units not mention in S/D reports.	Dhawan Hathras-204213	
De-affiliated	उक्त संस्थान भौतिक रूप से संचालित नहीं पाया गया है।	_	110
		not showing NCVT Portal.	
	וו ממכי סווויט ווסר וווירוויסוי וווי של סי ריסיי כי	report of S/D And this ITI	
	Trade Units not montion in C/D reports	MIS Code not mentioned in	
	उस्त संस्थान नातिम रूप संस्थालत नहां नाया नया है।	Sacni Hathras-	EOT
De-affiliated		-	2
	Irade Units not mention in 3/0 reports.	MIS Code not mentioned in	
	प्रवश हत् अवस्थित ह।	PR09000613	
	יייייייייייייייייייייייייייייייייייייי	Hathras-204213	
	क्योंकि उम्मे पार्वमी देवी भार्वमीभार्व मंनालिन शी। भंनः	_	ŀ
De-affiliated	उक्त संस्थान भौतिक रूप से संचालित नहीं पाया गया है।	\rightarrow	108
	Trade Units not mention in S/D reports	PR09001605	
	अनुपयुक्त है।	281306.	
	क्योंकि उसमे RB ITI संचालित थी । अंतः प्रवेश हेतु	Badhar Chaurana, Hathras	
De-affiliated	उक्त संस्थान भौतिक रूप से संचालित नहीं पाया गया है।	_	107
		report of S/D.	
	I rade Units not mention in 5/D reports	MIS Code not mentioned in	
	प्रवेश हितु अनुपयुक्त है।	PR09000924	
	क्यांक उसम राजा द्वा अहिटाआई स्वालित या । अतः	204212.	
	क्योंकि रममे गानो हेती आईटीआई मंत्राविन शी। अंतर	_	
De-affiliated	उक्त संस्थान भौतिक रूप से संचालित नहीं पाया गया है।	Ram Swaroop Private ITI,	106
		PR09900684	
		281122.	
De-allillated	सवन, मेशीनरा एवं पावर नहीं। मेली। अतः अनुपयुक्त है।	Road Farah, Mathura-	T05
Do-affiliated			
		PR09900465	
		Village-Bhadar, Post-Son,	
De-affiliated	भवन, मशीनरी एवं पावर नहीं मिला। अतः अनुपयुक्त है।		104
		PR09900388	
		281301.	
		Road Baldeo. Mathura-	
De-dillilated	मेवर्ग, मेशानरा एवं पावर नहीं । मेली । अतः अनुपर्युक्त हं ।		FOT
P Reserved		-	
		281001.	
		Aduki, Road, Mathura-	
De-affiliated	भवन, मशीनरी एवं पावर नहीं मिला। अतः अनुपयुक्त है।	PT N R Private ITI, VPO-	102
to continue		PU09900289	
carried out, Affiliation	واطعال فالاالقالا الاطاطالا فالكارا العالانا العالدات العالانا العالانا العالدات الع		TOT
Joint Inspection will be	भनन सभीनी एनं पातर नहीं मिला। भनः भनपरास्त है।	P P Private ITI Makhdum	101



Irregularities & Deficiencies confirmed after verification of Show Cause Notice reply

Decision taken

SI.

	Trade Units not mention in 3/D reports.	PR09000676.	
	Trade lists not montion in C/D topoets	Ramnivas Colony, G.T Road,	
De-affiliated	Not Recommended for admission	L5 Etah Private ITI, Near Kanshi	115
	Trade Units not mention in S/D reports	PR09000523	
		Todapur, Etah-207001	
De-affiliated	Not Recommended for admission	L4 S. S. Private ITI,	114
		PR09000062	
		207001.	
	Trade Units not mention in S/D reports	Etah Road, Mirhachi, Etah-	
De-affiliated	Not Recommended for admission	L3 Chandrakanta Private ITI,	113
		report of S/D.	
		MIS Code not mentioned in	
	Trade Units not mention in S/D reports.	PR09001603	
		Barai, Etah-207001	
	Not recommended for admission.	Gulabpur Muhiuddinpur,	
De-affiliated		L2 Rajan Shri Private ITI,	112
	Trade Units not mention in S/D reports		
	एवं निरस्त किये जाने की संस्तुति की जाती है।		
	इसलिए प्रवेश सत्र 2018 हेतु संस्तुति नहीं की जा सकती		
	सत्र में प्रवेश नहीं लेंगे और निरीक्षण नहीं करना चाहते हैं		
	कराया गया की संस्थान को बंद करना चाहते हैं इसलिए	PR09001757	
	24.05.2018 एवं 10रू के स्टेम्प पेपर के द्वारा अवगत	Paharpur Mafi, Kansganj-	
De-affiliated	सम्बंधित संस्थान के प्रबंधक द्वारा प्राथना पत्र दिनाक	L1 M.P. Singh Private ITI,	111

