

To,
The Principal,
Sri Balaji Private ITI
Narayanpet, Mahbubnagar
Telangana pin code- 509210

SHOW- CAUSE NOTICE: DE-AFFILIATION OF TRADES/UNITS- REGARDING.

Sir/ Madam,

This office is in receipt of a Letter No.Lr. No.D/ 1808/ 2019 Dated 24.05.2019, from the Commissioner, Employment & Training of Telengana State, forwarding therewith the inspection report of the above mentioned ITI (Copy enclosed). The State Directorate has informed that during inspection they have found following Irregularities:

1. III phase power connection is available and 96 units of power was consumed as per April, 2019 Bill.
2. As per the latest DGT norms, 13.40 KW power required for the trades and units sanctioned to this institute. But altogether 20.11 KW contracted load was sanctioned.
3. Huge shortage of machinery and Equipment in Draughtsman Civil Trade.
4. Computer Lab for Draughtsman Civil Trade is not available.
5. IT Lab and library is not available.
6. There is only four class rooms is available as against the requirement of 5 class rooms.
7. Trainee's attendance is very poor. On the day of inspection only 19 trainees are present.
8. Trainees records and faculty are not available.

Accordingly, the State Directorate has recommended for De-affiliation of your ITI for the trade/units as mentioned above, from NCVT. In view of above, you are requested to clarify why action should not be initiated to de-affiliate your Institute.

In this regard, your reply must reach this office latest by 26th June, 2019.

Yours faithfully,

(Mihir Kr. Parial)

Director of Training

Email: mk.parial61@nic.in

Enclosure: As above.

Note: This notice does not invalidate any other previous notice(s) served upon you.

Copy to:

1. The Commissioner, Employment & Training, D / Block, 3rd & 4th Floors, BRK Bhavan, Tankbund Road, Hyderabad; to ensure trainee are not admitted in the ITI/ Trade/Units proposed for de-affiliation.
2. File No. DGET-6/1/40/2011-TC (NCVT MIS Code: - PR36000236)

Yours faithfully,

(CH. Ravi)

Joint Director of Training
E-mail: ravi.chilukoti@nic.in

o/c

CR Sutan Bhusi DGB

22/6/19



To,

The Principal,
BadamVenkataiah Industrial Training Centre
JedcherlaPerur, Distt-Mahbubnagar,
Telangana509219

SHOW- CAUSE NOTICE: DE-AFFILIATION OF TRADES/UNITS- REGARDING.

Sir/ Madam,

This office is in receipt of a Letter No.Lr. No.D/ 1807/ 2019 Dated 24.05.2019, from the Commissioner, Employment & Training of Telengana State, forwarding therewith the inspection report of the above mentioned ITI (Copy enclosed). The State Directorate has informed that during inspection they have found following Irregularities:

1. This institute is functioning in a multistoried building. Badam Balakrishtamma Memorial DAV High School is also functioning in this Building.
2. III Phase power connection available, last month power bill was not submitted, however 423 Units were consumed as per the March, 2019 bill.
3. As per the latest DGT norms, 11.31 Kw power required for the trades and units sanctioned to this institute. But altogether 05.00 KW contracted load was sanctioned.
4. Machinery & Equipment are not available to the Mechanic Diesel, Fitter and Draughtsman Civil Trades.
5. Separate Labs are not available for the Trades affiliated. However the available is kept in one Hall.
6. IT Lab and library were not available.
7. Computer Lab for Draughtsman Civil Trades is not available.
8. There are only 5 instructors available as per staff attendance register where as the requirement is 7.
9. Only one instructor is attended on the day if inspection.
10. There is only one class room is available as against the requirement of there class rooms.
11. None of the Trainees attended on the day of inspection.
12. Trainee records and faculty records are not available.

Accordingly, the State Directorate has recommended for De-affiliation of your ITI for the trade/units as mentioned above, from NCVT. In view of above, you are requested to clarify why action should not be initiated to de-affiliate your Institute.

In this regard, your reply must reach this office latest by 26th June, 2019.

Enclosure: As above.

Yours faithfully,

(Mihir Kr. Parial)

Director of Training

Email: mk.parial61@nic.in

Note: This notice does not invalidate any other previous notice(s) served upon you.

Copy to:

1. The Commissioner, Employment & Training, D / Block, 3rd & 4th Floors, BRK Bhavan, Tankbund Road, Hyderabad; to ensure trainee are not admitted in the ITI/ Trade/Units proposed for de-affiliation.
2. DGET-6/1/41/88-TC (NCVT MIS Code: - PR36000062)

Yours faithfully,

(CH. Ravi)

Joint Director of Training

E-mail: ravi.chilukoti@nic.in

o/c

CR Section Please refer

11/6



To,

The Principal,
Saradhi Residential ITI,
Devarakonda Nalgonda,
Telangana 508248

SHOW- CAUSE NOTICE: DE-AFFILIATION OF TRADES/UNITS- REGARDING.

Sir/ Madam,

This office is in receipt of a Letter No.Lr. No.D/ C.No.429/6/ 2019 Dated 15.05.2019, from the Commissioner, Employment & Training of Telengana State, forwarding therewith the inspection report of the above mentioned ITI (Copy enclosed). The State Directorate has informed that during inspection they have found following Irregularities:

1. Only 8 Trainees are present at the time of inspection.
2. No sufficient Tools, Machinery and requirement for both Trades except a few old Motors are available in Electrician Lab, No equipments for Electronic Mech Lab, No practical training is imparted and no classes are conducting as per syllabus. There are no Training records available.
3. There are no workshop for Electronic Mechanic Trade.
4. The workshop area for Electrician 4(2+2) units not as per norms.
5. There is no IT Lab.
6. Only two class Rooms are available instead of there and no drawing hall is available.
7. No faculty present on the day of inspection except two faculty for Electrician Trade.
8. As per norms seven instructors are required for this Institute whereas only two instructors are present.

Accordingly, the State Directorate has recommended for De-affiliation of your ITI for the trade/units as mentioned above, from NCVT. In view of above, you are requested to clarify why action should not be initiated to de-affiliate your Institute.

In this regard, your reply must reach this office latest by 26th June, 2019.

Enclosure: As above.

Yours faithfully,

(Mihir Kr. Parial)

Director of Training

Email: mk.parial61@nic.in

Note: This notice does not invalidate any other previous notice(s) served upon you.

Copy to:

5. The Commissioner, Employment & Training, D / Block, 3rd & 4th Floors, BRK Bhavan, Tankbund Road, Hyderabad; to ensure trainee are not admitted in the ITI/ Trade/Units proposed for de-affiliation.
6. DGET -6/1/5/2005-TC(Pvt.) (NCVT MIS Code: - PR 36000178)

Yours faithfully,

(CH. Ravi)

Joint Director of Training

E-mail:- ravi.chilukoti@nic.in

o/c

Ch. Sreet. P. Ramesh

11/6/19



To,

The Principal,
Comp-Tech Pvt. ITI
S.S.Gupta, Mahbubnagar,
Telangana 509001

SHOW- CAUSE NOTICE: DE-AFFILIATION OF TRADES/UNITS- REGARDING.

Sir/ Madam,

This office is in receipt of a Letter No.Lr. No.D/ C.No.615/ 2019 Dated 15.05.2019, from the Commissioner, Employment & Training of Telengana State, forwarding therewith the inspection report of the above mentioned ITI (Copy enclosed). The State Directorate has informed that during inspection they have found following Irregularities:


1. This institute was recently shifted to new premises.
2. 3-phase connection is not available. But, single phase connection are three available under 2-A category and 66 Units of power was consumed as per Mar, 2019 Bill.
3. As per latest DGT Norms, 21.75 KW power is required for Trades and units sanctioned to this Institute. But altogether 03.00 KW contracted load was sanctioned to the three single phase connections.
4. Tools, Machinery and Equipment are available for Electrician Trade to the extent of 80%.
5. Huge shortage of Machinery and Equipment in Fitter Trade. Power connection was not given to the Machine.
6. Electronic Mechanic Trade Lab not available and machinery and Equipment was not available. Trainees are not admitted during this academic year.
7. Mechanic Diesel Trade Lab not available. Only five unserviceable engines are available which are kept in the Fitter Lab.
8. IT Lab and Library are not available.
9. There are only 2 Instructors available as per the staff attendance Register where as requirement is 12.
10. There are only 2 Class Rooms available as against the requirement of 7.
11. Sufficient space is not available for Fitter and Electronic Mechanic Trades.
12. Trainees attendance is very poor i.e, 34% on the day of inspection.

Accordingly, the State Directorate has recommended for De-affiliation of your ITI for the trade/units as mentioned above, from NCVT. In view of above, you are requested to clarify why action should not be initiated to de-affiliate your Institute.

In this regard, your reply must reach this office latest by 26th June, 2019.

Enclosure: As above.

Yours faithfully,


(Mihir Kr. Parial)
Director of Training
Email: mk.parial61@nic.in

Note: This notice does not invalidate any other previous notice(s) served upon you.

Copy to:

3. The Commissioner, Employment & Training, D / Block, 3rd & 4th Floors, BRK Bhavan, Tankbund Road, Hyderabad; to ensure trainee are not admitted in the ITI/ Trade/Units proposed for de-affiliation.
4. DGET -12/2/1997-TC (NCVT MIS Code: - PR36000126)

Yours faithfully,


[CH. Ravi]

Joint Director of Training
E-mail:- ravi.chilukoti@nic.in

Ch Sect. R. D. Sene.




To,

The Principal,
Sarada Industrial Training Centre
Near Old Degree College
Telangana- 509001

SHOW- CAUSE NOTICE: DE-AFFILIATION OF TRADES/UNITS- REGARDING.

Sir/ Madam,

This office is in receipt of a Letter No.Lr. No.D/ C.No.616/ 2019 Dated 29.05.2019, from the Commissioner, Employment & Training of Telengana State, forwarding therewith the inspection report of the above mentioned ITI (Copy enclosed). The State Directorate has informed that during inspection they have found following Irregularities:


1. This institute is having 3-phase connection, but it is in the name of srinivasa computers with contracted load of 01.00 KW, where as the power requirement is 16.49 KW as per DGT norms for all trades.
2. Machinery and Equipment were not available to then Electronic mechanic, COPA and Draughtsman Civil Trades.
3. IT Lab and Library were not available.
4. Computer Lab for Draughtsman Civil Trades is not available.
5. There are only (3) instructors available as per staff attendance Register where as requirement is (01) Training Officer and (09) Instructors.
6. There are only two class rooms available as against the requirement of FOUR.
7. The class Rooms and Labs are in very bad condition.
8. Trainees attendance is very poor i.e., Only 07 trainees attended on the day of inspection.
9. The Building is very old and in collapsible condition.
10. Trainee Records and Faculty records are not available.

Accordingly, the State Directorate has recommended for De-affiliation of your ITI for the trade/units as mentioned above, from NCVT. In view of above, you are requested to clarify why action should not be initiated to de-affiliate your Institute.

In this regard, your reply must reach this office latest by 26th June, 2019.

Enclosure: As above.

Yours faithfully,



(Mihir Kr. Parial)
Director of Training
Email: mk.parial61@nic.in

Note: This notice does not invalidate any other previous notice(s) served upon you.

Copy to:

1. The Commissioner, Employment & Training, D / Block, 3rd & 4th Floors, BRK Bhavan, Tankbund Road, Hyderabad; to ensure trainee are not admitted in the ITI/ Trade/Units proposed for de-affiliation.
2. DGET -6/1/80/93-TC (NCVT MIS Code: - PR36000166)

Yours faithfully,


(CH. Ravi)
Joint Director of Training
E-mail: ravi.chilukoti@nic.in

7/6

CH. Ravi Please Issue


11/6/19
11/6

To,

The Principal,
Rural Industrial Training Centres,
Kolhapur, Mahbubnagar, Telangana
Pin code- 509102

SHOW- CAUSE NOTICE: DE-AFFILIATION OF TRADES/UNITS- REGARDING.

Sir/ Madam,

This office is in receipt of a Letter No.Lr. No.D/ 1814/ 2019 Dated 20.05.2019, from the Commissioner, Employment & Training of Telengana State, forwarding therewith the inspection report of the above mentioned ITI (Copy enclosed). The State Directorate has informed that during inspection they have found following Irregularities:

1. Only one shed is available with 1250 sq.ft. The management stated that new building is under construction.
2. 3-phase power supply of 10 KW available against 31.60 KW required.
3. No machinery and equipment available for Electrician, Mechanic Diesel and Health sanitary inspector.
4. Separate Labs are not available.
5. No class rooms available.
6. No IT Lab available.
7. Only 6 Technical Staff available as per the attendance register. But as per DGET norms 17 staff member are required.
8. On the day inspection 5 staff member attended.
9. No office staff available.
10. None of the students present at the time of inspection. The management stated that they declared local holiday.
11. Records are not maintaining by the staff and trainees.

Accordingly, the State Directorate has recommended for De-affiliation of your ITI for the trade/units as mentioned above, from NCVT. In view of above, you are requested to clarify why action should not be initiated to de-affiliate your Institute.

In this regard, your reply must reach this office latest by **26th June, 2019.**

Enclosure: As above.

Yours faithfully,


(Mihir Kr. Parial)

Director of Training


Email: mk.parial61@nic.in

Note: This notice does not invalidate any other previous notice(s) served upon you.

Copy to:

1. The Commissioner, Employment & Training, D / Block, 3rd & 4th Floors, BRK Bhavan, Tankbund Road, Hyderabad; to ensure trainee are not admitted in the ITI/ Trade/Units proposed for de-affiliation.
2. DGET-6/1/68/98-TC(NCVT MIS Code: - PR36000161)

Yours faithfully,


(CH. Ravi)

Joint Director of Training
E-mail:- ravi.chilukoti@nic.in

g/c

CR Section Release issue


28/11/19

11/6