

**No. DGT-12/1/2018-TC (Part)**  
**Government of India**  
**Ministry of Skill Development and Entrepreneurship**  
**Directorate General of Training**

Employment Exchange Building,  
1st floor, Pusa, New Delhi,  
Dated: 7<sup>th</sup> August, 2019

To

**The State Directors,**

(Andaman & Nicobar Island, Andhra Pradesh, Assam, Bihar, Chandigarh, Delhi, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Lakshadweep, Meghalaya, Madhya Pradesh, Maharashtra, Odisha, Rajasthan, Tamil Nadu, Uttarakhand, Tripura, Uttar Pradesh, West Bengal, ) dealing with craftsman Training scheme.

**Subject: Affiliation of Units/Trades of Govt. /Pvt. ITIs with NCVT.**

Sir,

The proposals of affiliation of trade(s)/Unit(s) with NCVT received along with recommendation of standing committee inspection reports from the respective State Government. These were scrutinized and put up before the members of the Recommendation Committee of Directorate General of Training (DGT) dealing with affiliation of ITIs in its meeting held on 31<sup>st</sup> July, 2019 at DGT, MSDE, New Delhi for its consideration and approval.

2. The Recommendation Committee of DGT examined affiliation proposals and accorded approval to the proposals conforming to the NCVT Norms, as per the list enclosed herewith.
3. The affiliation of the trade(s)/unit(s) stated above are further subjected to,
  - Periodic verification.
  - The ITI must comply with NCVT norms/guidelines issued from time to time.
  - ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. In case of any discrepancy observed in the affiliation order, same may be intimated to undersigned within 15 days after the date of issue of order.

Yours Sincerely



**(Sunil Kr. Gupta)**  
**Director of Training**

**Copy along with enclosures for information to:**

1. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal.
2. Guard File
3. All Concerned Institutes.



**(Ravi Chilukoti)**  
**Joint Director of Training**



**STATE: Andaman & Nicobar Island**

**Dated: 31/07/2019**

**Total -2(Old-1/New-1)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	Existing /New	NCVT/MIS Code	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Government Industrial Training Institute, Arong, Car Nicobar, Nicobar District, Andaman & Nicobar Islands - 744301	New		Electrician Plumber Welder Mason Stenographer & Secretarial Practice COPA	4(2+2+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	4(2+2+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
2.	Government Industrial Training Institute, Dollygunj, Junglighat PO, Port Blair, South Andaman, Nicobar District, Andaman & Nicobar Islands - 744103	Existing	GR35000001	Information Communication Technology System Maintenance Electrician	Addl. 3(1+2+0) Addl. 3(1+2+0)	Addl. 3(1+2+0) Total 4(2+2+0) Addl. 3(1+2+0) Total 4(2+2+0)	w.e.f. August 2019

*Sanil Kumar*  
08/8/19  
8/8/19



**STATE: Andhra Pradesh**

**Dated: 31/07/2019**

**Total - 5(Old-2/New-3)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Pragathi Private ITI, Ardhnnapalem Revenue Village, Baligattam Junction, Kothavalasa Mandal, Vizianagaram Distt, Andhra Pradesh-535183	PR28000500	Existing	COPA Draughtsman Civil Sheet Metal Worker Electrician Surveyor	2(1+1+0) 2(1+1+0) 2(1+1+0) Addl.2(1+1+0) Total 8(3+3+2) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) Addl.2(1+1+0) Total 8(3+3+2) 2(1+1+0)	w.e.f. August 2019
2.	Jesus Dogga Private ITI, Christ Centre, Gangubudi Village, Distt Lakkavarapukota (Mandal), Vizianagaram Distt- Andhra Pradesh-535183	PU28000489	Existing	Painter Draughtsman Civil COPA	3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1)	w.e.f. August 2019
3.	Zion technical Institute, Suratupalli(Village), Nagalapuram (Mandi), Chittoor (Distt.), Andhra Pradesh 517588		New	Electrician Fitter COPA Welder	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019

*Sanit Kumar*  
8/8/19



**STATE: Andhra Pradesh**

**Dated: 31/07/2019**

**Total - 5(Old-2/New-3)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
4.	Vignabharathi Private ITI, Giddalur, Prakasam Dist.- Andhra Pradesh- 523357		New	Electrician Fitter Draughtsman Civil Laboratory Assistant(Chemical Plant)	6(2+2+2) 6(2+2+2) N.R. N.R.	6(2+2+2) ✓ 6(2+2+2) ✓ N.R.* N.R.*	w.e.f. August 2019  DM (Civil) & LACP shortage in T&E
5.	Sri Shridi Sai Private ITI, Chinnaganjam Distt-Prakasam, Andhra Pradesh- 523135		New	Electrician Fitter Sewing Technology Computer Hardware and Networking Maintenance	2(1+1+0) 2(1+1+0) N.R. N.R.	2(1+1+0) ✓ 2(1+1+0) ✓ N.R.* N.R.*	w.e.f. August 2019  ST & CHNM NR due to space and T&E not available

\* **NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.

08/08/19

Sunil Kumar  
8/8/19



**STATE: Assam**

**Dated: 31/7/2019**

**Total - 2(New-2)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Kaziranga Pvt, ITI, At Road, Rudrasagar, P.O: Joysagar, Dist. Sivasagar, Pin. 785665		New	Mechanic Diesel  Electrician  Fitter	4(2+2)  4(2+2)  4(2+2)	4(2+2)  4(2+2)  4(2+2)	w.e.f. August 2019
2.	HAM-AK ITI, Vill+P.O- Shillongoni, Dhing Road, Nagaon, Assam , Pin 782002		New	Electrician  Wireman  Motor Mechanic Vehicle  Mechanic Diesel  Fitter	N.R.  N.R.  N.R.  N.R.  N.R.	N.R.  N.R.  N.R.  N.R.  N.R.	all trades not recommended by Joint Inspection committee

08/8/19

Sumit  
8/8/19



STATE: Chhattisgarh

Dated: 31/07/2019

Total -18(Old-11/New-7)

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	Existing /New	NCVT/MIS Code	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Skill Mantra Pvt. ITI Pendra, Bilaspur, Chhattisgarh	Existing	PR22000194	SSA Hindi	N.R.	N.R.	Not Recommended by JIC
2.	J.K Pvt. ITI, Vill-Farhada, Bilaspur, Dist. Bilaspur, Chhattisgarh	New		SSA Hindi	N.R.	N.R.	Not recommended for all trades by JIC; B.Ed college is running in same premises, no safety measures.
				Draughtsman civil	N.R.	N.R.	
				Mech. Ref. & Ac	N.R.	N.R.	
				COPA	N.R.	N.R.	
				Surveyor	N.R.	N.R.	
				Fitter	N.R.	N.R.	
				Office Assistance cum Operator	N.R.	N.R.	
3.	Swayam Prabha Pvt. ITI, Main Road Front of Forest office Marwahi, Dist. Bilaspur Chhattisgarh 495118	New		SSA Hindi	N.R.	N.R.	Not recommend for all trades by JIC; NR due to shortage of TE and no safety measures
				COPA	N.R.	N.R.	
				Electrician	N.R.	N.R.	
				Hospital & Housekeeping	N.R.	N.R.	
4.	Sonkar Pvt. ITI Raipur Road Bundeli, Mungeli-Chhattisgarh 495334	Existing	PU22000178	Fitter	N.R.	N.R.	Not recommend for all trades by JIC; NR due to shortage of TE and no safety measures
				Electrician	N.R.	N.R.	
				Welder	N.R.	N.R.	
				Health Sanitary Inspector	N.R.	N.R.	

*Sumit*  
8/8/19



STATE: Chhattisgarh

Dated: 31/07/2019

Total -18(Old-11/New-7)

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	Existing /New	NCVT/MIS Code	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
5.	Century Cement ITI Baikunth	New		Electrician Diesel Mechanic Welder COPA	N.R. N.R. N.R. N.R.	N.R. N.R. N.R. N.R.	Not recommended for all trades by JIC; NR due to Annexure-III, dedicated lab not available and shortage in major machinery
6.	Jagrani Devi ITI, Birra, Distt.- Janjgir, Champa, Chhattisgarh	Existing	PR22000113	COPA	N.R.	N.R.	Not recommended by JIC
7.	Jagrani Devi ITI, Dabhra, Distt.- Janjgir, Champa, Chhattisgarh	Existing	PR22000228	COPA	N.R.	N.R.	Not recommended by JIC
8.	Mahamaya Pvt. ITI, Murum Khadan, Vill-Khamtarai, Near DLS College, Ashok Nagar, Taluk- Bilha, Distt.- Bilaspur, Chhattisgarh - 495006	Existing	PR22000101	COPA	2(1+1)	2(1+1)	w.e.f. August 2019
9.	Srijan Pvt. ITI, Seoni, Distt.- Balod, Chhattisgarh - 491226	Existing	PU22000141	COPA Stenographer Secretarial Assistant(Hindi) Health Sanitary Inspector	Addl. 2(1+1+0) Total 4(2+2+0) 2(1+1+0) 2(1+1+0)	Addl. 2(1+1+0) Total 4(2+2+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019

*[Signature]*  
8/8/19

*[Signature]*  
08/8/19



STATE: Chhattisgarh

Dated: 31/07/2019

Total -18(Old-11/New-7)

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	Existing /New	NCVT/MIS Code	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
10.	PRISM Pvt. ITI, Mahkakhurd, Patan, District-Durg, Chhattisgarh-491107	Existing	PU22000138	COPA  Stenographer Secretarial Assistant(Hindi)	Addl. 2(1+1+0) Total 4(2+2+0)  2(1+1+0)	Addl. 2(1+1+0) Total 4(2+2+0)  2(1+1+0)	w.e.f. August 2019
11.	Sure Success Private ITI,(1922026887) Kundrupara Perras Distt-Balod, Chhattisgarh-491226	New		COPA  Stenographer Secretarial Assistant Hindi  Health Sanitary Inspector  Wireman  Electrician	4(2+2)  2(1+1)  2(1+1)  2(1+1)  2(1+1)	4(2+2)  2(1+1)  2(1+1)  2(1+1)  2(1+1)	w.e.f. August 2019
12.	Ashoka Private ITI, Gram-Torankatta Distt-Rajnandgaon, Chhattisgarh-491441	New		Electrician  Wireman  COPA  Stenographer and Secretarial Assistant(Hindi)	4(2+2)  4(2+2)  6(3+3)  4(2+2)	4(2+2)  4(2+2)  6(3+3)  4(2+2)	w.e.f. August 2019
13.	BM Private ITI, Gokul Magar, Balod Road, Pulgaon, Distt-Durg-491001	Existing	PR22000170	Mechanic Diesel  Stenographer and Secretarial Assistant(Hindi)  Health Sanitary Inspector	2(1+1)  2(1+1)  2(1+1)	2(1+1)  2(1+1)  2(1+1)	w.e.f. August 2019

*Sanjay Kumar*  
8/8/19

*08/08/19*





**STATE: Chhattisgarh**

**Dated: 31/07/2019**

**Total -18(Old-11/New-7)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	Existing /New	NCVT/MIS Code	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
14.	Sun Private ITI, Chandkhuri, Durg, Chhattisgarh-491222	Existing	PR22000193	Fitter COPA Stenographer and Secretarial Assistant(Hindi)	4(2+2) Addl.4(2+2) 4(2+2)	4(2+2) Addl.4(2+2) Total8(4+4) ✓ 4(2+2) ✓	w.e.f. August 2019
15.	Samadhan Private ITI, Samriddhi Vihar, Vill-Fari Popst-Bijabhat, Block Distt-Bemetara, Chhattisgarh-491335	Existing	PU22000142	Computer Operator and Programming Assistant Stenographer Secretarial Assistant (Hindi)	Addl. 2(1+1) 2(1+1)	Addl. 2(1+1) Total.4(2+2) ✓ 2(1+1) ✓	w.e.f. August 2019
16.	SwayamPrabha Pvt. ITI, Pendra Road, Dist. Bilaspur Chhattisgarh 495118	New		SSA Hindi	2(1+1)	2(1+1)	w.e.f. August 2019
17.	Jagrani Devi Pvt. ITI, Bilaspur, Chhattisgarh	New		Electrician COPA	N.R. N.R.	N.R. N.R.	NR as no such ITI found
18.	Jagarni Devi Pvt ITI, Baradwar, Dist. Jangir, Champa, Chhattisgarh	Existing	PR22000097	Electrician COPA	3(1+1+1) N.R.	3(1+1+1) N.R.	w.e.f. August 2019; Not recommended by JIC ✓

*Sanil Kumar*  
8/8/19

*Co-ordinator*



STATE: Chandigarh

Dated: 31/07/2019

Total - 1(Old-1)

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Existing /New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Govt. ITI, Sector 28-C, Chandigarh	GU04000002	Existing	Mechanic Auto Body Painting	1(1+0)	1(1+0)	w.e.f. August 2019
				Mechanic Auto Body Repair	1(1+0)	1(1+0)	

*Sumit Singh*  
31/8/19



STATE: Delhi

Dated: 31/07/2019

Total - 2(Old-2)

## Affiliation of Trade/Units with NCVT

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Merit Pvt. ITI, A-9, Qutab Institutional Area, USO Road, Shaheed Jeet singh Marg, New Delhi	PU07000047	Existing	Database System Assistant	2(1+0+1)	2(1+0+1)	w.e.f. August 2019
2.	Akashshine Private ITI, 1449/21 & 2, Main 100 Feet Road, Durgapuri, Shahdara, New Delhi	PR07000010	Existing	Electrician Health Sanitary Inspector	N.R. N.R.	N.R. N.R.	Not recommended by JIC

08/08/19

Sunil Kumar  
8/8/19



**STATE: Gujarat**

**Dated: 31/07/2019**

**Total -10(Old-2/New-8)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	Existing /New	NCVT/MIS Code	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	"Aashara Foundation" kesharnagar Society Part-1, Arjun Aasharam Road, Behind Nirnaynagarm Ranip,Ahmedabad-382480 Gujarat	New		COPA  Desk top publishing operator  Hair & Skin care (VI)  office Assistant cum computer operator	N.R.  N.R.  N.R.  N.R.	N.R.  N.R.  N.R.  N.R.	Not Recommended by SCI
2.	Charotar Gas Private Institute Training Institute, Bakrol bakrol-vadtal road Nr. Knowledge Campus, At. Bakrol, Dist. Anand Gujarat 388315	Existing	PU24008073	Electrician	1(1+0+0)	N.R.	IT lab details not available
3.	Gyanyagn career Institute Pvt. ITI At. Moviya, Tal. Gondal, Dist. Rajkot 360330	New		Health Sanitary Inspector  Horticulture  COPA  Front Office Assistant	N.R.  N.R.  N.R.  N.R.	N.R.  N.R.  N.R.  N.R.	Not Recommended by SCI

*Sumit*  
8/8/19

*08/8/19*

**\*NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Gujarat**

**Dated: 31/07/2019**

**Total -10(Old-2/New-8)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	Existing /New	NCVT/MIS Code	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
4.	KSSMST Shree V.A Panamiya paramedical Institute ITI At-Varahi TA-Santalpurdist patan Pincode 385360	New		Health Sanitary Inspector Photographer Marketing Executive Finance Executive	N.R. N.R. N.R. N.R.	N.R. N.R. N.R. N.R.	Not Recommended by SCI
5.	Shree K.D. Barad ITI, A-Kadavasan, Veraval Highway Road, Old, Ramvadi, Ta-Kodinar, Dist-GIR Somnath-362720, Gujarat	Existing	PR24007114	Health Sanitary inspector Fitter Electrician Welder Mechanic Diesel Engine	N.R. N.R. N.R. N.R. N.R.	N.R. N.R. N.R. N.R. N.R.	NR due to non-availability of permanent sign board, name of school is shown on building, no Principal and staff appointed, heavy shortage in T&E in all trades
6.	Rahimbhai Sharif Ambaliyasana Jafari ITI- Private ITI, At: Sedrana, Ta: Sidhpur Distt. Patan Pin : 384151	New		Electrician Fitter Welder COPA	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019

*Sumit*  
8/8/19

\***NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Gujarat**

**Dated: 31/07/2019**

**Total -10(Old-2/New-8)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	Existing /New	NCVT/MIS Code	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
7.	Deepak Vakal Private ITI, At-Bajwa Tahsil, Dist. Vadodara-391130	New		Fitter Welder Wireman COPA	2(1+1+0) 2(1+1+0) 2(1+1+0) N.R.	2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓ N.R.	w.e.f. August 2019 * Not Recommended by SCI ✓
8.	Shree Yadunandan Education Charitable Trust Self Finance ITI, Bhagavti Building, Opp S.T Bus Stand- Jamkhambhaliya, Dist. Devbhumi Dwarka, Pin-361305 Gujarat	New		Health Sanitary Inspector House Keeper Early Child Hodd Educator Radiology Technician	N.R. N.R. N.R. N.R.	N.R. N.R. N.R. N.R.	lease 11 months, Principal and staff not available ✓
9.	Chatubhuj ITI(Shri Tapasvi Charitable Trust) At- Hadad Dist. Banaskantha Pincode 385110	New		COPA Health Sanitary Inspector Hospital House Keeping	N.R. N.R. N.R.	N.R. N.R. N.R.	NR due to non-availability of permanent Sign Board ✓

*(Signature)*

*(Signature)*  
8/8/19

\***NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Gujarat**

**Dated: 31/07/2019**

**Total -10(Old-2/New-8)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	Existing /New	NCVT/MIS Code	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
				Sewing Technology	N.R.	N.R.	
10.	Maharshi Dayanand College of ITI Baspa Tehsil Sami Dist. Patan Pin code 384245	New		COPA	3(1+1+1)	3(1+1+1)	w.e.f. August 2019
				Health Sanitary Inspector	N.R.	N.R.	*
				Basic Cosmetology	N.R.	N.R.	NR, T&E huge short in HSI, Basic cosmetology, surveyor
				Surveyor	N.R.	N.R.	

*Sanil Kumar*  
31/8/19

*08/8/19*

**\*NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



STATE: Haryana

Dated: 31/07/2019

Total -15(Old-7/New-8)

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	Existing /New	NCVT/MIS Code	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Digvijay Private ITI, Taluk Fatehabad, Dist. Fatehabad, pin Code 125050, Haryana	Existing	PR06000150	COPA Stenographer Secretarial Assistant English	2(1+1) 2(1+1)	2(1+1) 2(1+1)	w.e.f. August 2019
2.	Pahal Pvt. ITI, VPO. Jalalpur Khued Jind, Dist. Jind 126102	Existing	PR06000234	COPA Stenographer Secretarial Assistant English Health Sanitary Inspector	4(2+2+0) 2(1+1+0) 2(1+1+0)	4(2+2+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
3.	Pandit L.R Private ITI, Village Kaboolpur Banger, Tehsil-Ballabhgarg, Distt. Faridabad, Pincode-121004	New		Electrician Fitter Health Sanitary Inspector Draughtsman Mech. COPA	N.R. N.R. N.R. 2(1+1+0) 2(1+1+0)	N.R. N.R. N.R. 2(1+1+0) 2(1+1+0)	w.e.f. August 2019 * Electrician, Fitter&HSI NR due to shortage in TE; staff documents not available
4.	Rao Ranjeet Singh Pvt. ITI, VPO Bodia Kamalpur, Dist. Rewari Haryana	New		Electrician Fitter Plumber Health Sanitary Inspector	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
5.	Central Public Private ITI, Bawal, Dist. Rewari-123501, Haryana	New		Electrician Fitter	2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0)	w.e.f. August 2019 * HSI & FTISM

08/08/19

31/8/19

\*NOTE:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.





**STATE: Haryana**

**Dated: 31/07/2019**

**Total -15(Old-7/New-8)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	Existing /New	NCVT/MIS Code	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
				Health Sanitary Inspector	N.R.	N.R.	NR due to shortage of TE and Classroom; in electrician DG set bill not available
				Fire Technology and Industrial Safety Management	N.R.	N.R.	
6.	Shri Sai Fire College Pvt. ITI, Kanharwas Tehsil-Kosli, Dist. Rewari-123302, Haryana	New		Electrician	2(1+1+0)	2(1+1+0)	w.e.f. August 2019 * FTISM & Fireman NR due practical training area and only one workshop for Electrician and various issues viz. principal exp. less, less area of workshop required
				Fitter	2(1+1+0)	2(1+1+0)	
				Fire Technology & Industrial Safety Management	N.R.	N.R.	
				Fireman	N.R.	N.R.	
7.	Adarsh Pvt. ITI, Bargat Jattan, (Kurukshetra, - 136156, Haryana	Existing	PR06000187	COPA	2(1+1+0)	1(1+0+0)	Electric load is 70kw, available 42 kw, hence units reduced
				Stenographer & Secretarial Assistant English	2(1+1+0)	1(1+0+0)	
				Plumber	2(1+1+0)	1(1+0+0)	
				Fashion Design & Technology	2(1+1+0)	1(1+0+0)	
				Solar Technician	2(1+1+0)	1(1+0+0)	

*Junil Kumar*  
8/8/19

*20/08/19*

**\*NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Haryana**

**Dated: 31/07/2019**

**Total -15(Old-7/New-8)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	Existing /New	NCVT/MIS Code	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
8.	Kalsia Pvt. ITI, Vill. Panjeto P.O Chhachhrauli, Dist. Yamunanagar, Haryana-135103	New		Fitter Electrician Welder COPA	2(1+1+0) 2(1+1+0) N.R. N.R.	2(1+1+0) ✓ 2(1+1+0) ✓ N.R. N.R.	w.e.f. August 2019 * Welder, COPA NR and Electrician reduced units due to shortage of TE
9.	Jinda Ram Memorial Pvt. ITI Rewari Pin code 123401, Haryana	Existing	PU06000218	Fitter Electrician Fireman Fire Technology & Industrial Safety Management COPA	Addl. 2(1+1+0) Total 4(2+2+0) Addl. 4(2+2+0) Total 8(4+4+0) N.R. N.R. N.R.	Addl. 2(1+1+0) Total 4(2+2+0) ✓ Addl. 4(2+2+0) Total 8(4+4+0) ✓ N.R. N.R.	w.e.f. August 2019 ✓ Fireman, FTISM&COPA NR due to shortage in TE
10.	Bhagwan Parshuruam Pvt. ITI, Masana, Near G.T Road, Kuruskhetra, Pin code-136118, Haryana	New		Electrician Fitter Welder Plumber COPA Stenographer English Health Sanitary Inspector	N.R. N.R. N.R. N.R. N.R. N.R. N.R.	N.R. N.R. N.R. N.R. N.R. N.R.	Manual electric bill, not signed by competent authority. tools and equipment bills not attached of all trades ✓

*Sanjiv Kumar*  
8/8/19

*08/08/19*

**\*NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



STATE: Haryana

Dated: 31/07/2019

Total -15(Old-7/New-8)

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	Existing /New	NCVT/MIS Code	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
11.	R. K Pvt. ITI, 21st KM Stone, Sonipat Road humyunpur Dist. Rohtak, Pin code 124406, Haryana	Existing	PR06000176	COPA Radiology technician SSA Hindi	N.R. N.R. N.R.	N.R. N.R. N.R.	NR due to shortage of TE
12.	Gian Sagar Private ITI, Mohal Khera, Narwana, Dist. Jind 126116, Haryana	Existing	PR06000206	COPA Stenographer Secretarial Assistant (English) Stenographer Secretarial Assistant (Hindi) Radiology Technician Health Sanitary Inspector	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
13.	RMR Pvt. ITI, Nahar, Rewari, Haryana	New		Electrician Fitter Fire Technology & Industrial Safety Management Fireman Health Safety & Environment Health Sanitary Inspector	N.R. N.R. N.R. N.R. N.R. N.R.	N.R. N.R. N.R. N.R. N.R. N.R.	Not Recommend by Joint Inspection Committee

*Amil Kumar*  
31/8/19 22/08/19

**\*NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Haryana**

**Dated: 31/07/2019**

**Total -15(Old-7/New-8)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	Existing /New	NCVT/MIS Code	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
14.	Om Private ITI, Kherakhemawati, Safidon, Distt-JIND-126112	Existing	PR06000311	COPA	2(1+1)	2(1+1)	w.e.f. August 2019
15.	Shiv Shakti Private ITI, Jhansa Road, Village- Chibba P.O-Dhurala, Dist. Kurukshetra 136119, Haryana	New		Electrician	4(2+2+0)	4(2+2+0)	w.e.f. August 2019
				Health Sanitary Inspector	2(1+1+0)	2(1+1+0)	
				Stenographer & Secretarial Assistant English	2(1+1+0)	2(1+1+0)	
				Wireman	2(1+1+0)	2(1+1+0)	

*Sanil Kumar*  
8/8/19

*08/8/19*

**\*NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Himachal Pradesh**

**Dated: 31/07/2019**

**Total - 9(Old-9)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation on Committee	Remarks
1.	Jaypee Pvt. ITI, Samirpur, VPO Samirpur, Dist. Hamirpur, H.P 177601	PR02000141	Existing	Electrician  Mechanic Motor Vehicle  Fitter	Addl. 1(0+0+1)  Addl. 1(0+0+1)  Addl. 1(0+0+1)	Addl. 1(0+0+1) Total 3(1+1+1)  Addl. 1(0+0+1) Total 3(1+1+1)  Addl. 1(0+0+1) Total 3(1+1+1)	w.e.f. August 2019
2.	Satyam Pvt. ITI, Village Awari PO Bhager Distt. Bilaspur H.P 174021	PR02000069	Existing	Electrician	Addl. 3(1+1+1)	Addl. 3(1+1+1) Total 6(2+2+2)	w.e.f. August 2019
3.	Jeevan Lakshya Pvt. ITI, VPO Rajpura, tehsil & Distt. Chamba, himachal Pradesh 176318	PR02000188	Existing	Electrician	Addl.1(0+0+1))	Addl.1(0+0+1) Total 3(1+1+1)	w.e.f. August 2019
4.	Pranjli Pvt. ITI Patta, Vill. Patta, PO Naswal, Tehsil Ghumarwin, Dist. Bilaspur, himachal Pradesh 174021	PR02000182	Existing	Electrician	Addl. 3(1+1+1)	Addl. 3(1+1+1) Total 6(2+2+2)	w.e.f. August 2019
5.	Maa Jawala, Pvt, ITI, Parel, PO Sultanpur, Tehsil & Distt. Chamba, Himachal Pradesh-176310	PR02000167	Existing	Electrician	Addl. 1(0+0+1)	Addl.1 (0+0+1) Total 3(1+1+1)	w.e.f. August 2019
6.	Hari Om Pvt. ITI Village Indira Colony haripur Tehsil Dehra Distt. Kangra, Himachal Pradesh - 176028	PR02000210	Existing	Electrician  Fitter	N.R.  N.R.	N.R.  N.R.	IT lab detail not available,, Principal experience short and all experience documents not attached.

*Sanil*  
*8/8/19* *20/8/19*



**STATE: Himachal Pradesh**

**Dated: 31/07/2019**

**Total - 9(Old-9)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
7.	Ganpati Pvt. ITI VPO bane DI hatti tehsil Dehra Distt. Kangra, Himachal Pradesh	PR02000092	Existing	Food Production General	N.R.	N.R.	IT lab detail not available
8.	Sham Pvt. ITI Village matholi PO jassar Tehsil Nurpur Distt. Kangra, Himachal Pradesh 176201	PR02000238	Existing	Electrician  COPA	Addl. 3(1+1+1)  2(1+1+0)	Addl. 3(1+1+1) Total 9(3+3+3)  2(1+1+0)	w.e.f. August 2019
9.	Dogra Private ITI, Sai Dham, Lower Panthaghatti, Kasumpti, Dist. Shimla Himachal Pradesh Pin code 171013	PR02000170	Existing	Electrician	Addl. 2(0+0+2)	Addl. 2(0+0+2) Total 6(2+2+2)	w.e.f. August 2019

*Junika*  
8/8/19

*20/8/19*



**STATE: Jharkhand**

**Dated: 31/07/2019**

**Total - 11(Old-9/New-2)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Saraswati Pvt. ITI, At-Lochan Path Krishnapuri Matwari, Distt. Hazaribagh 825301, Jharkhand	PR20000077	Existing	Electrician  Surveyor	Adl. 4(2+2+0)  4(2+2+0)	Adl. 4(2+2+0) Total 8(4+4+0) ✓  4(2+2+0) ✓	w.e.f. August 2019 ✓
2.	Vikram Private ITI, Plot No. 428,429,430, Vill-Charadih, Near Charadih Perol Pump, Distt. Koderma, Jharkhand 825410	PR20000240	Existing	Electrician	Adl. 2(1+1+0)	Adl. 2(1+1+0) Total 4(2+2+0) ✓	w.e.f. August 2019 ✓
3.	Swami Vivekananda Pvt. ITI, Naya bazar, Sugnibasa, Chakulia, Purbisingbhum, Jharkhand	PR20000246	Existing	COPA  Welder	2(1+1+0)  2(1+1+0)	2(1+1+0) ✓  2(1+1+0) ✓	w.e.f. August 2019 ✓
4.	Puna Mahto Pvt. ITI, At- Lethidumar, PO- Jhagrahi, P.S- Barora, Distt.- Dhanbad, Jharkhand - 828125		New	Fitter  Electrician  Welder  Information Technology	N.R.  N.R.  N.R.  N.R.	N.R.  N.R.  N.R.  N.R.	NR due to Electricity consumer number, meter sealing report and sanction load not produced ✓
5.	Gandhian Institute of Technology, Anchla, Nawadih, Sahpur Road, PO- Soh, Distt.- Garhwa, Jharkhand- 822114 (Shifting Case)	PR20000036	Existing	Electrician  Fitter  Finance Executive  Smartphone Tech. Cum App Tester	8(4+4+0)  8(4+4+0)  2(1+1+0)  2(1+1+0)	8(4+4+0)  8(4+4+0)  2(1+1+0)  2(1+1+0)	w.e.f. August 2019 ✓

*Signature*  
8/8/19

\* **NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Jharkhand**

**Dated: 31/07/2019**

**Total - 11(Old-9/New-2)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
6.	OP Jindal Community College Pvt. ITI, 47P, Industrial Area, Uchringa, PO- Soliya, Distt.- Ramgarh, Jharkhand-829119	PR20000057	Existing	Electrician	Adtl. 4(2+2+0)	Adtl. 4(2+2+0) Total 8(4+4+0)	w.e.f. August 2019
7.	Sardar Patel Private ITI, AT-Tupkadih, Jaridih Distt-Bokaro-827010	PR20000187	Existing	Fitter	4(2+2+0)	4(2+2+0)	w.e.f. August 2019
8.	Hindustan Private ITI, AT-Dharmidh, Post+-Godda, Distt-Godda, Jharkhand-814133	PR20000216	Existing	Electrician Fitter COPA	4(2+2+0) 4(2+2+0) 2(1+1+0)	4(2+2+0) 4(2+2+0) 2(1+1+0)	w.e.f. August 2019
9.	Government Industrial Training Institute Domchanch, Koderma AT-Domchanch, PO-Domchanch Distt-Koderma, Jharkhand-825407		New	Electrician Fitter Front Office Assistant House Keeper	4(2+2+0) 4(2+2+0) N.R. N.R.	4(2+2+0) 4(2+2+0) N.R. N.R.	w.e.f. August 2019 * FOA&HK NR due to lack of Infrastructure
10.	Gyanshila Private ITI, AT-Kamlapur, Bahadurpur Distt-Bokaro-829301	PR20000141	Existing	Electrician Fitter	Adtl.4(2+2+0) Adtl.4(2+2) Total(4+4+0)	Adtl.4(2+2+0) Total.8(4+4+0) Adtl.4(2+2) Total(4+4+0)	w.e.f. August 2019
11.	TSSDS Private ITI, Jagannathpur Taluk-Maluka, Distt-West Singhdhum-833203	PR20000182	Existing	Fitter Electrician Turner Welder	4(2+2+0) 4(2+2+0) 2(1+1+0) 2(1+1+0)	4(2+2+0) 4(2+2+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019

*Juni [Signature]*  
8/8/19

*[Signature]*  
8/8/19

\* **NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.





STATE: Karnataka

Dated: 31/07/2019

Total -34(Old-33/New-1)

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Madras Engineers group & centre Govt. ITI, HQ MEG & Centre, Bangalore-560042, Karnataka		New	Carpenter Mason (Building Contraction Shop) Welder Surveyor	3(2+1+0) ✓ 3(2+1+0) ✓ 3(2+1+0) ✓ 3(2+1+0) ✓	3(2+1+0) ✓ 3(2+1+0) ✓ 3(2+1+0) ✓ 3(2+1+0) ✓	w.e.f. August 2019
2.	<b>New Address</b> Kolar Industrial Training Institute, no. P-7, ward no: 1, tamaka Industrial Area, kolar -563101 <b>Old Address</b> Kolar Industrial Training Institute, khadripura main road kolar, Pin code 563101	PU29000136	Existing	Fitter Electronics Mechanic Welder	4(2+2+0) 2(1+1+0) 2(1+1+0)	4(2+2+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓	w.e.f. August 2019 (Shifting Case)
3.	<b>New Address</b> Vivekananda Girijana Kalyana kendra Pvt. ITI, Uppina Moole, Karuna trust, Yelandur, Chamarjannagar, Dist. GIA, <b>Old Address</b> Vivekanda Girijana Kalyana Kendra Pvt. ITI, B R Hills, Yelandur, Chamarajangar Dist. DGET 6/10/22/95-TC		Existing	Sewing Technology	1(1+0+0) ✓	1(1+0+0) ✓	w.e.f. August 2019 (Shifting Case)

*[Handwritten Signature]*  
8/8/19

*[Handwritten Signature]*  
08/08/19



STATE: Karnataka

Dated: 31/07/2019

Total -34(Old-33/New-1)

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Existing /New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
4.	Sri manjunatha ITC, Mangasandra, Beglihosahalli, Malur Road, Kolar-563101, Karnataka <b>(Shifting Case)</b> Manjunatha Industrial Training Centre Dooravaninagar, B C Industrial Estate Dooravaninagar, Distt.Bangalore Pin code- 5600016	PU29000072	Existing	Fitter Electronic Mechanic Electrician Welder	2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓	2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓	w.e.f. August 2019 ✓
5.	<b>New Address</b> Maruthi Institute Of Technology & Crafts Industrial Training Institute (MITC ITI), Mulbagal, Near kadaripura, Srinivasapura Road, Mulbagal 563131, Kolar Dist. Karnataka <b>Old Address</b> Maruthi Institute of Technology of Crafts Mulabagilu, Dist. Kolar,	PR29000161	Existing	Fitter Tuner Machinist Welder	2(1+1+0) ✓ 2(1+1+0) ✓ 1(1+0+0) ✓ 1(0+1+0) ✓	2(1+1+0) ✓ 2(1+1+0) ✓ 1(1+0+0) ✓ 1(0+1+0)	w.e.f. August 2019 <b>(Shifting Case)</b>
6.	<b>New Address</b> Jeeveswara Shikehan Samithi ITI Shivapur Colony, Gokul Road, Hubli 580030 <b>Old Address</b> Jeeveswara Shikehan Samithi ITI Hubli, Dist. Dharwad-580024	PU29000068	Existing	Fitter Electrician Sewing Technology Draughtsman Mechanical	2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓	2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓	w.e.f. August 2019 <b>(Shifting Case)</b>

*[Handwritten Signature]*  
8/8/19

*[Handwritten Signature]*



**STATE: Karnataka**

**Dated: 31/07/2019**

**Total -34(Old-33/New-1)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Existing /New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
7.	<b>New Address</b> Taranga Pvt. ITI, White Garden, Araleri Road, malur -563130, Karnataka <b>Old Address</b> Taranga ITC, Bangalore Road, Malur, Dist. Kolar, 563130	PR29001078	Existing	COPA  Electronics mechanic  Fitter	1(1+0+0)  3(1+1+1)  Addl. 3(1+1+1) Total 6(2+2+2)	1(1+0+0) ✓  3(1+1+1) ✓  Addl. 3(1+1+1) ✓ Total 6(2+2+2) ✓	w.e.f. August 2019 (Shifting Case with additional units)
8.	<b>New Address</b> Govt. ITI Viveknagar, C.A. Site No. 8, near BDA Complex, Domlur, Bangalore 560071 <b>Old Address</b> Govt Industrial Training Institute Vivek Nagar, Dist. Bangalore	GU29000213	Existing	Electrician  Electronics mechanic  Fitter	2(1+1+0) ✓  2(1+1+0) ✓  2(1+1+0) ✓	2(1+1+0) ✓  2(1+1+0) ✓  2(1+1+0) ✓	w.e.f. August 2019 (Shifting Case)
9.	<b>New Address</b> Govt. ITI Akkialurkallapur road, Akkialur, TQ: Hanagal, Dist. Haveri, Karnataka <b>Old Address</b> Govt. Industrial Training Institute Akkialur, AkkiAlurTq. Hangal Dist. Haveri, Dist. Haveri.	GR29000315	Existing	Electrician ✓  Fitter ✓	2(1+1+0)  2(1+1+0)	2(1+1+0) ✓  2(1+1+0) ✓	w.e.f. August 2019 (Shifting Case)
10	<b>New Address</b> Govt. ITI (W) Shivamogga Veerapura: Post, Gajanuru, Shiamogga, <b>Old Address</b> Govt ITI for Women Shimogga, GAJANURU SHIVAMOGGA-577202	GR29000122	Existing	Electronics Mechanic  Instrument Mechanic  COPA	4(2+2+0) ✓  2(1+1+0) ✓  2(2+0+0) ✓	4(2+2+0) ✓  2(1+1+0) ✓  2(2+0+0) ✓	w.e.f. August 2019 (Shifting Case)

*[Handwritten Signature]*  
8/8/19

*[Handwritten Signature]*  
08/8/19



**STATE: Karnataka**

**Dated: 31/07/2019**

**Total -34(Old-33/New-1)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Existing /New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
11.	<b>New Address</b> Govt. ITI Bilagi, Bilagi Cross3, Koppa RC Bilagi TQ: BilagiDt: bagalkot Pin 587116 <b>old Address</b> Govt. ITI Bilagi, Bilagi Road Distt. Bagalkot Pin code 587116	GR29000472	Existing	COPA Electrician Electronics mechanic Fitter Turner	1(1+0) ✓ 4(2+2) ✓ 2(1+1) ✓ 4(2+2) ✓ 2(1+1) ✓	1(1+0) 4(2+2) 2(1+1) 4(2+2) 2(1+1) ✓	w.e.f. August 2019 (Shifting Case)
12.	<b>New Address</b> S.S Education Trust Dr. Shivabasava Pvt. ITI plot No. 24-27 Sector 12 MM Extension Shree Belagavi 590016 <b>Old Address</b> S.S Education Trust Dr. Shivabasava Pvt. ITI, Plot No.24-27, Sector No.12 MM extn Shreenagar Belgaum	PU29000284	Existing	Electrician Fitter	2(1+1+0) ✓ 2(1+1+0) ✓	2(1+1+0) ✓ 2(1+1+0) ✓	w.e.f. August 2019 (Shifting Case)
13.	<b>New Address</b> Guru Nanak Dev ITI, Mailoor Road Bidar, Beside G.N.D Engg, College Campus, Bidar 585403 <b>Old Address</b> Guru Nanak Dev ITI, Beside GND engineering collage, mailoor Road, Bida, Dist Bidar-585403	PR29000406	Existing	Fitter ✓ Electrician ✓ Electronic Mechanic ✓ Mechanic Diesel ✓ Welder ✓ COPA ✓	4(2+2) ✓ 4(2+2) ✓ 2(1+1) ✓ 1(1+0) ✓ 1(1+0) ✓ 1(1+0) ✓	4(2+2) ✓ 4(2+2) ✓ 2(1+1) ✓ 1(1+0) ✓ 1(1+0) ✓ 1(1+0) ✓	w.e.f. August 2019 (Shifting Case)

*[Handwritten Signature]*  
31/8/19

*[Handwritten Signature]*  
03/8/19



**STATE: Karnataka**

**Dated: 31/07/2019**

**Total -34(Old-33/New-1)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Existing /New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
14.	<b>New Address</b> Shri jagadguru Tontadarya Pvt. ITI, Dambal, TQ: Mundargi Dist: Gadag-582113 <b>Old Address</b> Sri Jagadguru Tontadarya ITI Dambal, Tq. Mundargi, Dist. Gadag, Pin code 582113	PR29000106	Existing	Fitter ✓ Electrician ✓ Turner ✓ DMM ✓ Sewing Technology ✓ Welder ✓ Mechanic Diesel ✓	2(1+1+0) ✓ 6(3+3+0) ✓ 2(1+1+0) ✓ 1(1+0+0) ✓ 1(1+0+0) ✓ Addl. 1(0+1+0) ✓ Addl. 1(0+1+0) ✓	2(1+1+0) ✓ 6(3+3+0) ✓ 2(1+1+0) ✓ 1(1+0+0) ✓ 1(1+0+0) ✓ Addl. 1(0+1+0) ✓ Total 2(1+1+0) Addl. 1(0+1+0) ✓ Total 2(1+1+0)	w.e.f. August 2019 (Shifting Case with Additional units)
15.	<b>New Address</b> Vinayak Vidya vardhak Sangh Pvt ITI, Yadawd road, Kubasad hospital Opp. Sidrameshwar nagar Mudhol Dist. Bagalkot 585302 <b>Old Address</b> Vinayak Vidya vardhak ITI Mudhol, Dist. Bagalkot, Pincode 587313	PU29000465	Existing	Electrician Fitter	2(1+1+0) ✓ 2(1+1+0) ✓	2(1+1+0) ✓ 2(1+1+0) ✓	w.e.f. August 2019 (Shifting Case)
16.	<b>New Address</b> Govt. ITI basavakalyan Dist. Bidar, Pin code 585327, Karnataka <b>Old Address</b> Govt. ITI basavakalyan, Auto Nagar, Sastapur Banglow Basava Kalyana, Dist. Bidar-585327	GU29000915	Existing	Fitter ✓ Electrician ✓ Electronic Mechanic ✓ mechanic Motor Vehicle ✓	2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓	2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓	w.e.f. August 2019 (Shifting Case)

*[Signature]*  
8/8/19

*[Signature]*



STATE: Karnataka

Dated: 31/07/2019

Total -34(Old-33/New-1)

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Existing /New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
17.	<b>New Address</b> Sri SatyaSai ITI, Umarga Road Aland 585302, Karnataka <b>Old Address</b> Sri SatyaSai ITI, Omarge Road aland Tq Aland Dist. Gulbarga	PR29000433	Existing	Electrician ✓ Fitter ✓	4(2+2+0) ✓ 6(3+3+0) ✓	4(2+2+0) ✓ 6(3+3+0) ✓	w.e.f. August 2019 (Shifting Case)
18.	<b>New Address</b> Govt. ITI Kittur (Hullikatti Cross) TQ. Kittur Dist. Belagavi Pin 591112 <b>Old Address</b> Govt. ITI Kittur, Dist. Belgaum, Pin Code 591112	GR29000947	Existing	Electronic Mechanic ✓ Electrician ✓ Fitter ✓ ICTSM ✓ MMV ✓ Turner ✓ Mechanic Diesel Engine ✓ MRAC ✓ Dress Making ✓	2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓	2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓ 2(1+1) ✓	w.e.f. August 2019 (Shifting Case)
19.	<b>New Address</b> Karnataka ITI, P.B No 12, Near Rural Police Station CDA LAY OUT, kalyanagara 4th Stage, Chikkamagaluru-577102 <b>Old Address</b> Karnataka ITI, PB No. 12, Near Rural Police Statlon, CDA layout, Chikkamagaluru-577102	PU29000071	Existing	Fitter ✓ Electrician ✓	4(2+2) ✓ 2(1+1) ✓	4(2+2) ✓ 2(1+1) ✓	w.e.f. August 2019

*Handwritten signature*

*Handwritten signature*

8/8/19



**STATE: Karnataka**

**Dated: 31/07/2019**

**Total -34(Old-33/New-1)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Existing /New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
20.	<b>New Address</b> Komalanna Doddanavar Bharatesh Pvt. ITI, Shindolli Cross Basavan Kudachi Extention Belagavu 591124 <b>Old Address</b> Komalanna Doddanannavar Bharatesh Pvt. ITI, Belgaum, Basavan Kudachi Extension Belgaum, Dist. Belgaum, 591124	PU29000094	Existing	Electrician ✓ Fitter ✓ Mechanic Motor Vehjcle	4(2+2) ✓ 4(2+2) ✓ 2(1+1) ✓	4(2+2) ✓ 4(2+2) ✓ 2(1+1) ✓	w.e.f. August 2019 (Shifting Case)
21.	<b>New Address</b> Parama poojya Sri Neelakanthayya Tatanavara Govt. ITI, Manneral, Hanumasagar-583281, TQ Kushtagi, Dist. Koppal, Karnataka <b>Old Address</b> Govt. ITI Hanumasagar, Hanumasagar, TalukKustagi, Distt. Koppal-583281	GR29000388	Existing	Fitter ✓ Electrician ✓ Electronic Mechanic ✓	Addl. 2(1+1) ✓ Addl. 2(1+1) ✓ 2(1+1) ✓	Addl. 2(1+1) ✓ Total 4(2+2+0) ✓ Addl. 2(1+1) ✓ Total 4(2+2+0) ✓ 2(1+1) ✓	w.e.f. August 2019 (Shifting Case with additional units)
22.	<b>New Address</b> Govt. ITI, Narendra Mummigatti housing layout, P B Road, Dharwad-580011 <b>Old Address</b> Govt. ITI, Dharwad Dist., Dharwad Pin code 591121	GU29000644	Existing	Fitter ✓ Electrician ✓ Electronic Mechanic ✓ Mechanic (Refrigeration and Air-Conditioning) ✓	3(1+1+1) ✓ 3(1+1+1) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓	3(1+1+1) ✓ 3(1+1+1) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓	w.e.f. August 2019 (Shifting Case)

31/07/19

*[Signature]*  
31/07/19



**STATE: Karnataka**

**Dated: 31/07/2019**

**Total -34(Old-33/New-1)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Existing /New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
23.	<b>New Address</b> Govt. ITI, SRS High School, Haveri Road, Guttal-581104, Haveri Distt., Karnataka <b>Old Address</b> Govt. ITI Guttala, Haveri- Distt. 581103	GU29001496	Existing	Electronics Mechanic  Fitter	2(1+1+0) ✓  2(1+1+0) ✓	2(1+1+0) ✓  2(1+1+0) ✓	w.e.f. August 2019 (Shifting Case)
24.	Shree Nandi Pvt. ITI, Harapanahalli, Davangere, Karnataka-583131		Existing	Fitter ✓  Electrician ✓	N.R.  Addl. 4(2+2+0)	N.R.  Addl. 4(2+2+0) ✓ Total 8(4+4+0) ✓	w.e.f. August 2019 ✓
25.	Govt. ITI Mudigundam, Kollegal, Chamarajanagara Distt., Karnataka - 571440		Existing	Fitter ✓  Electronics Mechanic ✓	Addl. 2(1+1+0) ✓  Addl. 2(1+1+0) ✓	Addl. 2(1+1+0) ✓ Total 4(2+2+0) ✓  Addl. 2(1+1+0) ✓ Total 4(2+2+0) ✓	w.e.f. August 2019 ✓
26.	Ashok Pvt. ITI, Forest Road, Kammagondanahalli, Jalahalli West, Bengaluru - 560015, Karnataka	PU29001357	Existing	Electrician ✓  Fitter ✓  Mechanic Diesel ✓	Addl. 2(1+1+0) ✓  Addl. 2(1+1+0) ✓  Addl. 2(1+1+0) ✓	Addl. 2(1+1+0) ✓ Total 4(2+2+0) ✓  Addl. 2(1+1+0) ✓ Total 4(2+2+0) ✓  Addl. 2(1+1+0) ✓ Total 4(2+2+0) ✓	w.e.f. August 2019
27.	Mandavya ITI, B.M. Road, Maddur Taluk, Mandya District-571428, Karnataka	PR29000699	Existing	Electrician ✓	2(1+1+0) ✓	2(1+1+0) ✓	w.e.f. August 2019
28.	<b>New Address</b> Govt. ITI Dastikoppa, Kalaghatgi Tq. Kalaghatgi, Distt. Dharwad-581204, Karnataka <b>Old Address</b> Govt. ITI Kalaghatgi, Dist. Dharwad, Pin Code 581204	GR29000300	Existing	Fitter ✓  Electronic Mechanic ✓	2(1+1+0) ✓  2(1+1+0) ✓	2(1+1+0) ✓  2(1+1+0) ✓	w.e.f. August 2019 (Shifting Case)

*Handwritten signature*

*Handwritten signature*  
8/8/19





**STATE: Karnataka**

**Dated: 31/07/2019**

**Total -34(Old-33/New-1)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Existing /New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
29.	<b>New Address</b> Govt. ITI for Women, Anandagiri Thirthahali, Shimoga Dist. 577432 <b>Old Address</b> Govt. ITI (W)Thirthahalli, Soppinabetta, Ananda Giri, Thirthahalli New Building, Distt. Shimoga, 577432	GR29000799	Existing	Electrician ✓ Electronic Mechanic ✓ I& CTSM ✓ Interior Design & Decoration ✓ Dress Making ✓	2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓	2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓	w.e.f. August 2019 (Shifting Case)
30.	<b>New Address</b> Govt. ITI Vijayapura Road, Devnahalli-562110, Bangalore (Rural) Karnataka <b>Old Address</b> Govt. ITI Devnahalli-Distt. Bangalore Rural, Pin code 562110	GR29000108	Existing	Fitter ✓ Turner ✓ Machinist ✓	2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓	2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓	w.e.f. August 2019 (Shifting Case)
31.	<b>New Address</b> Sri Narayanaswamy Private ITI, R-G Road Gangavathi, Tq- Gangavathi, Distt- Koppal-583227, Karnataka <b>Old Address</b> Sri Narayanaswamy Pvt. ITI, Gangavathi, Julai Nagar, Gangavathi - 583227	PU29001285	Existing	Electrician	Addl.6(2+2+2) ✓	Addl.6(2+2+2) ✓ Total.10(4+4+2) ✓	w.e.f. August 2019 (Shifting Case)

*Handwritten signature*

*Handwritten signature*  
8/8/19



**STATE: Karnataka**

**Dated: 31/07/2019**

**Total -34(Old-33/New-1)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Existing /New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
32.	<b>New Address</b> Govt. ITI, NG-7, Opposite to fire Station, Bagepalli.-561207, Chikkaballapura Distt., Karnatak <b>Old Address</b> Govt. ITI BAGEPALLI, Bagepalli , Chikkaballapura, Pin code 561207, karnataka	GR29000359	Existing	Fitter ✓ Electronic Mechanic ✓	2(1+1+0) ✓ 2(1+1+0) ✓	2(1+1+0) ✓ 2(1+1+0) ✓	w.e.f. August 2019 (Shifting Case)
33.	<b>New Address</b> Jnana jyothi Pvt Industrial Training Institute, Chincholi Cross Sedam, Distt- Kalaburgai-585222 <b>Old Address</b> Jnana jyothi Pvt. ITI, Sedam, Distt. Gulbarga, Pin code 585222	PR29000576	Existing	Electrician ✓ Fitter ✓	4(2+2) ✓ 2(1+1) ✓	4(2+2) ✓ 2(1+1) ✓	w.e.f. August 2019 (Shifting Case)
34.	<b>New Address</b> Vishweshwaraiya Industrial Training Institute, Near L.F.S High School, Behind Niveditha School, Sandur Road, Hosapete-583201, Karnataka <b>Old Address</b> Vishweshwaraiya Private ITI Hosapete, Sandur Road, Hosapete, Distt. Bellary	PU29000263	Existing	Electrician ✓ Fitter ✓	4(2+2) ✓ 2(1+1) ✓	4(2+2) ✓ 2(1+1) ✓	w.e.f. August 2019 (Shifting Case)

*Handwritten signature*

*Handwritten signature*  
8/8/19



**STATE: Kerala**

**Dated: 31/07/2019**

**Total -3(Old-2/New-1)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	Existing /New	NCVT/MIS Code	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation on Committee	Remarks
1.	<p><b>New Address</b> Ideal Pvt. ITI, Perambra, Shemi Complex, Chenoli Road, Perambra-673525</p> <p><b>Old Address</b> Ideal Pvt. ITI, Shemy Complex, Chenoli Road, Perambra, Dist. Kozhikode-673525, Kerala</p>	Existing	PR32000549	<p>Architectural Draftsman</p> <p>Driver Cum Mechanic</p>	<p>2(1+1)</p> <p>1(1+0)</p>	<p>2(1+1) ✓</p> <p>1(1+0) ✓</p>	<p>w.e.f. August 2019 ✓</p> <p>(Shifting Case)</p>
2.	<p><b>New Address</b> Hindustan Institute Of Technology Pvt. ITI, S.V. Building, Koppam, Pattambi(Taluk), Pulassery(P.O), Palakkad, Kerala, Pin 679307</p> <p><b>Old Address</b> Hindustan Institute Of Technology Pvt. ITI, Edayar Strret, Kalmandapam, Dist. Palakkad - 678001</p>	Existing	PR32000317	<p>Draughtsman Civil</p> <p>Mechanic Motor Vehicle</p> <p>Mechanic Ref. &amp; Ac</p>	<p>2(1+1) ✓</p> <p>2(1+1) ✓</p> <p>1(1+0) ✓</p>	<p>2(1+1) ✓</p> <p>2(1+1) ✓</p> <p>1(1+0)</p>	<p>w.e.f. August 2019</p> <p>(Shifting Case)</p>

*Scanned*  
8/8/19

*08/08/19*



STATE: Kerala

Dated: 31/07/2019

Total -3(Old-2/New-1)

## Affiliation of Trade/Units with NCVT

Sl. no.	Name of Institute with address	Existing /New	NCVT/MIS Code	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation on Committee	Remarks
3.	Ilahia Pvt. ITI Pezhakkappilly P.O, Muvattupuzha Taluk, Ernakulam Distt., Pin code 686673, Kerala	New		Electrician  Draughtsman Civil  COPA	4(2+2)  2(1+1)  2(1+1)	4(2+2) ✓  2(1+1) ✓  2(1+1) ✓	w.e.f. August 2019

*Sunil Kumar*  
8/8/19

*20/8/19*



**STATE: Lakshadweep**

**Dated: 31/07/2019**

**Total - 1(Old-1)**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Existing /New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Dr. Ambedkar Govt. ITI, Kavarati, U.T of Lakshdeep  DGET-6/31/1/92 - TC	GR31000001	Existing	Carpenter	Addl. 1(0+1+0)	Addl. 1(0+1+0) Total 2(1+1+0)	w.e.f. August 2019
				Sewing technology	Addl. 1(0+1+0) Total 2(1+1+0)	Addl. 1(0+1+0) Total 2(1+1+0)	
				Stenographer Secretarial Asst. English	Addl. 1(0+1+0)	Addl. 1(0+1+0) Total 2(1+1+0)	
				Mechanic Diesel	Addl. 1(0+1+0)	Addl. 1(0+1+0) Total 2(1+1+0)	
				Plumber	2(1+1+0)	2(1+1+0)	
				Mason(Building Constructor)	2(1+1+0)	2(1+1+0)	
				Marine Engine Fitter	2(1+1+0)	2(1+1+0)	
				COPA	2(1+1+0)	2(1+1+0)	
				Welder	2(1+1+0)	2(1+1+0)	
				Computer Hardware & Network Maintenance	2(1+1+0)	2(1+1+0)	

*Junika*  
8/8/19

*08/08/19*



STATE: Madhya Pradesh

Dated: 31/07/2019

Total - 25(Old-18/New-7)

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Army ITI 3 EME Centre Govt. ITI , Baigarh Bhopal M.P 462031		New	Diesel Mechanic Mechanic Auto Electrical & Electronic COPA	6(2+2+2) ✓ 6(2+2+2) ✓ 6(2+2+2) ✓	6(2+2+2) 6(2+2+2)	w.e.f. August 2019
2.	Advanced Pvt. ITI, Rest House Road, near PWD Office, Sonkatch, Distt. Dewas, Pin code 455118	PR23001077	Existing	COPA	3(1+1+1)	3(1+1+1)	w.e.f. August 2019
3.	Gyandeep Pvt. ITI, Shahpur, 11, NPSH-27, Burhanpur Road, near radha krishan nagar, Shahpur Distt. Burhanpur 450445		New	Electrician Fitter Welder COPA	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) ✓ 3(1+1+1) ✓ 3(1+1+1) ✓ 3(1+1+1) ✓	w.e.f. August 2019
4.	Indo German tool Room Indore, Plot no. 291/B- 302/A, Sector E, Industrial Area, Sanwer road, Indore 452015, M.P	PR23000022	Existing	Fitter Machinist Machinist Grinder Welder Turner	2(1+1+0) 2(0+2+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) ✓ 2(0+2+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓ 2(1+1+0) ✓	w.e.f. August 2019
5.	Gyan Ganga Pvt. ITI, Bhopal , 204, Futi Bawari 80 FT Road near Ashoka garden, Opp Pushpa Nagar, Bhopal, Madhya Pradesh 462026	PU23000336	Existing	Stenographer Secretarial Assistant ( Hindi)	3(1+1+1) ✓	3(1+1+1) ✓	w.e.f. August 2019

*Sumit*  
8/8/19 *20/8/19*



**STATE: Madhya Pradesh**

**Dated: 31/07/2019**

**Total - 25(Old-18/New-7)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
6.	Shri Rawatpura Sarkar Pvt. ITI Rawatpura Dham, The, lahar, Distt. Bhind M.P	PR23000218	Existing	Electrician	Adtl. 1(0+0+1)	Adtl. 1(0+0+1) Total 3(1+1+1)	w.e.f. August 2019
7.	JMRD Pvt. ITI, Charokaa Vill. Datia Dist. 475673, Madhya Pradesh	PR23000566	Existing	Electrician	N.R.	N.R.	NR by SCI
8.	IQRA Pvt. ITI Radhanpura rajgarh Madhya Pradesh 465680	PR23000874	Existing	Electrician Stenographer & Secretarial Assistant Hindi Health sanitary Inspector	3(1+1+1) 3(1+1+1) N.R.	3(1+1+1) 3(1+1+1) N.R.	w.e.f. August 2019
9.	Alpine pvt. ITI Gram Chandesra, Dewas Road, Tehsil-Ujjain, Madhya Pradesh 456010		New	Electrician Fitter Diesel Mechanic Turner COPA	6(2+2+2) 3(1+1+1) N.R. N.R. 3(1+1+1)	6(2+2+2) 3(1+1+1) N.R. N.R. 3(1+1+1)	w.e.f. August 2019 * NR by SCI
10.	Bansal Private ITI, Khategaon 138 Nemwar Road, Khategaon, Dist. Dewas, Madhya Pradesh, Pin 455336	PU23000473	Existing	COPA Electrician	3(1+1+1) 12(4+4+4)	3(1+1+1) 12(4+4+4)	w.e.f. August 2019
11.	Oriental Private ITI Indore Opposite Rewati Range Gate No. 1, Sanwer Road, Jakhya Indore 453555		New	Electrician Fitter COPA	3(1+1+1) 3(1+1+1) 2(1+1+0)	3(1+1+1) 3(1+1+1) 2(1+1+0)	w.e.f. August 2019

20/08/19

Sanil Kumar  
20/08/19

\* **NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Madhya Pradesh**

**Dated: 31/07/2019**

**Total - 25(Old-18/New-7)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
				Mechanic Diesel	3(1+1+1)	3(1+1+1)	
				Stenographer Hindi	3(1+1+1)	3(1+1+1)	
12.	Shri Kalika Pvt. ITI, Nipaniya, Rosar Rewa Madhya Pradesh 486001		New	Fitter	N.R.	N.R.	NR by SCI
				Electrician	N.R.	N.R.	
				COPA	N.R.	N.R.	
				Draftsman Mechanical	N.R.	N.R.	
13.	Advance Pvt. ITI Behind Command Sahab KI Koti Balaji Nagar Unnao Road Datia Dist. Datia, Madhya Pradesh	PR23001073	Existing	Electrician	N.R.	N.R.	w.e.f. August 2019
				Stenographer Secretarial Assistant ( Hindi)	N.R.	N.R.	
14.	Somani Pvt. ITI, Sikroda Badori Jhansi Road Gwalior Pin code 475001, Madhya Pradesh	PU23001069	Existing	Stenographer Secretarial Assistant ( Hindi)	3(1+1+1)	3(1+1+1)	w.e.f. August 2019
				Stenographer Secretarial Assistant ( English)	3(1+1+1)	3(1+1+1)	
15.	Ratan Private ITI, Village- Karai(Surwaya), Jhnasi Road, NH27 Shivpuri Madhya Pradesh		New	Electrician	3(1+1+1)	3(1+1+1)	w.e.f. August 2019
				Stenographer Secretarial Assistant (Hindi)	3(1+1+1)	3(1+1+1)	* NR by SCI
				Stenographer Secretarial Assistant ( English)	2(1+1+0)	2(1+1+0)	
				COPA	N.R.	N.R.	

*08/08/19*

*8/8/19*

\* **NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.





**STATE: Madhya Pradesh**

**Dated: 31/07/2019**

**Total - 25(Old-18/New-7)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
16.	Shri Vishwakarma Pvt. ITI, Khandwa, At. Rehmapur, Indore Road, Khandwa 450001, M.P		New	Electrician Fitter COPA Marketing Executive	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) ✓ 3(1+1+1) ✓ 3(1+1+1) ✓ 3(1+1+1) ✓	w.e.f. August 2019 ✓
17.	Deen Dayal Pvt. ITI, Vill. Rajoula, Block-Majhgawan, Tehsil Chitrakoot, Dist. Satna, Pin code 485334, M.P	PR23000094	Existing	Fitter Electrician	6(2+2+2) 6(2+2+2)	6(2+2+2) ✓ 6(2+2+2) ✓	w.e.f. August 2019 ✓
18.	Chhatrapati Shivaji Pvt. ITI. Masoba Dev Ganesh Colony Ward No. 10 Mohgaon Road Sausar Ta- Sausar, Dist. Chhindwara Madhya Pradesh	PR23000045	Existing	Electrician Fitter Mechanic Diesel	Adtl. 4(2+2+0) Total 8(4+4+0) Adtl. 4(2+2+0) Total 8(4+4+0) Adtl. 2(1+1+0) Total 4(2+2+0)	Adtl. 4(2+2+0) ✓ Total 8(4+4+0) ✓ Adtl. 4(2+2+0) ✓ Total 8(4+4+0) ✓ Adtl. 2(1+1+0) ✓ Total 4(2+2+0) ✓	w.e.f. August 2019 ✓
19.	New Chitrash ITI Amarpatan Satna, Madhya Pradesh	PR23000045	Existing	Electrician	N.R.	N.R. ✓	NR by SCI
20.	Ambika Private ITI, A B Road Nohari Shivpuri, 158, Nohari Khurd Shivpuri Madhya Pradesh 473551	PU23000492	Existing	Stenographer Secretarial Assistant ( Hindi) Stenographer Secretarial Assistant ( English)	N.R. N.R.	N.R. ✓ N.R. ✓	NR by SCI ✓
21.	Sharda Pvt. ITI Hirakhapa At. Hirakhapa, Post Jamgaon Tehsil Multai, Dist. Betul, M.P 460661		Existing	Electrician	Adtl. 6(2+2+2) Total 12(4+4+4)	Adtl. 6(2+2+2) ✓ Total 12(4+4+4) ✓	w.e.f. August 2019 ✓

08/08/19

8/8/19



STATE: Madhya Pradesh

Dated: 31/07/2019

Total - 25(Old-18/New-7)

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
22.	Shri Ratan Pvt. ITI Thandla Khajuri, Kushalgarh Road Tehsil Thandla Dist. Jhabua Madhya Pradesh 457777	PR23001065	Existing	COPA	3(1+1+1) ✓	3(1+1+1) ✓	w.e.f. August 2019
23.	Galven Private ITI, Khasra No. 444-46, Village Mahatoli Morena Pin 476444, Madhya Pradesh	PR23000411	Existing	Stenographer Secretarial Assistant (Hindi)	3(1+1+1) ✓	3(1+1+1) ✓	w.e.f. August 2019
				Stenographer Secretarial Assistant (English)	3(1+1+1) ✓	3(1+1+1) ✓	
24.	L.N Pvt. ITI Birsinghpur Satna, Vill. Post Birsinghpur, Sohabal Garhi, Madhya Pradesh	PR23001075	Existing	COPA	N.R.	N.R.	NR by SCI
25.	Maa Vaishnovi Pvt. ITI, 443 Gandhi Colony, Behind D.J. Kothi, Shivpuri, M.P	PU23001076	Existing	Stenographer Secretarial Assistant (English)	N.R.	N.R.	NR by SCI

08/8/19

Smilkan  
8/8/19



**STATE: Maharashtra**

**Dated: 31/07/2019**

**Total - 89 (Old- 45 /New- 44)**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Major Anandrao Ghatge Private ITI, Vhanali, Tal-Kagal, Dist. Kolhapur Pin 416221	PR27000663	Old	Electrician	Addl. 1(0+0+1)	Addl. 1(0+0+1) Total 3(1+1+1)	w.e.f. August 2019
2.	Sanjaysinh Gaikwad Pvt. ITI, Donoli/Bambvade AT/Po-Donoli, Tal-Shahuwadi, Dist. Kolhapur, Pin Code 416213	PR27000631	Old	Electrician	Addl. 1(0+0+1)	Addl. 1(0+0+1) Total 3(1+1+1)	w.e.f. August 2019
3.	Padmabhushan Dr. Vasantraodada Patil Pvt. ITI Ichalkaranji R.S No. 644, Sangli Road, Near Adinath Housing Society Ichalkaranji Tal.Hatkanangale Dist. Kolhapur, Pin 416115,		New	Draughtsman Mechanic Electrician Fitter Welder	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
4.	Shriram Pvt. ITI nave Pargaon, Tal-Hatkanangale, Dist. Kolhapur, Pin 416113	PR27000635	Old	Electrician Mechanic Diesel	2(1+1) N.R	2(1+1) N.R	w.e.f. August 2019 Mechanic Diesel not recommended due to shortage of T&E.

*Handwritten signature*

*Handwritten signature*  
8/8/19

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Maharashtra**

**Dated: 31/07/2019**

**Total - 89 (Old- 45 /New- 44)**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
5.	Shri Balasaheb Mane Shikshan Prasarak Mandal Ambap's Ashokrao Mane Pvt. ITI , At-Post- Vathar Tarf Vadgoan, Tal- Hatkanangale, Dist. Kolhapur -416112,		New	Fitter Electrician Welder Surveyor Mechanic Motor Vehicle Machinist Fashion Design Tech.	N.R N.R N.R N.R N.R N.R N.R	Not recommended all trades	Not recommended due to shortage in space and Tool & Equipment
6.	Shree Shiddhivinayak Pvt. ITI Nartawade, Tal-Radhanagari, Dist. Kolhapur, Pin Code 416212		New	Electrician Fitter Welder Plumber	3(1+1+1) 3(1+1+1) N.R N.R	3(1+1+1) 3(1+1+1) N.R N.R	w.e.f. August 2019 * Welder & Plumber are not recommended due to shortage in staff and infrastructure
7.	Dhananjay Tirpude Private ITI, At. Sawari/Murmadi, Tehsil Lakhani, Dist. Bhandara, Pin code 441804	PR27000924	Old	Electrician Fitter	Not recommended all trades by JIC	Not recommended all trades	Not recommended due to shortage in Tool & Equipment by 50%

08/8/19

8/8/19

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Maharashtra**

**Dated: 31/07/2019**

**Total - 89 (Old- 45 /New- 44)**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
8.	North Maharashtra Knowledge City Private ITI 425006		New	Fitter Electrician Welder Civil Draftsman	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
9.	D M Patil private ITI Savakhede Turk tal. Parola Dist. Jalgaon		New	Fitter Electrician Sewing Technology Plumber	2(1+1+0) 2(1+1+0) 2(1+1+0) N.R	2(1+1+0) 2(1+1+0) 2(1+1+0) N.R	w.e.f. Aug. 2019  * Plumber Not recommended due to deficiency in T&E, 3 Phase not available in first floor
10.	Rajashree Shahu Private ITI, Gate No. 181, Banbhoari, Near North Maharashtra University Main Gate Tal. Dharangain, Dist, Jalgaon 425001	PR27000893	Old	Electrician Fitter	Not recommended all trades by JIC.	Not recommended all trades	Not recommended due to workshop not available
11.	Gurukul Private ITI Lakhani, Ganesh Petrol Pump Manegaon, Post Pimpalgaon tah. Lakhani Dist. Bhandara MH-441804	PR27000942	Old	Fitter Electrician	Addl. 4(1+1+2) 6(2+2+2)	Addl. 4(1+1+2) Total 6(2+2+2) 6(2+2+2)	w.e.f. August 2019

*08/3/19* *Sanika*  
*8/8/19*

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Maharashtra**

**Dated: 31/07/2019**

**Total - 89 (Old- 45 /New- 44)**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
12.	Govt. Higher Level ITI, Jaripatka Road, Indora, Nagpur-440014, Maharashtra	GU27000717	Old	COPA  Fashion Design & Technology  Electrician  Fitter	Addl. 1(0+1+0)  Addl. 1(0+1+0)  2(1+1+0)  2(1+1+0)	Addl. 1(0+1+0) Total 2(1+1+0)  Addl. 1(0+1+0) Total 2(1+1+0)  2(1+1+0)  2(1+1+0)	w.e.f. August 2019
13.	Wainganga Polytechnic & ITI Sakoli, Nagzira Road Sakoli, Distt. Bhandara, Maharashtra		Old	Fitter  Electrician  COPA	Not recommend all trades by JIC	Not recommend	Not recommended due to report incomplete.
14.	Shiv Shakti Pvt. ITI, Dharrangaon, Tehsil & Distt.- Jalgaon, Maharashtra	PR27000872	Old			Not Recommended as recommendation report not available	ITI inspection not carried out.
15.	Shri Sadguru Datta Pvt. ITI, Kuhl, 115 Mouza Bhojapur Kuhl, Akoli road, distt.- Nagpur, Maharashtra- 441202		New	Electrician Fitter Draughtsman Civil Surveyor	4(2+2+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	4(2+2+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
16.	Lalji Mehrotra Pvt. ITI, Jogeshwari (East), Mumbai-400060, Maharashtra	PR27000508	Old	Lift & Escalator Mechanic  IoT Technician (Smart City)	2(1+1+0)  2(1+1+0)	2(1+1+0)  2(1+1+0)	w.e.f. August 2019
17.	Venkateshwar Pvt. ITI, Peth, Tal.- Walwa, Distt.- Sangli-415407, Maharashtra	PR27000747	Old	Fitter  Electrician	Addl. 2(1+1+0)  Addl. 2(1+1+0)	Addl. 2(1+1+0) Total 4(2+2+0)  N.R.	w.e.f. August 2019 <b>Electrician not recommended due to incomplete list of T &amp; E.</b>

08/8/19

*Sanil Kumar*  
8/8/19

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Maharashtra**

**Dated: 31/07/2019**

**Total - 89 (Old- 45 /New- 44)**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
18.	Bharat Pvt. ITI, Opp. Gajanan Maharaj Temple, Kanhor Road, Tal- Ambernath, Distt.- Thane, Badlapur (W)- 421503, Maharashtra		New	Fitter Electrician Welder COPA	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
19.	H & H Vakil Model School Trust Dahanu ITI Masoli, Dahanu Road, Tal.-Dahanu, Distt.- Palghar- 401602		New	Electrician  Fitter  Mechanic Refrigeration & Air Conditioner  COPA	No boundary wall between school & ITI	Not recommended	Not recommended due to list of T&E not attached, proof of Electric connection not produced.
20.	Abdul Majeed Pvt. ITI, Survey No. 23/2A, Mouza Lonara, Distt.- Nagpur-441111, Maharashtra	PR27000834	Old	Mechanic Diesel	Not Recommended due to shortage in Tool & Equipment	Not recommended	Not recommended due to shortage in Tool & Equipment
21.	Swami Hariharanand ITI Solapur - Tuljapur Road, Near Mashroom Ganpati Temple, Tale-Hipparga, Tal.- North Solapur, Distt - Solapur - 413002, Maharashtra		New	Electrician  Diesel Mechanic Engine  Mechanic Motor Vehicle  COPA	2(1+1+0)  2(1+1+0)  N.R  2(1+1+0)	2(1+1+0)  2(1+1+0)  N.R  2(1+1+0)	w.e.f. August 2019 * MMV not recommended due to shortage in T&E.

08/08/19

*[Signature]*  
8/8/19

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Maharashtra**

**Dated: 31/07/2019**

**Total - 89 (Old- 45 /New- 44)**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
22.	Raje Pratishthan Sanchlit Mayureshwar Pvt. ITI, At-Post-Khandukhairewadi, Supe, Tal- Baramati, Distt - Pune- 412204 Maharashtra		New	Electrician Welder Wireman Fitter	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	w.e.f. August 2019
23.	Shri Sai Pvt. ITI, Gat No. 67 Sasure, Vairag, Taluka-Barshi, Distt.- Solapur- 413402, Maharashtra	PR27000732	Old	Welder Fitter Electrician Mechanic Motor Vehicle	Addl. 1(0+1+0) Addl. 1(0+1+0) 2(1+1+0) 2(1+1+0)	Addl. 1(0+1+0) Total 2(1+1+0) Addl. 1(0+1+0) Total 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
24.	Vitthalrao Thorat Pvt. ITI, Thorat nagar, Bhigwan Indapur- pune- 413130	PR27000779	Old	Electrician	2(1+1+0)	2(1+1+0)	w.e.f. August 2019
25.	SAMPARC Pvt. ITI, Malavali, Taluka-Maval, Distt.- Pune - 410405	PR27000704	Old	Fitter Electrician	2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0)	w.e.f. August 2019
26.	Karamveer Bhaurao Patil Shikshan Sanstha Sanchalit Col. Yashwantrao Renuse Pvt. ITI, At PST- Kikvi (Morwadi), Tal.- Bhore, Distt.- Pune - 412205		New	Electrician Welder Wireman Fitter	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019

*Handwritten signature/initials*

*Handwritten signature and date 31/8/19*

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.





**STATE: Maharashtra**  
**Total - 89 (Old- 45 /New- 44)**

**Dated: 31/07/2019**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
27.	Shree Bhairavnath Pvt. ITI Pabal, Taluka-Shirur, Distt.- Pune, Maharashtra		New	Electrician Electronic Mechanic Welder Fitter Draughtsman Mechanical	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) N.R	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) N.R	w.e.f. August 2019 <b>DM not recommended due to shortage of T&amp;E.</b>
28.	Vidyabharati Pvt. ITI, C.K. Naidu Road, Camp, Amravati, Tai-Distt.- Amravati-444602, Maharashtra	PR27000511	Old	Mechanic Refrigeration and Air Conditioner	3(1+1+1)	3(1+1+1)	w.e.f. August 2019
29.	Chhatrapati Shivaji Maharaj Pvt. ITI, Ramtek, Distt.- Nagpur, Maharashtra-441106		New	Electrician Fitter	Not recommended due to shortage in T&E	Not recommended	<b>Not recommended due to shortage in T&amp;E</b>
30.	Advance Skill Pvt. ITI, Samata Colony, Majalgaon, Distt. Beed- 431131, Maharashtra		New	Electrician Wireman	Not recommended by JIC	Not recommended	Not recommended due to ITI shown in the same workshop and Building which already affiliated (PR27000843).

*08/08/19*

*Sunil Kumar*  
*07/08/19*

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Maharashtra**  
**Total - 89 (Old- 45 /New- 44)**

**Dated: 31/07/2019**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
31.	Dr. Zakir Husain Pvt. ITI, Anwa, Tal- Bhokardan, Distt.- Jalna- 431112, Maharashtra	PR27000698	Old	Electrician	Addl. 2(1+1+0)	Addl. 2(1+1+0) Total 4(2+2+0)	w.e.f. August 2019
32.	P.N. Sarode Pvt. ITI, Sawli(Wagh), Tah.- Hinganghat, Distt.- Wardha- 443201, Maharashtra		New	Electrician Welder Fashion Design Technology Spinning Technician Weaving Technician	Not recommended by Joint Inspection Committee.	Not recommended	Not recommended due to shortage in T&E
33.	MESCO Pvt. ITI, Mahasainik Industrial Estate, Plot No. T- 153/1, Bhosari MIDC, Pune- 411026, Maharashtra		New	Fitter Electrician COPA MH MMV MRAC	Not recommended by Joint Inspection Committee.	Not recommended	Not recommended due to shortage in T&E
34.	Savitribai Fule Pvt. ITI, Paranda Ta Parand, Distt.- Osmanabad, Maharashtra - 413502		New	Electrician Wireman	2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0)	w.e.f. August, 2019 *
35.	Dadasaheb Sukdeo Soma Bhoi Pvt. ITI, Undirkhede Tal Parola Distt.- Jalgaon-425111, Maharashtra		New	Electrician Fitter	Not recommended by Joint Inspection Committee due to shortage of T&E as per NSQF syllabus	Not recommended	Not recommended by Joint Inspection Committee due to shortage of T&E as per NSQF syllabus

*20/08/19*

*[Signature]*  
8/8/19

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Maharashtra**

**Dated: 31/07/2019**

**Total - 89 (Old- 45 /New- 44)**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
36.	Shantai Education Society Pvt. ITI, Pimpalner, Distt.- Dhule - 424304, Maharashtra		New	Fitter Electrician Hospital House Making Health Sanitary Inspector	2(1+1+0) 2(1+1+0) N.R 1(1+0+0)	2(1+1+0) 2(1+1+0) N.R 1(1+0+0)	w.e.f. August 2019 *HHM not recommended due to shortage in T&E
37.	Govt. ITI, Nandanwan Colony, Civil lines, Washim, At Post, Taluka, Distt.- Washim, Maharashtra	GU27000307	Old	Fitter	2(1+1+0)	2(1+1+0)	w.e.f. August 2019
38.	Vikram Shikshan Santha New ITI, Pathrot Ta. Achlpur, Distt - Amravati, Maharashtra	PR27000706	Old	Electrician Wireman	Addl. 1(0+1+0) 2(1+1+0)	Addl. 1(0+1+0) Total 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
39.	Govt. ITI, Mangrulpir Tq- Mangrulpir, Distt.- Washim- 444403, Maharashtra	GR27000305	Old	Mechanic Motor Vehicle COPA	2(1+1+0) Addl. 1(0+1+0)	2(1+1+0) Addl. 1(0+1+0) Total 2(1+1+0)	w.e.f. August 2019
40.	Govt. ITI, Adivasi, Satana, Distt.- Nashik, Maharashtra	GR27000365	Old	COPA Electrician Welder (Gas & Electric) Electronics Mechanic	2(1+1+0) 2(1+1+0) N.R N.R	2(1+1+0) 2(1+1+0) N.R N.R	w.e.f. August 2019 *Welder(G&E) and Electronics Mechanic are not recommended due to layout and two machinery shortfall

*20/8/19*

*[Signature]*  
20/8/19

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Maharashtra**  
**Total – 89 (Old- 45 /New- 44)**

**Dated: 31/07/2019**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
41.	Govt. ITI, Sinnar, Tal-sinnar , Distt- Nashik, Maharashtra	GR27000272	Old	COPA Turner (PPP) Welder (PPP)	2(1+1+0) 2(1+1+0) Addl. 1(0+1+0)	2(1+1+0) 2(1+1+0) Addl. 1(0+1+0) Total 4(2+2+0)	w.e.f. August 2019
42.	Govt. ITI, Adivasi, Deola , Distt.- Nashik, Maharashtra	GR27000701	Old	COPA  Dress Making  Welder  Fitter  Mechanic Motor Vehicle  Electrician  Wireman  Diesel Mechanic	Addl.2(1+1+0)  Addl.1(0+1+0)  Addl. 2(1+1+0)  2(1+1+0)  1(0+1+0)  2(1+1+0)  2(1+1+0)  1(0+1+0)	Addl.2(1+1+0) Total 3(1+1+1)  Addl.1(0+1+0) Total 2(1+1+0)  Addl. 2(1+1+0) Total 3(1+1+1)  2(1+1+0)  1(0+1+0)  2(1+1+0)  2(1+1+0)  1(0+1+0)	w.e.f. August 2019
43.	Shri Dadasaheb Pundalik Patil Pvt. ITI, Bambrud Khu. (Shivar), Pachora, Distt.- Jalgaon, Maharashtra		New	Fitter Electrician Welder Health and Sanitary Inspector	2(1+1+0) 2(1+1+0) N.R N.R	2(1+1+0) 2(1+1+0) N.R N.R	w.e.f. August 2019 <b>* Welder &amp; HSI are not recommended due to shortage of T&amp;E</b>
44.	Rajeev Gandhi ITI, Jalkot Road, Udgir, Distt.- Latutr- 413517, Maharashtra	PR27000933	Old	Wireman	2(1+1+0)	2(1+1+0)	w.e.f. August 2019

*Handwritten signature and date: 31/07/19*

*Handwritten signature and date: 31/07/19*

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



STATE: Maharashtra

Dated: 31/07/2019

Total - 89 (Old- 45 /New- 44)

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
45.	Gramin ITI, At. Post-Gharni Tq. Chakur, Distt. Latur- 413513, Maharashtra		New	Electrician Wireman Fitter Welder COPA Surveyor Mechanic Diesel Health Sanitary Inspector Fashion Design Technology	8(4+4+0) 4(2+2+0) 2(1+1+0) 2(1+1+0) N.R N.R N.R N.R N.R	8(4+4+0) 4(2+2+0) 2(1+1+0) 2(1+1+0) N.R N.R N.R N.R N.R	w.e.f. August 2019 <b>COPA, Surveyor, MD, HSI &amp; FDT are not recommended due to space not available</b>
46.	Gramin ITI, At .Post-Ghodaj Road, Kandhar Tq. Kandhar, Distt.- Nanded- 431714, Maharashtra		New	Basic Cosmetology Surveyor Electrician Wireman Welder Fitter Fashion Design Technology COPA	N.R N.R 4(2+2+0) 2(1+1+0) N.R N.R N.R 2(1+1+0)	N.R N.R 4(2+2+0) 2(1+1+0) N.R N.R N.R 2(1+1+0)	w.e.f. August 2019 <b>* Basic Cosmetology, Surveyor, Welder, Fitter, FDT are not recommended due to T&amp;E shortage.</b>

28/8/19

*[Signature]*  
28/8/19

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Maharashtra**  
**Total - 89 (Old- 45 /New- 44)**

**Dated: 31/07/2019**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
47.	Gramin ITI, At. Post-Sangam Tq. Parli, Distt.- Beed - 431520		New	Electrician Wireman Welder Fitter Fashion Design Technology Basic Technology	8(4+4+0) 2(1+1+0) N.R N.R N.R N.R	8(4+4+0) 2(1+1+0) N.R N.R N.R N.R	w.e.f. August 2019 * Welder, Fitter, FDT and Basic Technology are not recommended due to shortage of space.
48.	Balaghat ITI, Latur-Nanded highway, Ruddha, Tq-ahmedpur, Distt.- Latur- 413515, Maharashtra		New	Electrician Wireman COPA	2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019 *
49.	Sneth Natwarlal Ranchhoddas Gujarathi Pvt. ITI, Ghodgaon, Tal-Chopda, Distt.- Jalgaon- 425108, Maharashtra		New	Fitter Electrician Dress Making Plumber	2(1+1+0) 2(1+1+0) N.R N.R	2(1+1+0) 2(1+1+0) N.R N.R	w.e.f. August 2019 * Dress Making and Plumber are not recommended due to Tool & Equipment shortage.
50.	St. Joseph's Pvt. ITI, Shankar Sheth Road, Behind Mira Society, Pune-411037	PR27000017	Old	Electrician	01(0+1+0)	01(0+1+0)	w.e.f. August 2019 Recommended in second shift due to

02/08/19

Sumil  
02/08/19

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Maharashtra**  
**Total - 89 (Old- 45 /New- 44)**

**Dated: 31/07/2019**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
							less power connectlon.
51.	Shardabai Pawar Pvt. ITI, Shardanagar, Tal-Baramati, Distt.- Pune- 413115, Maharashtra	PR27000196	Old	Fitter  Electrician	Addl. 1(0+1+0)  Addl. 2(1+1+0)	Addl. 1(0+1+0) Total 3(1+1+1)  Addl. 2(1+1+0) Total 4(2+2+0)	w.e.f. August 2019
52.	Vasantrao Kale ITI, Dhondewadi, Post-Jainwadi, Tal-Pandharpur, Distt. - Solapur, Maharashtra	PR27000637	Old	Electrician  Mechanic Diesel	Addl. 2(1+1+0) Total 4(2+2)  N.R	Addl. 2(1+1+0) Total 4(2+2)  N.R	w.e.f. August 2019 Mechanic Diesel not recommend ed due to shortage in T&E
53.	Maharaja ITI, Survey No. B-1, Old Akluj Road, Near Water House, At-Post-Pandharpur, Distt.- Solapur- 413304, Maharashtra	PR27000912	Old	Mechanic Diesel  Electrician	N.R  Addl. 2(1+1+0)	N.R  Addl. 2(1+1+0) Total 4(2+2+0)	w.e.f. August 2019 Mechanic Diesel not recommend ed due to non-availability in Machinery.
54.	Harsh Pvt. ITI Sutla (BK), Khamgaon, Distt.- Buldhana- 444303, Maharashtra	PR27000708	Old	Welder  Fitter  Electrician	Not recommended all trade by JIC	Not recommended	Not recommend ed due to bills produced not matched with list of

*good list*

*Shankar*  
31/8/19

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Maharashtra**

**Dated: 31/07/2019**

**Total - 89 (Old- 45 /New- 44)**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
							Tools required for trades which affiliation sought. Not a single student present date of inspection.
55.	Shri Balasaheb Mane Shikshan Prasarak Mandal Ambap's Ashokrao Mane Pvt. ITI Ambap, Tal- Hatkanangale, Dist. Kolhapur		New	Fitter Electrician Welder Surveyor Mechanic Motor Vehicle Machinist Fashion Design Tech.	Not recommended all trade by JIC	Not recommended	Not recommended due to 100% shortage Tools and equipment.
56.	Jaihind Pvt. ITI, At- Post- Kuran, Tal- Junnar, Distt.- Pune- 410511, Maharashtra		New	Electrician Fitter Surveyor Welder	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
57.	My Mothers Education Society Sanchalit ITI, Chipari (Jaysingpur), Near Choundeshwari Mill, A/P.- Chipari, Tal.- Shirol, Distt.- Kolhapur-416101, Maharashtra	PR27000662	Old	Electrician	Addl. 2(1+1+0)	Addl. 2(1+1+0) Total 4(2+2+0)	w.e.f. August 2019

*20/08/19*

*Amilkar*  
8/8/19

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.





**STATE: Maharashtra**  
**Total - 89 (Old- 45 /New- 44)**

**Dated: 31/07/2019**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
58.	Vilaschandra M. Mehta Pvt. ITI, Dahigaon Tal- Malshiras, Distt.- Solapur, Maharashtra	PR27000807	Old	Mechanic Diesel	2(1+1+0)	2(1+1+0)	w.e.f. August 2019
59.	Ahmed Abdullah Garib Pvt. ITI, Memon Welfare Educational Campus, Behind Wafa Park, Almas Colony, Kausa, Mumbra, Distt.- Thane- 400612, Maharashtra	PR27000525	Old	Mechanic Motor Vehicle Electrician	Addl. 1(0+0+1) Addl. 1(0+0+1)	Addl. 1(0+0+1) Total 3(1+1+1) Addl. 1(0+0+1) Total 3(1+1+1)	w.e.f. August 2019
60.	Bhanudas Maniram Save Shikshan Sanstha'S L. J.Raut Private Industrial Training Institute, Chinchani, Raut Stop, Tal. Dahanu, Distt.- Palghar- 401503, Maharashtra	PR27000188	Old	Electrician Fitter COPA	Addl. 1(0+0+1) N.R 1(1+0+0)	Addl. 1(0+0+1) Total 3(1+1+1) N.R 1(1+0+0)	w.e.f. August 2019 Fitter not recommended due to shortage in Tool & Equipment
61.	Rajlaxmi Pvt. ITI, Gat No. 190/2, 186 Madadgaon, Takali Kazi, Jamkhed Road, Taluka & Distt.- Ahmednagar- 414201, Maharashtra		New	Electrician Wireman Dress Making COPA	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
62.	Dr Bhanudas G. Dere Pvt. ITI, Karhephata, Post- Nimon, Taluka- Sangamner, Distt.- Ahmednagar- 422611, Maharashtra	PR27000891	Old	Mechanic Motor Vehicle	3(1+1+1)	3(1+1+1)	w.e.f. August 2019
63.	A P J Abdul Kalam Pvt. ITI College, Manchi hill, Ashwi bk, Tal.- Sangamner, Distt.- Ahmednagar-413714. Maharashtra	PR27000836	Old	Electrician	2(1+1+0)	2(1+1+0)	w.e.f. August 2019

02/08/19

*[Signature]*  
08/8/19

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Maharashtra**

**Dated: 31/07/2019**

**Total - 89 (Old- 45 /New- 44)**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
64.	Shri Nageshwar Pvt. ITI, Gut No. 232/2, 233/2, 234/2, At-Post-Bhandgaon, Bhalawani-Bhandgaon Road, Tal.-Parner, Distt.-Ahmednagar, Maharashtra		New	Electrician Draughtsman Civil Architectural Assistant Interior Design and Decoration	2(1+1+0) 2(1+1+0) N.R N. R	2(1+1+0) 2(1+1+0) N.R N.R	w.e.f. August 2019 * AA & IDD Not recommended due to shortage in space & Equipment
65.	Shri Sai Pvt. ITI, Devgaon, Tal.-Amalner, Distt.- Jalgaon, Maharashtra		Old	Electrician Fitter Welder Wireman	2(1+1+0) 2(1+1+0) N.R N.R	2(1+1+0) 2(1+1+0) N.R N.R	w.e.f. August 2019 * Welder & Wireman are not recommended due to shortage in equipment.
66.	Somling Gramvikas Mandal sanchalit Private ITI, Gunjegaon, Tal.-Mangalwedha, Distt.-Solapur	PR27000638	Old	Mechanic Motor Vehicle	Not recommended	Not recommended	w.e.f. August 2019 *Not recommended due to deficiency in machinery.
67.	Shri Guruji Industrial Training Institute Latur, A 38 old MIDC Back side of Aroma Hotel, Latur-413512, Maharashtra		New	Electrician Wireman Welder	2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019 *
68.	Manav Private Industrial Training Institute, Gut NO 1035, National Highway No.6, Vyalla, Tq. Balapur Dist Akola-444302, Maharashtra		New	Electrician Wireman Welder Fitter	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019

*08/08/19*

*[Signature]*  
 31/8/19

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Maharashtra**  
**Total - 89 (Old- 45 /New- 44)**

**Dated: 31/07/2019**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
69.	R O Nikam Private Industrial Training Institute, Gondur, At/Post Tal, Dhule Dist, Dhule-424002		New	Electrician Wireman Welder Fitter	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
70.	Shedule Caste & Navbaudh Boys and Girls Govt. Higher Grade ITI, Behind Govt. Arts College, VIP Road, Aurangabad- 431005, Maharashtra	GU27000542	Old	COPA	Addl. 1(0+1+0)	Addl. 1(0+1+0) Total 2(1+1+0)	w.e.f. August 2019
71.	Govt. ITI, Shirur Anantpal, Bhingoli-Nilanga Road, Shirur Anantpal Dist.- Latur-413544, Maharashtra	GR27000574	Old	Mechanic Refrigeration and Air Conditioner Operator Advance Machine Tool Electrician	2(1+1+0) 2(1+1+0) Addl. 1(0+1+0)	2(1+1+0) 2(1+1+0) Addl. 1(0+1+0) Total 2(1+1+0)	w.e.f. August 2019
72.	Dnyanganga Pvt. ITI, Ranisawargaon Tq. - Gangakhed, Distt. - Parbhani--431536, Maharashtra		New	Wireman Electrician Fire Technology and Safety Fashion design and Technology	Not recommended all trades by JIC.	Not recommended	*Not recommended due to deficiency in Machinery & Furniture.
73.	Shri Chakrdhar Swami Pvt. ITI, Kopargaon, Distt. - Ahmednagar - 423601, Maharashtra		New	Electrician Welder Wireman Fitter Draughtsman Mechanical	3(1+1+1) N.R 3(1+1+1) 3(1+1+1) N.R	3(1+1+1) N.R 3(1+1+1) 3(1+1+1) N.R	w.e.f. August 2019 *Welder & DM are not recommended due to shortage in T&E, space & power.

*08/08/19*

*[Signature]*  
08/08/19

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Maharashtra**  
**Total - 89 (Old- 45 /New- 44)**

**Dated: 31/07/2019**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
74.	Samarth Pvt. ITI, Gat No. 147/2, At/PO- Rakshi, Tal- Shevgaon, Distt.- Ahmednagar- 414502, Maharashtra	PR27000935	Old	Electrician  Wireman	Addl. 2(1+1+0)  2(1+1+0)	Addl. 2(1+1+0) Total 5(2+2+1)  2(1+1+0)	w.e.f. August 2019
75.	Gramin Pvt. ITI, palam, at Post- Sarfarajpur, Tal.- Palam, Distt.- Parbhani-431720, Maharashtra		New	Electrician Wireman Fitter Welder COPA Surveyor Mechanic Diesel Health Sanitary Inspector Fashion Design Technology	8(4+4+0) 4(2+2+0) 2(1+1+0) 2(1+1+0) N.R 2(1+1+0) 2(1+1+0) N.R N.R	8(4+4+0) 4(2+2+0) 2(1+1+0) 2(1+1+0) N.R 2(1+1+0) 2(1+1+0) N.R N.R	w.e.f. August 2019
76.	Vishweshwarayya ITI, At-Post- Almala (S. Wadi), Tq. Ausa, Distt.- Latur-413520, Maharashtra		New	Mechanic Diesel Electrician Wireman Fitter	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
77.	Techno vision Private Industrial Training institute Borisawargaon, A/P: Borisawargaon Ta: Kaji Dist: Beed- 431518	PR27000957	Old	Electrician	Addl. 2(1+1+0)	Addl. 2(1+1+0) Total 4(2+2+0)	w.e.f. August 2019
78.	Kalawatibai Chavan Pvt. ITI, Lalwandi Road, Naigaon,		New	Welder  Electrician	N.R  2(1+1+0)	N.R  2(1+1+0)	w.e.f. August 2019 * Welder,

*08/8/19*

*[Signature]*  
*8/8/19*

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



STATE: Maharashtra

Dated: 31/07/2019

Total - 89 (Old- 45 /New- 44)

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
	Distt.-Nanded, Maharashtra			Wireman Fitter Draughtsman Civil Desktop Publishing Operator	N.R 2(1+1+0) N.R 2(1+1+0)	N.R 2(1+1+0) N.R 2(1+1+0)	Wireman & Draughtsman (Civil) are not recommended due to shortages in Tools.
79.	Bhaskara Charya Pvt. ITI, At-Post- Tarwade, Tal. - Chalisgaon, Distt.- Jalgaon, Maharashtra		New	Electrician Welder Fitter Draughtsman Mechanical	Not recommended all trade by JIC	Not recommended	* Not recommended due to many discrepancies.
80.	Gangamai Pvt. ITI, Nagaon, Tal. Distt.- Dhule- 424005, Maharashtra	PR27000938	Old	Electrician Fitter Welder Wireman	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
81.	Shantivan Pvt ITI, Sevali, tq. Sakri Dist Dhule 424304		New	Fitter Electrician Sewing Technology Fire Technology and Industrial Safety Management	3(1+1+1) 3(1+1+1) N.R N.R	3(1+1+1) 3(1+1+1) N.R N.R	w.e.f. August 2019 * ST & FT are not recommended due to shortage in T&E.
82.	Shri Nath Nange Baba Multipurpose Mandal's Pvt. ITI, Waghare, Tal.-Parola, Distt.- Jalgaon-425111, Maharashtra	PR27000800	Old	Fitter Electrician	N.R Addl. 2(1+1+0)	N.R Addl. 2(1+1+0) Total 4(2+2+0)	w.e.f. August 2019 Fitter not recommended due to shortage in T&E.

03/08/19

*[Signature]*  
31/8/19

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Maharashtra**  
**Total - 89 (Old- 45 /New- 44)**

**Dated: 31/07/2019**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
83.	Dharti ITI, Pohetakli, Tq.-Pathri, Distt.-Parbhani- 431506, Maharashtra		New	Mechanic Diesel Electrician Wireman Welder	N.R 2(1+1+0) 2(1+1+0) 2(1+1+0)	N.R 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019 * Mechanic Diesel not recommended due to major discrepancies.
84.	Shri Sai Janvikas Pratisthan Pvt.Industrial Training Institute, Gat No 232, Alani, Ta. Dist Osmanabad 413501 Maharashtra	PR27000652	Old	Wireman Electrician	N.R 2(1+1+0)	N.R 2(1+1+0)	w.e.f. August 2019 Wireman not recommended due to shortage in T&E.
85.	Brahma Vally Pvt. ITI, Brahma vally Education Campus, Trambyak road anjaneri nashik, Maharashtra		New	Electrician Wireman Fitter Turner	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) N.R 2(1+1+0) 2(1+1+0)	w.e.f. August 2019 *Wireman not recommended due to shortage of Trade tools equipment & machinery list not as per NSQF syllabus.
86.	Nashik Pvt. ITI, Viholi, 35/1/2A, Nashik, Maharashtra		New	Electrician Welder Fitter	2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019 *

*Handwritten signature/initials*

*Handwritten signature and date 31/8/19*

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Maharashtra**

**Dated: 31/07/2019**

**Total - 89 (Old- 45 /New- 44)**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
87.	Shatabdi Pvt. ITI , Agaskhind onsinnar ghoti highway tq. Sinner dist, nashik Maharashtra		New	Draughtsman Civil Electrician Welder Fitter	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
88.	Govt. ITI (Women) Nashik, Dist. Nashik, Old Mumbai Agra Road, Nashik Maharashtra	GU27000155	Old	ICTSM	Adtl. 1(0+1+0)	Adtl. 1(0+1+0) Total 5(3+2+0)	w.e.f. August 2019
89.	Supabal Shivram Antulkar Pvt. ITI Waghadi, At Waghadi Atl. Shirpur Dist. Dhule Maharashtra		New	Electrician Fitter Sewing Technology Hospital House Keeping	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019

*Handwritten signature*

*Handwritten signature*  
31/8/19

\* Note:- Within 2 months ITI should rectify the deficiencies and get inspected for not recommended trades.



**STATE: Meghalaya**

**Dated: 31/07/2019**

**Total - 1(Old-1)**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Existing /New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Don Bosco Technical School, Shillong East Khasi Hills District, Meghalaya - 793003	PR17000006	Existing	Electrician	Addl. 1(1+0+0)	Addl. 1(1+0+0) Total 3(2+1+0)	w.e.f. August 2019
				Wireman	Addl.1(0+1+0)	Addl.1(0+1+0) Total 2(1+1+0)	Not Recommended by SCI
				MMV	N.R.	N.R.	
				Machinist	N.R.	N.R.	

*08/8/19*

*Sanil Kumar*  
8/8/19





**STATE: Odisha**

**Dated: 31/07/2019**

**Total - 6(Old-6)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Govt. ITI, Chandahandi, Nabarangpur, At/P.O. Phatki, PS-Chandahandi, Dit, Nabarangpur, Odisha, Pin 764077	GR21000605	Existing	Mech. Motor Vehicle Welder	2(1+1+0) 2(1+1+0)	2(1+1+0) ✓ 2(1+1+0) ✓	w.e.f. August 2019 ✓
2.	Rajdhani Pvt. ITI, Cuttack, Plot No. 81, At Patapur, P.O, Brahmanigaon, tahsil: Barang, Trisula, Dist. Cuttack, Odisha, Pin 754005	PR21000424	Existing	Fitter Electrician	Addl. 2(0+0+2) Addl. 2(0+0+2)	Addl. 2(0+0+2) ✓ Total 6(2+2+2) ✓ Addl. 2(0+0+2) ✓ Total 6(2+2+2) ✓	w.e.f. August 2019 ✓
3.	Sai Private ITI, At Block Square, PO-Bellaguntha, Dist Gunjam, Odisha, Pin 761119	PU21000395	Existing	Fitter Electrician	Addl. 3(0+0+3) ✓ Addl. 3(0+0+3) ✓	Addl. 3(0+0+3) ✓ Total 9(3+3+3) ✓ Addl. 3(0+0+3) ✓ Total 9(3+3+3) ✓	w.e.f. August 2019 ✓
4.	Govt. ITI, Gumma, At/PO-K.C Pur Via Gumma, Dist. Gajapati, 761217	GR21000599	Existing	Welder	2(1+1+0) ✓	2(1+1+0) ✓	w.e.f. August 2019 ✓
5.	Govt. ITI, Jajpur, At-Upper Baruan, P.O-Kabirajpur, Dist. Jajpur-755009, Odisha	GU21000593	Existing	Electrician Fitter Mech. Motor Vehicle Welder	Addl. 2(1+1+0) ✓ Addl. 2(1+1+0) 2(1+1+0) 2(1+1+0)	Addl. 2(1+1+0) ✓ Total 4(2+2+0) ✓ Addl. 2(1+1+0) ✓ Total 4(2+2+0) ✓ 2(1+1+0) ✓ 2(1+1+0)	w.e.f. August 2019 ✓
6.	Govt. ITI, Nayagarh At/PO-Khuntubandha Dist. Nayagarh 752079	GU21000587	Existing	Mech. Motor Vehicle Welder	6(2+2+2) 3(1+1+1)	6(2+2+2) ✓ 3(1+1+1) ✓	w.e.f. August 2019 ✓

*Handwritten signature*

*Handwritten signature*  
8/8/19



**STATE: Rajasthan**

**Dated: 31/07/2019**

**Total - 3(Old-3)**

**Affiliation of Trade/Units with NCVT**

Sl. no	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Spark Pvt. ITI Opp. Bharat Petrol Pump, Mandeta Road, Khud, Dist. Sikar 332001	PU08001867	Existing	Fire Technology and Industrial Safety Management  Health Safety & Environment	Addl. 4(2+2+0)  Addl. 2(1+1+0)	Addl. 4(2+2+0) Total 8(4+4+0)  Addl. 2(1+1+0) Total 4(2+2+0)	w.e.f. August 2019
2.	Shri Krishna Pvt. ITI Badiyal Road, Gyarsi Walo Ka Baas, Bandikui (Dausa)-303313	PR08000038	Existing	Electrician	Addl. 8(2+2+4)	Addl. 8(2+2+4) Total 12(4+4+4)	w.e.f. August 2019 Recommended reduced units due to shortage in space and TE
3.	Arihant Private ITI, Khasara No. 528, Village Bata Wadi, Tehsil Anta, Dist. Baran 325205		Existing	Health Sanitary Inspector	2(1+1+0)	2(1+1+0)	w.e.f. August 2019

*08/08/19*

*Sumit*  
*8/8/19*



**STATE:Tamil Nadu**

**Dated: 31/07/2019**

**Total - 3(Old-3)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Don Bosco Pvt. ITI, Jawaharpuram K. Pudur, Madurai	PR33000431	Existing	Electrician Wireman	Addl. 2(1+1+0) Total 4(2+2+0)  Addl. 2(1+1+0) Total 4(2+2+0)	Addl. 2(1+1+0) Total 4(2+2+0)  Addl. 2(1+1+0) Total 4(2+2+0)	w.e.f. August 2019
2.	Auroville Institute of applied Technology Pvt. ITI, Aurobrindavan, ThiruchitrabalamKoot Road, vanurTk, Villupuram Dt., Tamil nadu Pin-605111	PR33000625	Existing	Fitter	Addl. 2(1+1+0) Total 4(2+2+0)	Addl. 2(1+1+0) Total 4(2+2+0)	w.e.f. August 2019
3.	Auroville Institute of applied Technology Pvt. ITI, Irumbai Main Road, VanurTaluk, VillupuramDistt., Tamilnadu - 605111	PR33000584	Existing	Information Communication Technology System Maintenance  COPA	2(1+1+0)  2(1+1+0)	2(1+1+0)  2(1+1+0)	w.e.f. August 2019

*08/8/19*

*Junika*  
*8/8/19*



**STATE: Tripura**

**Dated: 31/07/2019**

**Total – 4(Old-2/New-2)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Govt Industrial Training Institute, Indranagar, Agartala, P.O: Indranagar, West Tripura, pin 799006, Tripura	GU16000001	Existing	COPA	Addl. 2(1+1+0) Total 3(2+1+0)	Addl. 2(1+1+0) Total 3(2+1+0)	w.e.f. August 2019
2.	Govt. Industrial Training Institute, Belonia, Belonia, Dist. South Tripura, Pincode 799155	GR16000010	Existing	Plumber	2(1+1+0)	2(1+1+0)	w.e.f. August 2019
3.	Govt. ITI Gandacherra, Dhalai Tripura, Pin Code 799284		New	Desktop Publishing Operator	2(1+1+0)	2(1+1+0)	w.e.f. August 2019
				Dress Making	2(1+1+0)	2(1+1+0)	
				Welder	2(1+1+0)	2(1+1+0)	
				Draughtsman Civil	2(1+1+0)	2(1+1+0)	
				Electrician	2(1+1+0)	2(1+1+0)	
4.	Govt. ITI Kanchanpur, North Tripura, 799270		New	COPA	2(1+1+0)	2(1+1+0)	w.e.f. August 2019
				Dress Making	2(1+1+0)	2(1+1+0)	
				Surveyor	2(1+1+0)	2(1+1+0)	
				Plumber	2(1+1+0)	2(1+1+0)	
				Electronics Mechanics	2(1+1+0)	2(1+1+0)	

*Handwritten signature*

*Handwritten signature*  
31/8/19



**STATE: Uttarakhand**

**Dated: 31/07/2019**

**Total - 1(New-1)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Jeet Lal Private ITI, Industrial Training Institute, East Jhandichour Kotdwara, Taluk- Motadhank, Distt- Pauri Garhwal, Uttrakhand -246149		New	Electrician Fitter Sewing Technology COPA	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) ✓ 3(1+1+1) ✓ 3(1+1+1) ✓ 3(1+1+1) ✓	w.e.f. August 2019 ✓

*Handwritten signature*

*Handwritten signature*  
8/8/19



**STATE: West Bengal**

**Dated: 31/07/2019**

**Total - 9(Old-7/New-2)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Global Private ITI, NH-34, Palpara More, Krishnanagar, dist. Nadia West Bengal, Pin-741102	PU19000222	Existing	Fitter  Welder	Addl. 3(1+1+1)  3(1+1+1)	Addl. 3(1+1+1) Total 6(2+2+2)  3(1+1+1)	w.e.f. August 2019
2.	BKM Private ITI, VillLachhia, P.O-Ramkanali, P.S., Raghunathpur, Pin 723142, Dist. Purulia West Bengal	PR19000119	Existing	Electrician  Fitter	Addl. 9(3+3+3)  Addl. 6(2+2+2)	Addl. 6(2+2+2) Total 9(3+3+3)  Addl. 6(2+2+2) Total 6(2+2+2)	w.e.f. August 2019 units reduced in electrician trade due to shortage in T&E
3.	Dasagram Anuran Private ITI, Vill. +P.O- Dasagram, PS, Sabang, Dist. PasachimMedinipur, West Bengal 721467		New	Fitter  Electrician  Surveyor  Health Sanitary Inspector	6(2+2+2)  6(2+2+2)  3(1+1+1)  3(1+1+1)	6(2+2+2)  6(2+2+2)  3(1+1+1)  3(1+1+1)	w.e.f. August 2019
4.	Ramkrishna Memorial Private ITI, Vill-Manakchita, P.O: Baragram, P.S, Joypur, Dist. Purulia, West Bengal Pin-723103		New	Fitter  Electrician  Welder  Mechanic Diesel	N.R.  N.R.  N.R.  N.R.	N.R.  N.R.  N.R.  N.R.	NR by Joint inspection committee
5.	N.S Private ITI, Vill. Chandipur, P.O, Abhirampur, Dist. PurbaBardhanman, West Bengal	PR19000133	Existing	Electrician  Fitter	Addl. 5(1+1+3) Total 9(3+3+3)  Addl. 3(1+1+1) Total 6(2+2+2)	Addl. 5(1+1+3) Total 9(3+3+3)  Addl. 3(1+1+1) Total 6(2+2+2)	w.e.f. August 2019
6.	Sephali Memorial Pvt. ITI, Gobindapur(Near Guskara), P.O-Keleti, Dist. PurbaBardhaman, Pin-713128	PR19000138	Existing	Fitter  Electrician	Addl. 2(0+0+2) Total 6(2+2+2)  Addl. 2(0+0+2) Total 6(2+2+2)	Addl. 2(0+0+2) Total 6(2+2+2)  Addl. 2(0+0+2) Total 6(2+2+2)	w.e.f. August 2019

*(Signature)*

*(Signature)*  
8/8/19



**STATE: West Bengal**

**Dated: 31/07/2019**

**Total - 9(Old-7/New-2)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
7.	Naihati Pvt. ITI at Naihati, Vill. P.O - Dogachia-743130, Dist. 24 PGS (N), West Bengal	PU19000134	Existing	Electrician  Fitter	Adl. 3(1+1+1) ✓ Total 6(2+2+2) ✓  Adl. 3(1+1+1) ✓ Total 6(2+2+2) ✓	Adl. 3(1+1+1) ✓ Total 6(2+2+2) ✓  Adl. 3(1+1+1) ✓ Total 6(2+2+2) ✓	w.e.f. August 2019
8.	Govt. PROVASH ROY Industrial Traning Institute Amtala, P.O.- BishnupurAmtala, Distt. South Twenty Four Parganas, Pincode 743503, West Bengal	GR19000020	Existing	Fitter  Electrician  Desktop Publishing Operator  Motor Mechanic Vehicle	Adl. 1(0+1+0) ✓ Total 2(1+1+0) ✓  2(1+1+0) ✓  2(1+1+0) ✓  2(1+1+0) ✓	Adl. 1(0+1+0) ✓ Total 2(1+1+0) ✓  2(1+1+0) ✓  2(1+1+0) ✓  2(1+1+0) ✓	w.e.f. August 2019
9.	Durgapur Pvt. ITI, City Centre Ph-II, suryaSenSarani, Near Gandhi More, Durgapur, Distt.- PaschimBardhaman, West Bengal - 713208	PU19000145	Existing	Welder  Mechanic Diesel  Fitter	3(1+1+1) ✓  3(1+1+1) ✓  Adl. 3(1+1+1) ✓ Total 6(2+2+2) ✓	3(1+1+1) ✓  3(1+1+1) ✓  Adl. 3(1+1+1) ✓ Total 6(2+2+2) ✓	w.e.f. August 2019

08/8/19

Sanjit Kumar  
31/8/19



STATE:Uttar Pradesh

Dated: 31/07/2019

Total - 19(Old-8/New-11)

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	Shambhunath Pvt. ITI, Paraspani, Kota Dalla, Sonebhadra, UP	PR09900715	Existing	Electrician Fitter	Addl. 12(4+4+4) Total 15(5+5+5)  Addl. 3(1+1+1) Total 6(2+2+2)	Addl. 12(4+4+4) Total 15(5+5+5)  Addl. 3(1+1+1) Total 6(2+2+2)	w.e.f. August 2019
2.	Ram Prasad Singh Pvt. ITI Parsiya Urf Kharjarwa Post+Dist Deoria U.P 274001	PR09001693	Existing	Electrician Fitter	Addl. 4(2+2+0) Total 8(4+4+0)  Addl. 3(1+1+1) Addl. 6(2+2+2)	Addl. 4(2+2+0) Total 8(4+4+0)  Addl. 3(1+1+1) Addl. 6(2+2+2)	w.e.f. August 2019
3.	Pandit Ghanaramhariram Private ITI, Vill. & Post Mangrauth Tehsil- Sarila Dist. Hamirpur, U.P 210430		New	Electrician Fitter Electronic Mechanic COPA	6(2+2+2) 2(1+1+0) 2(1+1+0) 2(1+1+0)	6(2+2+2) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
4.	Yogendra Pvt. ITI, Village & Post Kamhariya, Kharihani, Distt. Azamgarh, Uttar Pradesh- 276123		New	Electrician Fitter Sewing Technology *COPA	3(1+1+1) 3(1+1+1) 3(1+1+1) N.R.	3(1+1+1) 3(1+1+1) 3(1+1+1) N.R.	w.e.f. August 2019 *COPA NR due to non availability of licensed software
5.	Rewa Private ITI, Village Budaitha, Post JafarpurSadar, Azamgarh 276001		New	Electrician Fitter Health Sanitary Inspector Hospital house Keeping	2(1+1+0) N.R. N.R. N.R.	2(1+1+0) N.R. N.R. N.R.	w.e.f. August 2019 *Fitter., HIS & HSK NR due to shortage of TE

*Handwritten signature*

*Handwritten signature*  
31/7/19

\* **NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for remaining not recommended trades.





**STATE:Uttar Pradesh**

**Dated: 31/07/2019**

**Total - 19(Old-8/New-11)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
6.	Longshree Pvt. ITI Jajampatti, Rasulpur Mathura 281001 Uttar Pradesh	PR09001739	Existing	Electrician	Addl. 12(4+4+4) Total 24(8+8+8)	Addl. 12(4+4+4) Total 24(8+8+8)	w.e.f. August 2019
7.	G.S.M. Pvt. ITI, G.T. Road, Bewaar, Mainpuri, UP-205301	PR09000940	Existing	Electrician	Addl. 10(3+3+4)	Addl. 10(3+3+4) Total 12(4+4+4)	w.e.f. August 2019
8.	S.N. Vimla Pvt. ITI, Vinodpur, Bhongaun, Mainpuri - 205262, U.P.	PR09002050	Existing	Electrician	Addl. 6(2+2+2) Total 12(4+4+4)	Addl. 6(2+2+2) Total 12(4+4+4)	w.e.f. August 2019
9.	Purvanchal Pvt. ITI, Murdhawa, Renukoot, Distt. Sonebhadra, Uttar Pradesh-231217	PR09000407	Existing	Electrician Fitter	Addl. 10(3+3+4) Total 12(4+4+4)  Addl. 1(0+0+1) Total 3(1+1+1)	Addl. 10(3+3+4) Total 12(4+4+4)  Addl. 1(0+0+1) Total 3(1+1+1)	w.e.f. August 2019
10.	Ramesh Krishak Pvt. ITI, Vill. Surai Post-Sathiyaon, Tehsil Sadar, Dist. Azamgarh, Uttar Pradesh		New	Electrician Fitter COPA Sewing Technology	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	w.e.f. August 2019
11.	SRS Private ITI BartalNawabganj Dist. Farrukhabad 209501		New	Electrician Fitter Health Sanitary Inspector Fashion design & Technology	Not Consider due to recommendation Performa is not signed by joint inspection committee	Not Consider due to recommendation Performa is not signed by joint inspection committee	Not Consider
12.	Shri Awadh Pvt. ITI, Village Kabutara, Post Maholi, Tehsil Mehnagar, Dist. Azamgarh, Uttar Pradesh 276123		New	Electrician Fitter COPA	3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1)	w.e.f. August 2019

31/07/19

*(Signature)*

\* **NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for remaining not recommended trades.

31/07/19



**STATE:Uttar Pradesh**

**Dated: 31/07/2019**

**Total - 19(Old-8/New-11)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
				Plumber	3(1+1+1)	3(1+1+1)	
13.	MaaVaishno Pvt. ITI, Mahawatgarh, Azamgarh-276124, Uttar Pradesh		New	Electrician Welder COPA Draughtsman Civil	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	w.e.f. August 2019
14.	Saraswati Pvt. ITI Chhahin, Sarnath, Varanasi-221007 Uttar Pradesh	PR09000932	Existing	Solar Technician (Electrical)	3(1+1+1)	3(1+1+1)	w.e.f. August 2019
15.	Shri Kamal Nath Singh Pvt. ITI, Vill. & Post BarohiFatehpur, Tehsil Sagri, Dist. Azamgarh, Uttar Pradesh 276121		New	Electrician Fitter COPA Sewing Technology	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	w.e.f. August 2019
16.	Shri Puttulal Memorial Pvt. ITI, VPO- Jahanganj, Tehsil Sadar, Distt. Farrukhabad, 209739, U.P		New	Electrician Fitter Sewing Technology Health Sanitary Inspector	Not Consider due to recommendation Performa is not signed by joint inspection committee	Not Consider due to recommendation Performa is not signed by joint inspection committee	Not Consider
17.	S B S Duddu Ji Pvt. ITI Arra Paharpur Awajpur, Block Barpur, TalukSadar, Dist. Farrukhabad, U.P		New	Fitter Electrician Mechanic R & AC Fashion Design & Technology	Not Consider due to recommendation Performa is not signed by joint inspection committee	Not Consider due to recommendation Performa is not signed by joint inspection committee	Not Consider

*Handwritten signature*

*Handwritten signature*

\* **NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for remaining not recommended trades.



**STATE:Uttar Pradesh**

**Dated: 31/07/2019**

**Total - 19(Old-8/New-11)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
18.	Lt. Rudra Pratp Pvt. ITI, Chhapra Sultanpur, Azamgarh 276124, UP		New	Electrician Fitter Welder Sewing Technology	N.R. N.R. N.R. N.R.	N.R. N.R. N.R. N.R.	w.e.f. August 2019 * NR due to shortage of TE
19.	Lal Bahadur Shastri Pvt. ITI, Gola Bazar, Dist. Gorakhpur, Uttar Pradesh		Existing	Electrician	4(0+0+4)	4(0+0+4)	w.e.f. August 2019

08/8/19

↓  
Sunkar  
8/8/19



**STATE: Bihar**

**Dated: 31/07/2019**

**Total -50 (New-9/Old-41)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
1.	<b>New Address</b> Samastipur Private ITI, At-B Ailoth, P.O+P.S- Musarigharai, Dist. Samastipur, Bihar  <b>Old Address</b> Samastipur Private ITI, Behind SBI Murari Gharari Branch At- Musari Gharari, Dist- Samastipur, 848132	PR10000164	Existing	Fitter  Electrician	4(2+2)  8(4+4)	4(2+2)  8(4+4)	w.e.f. August 2019 <b>(Shifting Case)</b>
2.	SUBHASH PRASAD Private ITI, P.O + P.S - Jeeradei, Distt. Siwan, Pin code 841245, Bihar	PR10000966	Existing	Electrician	Addl. 16(8+8+0)	Addl. 12(6+6+0) Total 16(8+8+0)	w.e.f. August 2019 #
3.	Rajdeo Yadav Private ITI, Fatehpur Chandhosh Road, PO-Mukhmilpur, PS-Paliganj, Dist. Patna- Bihar-801110	PR10000813	Existing	Electrician	Addl. 16(8+8+0)	Addl. 12(6+6+0) Total 16(8+8+0)	w.e.f. August 2019 #
4.	Satya Janki Devi Pvt. ITI, Vill-Kanchanpur, P.O- Rajasan, PS-Bidupur, Distt. Vaishali, Bihar	PR10000931	Existing	Electrician	Addl. 8(4+4+0)	Addl. 8(4+4+0) Total 12(6+6+0)	w.e.f. August 2019
5.	Samrat Ashok Pvt. ITI, Sarmastpur, Block - Sakra, Dist. Muzaffarpur, Bihar	PR10000890	Existing	Electrician	Addl. 4(2+2+0)	Addl. 4(2+2+0) Total 8(4+4+0)	w.e.f. August 2019
6.	Darbhanga Pvt. ITI, Opp. Vishwakarma Mandir, P.O-Laherisarai, Dist. Darbhanga, Pin 846001, Bihar	PR10000724	Existing	Electrician	Addl. 6(3+3+0)	Addl. 6(3+3+0) Total 10(5+5+0)	w.e.f. August 2019

08/08/19

*(Signature)*

\* **NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for remaining not recommended trades.

# As per the decision taken in 6<sup>th</sup> Recommendation Committee meeting, affiliation for units more than 8 per shift will be granted after verification by a team during 3<sup>rd</sup> week of August 2019.



**STATE: Bihar**

**Dated: 31/07/2019**

**Total -50 (New-9/Old-41)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
7.	<b>New Address</b> Gurukul Pvt. ITI, Industrial Growth area, Giddha, Ara, Bhojpur, Bihar 802314 <b>Old Address</b> Gurukul Pvt. ITI, AT. Chhoti Line Colony, P.O. Arra, Dist. Bhojpur, Bihar	PR10000359	Existing	Electrician  Fitter	4(2+2+0)  4(2+2+0)	4(2+2+0) ✓  4(2+2+0) ✓	w.e.f. August 2019 <b>(Shifting Case)</b>
8.	Suraj Sawariya Pvt. ITI, Balaha, Amnour, Saran, Bihar - 841401	PR10000435	Existing	Electrician	Addl. 10(5+5+0)	Addl. 10(5+5+0) ✓ Total 14(7+7+0) ✓	w.e.f. August 2019
9.	Dikshant Pvt. ITI, Govindpur-03, Murlitol, Bachhwara, Begusarai, Bihar-851111	PR10000950	Existing	Electrician	Addl. 8(4+4+0)	Addl. 8(4+4+0) ✓ Total 12(6+6+0) ✓	w.e.f. August 2019
10.	Imarat Maujibaiah Technical Institute, Mahdauli, Darbhanga, Bihar- 846006	PR10000132	Existing	Surveyor	2(1+1+0)	2(1+1+0) ✓	w.e.f. August 2019
11.	Dalsinghsarai Technical Pvt. ITI, Rampur, Jalalpur, Dalsinghsari, Samstipur, Bihar- 848114	PR10000891	Existing	Electrician	Addl. 4(2+2+0)	Addl. 4(2+2+0) ✓ Total 8(4+4+0) ✓	w.e.f. August 2019
12.	<b>New Address</b> R.A.V Pvt. ITI, At. Khairma, Distt.- Jamui, Bihar- 811307 <b>Old Address</b> RAV Pvt. ITI, Masoudhi Chouk, Dist. Jamui, Bihar	PR10000414	Existing	Electrician  Fitter	4(2+2+0)  4(2+2+0)	4(2+2+0) ✓  4(2+2+0) ✓	w.e.f. August 2019 <b>(Shifting Case)</b>

*Handwritten signature*

*Handwritten signature*

\* **NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for remaining not recommended trades.

#As per the decision taken in 6<sup>th</sup> Recommendation Committee meeting, affiliation for units more than 8 per shift will be granted after verification by a team during 3<sup>rd</sup> week of August 2019.



**STATE: Bihar**

**Dated: 31/07/2019**

**Total -50 (New-9/Old-41)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
13.	Dr. Shri Krishna Singh Pvt. ITI, Saket More, Barbigaha, Sheikhpura, Bihar- 811101	PR10000936	Existing	Electrician Fitter	N.R. Addl. 2(1+1+0))	N.R. Addl. 2(1+1+0) Total 4(2+2+0)	w.e.f. August 2019 NR Due to shortage in TE for Electrician
14.	Vijaya Pvt. ITI, Jadhua Checkpost Hajipur, Vaishali, Bihar- 844101	PU10000893	Existing	Electrician Surveyor	Addl. 8(4+4+0) 2(1+1+0)	Addl. 8(4+4+0) Total 12(6+6+0) 2(1+1+0)	w.e.f. August 2019
15.	New Adarsh Pvt. ITI, Ghorhat more, Vill-Madanpur, PO-Mandanpur, Distt.-Aurangabad, Bihar- 824208	PR10000629	Existing	Fitter	4(2+2+0)	4(2+2+0)	w.e.f. August 2019
16.	Anandi Pvt. ITI, Adamapur, PO-Karwandiya, PS-Sasaram, Distt. - Rohtas, Bihar- 821305	PR10000004	Existing	Fitter	2(1+1+0)	2(1+1+0)	w.e.f. August 2019
17.	Safdar Hashmi Pvt. ITI, At- Balua tall, Motihari, East Champaran, Bihar- 845401	PR10000071	Existing	Electrician	Addl. 16(8+8+0)	Addl. 2(1+1+0) Total 16(8+8+0)	w.e.f. August 2019 #
18.	RaghuNandan Sinha Pvt. ITI, At- Godiha, PO-Koshdihara, PS-Parasbigha, Distt.-Jehanabad, Bihar- 804408	PR10000967	Existing	Electrician	Addl. 8(4+4+0)	Addl. 8(4+4+0) Total 12(6+6+0)	w.e.f. August 2019 Units reduced due to shortage in Workshop

31/08/19

*[Signature]*

\* **NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for remaining not recommended trades.

#As per the decision taken in 6<sup>th</sup> Recommendation Committee meeting, affiliation for units more than 8 per shift will be granted after verification by a team during 3<sup>rd</sup> week of August 2019.



**STATE: Bihar**

**Dated: 31/07/2019**

**Total -50 (New-9/Old-41)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
19.	Ramkewal Singh ITC, Bansichhapra, Rasulpur, PO- Ekma District- Saran, Bihar- 841208	PR10000127	Existing	Electrician Fitter	Addl. 2(1+1+0) Addl. 2(1+1+0)	Addl. 2(1+1+0) Total 4(2+2+0) Addl. 2(1+1+0) Total 4(2+2+0)	w.e.f. August 2019
20.	Ram Lagan Ray Pvt. ITI, At- Pachi Mubarak, Bashra, PS-Rajapakar, Distt.- Vaishali, Bihar- 844124	PR10001178	Existing	Electrician	Addl. 6(3+3+0)	Addl. 6(3+3+0) Total 10(5+5+0)	w.e.f. August 2019
21.	R.N. ITC, Gachhi Tola, Near Railway mal Godown, Distt.- Begusarai, Bihar- 851101	PR10000243	Existing	Electrician	N.R.	N.R.	NR due to shortage in workshop space
22.	Enayeth Pvt. ITI, At+PO+PS- Cherki, Distt.- Gaya, Bihar- 824237	PR10001186	Existing	Fitter	4(2+2+0)	4(2+2+0)	w.e.f. August 2019
23.	Mahatma Gandhi Pvt. ITI, At- Chandmari, Motihari, East Champaran, Bihar- 845401	PR10000382	Existing	Electrician Fitter	Addl. 2(1+1+0) Addl. 2(1+1+0)	Addl. 2(1+1+0) Total 4(2+2+0) Addl. 2(1+1+0) Total 4(2+2+0)	w.e.f. August 2019 Units reduced due to shortage in TE
24.	New Sant Kabir Pvt. ITI, Shivnathpur, Singhiaghat, Distt.- Samastipur, Bihar- 848236	PU10000937	Existing	Electrician	Addl. 4(2+2+0)	Addl. 4(2+2+0) Total 8(4+4+0)	w.e.f. August 2019
25.	DPA Pvt. ITI, NH-28, Bhatwaroop Kuchaikot, Gopalganj, Bihar- 841501	PR10000767	Existing	Electrician	Addl. 2(1+1+0)	Addl. 2(1+1+0) Total 8(4+4+0)	w.e.f. August 2019

08/8/19

*[Signature]*

\* **NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for remaining not recommended trades.

# As per the decision taken in 6<sup>th</sup> Recommendation Committee meeting, affiliation for units more than 8 per shift will be granted after verification by a team during 3<sup>rd</sup> week of August 2019.



**STATE: Bihar**

**Dated: 31/07/2019**

**Total -50 (New-9/Old-41)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
26.	DML Pvt. ITI, At-Lalunagar, Vill.-Bajjnathpur, Block-Meskaur, Distt.-Nawada, Bihar- 805103 (Unserved Block)		New	Electrician Fitter	8(4+4+0) 4(2+2+0)	8(4+4+0) 4(2+2+0)	w.e.f. August 2019
27.	Shushila Thakur Pvt. ITI, Ramapur, Maheshpur, Tajpur, Samstipur, Bihar- 848130	PR10000929	Existing	Electrician	Addl. 16(8+8+0)	Addl. 12(6+6+0) Total 16(8+8+0)	w.e.f. August 2019 #
28.	Shri Sitanand Jha Pvt. ITI, Neelam VidyaVihar, Village- Sijoul, Post-Mailam, Distt. - Madhubani, Bihar- 847235	PR10001112	Existing	Fitter Electrician	Addl. 1 (1+0+0) Addl. 1(1+0+0)	Addl. 1 (1+0+0) Total 3(2+1+0) Addl. 1 (1+0+0) Total 3(2+1+0)	w.e.f. August 2019
29.	Pratap Private Industrial Training Institute, At Shiv VhakMoul, P.O.-Gulazabagh , P.S - baypass, Dist- Patna (BIHAR) Pin-800008	PU10000951	Existing	Electrician	Addl.12(6+6+0)	Addl.12(6+6+0) Total 16(8+8+0)	w.e.f. August 2019
30.	Kisan Pvt. ITI, Vill-Khirouna, PO+PS- Rahui, Nalanda, Bihar-803119	PR10000982	Existing	Electrician	Addl. 8(4+4+0)	Addl. 8(4+4+0) Total 12(6+6+0)	w.e.f. August 2019
31.	Gurukul Pvt. ITI, Eight Mile, Itwan, Wazraganj, Gaya, Bihar-805131	PR10000894	Existing	Electrician	Addl. 8(4+4+0)	Addl. 8(4+4+0) Total 12(6+6+0)	w.e.f. August 2019 units reduced due to shortage of class room

*08/08/19*

*[Signature]*

\* **NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for remaining not recommended trades.

# As per the decision taken in 6<sup>th</sup> Recommendation Committee meeting, affiliation for units more than 8 per shift will be granted after verification by a team during 3<sup>rd</sup> week of August 2019.





**STATE: Bihar**

**Dated: 31/07/2019**

**Total -50 (New-9/Old-41)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
32.	Devpati Institute of Technology Pvt. ITI, Vill+PO- Saure, Ben, Nalanda, Bihar-803114	PR10001030	Existing	Electrician	Addl. 8(4+4+0)	Addl. 8(4+4+0) Total 12(6+6+0)	w.e.f. August 2019
33.	Dr. Lakshmi Prasad Sinha Pvt. ITI, Vill-Chainpur Baghail, Shahdel Bujug, Vaishali, Bihar-844509	PR10000648	Existing	Electrician Fitter	Addl. 2(1+1+0) 2(1+1+0)	Addl. 2(1+1+0) Total 14(7+7+0) 2(1+1+0)	w.e.f. August 2019
34.	New R.K. Singh Pvt. ITI, Nasira, Kohara Bazar, Daudpur Saran, Bihar-841205		New	Electrician Fitter	4(2+2+0) 4(2+2+0)	4(2+2+0) 4(2+2+0)	w.e.f. August 2019 (Appeal Case)
35.	Greater Private ITI Chaknasir Patepur Vaishali Bihar- 843114	PR10000874	Existing	Electrician	Addl. 8(4+4+0)	Addl. 4(2+2+0) Total 16(8+8+0)	w.e.f. August 2019 due to less connected load
36.	Binod Private ITI, Station Road, Satgama, Jamui - 811307	PR10001146	Existing	Electrician Fitter	Addl. 4(2+2+0) Addl. 4(2+2+0)	Addl. 4(2+2+0) Total 8(4+4+0) Addl. 4(2+2+0) Total 8(4+4+0)	w.e.f. August 2019
37.	Satyam International ITI, Gaurichak, Patna-800007	PU10000942	Existing	Electrician	Addl. 8(4+4+0)	Addl. 8(4+4+0) Total 12(6+6+0)	w.e.f. August 2019
38.	Yash Memorial Private ITI, Village, Mohanpur, PO-Bagheji, PS-Barauli, Dist-Gopalganj, Bihar-841405	PR10000884	Existing	Electrician	Addl. 8(4+4+0)	Addl. 8(4+4+0) Total 12(6+6+0)	w.e.f. August 2019

*08/8/19*

*[Signature]*

\* **NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for remaining not recommended trades.

# As per the decision taken in 6<sup>th</sup> Recommendation Committee meeting, affiliation for units more than 8 per shift will be granted after verification by a team during 3<sup>rd</sup> week of August 2019.



**STATE: Bihar**


**Dated: 31/07/2019**

**Total -50 (New-9/Old-41)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
39.	Manjhaul Private ITI, ,Manjhaul. Cheriabariyarpur, Begusarai, Bihar-851127	PR10001194	Existing	Electrician	Addl.4(2+2+0)	Addl.4(2+2+0) Total 8(4+4+0)	w.e.f. August 2019
40.	Kamal Deo Prasad Private ITI, AT-Paliganj P.O-Paliganj, Distt-Patna-801110	PR10000392	Existing	Electrician	Addl.4(2+2+0)	Addl.4(2+2+0) Total.8(4+4+0)	w.e.f. August 2019
41.	Maa Gauri Private ITI, AT-NirakhpurPali, Chandhos Road P.O+P.S-PaliganjDist- Patna, Bihar-801110		New	Electrician Fitter COPA Diesel Mechanic	4(2+2+0) 2(1+1+0) 1(1+0+0) 1(0+1+0)	4(2+2+0) 2(1+1+0) 1(1+0+0) 1(0+1+0)	w.e.f. August 2019
42.	Chanakya Global Pvt. ITI -Arrah, At-Koilwar, Behind CRPF Camp, P.O Koilwar, Distt. Bhojpur, Bihar		New	Electrician Fitter Mechanic Diesel Draughtsm an Civil	4(2+2+0) 4(2+2+0) N.R. N.R.	4(2+2+0) 4(2+2+0) N.R. N.R.	w.e.f. August 2019 *
43.	Sudist Narayan Thakur Private ITI Samastipur, Vill. Shahjadapur, Sarairanjan, Dist. Samastipur, Bihar		New	Electrician Fitter Mechanic Diesel Electronic Mechanic	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019

08/8/19



\* **NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for remaining not recommended trades.

# As per the decision taken in 6<sup>th</sup> Recommendation Committee meeting, affiliation for units more than 8 per shift will be granted after verification by a team during 3<sup>rd</sup> week of August 2019.



**STATE: Bihar**

**Dated: 31/07/2019**

**Total -50 (New-9/Old-41)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
44.	Vedanta Pvt. ITI Dumduma, Daudpur, Dist. Saran, Bihar 841205		New	Electrician Fitter Mechanic Diesel COPA	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	w.e.f. August 2019
45.	Gyanasthali Pvt. ITI, Laxmipur, P.O+P.S MTPC, Dist. Patna Pin 803213		New	Electrician Fitter Draughtsman Civil COPA	2(1+1+0) 2(1+1+0) N.R. N.R.	2(1+1+0) 2(1+1+0) N.R. N.R.	w.e.f. August 2019 *
46.	Tool Room & Training Centre Pvt. ITI Patliputra Industrial Area, Patna 800013		New	Machinist Fitter	2(1+1+0) N.R.	2(1+1+0) N.R.	w.e.f. August 2019
47.	Shree Durga Pvt. ITI, Vill+P.OSangraon, P.S Rajpur, Dist. Buxar, Pin 802122		New	Electrician Fitter	4(2+2+0) 4(2+2+0)	4(2+2+0) 4(2+2+0)	w.e.f. August 2019 Unservd block
48.	Maa Sharda Pvt. ITI, Pratappur, Muktapur, Samastipur, Bihar- 848102		Existing	Electrician	Addl. 24(12+12+0)	NIL	#

*Handwritten signature*

*Handwritten signature*

\* **NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for remaining not recommended trades.

# As per the decision taken in 6<sup>th</sup> Recommendation Committee meeting, affiliation for units more than 8 per shift will be granted after verification by a team during 3<sup>rd</sup> week of August 2019.



**Skill India**  
कौशल भारत - कुशल भारत

34

**DGT-12/1/2018-TC**



**STATE: Bihar**

**Dated: 31/07/2019**

**Total -50 (New-9/Old-41)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
49.	Kumar ITC, NH-31, Kenamore, Madhobigha, Nawada, Bihar- 805123		Existing	Electrician	Addl. 8(4+4+0)	NIL	#
50.	Bihar Pvt. ITI, At- Konhara Ghat, Hajipur, Distt.- Vaishali, Bihar- 844101	PR10000086	Existing	Electrician	Addl. 20(10+10+0)	NIL	#

08/08/19

*[Handwritten Signature]*

\* **NOTE:-** Within 2 months ITI should rectify the deficiencies and get inspected for remaining not recommended trades.

#As per the decision taken in 6<sup>th</sup> Recommendation Committee meeting, affiliation for units more than 8 per shift will be granted after verification by a team during 3<sup>rd</sup> week of August 2019.