

**No. DGT-12/1/2018-TC (Part)**  
**Government of India**  
**Ministry of Skill Development and Entrepreneurship**  
**Directorate General of Training**

Employment Exchange Building,  
 1st floor, Pusa, New Delhi,  
 Dated: 11<sup>th</sup> September, 2019

To

The Director  
 Directorate of Employment & Training  
 New Sectt, Vikas Bhavan, Patna - 800015,  
 Bihar

**Subject: Affiliation of Units/Trades of Govt. /Pvt. ITIs with NCVT.**

Sir,

The proposals of affiliation of trade(s)/Unit(s) with NCVT received along with recommendation of standing committee inspection reports from the respective State Government. These were scrutinized and put up before the members of the Recommendation Committee of Directorate General of Training (DGT) dealing with affiliation of ITIs in its meeting held on 31<sup>st</sup> July, 2019 at DGT, MSDE, New Delhi for its consideration and approval. As decided in the 6<sup>th</sup> Recommendation Committee meeting, No. of units more than Eight in any shift, ITI will be re-inspected to verify the infrastructure availability for No. of units for which affiliation sought.

Accordingly verification team inspected and verified Seven ITIs dated 19.08.2019 to 21.08.2019 and based on Recommendation of the verification team Trade/Units affiliated are as enclosed.

2. The Recommendation Committee of DGT examined verification reports during which verify held on 27 August 2019, and accorded approval to the proposals conforming to the NCVT Norms, as per the list enclosed herewith.
3. The affiliation of the trade(s)/unit(s) stated above are further subjected to,
  - Periodic verification.
  - The ITI must comply with NCVT norms/guidelines issued from time to time.
  - ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. In case of any discrepancy observed in the affiliation order, same may be intimated to Undersigned within 15 days after the date of issue of order.

Yours Sincerely

  
 (Ravi Chilukoti)

Joint Director of Training

**Copy along with enclosures for information to:**

1. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal.
2. Guard File

  
 11/9/19

(R. Murugarajan)

Deputy Director of Training



**STATE: Bihar**

**Meeting Date: 31/07/2019**

**Total - 07, (New-00, Old-07)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
				ITI proposed	Trade/Units Recommendation by SCI/State	Trade/Units Approved by DGT Recommendation Committee	
1	Rajdeo Yadav Pvt. ITI, Fatehpur Chandhosh Road, PO- Mukhmilpur, PS- Paliganj, Dist. Patna- Bihar- 801110	PR10000813	Electrician	Addl. 16(8+8)	Addl. 16(8+8)	Addl. 4(2+2) Total 8(4+4)	w.e.f. Aug 2019 As per verification committee report (inspected on 19.08.2019) by looking at the condition of workshop, classrooms, non-availability of faculty & trainees and ITI working timing units were reduced as recommended.
2	Kumar ITC, NH-31, Kenamore, Madhobigha, Nawada, Bihar- 805123	PR10000306	Electrician	Addl. 8(4+4)	Addl. 8(4+4)	Additional trade Units Not Recommended	As per verification committee (inspected on 20.08.2019) by looking at the condition of workshop, & empty classrooms, non-availability of faculty & trainees indicates that no proper training is taking place even for the existing trades/units in the ITI, accordingly additional units were not recommended.

*Handwritten signature*

*Handwritten signature*  
4/9/19





**STATE: Bihar**

**Meeting Date: 31/07/2019**

**Total - 07, (New-00, Old-07)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
				ITI proposed	Trade/Units Recommendation by SCI/State	Trade/Units Approved by DGT Recommendation Committee	
5	Subhash Prasad Private ITI, P.O + P.S - Jeeradei, Distt. Siwan, Pin code 841245, Bihar	PR10000966	Electrician	Addl. 16(8+8)	Addl. 16(8+8)	Addl. 16(8+8) Total 20(10+10)	w.e.f. Aug 2019 As per verification report (inspected on 19.08.2019 to 21.08.2019) deficiency noticed in different facilities, infrastructures, shop floor machinery and equipment's were specially highlighted during the inspection, accordingly recommended.
6	Bihar Pvt. ITI, At- Konhara Ghat, Hajipur, Distt.- Vaishali, Bihar- 844101	PR10000086	Electrician	Addl. 20(10+10)	Addl. 20(10+10)	Addl. 8(4+4) Total 24(12+12)	w.e.f. Aug 2019 As per verification report (inspected on 19.08.2019 to 21.08.2019) deficiency noticed in different facilities, infrastructures, shop floor machinery and equipment's were specially highlighted during the inspection, accordingly units were reduced.

*Handwritten signature*

*Handwritten signature 11/9/19*



**Skill India**  
सक्षमता भारत - कृशरत भारत

**DGT-12/1/2018-TC**



**STATE: Bihar**

**Meeting Date: 31/07/2019**

**Total - 07, (New-00, Old-07)**

**Affiliation of Trade/Units with NCVT**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
				ITI proposed	Trade/Units Recommendation by SCI/State	Trade/Units Approved by DGT Recommendation Committee	
7	Safdar Hashmi Pvt. ITI, At-Balua tall, Motihari, East Champaran, Bihar- 845401	PR10000071	Electrician	Addl. 16(8+8)	Addl. 16(8+8)	Addl. 8(4+4) Total 24(12+12)	w.e.f Aug 2019 As per verification report (inspected on 19.08.2019 to 21.08.2019) deficiency noticed in different facilities, Infrastructures, shop floor machinery and equipment were specially highlighted during the Inspection, accordingly units were reduced

*Handwritten signature and date: 31/7/19*

*Handwritten signature and date: 31/7/19*